



---

# Illinois State Cancer Incidence Review and Update, 1986-2013

Epidemiologic Report Series 16:04

February 2016

# Illinois State Cancer Incidence Review and Update, 1986-2013



A publication of the  
Illinois Department of Public Health  
Division of Epidemiologic Studies  
Illinois State Cancer Registry  
Springfield, Illinois 62761

**February 2016**

## **Prepared by**

Kyle Garner, M.P.H.  
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.  
Division Chief

## **Acknowledgements**

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number NU58DP003883-04 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

## **Suggested citation**

Garner K, Shen T. Illinois State Cancer Incidence Review and Update, 1986-2013. Epidemiologic Report Series 16:04. Springfield, Ill.: Illinois Department of Public Health, February 2016.

## **Copyright information**

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE

1986-2013

TABLE OF CONTENTS

Overview 1  
Technical Notes 2

SECTION I

Cancer Incidence by Race, Illinois, 1986-2013..... I-1  
All Sites Combined..... I-2  
Oral Cavity and Pharynx..... I-8  
Digestive System..... I-62  
Respiratory System..... I-128  
Bones and Joints..... I-146  
Soft Tissue, Including Heart..... I-152  
Skin Excluding Basal and Squamous..... I-158  
Breast Excluding *In Situ* ..... I-170  
Female Genital System..... I-176  
Male Genital System..... I-188  
Urinary System..... I-196  
Eye and Orbit..... I-220  
Brain and Other Nervous System..... I-226  
Endocrine System..... I-238  
Lymphoma..... I-250  
Myeloma..... I-268  
Leukemia..... I-274  
Mesothelioma..... I-310  
Kaposi Sarcoma..... I-316  
Ill-defined and Unknown Sites..... I-322  
Female Breast *In Situ* ..... I-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2013..... II-1  
All Sites Combined..... II-2  
Oral Cavity and Pharynx..... II-5  
Digestive System..... II-32  
Respiratory System..... II-65  
Bones and Joints..... II-74

Soft Tissue, Including Heart.....	II-77
Skin Excluding Basal and Squamous.....	II-80
Breast Excluding In Situ.....	II-86
Female Genital System.....	II-89
Male Genital System.....	II-95
Urinary System (Including Bladder In Situ).....	II-99
Eye and Orbit.....	II-111
Brain and Other Nervous System.....	II-114
Endocrine System.....	II-120
Lymphoma.....	II-126
Myeloma.....	II-135
Leukemia.....	II-138
Mesothelioma.....	II-156
Kaposi Sarcoma.....	II-159
III-defined and Unknown Sites.....	II-162
Female Breast In Situ.....	II-165

### SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2013.....	III-1
All Sites.....	III-2
Leukemia.....	III-3
Lymphomas and Reticuloendothelial Neoplasms.....	III-6
CNS and Miscellaneous Intracranial and Intraspinal Neoplasms.....	III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors.....	III-14
Retinoblastoma.....	III-16
Renal Tumor.....	III-17
Hepatic Tumor.....	III-19
Malignant Bone Tumor.....	III-21
Soft Tissue and Other Extraosseous Sarcomas.....	III-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads.....	III-26
Other Malignant Epithelial Neoplasms and Melanomas.....	III-29
Other and Unspecified Malignant Neoplasms.....	III-32
Appendix A: Illinois Populations Used for Rate Calculations 1986-2013.....	A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008.....	B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008..	C-1
Appendix D: Formulas for Rates.....	D-1

# ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE 1986-2013

## OVERVIEW

This is the 23<sup>rd</sup> release of the annual Illinois state cancer statistics report. This report presented Illinois' cancer incidence for 1986 through 2013 for all races combined, whites, blacks, and Asian/other races and for 1990 through 2013 for Hispanics (any race), non-Hispanics (any race), non-Hispanic whites, and non-Hispanic blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2013 are included in a separate section. At the time this report was written, cancer mortality data were unavailable.

They will be presented later in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2014 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR) and the United States Cancer Statistics (USCS) of the U.S Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.<sup>1-5</sup>

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors and 95 percent confidence intervals for rates are displayed for the combined 1986-2013 time period as well as for individual years. For cancers occurring in both genders, separate tables were presented for both males and females. Pediatric cancer incidence rates were calculated and presented for all races, both sexes, and by the two age groups: 0-14 and 0-19 years.

## INCIDENCE HIGHLIGHTS

- A total of 1,610,534 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2013, including 64,959 new cases reported in 2013. The overall race distribution for cases in 2013 was 82.5 percent white, 13.5 percent black, 2.7 percent Asian/other races and 1.3 percent unknown race.
- For the ethnicity/race categories, a total of 1,431,606 cases of invasive cancer among Illinois residents were reported to ISCR from 1990 through 2013. The ethnicity/race distribution for cases diagnosed in 2013 was 6.4 percent Hispanics (any race) and 93.6 percent non-Hispanics (any race); among non-Hispanic cases, non-Hispanic whites accounted for 81.8 percent and non-Hispanic blacks 14.3 percent.

- Black males had the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their white or black counterparts.
- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 29.7 percent of 796,602 invasive cancer diagnoses in women during 1986-2013. The predominance of breast cancer among females persists for all major race and ethnicity groups.
- The incidence of female breast cancer diagnosed in the *in situ* stage increased steadily for every race and ethnicity group across 1986-1999 with an annual percent increase of 8.2 percent, but slowed around 2000 among whites and Asian/other races, and in 2004 among blacks. The annual percent change between 2000 and 2013 was a 1.6 percent increase for all races. These trends suggested that screening, mammography usage, and earlier detection of breast cancer among Illinois women may have plateaued.
- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 26.8 percent of 813,932 new cancer diagnoses in men during 1986-2013. Black males had the highest prostate cancer incidence rates among all race groups, approximately 61 percent higher than those observed for white males and over three times those observed for males of Asian/other races in 2013.
- A total of 15,751 new cases of cancer were diagnosed during 1986-2013 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system and lymphoma.

## TECHNICAL NOTES

### Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to submit Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida,

Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008) and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents and their standards of quality.<sup>6</sup> Between 1986 and 2013, 5.7 percent of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves following cancer cases, identified only through a death certificate, back to the facility or physician that treated them for their cancer. These efforts help to identify the cases not reported to ISCR. Between 1986 and 2013, 1.6 percent of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for a two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2015.

## **Data Use Agreement**

By using the data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides that data collected by the Illinois State Cancer Registry be made available to the public; however, the identification or contact of individuals is prohibited.

In an effort to exclude identifying information on individual patients, the data (e.g., age, race, ethnicity, year of diagnosis, and type of cancer) have been aggregated into categories within individual records, the number of which depends on the size of the geographic area.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

## **Population Estimates**

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, whites,



Blacks, and Asian/other races from 1986 through 2013, and for Hispanics, non-Hispanics, non-Hispanic white, and non-Hispanic black for 1990 through 2013 were obtained from both the intercensal and Vintage 2014 bridged-race post censal population estimates. Population estimates by age, sex, race, and Hispanic origin were produced by the United States Bureau of Census Population Estimates Program (<http://www.census.gov/popest/index.html>), in collaboration with the National Center for Health Statistics, and with support from the National Cancer Institute (NCI) through an interagency agreement. The population estimates incorporate intercensal (for 2000-2009) and Vintage 2014 (for 2010-2013) bridged single-race estimates are derived from the original multiple race categories in the 2000 and 2010 Censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity [https://www.whitehouse.gov/omb/info/foreg\\_statpolicy/](https://www.whitehouse.gov/omb/info/foreg_statpolicy/)). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website ([http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm)).

The intercensal estimates provide an adjustment of previous population estimates based on the actual 2010 census results ([http://www.census.gov/popest/methodology/2000-2010\\_Intercensal\\_Estimates\\_Methodology.pdf](http://www.census.gov/popest/methodology/2000-2010_Intercensal_Estimates_Methodology.pdf)).<sup>7,8</sup> Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

## Definitions

**Cancer Site Coding for Incidence Data:** All cases diagnosed during 1986 through 2013 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.<sup>9</sup> Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)<sup>5</sup> and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and other state publications.<sup>3-5</sup> The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. This change has a slight impact on cancer incidence rates for a few specific cancers when compared with the previous site grouping method.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in

ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, Myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancers in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the “brain and other nervous system” and “all sites” categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for “all sites” or for “all other sites.”

The ICD-O-3 recode, with an adjustment for WHO 2008 hematopoietic histologies, was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends that this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables, but were not included in the calculation of counts or incidence rates for all sites combined.

**Pediatric Cancer Groups:** Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition (ICCC-3)*<sup>10</sup> and ICD-O-3. The main classification table of SEER recode scheme used in the present report was listed in Appendix C.

**Rate Calculation:** The SEER\*Stat® software package,<sup>11</sup> developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95 percent level using Tiwari method.<sup>12</sup> Algorithms used for the calculation of standard errors and 95 percent confidence intervals are displayed in Appendix D.

**Race-specific Rates:** The race-specific categories in this report are all races combined, whites, blacks and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55 percent of the American Indian/Alaska Native population.<sup>13</sup> If a race code in the ISCR database is white, black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan

Native; otherwise, the race code stays unchanged. This practice has minimal impact on the incidence rates for whites, blacks, or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA), improvements have been, and will continue to be made in classifying cancer incidence cases as Asian or Pacific Islander. Through the use of birthplace and first, last, and maiden name fields, NAPIIA assigns a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other, and unknown.<sup>14</sup>

Since 1991 the ISCR has included the race category “Other Unspecified” in an aggregate group that contained “Asian and Other Races.” Beginning with the 2010 data year the “Other Unspecified” race group will not be included in the aggregate “Asian and Other Races” aggregate group used in the report. Cases identified as a race of “Other Unspecified” will continue to be included in the “All Races” grouping. This was done in an effort to maintain comparability to other state and national reporting sources.

**Ethnicity/Race Rates:** Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).<sup>15</sup> NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.<sup>16</sup> Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic whites and non-Hispanic blacks. In order to be consistent with national and other state reports, cases reported as “unknown” ethnicity are included in the non-Hispanic group.

**QUALITY CONTROL**

Ongoing quality control procedures are integral in assuring high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy, and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,<sup>2</sup> ISCR has been awarded gold certification for all diagnosis years from 1996 through 2012.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2015, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method) <sup>a</sup> (% As of 11-15)	Pass EDITS (%)	DCO <sup>b</sup> (%)	Unresolved Duplicate <sup>c</sup> (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.3
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.6
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.3
1995	99	100	2.7	0.03	0.0	0.0	0.0	0.4
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.5
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.6
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.9
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.9
2000	100	100	2.4	0.03	0.0	0.0	0.0	1.0
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.9
2002	100	100	2.6	0.00	0.0	0.0	0.0	1.1
2003	100	100	1.5	0.02	0.0	0.0	0.0	1.2
2004	100	100	1.7	0.01	0.0	0.0	0.0	1.1
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.3
2006	100	100	2.0	0.00	0.0	0.0	0.0	1.0
2007	100	100	1.2	0.00	0.0	0.0	0.0	1.1
2008	100	100	1.7	0.07	0.0	0.0	0.0	1.2
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.4
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.4
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.6
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.5
2013	100	100	1.0	0.02	0.0	0.0	0.0	1.3
~ not applicable								
a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.								
b. DCO follow back not started until end of 1993 reporting year								
c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.								

## DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may not be significant, but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., less than 16).
- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95 percent complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the “true” rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.
- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000 and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity- and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000 or 2010 (see notes under “Population Estimates”).
- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race, and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95 percent probability, where the “true” rate may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two rates and is more conservative than the standard significance test when the null hypothesis is true.<sup>17</sup>

## REFERENCES

1. Thornton M (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 15*. Nineteenth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, October 2014, revised February 2015.
2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
3. Copeland G, Lake A, Firth R, et al (eds). *Cancer in North America: 2008-2012. Volume One: Combined Cancer Incidence for the United States, Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2015.
4. Copeland G, Lake A, Firth R, et al (eds). *Cancer in North America: 2008-2012. Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2015.
5. Howlander N, Noone AM, Krapcho M, et al (eds). *SEER Cancer Statistics Review, 1975-2012*, National Cancer Institute. Bethesda, Md., [http://seer.cancer.gov/csr/1975\\_2012/](http://seer.cancer.gov/csr/1975_2012/), based on November 2014 SEER data submission, posted to the SEER website, April 2015.
6. Lehnherr M and Havener LA. *Assessment of Interstate Exchange of Cancer Data, 1986-1998. ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.
7. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2014*. U.S. Census Bureau . <http://www.census.gov/popest/methodology/2014-natstcopr-meth.pdf> . Accessed January 13, 2016.
8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. <http://seer.cancer.gov/popdata/>. Accessed January 13, 2016.
9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.
10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer*. 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER\*Stat software (seer.cancer.gov/seerstat) Version 8.2.1, April 7, 2015.
12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.
13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification*. Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.
15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1]*. Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.
16. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

**SECTION I**  
**Cancer Incidence by Race**  
**Illinois, 1986-2013**



## Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,610,534	474.9	0.38	474.1	475.6	1,366,610	472.0	0.40	471.2	472.8
1986	43,034	406.4	1.99	402.5	410.3	37,692	402.8	2.11	398.7	407.0
1987	45,259	424.2	2.02	420.3	428.2	39,736	422.8	2.15	418.6	427.0
1988	45,203	420.6	2.00	416.7	424.5	39,333	416.0	2.13	411.8	420.2
1989	45,432	420.6	2.00	416.7	424.5	39,575	417.3	2.12	413.1	421.4
1990	47,480	435.1	2.02	431.1	439.0	41,449	433.1	2.15	428.9	437.3
1991	49,075	443.6	2.02	439.6	447.5	43,107	445.0	2.16	440.7	449.2
1992	52,036	464.0	2.05	460.0	468.0	45,592	465.6	2.20	461.3	469.9
1993	52,841	465.9	2.04	461.9	469.9	45,729	462.7	2.18	458.5	467.0
1994	55,545	486.5	2.07	482.4	490.6	47,869	482.3	2.21	477.9	486.6
1995	55,175	479.5	2.05	475.5	483.5	47,166	473.6	2.19	469.3	477.9
1996	56,335	486.7	2.06	482.7	490.8	48,033	480.6	2.20	476.3	484.9
1997	56,635	485.2	2.04	481.3	489.3	48,344	480.8	2.19	476.5	485.1
1998	57,740	489.8	2.04	485.8	493.8	48,968	483.2	2.19	478.9	487.5
1999	58,836	494.6	2.04	490.6	498.6	50,221	492.8	2.20	488.5	497.2
2000	59,124	492.9	2.03	489.0	496.9	50,100	489.2	2.19	485.0	493.6
2001	60,886	503.4	2.04	499.4	507.4	51,628	501.3	2.21	496.9	505.6
2002	62,311	510.2	2.05	506.2	514.2	52,739	508.2	2.22	503.9	512.6
2003	60,928	492.8	2.00	488.9	496.8	51,346	490.1	2.17	485.9	494.4
2004	61,518	492.8	1.99	488.9	496.8	51,788	491.2	2.17	487.0	495.5
2005	61,898	490.0	1.98	486.2	493.9	51,809	487.0	2.15	482.8	491.3
2006	63,773	500.1	1.99	496.2	504.0	53,291	497.5	2.17	493.3	501.8
2007	64,956	501.6	1.98	497.7	505.5	54,223	499.9	2.17	495.6	504.1
2008	66,301	503.5	1.97	499.7	507.4	55,330	502.9	2.16	498.7	507.1
2009	66,557	497.8	1.95	494.0	501.7	55,309	496.6	2.14	492.4	500.8
2010	65,198	479.9	1.91	476.2	483.6	53,954	477.9	2.09	473.8	482.0
2011	66,369	480.8	1.90	477.1	484.5	54,941	480.3	2.08	476.2	484.4
2012	65,130	463.8	1.85	460.2	467.5	53,742	463.1	2.03	459.1	467.1
2013	64,959	454.9	1.82	451.3	458.5	53,596	455.5	2.01	451.6	459.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	203,877	510.2	1.15	508.0	512.5	26,062	263.0	1.77	259.6	266.5
1986	4,900	442.0	6.56	429.2	455.0	356	236.9	14.65	209.1	267.1
1987	5,076	449.6	6.53	436.9	462.5	364	223.9	13.37	198.5	251.5
1988	5,355	465.8	6.59	452.9	478.8	398	249.0	14.37	221.6	278.6
1989	5,351	461.3	6.52	448.6	474.2	410	238.1	13.49	212.4	265.8
1990	5,504	468.0	6.51	455.3	480.9	412	231.3	13.03	206.4	258.0
1991	5,307	439.8	6.22	427.7	452.2	363	196.4	11.79	173.9	220.6
1992	5,808	472.0	6.37	459.6	484.7	461	241.7	12.97	216.9	268.2
1993	6,401	510.8	6.57	498.0	523.8	584	266.3	12.58	242.2	291.9
1994	6,905	544.9	6.74	531.8	558.2	602	269.0	12.38	245.3	294.2
1995	7,101	546.6	6.65	533.6	559.8	701	278.7	11.80	256.1	302.7
1996	7,324	554.3	6.63	541.4	567.4	743	286.8	11.92	263.9	311.0
1997	7,169	532.5	6.43	520.0	545.3	779	268.7	10.70	248.2	290.4
1998	7,449	544.3	6.44	531.8	557.1	813	279.2	10.93	258.2	301.3
1999	7,263	519.2	6.22	507.1	531.6	853	278.7	10.69	258.1	300.3
2000	7,571	530.6	6.22	518.5	542.9	896	269.2	9.92	250.1	289.3
2001	7,782	540.3	6.25	528.1	552.7	951	264.9	9.47	246.6	284.0
2002	7,900	537.3	6.17	525.3	549.5	1,001	273.0	9.43	254.8	292.0
2003	7,895	526.5	6.04	514.7	538.4	990	253.7	8.77	236.8	271.4
2004	7,976	522.7	5.97	511.1	534.6	1,057	256.4	8.58	239.8	273.7
2005	8,058	520.2	5.92	508.7	531.9	1,210	273.3	8.53	256.8	290.5
2006	8,540	540.2	5.97	528.6	552.0	1,296	278.3	8.36	262.1	295.1
2007	8,658	537.4	5.90	525.9	549.1	1,369	276.0	8.05	260.4	292.1
2008	8,738	530.1	5.80	518.8	541.6	1,413	266.7	7.66	252.0	282.1
2009	8,907	527.2	5.71	516.0	538.5	1,408	260.5	7.49	246.0	275.5
2010	8,757	509.2	5.57	498.3	520.2	1,569	272.1	7.36	257.8	286.9
2011	8,744	496.4	5.44	485.8	507.2	1,612	266.6	7.09	252.9	280.8
2012	8,678	483.5	5.32	473.2	494.1	1,714	263.7	6.74	250.7	277.3
2013	8,760	477.4	5.23	467.2	487.7	1,737	255.6	6.45	243.1	268.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	813,932	560.2	0.63	559.0	561.4	688,670	550.8	0.67	549.5	552.2
1986	21,080	482.8	3.48	476.0	489.6	18,357	474.4	3.65	467.3	481.6
1987	22,153	502.1	3.51	495.2	509.0	19,345	495.5	3.70	488.3	502.8
1988	21,851	492.5	3.47	485.8	499.4	18,970	484.3	3.65	477.2	491.5
1989	22,283	497.1	3.45	490.4	503.9	19,394	490.2	3.64	483.1	497.4
1990	23,449	519.1	3.51	512.2	526.0	20,397	511.6	3.70	504.4	518.9
1991	24,987	543.6	3.55	536.6	550.6	21,977	542.7	3.77	535.4	550.2
1992	27,208	583.0	3.64	575.9	590.2	23,748	578.2	3.85	570.7	585.8
1993	27,307	576.8	3.58	569.8	583.8	23,581	568.0	3.78	560.6	575.4
1994	28,165	591.9	3.62	584.8	599.0	24,102	578.7	3.81	571.3	586.2
1995	27,996	579.0	3.54	572.1	586.0	23,722	562.9	3.72	555.7	570.3
1996	28,324	580.1	3.51	573.2	587.0	23,916	563.6	3.70	556.3	570.9
1997	28,645	581.0	3.49	574.2	587.9	24,372	570.0	3.70	562.8	577.3
1998	28,936	580.8	3.46	574.0	587.6	24,429	566.3	3.66	559.1	573.5
1999	29,761	589.6	3.46	582.8	596.4	25,333	581.0	3.68	573.8	588.3
2000	30,014	588.0	3.44	581.3	594.8	25,280	575.3	3.65	568.2	582.5
2001	31,033	602.8	3.46	596.0	609.6	26,267	593.8	3.69	586.6	601.1
2002	32,081	616.3	3.49	609.5	623.2	27,184	609.0	3.73	601.7	616.3
2003	31,406	593.0	3.39	586.4	599.7	26,430	583.9	3.63	576.8	591.0
2004	31,591	587.1	3.35	580.6	593.7	26,504	577.7	3.58	570.7	584.8
2005	31,399	573.8	3.29	567.3	580.2	26,181	562.4	3.52	555.6	569.4
2006	32,422	583.7	3.29	577.2	590.2	27,048	573.9	3.53	567.0	580.9
2007	33,417	589.6	3.28	583.2	596.1	27,729	577.7	3.52	570.8	584.6
2008	34,022	586.8	3.24	580.5	593.2	28,306	577.8	3.49	571.0	584.7
2009	33,745	569.0	3.16	562.8	575.2	27,934	559.1	3.40	552.5	565.8
2010	32,852	543.6	3.07	537.6	549.7	27,182	534.9	3.31	528.4	541.4
2011	33,450	541.5	3.03	535.5	547.4	27,721	534.7	3.28	528.3	541.2
2012	32,361	512.4	2.92	506.7	518.2	26,743	505.9	3.16	499.7	512.1
2013	31,994	495.8	2.84	490.3	501.4	26,518	491.9	3.09	485.9	498.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	105,071	651.0	2.12	646.8	655.2	12,008	290.5	3.00	284.6	296.4
1986	2,530	567.2	12.13	543.7	591.5	166	256.6	23.52	212.6	306.3
1987	2,608	580.7	12.18	557.1	605.0	166	263.1	24.22	217.8	314.1
1988	2,645	573.5	11.95	550.3	597.3	184	283.2	24.34	237.5	334.2
1989	2,677	580.6	12.02	557.2	604.5	163	235.4	21.52	195.1	280.7
1990	2,786	599.1	12.20	575.4	623.4	208	304.8	24.61	258.4	356.1
1991	2,716	566.2	11.61	543.7	589.4	159	221.2	20.38	183.1	264.0
1992	3,155	655.3	12.49	631.0	680.2	233	309.9	23.94	264.7	359.6
1993	3,402	683.9	12.54	659.6	708.9	270	311.3	22.27	269.2	357.4
1994	3,688	740.2	13.04	714.8	766.1	282	305.9	21.24	265.7	349.8
1995	3,857	748.6	12.84	723.6	774.1	314	314.7	20.40	276.0	356.8
1996	3,934	741.4	12.54	717.0	766.3	358	343.9	21.57	302.9	388.2
1997	3,714	684.0	11.87	660.9	707.6	366	314.1	18.88	278.1	352.9
1998	3,840	702.1	11.98	678.8	725.9	368	309.6	18.62	274.2	347.9
1999	3,728	668.9	11.55	646.5	691.9	407	334.1	19.85	296.3	374.8
2000	4,033	706.9	11.71	684.1	730.2	407	292.7	16.76	260.8	327.1
2001	3,987	689.8	11.51	667.4	712.7	443	296.8	16.49	265.4	330.6
2002	3,999	679.2	11.35	657.2	701.8	468	309.5	16.16	278.6	342.5
2003	4,127	679.2	11.13	657.5	701.3	428	265.6	14.56	237.8	295.4
2004	4,149	673.6	11.05	652.1	695.6	501	293.8	14.87	265.4	324.1
2005	4,152	665.6	10.94	644.3	687.4	564	308.9	14.69	280.7	338.8
2006	4,392	684.7	10.90	663.5	706.3	616	319.4	14.40	291.8	348.7
2007	4,600	704.1	10.95	682.8	725.9	638	296.9	13.18	271.6	323.7
2008	4,577	679.7	10.58	659.1	700.7	649	287.8	12.77	263.3	313.7
2009	4,552	651.6	10.17	631.8	671.8	681	288.3	12.42	264.5	313.6
2010	4,413	621.5	9.87	602.3	641.1	710	290.4	12.14	267.1	315.0
2011	4,344	592.6	9.46	574.2	611.4	719	282.2	11.62	259.9	305.8
2012	4,246	569.5	9.20	551.6	587.8	776	274.0	10.76	253.3	295.9
2013	4,220	552.6	8.93	535.2	570.3	764	257.7	10.06	238.4	278.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	796,602	421.9	0.48	421.0	422.8	677,940	424.5	0.52	423.5	425.5
1986	21,954	368.0	2.54	363.1	373.0	19,335	369.4	2.73	364.1	374.8
1987	23,106	385.3	2.59	380.3	390.4	20,391	388.8	2.79	383.3	394.3
1988	23,352	385.9	2.57	380.8	390.9	20,363	385.1	2.76	379.7	390.6
1989	23,149	381.7	2.55	376.7	386.8	20,181	381.9	2.75	376.5	387.3
1990	24,031	392.0	2.57	387.0	397.1	21,052	395.2	2.78	389.8	400.7
1991	24,088	388.1	2.54	383.2	393.1	21,130	392.4	2.76	387.0	397.8
1992	24,828	395.2	2.54	390.3	400.3	21,844	401.8	2.77	396.4	407.3
1993	25,534	400.0	2.53	395.1	405.0	22,148	401.5	2.74	396.1	406.9
1994	27,380	424.1	2.59	419.1	429.2	23,767	426.7	2.81	421.2	432.3
1995	27,179	419.8	2.57	414.7	424.8	23,444	421.7	2.80	416.2	427.2
1996	28,011	429.5	2.59	424.4	434.6	24,117	431.9	2.82	426.4	437.4
1997	27,990	425.8	2.56	420.8	430.9	23,972	426.9	2.79	421.5	432.4
1998	28,804	433.9	2.57	428.8	438.9	24,539	433.8	2.80	428.3	439.4
1999	29,075	435.0	2.57	430.0	440.0	24,888	438.6	2.81	433.1	444.2
2000	29,110	432.2	2.55	427.2	437.2	24,820	435.7	2.80	430.2	441.2
2001	29,853	439.4	2.56	434.4	444.5	25,361	442.7	2.81	437.2	448.3
2002	30,230	441.5	2.56	436.5	446.6	25,555	443.3	2.81	437.9	448.9
2003	29,522	427.5	2.50	422.6	432.4	24,916	429.9	2.76	424.5	435.4
2004	29,927	430.3	2.51	425.4	435.2	25,284	434.6	2.77	429.2	440.0
2005	30,499	434.8	2.51	429.8	439.7	25,628	438.1	2.77	432.7	443.6
2006	31,351	444.1	2.53	439.2	449.1	26,243	447.1	2.80	441.6	452.6
2007	31,539	442.3	2.52	437.4	447.3	26,494	448.6	2.80	443.1	454.1
2008	32,279	447.0	2.52	442.1	452.0	27,024	452.7	2.80	447.3	458.3
2009	32,812	449.5	2.52	444.6	454.5	27,375	455.2	2.80	449.7	460.7
2010	32,346	436.8	2.47	432.0	441.7	26,772	440.0	2.75	434.6	445.4
2011	32,919	440.0	2.47	435.2	444.9	27,220	444.4	2.76	439.1	449.9
2012	32,769	432.8	2.44	428.0	437.6	26,999	436.8	2.73	431.5	442.2
2013	32,965	429.6	2.42	424.8	434.3	27,078	434.1	2.71	428.8	439.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	98,806	420.8	1.35	418.2	423.5	14,054	247.4	2.21	243.1	251.8
1986	2,370	363.1	7.64	348.3	378.4	190	224.5	18.76	189.3	264.0
1987	2,468	369.0	7.59	354.3	384.2	198	200.6	15.46	171.5	233.3
1988	2,710	399.9	7.85	384.6	415.5	214	228.0	17.66	194.7	265.0
1989	2,674	389.6	7.68	374.7	404.9	247	247.4	17.67	214.0	284.2
1990	2,718	389.6	7.60	374.9	404.8	204	181.4	14.07	154.9	211.0
1991	2,591	362.0	7.24	348.0	376.5	204	182.8	14.33	155.8	212.8
1992	2,653	361.3	7.12	347.4	375.5	228	197.2	14.63	169.5	227.7
1993	2,999	403.1	7.47	388.6	418.0	314	239.4	14.98	210.9	270.4
1994	3,217	425.9	7.61	411.1	441.0	320	246.3	15.18	217.5	277.7
1995	3,244	420.1	7.47	405.5	434.9	387	259.6	14.44	232.1	289.4
1996	3,390	433.6	7.54	419.0	448.6	385	252.2	14.11	225.3	281.2
1997	3,455	434.6	7.47	420.0	449.4	413	242.4	12.88	217.8	268.9
1998	3,609	444.4	7.47	429.9	459.3	445	262.0	13.52	236.2	289.8
1999	3,535	425.8	7.23	411.7	440.2	446	247.5	12.62	223.4	273.4
2000	3,538	417.8	7.08	404.0	431.9	489	256.5	12.44	232.7	281.9
2001	3,795	444.4	7.27	430.2	458.9	508	247.2	11.69	224.8	271.1
2002	3,901	448.3	7.23	434.2	462.7	533	250.2	11.55	228.1	273.8
2003	3,768	426.9	7.01	413.2	440.8	562	250.7	11.21	229.2	273.6
2004	3,827	426.2	6.95	412.7	440.0	556	233.7	10.50	213.6	255.2
2005	3,906	428.9	6.92	415.5	442.7	646	252.2	10.50	232.0	273.6
2006	4,148	447.9	7.02	434.3	461.9	680	252.5	10.22	232.8	273.2
2007	4,058	430.8	6.83	417.5	444.3	731	263.1	10.26	243.4	284.0
2008	4,161	433.4	6.79	420.2	446.9	764	256.7	9.76	237.9	276.5
2009	4,355	445.9	6.84	432.6	459.5	727	241.8	9.46	223.6	261.0
2010	4,344	436.4	6.71	423.4	449.8	859	263.3	9.43	245.1	282.4
2011	4,400	433.0	6.62	420.1	446.1	893	259.9	9.08	242.4	278.3
2012	4,432	428.5	6.54	415.8	441.5	938	260.4	8.86	243.3	278.3
2013	4,540	429.5	6.48	416.9	442.4	973	256.7	8.53	240.3	274.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	37,789	11.1	0.06	11.0	11.2	30,987	10.7	0.06	10.6	10.9
1986	1,207	11.5	0.34	10.8	12.2	971	10.4	0.34	9.7	11.0
1987	1,199	11.3	0.33	10.7	12.0	975	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	953	10.2	0.33	9.5	10.8
1989	1,127	10.5	0.32	9.9	11.1	917	9.7	0.33	9.1	10.4
1990	1,155	10.8	0.32	10.2	11.4	927	9.9	0.33	9.2	10.5
1991	1,132	10.4	0.31	9.8	11.0	911	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	952	9.8	0.32	9.2	10.4
1995	1,302	11.5	0.32	10.9	12.1	1,074	11.0	0.34	10.4	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,058	10.8	0.33	10.1	11.4
1997	1,313	11.4	0.31	10.8	12.0	1,069	10.8	0.33	10.2	11.5
1998	1,254	10.7	0.30	10.1	11.3	1,005	10.1	0.32	9.4	10.7
1999	1,312	11.1	0.31	10.5	11.7	1,081	10.7	0.33	10.1	11.4
2000	1,293	10.8	0.30	10.2	11.4	1,061	10.5	0.32	9.8	11.1
2001	1,266	10.4	0.29	9.9	11.0	1,048	10.2	0.32	9.6	10.9
2002	1,352	11.0	0.30	10.4	11.6	1,115	10.8	0.32	10.1	11.4
2003	1,333	10.7	0.29	10.1	11.3	1,108	10.6	0.32	9.9	11.2
2004	1,433	11.3	0.30	10.8	11.9	1,141	10.8	0.32	10.2	11.4
2005	1,342	10.5	0.29	9.9	11.0	1,112	10.4	0.31	9.8	11.0
2006	1,399	10.7	0.29	10.2	11.3	1,152	10.6	0.31	10.0	11.2
2007	1,516	11.5	0.30	10.9	12.1	1,250	11.4	0.32	10.8	12.1
2008	1,578	11.7	0.30	11.1	12.3	1,312	11.7	0.33	11.1	12.4
2009	1,592	11.7	0.30	11.1	12.3	1,328	11.8	0.33	11.2	12.5
2010	1,594	11.4	0.29	10.9	12.0	1,293	11.2	0.32	10.6	11.9
2011	1,731	12.2	0.30	11.6	12.8	1,442	12.3	0.33	11.7	13.0
2012	1,712	11.9	0.29	11.3	12.5	1,424	12.0	0.32	11.4	12.6
2013	1,726	11.8	0.29	11.2	12.4	1,430	11.8	0.32	11.2	12.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,666	13.2	0.18	12.9	13.6	856	7.8	0.29	7.3	8.4
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	196	16.2	1.18	14.0	18.7	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	202	15.5	1.12	13.4	17.9	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	14	5.3	1.53	2.7	9.3
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	22	7.5	1.85	4.4	12.0
1996	215	15.2	1.05	13.2	17.4	18	6.7	1.71	3.8	10.9
1997	208	14.5	1.02	12.6	16.6	29	9.6	1.95	6.1	14.2
1998	209	14.2	1.00	12.3	16.3	27	7.4	1.49	4.8	11.0
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	194	12.6	0.91	10.9	14.5	26	6.7	1.43	4.2	10.1
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	203	12.9	0.92	11.2	14.9	26	6.3	1.33	4.0	9.5
2003	188	11.5	0.85	9.9	13.3	25	6.3	1.38	3.9	9.6
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	174	10.3	0.79	8.8	11.9	44	8.9	1.44	6.3	12.2
2006	180	10.3	0.78	8.8	11.9	53	11.5	1.72	8.3	15.3
2007	212	12.3	0.86	10.7	14.1	43	7.6	1.24	5.4	10.5
2008	218	12.3	0.85	10.7	14.1	36	6.8	1.20	4.6	9.5
2009	199	11.1	0.80	9.6	12.8	48	7.5	1.12	5.5	10.1
2010	219	12.0	0.83	10.4	13.7	66	10.7	1.39	8.2	13.8
2011	215	11.5	0.80	10.0	13.2	55	8.8	1.27	6.5	11.7
2012	220	11.6	0.80	10.1	13.3	54	7.4	1.05	5.5	9.8
2013	215	11.4	0.79	9.9	13.1	53	7.0	1.01	5.2	9.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	25,955	17.0	0.11	16.8	17.2	21,139	16.3	0.11	16.0	16.5
1986	826	18.0	0.65	16.8	19.3	654	16.1	0.65	14.8	17.4
1987	811	17.6	0.64	16.4	18.9	657	16.2	0.65	14.9	17.5
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	754	16.2	0.60	15.0	17.4	603	14.7	0.62	13.5	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	757	15.9	0.59	14.8	17.1	602	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	631	14.8	0.60	13.7	16.0
1995	891	17.7	0.60	16.6	19.0	722	16.7	0.63	15.5	18.0
1996	881	17.5	0.60	16.3	18.7	712	16.4	0.62	15.3	17.7
1997	877	17.2	0.59	16.1	18.4	705	16.2	0.61	15.0	17.4
1998	852	16.3	0.56	15.2	17.4	671	15.0	0.58	13.9	16.2
1999	874	16.4	0.56	15.4	17.6	721	15.9	0.60	14.8	17.2
2000	890	16.6	0.56	15.5	17.7	719	15.8	0.59	14.6	17.0
2001	876	16.1	0.55	15.0	17.2	727	15.8	0.59	14.6	17.0
2002	913	16.5	0.55	15.4	17.6	735	15.7	0.58	14.6	16.9
2003	904	16.2	0.55	15.2	17.3	740	15.7	0.58	14.6	16.9
2004	1,009	17.5	0.56	16.5	18.7	793	16.4	0.59	15.2	17.6
2005	929	15.9	0.53	14.8	16.9	767	15.6	0.57	14.5	16.7
2006	951	15.9	0.52	14.9	17.0	782	15.6	0.57	14.5	16.8
2007	1,059	17.4	0.54	16.3	18.5	870	17.0	0.58	15.9	18.2
2008	1,080	17.3	0.54	16.3	18.4	896	17.1	0.58	16.0	18.3
2009	1,096	17.3	0.53	16.3	18.4	927	17.6	0.59	16.4	18.8
2010	1,129	17.5	0.53	16.5	18.6	923	17.0	0.57	15.9	18.2
2011	1,237	18.7	0.55	17.7	19.8	1,022	18.5	0.59	17.4	19.7
2012	1,199	17.9	0.53	16.9	18.9	992	17.8	0.58	16.7	18.9
2013	1,243	18.4	0.54	17.4	19.5	1,037	18.3	0.58	17.2	19.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,069	22.3	0.36	21.6	23.0	565	11.5	0.54	10.5	12.6
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	146	28.6	2.47	24.0	33.9	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	21.9	31.0	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	12	10.4	3.38	4.8	19.5
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	11	9.4	3.21	4.2	17.8
1997	151	24.9	2.11	20.9	29.3	20	13.6	3.22	8.0	21.6
1998	154	24.7	2.07	20.8	29.1	16	9.3	2.51	5.0	15.8
1999	137	20.9	1.84	17.5	24.9	12	7.0	2.14	3.5	12.8
2000	152	23.2	1.94	19.6	27.3	14	8.3	2.49	4.2	14.7
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	154	23.0	1.91	19.4	27.1	19	10.7	2.72	6.1	17.4
2003	142	19.9	1.71	16.6	23.5	13	7.0	2.13	3.5	12.5
2004	175	25.0	1.97	21.3	29.2	31	16.4	3.31	10.5	24.0
2005	131	18.1	1.62	15.0	21.5	24	10.3	2.26	6.3	15.7
2006	121	15.9	1.49	13.2	19.1	40	19.2	3.38	13.1	26.9
2007	155	21.1	1.77	17.8	24.9	28	10.3	2.10	6.6	15.3
2008	151	20.4	1.75	17.1	24.1	27	11.8	2.55	7.4	17.8
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	147	19.2	1.67	16.1	22.8	47	16.4	2.61	11.7	22.3
2011	160	20.0	1.64	16.9	23.5	40	13.7	2.36	9.5	19.1
2012	156	19.1	1.59	16.1	22.4	40	11.2	1.88	7.8	15.6
2013	149	18.7	1.60	15.7	22.1	39	11.1	1.88	7.7	15.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	11,834	6.3	0.06	6.2	6.4	9,848	6.2	0.06	6.0	6.3
1986	381	6.5	0.34	5.8	7.2	317	6.0	0.35	5.4	6.7
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	310	5.8	0.34	5.2	6.5
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	368	6.0	0.32	5.4	6.7	294	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	309	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	411	6.3	0.31	5.7	7.0	352	6.3	0.34	5.6	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	436	6.8	0.33	6.1	7.4	364	6.6	0.35	5.9	7.3
1998	402	6.1	0.31	5.5	6.7	334	6.0	0.33	5.3	6.6
1999	438	6.7	0.32	6.0	7.3	360	6.5	0.34	5.8	7.2
2000	403	6.1	0.30	5.5	6.7	342	6.1	0.33	5.4	6.8
2001	390	5.8	0.29	5.2	6.4	321	5.6	0.32	5.0	6.3
2002	439	6.5	0.31	5.9	7.1	380	6.6	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	368	6.3	0.33	5.7	7.0
2004	424	6.1	0.30	5.6	6.8	348	6.0	0.33	5.4	6.7
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	448	6.3	0.30	5.7	6.9	370	6.2	0.33	5.6	6.9
2007	457	6.4	0.30	5.9	7.1	380	6.5	0.34	5.8	7.1
2008	498	6.9	0.31	6.3	7.5	416	6.9	0.34	6.2	7.6
2009	496	6.8	0.31	6.2	7.5	401	6.7	0.34	6.0	7.4
2010	465	6.3	0.30	5.7	6.9	370	6.1	0.32	5.5	6.8
2011	494	6.6	0.30	6.0	7.2	420	6.8	0.34	6.2	7.5
2012	513	6.7	0.30	6.1	7.3	432	6.8	0.34	6.2	7.5
2013	483	6.2	0.29	5.6	6.8	393	6.2	0.32	5.5	6.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,597	6.6	0.17	6.2	6.9	291	4.9	0.30	4.3	5.5
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	59	7.7	1.02	5.8	10.0	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	5	1.9	0.88	0.6	5.3
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	57	7.0	0.93	5.3	9.1	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	11	5.8	1.79	2.8	10.6
1999	61	7.1	0.91	5.4	9.1	15	7.3	1.98	3.9	12.3
2000	42	4.8	0.74	3.4	6.4	12	5.5	1.68	2.7	9.9
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	7	2.9	1.15	1.1	6.1
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.76	2.8	10.2
2004	57	6.1	0.81	4.6	7.9	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	13	5.1	1.53	2.6	9.0
2007	57	5.9	0.78	4.4	7.6	15	5.3	1.43	2.9	8.9
2008	67	6.7	0.82	5.2	8.5	9	2.8	0.95	1.3	5.4
2009	71	7.1	0.85	5.5	9.0	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	19	6.1	1.45	3.6	9.6
2011	55	5.2	0.71	3.9	6.8	15	4.7	1.27	2.5	7.8
2012	64	6.0	0.77	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	66	6.1	0.76	4.7	7.8	14	3.6	1.00	1.9	6.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,485	0.7	0.01	0.7	0.8	2,390	0.8	0.02	0.8	0.9
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	113	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	107	1.1	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	94	0.8	0.09	0.7	1.0	89	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	98	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	81	0.7	0.08	0.5	0.9	78	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	83	0.8	0.09	0.6	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	57	0.6	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	95	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	66	0.6	0.08	0.5	0.8
2004	83	0.7	0.07	0.5	0.8	78	0.8	0.08	0.6	0.9
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8
2008	79	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.8
2009	74	0.6	0.07	0.4	0.7	67	0.6	0.07	0.5	0.8
2010	84	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2011	62	0.4	0.06	0.3	0.6	60	0.5	0.07	0.4	0.7
2012	56	0.4	0.05	0.3	0.5	53	0.5	0.06	0.3	0.6
2013	69	0.5	0.06	0.4	0.6	60	0.5	0.07	0.4	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	39	0.1	0.02	0.1	0.1	6	0.1	0.03	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	1	0.1	0.06	0.0	0.3	1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	0					2	0.3	0.25	0.0	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,976	1.4	0.03	1.3	1.5	1,918	1.6	0.04	1.5	1.6
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	98	2.6	0.27	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	91	2.5	0.27	2.0	3.0
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	67	1.6	0.20	1.3	2.1
1995	80	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	64	1.3	0.17	1.0	1.7	62	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	44	1.0	0.16	0.7	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	65	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5
2008	52	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3
2009	55	1.0	0.13	0.7	1.3	49	1.0	0.15	0.7	1.3
2010	63	1.1	0.14	0.8	1.4	59	1.2	0.16	0.9	1.5
2011	45	0.8	0.12	0.6	1.0	43	0.9	0.14	0.6	1.2
2012	44	0.7	0.11	0.5	1.0	42	0.8	0.13	0.6	1.1
2013	50	0.9	0.12	0.6	1.1	46	0.9	0.14	0.7	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	22	0.1	0.03	0.1	0.2	3	0.1	0.04	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	1	0.1	0.13	0.0	0.7	1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	509	0.3	0.01	0.2	0.3	472	0.3	0.01	0.3	0.3
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	22	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2002	30	0.4	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2003	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2008	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.07	0.2	0.4
2012	12	0.2	0.04	0.1	0.3	11	0.2	0.05	0.1	0.3
2013	19	0.2	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lip										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	17	0.1	0.02	0.0	0.1	3	0.1	0.04	0.0	0.2
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	0					2	0.6	0.47	0.1	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	9,569	2.8	0.03	2.8	2.9	8,060	2.8	0.03	2.7	2.9
1986	261	2.5	0.15	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	245	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	233	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	342	3.0	0.16	2.7	3.3	289	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	228	2.3	0.15	2.0	2.6
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	251	2.5	0.16	2.2	2.8
2001	291	2.4	0.14	2.1	2.7	238	2.3	0.15	2.0	2.6
2002	354	2.9	0.15	2.6	3.2	294	2.8	0.17	2.5	3.2
2003	343	2.7	0.15	2.5	3.1	292	2.8	0.16	2.5	3.1
2004	383	3.0	0.15	2.7	3.3	313	3.0	0.17	2.6	3.3
2005	396	3.1	0.16	2.8	3.4	339	3.2	0.17	2.8	3.5
2006	374	2.8	0.15	2.6	3.2	313	2.9	0.16	2.6	3.2
2007	456	3.5	0.16	3.2	3.8	403	3.7	0.18	3.3	4.1
2008	429	3.2	0.15	2.9	3.5	385	3.4	0.18	3.1	3.8
2009	431	3.2	0.16	2.9	3.5	373	3.3	0.17	3.0	3.7
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5
2011	475	3.4	0.16	3.1	3.7	404	3.5	0.18	3.1	3.8
2012	530	3.7	0.16	3.4	4.0	464	3.9	0.18	3.6	4.3
2013	527	3.5	0.16	3.2	3.8	450	3.7	0.18	3.3	4.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,227	2.9	0.08	2.7	3.0	205	1.9	0.14	1.6	2.1
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	41	3.4	0.53	2.4	4.6	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	51	3.1	0.44	2.3	4.1	6	1.5	0.63	0.5	3.3
2003	39	2.5	0.40	1.8	3.4	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	37	2.2	0.37	1.6	3.1	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	39	2.2	0.36	1.6	3.1	11	2.4	0.77	1.1	4.4
2008	34	1.9	0.33	1.3	2.7	8	1.6	0.61	0.7	3.3
2009	37	2.1	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	15	2.5	0.68	1.4	4.2
2011	51	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	50	2.7	0.38	2.0	3.5	10	1.4	0.48	0.7	2.7
2013	58	3.0	0.40	2.2	3.8	10	1.3	0.42	0.6	2.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,504	4.2	0.05	4.1	4.3	5,410	4.1	0.06	4.0	4.2
1986	175	3.7	0.28	3.1	4.3	137	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	160	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	163	3.7	0.29	3.2	4.3
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	218	4.2	0.29	3.7	4.8	180	4.0	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	138	3.1	0.26	2.6	3.6
1999	210	3.8	0.27	3.3	4.4	180	3.9	0.29	3.3	4.5
2000	199	3.7	0.26	3.2	4.2	161	3.5	0.28	3.0	4.1
2001	203	3.6	0.26	3.2	4.2	164	3.5	0.27	3.0	4.1
2002	245	4.3	0.28	3.8	4.9	198	4.2	0.30	3.6	4.8
2003	238	4.2	0.28	3.7	4.8	199	4.2	0.30	3.6	4.8
2004	262	4.5	0.28	3.9	5.0	208	4.2	0.29	3.6	4.8
2005	272	4.6	0.28	4.0	5.2	231	4.6	0.31	4.0	5.2
2006	259	4.2	0.27	3.7	4.8	218	4.3	0.29	3.7	4.9
2007	316	5.1	0.29	4.6	5.7	276	5.3	0.32	4.7	6.0
2008	295	4.7	0.28	4.1	5.2	266	5.0	0.31	4.4	5.7
2009	286	4.5	0.27	4.0	5.0	249	4.7	0.30	4.1	5.3
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3
2011	329	4.9	0.28	4.4	5.5	279	5.0	0.30	4.4	5.6
2012	373	5.6	0.30	5.0	6.2	322	5.7	0.33	5.1	6.4
2013	376	5.4	0.28	4.8	6.0	325	5.6	0.32	5.0	6.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	912	5.0	0.17	4.6	5.3	131	2.7	0.26	2.2	3.3
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	32	6.1	1.11	4.2	8.7	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	33	5.8	1.07	3.9	8.3	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	28	4.0	0.75	2.6	5.7	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	39	5.5	0.89	3.9	7.6	5	2.9	1.37	0.8	7.0
2003	30	4.5	0.87	3.0	6.6	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	30	4.3	0.81	2.9	6.2	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	32	4.3	0.77	2.9	6.1	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	6	3.0	1.33	1.0	6.7
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	10	3.6	1.19	1.6	6.7
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.9
2012	39	5.0	0.83	3.5	6.9	7	2.3	1.01	0.8	5.1
2013	40	4.8	0.79	3.4	6.6	6	1.7	0.72	0.6	3.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,065	1.6	0.03	1.6	1.7	2,650	1.7	0.03	1.6	1.7
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	124	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1999	122	1.9	0.17	1.6	2.2	106	1.9	0.19	1.6	2.3
2000	107	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	1.9
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	109	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	105	1.5	0.15	1.3	1.9	93	1.7	0.17	1.3	2.0
2004	121	1.8	0.16	1.5	2.1	105	1.8	0.18	1.5	2.2
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	95	1.6	0.17	1.3	2.0
2007	140	2.0	0.17	1.7	2.3	127	2.2	0.19	1.8	2.6
2008	134	1.9	0.16	1.6	2.2	119	2.0	0.19	1.7	2.4
2009	145	2.0	0.17	1.7	2.4	124	2.1	0.19	1.7	2.5
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1
2011	146	2.0	0.17	1.7	2.3	125	2.1	0.19	1.7	2.5
2012	157	2.1	0.17	1.7	2.4	142	2.3	0.20	1.9	2.7
2013	151	1.9	0.16	1.6	2.2	125	1.9	0.18	1.6	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Tongue										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	315	1.3	0.07	1.2	1.5	74	1.2	0.14	0.9	1.5
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	14	1.8	0.49	1.0	3.0	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	12	1.4	0.40	0.7	2.4	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	1	0.4	0.35	0.0	2.3
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	4	1.6	0.86	0.4	4.2
2008	11	1.1	0.32	0.5	1.9	2	0.6	0.45	0.1	2.4
2009	15	1.5	0.40	0.9	2.5	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	14	1.3	0.36	0.7	2.3	6	1.5	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	4	1.0	0.51	0.3	2.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,945	1.2	0.02	1.1	1.2	3,362	1.2	0.02	1.1	1.2
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1995	135	1.2	0.10	1.0	1.4	115	1.2	0.11	1.0	1.4
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5
1997	156	1.3	0.11	1.1	1.6	134	1.4	0.12	1.1	1.6
1998	141	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6
2003	141	1.1	0.10	1.0	1.3	127	1.2	0.11	1.0	1.4
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3
2006	149	1.2	0.10	1.0	1.4	122	1.2	0.10	1.0	1.4
2007	171	1.3	0.10	1.1	1.5	144	1.3	0.11	1.1	1.6
2008	151	1.2	0.09	1.0	1.4	121	1.1	0.10	0.9	1.3
2009	178	1.4	0.10	1.2	1.6	150	1.4	0.11	1.2	1.6
2010	174	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5
2011	167	1.3	0.10	1.1	1.5	141	1.3	0.11	1.1	1.5
2012	209	1.5	0.11	1.3	1.7	170	1.5	0.12	1.3	1.7
2013	168	1.2	0.10	1.0	1.4	131	1.1	0.10	1.0	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	443	1.0	0.05	0.9	1.1	101	0.9	0.10	0.8	1.2
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	4	0.9	0.46	0.2	2.8
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	1	0.4	0.41	0.0	1.9
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	3	0.5	0.27	0.1	1.5
2008	25	1.4	0.29	0.9	2.1	4	0.8	0.43	0.2	2.1
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	25	1.5	0.31	1.0	2.3	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.6	7	1.2	0.49	0.4	2.6
2012	29	1.5	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	27	1.5	0.29	1.0	2.2	6	0.8	0.36	0.3	1.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,197	1.5	0.03	1.5	1.6	1,914	1.6	0.04	1.5	1.6
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0
1998	78	1.6	0.18	1.2	1.9	66	1.5	0.19	1.2	1.9
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2
2003	80	1.5	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7
2006	78	1.4	0.16	1.1	1.8	67	1.5	0.18	1.1	1.8
2007	101	1.8	0.19	1.5	2.2	88	1.9	0.21	1.5	2.4
2008	87	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4
2010	96	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0
2011	103	1.8	0.18	1.4	2.2	86	1.8	0.19	1.4	2.2
2012	118	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
2013	94	1.6	0.17	1.3	2.0	73	1.5	0.17	1.1	1.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	220	1.2	0.09	1.1	1.4	48	1.1	0.18	0.8	1.5
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	0				
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	1	0.3	0.34	0.0	2.3
2008	12	1.8	0.57	0.9	3.2	3	1.5	0.91	0.2	4.3
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	9	1.6	0.55	0.7	3.0	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.3	0.82	0.2	3.8
2012	18	2.2	0.54	1.3	3.5	4	1.1	0.54	0.3	2.9
2013	16	2.1	0.53	1.2	3.4	3	1.2	0.81	0.2	3.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,748	0.9	0.02	0.9	1.0	1,448	0.9	0.02	0.9	1.0
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3
1995	60	0.9	0.12	0.7	1.2	46	0.9	0.13	0.6	1.2
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
1997	75	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1998	63	1.0	0.12	0.7	1.2	51	0.9	0.13	0.7	1.2
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3
2003	61	0.9	0.11	0.7	1.1	54	0.9	0.13	0.7	1.2
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2
2007	70	1.0	0.12	0.8	1.3	56	1.0	0.13	0.7	1.3
2008	64	0.9	0.11	0.7	1.2	49	0.8	0.12	0.6	1.1
2009	75	1.0	0.12	0.8	1.3	58	1.0	0.13	0.7	1.3
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5
2013	74	1.0	0.12	0.8	1.2	58	1.0	0.13	0.7	1.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Salivary Gland										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	223	0.9	0.06	0.8	1.0	53	0.9	0.13	0.6	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	2	0.8	0.57	0.1	3.8
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,085	0.9	0.02	0.9	0.9	2,451	0.9	0.02	0.8	0.9
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	110	1.2	0.11	1.0	1.4
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	98	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	61	0.6	0.07	0.5	0.8
2006	105	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0
2007	88	0.7	0.07	0.5	0.8	70	0.6	0.08	0.5	0.8
2008	109	0.8	0.08	0.6	1.0	90	0.8	0.08	0.6	1.0
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9
2010	81	0.6	0.06	0.5	0.7	64	0.5	0.07	0.4	0.7
2011	91	0.6	0.07	0.5	0.8	77	0.6	0.07	0.5	0.8
2012	93	0.6	0.07	0.5	0.8	75	0.6	0.07	0.5	0.8
2013	100	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	596	1.4	0.06	1.3	1.5	24	0.2	0.05	0.2	0.4
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	25	1.9	0.38	1.2	2.8	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	18	1.1	0.25	0.6	1.7	0				
2007	16	0.9	0.24	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	18	1.0	0.25	0.6	1.6	0				
2013	18	0.8	0.20	0.5	1.4	1	0.1	0.10	0.0	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,199	1.4	0.03	1.3	1.5	1,710	1.3	0.03	1.2	1.4
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5
1991	92	1.8	0.19	1.5	2.2	76	1.7	0.20	1.4	2.2
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	63	1.4	0.18	1.1	1.8
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2
1996	98	1.9	0.19	1.5	2.3	74	1.7	0.20	1.3	2.1
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4
2005	54	0.9	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2
2006	73	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2007	58	0.9	0.12	0.7	1.2	44	0.8	0.13	0.6	1.1
2008	72	1.1	0.13	0.9	1.4	60	1.1	0.15	0.9	1.5
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4
2010	55	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.1
2011	64	0.9	0.12	0.7	1.2	54	0.9	0.13	0.7	1.2
2012	64	0.9	0.12	0.7	1.2	53	0.9	0.12	0.6	1.1
2013	76	1.1	0.13	0.8	1.4	61	1.0	0.14	0.8	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	458	2.4	0.12	2.2	2.7	18	0.3	0.08	0.2	0.6
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	15	2.5	0.66	1.4	4.2	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	13	1.7	0.49	0.9	3.0	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	11	1.5	0.47	0.7	2.7	0				
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	886	0.5	0.02	0.4	0.5	741	0.5	0.02	0.4	0.5
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
1991	44	0.7	0.11	0.5	1.0	34	0.6	0.11	0.4	0.9
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7
2007	30	0.4	0.07	0.3	0.6	26	0.4	0.08	0.3	0.6
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	138	0.6	0.05	0.5	0.7	6	0.2	0.06	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	3	0.3	0.17	0.1	0.9	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.9
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,788	1.7	0.02	1.7	1.8	4,765	1.6	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	168	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	168	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	168	1.7	0.13	1.4	2.0
1998	181	1.5	0.11	1.3	1.8	154	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	173	1.7	0.13	1.5	2.0
2001	199	1.6	0.12	1.4	1.9	167	1.6	0.13	1.4	1.9
2002	207	1.7	0.12	1.5	1.9	163	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	180	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	191	1.5	0.11	1.3	1.7	157	1.5	0.12	1.2	1.7
2006	215	1.7	0.11	1.4	1.9	176	1.6	0.12	1.4	1.9
2007	205	1.6	0.11	1.4	1.8	161	1.5	0.12	1.3	1.7
2008	256	1.9	0.12	1.7	2.2	204	1.8	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	196	1.8	0.13	1.5	2.0
2010	254	1.9	0.12	1.6	2.1	202	1.8	0.13	1.5	2.1
2011	261	1.9	0.12	1.6	2.1	217	1.8	0.13	1.6	2.1
2012	237	1.7	0.11	1.5	1.9	197	1.7	0.12	1.5	1.9
2013	232	1.6	0.11	1.4	1.9	196	1.7	0.12	1.4	1.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	830	2.0	0.07	1.9	2.1	148	1.4	0.13	1.2	1.7
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	1	0.6	0.59	0.0	3.1
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	4	1.8	0.94	0.5	4.6
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	3	0.7	0.40	0.1	2.3
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	15	1.0	0.25	0.5	1.6	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	37	2.4	0.41	1.7	3.4	7	1.7	0.69	0.6	3.6
2003	34	2.2	0.38	1.5	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	11	2.7	0.89	1.2	4.9
2007	35	2.1	0.36	1.4	2.9	8	1.3	0.48	0.6	2.7
2008	39	2.3	0.37	1.6	3.1	11	2.0	0.66	1.0	3.8
2009	31	1.8	0.32	1.2	2.5	9	1.4	0.45	0.6	2.6
2010	38	2.0	0.33	1.4	2.8	11	1.7	0.54	0.8	3.1
2011	26	1.5	0.29	0.9	2.1	14	2.6	0.74	1.4	4.4
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	25	1.4	0.29	0.9	2.1	10	1.2	0.37	0.6	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,258	2.2	0.04	2.1	2.2	2,604	2.0	0.04	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	98	2.3	0.23	1.9	2.8
1997	118	2.4	0.22	2.0	2.8	101	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	98	1.9	0.19	1.5	2.3	88	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	78	1.7	0.20	1.4	2.1
2003	117	2.1	0.20	1.8	2.6	92	2.0	0.21	1.6	2.4
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	106	1.9	0.18	1.5	2.3	85	1.8	0.20	1.4	2.2
2006	118	2.0	0.19	1.7	2.5	91	1.9	0.20	1.5	2.3
2007	116	2.0	0.19	1.6	2.4	88	1.8	0.19	1.4	2.2
2008	142	2.3	0.20	2.0	2.8	108	2.1	0.21	1.7	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	146	2.4	0.20	2.0	2.8	114	2.2	0.21	1.8	2.7
2011	151	2.3	0.19	2.0	2.7	121	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	109	2.0	0.20	1.6	2.4
2013	143	2.2	0.19	1.9	2.6	117	2.2	0.20	1.8	2.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	523	3.0	0.14	2.7	3.3	103	2.0	0.22	1.6	2.5
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	1	1.4	1.38	0.0	7.3
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	1	0.6	0.57	0.0	4.4
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	8	1.2	0.43	0.5	2.4	2	0.9	0.60	0.1	3.9
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	24	3.9	0.84	2.4	5.9	5	2.7	1.33	0.8	6.8
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.68	1.7	4.5	7	2.5	0.96	1.0	5.3
2008	26	3.4	0.70	2.2	5.1	7	3.3	1.46	1.1	7.3
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7
2010	23	3.0	0.66	1.8	4.5	8	2.3	0.83	1.0	4.7
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.5
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.75	1.0	4.4
2013	17	2.3	0.57	1.3	3.6	8	2.1	0.73	0.9	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,530	1.3	0.03	1.3	1.4	2,161	1.3	0.03	1.3	1.4
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1
1988	81	1.3	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
1998	77	1.1	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7
2000	95	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2001	91	1.3	0.14	1.0	1.6	75	1.2	0.14	1.0	1.5
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5
2006	97	1.3	0.14	1.1	1.6	85	1.4	0.15	1.1	1.7
2007	89	1.2	0.13	1.0	1.5	73	1.2	0.15	1.0	1.6
2008	114	1.5	0.14	1.2	1.8	96	1.5	0.16	1.2	1.9
2009	103	1.4	0.14	1.2	1.8	88	1.5	0.16	1.2	1.9
2010	108	1.4	0.14	1.2	1.7	88	1.4	0.15	1.1	1.8
2011	110	1.4	0.14	1.2	1.7	96	1.5	0.15	1.2	1.8
2012	103	1.3	0.13	1.1	1.6	88	1.4	0.15	1.1	1.7
2013	89	1.1	0.12	0.9	1.4	79	1.2	0.14	1.0	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gum and Other Mouth										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	307	1.3	0.07	1.1	1.4	45	0.9	0.14	0.6	1.2
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	1	0.4	0.44	0.0	2.9
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	2	1.2	0.90	0.1	4.3
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	13	1.5	0.43	0.8	2.6	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	2	1.4	0.96	0.2	4.3
2007	15	1.6	0.41	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	13	1.3	0.37	0.7	2.3	4	1.2	0.58	0.3	3.1
2009	13	1.3	0.37	0.7	2.3	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	3	1.1	0.67	0.2	3.2
2011	10	1.0	0.30	0.5	1.8	2	1.0	0.68	0.1	3.1
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,954	0.6	0.01	0.6	0.6	1,292	0.5	0.01	0.4	0.5
1986	73	0.7	0.08	0.5	0.9	53	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	78	0.6	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	67	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	51	0.5	0.07	0.4	0.6
2007	72	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	77	0.6	0.06	0.4	0.7	43	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	391	0.9	0.05	0.8	1.0	257	2.1	0.14	1.9	2.4
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	9	2.1	0.76	0.9	4.2
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	9	1.4	0.48	0.6	2.8
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	15	0.8	0.22	0.5	1.4	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.55	1.2	3.6
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.52	1.1	3.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,333	0.9	0.02	0.8	0.9	886	0.7	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	45	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	37	0.7	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	59	0.9	0.12	0.7	1.1	33	0.6	0.11	0.4	0.8
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.5	0.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	271	1.4	0.09	1.3	1.6	169	3.0	0.25	2.5	3.6
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	3	0.8	0.48	0.2	3.1
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.4	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.95	1.9	6.1
2013	8	1.1	0.41	0.5	2.2	15	4.0	1.07	2.2	6.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	621	0.3	0.01	0.3	0.4	406	0.3	0.01	0.2	0.3
1986	24	0.4	0.09	0.3	0.6	18	0.4	0.08	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4
2000	25	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4
2006	25	0.4	0.07	0.2	0.5	14	0.2	0.06	0.1	0.4
2007	19	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3
2013	13	0.2	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Nasopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	120	0.5	0.04	0.4	0.6	88	1.4	0.15	1.1	1.7
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	3	1.1	0.67	0.2	3.7
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	4	0.4	0.20	0.1	1.0	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.6	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,704	0.5	0.01	0.5	0.5	1,312	0.5	0.01	0.4	0.5
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1998	69	0.6	0.07	0.5	0.8	45	0.5	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2003	70	0.6	0.07	0.4	0.7	58	0.6	0.07	0.4	0.7
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7
2006	69	0.5	0.06	0.4	0.7	54	0.5	0.07	0.4	0.6
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8
2010	105	0.7	0.07	0.6	0.9	76	0.6	0.07	0.5	0.8
2011	118	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2012	79	0.5	0.06	0.4	0.7	58	0.5	0.06	0.4	0.6
2013	83	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	370	0.9	0.05	0.8	1.0	18	0.2	0.05	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	24	1.7	0.34	1.1	2.5	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	12	0.7	0.20	0.4	1.2	0				
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	24	1.3	0.27	0.8	1.9	5	1.0	0.46	0.3	2.3
2011	25	1.3	0.27	0.8	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	11	0.6	0.19	0.3	1.1	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,278	0.8	0.02	0.8	0.9	982	0.7	0.02	0.7	0.8
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	36	0.8	0.13	0.6	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	50	0.9	0.12	0.6	1.2	40	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	43	0.8	0.13	0.6	1.1
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	82	1.2	0.14	1.0	1.6	60	1.1	0.14	0.8	1.4
2011	88	1.3	0.15	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	57	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.0
2013	58	0.9	0.12	0.6	1.1	52	0.9	0.13	0.7	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	278	1.5	0.09	1.3	1.7	15	0.4	0.12	0.2	0.7
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	20	3.2	0.74	1.9	5.0	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	10	1.3	0.42	0.6	2.4	0				
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	17	2.1	0.52	1.2	3.4	5	2.3	1.18	0.6	5.6
2011	19	2.3	0.54	1.4	3.6	2	0.9	0.67	0.1	3.2
2012	13	1.6	0.46	0.8	2.8	0				
2013	6	0.8	0.35	0.3	1.8	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	426	0.2	0.01	0.2	0.3	330	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Oropharynx										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	92	0.4	0.04	0.3	0.5	3	0.1	0.03	0.0	0.2
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.5	0				
2013	5	0.5	0.21	0.2	1.1	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,003	0.9	0.02	0.9	0.9	2,266	0.8	0.02	0.8	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9
2007	107	0.8	0.08	0.6	1.0	74	0.7	0.08	0.5	0.8
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9
2013	100	0.7	0.07	0.6	0.8	74	0.6	0.07	0.5	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	698	1.6	0.06	1.5	1.8	32	0.4	0.07	0.2	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.7
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,409	1.6	0.03	1.5	1.6	1,800	1.4	0.03	1.3	1.4
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8
2004	108	1.9	0.18	1.5	2.3	74	1.6	0.18	1.2	2.0
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	87	1.5	0.16	1.2	1.8	61	1.2	0.16	0.9	1.6
2007	84	1.4	0.15	1.1	1.7	55	1.1	0.14	0.8	1.4
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8
2012	97	1.4	0.15	1.2	1.7	74	1.3	0.16	1.0	1.7
2013	84	1.2	0.14	1.0	1.5	65	1.2	0.15	0.9	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	574	3.2	0.14	2.9	3.5	28	0.7	0.15	0.5	1.1
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0
2004	32	4.5	0.80	3.0	6.3	2	1.4	1.12	0.1	5.1
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3
2009	7	0.9	0.36	0.4	1.9	0				
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6
2011	20	2.7	0.62	1.6	4.2	3	1.2	0.76	0.2	3.7
2012	23	2.8	0.59	1.7	4.2	0				
2013	17	2.2	0.55	1.2	3.5	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	594	0.3	0.01	0.3	0.3	466	0.3	0.01	0.3	0.3
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	17	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
2006	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.5
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	124	0.5	0.05	0.4	0.6	4	0.1	0.05	0.0	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	4	0.4	0.21	0.1	1.1	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.23	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.42	0.0	2.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	316,577	93.6	0.17	93.3	94.0	263,860	90.6	0.18	90.2	90.9
1986	9,869	93.9	0.96	92.1	95.8	8,526	91.0	1.00	89.1	93.0
1987	10,110	95.4	0.96	93.5	97.3	8,751	92.8	1.00	90.9	94.8
1988	10,119	94.8	0.95	92.9	96.6	8,689	91.6	0.99	89.6	93.5
1989	9,937	92.6	0.94	90.8	94.5	8,551	89.9	0.98	88.0	91.8
1990	10,195	94.0	0.94	92.2	95.9	8,775	91.3	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,611	88.7	0.96	86.8	90.6
1992	10,167	91.3	0.91	89.5	93.1	8,776	89.3	0.96	87.5	91.3
1993	10,273	91.1	0.90	89.4	92.9	8,787	88.6	0.95	86.7	90.4
1994	10,919	96.0	0.92	94.2	97.9	9,330	93.4	0.97	91.5	95.3
1995	10,920	95.3	0.91	93.5	97.1	9,158	91.3	0.96	89.5	93.2
1996	11,096	96.2	0.91	94.4	98.0	9,322	92.5	0.96	90.6	94.4
1997	11,206	96.2	0.91	94.5	98.0	9,440	93.0	0.96	91.2	94.9
1998	11,896	101.0	0.93	99.2	102.8	10,000	97.7	0.98	95.8	99.7
1999	11,680	98.2	0.91	96.5	100.0	9,862	95.8	0.97	93.9	97.7
2000	11,906	99.3	0.91	97.5	101.1	9,950	96.1	0.96	94.2	98.0
2001	11,749	97.1	0.90	95.4	98.9	9,780	93.9	0.95	92.1	95.8
2002	12,020	98.5	0.90	96.8	100.3	9,931	94.9	0.95	93.0	96.7
2003	11,813	95.6	0.88	93.9	97.3	9,713	91.8	0.93	90.0	93.6
2004	12,174	97.6	0.89	95.9	99.4	10,098	94.9	0.95	93.1	96.8
2005	12,039	95.3	0.87	93.6	97.0	9,887	91.9	0.93	90.1	93.8
2006	12,066	94.4	0.87	92.7	96.1	9,780	90.2	0.92	88.5	92.1
2007	12,090	93.2	0.85	91.5	94.8	9,847	89.7	0.91	87.9	91.5
2008	12,078	91.5	0.84	89.9	93.2	9,775	87.9	0.90	86.2	89.7
2009	11,973	89.5	0.83	87.8	91.1	9,721	86.4	0.89	84.7	88.2
2010	11,937	87.8	0.81	86.2	89.4	9,603	84.3	0.87	82.6	86.0
2011	12,202	88.3	0.81	86.7	89.9	9,769	84.8	0.87	83.1	86.6
2012	12,035	85.2	0.79	83.6	86.8	9,718	82.5	0.85	80.9	84.2
2013	12,137	84.5	0.78	83.0	86.1	9,710	81.6	0.84	79.9	83.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	44,889	116.4	0.56	115.3	117.6	6,422	70.9	0.96	69.0	72.8
1986	1,222	114.1	3.39	107.6	121.0	108	81.0	9.17	64.0	100.6
1987	1,255	115.4	3.37	108.9	122.2	97	69.7	8.05	54.9	87.0
1988	1,307	120.1	3.43	113.4	127.0	104	81.5	9.02	64.8	100.7
1989	1,255	112.6	3.28	106.2	119.2	112	75.6	8.13	60.5	93.0
1990	1,294	115.0	3.30	108.6	121.6	117	78.8	8.28	63.4	96.4
1991	1,220	106.3	3.13	100.3	112.6	100	61.5	6.94	48.7	76.4
1992	1,234	102.9	3.01	97.1	109.0	124	68.2	6.91	55.3	82.9
1993	1,310	110.3	3.13	104.2	116.6	163	83.6	7.46	69.6	99.3
1994	1,420	117.3	3.19	111.2	123.7	152	73.1	6.57	60.7	86.9
1995	1,554	125.0	3.25	118.7	131.5	188	84.4	6.80	71.6	98.6
1996	1,548	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,549	121.0	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,654	127.3	3.20	121.1	133.7	202	77.9	6.08	66.5	90.6
1999	1,537	114.3	2.97	108.6	120.3	240	87.8	6.40	75.7	101.1
2000	1,653	120.2	3.01	114.3	126.2	245	82.7	5.81	71.7	94.7
2001	1,684	121.0	3.01	115.2	127.0	231	70.1	5.07	60.5	80.6
2002	1,757	124.2	3.02	118.3	130.2	269	84.6	5.60	74.0	96.2
2003	1,767	123.1	2.99	117.3	129.1	256	71.3	4.81	62.2	81.3
2004	1,767	120.1	2.92	114.4	125.9	260	68.4	4.60	59.6	77.9
2005	1,809	120.9	2.90	115.2	126.7	275	66.7	4.36	58.4	75.7
2006	1,894	122.7	2.88	117.2	128.5	313	70.8	4.31	62.6	79.7
2007	1,833	116.5	2.78	111.1	122.1	338	72.2	4.25	64.1	81.0
2008	1,887	117.5	2.77	112.1	123.1	337	68.4	4.03	60.7	76.7
2009	1,850	112.2	2.67	107.1	117.6	309	62.0	3.82	54.8	69.9
2010	1,901	113.8	2.68	108.6	119.2	351	66.4	3.81	59.1	74.2
2011	1,988	114.6	2.63	109.5	119.9	354	62.4	3.54	55.6	69.7
2012	1,796	102.5	2.48	97.7	107.5	426	70.6	3.64	63.7	78.1
2013	1,944	107.1	2.49	102.3	112.1	363	55.6	3.09	49.7	62.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	166,440	116.5	0.29	116.0	117.1	138,838	112.8	0.31	112.2	113.4
1986	5,051	117.9	1.73	114.5	121.3	4,368	115.1	1.82	111.6	118.7
1987	5,183	120.2	1.74	116.8	123.7	4,446	116.5	1.82	112.9	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,455	116.1	1.81	112.6	119.7
1989	5,071	115.6	1.68	112.3	118.9	4,360	112.3	1.76	108.9	115.8
1990	5,204	117.5	1.69	114.2	120.9	4,461	113.9	1.76	110.5	117.4
1991	5,154	114.9	1.65	111.7	118.2	4,463	112.9	1.74	109.5	116.4
1992	5,321	116.9	1.65	113.7	120.2	4,587	114.4	1.73	111.1	117.9
1993	5,243	113.3	1.61	110.2	116.5	4,461	109.7	1.68	106.5	113.1
1994	5,526	118.8	1.64	115.6	122.0	4,717	115.5	1.72	112.2	118.9
1995	5,661	120.5	1.64	117.3	123.7	4,714	114.9	1.71	111.6	118.3
1996	5,695	119.9	1.62	116.7	123.1	4,759	115.1	1.70	111.8	118.4
1997	5,763	120.0	1.61	116.9	123.2	4,864	116.5	1.69	113.2	119.8
1998	6,110	125.6	1.63	122.4	128.9	5,155	121.9	1.72	118.6	125.4
1999	6,139	124.1	1.61	121.0	127.3	5,185	121.0	1.70	117.7	124.4
2000	6,257	124.7	1.60	121.6	127.9	5,229	120.7	1.68	117.4	124.0
2001	6,097	120.6	1.57	117.5	123.7	5,101	117.2	1.66	114.0	120.5
2002	6,345	123.3	1.57	120.3	126.4	5,273	119.3	1.66	116.0	122.6
2003	6,309	120.8	1.54	117.8	123.9	5,221	116.7	1.63	113.5	119.9
2004	6,481	121.9	1.54	118.9	124.9	5,414	119.1	1.64	115.9	122.3
2005	6,362	117.4	1.50	114.5	120.4	5,230	113.1	1.58	110.0	116.2
2006	6,454	116.9	1.48	114.1	119.9	5,249	111.9	1.56	108.8	115.0
2007	6,405	113.8	1.45	111.0	116.7	5,209	109.0	1.53	106.0	112.1
2008	6,472	112.7	1.43	110.0	115.6	5,234	107.6	1.51	104.6	110.6
2009	6,463	110.0	1.40	107.3	112.8	5,231	105.4	1.48	102.5	108.4
2010	6,496	108.6	1.38	105.9	111.3	5,286	104.7	1.47	101.8	107.6
2011	6,654	108.5	1.36	105.9	111.2	5,385	104.7	1.46	101.9	107.6
2012	6,684	106.3	1.33	103.7	109.0	5,435	102.8	1.43	100.0	105.6
2013	6,645	103.7	1.30	101.2	106.3	5,346	99.8	1.40	97.1	102.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	23,146	146.7	1.02	144.7	148.7	3,641	89.8	1.69	86.5	93.1
1986	618	137.1	5.91	125.7	149.1	60	83.3	12.50	60.6	111.3
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	671	151.0	6.23	139.1	163.7	59	100.5	14.85	73.5	133.0
1989	644	142.7	6.02	131.2	155.0	55	86.1	13.26	62.1	115.3
1990	660	145.0	6.02	133.5	157.2	79	121.6	16.03	92.2	156.2
1991	619	130.7	5.59	120.0	142.1	52	73.7	11.72	52.5	99.6
1992	639	135.1	5.73	124.1	146.7	75	88.9	11.89	67.1	114.8
1993	684	141.4	5.77	130.4	153.1	92	109.3	13.63	84.2	138.6
1994	727	150.3	5.94	138.8	162.3	75	76.8	10.23	58.1	99.1
1995	822	165.4	6.16	153.5	177.8	112	114.1	12.16	91.5	140.0
1996	799	153.3	5.75	142.3	164.9	121	121.0	13.04	96.8	148.8
1997	777	147.0	5.59	136.2	158.3	107	102.4	11.62	80.9	127.2
1998	836	158.9	5.83	147.6	170.7	103	90.2	10.29	71.1	112.2
1999	787	145.6	5.48	135.1	156.7	141	122.1	12.83	98.2	149.2
2000	858	153.8	5.54	143.2	165.0	139	100.5	9.80	82.2	121.2
2001	837	146.4	5.34	136.1	157.2	128	84.7	8.70	68.6	103.3
2002	886	154.0	5.49	143.4	165.0	150	106.8	9.89	88.3	127.6
2003	913	155.1	5.42	144.6	166.1	130	81.5	8.14	66.4	98.8
2004	895	148.0	5.23	138.0	158.6	145	87.1	8.16	71.8	104.3
2005	937	153.9	5.34	143.6	164.7	154	82.8	7.56	68.7	98.8
2006	990	155.0	5.19	145.0	165.5	174	90.0	7.66	75.6	106.1
2007	946	147.2	5.07	137.5	157.5	203	96.7	7.69	82.2	112.7
2008	992	152.3	5.11	142.4	162.6	193	90.8	7.36	76.9	106.2
2009	997	146.7	4.91	137.2	156.6	181	77.8	6.52	65.6	91.5
2010	962	139.5	4.75	130.3	149.1	202	86.6	6.77	73.9	100.8
2011	1,018	141.3	4.67	132.3	150.7	199	77.6	6.09	66.1	90.4
2012	942	130.8	4.49	122.1	139.9	255	91.7	6.26	79.8	104.7
2013	1,019	135.0	4.45	126.4	144.0	194	64.9	5.03	55.4	75.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	150,137	76.6	0.20	76.2	77.0	125,022	73.9	0.21	73.5	74.3
1986	4,818	77.6	1.13	75.4	79.9	4,158	74.8	1.18	72.5	77.2
1987	4,927	78.5	1.13	76.3	80.7	4,305	76.9	1.19	74.5	79.2
1988	4,924	77.5	1.12	75.3	79.7	4,234	74.6	1.16	72.4	76.9
1989	4,866	76.7	1.11	74.6	79.0	4,191	74.2	1.17	72.0	76.6
1990	4,991	77.9	1.12	75.7	80.1	4,314	75.8	1.17	73.5	78.1
1991	4,817	74.1	1.08	72.0	76.2	4,148	71.9	1.14	69.7	74.2
1992	4,846	73.5	1.07	71.4	75.6	4,189	71.7	1.12	69.5	73.9
1993	5,030	75.4	1.07	73.3	77.5	4,326	73.5	1.13	71.3	75.8
1994	5,393	79.8	1.10	77.7	82.0	4,613	77.4	1.16	75.1	79.7
1995	5,259	77.7	1.08	75.6	79.9	4,444	74.8	1.14	72.6	77.0
1996	5,401	78.9	1.08	76.8	81.1	4,563	76.1	1.14	73.9	78.4
1997	5,443	79.2	1.08	77.0	81.3	4,576	76.2	1.14	74.0	78.5
1998	5,786	83.5	1.11	81.3	85.7	4,845	80.4	1.17	78.1	82.7
1999	5,541	79.3	1.07	77.3	81.5	4,677	77.0	1.14	74.8	79.3
2000	5,649	80.4	1.08	78.3	82.5	4,721	77.6	1.15	75.4	79.9
2001	5,652	80.0	1.07	77.9	82.1	4,679	76.8	1.14	74.6	79.1
2002	5,675	79.9	1.07	77.8	82.0	4,658	76.1	1.13	73.9	78.4
2003	5,504	76.9	1.05	74.9	79.0	4,492	73.2	1.11	71.0	75.4
2004	5,693	78.9	1.06	76.9	81.0	4,684	76.0	1.13	73.8	78.3
2005	5,677	78.2	1.05	76.1	80.3	4,657	75.3	1.12	73.1	77.6
2006	5,612	77.0	1.04	75.0	79.1	4,531	73.3	1.11	71.1	75.5
2007	5,685	77.1	1.04	75.1	79.2	4,638	74.4	1.11	72.3	76.7
2008	5,606	75.3	1.02	73.3	77.3	4,541	72.6	1.10	70.4	74.7
2009	5,510	73.2	1.00	71.2	75.2	4,490	71.1	1.08	69.0	73.3
2010	5,441	71.2	0.98	69.3	73.1	4,317	67.6	1.05	65.6	69.7
2011	5,548	71.7	0.98	69.8	73.7	4,384	68.2	1.06	66.2	70.3
2012	5,351	68.2	0.95	66.4	70.1	4,283	65.9	1.03	63.9	68.0
2013	5,492	69.1	0.95	67.3	71.0	4,364	66.6	1.03	64.6	68.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	21,743	95.9	0.66	94.6	97.1	2,781	56.3	1.13	54.1	58.5
1986	604	97.6	4.06	89.8	105.9	48	75.8	12.60	53.2	103.7
1987	584	91.6	3.87	84.2	99.4	34	44.0	8.32	29.2	63.0
1988	636	99.2	4.01	91.5	107.4	45	66.9	11.18	46.8	91.7
1989	611	93.0	3.82	85.7	100.8	57	68.4	10.29	49.8	91.1
1990	634	95.0	3.84	87.6	102.8	38	45.9	8.24	31.2	64.5
1991	601	89.1	3.69	82.0	96.6	48	52.7	8.48	37.4	71.6
1992	595	83.2	3.45	76.5	90.2	49	51.5	8.16	36.7	69.5
1993	626	89.0	3.60	82.1	96.3	71	64.4	8.43	48.9	82.7
1994	693	96.1	3.69	89.0	103.6	77	69.1	8.53	53.4	87.6
1995	732	98.9	3.70	91.8	106.4	76	61.9	7.72	47.7	78.6
1996	749	101.0	3.73	93.8	108.5	78	64.8	8.03	50.1	82.2
1997	772	102.2	3.71	95.1	109.7	82	52.7	6.28	41.1	66.4
1998	818	106.1	3.74	98.9	113.6	99	68.6	7.43	54.8	84.5
1999	750	93.8	3.45	87.1	100.8	99	65.3	6.99	52.3	80.3
2000	795	97.5	3.48	90.8	104.6	106	67.5	6.99	54.5	82.4
2001	847	102.8	3.56	95.9	110.0	103	58.2	6.11	46.9	71.3
2002	871	104.0	3.55	97.2	111.2	119	67.5	6.55	55.3	81.4
2003	854	100.8	3.48	94.1	107.9	126	64.0	5.99	52.8	76.7
2004	872	100.6	3.43	94.0	107.5	115	54.4	5.36	44.4	65.9
2005	872	98.9	3.38	92.4	105.7	121	53.8	5.18	44.2	64.9
2006	904	100.1	3.36	93.6	106.9	139	56.4	5.04	47.0	67.1
2007	887	96.2	3.26	89.9	102.8	135	53.3	4.84	44.2	63.6
2008	895	94.7	3.20	88.5	101.1	144	51.7	4.56	43.2	61.4
2009	853	88.7	3.08	82.8	95.0	128	48.7	4.55	40.2	58.4
2010	939	95.8	3.17	89.7	102.3	149	50.6	4.37	42.4	59.9
2011	970	95.6	3.12	89.6	101.9	155	50.4	4.24	42.4	59.4
2012	854	83.2	2.89	77.6	89.1	171	53.2	4.27	45.2	62.2
2013	925	87.8	2.93	82.1	93.7	169	47.6	3.82	40.4	55.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	17,861	5.2	0.04	5.2	5.3	14,218	4.9	0.04	4.8	5.0
1986	545	5.2	0.23	4.7	5.6	363	3.9	0.21	3.5	4.3
1987	517	4.9	0.22	4.4	5.3	358	3.8	0.20	3.4	4.2
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2
1989	539	5.0	0.22	4.6	5.5	393	4.1	0.21	3.7	4.6
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8
2000	710	5.9	0.22	5.5	6.4	567	5.5	0.23	5.1	6.0
2001	680	5.7	0.22	5.2	6.1	556	5.4	0.23	5.0	5.9
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7
2003	661	5.3	0.21	4.9	5.8	555	5.3	0.22	4.8	5.7
2004	700	5.6	0.21	5.2	6.1	584	5.5	0.23	5.1	6.0
2005	665	5.2	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8
2007	709	5.4	0.20	5.0	5.8	594	5.4	0.22	4.9	5.8
2008	720	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0
2009	726	5.4	0.20	5.0	5.8	624	5.6	0.22	5.1	6.0
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2
2011	733	5.2	0.20	4.9	5.6	621	5.3	0.22	4.9	5.8
2012	759	5.3	0.20	4.9	5.7	649	5.5	0.22	5.0	5.9
2013	705	4.8	0.18	4.5	5.2	602	5.0	0.21	4.6	5.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,401	8.3	0.14	8.0	8.6	209	2.4	0.18	2.0	2.7
1986	176	15.3	1.18	13.1	17.8	6	6.2	2.65	2.1	13.2
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	141	11.8	1.02	9.9	14.0	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	5	1.4	0.72	0.4	3.4
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	7	1.3	0.51	0.5	2.7
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	95	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	91	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	13,547	9.2	0.08	9.0	9.3	10,990	8.7	0.08	8.5	8.9
1986	398	8.8	0.46	7.9	9.7	272	6.8	0.43	6.0	7.7
1987	381	8.3	0.44	7.5	9.2	264	6.5	0.42	5.7	7.4
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4
1989	393	8.5	0.44	7.7	9.4	285	7.0	0.43	6.2	7.9
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3
1995	502	10.2	0.46	9.3	11.2	382	9.0	0.46	8.1	9.9
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2
1998	519	10.4	0.46	9.5	11.3	424	9.8	0.48	8.9	10.8
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9
2000	539	10.5	0.46	9.7	11.5	438	10.0	0.48	9.0	10.9
2001	498	9.6	0.43	8.7	10.5	409	9.2	0.46	8.3	10.1
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2
2003	518	9.8	0.43	8.9	10.6	446	9.8	0.47	8.9	10.8
2004	526	9.6	0.42	8.8	10.4	454	9.7	0.46	8.8	10.6
2005	520	9.4	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6
2007	531	9.2	0.41	8.4	10.0	455	9.3	0.44	8.4	10.2
2008	578	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2
2009	557	9.4	0.41	8.6	10.2	476	9.5	0.44	8.7	10.4
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1
2011	568	9.1	0.39	8.4	9.9	498	9.5	0.43	8.6	10.3
2012	583	9.2	0.39	8.5	10.0	516	9.7	0.44	8.8	10.6
2013	565	8.7	0.38	8.0	9.5	492	9.0	0.42	8.2	9.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,395	14.0	0.30	13.4	14.6	134	3.2	0.31	2.7	3.9
1986	122	24.5	2.30	20.2	29.4	4	9.1	4.76	2.3	22.7
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	103	20.2	2.07	16.3	24.7	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	96	16.5	1.77	13.2	20.3	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	1	0.4	0.36	0.0	2.5
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	5	2.2	1.11	0.6	5.5
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.9	10.2	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.18	6.6	11.3	8	3.9	1.57	1.5	8.0
2012	59	8.1	1.12	6.1	10.6	4	1.6	0.86	0.4	4.1
2013	64	8.4	1.10	6.4	10.8	5	2.0	0.93	0.6	4.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,314	2.2	0.03	2.2	2.3	3,228	1.9	0.03	1.8	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	150	2.3	0.19	1.9	2.7	107	1.8	0.18	1.5	2.2
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	153	2.3	0.18	1.9	2.7	114	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	174	2.5	0.19	2.1	2.9	130	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	169	2.2	0.17	1.9	2.6	148	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	176	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	140	1.7	0.15	1.4	2.0	110	1.6	0.16	1.3	2.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Esophagus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,006	4.3	0.14	4.0	4.6	75	1.6	0.20	1.3	2.0
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	39	4.6	0.74	3.3	6.3	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.59	2.5	4.9	5	1.9	0.87	0.6	4.3
2012	36	3.5	0.59	2.4	4.8	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.49	1.6	3.6	3	0.7	0.39	0.1	2.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	26,758	7.9	0.05	7.8	8.0	20,573	7.1	0.05	7.0	7.2
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7
1987	942	8.9	0.29	8.4	9.5	738	7.9	0.29	7.3	8.5
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1
1990	954	8.8	0.29	8.3	9.4	777	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	738	7.6	0.28	7.1	8.2
1992	938	8.4	0.28	7.9	9.0	735	7.5	0.28	7.0	8.1
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4
1994	945	8.3	0.27	7.8	8.9	747	7.5	0.28	7.0	8.1
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0
1996	968	8.4	0.27	7.9	8.9	745	7.4	0.27	6.9	8.0
1997	977	8.4	0.27	7.9	8.9	753	7.4	0.27	6.9	8.0
1998	1,004	8.5	0.27	8.0	9.1	767	7.5	0.27	7.0	8.0
1999	937	7.9	0.26	7.4	8.4	743	7.2	0.26	6.7	7.7
2000	911	7.6	0.25	7.1	8.1	685	6.6	0.25	6.1	7.1
2001	922	7.6	0.25	7.1	8.1	699	6.7	0.25	6.2	7.2
2002	974	8.0	0.26	7.5	8.5	752	7.2	0.26	6.7	7.7
2003	961	7.8	0.25	7.3	8.3	751	7.1	0.26	6.6	7.6
2004	936	7.5	0.25	7.1	8.0	716	6.7	0.25	6.3	7.3
2005	914	7.2	0.24	6.8	7.7	684	6.3	0.24	5.9	6.8
2006	916	7.2	0.24	6.7	7.7	663	6.2	0.24	5.7	6.7
2007	947	7.3	0.24	6.9	7.8	699	6.4	0.24	6.0	6.9
2008	943	7.2	0.24	6.8	7.7	698	6.3	0.24	5.9	6.8
2009	970	7.3	0.24	6.9	7.8	708	6.4	0.24	5.9	6.9
2010	930	6.9	0.23	6.5	7.4	694	6.2	0.24	5.7	6.7
2011	1,009	7.4	0.23	6.9	7.8	747	6.5	0.24	6.1	7.0
2012	969	6.9	0.23	6.5	7.4	747	6.4	0.24	5.9	6.9
2013	1,043	7.4	0.23	7.0	7.9	770	6.6	0.24	6.1	7.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,004	13.3	0.19	12.9	13.7	1,042	11.8	0.40	11.0	12.6
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	22	16.2	4.15	9.1	26.0
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	154	13.8	1.15	11.6	16.2	23	15.8	3.87	9.1	24.9
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	177	14.4	1.11	12.3	16.7	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	154	11.6	0.96	9.8	13.6	36	13.2	2.46	8.9	18.8
2000	179	13.3	1.02	11.4	15.4	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	40	12.2	2.16	8.3	17.1
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	177	12.4	0.95	10.6	14.4	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	42	11.0	1.84	7.7	15.1
2006	196	12.8	0.93	11.0	14.7	45	10.8	1.73	7.7	14.7
2007	187	12.3	0.92	10.5	14.2	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	42	9.2	1.53	6.4	12.6
2009	212	13.0	0.91	11.3	14.9	41	8.2	1.39	5.7	11.3
2010	173	10.6	0.82	9.1	12.3	54	11.0	1.63	8.1	14.6
2011	202	12.0	0.86	10.3	13.8	49	8.9	1.36	6.4	11.9
2012	157	9.2	0.76	7.8	10.8	56	9.3	1.31	6.9	12.2
2013	202	11.6	0.84	10.0	13.4	54	9.2	1.31	6.8	12.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	16,317	11.5	0.09	11.3	11.7	12,669	10.4	0.09	10.2	10.6
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1
1989	620	14.3	0.60	13.2	15.5	500	13.0	0.60	11.9	14.3
1990	571	13.1	0.57	12.0	14.3	455	11.9	0.57	10.8	13.0
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9
1992	560	12.3	0.54	11.3	13.4	445	11.1	0.54	10.0	12.2
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1
1994	577	12.4	0.53	11.4	13.5	457	11.3	0.54	10.3	12.4
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9
1996	603	12.8	0.53	11.8	13.9	468	11.4	0.54	10.4	12.5
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6
1998	593	12.2	0.51	11.2	13.3	465	11.0	0.52	10.0	12.0
1999	564	11.4	0.49	10.5	12.4	447	10.5	0.50	9.5	11.5
2000	549	11.0	0.48	10.1	12.0	413	9.6	0.48	8.7	10.6
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5
2002	593	11.6	0.48	10.7	12.6	466	10.7	0.50	9.7	11.7
2003	570	11.1	0.47	10.2	12.1	455	10.3	0.49	9.4	11.3
2004	583	11.1	0.46	10.2	12.0	457	10.1	0.48	9.2	11.1
2005	554	10.3	0.45	9.5	11.2	412	9.0	0.45	8.1	9.9
2006	549	10.0	0.44	9.2	10.9	406	8.8	0.44	7.9	9.7
2007	569	10.2	0.44	9.4	11.1	423	8.9	0.44	8.1	9.8
2008	569	10.2	0.43	9.3	11.1	421	8.8	0.44	8.0	9.7
2009	590	10.0	0.42	9.2	10.9	433	8.8	0.43	7.9	9.6
2010	585	10.0	0.42	9.1	10.8	444	8.9	0.43	8.1	9.8
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.2
2012	630	10.2	0.42	9.4	11.1	500	9.6	0.44	8.7	10.5
2013	641	10.3	0.42	9.5	11.1	489	9.3	0.43	8.5	10.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,945	19.4	0.38	18.7	20.2	610	15.5	0.71	14.1	16.9
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	103	24.3	2.57	19.5	29.8	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	109	21.3	2.16	17.3	25.9	11	11.3	4.32	4.5	22.4
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	23	21.3	5.35	12.1	33.8
2000	102	19.3	2.03	15.5	23.6	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	20	12.0	3.19	6.6	19.8
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	99	17.7	1.91	14.1	21.7	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	27	15.6	3.39	9.7	23.5
2006	112	17.5	1.75	14.3	21.3	23	12.2	2.85	7.2	18.9
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	25	12.7	2.84	7.8	19.3
2009	126	18.7	1.75	15.4	22.4	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	119	17.5	1.68	14.3	21.1	32	13.1	2.56	8.6	19.0
2012	87	13.2	1.50	10.4	16.4	40	14.7	2.53	10.2	20.5
2013	110	15.6	1.56	12.7	18.9	31	10.7	2.06	7.1	15.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,441	5.3	0.05	5.2	5.4	7,904	4.7	0.05	4.6	4.8
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0
1987	373	5.9	0.31	5.3	6.5	299	5.3	0.31	4.7	5.9
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	382	6.0	0.31	5.4	6.6	306	5.4	0.31	4.8	6.0
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3
1991	355	5.4	0.29	4.8	6.0	279	4.8	0.29	4.2	5.4
1992	378	5.7	0.30	5.2	6.4	290	5.0	0.30	4.4	5.6
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	368	5.4	0.28	4.9	6.0	290	4.8	0.29	4.3	5.4
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2
1997	371	5.4	0.28	4.9	6.0	275	4.5	0.28	4.0	5.1
1998	411	5.8	0.29	5.3	6.4	302	4.9	0.29	4.4	5.5
1999	373	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0
2001	381	5.3	0.27	4.8	5.8	284	4.6	0.28	4.1	5.2
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8
2005	360	4.9	0.26	4.4	5.5	272	4.4	0.27	3.9	4.9
2006	367	5.1	0.27	4.6	5.6	257	4.2	0.27	3.7	4.7
2007	378	5.2	0.27	4.7	5.7	276	4.5	0.28	4.0	5.1
2008	374	5.1	0.27	4.6	5.6	277	4.5	0.27	3.9	5.0
2009	380	5.2	0.27	4.7	5.7	275	4.5	0.28	4.0	5.1
2010	345	4.6	0.25	4.2	5.2	250	4.0	0.26	3.5	4.5
2011	384	4.9	0.26	4.5	5.5	280	4.3	0.27	3.8	4.9
2012	339	4.4	0.24	3.9	4.9	247	3.8	0.25	3.3	4.3
2013	402	5.1	0.26	4.6	5.6	281	4.4	0.27	3.8	4.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Stomach										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,059	9.3	0.21	8.9	9.7	432	8.9	0.46	8.1	9.9
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	4	3.0	1.56	0.7	8.9
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	66	10.3	1.29	8.0	13.1	9	11.1	4.48	4.2	22.7
1990	54	8.2	1.14	6.1	10.7	7	8.4	3.83	2.7	18.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	68	9.5	1.16	7.3	12.0	10	8.3	2.72	3.9	15.4
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	64	8.2	1.04	6.3	10.5	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	15	7.2	1.98	3.9	12.0
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	74	8.2	0.96	6.5	10.3	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	17	6.5	1.67	3.6	10.5
2009	86	8.9	0.98	7.1	11.1	15	6.1	1.66	3.3	10.2
2010	71	7.5	0.90	5.8	9.5	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.92	6.5	10.2	17	5.6	1.42	3.1	9.0
2012	70	7.0	0.84	5.4	8.8	16	5.0	1.29	2.8	8.1
2013	92	8.8	0.93	7.0	10.8	23	7.5	1.60	4.7	11.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,403	1.9	0.02	1.9	1.9	5,066	1.8	0.02	1.7	1.8
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	184	1.6	0.12	1.4	1.8	145	1.5	0.12	1.2	1.7
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1998	216	1.8	0.13	1.6	2.1	177	1.8	0.13	1.5	2.0
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0
2000	211	1.8	0.12	1.5	2.0	173	1.7	0.13	1.5	2.0
2001	236	2.0	0.13	1.7	2.2	187	1.8	0.13	1.6	2.1
2002	267	2.2	0.13	1.9	2.5	209	2.0	0.14	1.8	2.3
2003	209	1.7	0.12	1.5	1.9	162	1.5	0.12	1.3	1.8
2004	250	2.0	0.13	1.8	2.3	196	1.9	0.13	1.6	2.1
2005	278	2.2	0.13	1.9	2.5	225	2.1	0.14	1.8	2.4
2006	263	2.1	0.13	1.8	2.3	199	1.9	0.13	1.6	2.1
2007	304	2.3	0.13	2.1	2.6	240	2.2	0.14	1.9	2.5
2008	310	2.4	0.14	2.1	2.7	233	2.1	0.14	1.9	2.4
2009	338	2.5	0.14	2.3	2.8	261	2.3	0.15	2.1	2.6
2010	344	2.6	0.14	2.3	2.9	257	2.3	0.15	2.0	2.6
2011	350	2.5	0.14	2.3	2.8	269	2.4	0.15	2.1	2.7
2012	381	2.7	0.14	2.4	2.9	300	2.5	0.15	2.2	2.8
2013	375	2.6	0.14	2.4	2.9	295	2.5	0.15	2.2	2.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,176	2.9	0.09	2.8	3.1	126	1.3	0.13	1.1	1.6
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	36	2.6	0.44	1.8	3.6	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	43	3.0	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	51	3.4	0.49	2.5	4.5	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	47	3.1	0.46	2.2	4.1	6	1.1	0.43	0.4	2.4
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	57	3.4	0.46	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	68	4.3	0.53	3.3	5.4	7	1.0	0.39	0.4	2.2
2009	67	4.1	0.51	3.1	5.2	4	1.1	0.55	0.3	2.6
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	65	3.6	0.46	2.8	4.6	12	2.2	0.66	1.1	3.8
2012	69	3.9	0.48	3.0	4.9	11	1.7	0.56	0.8	3.2
2013	76	4.1	0.48	3.2	5.1	3	0.6	0.36	0.1	1.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,320	2.3	0.04	2.2	2.4	2,653	2.1	0.04	2.0	2.2
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	72	1.7	0.21	1.4	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	106	2.1	0.21	1.7	2.6	83	1.9	0.21	1.5	2.4
2001	124	2.4	0.22	2.0	2.9	98	2.2	0.23	1.8	2.7
2002	134	2.5	0.22	2.1	3.0	107	2.3	0.23	1.9	2.8
2003	120	2.3	0.21	1.9	2.7	91	2.0	0.22	1.6	2.5
2004	140	2.5	0.22	2.1	3.0	111	2.4	0.23	1.9	2.8
2005	150	2.7	0.22	2.3	3.1	125	2.6	0.24	2.2	3.1
2006	137	2.4	0.21	2.0	2.9	112	2.3	0.22	1.9	2.8
2007	145	2.5	0.21	2.1	2.9	117	2.4	0.22	2.0	2.9
2008	150	2.6	0.22	2.2	3.1	113	2.3	0.22	1.9	2.8
2009	181	3.0	0.23	2.6	3.5	142	2.8	0.24	2.3	3.3
2010	184	3.1	0.23	2.7	3.6	141	2.9	0.25	2.4	3.4
2011	172	2.7	0.21	2.3	3.2	139	2.7	0.23	2.2	3.2
2012	214	3.4	0.24	3.0	3.9	165	3.1	0.25	2.6	3.6
2013	172	2.7	0.21	2.3	3.1	137	2.5	0.22	2.1	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	577	3.5	0.15	3.2	3.8	67	1.5	0.21	1.2	2.0
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	19	3.1	0.73	1.9	4.9	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	20	3.3	0.80	1.9	5.2	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	21	3.3	0.77	2.0	5.2	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	23	3.2	0.68	2.0	4.8	3	1.5	0.93	0.2	4.4
2008	32	4.9	0.89	3.3	7.0	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	3	1.6	0.94	0.3	4.4
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.3
2011	23	2.9	0.64	1.8	4.4	8	3.0	1.14	1.2	6.1
2012	42	5.9	0.96	4.2	8.1	6	2.2	1.02	0.7	5.0
2013	33	4.4	0.80	3.0	6.3	2	0.7	0.55	0.1	2.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,083	1.6	0.03	1.6	1.7	2,413	1.5	0.03	1.4	1.6
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	112	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	133	1.9	0.17	1.6	2.3	102	1.8	0.18	1.4	2.1
2003	89	1.3	0.13	1.0	1.6	71	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	128	1.8	0.16	1.5	2.1	100	1.7	0.17	1.3	2.0
2006	126	1.8	0.16	1.5	2.2	87	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	157	2.1	0.17	1.8	2.5	119	1.9	0.18	1.6	2.3
2010	160	2.1	0.17	1.8	2.5	116	1.8	0.17	1.5	2.2
2011	178	2.4	0.18	2.0	2.8	130	2.1	0.19	1.8	2.5
2012	167	2.1	0.16	1.8	2.4	135	2.1	0.18	1.7	2.5
2013	203	2.6	0.19	2.2	3.0	158	2.5	0.20	2.1	2.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	599	2.6	0.11	2.4	2.8	59	1.1	0.16	0.9	1.5
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	20	2.3	0.52	1.4	3.6	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	2	0.7	0.51	0.1	2.7
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.64	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	34	3.5	0.60	2.4	4.9	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	42	4.1	0.64	2.9	5.6	4	1.4	0.71	0.4	3.5
2012	27	2.5	0.48	1.6	3.7	5	1.4	0.67	0.4	3.4
2013	43	3.9	0.61	2.8	5.3	1	0.4	0.42	0.0	2.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	189,395	56.1	0.13	55.8	56.3	161,138	55.3	0.14	55.0	55.5
1986	6,476	61.7	0.78	60.2	63.3	5,789	61.8	0.82	60.2	63.5
1987	6,703	63.1	0.78	61.6	64.7	6,007	63.6	0.83	62.0	65.2
1988	6,653	62.3	0.77	60.8	63.8	5,869	61.8	0.82	60.2	63.4
1989	6,405	59.6	0.75	58.1	61.1	5,673	59.4	0.80	57.9	61.0
1990	6,633	61.2	0.76	59.7	62.7	5,875	61.1	0.80	59.5	62.7
1991	6,572	59.8	0.74	58.4	61.3	5,822	59.9	0.79	58.3	61.4
1992	6,566	58.9	0.73	57.5	60.4	5,851	59.5	0.78	58.0	61.0
1993	6,595	58.5	0.72	57.0	59.9	5,778	58.1	0.77	56.6	59.6
1994	6,833	60.0	0.73	58.6	61.5	5,990	59.8	0.78	58.3	61.4
1995	6,712	58.6	0.72	57.2	60.0	5,801	57.7	0.76	56.3	59.2
1996	6,802	58.9	0.72	57.5	60.3	5,880	58.2	0.76	56.7	59.7
1997	7,051	60.5	0.72	59.1	62.0	6,063	59.6	0.77	58.2	61.2
1998	7,371	62.6	0.73	61.1	64.0	6,307	61.5	0.78	60.0	63.0
1999	7,188	60.4	0.71	59.0	61.8	6,183	59.9	0.76	58.4	61.4
2000	7,324	61.1	0.71	59.7	62.5	6,246	60.2	0.76	58.7	61.7
2001	7,082	58.5	0.70	57.2	59.9	5,995	57.4	0.74	56.0	58.9
2002	7,279	59.7	0.70	58.3	61.1	6,116	58.3	0.75	56.9	59.8
2003	7,089	57.4	0.68	56.1	58.8	5,875	55.5	0.73	54.1	56.9
2004	7,199	57.8	0.68	56.4	59.1	6,025	56.6	0.73	55.2	58.1
2005	6,972	55.3	0.66	54.0	56.6	5,782	53.8	0.71	52.4	55.2
2006	7,040	55.1	0.66	53.8	56.4	5,789	53.4	0.71	52.0	54.8
2007	6,819	52.7	0.64	51.4	53.9	5,626	51.3	0.69	50.0	52.7
2008	6,710	50.9	0.63	49.7	52.2	5,488	49.4	0.67	48.1	50.8
2009	6,278	47.0	0.60	45.8	48.2	5,140	45.8	0.65	44.5	47.1
2010	6,348	46.7	0.59	45.6	47.9	5,131	45.0	0.64	43.8	46.3
2011	6,418	46.6	0.59	45.4	47.7	5,170	45.0	0.64	43.7	46.2
2012	6,132	43.7	0.57	42.6	44.8	4,943	42.3	0.61	41.1	43.5
2013	6,145	43.0	0.56	41.9	44.1	4,924	41.5	0.60	40.4	42.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	24,236	63.3	0.42	62.5	64.1	3,041	33.4	0.66	32.1	34.7
1986	636	60.7	2.50	55.9	65.8	43	34.7	6.32	23.5	48.9
1987	644	59.6	2.43	55.0	64.6	46	35.3	5.80	24.8	48.2
1988	716	65.9	2.55	61.0	71.1	53	43.1	6.71	30.9	57.8
1989	667	60.6	2.42	56.0	65.6	50	33.0	5.32	23.4	44.8
1990	699	63.5	2.48	58.8	68.5	50	36.1	5.82	25.6	48.9
1991	672	59.2	2.35	54.7	64.0	45	27.8	4.50	19.7	37.8
1992	640	54.3	2.21	50.1	58.8	52	29.8	4.74	21.3	40.3
1993	735	62.9	2.39	58.4	67.8	73	36.6	4.82	27.8	47.1
1994	759	63.3	2.36	58.8	68.1	69	32.8	4.40	24.7	42.3
1995	804	65.5	2.37	61.0	70.3	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	875	69.5	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	942	73.2	2.43	68.5	78.1	93	37.6	4.36	29.5	46.9
1999	861	64.2	2.23	59.9	68.7	110	40.7	4.39	32.5	50.0
2000	918	67.1	2.26	62.8	71.7	119	40.1	4.06	32.5	48.7
2001	935	67.8	2.26	63.5	72.4	110	32.5	3.38	26.2	39.8
2002	996	71.1	2.30	66.7	75.8	121	37.4	3.68	30.5	45.2
2003	1,031	72.1	2.29	67.7	76.7	121	33.2	3.26	27.1	40.2
2004	1,016	68.7	2.20	64.5	73.2	118	30.7	3.08	25.0	37.3
2005	981	65.6	2.14	61.5	69.9	154	36.2	3.15	30.3	42.9
2006	1,038	67.7	2.15	63.6	72.1	160	35.8	3.06	30.1	42.2
2007	986	62.7	2.04	58.8	66.9	161	34.7	2.96	29.2	41.0
2008	1,007	62.9	2.03	59.0	67.0	160	31.9	2.74	26.8	37.7
2009	948	57.7	1.92	54.0	61.6	134	26.8	2.51	22.1	32.1
2010	994	59.9	1.95	56.1	63.8	169	32.1	2.65	27.1	37.7
2011	1,036	59.7	1.90	56.1	63.6	158	27.9	2.37	23.4	32.9
2012	927	53.5	1.80	50.0	57.1	204	33.6	2.49	28.9	38.8
2013	971	54.0	1.78	50.6	57.6	186	27.4	2.13	23.3	31.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	94,808	67.0	0.22	66.5	67.4	81,064	66.2	0.24	65.8	66.7
1986	3,176	75.1	1.39	72.4	77.8	2,869	76.1	1.48	73.3	79.1
1987	3,288	76.5	1.39	73.8	79.3	2,956	77.4	1.48	74.5	80.3
1988	3,280	76.2	1.39	73.5	79.0	2,904	76.0	1.47	73.2	79.0
1989	3,130	72.0	1.34	69.4	74.7	2,784	72.1	1.41	69.4	75.0
1990	3,260	74.3	1.35	71.7	77.0	2,895	74.3	1.43	71.6	77.2
1991	3,280	73.8	1.33	71.2	76.5	2,933	74.7	1.42	71.9	77.6
1992	3,340	74.2	1.32	71.6	76.8	2,985	75.1	1.41	72.4	77.9
1993	3,239	70.8	1.28	68.3	73.3	2,841	70.4	1.35	67.8	73.1
1994	3,255	70.4	1.27	67.9	72.9	2,875	70.6	1.35	68.0	73.3
1995	3,262	70.2	1.26	67.7	72.7	2,821	69.3	1.33	66.7	71.9
1996	3,287	69.8	1.24	67.4	72.3	2,856	69.5	1.32	66.9	72.1
1997	3,481	73.0	1.26	70.6	75.6	3,010	72.4	1.34	69.8	75.1
1998	3,613	74.8	1.27	72.4	77.4	3,114	74.0	1.34	71.4	76.7
1999	3,607	73.7	1.25	71.3	76.2	3,125	73.5	1.33	70.9	76.2
2000	3,686	74.0	1.24	71.6	76.5	3,156	73.2	1.32	70.7	75.8
2001	3,529	70.6	1.21	68.3	73.0	3,021	70.0	1.29	67.5	72.5
2002	3,674	72.0	1.21	69.7	74.4	3,121	70.9	1.28	68.5	73.5
2003	3,632	70.0	1.18	67.7	72.3	3,045	68.4	1.25	66.0	70.9
2004	3,619	68.6	1.16	66.4	70.9	3,045	67.5	1.24	65.1	69.9
2005	3,509	65.2	1.12	63.1	67.5	2,925	63.6	1.19	61.3	66.0
2006	3,531	64.6	1.11	62.4	66.8	2,917	62.6	1.17	60.3	64.9
2007	3,460	62.1	1.07	60.0	64.3	2,869	60.6	1.15	58.4	62.9
2008	3,417	59.9	1.04	57.9	62.0	2,783	57.6	1.11	55.5	59.8
2009	3,204	55.0	0.99	53.1	57.0	2,606	52.9	1.05	50.9	55.0
2010	3,318	55.8	0.99	53.9	57.8	2,717	54.1	1.06	52.0	56.2
2011	3,310	54.4	0.97	52.5	56.3	2,702	52.9	1.04	50.9	55.0
2012	3,222	52.0	0.94	50.1	53.8	2,621	50.3	1.00	48.3	52.3
2013	3,199	50.3	0.91	48.5	52.1	2,568	48.3	0.97	46.4	50.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	11,568	74.9	0.74	73.5	76.4	1,636	40.6	1.14	38.4	42.9
1986	283	66.6	4.27	58.5	75.5	22	37.4	9.50	21.2	60.0
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	338	78.4	4.57	69.7	87.8	32	60.1	12.14	38.7	87.6
1989	316	73.0	4.40	64.6	82.0	21	38.4	9.31	22.3	60.1
1990	328	75.4	4.46	66.9	84.6	33	54.6	11.25	34.8	80.1
1991	312	68.1	4.12	60.3	76.6	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	29	33.2	7.17	20.7	49.9
1993	355	76.2	4.34	67.9	85.1	39	44.5	8.24	29.8	63.1
1994	342	73.6	4.27	65.4	82.3	32	31.6	6.24	20.6	46.0
1995	385	79.9	4.34	71.6	88.8	45	45.4	7.50	31.9	62.2
1996	363	70.3	3.91	62.8	78.3	60	57.6	8.87	41.6	77.2
1997	405	78.8	4.17	70.9	87.4	54	53.0	8.47	37.7	71.7
1998	444	85.8	4.32	77.6	94.7	45	41.5	7.46	28.1	58.1
1999	403	76.5	4.04	68.8	84.7	60	53.1	8.53	37.7	71.8
2000	447	81.8	4.08	74.0	90.2	63	45.2	6.63	33.2	59.8
2001	425	76.1	3.90	68.7	84.1	61	39.9	5.77	29.4	52.6
2002	466	84.4	4.15	76.4	92.9	61	44.4	6.38	32.8	58.4
2003	494	85.3	4.06	77.5	93.5	59	38.6	5.78	28.1	51.4
2004	487	81.0	3.87	73.6	88.9	65	40.9	5.79	30.3	53.6
2005	469	79.2	3.87	71.8	87.1	84	43.6	5.39	33.7	55.3
2006	506	81.4	3.81	74.1	89.2	82	42.6	5.29	32.8	54.0
2007	474	74.5	3.61	67.5	81.8	89	43.9	5.26	34.2	55.2
2008	500	76.9	3.64	70.0	84.4	95	43.7	5.07	34.3	54.6
2009	496	74.5	3.54	67.7	81.7	71	30.4	4.05	23.0	39.3
2010	485	71.5	3.43	65.0	78.5	90	39.6	4.63	31.1	49.6
2011	498	68.6	3.24	62.4	75.2	80	31.5	3.90	24.3	40.0
2012	451	63.8	3.16	57.7	70.3	116	41.0	4.11	33.3	49.8
2013	480	64.9	3.12	58.9	71.3	103	32.9	3.53	26.4	40.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	94,587	48.2	0.16	47.9	48.5	80,074	47.2	0.17	46.9	47.5
1986	3,300	53.0	0.93	51.2	54.9	2,920	52.4	0.99	50.5	54.4
1987	3,415	54.4	0.94	52.5	56.2	3,051	54.4	1.00	52.5	56.4
1988	3,373	52.9	0.92	51.1	54.7	2,965	52.1	0.97	50.2	54.0
1989	3,275	51.4	0.91	49.7	53.3	2,889	50.9	0.96	49.0	52.8
1990	3,373	52.4	0.91	50.6	54.2	2,980	52.1	0.97	50.2	54.0
1991	3,292	50.6	0.89	48.8	52.3	2,889	50.0	0.94	48.2	51.9
1992	3,226	48.8	0.87	47.1	50.5	2,866	48.9	0.93	47.1	50.7
1993	3,356	50.0	0.87	48.4	51.8	2,937	49.6	0.93	47.8	51.5
1994	3,578	52.9	0.89	51.2	54.7	3,115	52.2	0.95	50.4	54.1
1995	3,450	50.8	0.87	49.1	52.5	2,980	49.9	0.93	48.1	51.8
1996	3,515	51.2	0.87	49.5	52.9	3,024	50.3	0.93	48.5	52.1
1997	3,570	51.7	0.87	50.0	53.5	3,053	50.6	0.93	48.8	52.5
1998	3,758	54.1	0.89	52.4	55.9	3,193	52.8	0.95	51.0	54.7
1999	3,581	51.2	0.86	49.5	52.9	3,058	50.2	0.92	48.4	52.0
2000	3,638	51.6	0.86	49.9	53.3	3,090	50.5	0.92	48.7	52.3
2001	3,553	50.1	0.85	48.5	51.8	2,974	48.6	0.90	46.8	50.4
2002	3,605	50.6	0.85	49.0	52.3	2,995	48.8	0.90	47.0	50.6
2003	3,457	48.3	0.83	46.6	49.9	2,830	46.0	0.88	44.3	47.8
2004	3,580	49.5	0.84	47.9	51.2	2,980	48.2	0.90	46.4	50.0
2005	3,463	47.6	0.82	46.0	49.3	2,857	46.1	0.88	44.3	47.8
2006	3,509	48.0	0.82	46.4	49.7	2,872	46.3	0.88	44.6	48.1
2007	3,359	45.5	0.80	43.9	47.1	2,757	44.1	0.86	42.5	45.9
2008	3,293	44.2	0.78	42.6	45.7	2,705	43.2	0.85	41.5	44.9
2009	3,074	40.9	0.75	39.4	42.4	2,534	40.2	0.82	38.6	41.8
2010	3,030	39.5	0.73	38.1	41.0	2,414	37.8	0.79	36.2	39.3
2011	3,108	40.1	0.73	38.7	41.5	2,468	38.2	0.79	36.7	39.8
2012	2,910	37.1	0.70	35.8	38.5	2,322	35.7	0.76	34.2	37.3
2013	2,946	37.2	0.70	35.8	38.6	2,356	36.0	0.76	34.6	37.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon and Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	12,668	55.8	0.50	54.8	56.8	1,405	28.0	0.79	26.4	29.5
1986	353	57.0	3.10	51.1	63.4	21	32.2	8.33	18.0	51.8
1987	340	53.0	2.93	47.4	59.0	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.06	52.5	64.6	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	371	56.2	2.96	50.5	62.3	17	22.2	5.91	12.2	36.3
1991	360	53.2	2.85	47.8	59.1	26	28.2	5.99	17.7	42.1
1992	328	46.4	2.60	41.5	51.8	23	26.5	6.19	15.8	40.9
1993	380	54.4	2.82	49.0	60.2	34	30.4	5.77	20.2	43.6
1994	417	57.9	2.87	52.4	63.8	37	32.9	5.96	22.3	46.4
1995	419	56.7	2.80	51.4	62.5	45	37.5	6.15	26.4	51.2
1996	439	59.4	2.86	53.9	65.2	42	35.7	5.99	24.9	49.0
1997	470	62.5	2.91	57.0	68.5	36	22.3	3.94	15.3	31.4
1998	498	64.7	2.93	59.1	70.7	48	34.9	5.40	25.1	46.8
1999	458	56.9	2.68	51.8	62.4	50	32.9	4.98	23.9	44.0
2000	471	57.7	2.68	52.6	63.2	56	35.4	5.06	26.2	46.5
2001	510	62.0	2.77	56.7	67.6	49	26.5	4.04	19.2	35.5
2002	530	63.1	2.76	57.8	68.7	60	32.3	4.41	24.2	41.9
2003	537	63.2	2.75	57.9	68.8	62	30.1	4.01	22.8	39.0
2004	529	60.5	2.65	55.4	65.9	53	23.9	3.46	17.6	31.5
2005	512	57.4	2.56	52.5	62.7	70	30.3	3.82	23.3	38.7
2006	532	58.7	2.57	53.7	63.9	78	30.9	3.70	24.1	39.0
2007	512	55.3	2.47	50.5	60.3	72	28.0	3.49	21.6	35.6
2008	507	53.8	2.42	49.2	58.7	65	23.0	3.02	17.5	29.7
2009	452	47.0	2.24	42.7	51.5	63	23.3	3.11	17.6	30.1
2010	509	51.7	2.32	47.3	56.5	79	26.4	3.13	20.6	33.2
2011	538	53.1	2.32	48.6	57.8	78	25.2	2.99	19.7	31.7
2012	476	46.6	2.17	42.5	51.1	88	27.2	3.04	21.6	33.8
2013	491	46.7	2.14	42.6	51.1	83	22.8	2.62	17.9	28.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	137,651	40.8	0.11	40.6	41.0	116,476	39.9	0.12	39.7	40.1
1986	4,688	44.9	0.66	43.6	46.3	4,160	44.7	0.70	43.3	46.0
1987	4,851	45.8	0.67	44.5	47.2	4,340	46.0	0.71	44.7	47.4
1988	4,857	45.6	0.66	44.3	46.9	4,252	44.9	0.69	43.5	46.2
1989	4,680	43.6	0.64	42.3	44.9	4,126	43.2	0.68	41.9	44.6
1990	4,858	44.9	0.65	43.6	46.2	4,268	44.4	0.68	43.1	45.8
1991	4,721	43.1	0.63	41.9	44.3	4,180	43.0	0.67	41.7	44.4
1992	4,751	42.7	0.62	41.5	43.9	4,203	42.7	0.66	41.4	44.0
1993	4,812	42.7	0.62	41.5	43.9	4,209	42.3	0.65	41.0	43.6
1994	5,113	45.0	0.63	43.8	46.2	4,455	44.5	0.67	43.2	45.8
1995	4,881	42.6	0.61	41.4	43.8	4,167	41.4	0.64	40.1	42.7
1996	4,998	43.3	0.61	42.1	44.5	4,288	42.3	0.65	41.1	43.6
1997	5,137	44.1	0.62	42.9	45.3	4,397	43.1	0.65	41.9	44.4
1998	5,421	46.0	0.62	44.8	47.2	4,581	44.5	0.66	43.2	45.8
1999	5,275	44.3	0.61	43.1	45.5	4,491	43.4	0.65	42.1	44.6
2000	5,413	45.1	0.61	43.9	46.3	4,582	44.0	0.65	42.7	45.3
2001	5,241	43.3	0.60	42.1	44.5	4,398	42.0	0.63	40.7	43.2
2002	5,260	43.1	0.60	41.9	44.3	4,373	41.6	0.63	40.3	42.8
2003	5,231	42.4	0.59	41.2	43.5	4,309	40.6	0.62	39.4	41.8
2004	5,237	42.1	0.58	40.9	43.2	4,371	41.0	0.62	39.8	42.2
2005	5,030	39.9	0.57	38.8	41.1	4,159	38.6	0.60	37.5	39.8
2006	5,106	40.1	0.56	39.0	41.2	4,185	38.6	0.60	37.4	39.8
2007	4,978	38.5	0.55	37.4	39.6	4,106	37.4	0.59	36.3	38.6
2008	4,771	36.4	0.53	35.3	37.4	3,882	35.0	0.57	33.9	36.1
2009	4,523	34.0	0.51	33.1	35.1	3,694	33.0	0.55	31.9	34.0
2010	4,488	33.2	0.50	32.2	34.2	3,590	31.6	0.53	30.6	32.7
2011	4,609	33.6	0.50	32.7	34.6	3,714	32.4	0.54	31.3	33.5
2012	4,361	31.3	0.48	30.3	32.2	3,514	30.1	0.52	29.1	31.1
2013	4,360	30.6	0.47	29.7	31.6	3,482	29.4	0.51	28.4	30.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	18,646	49.2	0.37	48.5	49.9	1,890	21.4	0.53	20.3	22.4
1986	493	47.4	2.22	43.2	51.9	28	24.6	5.51	15.0	37.3
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	29	24.7	5.24	15.5	36.6
1989	511	46.8	2.13	42.7	51.1	33	20.6	4.04	13.4	29.9
1990	550	50.1	2.20	45.9	54.6	34	25.0	4.94	16.3	36.2
1991	498	44.1	2.03	40.2	48.2	20	14.0	3.40	8.2	22.0
1992	497	42.3	1.95	38.6	46.3	33	21.0	4.13	13.7	30.4
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	600	50.7	2.12	46.6	55.0	51	24.9	3.89	17.9	33.5
1995	644	53.0	2.14	48.9	57.3	57	26.7	3.88	19.6	35.2
1996	633	51.0	2.07	47.0	55.2	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.6	55	21.7	3.20	15.9	28.8
1998	759	59.5	2.21	55.3	64.0	64	27.0	3.74	20.1	35.1
1999	680	51.1	2.00	47.2	55.1	78	29.4	3.72	22.6	37.4
2000	725	53.6	2.03	49.7	57.7	83	28.5	3.45	22.2	36.0
2001	737	53.9	2.03	50.0	58.0	74	20.9	2.66	16.1	26.7
2002	778	55.8	2.04	51.9	60.0	80	25.4	3.09	19.7	32.1
2003	805	56.9	2.05	52.9	61.0	76	20.9	2.58	16.1	26.5
2004	771	52.8	1.94	49.1	56.8	72	19.3	2.48	14.7	24.7
2005	745	50.6	1.89	47.0	54.4	91	22.0	2.46	17.4	27.3
2006	796	52.5	1.90	48.8	56.3	93	20.1	2.26	15.9	25.0
2007	750	48.4	1.80	44.9	52.0	90	20.2	2.29	16.0	25.1
2008	760	48.1	1.79	44.7	51.8	101	21.1	2.28	16.9	26.0
2009	712	44.1	1.69	40.9	47.6	79	16.5	2.01	12.8	20.9
2010	760	46.3	1.72	43.0	49.8	99	19.3	2.09	15.5	23.8
2011	766	45.0	1.66	41.8	48.3	91	16.2	1.81	12.8	20.1
2012	683	40.2	1.57	37.2	43.4	130	22.3	2.07	18.4	26.7
2013	723	40.9	1.56	37.9	44.0	114	17.6	1.75	14.4	21.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	65,635	46.9	0.19	46.6	47.3	55,717	46.0	0.20	45.6	46.4
1986	2,225	53.3	1.18	51.0	55.7	2,001	53.7	1.25	51.3	56.3
1987	2,274	53.7	1.18	51.5	56.1	2,035	54.1	1.25	51.7	56.6
1988	2,268	53.2	1.16	51.0	55.5	1,986	52.4	1.22	50.0	54.9
1989	2,203	51.0	1.13	48.8	53.3	1,949	50.9	1.19	48.6	53.3
1990	2,292	52.6	1.14	50.4	54.9	2,015	52.1	1.20	49.8	54.5
1991	2,274	51.6	1.12	49.4	53.9	2,030	52.2	1.20	49.8	54.6
1992	2,340	52.6	1.12	50.4	54.8	2,070	52.7	1.19	50.4	55.1
1993	2,252	49.6	1.08	47.5	51.8	1,969	49.2	1.14	47.0	51.5
1994	2,332	51.1	1.09	49.0	53.3	2,046	50.8	1.15	48.6	53.2
1995	2,272	49.3	1.06	47.2	51.4	1,930	47.8	1.11	45.6	50.0
1996	2,288	49.2	1.05	47.2	51.3	1,964	48.3	1.11	46.2	50.5
1997	2,398	50.8	1.06	48.8	52.9	2,053	49.9	1.12	47.7	52.1
1998	2,516	52.6	1.07	50.5	54.7	2,132	51.1	1.12	48.9	53.3
1999	2,501	51.6	1.05	49.6	53.7	2,151	51.0	1.11	48.9	53.3
2000	2,581	52.5	1.05	50.4	54.6	2,191	51.3	1.11	49.2	53.6
2001	2,482	50.2	1.02	48.3	52.3	2,099	49.2	1.08	47.1	51.3
2002	2,518	50.0	1.01	48.0	52.0	2,107	48.5	1.07	46.4	50.6
2003	2,588	50.4	1.01	48.5	52.4	2,156	48.8	1.06	46.8	51.0
2004	2,485	47.8	0.97	45.9	49.7	2,098	47.1	1.04	45.1	49.2
2005	2,407	45.3	0.94	43.5	47.2	2,009	44.1	1.00	42.2	46.1
2006	2,452	45.6	0.94	43.8	47.4	2,017	43.9	0.99	42.0	45.9
2007	2,409	43.8	0.91	42.1	45.6	1,986	42.4	0.96	40.5	44.3
2008	2,295	40.8	0.87	39.1	42.5	1,846	38.7	0.91	36.9	40.5
2009	2,172	38.0	0.83	36.4	39.7	1,760	36.3	0.88	34.6	38.1
2010	2,233	38.3	0.83	36.7	39.9	1,800	36.5	0.88	34.8	38.2
2011	2,252	37.6	0.81	36.0	39.2	1,841	36.5	0.87	34.9	38.3
2012	2,164	35.6	0.78	34.1	37.2	1,757	34.3	0.83	32.7	35.9
2013	2,162	34.5	0.76	33.0	36.0	1,719	32.7	0.81	31.2	34.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	8,618	56.8	0.65	55.5	58.1	967	25.1	0.91	23.4	27.0
1986	210	50.7	3.78	43.6	58.6	12	25.0	8.60	11.1	46.3
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	259	61.6	4.10	53.9	70.1	18	36.5	10.14	19.4	60.4
1989	235	54.9	3.83	47.7	62.9	13	21.6	6.39	10.9	37.3
1990	250	58.2	3.93	50.7	66.3	24	39.4	9.59	22.9	61.7
1991	227	49.3	3.49	42.7	56.6	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	17	22.4	6.32	11.8	37.6
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	260	57.3	3.82	50.0	65.2	24	25.8	5.88	15.6	39.6
1995	304	63.5	3.89	56.1	71.5	30	33.0	6.57	21.4	48.0
1996	285	56.3	3.55	49.6	63.6	36	38.8	7.75	25.1	56.3
1997	305	59.7	3.63	52.8	67.2	31	30.4	6.24	19.5	44.7
1998	353	68.7	3.88	61.3	76.6	26	25.4	5.97	15.1	39.2
1999	298	57.2	3.52	50.5	64.5	39	37.3	7.29	24.4	53.6
2000	337	63.1	3.64	56.2	70.6	44	32.8	5.85	22.3	45.9
2001	330	60.0	3.48	53.3	67.1	38	23.2	4.13	15.8	32.7
2002	357	65.0	3.64	58.0	72.4	37	27.8	5.10	18.7	39.2
2003	375	66.4	3.63	59.5	73.9	36	24.1	4.70	15.8	34.7
2004	341	57.6	3.29	51.3	64.3	35	23.4	4.47	15.5	33.5
2005	338	58.9	3.40	52.4	65.9	41	21.7	3.71	15.0	30.0
2006	374	61.3	3.34	54.9	68.2	49	24.8	4.05	17.5	33.9
2007	360	57.6	3.21	51.5	64.2	45	23.4	3.89	16.4	32.1
2008	374	58.6	3.21	52.5	65.2	56	27.3	4.10	19.9	36.4
2009	347	53.9	3.05	48.1	60.2	42	19.9	3.45	13.7	27.6
2010	360	53.9	3.00	48.1	60.0	55	25.0	3.75	18.2	33.3
2011	351	49.7	2.79	44.4	55.5	41	17.1	2.96	11.8	23.8
2012	316	46.3	2.73	41.1	51.9	71	26.1	3.35	19.9	33.4
2013	348	48.2	2.72	43.0	53.8	62	21.6	3.02	16.1	28.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	72,016	36.5	0.14	36.2	36.7	60,759	35.5	0.15	35.2	35.8
1986	2,463	39.7	0.81	38.1	41.3	2,159	38.8	0.85	37.2	40.5
1987	2,577	40.9	0.82	39.3	42.5	2,305	40.9	0.86	39.2	42.7
1988	2,589	40.5	0.80	38.9	42.1	2,266	39.6	0.84	38.0	41.3
1989	2,477	38.7	0.79	37.2	40.3	2,177	38.1	0.83	36.5	39.7
1990	2,566	39.7	0.79	38.2	41.3	2,253	39.2	0.84	37.5	40.8
1991	2,447	37.5	0.77	36.0	39.0	2,150	37.0	0.81	35.4	38.6
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7
1993	2,560	38.0	0.76	36.5	39.5	2,240	37.6	0.80	36.0	39.2
1994	2,781	41.0	0.78	39.4	42.5	2,409	40.1	0.83	38.5	41.8
1995	2,609	38.2	0.75	36.8	39.7	2,237	37.2	0.80	35.6	38.7
1996	2,710	39.3	0.76	37.8	40.8	2,324	38.4	0.81	36.8	40.0
1997	2,739	39.4	0.76	38.0	41.0	2,344	38.6	0.81	37.0	40.2
1998	2,905	41.5	0.78	40.0	43.0	2,449	40.1	0.82	38.5	41.7
1999	2,774	39.4	0.75	37.9	40.9	2,340	38.0	0.80	36.5	39.6
2000	2,832	39.9	0.76	38.4	41.4	2,391	38.7	0.80	37.1	40.3
2001	2,759	38.6	0.74	37.2	40.1	2,299	37.1	0.79	35.6	38.7
2002	2,742	38.3	0.74	36.8	39.7	2,266	36.5	0.78	35.0	38.1
2003	2,643	36.7	0.72	35.3	38.1	2,153	34.6	0.76	33.2	36.2
2004	2,752	37.8	0.73	36.4	39.2	2,273	36.3	0.78	34.8	37.9
2005	2,623	35.8	0.71	34.5	37.3	2,150	34.3	0.75	32.8	35.8
2006	2,654	36.2	0.71	34.8	37.6	2,168	34.6	0.76	33.2	36.1
2007	2,569	34.6	0.69	33.2	35.9	2,120	33.6	0.74	32.1	35.1
2008	2,476	33.1	0.68	31.8	34.5	2,036	32.3	0.73	30.8	33.7
2009	2,351	31.1	0.65	29.8	32.4	1,934	30.4	0.71	29.0	31.8
2010	2,255	29.2	0.63	28.0	30.5	1,790	27.7	0.67	26.4	29.0
2011	2,357	30.3	0.64	29.1	31.6	1,873	28.9	0.68	27.5	30.2
2012	2,197	27.9	0.61	26.7	29.1	1,757	26.7	0.65	25.5	28.0
2013	2,198	27.6	0.60	26.5	28.8	1,763	26.7	0.65	25.5	28.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Colon excluding Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,028	44.4	0.45	43.5	45.3	923	18.6	0.65	17.4	20.0
1986	283	45.7	2.78	40.4	51.4	16	24.4	7.16	12.4	41.7
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	309	47.9	2.77	42.6	53.6	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	12	14.9	4.70	7.2	26.5
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	340	47.6	2.61	42.6	52.9	27	24.0	5.13	15.1	35.9
1995	340	46.5	2.55	41.6	51.7	27	22.1	4.65	13.9	32.8
1996	348	47.1	2.55	42.2	52.4	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	406	53.2	2.66	48.1	58.7	38	28.3	4.90	19.5	39.3
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	388	47.8	2.44	43.1	52.8	39	25.1	4.26	17.4	34.6
2001	407	49.6	2.48	44.9	54.7	36	18.7	3.34	12.7	26.3
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	430	50.8	2.47	46.1	55.9	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	407	46.0	2.30	41.6	50.7	50	22.0	3.27	16.0	29.2
2006	422	46.8	2.30	42.4	51.5	44	16.9	2.68	12.0	22.9
2007	390	42.6	2.18	38.4	47.0	45	17.9	2.81	12.8	24.2
2008	386	41.4	2.13	37.3	45.8	45	16.5	2.61	11.8	22.4
2009	365	38.1	2.02	34.2	42.2	37	13.8	2.41	9.5	19.3
2010	400	41.0	2.08	37.0	45.3	44	15.2	2.41	10.8	20.6
2011	415	41.3	2.06	37.4	45.5	50	15.9	2.35	11.6	21.1
2012	367	36.3	1.92	32.6	40.3	59	18.9	2.58	14.2	24.6
2013	375	36.1	1.89	32.5	40.0	52	14.7	2.14	10.8	19.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Both Sexes</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	51,744	15.3	0.07	15.1	15.4	44,662	15.4	0.07	15.2	15.5
1986	1,788	16.8	0.40	16.0	17.6	1,629	17.2	0.43	16.4	18.1
1987	1,852	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4
1988	1,796	16.7	0.40	15.9	17.5	1,617	17.0	0.43	16.1	17.8
1989	1,725	16.0	0.39	15.3	16.8	1,547	16.2	0.42	15.4	17.1
1990	1,775	16.3	0.39	15.5	17.1	1,607	16.7	0.42	15.9	17.5
1991	1,851	16.8	0.39	16.0	17.5	1,642	16.9	0.42	16.0	17.7
1992	1,815	16.3	0.38	15.5	17.0	1,648	16.8	0.42	16.0	17.6
1993	1,783	15.8	0.37	15.0	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,720	15.1	0.36	14.3	15.8	1,535	15.4	0.39	14.6	16.1
1995	1,831	16.0	0.37	15.3	16.7	1,634	16.4	0.41	15.6	17.2
1996	1,804	15.6	0.37	14.9	16.4	1,592	15.9	0.40	15.1	16.7
1997	1,914	16.5	0.38	15.7	17.2	1,666	16.5	0.41	15.7	17.3
1998	1,950	16.6	0.38	15.9	17.3	1,726	17.0	0.41	16.2	17.8
1999	1,913	16.1	0.37	15.4	16.8	1,692	16.6	0.40	15.8	17.4
2000	1,911	16.0	0.36	15.2	16.7	1,664	16.2	0.40	15.4	17.0
2001	1,841	15.2	0.36	14.5	15.9	1,597	15.5	0.39	14.7	16.2
2002	2,019	16.6	0.37	15.8	17.3	1,743	16.8	0.40	16.0	17.6
2003	1,858	15.0	0.35	14.4	15.7	1,566	14.9	0.38	14.2	15.7
2004	1,962	15.7	0.36	15.0	16.4	1,654	15.6	0.39	14.9	16.4
2005	1,942	15.3	0.35	14.6	16.0	1,623	15.2	0.38	14.4	15.9
2006	1,934	15.0	0.34	14.3	15.7	1,604	14.8	0.37	14.1	15.5
2007	1,841	14.2	0.33	13.5	14.8	1,520	13.9	0.36	13.2	14.7
2008	1,939	14.6	0.33	13.9	15.2	1,606	14.4	0.36	13.7	15.2
2009	1,755	13.0	0.31	12.4	13.6	1,446	12.8	0.34	12.2	13.5
2010	1,860	13.5	0.32	12.9	14.1	1,541	13.5	0.35	12.8	14.2
2011	1,809	12.9	0.31	12.3	13.6	1,456	12.6	0.34	11.9	13.3
2012	1,771	12.4	0.30	11.9	13.1	1,429	12.2	0.33	11.5	12.8
2013	1,785	12.4	0.30	11.8	13.0	1,442	12.2	0.33	11.5	12.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Both Sexes</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	5,590	14.1	0.19	13.7	14.5	1,151	12.0	0.39	11.3	12.8
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	165	15.0	1.20	12.7	17.5	19	15.6	4.00	8.8	25.1
1988	148	13.0	1.10	10.9	15.3	24	18.4	4.18	11.1	28.1
1989	156	13.9	1.14	11.7	16.3	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	174	15.1	1.18	12.9	17.6	25	13.8	2.94	8.6	20.7
1992	143	12.0	1.04	10.1	14.2	19	8.8	2.32	4.8	14.5
1993	179	15.5	1.19	13.2	18.0	30	13.7	2.74	8.9	20.0
1994	159	12.6	1.02	10.7	14.8	18	7.9	2.05	4.4	12.9
1995	160	12.6	1.02	10.7	14.7	33	14.5	2.88	9.5	21.1
1996	169	13.2	1.04	11.3	15.4	37	13.8	2.44	9.4	19.4
1997	208	16.2	1.15	14.0	18.6	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	29	10.6	2.24	6.7	15.8
1999	181	13.1	0.99	11.2	15.2	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	36	11.6	2.14	7.7	16.4
2001	198	13.9	1.01	12.0	16.0	36	11.6	2.09	7.9	16.3
2002	218	15.3	1.06	13.3	17.5	41	12.0	1.99	8.4	16.4
2003	226	15.2	1.03	13.3	17.4	45	12.3	1.99	8.8	16.8
2004	245	15.9	1.03	13.9	18.0	46	11.4	1.82	8.1	15.5
2005	236	15.0	1.00	13.1	17.1	63	14.2	1.96	10.7	18.6
2006	242	15.3	1.00	13.4	17.3	67	15.7	2.06	11.9	20.2
2007	236	14.4	0.95	12.5	16.3	71	14.6	1.88	11.1	18.7
2008	247	14.8	0.96	13.0	16.8	59	10.8	1.52	8.1	14.2
2009	236	13.6	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.6	0.91	11.8	15.4	70	12.8	1.64	9.8	16.4
2011	270	14.8	0.92	13.0	16.7	67	11.7	1.53	8.9	15.0
2012	244	13.3	0.87	11.6	15.1	74	11.3	1.38	8.8	14.3
2013	248	13.1	0.85	11.5	14.9	72	9.7	1.20	7.5	12.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Males</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	29,173	20.0	0.12	19.8	20.3	25,347	20.2	0.13	20.0	20.5
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0
1987	1,014	22.8	0.74	21.4	24.3	921	23.3	0.80	21.8	24.9
1988	1,012	23.0	0.75	21.6	24.5	918	23.6	0.81	22.1	25.3
1989	927	21.0	0.72	19.6	22.5	835	21.3	0.76	19.8	22.8
1990	968	21.7	0.72	20.3	23.2	880	22.3	0.77	20.8	23.8
1991	1,006	22.2	0.72	20.8	23.7	903	22.6	0.77	21.1	24.1
1992	1,000	21.6	0.70	20.2	23.0	915	22.4	0.76	20.9	23.9
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7
1994	923	19.2	0.65	18.0	20.6	829	19.7	0.70	18.4	21.1
1995	990	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0
1996	999	20.6	0.66	19.3	22.0	892	21.2	0.72	19.8	22.6
1997	1,083	22.2	0.69	20.9	23.6	957	22.5	0.74	21.1	24.0
1998	1,097	22.3	0.68	21.0	23.7	982	22.9	0.74	21.5	24.4
1999	1,106	22.1	0.67	20.8	23.4	974	22.5	0.73	21.1	23.9
2000	1,105	21.5	0.66	20.3	22.9	965	21.9	0.71	20.5	23.3
2001	1,047	20.4	0.64	19.1	21.6	922	20.8	0.69	19.5	22.2
2002	1,156	22.0	0.66	20.8	23.3	1,014	22.5	0.71	21.1	23.9
2003	1,044	19.6	0.62	18.4	20.8	889	19.6	0.66	18.3	20.9
2004	1,134	20.8	0.63	19.6	22.1	947	20.4	0.67	19.1	21.8
2005	1,102	19.9	0.61	18.7	21.1	916	19.5	0.65	18.2	20.8
2006	1,079	19.0	0.59	17.9	20.2	900	18.7	0.63	17.4	19.9
2007	1,051	18.3	0.58	17.2	19.5	883	18.2	0.62	17.0	19.4
2008	1,122	19.1	0.58	18.0	20.3	937	19.0	0.63	17.7	20.2
2009	1,032	17.0	0.54	16.0	18.1	846	16.6	0.58	15.5	17.8
2010	1,085	17.6	0.55	16.5	18.7	917	17.6	0.59	16.4	18.8
2011	1,058	16.8	0.53	15.8	17.8	861	16.4	0.57	15.3	17.6
2012	1,058	16.4	0.52	15.4	17.4	864	16.0	0.56	14.9	17.1
2013	1,037	15.8	0.50	14.8	16.8	849	15.5	0.55	14.5	16.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	2,950	18.1	0.35	17.5	18.8	669	15.5	0.68	14.2	16.9
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	81	18.1	2.17	14.1	22.8	8	16.8	6.77	6.3	33.9
1990	78	17.2	2.10	13.4	21.8	9	15.2	5.88	6.0	30.3
1991	85	18.9	2.19	14.8	23.6	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	12	10.8	3.39	5.2	19.9
1993	95	20.2	2.25	16.1	25.0	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	81	16.4	1.94	12.8	20.6	15	12.4	3.62	6.4	21.6
1996	78	14.0	1.64	11.0	17.6	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	105	19.3	1.98	15.6	23.5	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	19	12.5	3.12	7.1	20.1
2001	95	16.2	1.75	12.9	19.9	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	24	16.7	3.84	10.0	25.7
2003	119	18.8	1.81	15.5	22.7	23	14.6	3.37	8.7	22.5
2004	146	23.4	2.04	19.6	27.7	30	17.5	3.68	11.0	26.0
2005	131	20.3	1.86	16.8	24.2	43	22.0	3.91	15.0	30.8
2006	132	20.1	1.84	16.7	24.0	33	17.8	3.40	11.7	25.5
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	126	18.4	1.73	15.1	22.1	39	16.4	2.97	11.1	23.2
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	35	14.6	2.71	9.8	20.8
2011	147	18.9	1.64	15.8	22.4	39	14.4	2.54	9.8	20.1
2012	135	17.5	1.58	14.6	20.9	45	14.9	2.38	10.6	20.3
2013	132	16.7	1.53	13.9	20.0	41	11.3	1.84	8.0	15.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Females</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	22,571	11.7	0.08	11.6	11.9	19,315	11.7	0.09	11.6	11.9
1986	837	13.4	0.47	12.5	14.3	761	13.6	0.50	12.7	14.6
1987	838	13.5	0.47	12.6	14.4	746	13.5	0.50	12.6	14.6
1988	784	12.4	0.45	11.6	13.3	699	12.4	0.48	11.5	13.4
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8
1990	807	12.7	0.45	11.8	13.6	727	12.9	0.49	12.0	13.9
1991	845	13.1	0.46	12.2	14.0	739	13.0	0.49	12.1	14.0
1992	815	12.5	0.44	11.6	13.4	733	12.7	0.48	11.8	13.7
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1
1995	841	12.6	0.44	11.7	13.5	743	12.8	0.48	11.9	13.8
1996	805	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8
1997	831	12.3	0.43	11.4	13.1	709	12.1	0.46	11.2	13.0
1998	853	12.6	0.43	11.8	13.5	744	12.8	0.47	11.9	13.7
1999	807	11.8	0.42	11.0	12.6	718	12.2	0.46	11.3	13.1
2000	806	11.7	0.41	10.9	12.5	699	11.8	0.45	10.9	12.7
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4
2002	863	12.4	0.42	11.5	13.2	729	12.2	0.46	11.3	13.2
2003	814	11.6	0.41	10.8	12.4	677	11.4	0.44	10.5	12.3
2004	828	11.7	0.41	10.9	12.6	707	11.9	0.45	11.0	12.8
2005	840	11.8	0.41	11.0	12.6	707	11.8	0.45	10.9	12.7
2006	855	11.9	0.41	11.1	12.7	704	11.7	0.45	10.9	12.6
2007	790	10.9	0.39	10.2	11.7	637	10.6	0.43	9.8	11.4
2008	817	11.1	0.39	10.3	11.9	669	10.9	0.43	10.1	11.8
2009	723	9.8	0.37	9.1	10.6	600	9.8	0.41	9.0	10.7
2010	775	10.3	0.37	9.5	11.0	624	10.1	0.41	9.3	10.9
2011	751	9.8	0.36	9.1	10.5	595	9.4	0.39	8.6	10.2
2012	713	9.3	0.35	8.6	10.0	565	9.0	0.39	8.3	9.8
2013	748	9.6	0.36	8.9	10.3	593	9.3	0.39	8.6	10.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	2,640	11.4	0.22	11.0	11.9	482	9.3	0.45	8.4	10.2
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	84	13.0	1.45	10.3	16.1	7	9.2	3.57	3.6	19.0
1988	69	10.4	1.28	8.1	13.2	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	71	10.8	1.31	8.4	13.7	7	7.8	3.09	3.0	16.3
1991	89	12.7	1.38	10.2	15.7	14	13.3	3.72	7.0	22.7
1992	72	10.2	1.22	7.9	12.8	7	6.8	3.03	2.2	15.0
1993	84	12.3	1.35	9.8	15.2	14	10.5	3.01	5.4	18.1
1994	77	10.4	1.19	8.2	13.0	10	8.9	3.04	3.9	16.6
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	108	14.2	1.38	11.6	17.1	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	10	6.6	2.27	2.9	12.4
1999	76	9.3	1.07	7.3	11.6	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	17	10.3	2.72	5.7	16.9
2001	103	12.3	1.22	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	109	12.8	1.24	10.5	15.5	17	8.7	2.18	4.9	14.0
2003	107	12.4	1.21	10.1	15.0	22	10.6	2.41	6.4	16.4
2004	99	10.9	1.11	8.9	13.3	16	7.0	1.83	3.9	11.5
2005	105	11.4	1.13	9.3	13.9	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	122	12.7	1.16	10.5	15.2	27	10.2	2.07	6.5	15.0
2008	121	12.4	1.14	10.3	14.9	20	6.5	1.52	3.9	10.2
2009	87	8.9	0.97	7.1	11.0	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	123	11.8	1.08	9.8	14.1	28	9.3	1.84	6.1	13.6
2012	109	10.3	1.00	8.5	12.5	29	8.3	1.61	5.4	12.1
2013	116	10.6	1.00	8.8	12.8	31	8.1	1.51	5.4	11.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,547	1.4	0.02	1.3	1.4	3,787	1.3	0.02	1.3	1.4
1986	96	0.9	0.09	0.7	1.1	79	0.8	0.10	0.7	1.1
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3
1996	115	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	171	1.4	0.11	1.2	1.7	141	1.4	0.12	1.2	1.6
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6
2002	155	1.3	0.10	1.1	1.5	129	1.3	0.11	1.1	1.5
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1
2005	176	1.4	0.10	1.2	1.6	144	1.3	0.11	1.1	1.6
2006	179	1.4	0.11	1.2	1.6	142	1.3	0.11	1.1	1.6
2007	222	1.7	0.11	1.5	1.9	185	1.7	0.12	1.5	2.0
2008	207	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7
2009	243	1.8	0.12	1.6	2.1	204	1.8	0.13	1.6	2.1
2010	231	1.7	0.11	1.5	1.9	182	1.6	0.12	1.4	1.9
2011	225	1.6	0.11	1.4	1.9	178	1.6	0.12	1.3	1.8
2012	240	1.7	0.11	1.5	1.9	203	1.7	0.12	1.5	2.0
2013	266	1.9	0.12	1.7	2.1	229	2.0	0.13	1.7	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	695	1.7	0.06	1.6	1.8	33	0.3	0.06	0.2	0.5
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	23	1.4	0.30	0.9	2.1	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	4	1.2	0.67	0.3	3.1
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	3	0.5	0.32	0.1	1.6
2009	33	2.0	0.35	1.3	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.3	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	32	1.8	0.32	1.2	2.5	3	0.4	0.24	0.1	1.3
2013	30	1.6	0.30	1.1	2.3	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,758	1.2	0.03	1.1	1.2	1,396	1.1	0.03	1.0	1.2
1986	33	0.7	0.13	0.5	1.0	30	0.7	0.14	0.5	1.1
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6
2002	63	1.1	0.14	0.9	1.4	50	1.1	0.15	0.8	1.4
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1
2005	77	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.5
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5
2007	78	1.4	0.16	1.1	1.7	63	1.3	0.17	1.0	1.7
2008	87	1.4	0.16	1.2	1.8	64	1.3	0.16	1.0	1.6
2009	87	1.5	0.16	1.2	1.8	70	1.4	0.17	1.1	1.8
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5
2011	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.8	1.4
2012	98	1.5	0.15	1.2	1.8	80	1.5	0.17	1.2	1.8
2013	103	1.6	0.16	1.3	2.0	85	1.7	0.18	1.3	2.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	326	1.8	0.10	1.6	2.0	15	0.3	0.09	0.2	0.6
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	12	1.6	0.45	0.8	2.7	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	13	1.8	0.52	0.9	3.1	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.9	6.3	0				
2011	18	2.4	0.57	1.4	3.8	2	0.6	0.39	0.1	2.3
2012	15	1.7	0.45	1.0	2.9	2	0.5	0.36	0.1	2.1
2013	14	1.8	0.49	1.0	3.0	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,789	1.5	0.03	1.4	1.6	2,391	1.5	0.03	1.5	1.6
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
1996	70	1.1	0.13	0.8	1.4	59	1.1	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8
2000	105	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8
2002	92	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.8
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2006	99	1.4	0.14	1.2	1.7	86	1.5	0.16	1.2	1.8
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5
2008	120	1.6	0.15	1.4	2.0	98	1.6	0.17	1.3	2.0
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6
2010	137	1.8	0.16	1.5	2.2	118	1.9	0.18	1.6	2.3
2011	149	1.9	0.16	1.6	2.3	123	2.0	0.18	1.6	2.4
2012	142	1.8	0.16	1.5	2.2	123	1.9	0.18	1.6	2.3
2013	163	2.1	0.17	1.8	2.5	144	2.3	0.19	1.9	2.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	369	1.6	0.08	1.4	1.7	18	0.3	0.08	0.2	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	1	0.3	0.33	0.0	2.1
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	3	1.0	0.61	0.2	3.0
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.5
2011	22	2.1	0.46	1.3	3.2	3	0.7	0.39	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	16	1.5	0.38	0.9	2.5	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	15,004	4.4	0.04	4.3	4.5	11,321	3.9	0.04	3.8	4.0
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2
1988	260	2.4	0.15	2.1	2.7	205	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	252	2.3	0.15	2.0	2.6	194	2.0	0.14	1.7	2.3
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6
1995	438	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6
1996	460	4.0	0.19	3.6	4.4	327	3.3	0.18	2.9	3.6
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4
2001	552	4.6	0.19	4.2	5.0	425	4.1	0.20	3.7	4.5
2002	591	4.8	0.20	4.5	5.3	443	4.3	0.20	3.9	4.7
2003	576	4.7	0.19	4.3	5.0	442	4.2	0.20	3.8	4.6
2004	639	5.1	0.20	4.7	5.5	489	4.6	0.21	4.2	5.1
2005	692	5.4	0.21	5.0	5.9	531	5.0	0.22	4.6	5.4
2006	688	5.3	0.20	4.9	5.7	517	4.8	0.21	4.4	5.2
2007	752	5.7	0.21	5.3	6.2	548	5.0	0.21	4.6	5.4
2008	742	5.5	0.20	5.1	5.9	540	4.8	0.21	4.4	5.2
2009	848	6.2	0.21	5.8	6.6	657	5.8	0.23	5.3	6.2
2010	887	6.4	0.22	6.0	6.8	678	5.9	0.23	5.4	6.3
2011	838	5.9	0.21	5.5	6.3	616	5.2	0.21	4.8	5.7
2012	884	6.0	0.20	5.6	6.4	682	5.6	0.22	5.2	6.0
2013	859	5.8	0.20	5.4	6.2	640	5.3	0.21	4.9	5.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,764	6.8	0.13	6.5	7.1	855	8.9	0.33	8.3	9.6
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	8	4.7	1.71	2.0	9.5
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	92	7.4	0.79	5.9	9.1	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	106	7.3	0.72	5.9	8.8	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	134	7.4	0.65	6.1	8.7	49	9.7	1.50	7.0	13.1
2010	157	8.7	0.71	7.4	10.2	46	8.0	1.24	5.8	10.8
2011	170	8.9	0.70	7.6	10.4	44	6.9	1.08	4.9	9.3
2012	142	7.3	0.63	6.1	8.7	53	8.9	1.30	6.5	11.8
2013	173	8.7	0.68	7.4	10.1	40	6.1	1.01	4.2	8.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,494	7.0	0.07	6.9	7.2	7,893	6.2	0.07	6.1	6.3
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6
1994	279	5.8	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8
1995	298	6.2	0.36	5.5	6.9	222	5.2	0.35	4.5	6.0
1996	307	6.2	0.36	5.5	6.9	207	4.8	0.34	4.2	5.5
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0
2001	377	7.2	0.38	6.5	8.0	291	6.5	0.38	5.8	7.3
2002	408	7.6	0.38	6.8	8.3	311	6.8	0.39	6.0	7.6
2003	408	7.4	0.37	6.7	8.2	316	6.8	0.38	6.0	7.6
2004	449	7.9	0.38	7.2	8.7	349	7.3	0.39	6.5	8.1
2005	501	8.8	0.40	8.0	9.6	387	8.1	0.42	7.3	9.0
2006	491	8.4	0.39	7.7	9.2	370	7.6	0.40	6.8	8.4
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6
2008	516	8.4	0.38	7.7	9.2	374	7.3	0.38	6.5	8.1
2009	644	10.4	0.42	9.6	11.2	500	9.6	0.44	8.8	10.5
2010	623	9.8	0.40	9.0	10.6	483	9.1	0.42	8.3	9.9
2011	632	9.6	0.39	8.9	10.4	455	8.4	0.40	7.6	9.2
2012	653	9.5	0.38	8.8	10.3	504	8.8	0.40	8.0	9.6
2013	630	9.2	0.37	8.4	9.9	464	8.2	0.39	7.4	9.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,935	11.2	0.27	10.7	11.8	620	14.2	0.65	13.0	15.6
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	52	11.3	1.68	8.2	15.0	13	11.2	3.32	5.6	19.8
1995	59	12.1	1.73	9.0	15.9	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	67	10.6	1.36	8.1	13.6	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	99	12.7	1.33	10.3	15.6	39	16.9	3.08	11.4	23.9
2010	103	13.0	1.33	10.5	15.9	32	11.6	2.19	7.7	16.7
2011	136	16.7	1.51	13.9	19.9	35	11.5	2.01	7.9	16.1
2012	109	12.9	1.29	10.5	15.7	38	15.0	2.71	10.2	21.2
2013	133	15.5	1.41	12.9	18.5	28	9.7	1.97	6.2	14.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,510	2.3	0.03	2.3	2.4	3,428	2.1	0.04	2.0	2.1
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1988	95	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5
1990	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7
1994	142	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2
1995	140	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2
1996	153	2.2	0.18	1.9	2.6	120	2.0	0.18	1.7	2.4
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6
2003	168	2.4	0.19	2.0	2.8	126	2.1	0.19	1.7	2.5
2004	190	2.7	0.20	2.3	3.1	140	2.3	0.20	2.0	2.8
2005	191	2.7	0.20	2.3	3.1	144	2.4	0.20	2.0	2.9
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8
2007	207	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1
2009	204	2.8	0.20	2.4	3.2	157	2.6	0.21	2.2	3.0
2010	264	3.5	0.22	3.1	4.0	195	3.2	0.23	2.7	3.6
2011	206	2.7	0.19	2.4	3.1	161	2.6	0.21	2.2	3.0
2012	231	2.9	0.20	2.6	3.4	178	2.7	0.21	2.3	3.2
2013	229	2.9	0.20	2.6	3.3	176	2.8	0.21	2.4	3.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	829	3.6	0.13	3.4	3.9	235	4.7	0.32	4.1	5.4
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	3	3.8	2.20	0.8	10.9
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	27	3.7	0.73	2.5	5.4	4	3.2	1.68	0.8	8.3
1995	33	4.5	0.79	3.1	6.3	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	54	5.4	0.74	4.0	7.0	14	4.9	1.36	2.6	8.3
2011	34	3.3	0.57	2.2	4.6	9	2.8	0.96	1.2	5.3
2012	33	3.1	0.55	2.1	4.4	15	4.4	1.17	2.4	7.3
2013	40	3.6	0.58	2.6	4.9	12	3.2	0.95	1.6	5.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gallbladder										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,811	1.4	0.02	1.4	1.5	4,094	1.4	0.02	1.4	1.4
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8
1990	160	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6
2001	171	1.4	0.11	1.2	1.6	155	1.5	0.12	1.3	1.7
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	168	1.3	0.10	1.1	1.5	144	1.3	0.11	1.1	1.6
2007	170	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7
2009	186	1.4	0.10	1.2	1.6	148	1.3	0.11	1.1	1.5
2010	176	1.3	0.10	1.1	1.5	133	1.2	0.10	1.0	1.4
2011	201	1.5	0.11	1.3	1.7	157	1.4	0.11	1.2	1.6
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4
2013	195	1.4	0.10	1.2	1.6	147	1.3	0.10	1.1	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Gallbladder										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	586	1.6	0.07	1.4	1.7	116	1.3	0.13	1.1	1.6
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	9	1.0	0.34	0.4	1.8	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	36	2.1	0.36	1.5	2.9	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.7	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.35	1.4	2.8	10	1.5	0.49	0.7	2.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Gallbladder										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,321	1.0	0.03	0.9	1.0	1,113	0.9	0.03	0.9	1.0
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5
1988	46	1.2	0.18	0.8	1.6	39	1.1	0.18	0.8	1.5
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1993	29	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	52	1.1	0.15	0.8	1.4	47	1.1	0.17	0.8	1.5
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4
2003	38	0.8	0.13	0.5	1.1	31	0.7	0.13	0.5	1.0
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3
2007	50	0.9	0.13	0.7	1.2	38	0.8	0.14	0.6	1.2
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1
2009	55	1.0	0.13	0.7	1.3	42	0.9	0.14	0.6	1.2
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1
2013	58	1.0	0.13	0.7	1.2	42	0.8	0.13	0.6	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Gallbladder</b>										
<b>Males</b>										
<b>Year</b>	<b>Blacks</b>					<b>Asian or Other Races</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	162	1.1	0.09	0.9	1.3	41	1.0	0.17	0.7	1.4
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	1	1.0	1.02	0.0	6.1
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	1	0.8	0.79	0.0	3.9
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.87	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.52	0.7	2.9	2	0.8	0.60	0.1	2.9
2013	13	1.8	0.53	0.9	3.2	2	0.6	0.42	0.1	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Gallbladder										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,490	1.8	0.03	1.7	1.8	2,981	1.8	0.03	1.7	1.8
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2
1988	142	2.3	0.19	1.9	2.7	126	2.3	0.20	1.9	2.7
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4
1990	120	1.8	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4
1993	102	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4
1999	107	1.5	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2
2001	126	1.8	0.16	1.5	2.2	115	1.9	0.18	1.6	2.3
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0
2003	134	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4
2006	118	1.6	0.15	1.3	1.9	101	1.6	0.16	1.3	1.9
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0
2010	118	1.5	0.14	1.3	1.9	89	1.4	0.15	1.1	1.7
2011	132	1.7	0.15	1.4	2.0	101	1.6	0.16	1.3	1.9
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8
2013	137	1.7	0.15	1.5	2.1	105	1.6	0.16	1.3	1.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Gallbladder										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	424	1.9	0.09	1.7	2.1	75	1.6	0.19	1.2	2.0
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	8	1.4	0.50	0.6	2.7	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	3	1.7	1.02	0.3	5.7
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	5	3.2	1.48	1.0	7.2
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	25	2.4	0.48	1.5	3.5	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.86	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Pancreas										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	40,089	11.9	0.06	11.7	12.0	33,448	11.5	0.06	11.3	11.6
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0
1987	1,062	10.0	0.31	9.4	10.6	883	9.4	0.32	8.8	10.0
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1
1989	1,052	9.8	0.31	9.3	10.5	893	9.5	0.32	8.9	10.1
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9
1992	1,069	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8
1994	1,328	11.7	0.32	11.0	12.3	1,106	11.1	0.33	10.4	11.8
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9
1996	1,382	12.0	0.32	11.4	12.6	1,173	11.7	0.34	11.0	12.4
1997	1,315	11.3	0.31	10.7	11.9	1,126	11.1	0.33	10.5	11.8
1998	1,417	12.0	0.32	11.4	12.7	1,206	11.8	0.34	11.1	12.5
1999	1,431	12.1	0.32	11.4	12.7	1,202	11.7	0.34	11.0	12.4
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8
2001	1,509	12.5	0.32	11.9	13.1	1,259	12.1	0.34	11.5	12.8
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5
2003	1,534	12.4	0.32	11.8	13.1	1,259	11.9	0.34	11.2	12.6
2004	1,601	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3
2005	1,673	13.2	0.32	12.6	13.9	1,364	12.6	0.34	12.0	13.3
2006	1,600	12.6	0.32	12.0	13.2	1,294	11.9	0.33	11.3	12.6
2007	1,660	12.8	0.32	12.2	13.5	1,372	12.5	0.34	11.8	13.2
2008	1,727	13.1	0.32	12.5	13.7	1,428	12.8	0.34	12.1	13.5
2009	1,824	13.7	0.32	13.0	14.3	1,511	13.4	0.35	12.7	14.1
2010	1,771	13.1	0.32	12.5	13.7	1,480	13.0	0.34	12.3	13.7
2011	1,794	13.0	0.31	12.4	13.7	1,485	12.9	0.34	12.2	13.6
2012	1,835	13.0	0.31	12.4	13.6	1,506	12.8	0.33	12.1	13.4
2013	1,870	12.9	0.30	12.4	13.6	1,531	12.7	0.33	12.0	13.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Pancreas										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,920	15.7	0.21	15.3	16.1	653	7.8	0.33	7.2	8.5
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	11	9.9	3.33	4.5	18.1
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	124	11.3	1.04	9.3	13.5	9	5.6	2.19	2.2	11.3
1992	158	13.1	1.07	11.1	15.4	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	245	17.4	1.13	15.2	19.7	28	8.5	1.71	5.5	12.4
2004	221	15.2	1.04	13.2	17.4	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.7	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	30	6.2	1.24	4.0	9.1
2008	255	16.2	1.04	14.2	18.3	40	9.2	1.56	6.4	12.7
2009	274	17.3	1.07	15.3	19.5	36	7.5	1.35	5.0	10.5
2010	252	15.8	1.02	13.9	17.9	34	6.4	1.18	4.3	9.1
2011	262	15.7	0.99	13.8	17.7	41	7.4	1.23	5.2	10.2
2012	278	16.1	0.99	14.3	18.2	44	7.6	1.22	5.4	10.3
2013	287	16.2	0.98	14.4	18.3	39	6.4	1.08	4.4	8.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Pancreas</b>										
<b>Males</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	19,520	13.7	0.10	13.5	13.9	16,417	13.3	0.11	13.1	13.5
1986	493	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1
1989	474	10.6	0.50	9.6	11.6	412	10.5	0.53	9.5	11.6
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6
1992	515	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5
1997	618	12.8	0.52	11.8	13.9	532	12.7	0.56	11.6	13.8
1998	646	13.4	0.54	12.4	14.5	553	13.2	0.57	12.1	14.4
1999	693	13.9	0.54	12.9	15.0	591	13.7	0.57	12.6	14.8
2000	745	14.8	0.55	13.8	16.0	634	14.6	0.59	13.5	15.8
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9
2004	817	15.5	0.55	14.4	16.6	698	15.5	0.59	14.3	16.7
2005	787	14.6	0.53	13.6	15.7	643	14.0	0.56	12.9	15.2
2006	803	14.6	0.53	13.6	15.7	653	13.9	0.55	12.9	15.1
2007	814	14.5	0.52	13.5	15.6	678	14.2	0.55	13.1	15.3
2008	869	15.3	0.53	14.3	16.4	727	15.0	0.57	13.9	16.2
2009	900	15.5	0.53	14.5	16.5	754	15.3	0.57	14.2	16.4
2010	885	15.1	0.52	14.1	16.1	757	15.2	0.56	14.1	16.3
2011	900	14.9	0.51	13.9	15.9	764	14.9	0.55	13.9	16.1
2012	913	14.5	0.49	13.6	15.5	752	14.2	0.53	13.2	15.3
2013	971	15.2	0.50	14.3	16.3	810	15.1	0.54	14.1	16.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Pancreas</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	2,732	17.5	0.35	16.8	18.2	331	8.9	0.55	7.9	10.0
1986	68	14.4	1.85	11.0	18.4	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	3	2.6	1.52	0.5	9.1
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	52	11.9	1.74	8.7	15.7	4	7.0	4.48	1.1	19.6
1992	77	16.9	2.06	13.1	21.3	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	127	22.1	2.08	18.2	26.5	17	11.5	3.18	6.2	19.2
2004	104	16.5	1.70	13.4	20.2	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.4	1.89	16.9	24.4	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	21	8.7	2.20	4.9	14.1
2008	120	18.7	1.80	15.4	22.6	21	11.8	2.87	6.9	18.5
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	107	16.0	1.63	13.0	19.5	18	7.4	1.88	4.2	12.0
2011	117	17.3	1.68	14.1	20.9	17	7.5	2.02	4.1	12.4
2012	136	19.0	1.72	15.8	22.7	22	7.8	1.81	4.7	12.1
2013	135	18.2	1.65	15.1	21.7	16	5.9	1.58	3.2	9.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Pancreas										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	20,569	10.4	0.07	10.3	10.6	17,031	10.0	0.08	9.8	10.1
1986	552	8.7	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1
1987	548	8.7	0.37	7.9	9.4	453	8.0	0.38	7.3	8.8
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0
1994	679	9.9	0.38	9.2	10.7	565	9.4	0.40	8.6	10.2
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6
1996	729	10.6	0.40	9.9	11.4	619	10.3	0.42	9.5	11.2
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7
1998	771	11.1	0.40	10.3	11.9	653	10.8	0.43	10.0	11.7
1999	738	10.5	0.39	9.8	11.3	611	10.0	0.41	9.2	10.8
2000	739	10.5	0.39	9.7	11.3	614	10.1	0.41	9.3	11.0
2001	771	10.9	0.40	10.2	11.7	634	10.4	0.42	9.6	11.2
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3
2003	771	10.7	0.39	10.0	11.5	641	10.4	0.41	9.6	11.2
2004	784	10.7	0.39	9.9	11.5	655	10.4	0.41	9.6	11.2
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4
2006	797	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1
2007	846	11.4	0.40	10.6	12.2	694	11.0	0.43	10.2	11.9
2008	858	11.4	0.39	10.6	12.2	701	11.0	0.42	10.2	11.9
2009	924	12.1	0.40	11.3	12.9	757	11.7	0.44	10.9	12.6
2010	886	11.5	0.39	10.7	12.3	723	11.2	0.42	10.4	12.0
2011	894	11.5	0.39	10.7	12.2	721	11.1	0.42	10.2	11.9
2012	922	11.7	0.39	10.9	12.5	754	11.6	0.43	10.7	12.4
2013	899	11.1	0.38	10.4	11.9	721	10.7	0.41	9.9	11.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Pancreas</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	3,188	14.3	0.26	13.8	14.8	322	7.0	0.41	6.2	7.8
1986	77	12.6	1.47	9.8	15.7	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	117	13.8	1.29	11.4	16.6	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	20	7.7	1.81	4.6	12.0
2010	145	15.3	1.29	12.9	18.0	16	5.5	1.45	3.0	9.0
2011	145	14.5	1.22	12.2	17.1	24	7.7	1.63	4.8	11.5
2012	142	14.0	1.19	11.7	16.5	22	7.1	1.59	4.4	10.9
2013	152	14.9	1.22	12.6	17.5	23	6.7	1.45	4.1	10.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	256,661	75.5	0.15	75.2	75.8	216,449	74.2	0.16	73.9	74.5
1986	7,211	66.6	0.80	65.1	68.2	6,191	64.6	0.83	63.0	66.2
1987	7,760	71.6	0.82	70.0	73.2	6,662	69.7	0.87	68.0	71.4
1988	7,443	68.2	0.80	66.6	69.7	6,327	65.7	0.84	64.1	67.4
1989	7,654	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1
1990	7,958	72.1	0.82	70.5	73.7	6,790	70.0	0.86	68.3	71.7
1991	7,925	70.9	0.80	69.3	72.4	6,807	69.3	0.85	67.6	71.0
1992	8,357	74.2	0.82	72.6	75.8	7,139	72.4	0.86	70.8	74.2
1993	8,758	77.1	0.83	75.5	78.7	7,380	74.4	0.87	72.7	76.1
1994	9,336	81.5	0.85	79.9	83.2	7,948	79.6	0.90	77.8	81.4
1995	9,362	81.3	0.84	79.6	83.0	7,879	78.7	0.89	77.0	80.5
1996	9,369	81.1	0.84	79.5	82.8	7,861	78.5	0.89	76.7	80.2
1997	9,246	79.4	0.83	77.8	81.0	7,796	77.3	0.88	75.6	79.1
1998	9,382	79.8	0.82	78.2	81.4	7,891	77.7	0.88	76.0	79.5
1999	9,460	79.9	0.82	78.3	81.5	7,991	78.4	0.88	76.7	80.1
2000	9,329	78.3	0.81	76.7	79.9	7,928	77.5	0.87	75.8	79.2
2001	9,461	78.8	0.81	77.2	80.4	8,013	77.9	0.87	76.2	79.7
2002	9,761	80.5	0.82	78.9	82.1	8,228	79.4	0.88	77.7	81.2
2003	9,772	79.7	0.81	78.1	81.3	8,239	78.9	0.87	77.2	80.6
2004	9,517	76.9	0.79	75.4	78.5	7,962	75.8	0.85	74.1	77.5
2005	9,704	77.6	0.79	76.0	79.1	8,145	76.9	0.86	75.3	78.6
2006	9,921	78.6	0.79	77.0	80.2	8,305	77.8	0.86	76.1	79.5
2007	10,062	78.5	0.79	76.9	80.0	8,419	77.9	0.86	76.2	79.6
2008	10,073	77.1	0.78	75.6	78.7	8,497	77.3	0.85	75.7	79.0
2009	10,276	77.7	0.77	76.2	79.2	8,652	78.1	0.85	76.4	79.7
2010	9,964	74.0	0.75	72.6	75.5	8,317	73.9	0.82	72.3	75.5
2011	10,012	73.0	0.74	71.6	74.5	8,376	73.1	0.81	71.5	74.7
2012	9,927	71.1	0.73	69.7	72.6	8,214	70.6	0.79	69.1	72.2
2013	9,661	67.5	0.70	66.2	68.9	7,979	67.1	0.76	65.6	68.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	36,872	92.9	0.49	91.9	93.8	2,885	33.3	0.67	32.0	34.6
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,047	90.1	2.85	84.6	95.8	46	34.0	5.60	23.9	46.5
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	44	29.2	4.93	20.3	40.2
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.3	75	39.8	5.25	30.2	51.2
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,396	106.4	2.90	100.8	112.2	80	33.9	4.17	26.3	43.0
1996	1,406	107.0	2.90	101.4	112.8	93	41.5	4.78	32.7	51.7
1997	1,351	100.3	2.77	95.0	105.9	89	35.4	4.13	27.8	44.3
1998	1,365	100.3	2.76	95.0	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	92	36.2	4.08	28.6	44.9
2000	1,289	91.1	2.58	86.1	96.3	98	33.9	3.67	27.1	41.7
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,403	96.4	2.62	91.4	101.7	118	37.7	3.74	30.7	45.6
2003	1,413	95.5	2.58	90.5	100.6	104	31.1	3.26	25.0	38.0
2004	1,427	95.4	2.57	90.4	100.6	115	33.2	3.32	27.0	40.3
2005	1,404	91.8	2.50	87.0	96.9	127	31.9	3.03	26.3	38.4
2006	1,462	94.2	2.51	89.4	99.3	136	34.4	3.16	28.5	41.1
2007	1,470	93.9	2.50	89.0	98.9	148	35.5	3.13	29.6	42.1
2008	1,406	87.2	2.38	82.6	92.0	140	30.5	2.80	25.3	36.4
2009	1,437	86.3	2.33	81.8	91.0	161	32.7	2.78	27.5	38.5
2010	1,440	85.3	2.30	80.9	90.0	173	34.0	2.76	28.8	39.8
2011	1,427	83.5	2.27	79.1	88.0	170	31.4	2.56	26.6	36.8
2012	1,502	86.5	2.29	82.1	91.1	185	31.3	2.44	26.7	36.4
2013	1,450	80.7	2.18	76.5	85.1	193	31.1	2.36	26.6	36.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	149,871	103.2	0.27	102.7	103.8	125,728	100.4	0.29	99.9	101.0
1986	4,894	107.4	1.59	104.3	110.6	4,178	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,410	108.8	1.69	105.5	112.2
1988	4,838	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.4
1989	4,965	106.9	1.56	103.8	110.0	4,197	102.1	1.62	99.0	105.3
1990	5,087	109.2	1.57	106.1	112.3	4,308	104.9	1.64	101.8	108.2
1991	5,031	106.3	1.54	103.3	109.4	4,306	103.3	1.61	100.2	106.5
1992	5,213	108.7	1.54	105.7	111.7	4,424	105.0	1.61	101.9	108.2
1993	5,417	112.8	1.56	109.8	116.0	4,539	107.9	1.63	104.7	111.1
1994	5,703	118.6	1.60	115.5	121.8	4,832	115.0	1.68	111.7	118.3
1995	5,668	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,592	114.7	1.56	111.6	117.7	4,662	109.8	1.63	106.6	113.0
1997	5,511	111.8	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,543	111.3	1.51	108.3	114.3	4,607	106.6	1.58	103.5	109.7
1999	5,525	110.0	1.50	107.1	112.9	4,640	106.7	1.58	103.7	109.9
2000	5,434	106.9	1.46	104.0	109.8	4,564	104.1	1.55	101.0	107.1
2001	5,460	107.1	1.47	104.3	110.1	4,576	104.3	1.55	101.3	107.4
2002	5,537	107.7	1.46	104.8	110.6	4,668	105.7	1.56	102.7	108.8
2003	5,496	104.7	1.43	101.9	107.5	4,609	102.5	1.52	99.5	105.5
2004	5,304	99.9	1.39	97.2	102.6	4,400	96.8	1.47	93.9	99.7
2005	5,375	99.5	1.38	96.9	102.3	4,463	97.0	1.47	94.1	99.9
2006	5,444	100.3	1.38	97.6	103.1	4,537	98.1	1.47	95.2	101.0
2007	5,494	99.2	1.36	96.6	101.9	4,559	96.8	1.45	93.9	99.6
2008	5,412	95.5	1.32	92.9	98.1	4,542	94.4	1.42	91.6	97.2
2009	5,483	94.9	1.31	92.3	97.4	4,607	94.4	1.41	91.6	97.2
2010	5,316	90.2	1.27	87.8	92.8	4,419	88.9	1.36	86.3	91.6
2011	5,437	90.5	1.26	88.1	93.0	4,524	89.1	1.35	86.5	91.8
2012	5,259	85.7	1.21	83.3	88.1	4,357	84.2	1.30	81.7	86.8
2013	5,267	83.2	1.18	80.9	85.5	4,354	81.8	1.27	79.3	84.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	22,054	136.2	0.96	134.3	138.1	1,827	48.5	1.27	46.1	51.1
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	32	58.7	12.08	37.5	86.2
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	730	154.5	6.05	142.9	166.8	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	682	135.0	5.42	124.6	146.0	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.82	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	897	168.0	5.90	156.6	179.9	48	50.9	8.51	35.6	69.9
1996	865	162.5	5.79	151.4	174.2	61	64.3	9.44	47.2	85.0
1997	851	154.7	5.53	144.1	165.9	59	51.3	7.27	38.0	67.4
1998	846	154.4	5.56	143.7	165.6	77	64.1	8.04	49.3	81.6
1999	820	146.5	5.35	136.2	157.3	58	56.0	8.24	41.0	74.0
2000	803	139.0	5.12	129.1	149.4	56	43.2	6.41	31.5	57.3
2001	806	138.6	5.10	128.8	148.9	72	59.6	8.20	44.6	77.3
2002	797	133.8	4.96	124.3	143.9	66	48.9	6.68	36.7	63.4
2003	804	133.1	4.92	123.6	143.1	69	49.6	6.67	37.4	64.0
2004	823	136.8	5.02	127.2	147.0	74	47.3	6.14	36.0	60.6
2005	809	130.6	4.84	121.3	140.4	83	48.6	5.85	37.8	61.2
2006	809	129.0	4.78	119.8	138.7	86	54.2	6.49	42.2	68.1
2007	842	133.3	4.85	124.0	143.1	79	46.1	5.70	35.6	58.4
2008	777	118.7	4.49	110.0	127.7	77	37.8	4.94	28.8	48.5
2009	761	111.3	4.25	103.2	120.0	104	48.5	5.38	38.6	60.0
2010	779	111.8	4.23	103.6	120.3	102	46.5	5.08	37.1	57.4
2011	783	113.0	4.23	104.8	121.5	111	47.4	4.90	38.3	57.9
2012	773	110.1	4.16	102.1	118.5	115	44.5	4.55	36.0	54.2
2013	782	107.6	4.05	99.8	115.8	114	40.3	4.09	32.7	49.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	106,790	55.7	0.17	55.3	56.0	90,721	55.4	0.19	55.1	55.8
1986	2,317	38.4	0.82	36.8	40.0	2,013	38.0	0.87	36.3	39.7
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6
1988	2,605	42.8	0.85	41.1	44.5	2,194	41.1	0.90	39.3	42.9
1989	2,689	43.7	0.86	42.0	45.4	2,316	43.0	0.91	41.2	44.8
1990	2,871	46.5	0.88	44.8	48.2	2,482	46.0	0.94	44.2	47.9
1991	2,894	45.9	0.87	44.3	47.7	2,501	45.4	0.93	43.6	47.3
1992	3,144	49.7	0.90	47.9	51.5	2,715	49.4	0.97	47.5	51.3
1993	3,341	52.1	0.91	50.3	53.9	2,841	51.1	0.97	49.2	53.0
1994	3,633	55.9	0.94	54.0	57.7	3,116	55.2	1.00	53.2	57.2
1995	3,694	56.8	0.94	54.9	58.6	3,160	56.1	1.01	54.2	58.1
1996	3,777	57.7	0.95	55.9	59.6	3,199	56.7	1.02	54.7	58.7
1997	3,735	56.4	0.93	54.6	58.3	3,202	56.2	1.00	54.2	58.2
1998	3,839	57.5	0.93	55.7	59.3	3,284	57.2	1.01	55.3	59.2
1999	3,935	58.6	0.94	56.8	60.5	3,351	58.2	1.02	56.2	60.2
2000	3,895	57.6	0.93	55.8	59.5	3,364	58.4	1.02	56.4	60.4
2001	4,001	58.7	0.93	56.9	60.6	3,437	59.4	1.02	57.4	61.4
2002	4,224	61.6	0.95	59.7	63.5	3,560	61.1	1.03	59.1	63.2
2003	4,276	61.9	0.95	60.1	63.8	3,630	62.2	1.04	60.2	64.3
2004	4,213	60.5	0.94	58.7	62.4	3,562	60.7	1.03	58.7	62.7
2005	4,329	61.7	0.94	59.8	63.6	3,682	62.5	1.04	60.4	64.5
2006	4,477	63.2	0.95	61.3	65.1	3,768	63.3	1.04	61.3	65.4
2007	4,568	63.6	0.95	61.7	65.5	3,860	64.2	1.05	62.2	66.3
2008	4,661	63.9	0.95	62.1	65.8	3,955	65.0	1.05	63.0	67.1
2009	4,793	65.1	0.95	63.3	67.0	4,045	66.0	1.05	64.0	68.1
2010	4,648	62.1	0.92	60.3	64.0	3,898	62.7	1.02	60.7	64.8
2011	4,575	60.0	0.90	58.2	61.8	3,852	61.1	1.00	59.1	63.1
2012	4,668	60.5	0.90	58.8	62.3	3,857	60.6	0.99	58.7	62.6
2013	4,394	55.8	0.85	54.1	57.5	3,625	55.9	0.94	54.0	57.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Respiratory System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	14,818	63.8	0.53	62.8	64.8	1,058	21.8	0.71	20.5	23.3
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	326	48.2	2.70	43.1	53.8	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	357	51.8	2.78	46.5	57.5	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	373	51.7	2.71	46.5	57.3	12	15.5	5.09	7.2	28.0
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	25	24.7	5.63	15.0	37.8
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	499	65.0	2.93	59.3	71.0	32	22.4	4.20	14.9	32.1
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	500	63.2	2.85	57.8	69.1	30	22.6	4.56	14.5	33.0
1998	519	64.7	2.86	59.2	70.5	30	22.4	4.31	14.7	32.2
1999	548	67.0	2.88	61.4	72.8	34	22.5	4.10	15.2	31.8
2000	486	58.6	2.68	53.5	64.1	42	26.6	4.30	18.8	36.2
2001	530	63.5	2.78	58.2	69.2	27	15.0	3.03	9.7	22.1
2002	606	71.1	2.91	65.6	77.1	52	29.3	4.30	21.5	38.8
2003	609	70.2	2.86	64.7	76.0	35	18.0	3.19	12.3	25.3
2004	604	68.3	2.80	63.0	74.0	41	22.4	3.64	15.9	30.6
2005	595	66.4	2.74	61.1	72.0	44	19.5	3.09	13.9	26.4
2006	653	71.7	2.83	66.2	77.4	50	20.9	3.10	15.3	27.8
2007	628	68.4	2.76	63.1	74.0	69	27.7	3.53	21.2	35.5
2008	629	66.4	2.68	61.3	71.9	63	25.4	3.36	19.2	32.8
2009	676	69.7	2.72	64.5	75.3	57	21.1	2.94	15.7	27.6
2010	661	67.5	2.66	62.4	72.9	71	24.6	3.06	18.9	31.2
2011	644	63.6	2.55	58.7	68.8	59	18.8	2.56	14.1	24.5
2012	729	71.3	2.68	66.1	76.8	70	21.3	2.65	16.4	27.1
2013	668	63.3	2.49	58.6	68.4	79	23.6	2.76	18.5	29.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	16,204	4.7	0.04	4.7	4.8	13,007	4.5	0.04	4.4	4.6
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	592	5.2	0.22	4.8	5.7	481	4.9	0.23	4.5	5.4
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8
1996	642	5.6	0.22	5.2	6.1	520	5.3	0.23	4.9	5.8
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3
1998	566	4.8	0.20	4.4	5.2	449	4.5	0.21	4.1	4.9
1999	576	4.9	0.20	4.5	5.3	458	4.6	0.21	4.2	5.0
2000	602	5.1	0.21	4.7	5.5	493	4.9	0.22	4.5	5.3
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7
2002	594	4.9	0.20	4.5	5.3	473	4.6	0.21	4.2	5.0
2003	559	4.5	0.19	4.1	4.9	429	4.1	0.20	3.7	4.5
2004	535	4.2	0.18	3.9	4.6	417	3.9	0.19	3.6	4.3
2005	558	4.4	0.19	4.0	4.8	453	4.2	0.20	3.9	4.6
2006	532	4.1	0.18	3.8	4.5	432	4.0	0.19	3.7	4.4
2007	580	4.4	0.18	4.0	4.8	457	4.1	0.20	3.8	4.5
2008	556	4.1	0.18	3.8	4.5	464	4.1	0.19	3.8	4.5
2009	556	4.0	0.17	3.7	4.4	444	3.9	0.19	3.5	4.3
2010	582	4.1	0.17	3.8	4.5	459	3.9	0.19	3.6	4.3
2011	553	3.9	0.17	3.6	4.3	458	3.9	0.19	3.6	4.3
2012	538	3.7	0.16	3.4	4.1	429	3.6	0.18	3.2	3.9
2013	525	3.5	0.16	3.2	3.9	410	3.3	0.17	3.0	3.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,000	7.2	0.13	6.9	7.4	121	1.2	0.12	1.0	1.5
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	8	2.5	0.91	1.0	5.0
1998	110	7.8	0.76	6.4	9.5	1	0.2	0.24	0.0	1.7
1999	111	7.5	0.72	6.2	9.1	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	6	1.9	0.77	0.7	4.0
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	117	7.7	0.72	6.3	9.2	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	100	6.1	0.62	4.9	7.4	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	114	6.8	0.65	5.6	8.2	5	0.8	0.37	0.3	2.0
2008	82	4.7	0.53	3.8	5.9	4	0.8	0.42	0.2	2.0
2009	104	5.7	0.57	4.7	7.0	4	0.8	0.40	0.2	2.0
2010	114	5.9	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	86	4.8	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	102	5.6	0.57	4.6	6.9	6	0.9	0.38	0.3	2.0
2013	104	5.7	0.57	4.6	6.9	8	1.1	0.38	0.5	2.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	12,933	8.6	0.08	8.4	8.7	10,457	8.1	0.08	7.9	8.2
1986	443	9.4	0.46	8.5	10.3	362	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	460	9.7	0.46	8.9	10.7	365	8.8	0.47	7.9	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	492	9.8	0.45	8.9	10.7	397	9.0	0.45	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	382	8.8	0.46	8.0	9.8
1995	508	10.3	0.46	9.4	11.2	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	397	9.2	0.47	8.3	10.1
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	375	8.5	0.44	7.6	9.4
1999	479	9.2	0.42	8.4	10.1	381	8.5	0.44	7.7	9.4
2000	487	9.2	0.42	8.4	10.1	401	8.9	0.44	8.0	9.8
2001	450	8.5	0.41	7.7	9.4	355	7.9	0.43	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	385	8.4	0.43	7.5	9.2
2003	435	8.0	0.39	7.2	8.8	344	7.4	0.40	6.6	8.2
2004	435	7.8	0.38	7.1	8.6	346	7.3	0.40	6.6	8.1
2005	442	7.8	0.37	7.0	8.5	356	7.4	0.40	6.6	8.2
2006	435	7.5	0.37	6.8	8.3	356	7.3	0.39	6.6	8.1
2007	465	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	373	7.2	0.38	6.5	8.0
2009	437	7.0	0.34	6.4	7.7	348	6.7	0.37	6.0	7.5
2010	448	7.0	0.34	6.4	7.7	354	6.7	0.36	6.0	7.4
2011	439	7.0	0.34	6.3	7.7	370	7.0	0.37	6.3	7.7
2012	409	6.4	0.32	5.7	7.0	333	6.2	0.35	5.5	6.9
2013	423	6.3	0.31	5.7	6.9	333	5.8	0.33	5.2	6.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,322	13.4	0.29	12.8	13.9	100	2.2	0.24	1.8	2.8
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	96	17.1	1.82	13.7	21.0	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	86	14.7	1.63	11.6	18.2	1	0.5	0.50	0.0	3.9
1999	92	15.0	1.61	12.0	18.5	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	3	2.1	1.23	0.4	6.2
2001	89	13.7	1.47	10.9	16.9	6	3.0	1.30	1.0	7.1
2002	86	13.7	1.54	10.9	17.1	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.3	1.46	9.6	15.5	6	3.4	1.47	1.1	7.5
2005	81	11.5	1.31	9.1	14.4	2	1.0	0.75	0.1	3.8
2006	71	10.4	1.31	8.0	13.3	4	2.2	1.18	0.5	5.7
2007	100	14.1	1.46	11.4	17.3	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	84	11.1	1.25	8.8	13.8	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.5	1.13	6.4	11.0	4	2.1	1.14	0.5	5.3
2012	71	9.8	1.22	7.5	12.4	4	1.4	0.72	0.4	3.6
2013	80	11.0	1.29	8.6	13.8	7	2.0	0.77	0.8	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,271	1.8	0.03	1.7	1.8	2,550	1.6	0.03	1.6	1.7
1986	109	1.9	0.18	1.5	2.3	88	1.7	0.19	1.4	2.2
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9
1990	131	2.2	0.19	1.8	2.6	108	2.1	0.21	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2
1993	112	1.8	0.17	1.5	2.2	88	1.7	0.18	1.3	2.0
1994	120	1.9	0.18	1.6	2.3	99	1.9	0.19	1.5	2.3
1995	150	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.7
1999	97	1.5	0.15	1.2	1.9	77	1.4	0.16	1.1	1.8
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1
2001	113	1.7	0.16	1.4	2.1	85	1.6	0.17	1.2	1.9
2002	120	1.8	0.16	1.5	2.1	88	1.6	0.17	1.3	1.9
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1
2006	97	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
2007	115	1.7	0.15	1.4	2.0	97	1.7	0.17	1.4	2.1
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2010	134	1.7	0.15	1.4	2.1	105	1.6	0.16	1.3	2.0
2011	114	1.5	0.14	1.2	1.8	88	1.4	0.15	1.1	1.8
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8
2013	102	1.3	0.13	1.1	1.6	77	1.2	0.14	1.0	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Larynx										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	678	2.8	0.11	2.6	3.0	21	0.4	0.09	0.2	0.6
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	38	4.9	0.80	3.5	6.7	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	1	0.8	0.76	0.0	3.9
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	26	3.0	0.60	2.0	4.4	1	0.4	0.43	0.0	2.6
2002	31	3.4	0.62	2.3	4.9	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	20	2.1	0.47	1.3	3.2	0				
2007	14	1.5	0.40	0.8	2.5	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.35	0.6	2.1	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	26	2.4	0.48	1.6	3.6	1	0.5	0.49	0.0	2.3
2011	24	2.2	0.47	1.4	3.4	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.3	1	0.2	0.22	0.0	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	237,392	69.9	0.14	69.6	70.1	200,806	68.8	0.15	68.5	69.1
1986	6,557	60.6	0.76	59.1	62.1	5,650	58.9	0.80	57.4	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,023	63.0	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,786	60.0	0.80	58.4	61.6
1989	6,958	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,283	65.9	0.78	64.4	67.5	6,245	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,214	63.1	0.81	61.6	64.8
1992	7,644	67.7	0.78	66.2	69.3	6,566	66.5	0.83	64.9	68.1
1993	8,036	70.7	0.79	69.2	72.3	6,793	68.4	0.83	66.8	70.1
1994	8,641	75.4	0.81	73.8	77.0	7,377	73.7	0.86	72.1	75.4
1995	8,615	74.7	0.81	73.2	76.3	7,283	72.6	0.85	70.9	74.3
1996	8,620	74.6	0.80	73.0	76.2	7,244	72.2	0.85	70.5	73.9
1997	8,534	73.2	0.79	71.7	74.8	7,239	71.7	0.84	70.1	73.4
1998	8,702	74.0	0.79	72.5	75.6	7,343	72.3	0.84	70.6	73.9
1999	8,762	74.0	0.79	72.4	75.5	7,425	72.8	0.85	71.1	74.4
2000	8,614	72.3	0.78	70.7	73.8	7,344	71.7	0.84	70.1	73.4
2001	8,796	73.3	0.78	71.7	74.8	7,485	72.8	0.84	71.1	74.4
2002	9,043	74.7	0.79	73.1	76.2	7,644	73.8	0.85	72.1	75.5
2003	9,091	74.2	0.78	72.7	75.7	7,700	73.8	0.84	72.1	75.4
2004	8,883	71.9	0.77	70.4	73.4	7,456	71.0	0.83	69.4	72.6
2005	9,052	72.4	0.77	70.9	73.9	7,615	72.0	0.83	70.4	73.6
2006	9,274	73.6	0.77	72.1	75.1	7,776	72.9	0.83	71.2	74.5
2007	9,358	73.1	0.76	71.6	74.6	7,861	72.8	0.83	71.2	74.4
2008	9,391	72.0	0.75	70.6	73.5	7,929	72.2	0.82	70.6	73.9
2009	9,608	72.8	0.75	71.3	74.3	8,116	73.3	0.82	71.7	74.9
2010	9,277	69.1	0.73	67.7	70.6	7,763	69.0	0.79	67.5	70.6
2011	9,347	68.3	0.72	66.9	69.7	7,824	68.3	0.78	66.8	69.9
2012	9,280	66.6	0.70	65.3	68.0	7,692	66.2	0.77	64.7	67.7
2013	9,022	63.2	0.68	61.8	64.5	7,470	62.9	0.74	61.5	64.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Lung and Bronchus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	33,515	84.9	0.47	83.9	85.8	2,705	31.5	0.65	30.3	32.8
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	41	31.6	5.49	21.8	44.0
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	39	27.2	4.84	18.6	38.0
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	66	34.6	4.91	25.7	45.3
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,249	95.7	2.76	90.3	101.2	78	33.0	4.12	25.4	42.0
1996	1,285	98.1	2.79	92.8	103.7	87	39.4	4.68	30.8	49.5
1997	1,213	90.6	2.64	85.5	95.9	76	31.6	3.99	24.3	40.3
1998	1,243	91.7	2.64	86.6	97.0	104	39.7	4.17	31.9	48.6
1999	1,244	90.2	2.60	85.2	95.5	86	34.6	4.02	27.2	43.2
2000	1,173	83.3	2.47	78.5	88.2	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,276	88.2	2.51	83.3	93.2	114	36.7	3.70	29.8	44.5
2003	1,277	86.8	2.47	82.0	91.7	100	29.8	3.20	23.9	36.7
2004	1,311	88.0	2.48	83.2	93.0	106	30.8	3.20	24.8	37.6
2005	1,289	84.9	2.41	80.2	89.7	125	31.5	3.01	25.9	37.9
2006	1,355	87.8	2.43	83.1	92.7	130	33.0	3.11	27.2	39.6
2007	1,339	86.0	2.40	81.4	90.8	138	33.8	3.09	28.0	40.3
2008	1,308	81.5	2.30	77.1	86.1	132	29.0	2.73	23.9	34.8
2009	1,318	79.6	2.25	75.3	84.2	152	31.2	2.72	26.1	36.9
2010	1,317	78.9	2.23	74.6	83.4	168	33.0	2.72	27.9	38.7
2011	1,327	77.9	2.19	73.7	82.3	162	29.8	2.49	25.1	35.1
2012	1,386	80.1	2.21	75.9	84.6	178	30.3	2.41	25.8	35.4
2013	1,334	74.4	2.09	70.4	78.6	182	29.7	2.32	25.3	34.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Lung and Bronchus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	135,076	93.5	0.26	93.0	94.0	113,660	91.1	0.27	90.6	91.7
1986	4,387	96.7	1.51	93.7	99.7	3,759	93.3	1.58	90.3	96.5
1987	4,571	100.1	1.53	97.1	103.1	3,909	96.8	1.60	93.7	100.0
1988	4,339	94.2	1.47	91.3	97.1	3,707	91.0	1.54	88.1	94.1
1989	4,415	95.1	1.47	92.2	98.0	3,739	91.0	1.53	88.0	94.0
1990	4,573	98.3	1.49	95.4	101.3	3,899	95.0	1.56	92.0	98.1
1991	4,481	95.0	1.45	92.1	97.9	3,853	92.6	1.53	89.7	95.7
1992	4,677	97.6	1.46	94.8	100.5	3,985	94.7	1.53	91.7	97.7
1993	4,863	101.9	1.49	99.0	104.8	4,086	97.6	1.55	94.6	100.7
1994	5,169	108.0	1.53	105.0	111.0	4,396	104.9	1.61	101.7	108.1
1995	5,096	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2
1996	5,030	103.5	1.48	100.6	106.4	4,201	99.2	1.55	96.1	102.2
1997	4,957	101.1	1.45	98.2	104.0	4,162	97.7	1.53	94.7	100.8
1998	5,009	100.9	1.44	98.1	103.8	4,174	96.8	1.51	93.9	99.8
1999	4,975	99.4	1.43	96.7	102.3	4,197	96.8	1.51	93.9	99.8
2000	4,879	96.4	1.39	93.7	99.2	4,106	94.0	1.48	91.1	96.9
2001	4,952	97.5	1.40	94.8	100.3	4,172	95.3	1.49	92.4	98.3
2002	4,975	97.3	1.40	94.6	100.1	4,204	95.7	1.49	92.8	98.6
2003	4,989	95.4	1.37	92.8	98.2	4,201	93.7	1.46	90.9	96.6
2004	4,813	91.0	1.33	88.5	93.7	4,001	88.3	1.41	85.6	91.1
2005	4,872	90.7	1.32	88.2	93.4	4,059	88.6	1.40	85.8	91.4
2006	4,941	91.6	1.32	89.0	94.2	4,126	89.6	1.41	86.9	92.4
2007	4,960	90.1	1.30	87.6	92.7	4,135	88.2	1.39	85.5	90.9
2008	4,877	86.7	1.26	84.2	89.2	4,098	85.7	1.36	83.1	88.4
2009	4,980	86.7	1.25	84.3	89.2	4,205	86.5	1.36	83.9	89.2
2010	4,802	82.2	1.21	79.8	84.6	4,004	81.0	1.30	78.5	83.6
2011	4,925	82.4	1.20	80.0	84.7	4,091	80.9	1.29	78.4	83.5
2012	4,793	78.4	1.16	76.2	80.7	3,975	77.1	1.25	74.7	79.6
2013	4,776	75.8	1.13	73.7	78.1	3,960	74.8	1.21	72.4	77.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Lung and Bronchus</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	19,528	121.7	0.91	119.9	123.5	1,688	45.6	1.24	43.2	48.1
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.4	28	54.9	11.91	34.1	82.2
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	645	136.7	5.69	125.7	148.2	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	591	118.1	5.11	108.3	128.5	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.6	41	47.1	8.14	32.5	65.4
1995	791	149.3	5.59	138.6	160.6	46	48.7	8.36	33.7	67.4
1996	772	146.1	5.52	135.5	157.3	56	60.0	9.17	43.4	80.1
1997	742	136.7	5.24	126.6	147.3	48	44.6	6.96	32.0	60.1
1998	752	138.4	5.30	128.2	149.2	76	63.6	8.02	48.9	81.1
1999	719	130.3	5.08	120.5	140.6	53	53.0	8.12	38.3	70.9
2000	716	124.8	4.87	115.4	134.7	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	703	119.0	4.70	110.0	128.5	64	48.1	6.65	35.9	62.6
2003	710	118.2	4.65	109.3	127.7	66	47.1	6.50	35.2	61.2
2004	740	124.1	4.80	114.9	133.9	68	43.9	5.96	33.0	56.9
2005	717	117.6	4.64	108.6	127.0	81	47.6	5.80	36.9	60.1
2006	727	117.0	4.57	108.2	126.2	80	51.2	6.36	39.5	64.9
2007	739	118.7	4.62	109.8	128.1	73	44.0	5.63	33.7	56.2
2008	699	107.7	4.29	99.4	116.4	70	35.3	4.82	26.5	45.8
2009	668	99.2	4.05	91.4	107.4	98	46.2	5.27	36.5	57.5
2010	686	100.6	4.05	92.8	108.8	99	45.5	5.04	36.1	56.3
2011	713	103.5	4.06	95.7	111.7	105	44.8	4.75	36.0	54.9
2012	696	99.6	3.97	91.9	107.6	110	42.9	4.49	34.6	52.5
2013	697	96.0	3.83	88.6	103.7	105	37.9	4.01	30.4	46.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lung and Bronchus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	102,316	53.3	0.17	53.0	53.6	87,146	53.2	0.18	52.8	53.5
1986	2,170	35.9	0.79	34.4	37.5	1,891	35.6	0.84	34.0	37.3
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8
1988	2,463	40.3	0.83	38.7	42.0	2,079	38.8	0.87	37.1	40.6
1989	2,543	41.2	0.83	39.6	42.9	2,204	40.9	0.89	39.1	42.6
1990	2,710	43.8	0.85	42.2	45.5	2,346	43.4	0.91	41.6	45.2
1991	2,720	43.1	0.84	41.5	44.8	2,361	42.8	0.90	41.1	44.6
1992	2,967	46.8	0.87	45.1	48.5	2,581	46.9	0.94	45.1	48.8
1993	3,173	49.4	0.89	47.7	51.2	2,707	48.6	0.95	46.8	50.5
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6
1995	3,519	54.0	0.92	52.2	55.8	3,027	53.6	0.99	51.7	55.6
1996	3,590	54.8	0.92	53.0	56.6	3,043	53.8	0.99	51.9	55.8
1997	3,577	54.0	0.91	52.2	55.8	3,077	53.9	0.98	52.0	55.9
1998	3,693	55.3	0.91	53.5	57.1	3,169	55.2	0.99	53.3	57.2
1999	3,787	56.3	0.92	54.6	58.2	3,228	56.0	1.00	54.1	58.0
2000	3,735	55.2	0.91	53.4	57.0	3,238	56.1	0.99	54.2	58.1
2001	3,844	56.4	0.91	54.6	58.2	3,313	57.2	1.00	55.2	59.2
2002	4,068	59.2	0.93	57.4	61.1	3,440	59.0	1.02	57.0	61.0
2003	4,102	59.4	0.93	57.5	61.2	3,499	59.9	1.02	57.9	61.9
2004	4,070	58.4	0.92	56.7	60.3	3,455	58.8	1.01	56.8	60.8
2005	4,180	59.5	0.93	57.7	61.4	3,556	60.2	1.02	58.3	62.3
2006	4,333	61.2	0.94	59.3	63.0	3,650	61.3	1.03	59.3	63.3
2007	4,398	61.2	0.93	59.3	63.0	3,726	61.9	1.03	59.9	64.0
2008	4,514	61.9	0.93	60.1	63.7	3,831	62.9	1.03	60.9	65.0
2009	4,628	62.9	0.94	61.1	64.8	3,911	63.8	1.04	61.8	65.9
2010	4,475	59.9	0.91	58.1	61.7	3,759	60.5	1.00	58.6	62.5
2011	4,422	58.0	0.89	56.2	59.7	3,733	59.2	0.99	57.2	61.1
2012	4,487	58.2	0.88	56.5	60.0	3,717	58.4	0.98	56.5	60.4
2013	4,246	53.8	0.84	52.2	55.5	3,510	54.0	0.93	52.2	55.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	13,987	60.4	0.51	59.4	61.4	1,017	21.1	0.70	19.7	22.5
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	324	47.1	2.65	42.0	52.6	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	340	47.3	2.59	42.4	52.7	12	15.5	5.09	7.2	28.0
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	24	24.1	5.59	14.4	37.1
1994	462	62.0	2.91	56.5	68.0	27	23.8	4.99	15.0	35.3
1995	458	59.8	2.82	54.4	65.6	32	22.4	4.20	14.9	32.1
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	471	59.7	2.77	54.4	65.4	28	21.4	4.47	13.5	31.6
1998	491	61.2	2.78	55.9	66.9	28	20.9	4.16	13.6	30.5
1999	525	64.3	2.83	58.9	70.1	33	22.1	4.07	14.8	31.3
2000	457	55.2	2.60	50.3	60.6	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	573	67.5	2.84	62.0	73.3	50	28.2	4.21	20.5	37.5
2003	567	65.6	2.78	60.3	71.3	34	17.7	3.18	12.0	24.9
2004	571	64.7	2.73	59.4	70.2	38	20.9	3.52	14.6	28.8
2005	572	63.9	2.69	58.7	69.4	44	19.5	3.09	13.9	26.4
2006	628	69.1	2.78	63.7	74.7	50	20.9	3.10	15.3	27.8
2007	600	65.4	2.69	60.2	70.9	65	26.5	3.48	20.1	34.1
2008	609	64.4	2.64	59.4	69.8	62	24.9	3.31	18.8	32.1
2009	650	67.2	2.67	62.1	72.6	54	20.1	2.89	14.9	26.5
2010	631	64.6	2.61	59.6	70.0	69	23.8	3.00	18.2	30.3
2011	614	60.8	2.49	56.0	65.9	57	18.1	2.50	13.5	23.6
2012	690	67.6	2.62	62.6	72.9	68	20.8	2.63	16.0	26.6
2013	637	60.5	2.44	55.8	65.5	77	23.2	2.75	18.1	29.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Bones and Joints										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,934	0.9	0.02	0.8	0.9	2,472	0.9	0.02	0.9	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	80	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	1.0
1990	105	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	119	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2002	111	0.9	0.09	0.7	1.1	95	0.9	0.10	0.8	1.2
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1
2006	127	1.0	0.09	0.8	1.2	105	1.0	0.10	0.8	1.3
2007	129	1.0	0.09	0.8	1.2	105	1.0	0.10	0.9	1.3
2008	92	0.7	0.08	0.6	0.9	80	0.8	0.09	0.6	1.0
2009	110	0.9	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2010	103	0.8	0.08	0.6	1.0	86	0.8	0.09	0.7	1.0
2011	108	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2012	118	0.9	0.08	0.7	1.1	98	0.9	0.09	0.7	1.1
2013	123	0.9	0.09	0.8	1.1	108	1.0	0.10	0.9	1.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Bones and Joints</b>										
<b>Both Sexes</b>										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	347	0.7	0.04	0.6	0.8	76	0.6	0.07	0.5	0.7
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	0				
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	8	0.4	0.16	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	17	0.8	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	7	0.3	0.12	0.1	0.7	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	14	0.8	0.21	0.4	1.3	2	0.3	0.19	0.0	1.1
2011	16	0.8	0.19	0.4	1.2	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	3	0.4	0.23	0.1	1.2
2013	13	0.7	0.18	0.3	1.1	1	0.1	0.14	0.0	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Bones and Joints										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,611	1.0	0.03	1.0	1.1	1,361	1.0	0.03	1.0	1.1
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1989	51	1.0	0.14	0.7	1.3	48	1.1	0.16	0.8	1.5
1990	56	1.0	0.14	0.8	1.3	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5
2000	66	1.1	0.14	0.9	1.4	54	1.1	0.15	0.8	1.5
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3
2005	63	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2006	65	1.1	0.14	0.9	1.4	51	1.1	0.15	0.8	1.4
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1
2009	59	0.9	0.12	0.7	1.2	52	1.0	0.14	0.8	1.4
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3
2011	60	1.0	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2012	68	1.1	0.13	0.8	1.4	60	1.2	0.15	0.9	1.5
2013	72	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Bones and Joints										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	190	0.8	0.07	0.7	1.0	43	0.6	0.10	0.4	0.9
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	0				
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	6	0.8	0.37	0.2	1.9	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	10	0.9	0.30	0.4	1.8	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	6	0.7	0.28	0.2	1.5	2	0.5	0.38	0.1	2.3
2011	13	1.4	0.42	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	3	0.8	0.45	0.2	2.5
2013	8	0.8	0.30	0.3	1.7	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,323	0.7	0.02	0.7	0.8	1,111	0.8	0.02	0.7	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	56	0.9	0.12	0.7	1.1	47	0.9	0.13	0.7	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	50	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	57	0.9	0.11	0.7	1.1	44	0.8	0.13	0.6	1.1
2008	48	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2009	51	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	38	0.7	0.12	0.5	1.0
2012	50	0.7	0.10	0.5	1.0	38	0.7	0.12	0.5	1.0
2013	51	0.7	0.10	0.5	1.0	44	0.8	0.13	0.6	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Bones and Joints</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	157	0.6	0.05	0.5	0.7	33	0.5	0.09	0.4	0.7
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	3	0.3	0.14	0.1	0.8	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.29	0.3	1.6	0				
2011	3	0.3	0.16	0.1	0.8	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.22	0.2	1.1	1	0.3	0.27	0.0	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	9,767	2.9	0.03	2.8	2.9	8,036	2.8	0.03	2.8	2.9
1986	247	2.3	0.15	2.0	2.6	205	2.2	0.16	1.9	2.5
1987	274	2.5	0.16	2.2	2.9	230	2.5	0.17	2.2	2.8
1988	265	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	209	2.2	0.15	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	210	2.2	0.16	1.9	2.6
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	263	2.3	0.14	2.1	2.6	215	2.2	0.15	2.0	2.6
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	293	2.5	0.15	2.2	2.8	248	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	348	2.9	0.16	2.6	3.2	282	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	265	2.6	0.16	2.3	3.0
2000	299	2.5	0.14	2.2	2.8	247	2.4	0.15	2.1	2.7
2001	372	3.0	0.16	2.7	3.4	310	3.1	0.17	2.7	3.4
2002	343	2.8	0.15	2.5	3.1	287	2.8	0.16	2.5	3.1
2003	409	3.3	0.16	3.0	3.6	346	3.3	0.18	3.0	3.7
2004	389	3.1	0.16	2.8	3.4	315	3.0	0.17	2.7	3.4
2005	391	3.1	0.16	2.8	3.4	309	3.0	0.17	2.6	3.3
2006	433	3.4	0.16	3.1	3.8	350	3.3	0.18	3.0	3.7
2007	420	3.3	0.16	3.0	3.6	348	3.3	0.18	3.0	3.7
2008	433	3.4	0.16	3.1	3.7	354	3.4	0.18	3.0	3.7
2009	422	3.2	0.16	2.9	3.6	340	3.2	0.17	2.8	3.5
2010	447	3.4	0.16	3.1	3.7	363	3.3	0.18	3.0	3.7
2011	425	3.2	0.16	2.9	3.5	350	3.2	0.17	2.9	3.6
2012	456	3.3	0.16	3.0	3.7	374	3.4	0.18	3.0	3.7
2013	480	3.5	0.16	3.2	3.9	380	3.4	0.18	3.1	3.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,412	3.2	0.09	3.0	3.3	203	1.8	0.14	1.6	2.1
1986	33	2.5	0.46	1.7	3.5	6	3.9	1.72	1.3	8.9
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	34	2.4	0.43	1.6	3.4	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	41	2.9	0.47	2.0	3.9	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	5	3.7	1.95	1.0	9.0
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	39	2.4	0.39	1.7	3.3	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	43	2.6	0.41	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	45	2.8	0.42	2.0	3.7	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	56	3.2	0.44	2.4	4.2	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	8	1.6	0.60	0.6	3.2
2009	54	3.0	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	62	3.5	0.45	2.6	4.5	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	10	1.7	0.57	0.8	3.2
2012	66	3.5	0.44	2.7	4.5	13	1.9	0.56	1.0	3.3
2013	66	3.6	0.45	2.8	4.6	21	3.3	0.75	2.0	5.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,162	3.4	0.05	3.3	3.5	4,323	3.4	0.05	3.3	3.5
1986	125	2.6	0.25	2.2	3.2	105	2.6	0.26	2.1	3.1
1987	143	2.9	0.26	2.5	3.5	119	2.9	0.28	2.4	3.5
1988	146	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	98	2.3	0.24	1.9	2.8
1990	138	2.8	0.24	2.3	3.3	115	2.7	0.26	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	190	3.6	0.27	3.1	4.2	158	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	145	3.2	0.26	2.7	3.7
2000	152	2.8	0.23	2.4	3.3	125	2.8	0.25	2.3	3.3
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	176	3.3	0.25	2.8	3.8	151	3.4	0.28	2.8	3.9
2003	207	3.7	0.26	3.2	4.3	175	3.8	0.29	3.2	4.4
2004	211	3.8	0.26	3.3	4.3	179	3.8	0.29	3.3	4.4
2005	209	3.7	0.26	3.2	4.2	172	3.6	0.28	3.1	4.2
2006	213	3.8	0.26	3.3	4.3	183	3.9	0.29	3.3	4.5
2007	233	4.0	0.27	3.5	4.6	199	4.1	0.30	3.6	4.7
2008	228	3.9	0.26	3.4	4.5	191	4.0	0.29	3.4	4.6
2009	215	3.7	0.25	3.2	4.2	181	3.7	0.28	3.2	4.3
2010	244	4.1	0.26	3.6	4.6	199	3.9	0.28	3.4	4.5
2011	247	4.0	0.26	3.5	4.5	210	4.1	0.29	3.5	4.7
2012	235	3.7	0.25	3.3	4.3	194	3.8	0.28	3.2	4.3
2013	268	4.3	0.27	3.8	4.8	216	4.2	0.29	3.6	4.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	655	3.4	0.14	3.1	3.7	116	2.2	0.24	1.8	2.8
1986	15	2.5	0.69	1.3	4.2	3	4.7	3.22	0.6	15.4
1987	23	3.2	0.72	2.0	5.0	0				
1988	18	3.2	0.83	1.8	5.2	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	21	3.2	0.83	1.8	5.3	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	13	1.6	0.46	0.9	2.9	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	28	3.7	0.78	2.4	5.6	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	21	3.0	0.70	1.8	4.7	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	19	2.6	0.64	1.5	4.2	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	6	2.7	1.25	0.9	6.2
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.4	0.68	2.2	5.0	7	2.8	1.23	1.0	6.2
2012	29	3.5	0.66	2.3	5.0	10	3.1	1.11	1.3	6.1
2013	30	3.7	0.69	2.4	5.3	15	4.7	1.26	2.5	7.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,605	2.5	0.04	2.4	2.6	3,713	2.4	0.04	2.4	2.5
1986	122	2.1	0.19	1.7	2.5	100	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	143	2.3	0.20	2.0	2.8	115	2.2	0.21	1.8	2.7
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	139	2.2	0.19	1.8	2.6	111	2.1	0.20	1.7	2.5
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	158	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	147	2.2	0.18	1.9	2.6	122	2.2	0.20	1.8	2.6
2001	170	2.6	0.20	2.2	3.0	140	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	136	2.5	0.22	2.1	3.0
2003	202	3.0	0.21	2.6	3.4	171	3.1	0.24	2.7	3.6
2004	178	2.6	0.20	2.3	3.1	136	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	167	3.0	0.23	2.5	3.5
2007	187	2.7	0.20	2.4	3.2	149	2.7	0.23	2.3	3.2
2008	205	3.0	0.21	2.6	3.4	163	2.9	0.23	2.4	3.4
2009	207	3.0	0.21	2.6	3.4	159	2.8	0.23	2.4	3.3
2010	203	2.8	0.20	2.5	3.3	164	2.8	0.22	2.4	3.3
2011	178	2.5	0.19	2.1	2.9	140	2.5	0.21	2.1	2.9
2012	221	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	212	3.0	0.21	2.6	3.4	164	2.8	0.23	2.4	3.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	757	3.0	0.11	2.8	3.3	87	1.5	0.17	1.2	1.9
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	4	4.1	2.23	0.9	10.6
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	29	3.4	0.65	2.3	4.9	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	22	2.4	0.52	1.5	3.6	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	28	2.8	0.54	1.9	4.1	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	34	3.4	0.60	2.4	4.8	7	2.5	0.98	0.9	5.1
2010	31	3.0	0.55	2.1	4.3	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.52	0.2	2.6
2012	37	3.5	0.58	2.4	4.8	3	0.9	0.55	0.2	2.7
2013	36	3.5	0.60	2.5	4.9	6	1.9	0.81	0.7	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	47,549	14.1	0.06	13.9	14.2	44,601	15.7	0.07	15.5	15.8
1986	890	8.5	0.29	7.9	9.1	856	9.5	0.33	8.9	10.2
1987	889	8.4	0.29	7.8	8.9	862	9.4	0.33	8.8	10.1
1988	854	8.0	0.28	7.5	8.5	816	8.9	0.32	8.3	9.5
1989	968	8.9	0.29	8.4	9.5	934	10.0	0.33	9.4	10.7
1990	911	8.4	0.28	7.8	8.9	879	9.4	0.32	8.8	10.1
1991	972	8.9	0.29	8.4	9.5	943	10.1	0.33	9.5	10.8
1992	1,038	9.3	0.29	8.7	9.9	997	10.4	0.33	9.8	11.1
1993	983	8.7	0.28	8.1	9.2	952	9.8	0.32	9.2	10.4
1994	1,190	10.4	0.30	9.8	11.0	1,143	11.7	0.35	11.0	12.4
1995	1,239	10.7	0.31	10.2	11.4	1,182	12.1	0.35	11.4	12.8
1996	1,342	11.5	0.31	10.9	12.1	1,278	12.9	0.36	12.2	13.6
1997	1,462	12.4	0.33	11.8	13.1	1,377	13.8	0.37	13.1	14.5
1998	1,497	12.6	0.33	12.0	13.3	1,406	14.0	0.37	13.3	14.7
1999	1,559	13.0	0.33	12.4	13.7	1,492	14.8	0.38	14.0	15.6
2000	1,687	13.9	0.34	13.3	14.6	1,582	15.6	0.39	14.8	16.3
2001	1,800	14.7	0.35	14.1	15.4	1,677	16.4	0.40	15.6	17.2
2002	1,828	14.8	0.35	14.2	15.5	1,701	16.5	0.40	15.7	17.3
2003	1,871	15.0	0.35	14.4	15.7	1,717	16.5	0.40	15.7	17.3
2004	2,006	16.0	0.36	15.3	16.7	1,845	17.7	0.41	16.9	18.5
2005	2,231	17.6	0.38	16.9	18.4	2,017	19.2	0.43	18.3	20.0
2006	2,281	17.9	0.38	17.2	18.7	2,112	20.0	0.44	19.2	20.9
2007	2,370	18.4	0.38	17.6	19.1	2,221	20.8	0.45	20.0	21.7
2008	2,540	19.5	0.39	18.7	20.2	2,362	21.9	0.45	21.0	22.8
2009	2,563	19.4	0.39	18.7	20.2	2,381	21.9	0.45	21.0	22.8
2010	2,502	18.6	0.38	17.9	19.4	2,313	20.9	0.44	20.1	21.8
2011	2,644	19.5	0.39	18.8	20.3	2,458	22.1	0.45	21.2	23.0
2012	2,750	20.1	0.39	19.3	20.8	2,563	22.8	0.46	21.9	23.7
2013	2,682	19.1	0.38	18.4	19.9	2,535	22.1	0.45	21.2	23.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	771	1.8	0.07	1.7	1.9	179	1.6	0.13	1.3	1.8
1986	16	1.3	0.35	0.7	2.2	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	3	1.2	0.72	0.2	4.3
1988	17	1.4	0.36	0.8	2.3	0				
1989	23	1.8	0.39	1.1	2.7	2	0.8	0.57	0.1	3.5
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	19	1.5	0.36	0.9	2.4	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	19	1.3	0.30	0.8	2.0	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	23	1.7	0.36	1.0	2.5	6	2.5	1.24	0.7	5.9
1997	31	2.0	0.37	1.3	2.9	4	1.2	0.62	0.3	3.2
1998	32	2.2	0.41	1.5	3.2	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	25	1.5	0.30	1.0	2.2	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	26	1.5	0.30	1.0	2.2	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	32	2.1	0.37	1.4	2.9	17	3.9	1.04	2.1	6.4
2006	42	2.5	0.39	1.8	3.4	7	1.1	0.41	0.4	2.3
2007	36	2.2	0.37	1.5	3.0	6	0.9	0.35	0.3	2.0
2008	33	2.0	0.35	1.3	2.8	11	1.7	0.55	0.8	3.2
2009	42	2.4	0.38	1.7	3.3	12	1.8	0.56	0.9	3.3
2010	35	2.1	0.36	1.5	2.9	11	1.8	0.59	0.8	3.3
2011	31	1.6	0.30	1.1	2.3	10	1.7	0.59	0.7	3.2
2012	29	1.6	0.31	1.1	2.3	16	2.3	0.60	1.3	3.8
2013	32	1.8	0.32	1.2	2.5	6	0.7	0.30	0.3	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	26,396	17.8	0.11	17.6	18.1	24,966	19.7	0.13	19.5	20.0
1986	483	10.4	0.49	9.4	11.4	469	11.6	0.55	10.5	12.7
1987	463	9.6	0.46	8.7	10.5	453	10.8	0.52	9.8	11.9
1988	410	8.5	0.44	7.7	9.4	393	9.4	0.49	8.4	10.4
1989	533	11.1	0.49	10.1	12.1	514	12.3	0.56	11.3	13.5
1990	479	10.2	0.48	9.3	11.2	457	11.2	0.54	10.2	12.3
1991	511	10.6	0.48	9.7	11.6	498	11.9	0.54	10.8	13.0
1992	572	11.7	0.50	10.7	12.7	554	13.0	0.57	12.0	14.2
1993	534	10.8	0.48	9.9	11.8	520	12.1	0.54	11.1	13.3
1994	639	12.8	0.52	11.8	13.9	612	14.2	0.59	13.1	15.4
1995	703	14.0	0.54	12.9	15.0	680	15.6	0.61	14.5	16.9
1996	717	13.9	0.53	12.9	15.0	690	15.6	0.60	14.4	16.8
1997	830	16.0	0.57	14.9	17.2	792	17.8	0.64	16.6	19.1
1998	837	16.3	0.57	15.2	17.5	794	18.0	0.64	16.7	19.3
1999	910	17.3	0.58	16.2	18.5	875	19.4	0.66	18.2	20.8
2000	938	17.7	0.58	16.5	18.8	883	19.5	0.66	18.2	20.8
2001	1,001	18.7	0.60	17.5	19.9	934	20.4	0.67	19.1	21.8
2002	1,055	19.6	0.61	18.4	20.8	994	21.6	0.69	20.3	23.0
2003	1,031	18.8	0.59	17.7	20.0	974	20.9	0.68	19.6	22.3
2004	1,158	20.9	0.62	19.7	22.1	1,077	22.9	0.70	21.6	24.4
2005	1,223	21.9	0.64	20.7	23.2	1,119	23.7	0.72	22.3	25.2
2006	1,239	22.1	0.64	20.8	23.4	1,157	24.4	0.73	23.0	25.8
2007	1,280	22.5	0.64	21.2	23.7	1,210	25.1	0.73	23.7	26.6
2008	1,443	25.0	0.67	23.7	26.3	1,368	28.0	0.77	26.5	29.5
2009	1,409	24.0	0.65	22.7	25.3	1,307	26.4	0.74	24.9	27.9
2010	1,443	23.9	0.64	22.7	25.2	1,344	26.5	0.74	25.0	27.9
2011	1,490	24.6	0.65	23.3	25.9	1,402	27.5	0.75	26.0	29.0
2012	1,556	25.2	0.65	23.9	26.5	1,460	28.2	0.75	26.7	29.7
2013	1,509	24.0	0.63	22.8	25.3	1,436	27.3	0.74	25.9	28.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	337	1.9	0.11	1.7	2.1	93	1.8	0.20	1.4	2.2
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	10	1.9	0.66	0.9	3.7	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	9	1.9	0.67	0.8	3.6	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	11	1.9	0.61	0.9	3.5	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	2	1.6	1.19	0.2	6.3
1997	11	1.7	0.58	0.8	3.2	2	1.7	1.21	0.2	6.2
1998	14	2.0	0.55	1.1	3.5	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	10	1.4	0.44	0.6	2.5	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	9	1.2	0.42	0.5	2.4	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	11	1.8	0.59	0.8	3.3	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	15	2.1	0.55	1.1	3.5	4	1.3	0.65	0.4	3.7
2008	15	2.0	0.56	1.1	3.4	6	2.3	1.04	0.7	5.4
2009	18	2.4	0.58	1.4	3.8	6	2.4	1.09	0.8	5.5
2010	15	2.5	0.67	1.4	4.1	7	1.9	0.72	0.7	4.1
2011	15	2.1	0.56	1.1	3.5	4	1.5	0.84	0.3	4.0
2012	16	1.9	0.51	1.1	3.2	7	1.9	0.72	0.8	4.1
2013	14	1.8	0.51	0.9	3.1	1	0.2	0.24	0.0	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	21,153	11.6	0.08	11.4	11.8	19,635	13.0	0.09	12.9	13.2
1986	407	7.2	0.37	6.5	8.0	387	8.0	0.42	7.2	8.9
1987	426	7.4	0.37	6.7	8.2	409	8.4	0.43	7.6	9.3
1988	444	7.7	0.37	7.0	8.5	423	8.7	0.43	7.8	9.5
1989	435	7.4	0.36	6.7	8.1	420	8.4	0.42	7.6	9.2
1990	432	7.2	0.35	6.5	8.0	422	8.4	0.42	7.6	9.2
1991	461	7.8	0.37	7.1	8.6	445	8.9	0.43	8.1	9.8
1992	466	7.6	0.36	6.9	8.4	443	8.6	0.42	7.8	9.4
1993	449	7.2	0.34	6.6	7.9	432	8.2	0.40	7.5	9.0
1994	551	8.8	0.38	8.1	9.6	531	10.1	0.45	9.3	11.0
1995	536	8.5	0.37	7.8	9.3	502	9.6	0.43	8.8	10.5
1996	625	9.8	0.40	9.0	10.6	588	11.1	0.46	10.2	12.0
1997	632	9.9	0.40	9.1	10.7	585	11.0	0.46	10.1	11.9
1998	660	10.1	0.40	9.3	10.9	612	11.3	0.46	10.4	12.2
1999	649	10.0	0.39	9.2	10.8	617	11.5	0.47	10.6	12.4
2000	749	11.4	0.42	10.6	12.3	699	12.9	0.49	11.9	13.9
2001	799	12.0	0.43	11.2	12.9	743	13.6	0.50	12.6	14.6
2002	773	11.6	0.42	10.8	12.5	707	13.0	0.49	12.0	14.0
2003	840	12.5	0.43	11.7	13.4	743	13.4	0.50	12.5	14.5
2004	848	12.6	0.44	11.8	13.5	768	13.9	0.51	13.0	15.0
2005	1,008	14.8	0.47	13.9	15.8	898	16.2	0.55	15.1	17.3
2006	1,042	15.3	0.48	14.4	16.3	955	17.3	0.57	16.2	18.4
2007	1,090	15.9	0.49	15.0	16.9	1,011	18.3	0.58	17.2	19.5
2008	1,097	16.0	0.49	15.0	16.9	994	17.9	0.58	16.8	19.1
2009	1,154	16.5	0.49	15.5	17.5	1,074	19.0	0.59	17.9	20.2
2010	1,059	15.0	0.47	14.1	15.9	969	17.1	0.56	16.0	18.2
2011	1,154	16.3	0.49	15.3	17.3	1,056	18.5	0.58	17.4	19.7
2012	1,194	16.7	0.49	15.8	17.7	1,103	19.2	0.59	18.0	20.4
2013	1,173	15.9	0.48	15.0	16.9	1,099	18.7	0.58	17.6	19.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	434	1.8	0.09	1.6	1.9	86	1.4	0.16	1.1	1.8
1986	11	1.6	0.50	0.8	2.9	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	2	1.6	1.21	0.2	7.2
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	1	0.5	0.53	0.0	4.9
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	14	1.7	0.46	0.9	2.8	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	17	1.8	0.43	1.0	2.9	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	23	2.3	0.49	1.5	3.5	2	0.5	0.37	0.1	2.2
2007	21	2.2	0.48	1.4	3.4	2	0.5	0.34	0.1	2.1
2008	18	1.9	0.46	1.1	3.1	5	1.3	0.61	0.4	3.3
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	4	1.5	0.81	0.4	3.9
2011	16	1.4	0.36	0.8	2.3	6	1.9	0.81	0.6	4.2
2012	13	1.3	0.37	0.7	2.3	9	2.6	0.90	1.1	5.0
2013	18	1.8	0.42	1.0	2.8	5	1.2	0.52	0.4	2.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	43,326	12.8	0.06	12.7	12.9	41,012	14.4	0.07	14.3	14.5
1986	799	7.6	0.28	7.1	8.2	777	8.6	0.32	8.0	9.3
1987	819	7.7	0.27	7.2	8.2	798	8.7	0.32	8.1	9.4
1988	774	7.2	0.26	6.7	7.8	749	8.2	0.30	7.6	8.8
1989	863	8.0	0.28	7.5	8.6	847	9.1	0.32	8.5	9.8
1990	811	7.4	0.26	6.9	8.0	795	8.5	0.31	7.9	9.1
1991	878	8.1	0.27	7.5	8.6	861	9.2	0.32	8.6	9.9
1992	923	8.3	0.28	7.8	8.8	903	9.5	0.32	8.9	10.1
1993	853	7.5	0.26	7.0	8.0	842	8.7	0.30	8.1	9.3
1994	1,064	9.3	0.29	8.8	9.9	1,033	10.6	0.33	10.0	11.3
1995	1,119	9.7	0.29	9.1	10.3	1,080	11.1	0.34	10.4	11.7
1996	1,204	10.3	0.30	9.7	10.9	1,162	11.8	0.35	11.1	12.5
1997	1,320	11.2	0.31	10.6	11.8	1,254	12.6	0.36	11.9	13.3
1998	1,343	11.3	0.31	10.7	11.9	1,279	12.7	0.36	12.0	13.5
1999	1,413	11.8	0.31	11.2	12.4	1,365	13.5	0.37	12.8	14.3
2000	1,519	12.6	0.32	11.9	13.2	1,434	14.1	0.37	13.4	14.9
2001	1,625	13.3	0.33	12.7	14.0	1,523	14.9	0.38	14.2	15.7
2002	1,659	13.5	0.33	12.8	14.1	1,560	15.2	0.38	14.4	15.9
2003	1,692	13.6	0.33	13.0	14.3	1,564	15.1	0.38	14.3	15.8
2004	1,834	14.7	0.34	14.0	15.3	1,699	16.3	0.40	15.5	17.1
2005	2,038	16.1	0.36	15.4	16.8	1,859	17.7	0.41	16.9	18.5
2006	2,060	16.2	0.36	15.5	16.9	1,923	18.2	0.42	17.4	19.1
2007	2,185	17.0	0.37	16.2	17.7	2,062	19.4	0.43	18.5	20.2
2008	2,323	17.8	0.37	17.1	18.6	2,180	20.2	0.44	19.4	21.1
2009	2,358	17.9	0.37	17.2	18.6	2,216	20.4	0.44	19.6	21.3
2010	2,325	17.3	0.36	16.6	18.0	2,165	19.6	0.43	18.8	20.4
2011	2,464	18.2	0.37	17.5	19.0	2,302	20.7	0.44	19.9	21.6
2012	2,563	18.7	0.38	17.9	19.4	2,405	21.3	0.44	20.5	22.2
2013	2,498	17.8	0.36	17.1	18.5	2,375	20.7	0.43	19.9	21.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	324	0.8	0.05	0.7	0.9	115	1.0	0.10	0.8	1.2
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	2	0.9	0.65	0.1	4.0
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	9	0.8	0.28	0.4	1.6	4	1.2	0.64	0.3	3.4
1997	15	1.1	0.28	0.6	1.7	2	0.7	0.49	0.1	2.5
1998	10	0.8	0.24	0.4	1.4	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	11	0.7	0.21	0.3	1.3	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	18	1.2	0.28	0.7	1.8	4	0.6	0.29	0.2	1.6
2007	16	1.0	0.26	0.6	1.6	3	0.4	0.25	0.1	1.4
2008	8	0.5	0.19	0.2	1.1	9	1.5	0.52	0.6	2.9
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	18	1.1	0.27	0.6	1.8	6	1.0	0.42	0.3	2.2
2011	15	0.9	0.22	0.5	1.4	6	1.1	0.49	0.4	2.4
2012	7	0.4	0.16	0.2	0.9	13	1.9	0.56	1.0	3.4
2013	17	1.0	0.25	0.6	1.6	5	0.6	0.27	0.2	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	24,164	16.3	0.11	16.1	16.5	23,028	18.1	0.12	17.9	18.3
1986	444	9.5	0.47	8.6	10.5	434	10.7	0.53	9.7	11.8
1987	424	8.8	0.44	7.9	9.7	415	9.9	0.50	8.9	10.9
1988	374	7.7	0.41	7.0	8.6	363	8.6	0.47	7.7	9.6
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5
1990	423	8.9	0.45	8.1	9.8	409	9.9	0.50	8.9	10.9
1991	472	9.8	0.46	8.9	10.7	467	11.1	0.52	10.1	12.2
1992	504	10.3	0.47	9.4	11.2	496	11.6	0.53	10.6	12.7
1993	473	9.5	0.44	8.6	10.4	467	10.8	0.51	9.8	11.8
1994	563	11.3	0.49	10.4	12.3	546	12.7	0.55	11.6	13.8
1995	644	12.7	0.51	11.7	13.7	628	14.4	0.58	13.2	15.5
1996	655	12.7	0.50	11.7	13.7	635	14.3	0.57	13.2	15.5
1997	749	14.4	0.53	13.4	15.5	719	16.1	0.61	14.9	17.3
1998	761	14.7	0.54	13.7	15.8	731	16.5	0.61	15.3	17.7
1999	829	15.7	0.55	14.6	16.8	803	17.7	0.63	16.5	19.0
2000	849	15.8	0.55	14.8	17.0	803	17.6	0.63	16.4	18.9
2001	911	17.0	0.57	15.9	18.1	856	18.7	0.65	17.5	20.0
2002	960	17.6	0.58	16.5	18.8	912	19.7	0.66	18.4	21.0
2003	953	17.3	0.57	16.2	18.5	900	19.2	0.65	18.0	20.5
2004	1,068	19.2	0.59	18.0	20.4	998	21.2	0.68	19.9	22.5
2005	1,106	19.7	0.60	18.6	21.0	1,022	21.6	0.68	20.3	23.0
2006	1,119	19.9	0.60	18.8	21.1	1,052	22.1	0.69	20.8	23.5
2007	1,191	20.9	0.62	19.7	22.1	1,131	23.5	0.71	22.1	24.9
2008	1,320	22.8	0.64	21.6	24.1	1,261	25.7	0.73	24.3	27.2
2009	1,309	22.2	0.63	21.0	23.5	1,227	24.8	0.72	23.4	26.2
2010	1,339	22.1	0.62	20.9	23.3	1,254	24.6	0.71	23.2	26.0
2011	1,385	22.8	0.63	21.6	24.1	1,309	25.6	0.72	24.2	27.1
2012	1,444	23.3	0.63	22.1	24.6	1,365	26.3	0.73	24.9	27.8
2013	1,414	22.4	0.61	21.2	23.6	1,352	25.6	0.71	24.2	27.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	134	0.8	0.08	0.7	1.0	59	1.1	0.16	0.8	1.5
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	1	1.1	1.08	0.0	5.7
1997	5	0.9	0.48	0.2	2.3	1	1.0	1.04	0.0	5.4
1998	4	0.7	0.37	0.2	1.9	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	4	0.6	0.31	0.2	1.6	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	9	1.6	0.56	0.7	3.1	4	1.1	0.56	0.3	3.1
2011	7	1.1	0.45	0.4	2.3	2	1.0	0.76	0.1	3.5
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.3
2013	7	1.0	0.41	0.4	2.1	1	0.2	0.24	0.0	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	19,162	10.6	0.08	10.4	10.7	17,984	12.0	0.09	11.8	12.2
1986	355	6.3	0.34	5.7	7.0	343	7.2	0.40	6.4	8.0
1987	395	6.9	0.36	6.2	7.6	383	7.9	0.42	7.1	8.8
1988	400	7.0	0.36	6.3	7.7	386	7.9	0.41	7.1	8.8
1989	382	6.5	0.34	5.8	7.2	374	7.5	0.40	6.8	8.3
1990	388	6.5	0.34	5.9	7.2	386	7.7	0.40	6.9	8.5
1991	406	6.9	0.35	6.2	7.6	394	8.0	0.41	7.2	8.8
1992	419	6.9	0.34	6.2	7.6	407	7.9	0.40	7.2	8.7
1993	380	6.2	0.32	5.5	6.8	375	7.2	0.38	6.5	8.0
1994	501	8.0	0.36	7.4	8.8	487	9.3	0.43	8.5	10.2
1995	475	7.6	0.35	6.9	8.3	452	8.7	0.41	7.9	9.5
1996	549	8.7	0.37	7.9	9.4	527	10.0	0.44	9.1	10.9
1997	571	9.0	0.38	8.3	9.8	535	10.2	0.44	9.3	11.1
1998	582	9.0	0.37	8.3	9.8	548	10.2	0.44	9.4	11.1
1999	584	9.0	0.37	8.3	9.8	562	10.5	0.45	9.6	11.4
2000	670	10.3	0.40	9.5	11.1	631	11.7	0.47	10.8	12.7
2001	714	10.8	0.41	10.0	11.7	667	12.3	0.48	11.4	13.3
2002	699	10.6	0.40	9.8	11.4	648	12.0	0.48	11.1	13.0
2003	739	11.1	0.41	10.3	11.9	664	12.2	0.48	11.2	13.1
2004	766	11.4	0.41	10.6	12.2	701	12.8	0.49	11.8	13.8
2005	932	13.8	0.45	12.9	14.7	837	15.2	0.53	14.2	16.3
2006	941	13.9	0.46	13.0	14.8	871	15.8	0.54	14.8	16.9
2007	994	14.6	0.47	13.7	15.5	931	16.9	0.56	15.9	18.1
2008	1,003	14.7	0.47	13.8	15.6	919	16.7	0.56	15.6	17.8
2009	1,049	15.1	0.47	14.1	16.0	989	17.7	0.57	16.6	18.8
2010	986	14.0	0.45	13.1	14.9	911	16.1	0.55	15.1	17.2
2011	1,079	15.3	0.48	14.4	16.3	993	17.6	0.57	16.5	18.7
2012	1,119	15.7	0.48	14.7	16.6	1,040	18.1	0.58	17.0	19.3
2013	1,084	14.8	0.46	13.9	15.7	1,023	17.5	0.56	16.4	18.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Melanoma of the Skin										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	190	0.8	0.06	0.7	0.9	56	0.9	0.13	0.7	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	1	1.1	1.06	0.0	6.5
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	6	0.9	0.37	0.3	1.9	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	7	0.8	0.29	0.3	1.6	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	10	1.1	0.34	0.5	2.0	2	0.5	0.37	0.1	2.2
2007	8	0.8	0.30	0.4	1.6	1	0.2	0.22	0.0	1.7
2008	4	0.5	0.23	0.1	1.2	3	0.9	0.51	0.2	2.7
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	2	0.8	0.58	0.1	2.7
2011	8	0.8	0.27	0.3	1.5	4	1.2	0.64	0.3	3.2
2012	4	0.4	0.21	0.1	1.1	8	2.4	0.87	1.0	4.7
2013	10	1.0	0.32	0.5	1.9	4	0.9	0.46	0.3	2.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	238,267	70.7	0.15	70.4	71.0	202,971	71.0	0.16	70.7	71.3
1986	6,729	65.2	0.81	63.6	66.8	6,001	66.2	0.87	64.5	68.0
1987	7,248	69.6	0.83	68.0	71.3	6,476	71.0	0.90	69.3	72.8
1988	7,409	70.7	0.83	69.1	72.4	6,569	71.7	0.90	69.9	73.4
1989	7,125	67.7	0.81	66.1	69.3	6,256	68.1	0.87	66.4	69.9
1990	7,516	70.7	0.82	69.0	72.3	6,680	72.1	0.89	70.4	73.9
1991	7,741	71.7	0.82	70.1	73.3	6,843	73.0	0.89	71.3	74.8
1992	7,913	72.3	0.82	70.7	73.9	6,979	73.5	0.89	71.8	75.2
1993	7,762	69.6	0.79	68.0	71.2	6,749	69.9	0.86	68.3	71.6
1994	8,351	74.4	0.82	72.8	76.0	7,303	75.4	0.89	73.7	77.2
1995	8,278	73.0	0.80	71.4	74.6	7,180	73.6	0.87	71.9	75.4
1996	8,474	73.9	0.80	72.3	75.5	7,331	74.5	0.87	72.8	76.2
1997	8,612	74.3	0.80	72.8	75.9	7,369	74.4	0.87	72.7	76.1
1998	8,882	75.7	0.80	74.1	77.3	7,558	75.5	0.87	73.8	77.2
1999	9,127	76.8	0.80	75.3	78.4	7,806	77.3	0.88	75.6	79.0
2000	8,888	74.0	0.78	72.4	75.5	7,592	74.6	0.86	72.9	76.3
2001	9,072	74.6	0.78	73.1	76.2	7,701	74.9	0.85	73.3	76.6
2002	8,860	72.0	0.77	70.5	73.5	7,448	71.8	0.83	70.2	73.4
2003	8,237	66.1	0.73	64.6	67.5	6,896	65.8	0.79	64.2	67.4
2004	8,370	66.4	0.73	65.0	67.9	7,070	66.9	0.80	65.3	68.5
2005	8,568	67.3	0.73	65.8	68.7	7,152	67.1	0.80	65.5	68.6
2006	8,947	69.5	0.74	68.0	70.9	7,458	69.4	0.81	67.8	71.0
2007	8,981	68.7	0.73	67.3	70.2	7,509	69.0	0.80	67.4	70.6
2008	9,149	69.1	0.73	67.7	70.5	7,642	69.4	0.80	67.8	71.0
2009	9,349	69.6	0.73	68.2	71.0	7,710	69.2	0.80	67.7	70.8
2010	9,438	69.1	0.72	67.7	70.6	7,790	69.0	0.79	67.4	70.5
2011	9,733	70.6	0.73	69.2	72.1	7,987	70.2	0.80	68.7	71.8
2012	9,563	68.4	0.71	67.0	69.8	7,826	68.2	0.79	66.6	69.7
2013	9,945	70.1	0.72	68.7	71.5	8,090	69.5	0.79	68.0	71.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	29,030	70.6	0.42	69.8	71.4	4,811	41.6	0.64	40.3	42.8
1986	655	57.1	2.30	52.7	61.8	52	27.5	4.04	20.2	36.8
1987	679	59.2	2.34	54.7	64.0	78	39.9	4.86	30.9	50.6
1988	771	66.2	2.46	61.5	71.2	58	30.5	4.53	22.3	40.7
1989	772	65.2	2.41	60.5	70.1	84	41.9	5.19	32.3	53.3
1990	732	61.2	2.32	56.7	65.9	82	34.8	4.17	27.1	44.0
1991	780	62.0	2.28	57.6	66.6	66	26.2	3.53	19.7	34.1
1992	814	64.3	2.31	59.8	68.9	75	28.6	3.66	21.9	36.7
1993	886	68.3	2.35	63.7	73.0	99	37.5	4.18	29.7	46.5
1994	917	69.5	2.36	65.0	74.3	100	36.1	4.01	28.7	44.8
1995	946	70.3	2.34	65.8	75.0	119	38.3	3.88	31.1	46.7
1996	978	71.2	2.33	66.7	75.8	123	36.7	3.54	30.1	44.3
1997	1,053	76.2	2.40	71.6	81.0	143	39.5	3.43	33.0	46.8
1998	1,101	77.5	2.38	72.9	82.3	145	39.9	3.53	33.3	47.4
1999	1,077	74.1	2.30	69.7	78.8	156	41.5	3.61	34.7	49.2
2000	1,045	70.6	2.23	66.3	75.1	153	39.7	3.52	33.1	47.2
2001	1,157	77.4	2.32	73.0	82.1	164	39.5	3.36	33.2	46.6
2002	1,163	74.9	2.23	70.6	79.4	180	40.3	3.21	34.2	47.1
2003	1,096	69.7	2.14	65.5	74.0	193	41.5	3.18	35.5	48.2
2004	1,065	66.7	2.08	62.7	71.0	194	40.0	3.08	34.2	46.5
2005	1,152	71.8	2.16	67.7	76.2	207	39.0	2.85	33.6	45.0
2006	1,192	72.9	2.15	68.7	77.2	242	44.6	3.06	38.8	51.0
2007	1,170	69.9	2.08	65.9	74.1	242	43.5	2.95	37.9	49.7
2008	1,182	70.2	2.08	66.2	74.4	266	45.5	2.95	39.9	51.7
2009	1,311	76.1	2.15	71.9	80.4	261	43.0	2.81	37.7	48.9
2010	1,272	72.6	2.08	68.6	76.8	300	45.4	2.74	40.2	51.1
2011	1,322	75.1	2.11	71.0	79.3	320	46.5	2.70	41.3	52.1
2012	1,315	72.4	2.04	68.5	76.5	351	48.5	2.69	43.4	54.1
2013	1,427	77.2	2.09	73.2	81.4	358	48.1	2.62	43.1	53.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,860	1.3	0.03	1.2	1.4	1,530	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	34	0.8	0.14	0.5	1.1	27	0.7	0.14	0.5	1.0
1990	35	0.8	0.13	0.5	1.1	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	70	1.4	0.17	1.1	1.8	60	1.4	0.18	1.0	1.8
1994	62	1.4	0.18	1.1	1.8	49	1.3	0.19	0.9	1.7
1995	78	1.6	0.18	1.3	2.0	66	1.6	0.20	1.2	2.0
1996	69	1.4	0.18	1.1	1.8	58	1.4	0.18	1.1	1.8
1997	76	1.6	0.18	1.2	1.9	60	1.4	0.18	1.1	1.8
1998	59	1.2	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	76	1.5	0.18	1.2	1.9	63	1.5	0.18	1.1	1.9
2000	71	1.4	0.16	1.1	1.7	59	1.3	0.17	1.0	1.7
2001	69	1.3	0.16	1.0	1.6	59	1.3	0.17	1.0	1.7
2002	84	1.7	0.19	1.3	2.1	68	1.6	0.19	1.2	2.0
2003	72	1.4	0.17	1.1	1.8	60	1.4	0.18	1.0	1.7
2004	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	62	1.1	0.15	0.9	1.5	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	75	1.3	0.16	1.1	1.7	61	1.3	0.17	1.0	1.7
2009	76	1.3	0.15	1.0	1.6	58	1.2	0.16	0.9	1.5
2010	70	1.2	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
2011	87	1.4	0.15	1.1	1.7	70	1.3	0.16	1.0	1.6
2012	92	1.5	0.16	1.2	1.9	72	1.4	0.17	1.1	1.8
2013	86	1.3	0.14	1.0	1.6	64	1.1	0.15	0.9	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	288	1.9	0.12	1.6	2.1	29	0.7	0.14	0.4	1.0
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	4	0.9	0.44	0.2	2.2	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	11	2.5	0.81	1.2	4.6	1	1.0	0.97	0.0	5.7
1995	11	2.0	0.63	1.0	3.6	1	1.7	1.67	0.0	7.6
1996	8	1.8	0.67	0.7	3.5	3	1.7	0.98	0.3	5.9
1997	14	2.9	0.82	1.5	4.9	2	1.8	1.49	0.1	7.0
1998	11	2.0	0.63	1.0	3.6	1	0.6	0.57	0.0	4.0
1999	12	2.2	0.69	1.1	3.9	1	0.4	0.44	0.0	3.6
2000	10	1.6	0.57	0.7	3.1	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	2	0.8	0.57	0.1	3.5
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	8	1.4	0.49	0.6	2.7	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	16	2.1	0.54	1.2	3.4	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	14	2.3	0.63	1.2	3.8	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.52	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	236,407	128.0	0.26	127.4	128.5	201,441	129.7	0.29	129.2	130.3
1986	6,683	115.5	1.45	112.7	118.4	5,958	117.9	1.58	114.8	121.0
1987	7,193	123.7	1.49	120.8	126.6	6,428	126.9	1.63	123.7	130.1
1988	7,366	125.7	1.49	122.8	128.7	6,531	128.2	1.63	125.0	131.4
1989	7,091	120.7	1.46	117.9	123.6	6,229	122.3	1.59	119.2	125.4
1990	7,481	125.9	1.48	123.0	128.8	6,649	129.5	1.63	126.3	132.7
1991	7,694	127.9	1.48	125.0	130.9	6,802	131.1	1.63	128.0	134.4
1992	7,846	128.7	1.47	125.8	131.6	6,924	131.9	1.62	128.8	135.1
1993	7,692	123.9	1.43	121.1	126.7	6,689	125.4	1.56	122.4	128.5
1994	8,289	132.3	1.47	129.5	135.2	7,254	135.2	1.61	132.1	138.4
1995	8,200	130.4	1.45	127.6	133.3	7,114	132.8	1.60	129.7	135.9
1996	8,405	132.3	1.46	129.5	135.2	7,273	134.5	1.60	131.4	137.7
1997	8,536	133.5	1.45	130.6	136.3	7,309	134.8	1.60	131.7	138.0
1998	8,823	136.2	1.46	133.3	139.1	7,511	136.9	1.60	133.8	140.1
1999	9,051	138.6	1.46	135.8	141.5	7,743	140.8	1.62	137.7	144.0
2000	8,817	133.6	1.43	130.8	136.5	7,533	136.1	1.58	133.0	139.2
2001	9,003	135.0	1.43	132.2	137.9	7,642	137.0	1.58	133.9	140.2
2002	8,776	130.6	1.40	127.9	133.4	7,380	131.5	1.54	128.5	134.5
2003	8,165	120.2	1.34	117.6	122.9	6,836	121.0	1.48	118.1	123.9
2004	8,300	121.1	1.34	118.5	123.8	7,013	123.2	1.49	120.4	126.2
2005	8,509	122.8	1.34	120.2	125.5	7,102	123.8	1.49	120.9	126.7
2006	8,885	127.3	1.36	124.7	130.1	7,406	128.6	1.51	125.7	131.6
2007	8,911	126.4	1.35	123.8	129.1	7,452	128.5	1.51	125.6	131.5
2008	9,074	126.8	1.35	124.2	129.5	7,581	128.8	1.50	125.9	131.8
2009	9,273	128.1	1.35	125.5	130.8	7,652	129.0	1.50	126.1	132.0
2010	9,368	127.6	1.34	125.0	130.2	7,733	128.8	1.50	125.9	131.8
2011	9,646	130.4	1.35	127.8	133.1	7,917	131.4	1.51	128.4	134.4
2012	9,471	126.5	1.33	123.9	129.1	7,754	127.7	1.49	124.8	130.7
2013	9,859	130.1	1.34	127.5	132.8	8,026	130.8	1.50	127.9	133.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	28,742	120.4	0.72	119.0	121.8	4,782	76.7	1.15	74.5	79.0
1986	652	98.3	3.93	90.7	106.3	52	52.2	7.56	38.4	69.4
1987	673	101.1	3.97	93.4	109.1	77	73.5	8.88	57.1	93.2
1988	767	113.2	4.16	105.2	121.6	57	55.5	8.10	40.7	73.6
1989	766	111.1	4.08	103.3	119.4	83	76.5	9.26	59.4	96.8
1990	728	104.1	3.92	96.6	112.1	82	65.4	7.70	51.2	82.4
1991	774	106.0	3.87	98.5	113.8	66	49.0	6.46	37.2	63.5
1992	802	108.6	3.89	101.1	116.4	75	53.9	6.70	41.5	68.7
1993	876	115.4	3.95	107.8	123.4	99	69.2	7.51	55.3	85.5
1994	906	117.3	3.94	109.7	125.2	99	65.9	7.13	52.7	81.4
1995	935	119.0	3.93	111.4	126.9	118	70.0	6.88	57.2	84.9
1996	970	121.0	3.93	113.4	128.9	120	67.0	6.42	55.1	80.9
1997	1,039	128.4	4.02	120.7	136.5	141	73.1	6.31	61.2	86.6
1998	1,090	131.6	4.02	123.9	139.7	144	73.9	6.42	61.9	87.6
1999	1,065	125.7	3.88	118.2	133.5	155	76.4	6.48	64.2	90.2
2000	1,035	119.9	3.75	112.7	127.5	153	73.1	6.25	61.3	86.4
2001	1,148	131.5	3.91	124.0	139.4	164	72.7	5.99	61.5	85.4
2002	1,150	128.0	3.80	120.7	135.6	178	74.2	5.80	63.3	86.5
2003	1,084	118.9	3.63	111.9	126.2	193	77.1	5.78	66.1	89.3
2004	1,054	114.0	3.54	107.2	121.2	193	73.5	5.55	63.0	85.2
2005	1,144	122.8	3.66	115.7	130.2	206	72.3	5.21	62.5	83.3
2006	1,184	124.9	3.66	117.9	132.3	241	82.3	5.54	71.8	93.8
2007	1,158	120.0	3.56	113.1	127.2	241	80.7	5.40	70.5	92.0
2008	1,171	120.3	3.55	113.4	127.4	263	83.0	5.31	72.9	94.1
2009	1,295	130.3	3.67	123.3	137.7	260	79.7	5.13	69.9	90.4
2010	1,260	124.9	3.56	118.0	132.1	300	84.9	5.05	75.2	95.4
2011	1,308	128.3	3.60	121.3	135.5	319	86.6	5.00	77.1	97.0
2012	1,301	124.4	3.50	117.6	131.5	346	89.3	4.96	79.8	99.6
2013	1,407	132.2	3.59	125.3	139.5	357	89.9	4.88	80.6	100.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Female Genital System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	100,589	54.3	0.17	54.0	54.6	85,152	54.9	0.19	54.5	55.3
1986	3,257	55.5	1.00	53.6	57.5	2,883	56.5	1.08	54.4	58.7
1987	3,308	56.0	1.00	54.1	58.0	2,873	56.1	1.08	54.0	58.2
1988	3,229	54.2	0.97	52.3	56.2	2,772	53.8	1.05	51.7	55.9
1989	3,205	53.9	0.97	52.0	55.8	2,771	54.1	1.05	52.1	56.2
1990	3,361	55.8	0.98	53.9	57.8	2,892	55.8	1.06	53.7	57.9
1991	3,343	54.8	0.96	53.0	56.8	2,917	55.8	1.06	53.7	57.9
1992	3,387	55.2	0.96	53.4	57.1	3,001	57.3	1.07	55.2	59.4
1993	3,407	54.8	0.95	52.9	56.7	2,934	55.3	1.04	53.3	57.4
1994	3,498	55.4	0.95	53.6	57.3	3,004	55.9	1.03	53.8	57.9
1995	3,517	55.7	0.95	53.9	57.6	3,026	56.5	1.04	54.5	58.6
1996	3,739	58.9	0.97	57.0	60.8	3,220	60.0	1.07	57.9	62.1
1997	3,535	55.1	0.93	53.3	57.0	3,021	55.8	1.03	53.8	57.9
1998	3,662	56.5	0.94	54.7	58.4	3,131	57.4	1.04	55.4	59.5
1999	3,504	53.7	0.91	51.9	55.5	2,972	54.2	1.00	52.3	56.2
2000	3,500	53.2	0.90	51.5	55.0	2,921	53.1	0.99	51.2	55.1
2001	3,549	53.5	0.90	51.7	55.3	2,980	53.9	0.99	51.9	55.9
2002	3,603	53.8	0.90	52.0	55.6	3,038	54.5	1.00	52.6	56.5
2003	3,489	51.3	0.87	49.6	53.0	2,940	52.0	0.97	50.1	53.9
2004	3,550	51.7	0.87	50.0	53.5	2,982	52.5	0.97	50.6	54.4
2005	3,685	53.1	0.88	51.4	54.9	3,084	54.0	0.98	52.0	55.9
2006	3,779	54.1	0.89	52.4	55.9	3,146	54.6	0.99	52.7	56.6
2007	3,714	52.6	0.87	50.9	54.3	3,099	53.3	0.97	51.5	55.3
2008	3,864	53.9	0.88	52.2	55.7	3,212	54.7	0.98	52.8	56.6
2009	3,950	54.3	0.88	52.6	56.0	3,250	54.6	0.97	52.7	56.6
2010	3,950	53.3	0.86	51.6	55.0	3,248	53.6	0.96	51.8	55.5
2011	4,007	53.7	0.86	52.0	55.4	3,286	54.0	0.96	52.1	55.9
2012	3,938	51.6	0.84	50.0	53.3	3,241	52.3	0.94	50.5	54.2
2013	4,059	52.4	0.84	50.7	54.0	3,308	52.7	0.94	50.9	54.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	12,522	52.1	0.47	51.2	53.0	1,973	32.3	0.76	30.8	33.9
1986	332	49.4	2.79	44.1	55.2	33	29.8	5.47	20.1	43.0
1987	395	56.3	2.91	50.7	62.2	30	28.9	5.82	18.6	42.7
1988	395	56.2	2.89	50.7	62.1	46	42.1	6.71	30.0	57.5
1989	386	53.6	2.79	48.3	59.4	40	34.9	5.88	24.4	48.6
1990	423	59.2	2.93	53.6	65.2	31	22.2	4.14	14.8	32.2
1991	363	49.1	2.63	44.1	54.5	33	28.9	5.44	19.3	41.6
1992	337	45.1	2.50	40.3	50.2	32	22.9	4.18	15.4	32.8
1993	413	53.3	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	444	57.6	2.78	52.3	63.3	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	439	54.8	2.65	49.7	60.2	63	38.6	5.19	29.1	50.1
1997	442	53.5	2.57	48.5	58.7	48	25.1	3.72	18.3	33.6
1998	445	52.5	2.52	47.7	57.7	60	33.1	4.70	24.5	43.6
1999	432	50.5	2.45	45.8	55.5	58	28.7	4.00	21.4	37.6
2000	455	52.0	2.46	47.3	57.1	80	37.9	4.48	29.6	47.7
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	454	51.0	2.41	46.4	55.9	84	34.9	3.97	27.6	43.6
2003	420	47.0	2.31	42.6	51.7	69	28.1	3.54	21.6	35.9
2004	457	50.6	2.38	46.0	55.5	69	27.1	3.42	20.9	34.7
2005	466	50.0	2.34	45.6	54.8	80	30.1	3.55	23.6	37.9
2006	496	53.3	2.41	48.7	58.3	86	31.2	3.54	24.6	38.9
2007	482	50.4	2.32	45.9	55.1	91	30.2	3.30	24.1	37.4
2008	502	51.0	2.30	46.6	55.7	97	31.6	3.36	25.4	38.9
2009	543	54.4	2.36	49.8	59.2	102	32.8	3.41	26.5	40.2
2010	515	50.7	2.26	46.3	55.3	128	36.7	3.35	30.4	43.9
2011	536	52.6	2.31	48.2	57.3	125	34.6	3.21	28.6	41.5
2012	531	50.2	2.22	46.0	54.8	108	28.5	2.84	23.2	34.7
2013	553	50.9	2.20	46.7	55.5	136	33.7	2.97	28.1	40.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Cervix Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	18,247	10.3	0.08	10.2	10.5	13,366	9.3	0.08	9.1	9.4
1986	727	13.0	0.50	12.1	14.0	555	11.7	0.51	10.7	12.8
1987	752	13.3	0.50	12.4	14.3	557	11.6	0.51	10.6	12.6
1988	740	13.0	0.49	12.1	14.0	538	11.1	0.49	10.2	12.2
1989	657	11.5	0.46	10.6	12.5	471	9.8	0.46	8.9	10.8
1990	739	12.8	0.48	11.9	13.8	532	10.9	0.48	10.0	11.9
1991	720	12.1	0.46	11.2	13.0	530	10.6	0.47	9.7	11.6
1992	671	11.3	0.44	10.5	12.2	518	10.4	0.46	9.5	11.4
1993	740	12.3	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8
1994	659	10.8	0.42	10.0	11.7	455	9.0	0.43	8.2	9.9
1995	746	12.1	0.45	11.3	13.1	542	10.7	0.46	9.8	11.6
1996	751	12.1	0.45	11.3	13.0	565	11.1	0.47	10.2	12.1
1997	717	11.4	0.43	10.6	12.3	545	10.6	0.46	9.7	11.5
1998	749	11.9	0.43	11.0	12.7	558	10.7	0.46	9.9	11.7
1999	694	10.9	0.42	10.1	11.8	501	9.6	0.43	8.8	10.5
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6
2001	644	10.0	0.39	9.2	10.8	486	9.3	0.42	8.4	10.1
2002	606	9.4	0.38	8.6	10.2	453	8.7	0.41	7.9	9.5
2003	625	9.6	0.39	8.9	10.4	449	8.5	0.41	7.8	9.4
2004	571	8.7	0.37	8.0	9.4	424	8.0	0.39	7.2	8.8
2005	579	8.8	0.37	8.1	9.5	428	8.1	0.40	7.4	8.9
2006	586	8.9	0.37	8.2	9.7	436	8.3	0.40	7.5	9.1
2007	568	8.5	0.36	7.8	9.3	411	7.7	0.38	7.0	8.5
2008	644	9.6	0.38	8.9	10.4	457	8.6	0.41	7.8	9.4
2009	564	8.3	0.36	7.6	9.0	382	7.1	0.37	6.4	7.9
2010	530	7.8	0.34	7.1	8.5	381	7.1	0.37	6.4	7.8
2011	553	8.1	0.35	7.4	8.8	416	7.6	0.38	6.9	8.4
2012	484	7.0	0.33	6.4	7.7	355	6.5	0.36	5.8	7.3
2013	503	7.2	0.33	6.6	7.9	373	6.9	0.36	6.2	7.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,177	16.9	0.26	16.4	17.4	448	7.1	0.35	6.4	7.8
1986	156	22.6	1.86	19.0	26.5	12	10.5	3.15	5.3	19.3
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	19	16.1	3.83	9.4	25.8
1989	167	22.5	1.78	19.1	26.2	16	13.1	3.44	7.2	22.0
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	165	21.4	1.71	18.2	25.0	11	8.9	2.86	4.2	16.6
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.7	1.66	18.5	25.2	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	156	18.3	1.49	15.5	21.5	20	13.0	3.04	7.7	20.4
1997	150	16.9	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	21	10.9	2.53	6.6	17.1
1999	164	18.4	1.45	15.7	21.5	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	26	11.5	2.34	7.4	17.1
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	144	15.5	1.30	13.1	18.3	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	13	4.7	1.37	2.4	8.2
2006	125	13.1	1.18	10.9	15.6	11	4.6	1.46	2.2	8.3
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	156	15.9	1.28	13.5	18.6	17	5.2	1.33	2.9	8.5
2009	147	14.5	1.21	12.2	17.1	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	117	11.7	1.09	9.6	14.0	11	2.9	0.88	1.4	5.3
2012	98	9.6	0.99	7.8	11.8	16	4.4	1.13	2.5	7.2
2013	105	10.1	1.00	8.2	12.2	16	3.7	0.94	2.1	6.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Uterus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	48,979	26.2	0.12	25.9	26.4	42,743	27.2	0.13	27.0	27.5
1986	1,449	24.1	0.65	22.8	25.4	1,345	25.6	0.72	24.2	27.0
1987	1,430	23.5	0.64	22.3	24.8	1,318	24.9	0.71	23.6	26.4
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1
1989	1,445	24.0	0.64	22.8	25.3	1,311	25.3	0.72	23.9	26.7
1990	1,435	23.5	0.63	22.2	24.7	1,304	24.7	0.70	23.3	26.1
1991	1,473	23.7	0.63	22.5	25.0	1,357	25.3	0.70	24.0	26.7
1992	1,559	25.2	0.65	24.0	26.5	1,426	26.9	0.73	25.5	28.4
1993	1,512	24.2	0.63	22.9	25.4	1,372	25.6	0.70	24.2	27.0
1994	1,587	25.0	0.63	23.8	26.3	1,448	26.7	0.71	25.3	28.1
1995	1,594	25.2	0.64	23.9	26.5	1,439	26.7	0.71	25.3	28.1
1996	1,742	27.4	0.66	26.1	28.8	1,566	29.1	0.75	27.7	30.6
1997	1,605	24.9	0.63	23.7	26.2	1,424	26.1	0.70	24.7	27.5
1998	1,699	26.2	0.64	25.0	27.5	1,498	27.3	0.71	26.0	28.8
1999	1,604	24.6	0.62	23.4	25.8	1,413	25.7	0.69	24.4	27.1
2000	1,629	24.8	0.62	23.6	26.0	1,405	25.6	0.69	24.2	26.9
2001	1,745	26.3	0.63	25.0	27.5	1,511	27.2	0.70	25.8	28.6
2002	1,775	26.4	0.63	25.2	27.7	1,535	27.4	0.70	26.0	28.8
2003	1,679	24.6	0.60	23.4	25.8	1,453	25.6	0.68	24.3	26.9
2004	1,779	25.8	0.62	24.6	27.1	1,532	26.8	0.69	25.5	28.2
2005	1,866	26.7	0.62	25.5	28.0	1,593	27.6	0.70	26.3	29.0
2006	1,973	28.0	0.64	26.8	29.3	1,658	28.5	0.71	27.1	29.9
2007	1,921	26.9	0.62	25.7	28.1	1,623	27.6	0.69	26.3	29.0
2008	1,986	27.2	0.62	26.0	28.4	1,693	28.2	0.70	26.9	29.6
2009	2,172	29.4	0.64	28.1	30.7	1,855	30.7	0.72	29.3	32.1
2010	2,178	28.8	0.63	27.6	30.1	1,829	29.6	0.70	28.3	31.0
2011	2,210	28.9	0.63	27.7	30.2	1,820	29.1	0.70	27.8	30.5
2012	2,234	28.6	0.61	27.4	29.8	1,858	29.2	0.69	27.9	30.6
2013	2,313	29.1	0.62	27.9	30.3	1,909	29.7	0.69	28.3	31.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,896	20.6	0.30	20.0	21.2	859	14.1	0.50	13.2	15.1
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	8	6.1	2.25	2.5	13.1
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	12	11.1	3.37	5.5	20.0
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	119	16.1	1.50	13.3	19.3	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	148	19.6	1.62	16.5	23.0	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	21	10.5	2.37	6.4	16.3
2000	170	20.1	1.55	17.2	23.4	32	14.3	2.63	9.6	20.5
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	160	18.5	1.47	15.7	21.6	34	13.3	2.34	9.1	18.8
2004	192	21.2	1.54	18.3	24.4	37	14.5	2.49	10.1	20.3
2005	204	21.9	1.55	19.0	25.2	33	11.9	2.17	8.1	17.0
2006	246	26.8	1.72	23.5	30.4	42	15.2	2.47	10.7	20.8
2007	234	24.6	1.62	21.5	27.9	45	14.5	2.23	10.5	19.6
2008	215	21.7	1.49	18.9	24.8	50	16.4	2.42	12.0	21.8
2009	245	24.5	1.59	21.5	27.9	46	15.1	2.33	10.9	20.4
2010	253	24.9	1.59	21.9	28.2	66	19.1	2.42	14.6	24.5
2011	280	27.1	1.65	24.0	30.6	68	18.4	2.31	14.2	23.6
2012	286	26.4	1.59	23.4	29.7	59	15.7	2.13	11.8	20.5
2013	284	25.1	1.52	22.2	28.3	78	19.1	2.22	15.0	24.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Corpus Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	47,717	25.5	0.12	25.3	25.7	41,817	26.7	0.13	26.4	26.9
1986	1,417	23.5	0.64	22.3	24.8	1,316	25.0	0.71	23.7	26.5
1987	1,401	23.1	0.63	21.9	24.3	1,294	24.5	0.70	23.1	25.9
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6
1989	1,420	23.6	0.64	22.4	24.9	1,290	24.9	0.71	23.5	26.3
1990	1,390	22.7	0.62	21.5	24.0	1,275	24.2	0.69	22.8	25.6
1991	1,423	22.9	0.62	21.7	24.2	1,321	24.6	0.69	23.3	26.0
1992	1,502	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5
1993	1,445	23.1	0.62	21.9	24.4	1,320	24.7	0.69	23.3	26.0
1994	1,501	23.7	0.62	22.5	25.0	1,379	25.5	0.70	24.1	26.9
1995	1,554	24.6	0.63	23.4	25.8	1,406	26.1	0.71	24.7	27.5
1996	1,711	27.0	0.66	25.7	28.3	1,540	28.6	0.74	27.2	30.1
1997	1,564	24.3	0.62	23.1	25.6	1,393	25.6	0.69	24.2	27.0
1998	1,653	25.5	0.63	24.3	26.8	1,464	26.8	0.71	25.4	28.2
1999	1,562	24.0	0.61	22.8	25.2	1,383	25.2	0.68	23.9	26.6
2000	1,586	24.2	0.61	23.0	25.4	1,374	25.1	0.68	23.7	26.4
2001	1,708	25.8	0.63	24.5	27.0	1,482	26.7	0.70	25.4	28.1
2002	1,728	25.7	0.62	24.5	27.0	1,502	26.9	0.70	25.5	28.3
2003	1,648	24.2	0.60	23.0	25.4	1,426	25.1	0.67	23.8	26.5
2004	1,738	25.3	0.61	24.1	26.5	1,501	26.4	0.69	25.0	27.7
2005	1,821	26.1	0.62	24.9	27.3	1,559	27.1	0.69	25.8	28.5
2006	1,920	27.3	0.63	26.1	28.6	1,625	28.0	0.70	26.6	29.4
2007	1,887	26.4	0.61	25.2	27.7	1,602	27.3	0.69	26.0	28.7
2008	1,930	26.4	0.61	25.2	27.6	1,657	27.6	0.69	26.3	29.0
2009	2,129	28.8	0.63	27.6	30.1	1,824	30.2	0.72	28.8	31.6
2010	2,116	28.0	0.62	26.8	29.2	1,787	29.0	0.70	27.6	30.4
2011	2,158	28.3	0.62	27.1	29.5	1,788	28.6	0.69	27.3	30.0
2012	2,185	27.9	0.61	26.7	29.1	1,824	28.7	0.68	27.3	30.0
2013	2,265	28.5	0.61	27.3	29.7	1,880	29.3	0.69	27.9	30.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,586	19.3	0.29	18.7	19.9	840	13.7	0.49	12.8	14.7
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	8	6.1	2.25	2.5	13.1
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	12	11.1	3.37	5.5	20.0
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	109	14.8	1.44	12.1	17.8	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	21	10.5	2.37	6.4	16.3
2000	159	18.7	1.49	15.9	21.9	31	13.9	2.60	9.3	20.1
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	156	18.0	1.45	15.3	21.1	34	13.3	2.34	9.1	18.8
2004	182	20.1	1.50	17.3	23.3	37	14.5	2.49	10.1	20.3
2005	193	20.8	1.51	17.9	23.9	33	11.9	2.17	8.1	17.0
2006	227	24.6	1.65	21.5	28.1	41	14.6	2.39	10.3	20.1
2007	224	23.4	1.58	20.4	26.7	42	13.3	2.11	9.5	18.1
2008	197	19.9	1.43	17.2	22.9	50	16.4	2.42	12.0	21.8
2009	234	23.5	1.56	20.6	26.8	45	14.8	2.31	10.6	20.0
2010	235	23.0	1.53	20.2	26.2	64	18.5	2.38	14.1	23.8
2011	264	25.6	1.60	22.6	29.0	64	17.2	2.22	13.1	22.1
2012	272	25.1	1.55	22.1	28.3	58	15.3	2.08	11.5	19.9
2013	267	23.5	1.47	20.8	26.6	78	19.1	2.22	15.0	24.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,262	0.7	0.02	0.6	0.7	926	0.6	0.02	0.5	0.6
1986	32	0.5	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	31	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	43	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	41	0.5	0.08	0.4	0.7	31	0.5	0.08	0.3	0.7
2005	45	0.6	0.09	0.5	0.8	34	0.6	0.10	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	34	0.5	0.08	0.3	0.7	21	0.3	0.08	0.2	0.5
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	43	0.6	0.09	0.4	0.8	31	0.5	0.09	0.4	0.7
2010	62	0.8	0.11	0.6	1.1	42	0.7	0.11	0.5	0.9
2011	52	0.7	0.09	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	49	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	48	0.6	0.09	0.4	0.8	29	0.4	0.08	0.3	0.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Uterus, NOS										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	310	1.4	0.08	1.2	1.5	19	0.4	0.09	0.2	0.6
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	4	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	11	1.4	0.43	0.7	2.5	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	10	1.1	0.34	0.5	2.0	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	16	1.5	0.38	0.8	2.5	4	1.3	0.66	0.3	3.3
2012	14	1.4	0.37	0.7	2.3	1	0.5	0.45	0.0	2.1
2013	17	1.5	0.38	0.9	2.5	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	25,881	13.9	0.09	13.7	14.1	22,669	14.5	0.10	14.3	14.7
1986	854	14.6	0.51	13.6	15.7	786	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	800	15.9	0.58	14.8	17.0
1988	898	15.1	0.51	14.1	16.2	800	15.6	0.56	14.5	16.7
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	978	16.2	0.53	15.1	17.2	879	16.9	0.58	15.8	18.1
1991	950	15.8	0.52	14.8	16.9	859	16.8	0.59	15.7	18.0
1992	927	15.2	0.51	14.3	16.3	847	16.3	0.57	15.2	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,007	15.9	0.51	14.9	16.9	899	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	836	15.6	0.55	14.5	16.7
1996	995	15.5	0.50	14.5	16.5	871	16.0	0.55	14.9	17.1
1997	964	15.0	0.49	14.1	16.0	845	15.6	0.54	14.5	16.7
1998	956	14.7	0.48	13.7	15.6	853	15.5	0.54	14.5	16.6
1999	963	14.7	0.47	13.7	15.6	860	15.5	0.54	14.5	16.6
2000	890	13.3	0.45	12.4	14.2	791	14.1	0.51	13.1	15.1
2001	894	13.4	0.45	12.5	14.3	758	13.6	0.50	12.6	14.6
2002	942	14.0	0.46	13.1	14.9	814	14.5	0.51	13.5	15.5
2003	925	13.4	0.44	12.5	14.3	809	14.0	0.50	13.1	15.1
2004	937	13.5	0.44	12.6	14.4	820	14.2	0.50	13.3	15.2
2005	947	13.6	0.44	12.7	14.5	819	14.2	0.50	13.2	15.2
2006	966	13.7	0.44	12.8	14.6	836	14.2	0.50	13.3	15.3
2007	931	13.1	0.43	12.3	14.0	812	13.8	0.49	12.9	14.8
2008	900	12.5	0.42	11.7	13.4	776	13.1	0.48	12.2	14.1
2009	902	12.4	0.42	11.6	13.2	751	12.6	0.47	11.7	13.5
2010	921	12.4	0.42	11.6	13.3	759	12.5	0.46	11.6	13.4
2011	885	11.9	0.41	11.2	12.8	741	12.2	0.46	11.4	13.2
2012	857	11.3	0.39	10.6	12.1	727	11.8	0.45	10.9	12.7
2013	859	11.2	0.39	10.5	12.0	701	11.3	0.44	10.4	12.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,508	10.6	0.21	10.2	11.0	567	9.2	0.41	8.4	10.0
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	17	15.4	4.11	8.5	25.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	89	12.6	1.37	10.1	15.6	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	9	6.5	2.25	2.9	13.0
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	93	12.3	1.29	9.9	15.1	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	102	13.0	1.30	10.6	15.8	19	10.0	2.51	5.7	16.3
1997	97	12.0	1.24	9.7	14.7	19	9.7	2.27	5.8	15.4
1998	83	9.8	1.09	7.8	12.2	14	7.8	2.32	3.9	13.7
1999	84	9.9	1.09	7.9	12.3	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	21	11.3	2.65	6.7	17.6
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	97	10.9	1.12	8.8	13.3	12	4.4	1.32	2.2	7.9
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	91	9.8	1.04	7.9	12.0	31	10.9	2.03	7.2	15.6
2007	91	9.6	1.02	7.7	11.8	26	9.0	1.86	5.7	13.4
2008	92	9.4	0.99	7.6	11.6	24	7.6	1.59	4.8	11.4
2009	115	11.7	1.11	9.7	14.1	26	8.9	1.81	5.7	13.2
2010	111	10.9	1.05	9.0	13.2	41	11.7	1.86	8.3	15.9
2011	96	9.4	0.97	7.6	11.5	41	11.4	1.86	8.1	15.7
2012	95	9.2	0.95	7.4	11.2	27	7.0	1.39	4.6	10.3
2013	117	11.4	1.07	9.4	13.7	33	8.5	1.51	5.8	12.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Male Genital System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	228,058	155.8	0.33	155.1	156.4	186,999	148.0	0.35	147.3	148.7
1986	4,448	108.2	1.71	104.9	111.6	3,851	104.9	1.77	101.5	108.5
1987	4,854	115.9	1.74	112.5	119.3	4,272	114.0	1.82	110.5	117.6
1988	4,892	115.7	1.73	112.3	119.2	4,238	112.7	1.81	109.2	116.3
1989	5,161	120.5	1.75	117.1	124.0	4,514	118.5	1.83	115.0	122.2
1990	5,872	135.6	1.84	132.0	139.3	5,146	132.9	1.92	129.2	136.7
1991	7,398	165.6	2.00	161.8	169.6	6,555	165.0	2.11	160.9	169.2
1992	8,959	195.1	2.12	191.0	199.3	7,854	192.6	2.23	188.2	197.0
1993	8,621	184.6	2.04	180.7	188.7	7,445	180.4	2.14	176.2	184.6
1994	8,403	178.2	2.00	174.3	182.1	7,035	168.8	2.06	164.8	172.9
1995	7,886	164.0	1.89	160.3	167.7	6,542	154.9	1.95	151.1	158.8
1996	8,034	164.2	1.86	160.6	167.9	6,594	154.1	1.92	150.4	157.9
1997	8,344	169.0	1.88	165.3	172.7	6,969	161.9	1.96	158.1	165.8
1998	8,273	165.8	1.85	162.2	169.5	6,756	155.9	1.91	152.2	159.7
1999	8,774	173.5	1.87	169.9	177.2	7,273	166.1	1.96	162.3	170.0
2000	8,824	173.0	1.86	169.4	176.7	7,164	162.7	1.94	158.9	166.5
2001	9,369	181.6	1.89	177.9	185.4	7,702	173.3	1.99	169.4	177.3
2002	9,658	184.6	1.90	180.9	188.3	7,915	176.2	2.00	172.3	180.1
2003	8,955	167.6	1.79	164.1	171.2	7,221	158.1	1.88	154.5	161.8
2004	8,839	162.5	1.75	159.1	166.0	7,070	152.5	1.83	149.0	156.2
2005	8,683	156.6	1.71	153.3	160.0	6,882	146.0	1.78	142.6	149.6
2006	9,431	166.3	1.74	162.9	169.8	7,527	156.7	1.83	153.1	160.3
2007	10,206	176.3	1.78	172.8	179.8	8,080	164.9	1.86	161.2	168.6
2008	10,234	171.5	1.73	168.1	174.9	8,076	160.4	1.81	156.8	164.0
2009	9,990	162.2	1.66	159.0	165.5	7,779	150.0	1.73	146.6	153.4
2010	9,017	142.9	1.54	139.9	146.0	7,063	133.4	1.62	130.2	136.6
2011	9,156	141.7	1.52	138.7	144.7	7,195	133.0	1.61	129.9	136.2
2012	8,126	121.8	1.39	119.1	124.6	6,230	111.9	1.45	109.0	114.8
2013	7,651	112.0	1.31	109.4	114.6	6,051	106.0	1.40	103.3	108.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	34,413	219.4	1.25	216.9	221.8	2,618	65.4	1.42	62.6	68.2
1986	574	147.9	6.65	135.2	161.4	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	613	149.5	6.48	137.0	162.6	28	50.2	10.68	31.5	74.7
1989	607	146.8	6.36	134.6	159.7	23	41.5	9.90	24.4	64.4
1990	663	168.0	7.01	154.6	182.2	38	57.6	10.65	38.6	81.6
1991	758	176.5	6.87	163.3	190.4	28	50.9	10.50	32.4	74.7
1992	1,031	234.7	7.80	219.7	250.4	52	93.2	14.51	66.9	124.8
1993	1,109	241.3	7.73	226.4	256.8	43	64.5	11.00	44.8	88.9
1994	1,264	275.8	8.30	259.8	292.4	71	97.8	13.19	73.6	126.2
1995	1,246	259.2	7.80	244.2	274.9	59	68.9	10.11	50.5	91.0
1996	1,334	266.5	7.72	251.6	282.0	61	66.7	9.85	48.8	88.2
1997	1,202	233.3	7.10	219.6	247.5	69	61.9	8.45	46.4	80.3
1998	1,265	241.9	7.16	228.0	256.3	72	64.5	8.49	48.9	83.0
1999	1,235	229.1	6.83	215.9	242.9	102	89.0	10.16	70.2	110.7
2000	1,438	262.6	7.26	248.6	277.2	86	71.4	8.87	55.1	90.5
2001	1,391	249.8	7.02	236.2	263.9	95	70.2	8.25	54.9	87.9
2002	1,370	236.7	6.72	223.7	250.2	106	69.2	7.47	55.3	85.2
2003	1,409	234.4	6.54	221.7	247.5	100	61.0	6.89	48.2	75.8
2004	1,440	236.3	6.54	223.7	249.5	113	66.5	7.04	53.4	81.5
2005	1,431	231.2	6.46	218.7	244.2	131	74.5	7.22	61.0	89.8
2006	1,583	247.0	6.52	234.3	260.0	160	81.8	7.08	68.5	96.7
2007	1,725	263.1	6.64	250.3	276.4	163	73.2	6.27	61.4	86.4
2008	1,741	253.9	6.36	241.6	266.6	174	71.1	5.92	60.0	83.6
2009	1,740	244.7	6.14	232.8	257.0	166	68.3	5.86	57.3	80.7
2010	1,543	211.2	5.63	200.3	222.5	165	61.3	5.23	51.5	72.4
2011	1,425	186.5	5.17	176.5	196.9	163	62.6	5.41	52.5	74.1
2012	1,431	181.4	5.02	171.7	191.5	163	54.9	4.62	46.2	64.7
2013	1,283	161.3	4.71	152.2	170.8	153	51.5	4.43	43.2	60.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Prostate										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	217,778	149.6	0.33	149.0	150.3	177,567	141.2	0.34	140.5	141.8
1986	4,165	103.1	1.68	99.8	106.4	3,585	99.3	1.74	96.0	102.8
1987	4,537	110.1	1.71	106.8	113.5	3,973	107.7	1.78	104.2	111.2
1988	4,580	110.2	1.70	106.9	113.6	3,943	106.6	1.77	103.2	110.1
1989	4,834	114.7	1.72	111.3	118.1	4,215	112.2	1.80	108.8	115.8
1990	5,538	129.8	1.81	126.3	133.4	4,837	126.7	1.89	123.0	130.4
1991	7,084	160.2	1.97	156.4	164.1	6,264	159.1	2.08	155.1	163.2
1992	8,656	190.0	2.10	185.9	194.2	7,571	186.9	2.21	182.6	191.3
1993	8,280	178.8	2.02	174.8	182.8	7,126	173.8	2.11	169.7	178.0
1994	8,059	172.4	1.97	168.6	176.3	6,714	162.4	2.03	158.5	166.4
1995	7,547	158.4	1.86	154.8	162.1	6,228	148.7	1.92	145.0	152.5
1996	7,682	158.4	1.84	154.8	162.1	6,278	147.9	1.89	144.2	151.6
1997	7,957	162.5	1.85	158.9	166.2	6,611	154.7	1.92	151.0	158.6
1998	7,913	159.8	1.82	156.2	163.4	6,422	149.1	1.88	145.5	152.9
1999	8,398	167.3	1.85	163.7	171.0	6,940	159.5	1.93	155.7	163.3
2000	8,467	167.1	1.83	163.5	170.7	6,835	156.1	1.90	152.4	159.8
2001	8,973	175.0	1.87	171.4	178.7	7,342	166.0	1.95	162.2	169.9
2002	9,281	178.4	1.87	174.7	182.1	7,571	169.3	1.96	165.5	173.2
2003	8,575	161.4	1.76	158.0	164.9	6,869	151.1	1.84	147.5	154.7
2004	8,438	156.0	1.72	152.6	159.4	6,700	145.1	1.79	141.6	148.7
2005	8,315	150.7	1.68	147.4	154.0	6,556	139.5	1.74	136.1	142.9
2006	9,027	159.7	1.71	156.4	163.1	7,155	149.2	1.79	145.7	152.8
2007	9,811	169.8	1.75	166.4	173.3	7,725	157.7	1.82	154.1	161.3
2008	9,799	164.3	1.69	161.0	167.7	7,688	152.5	1.77	149.0	156.0
2009	9,601	155.8	1.63	152.7	159.0	7,416	142.6	1.69	139.3	145.9
2010	8,569	135.7	1.50	132.8	138.7	6,653	125.1	1.57	122.1	128.2
2011	8,761	135.4	1.48	132.5	138.3	6,831	125.7	1.56	122.6	128.8
2012	7,693	114.9	1.35	112.3	117.6	5,838	104.0	1.39	101.3	106.8
2013	7,238	105.3	1.27	102.8	107.8	5,681	98.5	1.34	95.9	101.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	33,911	216.8	1.24	214.4	219.3	2,471	63.3	1.41	60.6	66.1
1986	561	145.6	6.61	133.0	159.1	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	600	147.1	6.44	134.8	160.2	24	48.0	10.63	29.5	72.5
1989	583	142.7	6.29	130.7	155.5	21	40.5	9.88	23.5	63.5
1990	644	164.1	6.94	150.7	178.1	33	55.0	10.58	36.2	79.0
1991	742	173.6	6.82	160.5	187.4	27	46.8	9.67	29.8	68.8
1992	1,015	232.2	7.77	217.3	247.9	50	91.4	14.46	65.3	122.9
1993	1,090	238.5	7.70	223.7	254.0	42	64.1	10.99	44.4	88.5
1994	1,247	273.2	8.27	257.2	289.8	67	94.0	12.98	70.3	122.1
1995	1,230	256.7	7.77	241.7	272.3	55	67.1	10.07	48.8	89.1
1996	1,314	263.6	7.69	248.8	279.1	55	64.5	9.81	46.7	85.9
1997	1,184	230.6	7.06	217.0	244.8	66	60.7	8.42	45.3	79.1
1998	1,248	239.7	7.13	225.9	254.0	68	62.2	8.40	46.8	80.5
1999	1,216	226.8	6.81	213.6	240.4	92	82.2	9.68	64.3	103.0
2000	1,421	260.2	7.23	246.2	274.7	80	68.8	8.77	52.7	87.7
2001	1,374	247.5	7.00	234.0	261.6	88	67.9	8.21	52.8	85.6
2002	1,349	233.9	6.70	221.0	247.4	104	68.4	7.45	54.6	84.4
2003	1,391	232.0	6.52	219.4	245.1	96	59.8	6.86	47.1	74.5
2004	1,423	234.1	6.52	221.5	247.2	107	64.7	7.00	51.7	79.7
2005	1,409	228.0	6.41	215.6	240.9	126	73.0	7.19	59.6	88.3
2006	1,568	245.1	6.50	232.5	258.1	155	80.6	7.06	67.4	95.5
2007	1,704	260.5	6.61	247.7	273.7	154	70.6	6.20	59.0	83.7
2008	1,717	250.9	6.32	238.6	263.5	164	68.5	5.85	57.5	80.9
2009	1,727	243.1	6.12	231.2	255.4	165	68.1	5.85	57.1	80.4
2010	1,520	208.3	5.60	197.4	219.5	159	59.9	5.20	50.2	70.9
2011	1,410	184.8	5.15	174.9	195.2	152	60.1	5.35	50.0	71.4
2012	1,413	179.2	4.99	169.6	189.3	151	51.6	4.51	43.1	61.2
2013	1,263	158.7	4.67	149.7	168.1	141	48.6	4.35	40.5	57.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Testis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	8,692	5.0	0.05	4.9	5.1	8,092	5.7	0.06	5.6	5.9
1986	230	3.9	0.27	3.4	4.5	220	4.5	0.31	3.9	5.1
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5
1988	271	4.6	0.29	4.0	5.2	261	5.2	0.33	4.6	5.9
1989	269	4.6	0.29	4.0	5.2	252	5.1	0.33	4.5	5.8
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5
1992	259	4.1	0.26	3.6	4.7	244	4.7	0.30	4.1	5.4
1993	285	4.6	0.28	4.1	5.2	268	5.2	0.32	4.6	5.9
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0
1995	280	4.4	0.27	3.9	5.0	262	5.0	0.31	4.4	5.7
1996	292	4.6	0.27	4.1	5.2	264	5.1	0.31	4.5	5.7
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9
1998	300	4.8	0.28	4.3	5.4	281	5.5	0.33	4.9	6.2
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6
2002	329	5.3	0.29	4.7	5.9	304	6.0	0.34	5.3	6.7
2003	328	5.2	0.29	4.7	5.8	310	6.1	0.35	5.5	6.9
2004	345	5.5	0.30	4.9	6.1	321	6.3	0.35	5.7	7.1
2005	323	5.1	0.29	4.6	5.7	292	5.8	0.34	5.2	6.5
2006	341	5.4	0.30	4.9	6.0	317	6.3	0.36	5.6	7.0
2007	331	5.3	0.29	4.8	5.9	304	6.1	0.35	5.4	6.8
2008	366	5.9	0.31	5.3	6.5	333	6.7	0.37	6.0	7.5
2009	338	5.5	0.30	4.9	6.1	317	6.4	0.36	5.8	7.2
2010	378	6.0	0.31	5.4	6.7	351	7.1	0.38	6.4	7.9
2011	338	5.4	0.30	4.8	6.0	315	6.4	0.36	5.7	7.1
2012	364	5.8	0.31	5.2	6.5	333	6.8	0.37	6.0	7.5
2013	365	5.9	0.31	5.3	6.5	332	6.7	0.37	6.0	7.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Testis										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	298	1.3	0.07	1.1	1.4	121	1.4	0.14	1.2	1.8
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	2	0.9	0.66	0.1	6.5
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	1	0.4	0.40	0.0	4.8
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	6	2.2	0.92	0.8	6.2
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	14	1.6	0.42	0.9	2.7	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	6	1.4	0.59	0.5	3.5
2011	8	0.9	0.33	0.4	1.8	10	2.3	0.72	1.1	4.5
2012	12	1.4	0.40	0.7	2.5	9	2.4	0.86	1.1	4.9
2013	11	1.3	0.40	0.6	2.3	11	2.7	0.80	1.3	4.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,263	0.9	0.03	0.8	0.9	1,057	0.9	0.03	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	34	0.9	0.15	0.6	1.2
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	49	1.0	0.15	0.8	1.4	38	0.9	0.15	0.6	1.3
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	47	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	47	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	47	0.9	0.13	0.6	1.2	42	0.9	0.14	0.6	1.2
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	53	0.9	0.12	0.7	1.1	46	0.9	0.13	0.7	1.2
2013	34	0.6	0.10	0.4	0.8	26	0.6	0.11	0.4	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Penis										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	175	1.1	0.09	1.0	1.3	18	0.5	0.13	0.3	0.8
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.26	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	5	0.7	0.34	0.2	1.7	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.44	0.5	2.3	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	123,669	36.5	0.10	36.3	36.8	110,614	38.1	0.11	37.8	38.3
1986	3,162	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1
1987	3,296	31.1	0.55	30.0	32.2	3,025	32.2	0.59	31.1	33.4
1988	3,270	30.6	0.54	29.5	31.6	3,021	32.0	0.59	30.9	33.2
1989	3,354	31.1	0.54	30.1	32.2	3,080	32.4	0.59	31.3	33.6
1990	3,342	30.7	0.54	29.7	31.8	3,094	32.4	0.59	31.2	33.5
1991	3,411	31.0	0.53	30.0	32.1	3,161	32.7	0.59	31.5	33.8
1992	3,551	31.8	0.54	30.7	32.8	3,262	33.3	0.59	32.1	34.4
1993	3,677	32.4	0.54	31.4	33.5	3,340	33.7	0.59	32.6	34.9
1994	3,812	33.5	0.54	32.4	34.5	3,470	34.9	0.59	33.7	36.1
1995	3,818	33.2	0.54	32.2	34.3	3,490	34.9	0.59	33.7	36.1
1996	4,071	35.3	0.55	34.2	36.4	3,682	36.8	0.61	35.6	38.0
1997	4,192	36.0	0.56	34.9	37.1	3,781	37.4	0.61	36.3	38.7
1998	4,154	35.3	0.55	34.2	36.4	3,748	36.9	0.60	35.7	38.1
1999	4,277	36.0	0.55	34.9	37.1	3,853	37.6	0.61	36.4	38.8
2000	4,499	37.6	0.56	36.5	38.7	4,019	39.1	0.62	37.9	40.3
2001	4,514	37.4	0.56	36.3	38.5	4,040	39.1	0.62	37.9	40.3
2002	4,840	39.7	0.57	38.6	40.9	4,329	41.6	0.63	40.3	42.8
2003	4,974	40.4	0.57	39.3	41.6	4,444	42.3	0.64	41.1	43.6
2004	5,018	40.3	0.57	39.2	41.4	4,495	42.5	0.64	41.2	43.7
2005	5,141	40.9	0.57	39.8	42.0	4,543	42.7	0.64	41.4	43.9
2006	5,126	40.4	0.57	39.3	41.6	4,521	42.2	0.63	40.9	43.4
2007	5,225	40.6	0.57	39.5	41.7	4,563	42.0	0.63	40.8	43.3
2008	5,453	41.7	0.57	40.6	42.8	4,752	43.1	0.63	41.9	44.4
2009	5,565	41.9	0.57	40.8	43.0	4,869	43.7	0.63	42.4	44.9
2010	5,304	39.3	0.55	38.2	40.4	4,638	41.0	0.61	39.8	42.2
2011	5,470	39.7	0.55	38.6	40.8	4,775	41.5	0.61	40.4	42.8
2012	5,479	39.2	0.54	38.1	40.3	4,786	41.1	0.60	39.9	42.3
2013	5,674	39.9	0.54	38.9	41.0	4,926	41.7	0.61	40.6	42.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,752	27.5	0.27	27.0	28.0	1,264	13.8	0.42	13.0	14.7
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	222	19.9	1.39	17.3	22.8	18	10.7	2.96	5.7	17.9
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	221	18.9	1.31	16.4	21.6	20	12.9	3.10	7.5	20.3
1991	219	19.1	1.33	16.6	21.9	22	10.8	2.45	6.5	16.7
1992	252	21.5	1.40	18.9	24.4	30	18.0	3.80	11.3	26.7
1993	299	23.2	1.38	20.5	26.0	30	12.5	2.39	8.2	18.1
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	290	22.5	1.35	19.9	25.3	25	9.4	1.99	5.9	14.1
1996	331	25.5	1.44	22.7	28.4	41	16.9	2.95	11.6	23.5
1997	334	25.2	1.42	22.5	28.2	49	17.6	2.73	12.7	23.8
1998	337	24.8	1.38	22.2	27.7	33	12.5	2.46	8.2	18.2
1999	354	26.5	1.44	23.7	29.5	34	11.1	2.06	7.4	15.8
2000	405	29.0	1.47	26.2	32.0	33	10.0	1.84	6.7	14.2
2001	400	28.4	1.45	25.7	31.4	38	11.2	1.96	7.7	15.6
2002	429	30.4	1.50	27.5	33.5	35	9.3	1.69	6.3	13.2
2003	436	29.0	1.42	26.3	31.9	44	13.2	2.14	9.3	18.0
2004	421	27.9	1.39	25.3	30.8	49	14.0	2.16	10.1	18.8
2005	456	29.9	1.43	27.2	32.8	66	15.9	2.13	12.0	20.6
2006	486	31.4	1.45	28.6	34.3	63	14.2	1.92	10.7	18.4
2007	536	34.1	1.51	31.3	37.2	65	14.8	1.98	11.2	19.2
2008	578	35.7	1.52	32.8	38.8	56	11.4	1.67	8.4	15.1
2009	561	34.1	1.47	31.2	37.1	75	15.1	1.88	11.6	19.2
2010	509	30.3	1.38	27.7	33.1	80	15.5	1.85	12.1	19.5
2011	535	30.9	1.37	28.2	33.7	89	16.0	1.80	12.6	19.9
2012	540	30.9	1.36	28.3	33.7	89	14.6	1.64	11.6	18.2
2013	572	32.0	1.37	29.4	34.8	101	16.3	1.71	13.1	20.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	84,252	59.3	0.21	58.9	59.7	76,243	62.1	0.23	61.6	62.5
1986	2,208	51.4	1.14	49.2	53.7	2,053	53.7	1.23	51.3	56.2
1987	2,303	53.1	1.15	50.9	55.4	2,135	55.5	1.25	53.1	58.0
1988	2,182	50.5	1.12	48.3	52.7	2,033	53.1	1.22	50.8	55.6
1989	2,282	51.9	1.13	49.7	54.2	2,126	54.7	1.22	52.3	57.1
1990	2,299	52.1	1.12	49.9	54.3	2,158	55.3	1.23	52.9	57.8
1991	2,353	52.1	1.11	49.9	54.3	2,206	55.3	1.21	53.0	57.8
1992	2,413	52.9	1.11	50.7	55.1	2,233	55.4	1.20	53.1	57.8
1993	2,507	53.8	1.10	51.7	56.0	2,310	56.6	1.20	54.2	59.0
1994	2,549	54.5	1.11	52.4	56.7	2,348	57.2	1.21	54.9	59.6
1995	2,584	54.7	1.10	52.6	56.9	2,388	57.8	1.21	55.5	60.2
1996	2,756	57.6	1.12	55.4	59.8	2,530	60.6	1.22	58.2	63.0
1997	2,810	57.9	1.11	55.7	60.1	2,564	60.6	1.21	58.3	63.0
1998	2,814	57.5	1.10	55.4	59.7	2,574	60.5	1.21	58.2	62.9
1999	2,878	58.3	1.10	56.2	60.5	2,614	61.0	1.21	58.7	63.4
2000	3,030	60.5	1.11	58.4	62.7	2,740	63.2	1.22	60.9	65.7
2001	3,068	60.4	1.10	58.2	62.6	2,787	63.5	1.21	61.1	65.9
2002	3,342	65.5	1.15	63.3	67.8	3,034	68.9	1.26	66.5	71.4
2003	3,393	65.5	1.14	63.2	67.7	3,046	68.4	1.25	66.0	70.9
2004	3,427	65.1	1.13	62.9	67.3	3,094	68.4	1.24	66.0	70.9
2005	3,491	65.1	1.12	62.9	67.3	3,121	68.0	1.23	65.6	70.4
2006	3,441	63.5	1.10	61.4	65.7	3,071	66.3	1.21	64.0	68.8
2007	3,535	64.2	1.10	62.0	66.4	3,121	66.5	1.21	64.1	68.9
2008	3,735	66.4	1.11	64.2	68.6	3,311	69.1	1.22	66.8	71.6
2009	3,791	66.0	1.09	63.8	68.1	3,353	68.8	1.21	66.4	71.2
2010	3,649	62.3	1.05	60.2	64.4	3,221	65.0	1.17	62.7	67.3
2011	3,738	62.1	1.04	60.1	64.2	3,320	65.3	1.16	63.0	67.6
2012	3,744	60.9	1.02	58.9	62.9	3,319	64.1	1.14	61.9	66.4
2013	3,930	62.8	1.03	60.8	64.8	3,433	65.2	1.14	63.0	67.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,404	40.3	0.53	39.2	41.3	877	22.0	0.84	20.4	23.7
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	130	28.9	2.71	23.8	34.6	14	20.0	6.65	9.2	36.7
1989	142	31.1	2.78	25.9	37.0	10	16.0	6.03	6.5	31.4
1990	122	25.6	2.50	20.9	30.9	13	21.7	6.51	10.9	37.7
1991	128	27.3	2.57	22.5	32.8	13	14.3	4.26	7.2	25.3
1992	153	33.2	2.88	27.7	39.2	22	34.8	8.80	19.7	55.2
1993	174	32.8	2.65	27.8	38.4	18	15.3	3.88	8.6	25.1
1994	164	32.7	2.73	27.5	38.4	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	188	34.6	2.67	29.6	40.2	26	26.4	6.14	15.8	40.7
1997	195	36.3	2.78	31.1	42.2	32	26.1	5.06	17.1	37.8
1998	195	35.0	2.65	30.0	40.5	22	17.8	4.47	10.2	28.5
1999	213	38.9	2.85	33.5	44.8	22	14.8	3.48	8.8	23.2
2000	233	41.7	2.90	36.2	47.7	28	19.3	3.95	12.4	28.5
2001	227	39.9	2.81	34.5	45.7	27	16.5	3.47	10.4	24.7
2002	255	46.0	3.08	40.2	52.4	24	15.7	3.66	9.4	24.3
2003	281	45.9	2.90	40.4	51.9	27	19.7	4.24	12.3	29.4
2004	260	42.9	2.84	37.5	48.8	34	23.3	4.51	15.3	33.5
2005	272	44.7	2.89	39.2	50.7	43	24.8	4.32	17.1	34.5
2006	285	46.5	2.93	40.9	52.5	43	23.1	3.92	16.1	31.9
2007	324	51.0	3.00	45.3	57.2	41	20.1	3.51	13.8	28.0
2008	338	50.5	2.89	45.0	56.5	44	21.1	3.71	14.5	29.4
2009	340	50.3	2.89	44.8	56.3	58	24.9	3.62	18.3	32.9
2010	318	45.5	2.69	40.4	51.1	54	24.2	3.65	17.6	32.2
2011	317	44.2	2.62	39.2	49.6	57	23.4	3.45	17.1	31.0
2012	323	44.6	2.62	39.7	50.1	60	23.7	3.40	17.5	31.1
2013	365	49.5	2.71	44.3	55.1	78	28.0	3.41	21.7	35.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	39,417	20.4	0.10	20.2	20.6	34,371	20.8	0.11	20.6	21.1
1986	954	15.4	0.50	14.4	16.4	854	15.6	0.54	14.5	16.7
1987	993	16.1	0.52	15.1	17.1	890	16.3	0.56	15.2	17.4
1988	1,088	17.7	0.54	16.6	18.8	988	18.3	0.60	17.2	19.5
1989	1,072	17.2	0.53	16.2	18.3	954	17.5	0.58	16.4	18.6
1990	1,043	16.6	0.52	15.6	17.6	936	17.1	0.57	16.0	18.2
1991	1,058	16.5	0.51	15.5	17.5	955	16.9	0.56	15.8	18.0
1992	1,138	17.5	0.53	16.5	18.6	1,029	18.2	0.58	17.1	19.4
1993	1,170	17.8	0.53	16.8	18.9	1,030	18.0	0.57	16.9	19.1
1994	1,263	19.0	0.54	17.9	20.1	1,122	19.4	0.59	18.2	20.6
1995	1,234	18.5	0.53	17.4	19.5	1,102	19.0	0.58	17.9	20.2
1996	1,315	19.7	0.55	18.6	20.8	1,152	20.0	0.60	18.8	21.2
1997	1,382	20.5	0.56	19.4	21.6	1,217	20.9	0.61	19.8	22.2
1998	1,340	19.8	0.55	18.8	20.9	1,174	20.3	0.60	19.1	21.5
1999	1,399	20.4	0.55	19.4	21.5	1,239	21.2	0.61	20.0	22.4
2000	1,469	21.4	0.56	20.3	22.5	1,279	21.8	0.62	20.6	23.1
2001	1,446	20.9	0.55	19.8	22.0	1,253	21.3	0.61	20.1	22.6
2002	1,498	21.4	0.56	20.4	22.6	1,295	21.8	0.61	20.6	23.0
2003	1,581	22.7	0.57	21.6	23.8	1,398	23.7	0.64	22.4	25.0
2004	1,591	22.5	0.57	21.4	23.7	1,401	23.5	0.64	22.3	24.8
2005	1,650	23.2	0.58	22.1	24.3	1,422	23.7	0.64	22.5	25.0
2006	1,685	23.5	0.58	22.4	24.7	1,450	24.1	0.64	22.8	25.4
2007	1,690	23.3	0.57	22.2	24.5	1,442	23.8	0.64	22.6	25.1
2008	1,718	23.4	0.57	22.3	24.6	1,441	23.5	0.63	22.3	24.8
2009	1,774	23.9	0.58	22.8	25.1	1,516	24.5	0.64	23.3	25.8
2010	1,655	21.9	0.55	20.8	23.0	1,417	22.6	0.61	21.4	23.8
2011	1,732	22.8	0.56	21.7	23.9	1,455	23.2	0.62	22.0	24.5
2012	1,735	22.5	0.55	21.4	23.6	1,467	22.9	0.61	21.8	24.2
2013	1,744	22.3	0.54	21.2	23.4	1,493	23.2	0.61	22.0	24.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,348	18.9	0.29	18.4	19.5	387	7.6	0.41	6.9	8.5
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	99	14.4	1.47	11.6	17.5	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	99	14.2	1.45	11.5	17.3	8	6.3	2.29	2.7	12.7
1993	125	16.6	1.51	13.8	19.9	12	9.8	2.93	5.0	17.4
1994	132	17.6	1.56	14.7	20.9	7	7.8	3.07	3.0	15.7
1995	121	15.8	1.45	13.1	18.9	7	5.6	2.20	2.1	11.5
1996	143	18.8	1.59	15.8	22.1	15	10.4	2.94	5.5	17.7
1997	139	17.8	1.53	14.9	21.0	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.51	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	172	20.8	1.60	17.8	24.2	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	155	17.8	1.44	15.1	20.8	17	8.6	2.19	4.8	13.9
2004	161	18.2	1.44	15.5	21.2	15	7.3	1.99	4.0	12.2
2005	184	20.5	1.52	17.6	23.7	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	20	7.5	1.76	4.5	11.8
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	240	25.4	1.66	22.3	28.9	12	4.4	1.34	2.2	7.8
2009	221	23.2	1.58	20.2	26.5	17	6.9	1.77	3.9	11.2
2010	191	19.6	1.44	16.9	22.6	26	9.0	1.86	5.7	13.4
2011	218	21.6	1.49	18.8	24.7	32	10.4	1.91	7.0	14.8
2012	217	21.6	1.49	18.8	24.8	29	8.4	1.61	5.5	12.2
2013	207	20.0	1.41	17.4	23.0	23	6.6	1.42	4.1	10.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	73,339	21.7	0.08	21.6	21.9	67,524	23.1	0.09	23.0	23.3
1986	2,127	20.1	0.44	19.3	21.0	1,989	21.1	0.48	20.2	22.1
1987	2,200	20.7	0.45	19.8	21.6	2,049	21.7	0.49	20.8	22.7
1988	2,122	19.8	0.43	19.0	20.7	1,989	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,025	21.2	0.48	20.3	22.1
1990	2,199	20.2	0.43	19.3	21.0	2,075	21.5	0.48	20.6	22.5
1991	2,163	19.7	0.43	18.8	20.5	2,037	21.0	0.47	20.1	21.9
1992	2,251	20.1	0.43	19.3	20.9	2,102	21.3	0.47	20.4	22.2
1993	2,384	21.0	0.43	20.2	21.9	2,229	22.4	0.48	21.5	23.4
1994	2,416	21.2	0.43	20.3	22.0	2,249	22.5	0.48	21.5	23.4
1995	2,349	20.4	0.42	19.6	21.3	2,186	21.7	0.47	20.8	22.7
1996	2,600	22.5	0.44	21.6	23.4	2,406	23.9	0.49	22.9	24.8
1997	2,583	22.1	0.44	21.3	23.0	2,388	23.5	0.48	22.6	24.5
1998	2,567	21.8	0.43	20.9	22.6	2,366	23.1	0.48	22.2	24.1
1999	2,658	22.4	0.43	21.5	23.2	2,453	23.8	0.48	22.9	24.8
2000	2,762	23.1	0.44	22.2	24.0	2,548	24.7	0.49	23.7	25.6
2001	2,688	22.3	0.43	21.5	23.2	2,484	24.0	0.48	23.0	24.9
2002	2,876	23.7	0.44	22.8	24.6	2,655	25.4	0.49	24.4	26.4
2003	2,915	23.8	0.44	22.9	24.6	2,701	25.6	0.49	24.7	26.6
2004	2,868	23.2	0.43	22.3	24.0	2,631	24.8	0.49	23.9	25.8
2005	2,973	23.7	0.44	22.9	24.6	2,709	25.4	0.49	24.4	26.3
2006	2,775	22.0	0.42	21.2	22.8	2,532	23.6	0.47	22.7	24.5
2007	2,858	22.3	0.42	21.5	23.2	2,585	23.8	0.47	22.8	24.7
2008	3,003	23.1	0.43	22.3	24.0	2,696	24.5	0.48	23.5	25.4
2009	3,049	23.1	0.42	22.2	23.9	2,748	24.5	0.47	23.6	25.5
2010	2,899	21.6	0.41	20.8	22.4	2,637	23.2	0.46	22.3	24.1
2011	2,933	21.4	0.40	20.6	22.2	2,669	23.1	0.45	22.3	24.0
2012	2,878	20.7	0.39	20.0	21.5	2,628	22.5	0.45	21.7	23.4
2013	3,081	21.8	0.40	21.0	22.6	2,758	23.3	0.45	22.4	24.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,510	12.3	0.19	11.9	12.7	621	7.3	0.32	6.7	8.0
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	116	11.1	1.06	9.1	13.3	11	7.7	2.72	3.3	14.6
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	13	9.1	2.67	4.7	15.7
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	126	11.3	1.04	9.4	13.5	18	11.9	3.31	6.3	19.7
1993	139	11.6	1.01	9.7	13.7	10	4.3	1.50	1.9	8.3
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	27	10.4	2.17	6.5	15.4
1997	149	12.3	1.03	10.4	14.5	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	161	12.9	1.04	11.0	15.1	13	4.0	1.21	2.0	7.0
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	18	5.9	1.50	3.4	9.5
2002	176	13.4	1.03	11.5	15.6	17	5.3	1.39	3.0	8.6
2003	155	11.1	0.91	9.4	13.0	25	8.3	1.78	5.2	12.4
2004	162	11.3	0.91	9.6	13.3	28	8.1	1.65	5.2	11.9
2005	178	12.4	0.95	10.6	14.4	30	7.8	1.56	5.0	11.3
2006	175	12.4	0.95	10.6	14.3	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	35	8.8	1.59	6.0	12.4
2008	236	15.5	1.03	13.6	17.7	26	6.5	1.38	4.1	9.7
2009	226	14.6	0.99	12.7	16.7	33	7.2	1.36	4.8	10.3
2010	187	11.9	0.89	10.2	13.8	35	6.8	1.23	4.6	9.7
2011	193	11.8	0.87	10.2	13.6	42	7.8	1.29	5.5	10.7
2012	181	11.2	0.85	9.6	12.9	36	6.5	1.15	4.5	9.2
2013	232	13.7	0.92	12.0	15.6	52	8.7	1.27	6.4	11.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	53,835	38.9	0.17	38.5	39.2	50,101	41.5	0.19	41.2	41.9
1986	1,557	37.1	0.98	35.2	39.1	1,471	39.2	1.07	37.1	41.3
1987	1,628	38.0	0.98	36.1	39.9	1,535	40.2	1.06	38.2	42.4
1988	1,508	35.6	0.96	33.7	37.5	1,425	37.8	1.04	35.8	39.9
1989	1,565	36.2	0.95	34.4	38.1	1,479	38.5	1.04	36.5	40.6
1990	1,629	37.4	0.96	35.5	39.3	1,560	40.3	1.06	38.3	42.4
1991	1,586	35.7	0.93	33.9	37.6	1,512	38.5	1.02	36.5	40.5
1992	1,642	36.6	0.93	34.8	38.5	1,548	38.9	1.02	36.9	41.0
1993	1,741	38.0	0.94	36.2	39.8	1,645	40.7	1.03	38.7	42.8
1994	1,706	37.1	0.92	35.3	38.9	1,604	39.5	1.01	37.6	41.5
1995	1,720	37.1	0.92	35.3	38.9	1,621	39.8	1.01	37.8	41.8
1996	1,876	39.9	0.94	38.1	41.8	1,767	42.9	1.04	40.8	44.9
1997	1,872	39.3	0.92	37.5	41.1	1,746	41.8	1.01	39.8	43.8
1998	1,878	39.0	0.91	37.2	40.8	1,746	41.5	1.01	39.6	43.5
1999	1,928	39.7	0.92	37.9	41.6	1,796	42.3	1.01	40.4	44.4
2000	1,998	40.7	0.92	39.0	42.6	1,859	43.5	1.02	41.5	45.6
2001	1,974	39.8	0.91	38.1	41.6	1,849	42.9	1.01	40.9	44.9
2002	2,137	43.1	0.94	41.2	44.9	2,009	46.5	1.05	44.5	48.6
2003	2,110	41.8	0.92	40.0	43.6	1,961	44.8	1.02	42.8	46.9
2004	2,144	41.8	0.92	40.1	43.7	1,981	44.7	1.01	42.8	46.8
2005	2,176	41.6	0.91	39.9	43.4	2,008	44.6	1.01	42.6	46.6
2006	2,013	38.4	0.87	36.7	40.1	1,852	41.0	0.96	39.1	42.9
2007	2,112	39.5	0.87	37.8	41.3	1,928	42.0	0.97	40.2	44.0
2008	2,224	41.0	0.88	39.2	42.7	2,031	43.6	0.98	41.7	45.5
2009	2,298	41.3	0.88	39.6	43.1	2,093	43.9	0.97	42.0	45.8
2010	2,184	38.5	0.84	36.9	40.2	2,000	41.3	0.94	39.4	43.1
2011	2,170	37.3	0.82	35.7	39.0	1,998	40.3	0.92	38.5	42.1
2012	2,141	36.2	0.80	34.6	37.8	1,986	39.5	0.90	37.7	41.3
2013	2,318	38.1	0.81	36.5	39.7	2,091	40.5	0.90	38.8	42.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,760	19.1	0.39	18.3	19.8	463	12.7	0.67	11.5	14.1
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	70	16.7	2.12	12.8	21.3	10	16.3	6.37	6.3	32.6
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	56	12.7	1.85	9.4	16.8	9	15.9	5.65	6.8	30.3
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	74	17.2	2.15	13.2	21.8	16	26.2	7.98	12.9	45.1
1993	87	17.8	2.01	14.0	22.1	4	3.8	2.18	0.8	10.7
1994	81	17.5	2.08	13.7	22.0	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	17	14.5	3.87	8.0	24.1
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	95	19.9	2.18	15.8	24.5	10	6.2	2.24	2.6	12.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	13	8.4	2.53	4.2	14.9
2002	97	19.8	2.13	15.8	24.3	15	11.9	3.42	6.1	20.1
2003	104	18.6	1.94	15.0	22.8	16	13.8	3.76	7.4	22.6
2004	107	19.0	1.97	15.3	23.2	21	15.0	3.66	8.7	23.6
2005	107	19.3	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	110	20.8	2.10	16.9	25.3	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	23	13.3	3.07	8.0	20.5
2008	144	23.4	2.05	19.5	27.7	19	12.1	3.15	6.7	19.4
2009	148	24.2	2.11	20.2	28.7	27	12.9	2.80	8.0	19.3
2010	123	19.2	1.82	15.8	23.1	26	11.5	2.51	7.1	17.3
2011	121	19.0	1.82	15.6	22.8	29	13.1	2.68	8.3	19.2
2012	105	15.9	1.63	12.8	19.4	26	11.5	2.51	7.1	17.3
2013	156	23.6	1.98	19.9	27.8	43	16.1	2.62	11.4	22.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	19,504	9.9	0.07	9.8	10.0	17,423	10.3	0.08	10.1	10.4
1986	570	9.1	0.39	8.4	9.9	518	9.4	0.42	8.6	10.2
1987	572	9.2	0.39	8.4	10.0	514	9.3	0.42	8.5	10.2
1988	614	9.8	0.40	9.0	10.6	564	10.2	0.44	9.3	11.1
1989	597	9.4	0.39	8.7	10.2	546	9.8	0.43	9.0	10.7
1990	570	8.9	0.38	8.2	9.7	515	9.2	0.41	8.4	10.0
1991	577	8.9	0.37	8.1	9.6	525	9.1	0.40	8.3	10.0
1992	609	9.2	0.38	8.5	10.0	554	9.5	0.41	8.8	10.4
1993	643	9.7	0.38	8.9	10.5	584	10.0	0.42	9.2	10.9
1994	710	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8
1995	629	9.2	0.37	8.5	10.0	565	9.5	0.41	8.7	10.4
1996	724	10.6	0.40	9.8	11.4	639	10.8	0.43	9.9	11.6
1997	711	10.4	0.39	9.6	11.2	642	10.8	0.43	10.0	11.7
1998	689	10.0	0.38	9.3	10.8	620	10.5	0.43	9.7	11.4
1999	730	10.5	0.39	9.7	11.3	657	10.9	0.43	10.1	11.8
2000	764	11.0	0.40	10.2	11.8	689	11.5	0.45	10.7	12.5
2001	714	10.1	0.38	9.4	10.9	635	10.5	0.42	9.7	11.4
2002	739	10.3	0.38	9.6	11.1	646	10.5	0.42	9.7	11.4
2003	805	11.3	0.40	10.6	12.2	740	12.2	0.46	11.4	13.2
2004	724	10.0	0.38	9.3	10.8	650	10.6	0.42	9.8	11.5
2005	797	11.0	0.39	10.2	11.8	701	11.4	0.44	10.5	12.3
2006	762	10.4	0.38	9.7	11.2	680	11.0	0.43	10.2	11.9
2007	746	10.1	0.37	9.4	10.8	657	10.5	0.42	9.7	11.3
2008	779	10.4	0.38	9.7	11.2	665	10.5	0.42	9.7	11.4
2009	751	9.9	0.37	9.2	10.6	655	10.3	0.41	9.5	11.1
2010	715	9.2	0.35	8.5	9.9	637	9.7	0.39	9.0	10.6
2011	763	9.8	0.36	9.1	10.5	671	10.4	0.41	9.6	11.2
2012	737	9.4	0.35	8.7	10.1	642	9.7	0.39	8.9	10.5
2013	763	9.5	0.35	8.8	10.2	667	10.0	0.40	9.2	10.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,750	8.0	0.19	7.6	8.4	158	3.3	0.28	2.8	3.9
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	51	7.6	1.09	5.7	10.1	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	52	7.8	1.09	5.8	10.2	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	59	8.2	1.08	6.2	10.6	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	57	7.7	1.03	5.8	10.0	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	55	6.5	0.88	4.9	8.4	7	3.1	1.27	1.2	6.6
2005	71	8.2	0.98	6.4	10.4	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	92	10.3	1.08	8.3	12.7	7	2.9	1.16	1.1	6.0
2009	78	8.6	0.98	6.7	10.7	6	2.8	1.17	1.0	5.9
2010	64	6.9	0.87	5.3	8.8	9	3.3	1.14	1.4	6.2
2011	72	7.4	0.88	5.8	9.3	13	3.9	1.13	2.0	6.8
2012	76	8.1	0.93	6.4	10.1	10	3.3	1.09	1.6	6.1
2013	76	7.5	0.87	5.9	9.4	9	2.7	0.92	1.2	5.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kidney and Renal Pelvis</b>										
<b>Both Sexes</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	47,287	13.9	0.06	13.8	14.1	40,357	14.0	0.07	13.9	14.1
1986	941	8.8	0.29	8.2	9.4	836	8.9	0.31	8.3	9.5
1987	1,001	9.5	0.31	8.9	10.1	890	9.6	0.33	9.0	10.3
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,039	9.6	0.30	9.0	10.2	926	9.9	0.33	9.2	10.5
1991	1,138	10.4	0.31	9.8	11.0	1,025	10.7	0.34	10.1	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,075	11.1	0.34	10.5	11.8
1993	1,199	10.6	0.31	10.0	11.2	1,027	10.5	0.33	9.9	11.2
1994	1,288	11.4	0.32	10.7	12.0	1,123	11.4	0.34	10.8	12.1
1995	1,371	11.9	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9
1996	1,387	12.1	0.32	11.4	12.7	1,200	12.2	0.35	11.5	12.9
1997	1,509	13.0	0.33	12.3	13.7	1,301	13.1	0.36	12.4	13.8
1998	1,480	12.6	0.33	12.0	13.3	1,282	12.7	0.36	12.1	13.5
1999	1,526	12.8	0.33	12.2	13.5	1,321	13.0	0.36	12.3	13.7
2000	1,629	13.6	0.34	12.9	14.3	1,375	13.5	0.36	12.8	14.2
2001	1,730	14.3	0.34	13.6	15.0	1,468	14.3	0.37	13.6	15.1
2002	1,852	15.2	0.35	14.5	15.9	1,569	15.2	0.38	14.4	16.0
2003	1,950	15.8	0.36	15.1	16.5	1,649	15.8	0.39	15.0	16.6
2004	2,045	16.3	0.36	15.6	17.0	1,779	16.8	0.40	16.0	17.6
2005	2,055	16.3	0.36	15.6	17.0	1,731	16.3	0.39	15.6	17.1
2006	2,226	17.4	0.37	16.7	18.2	1,879	17.6	0.41	16.8	18.4
2007	2,241	17.3	0.37	16.6	18.0	1,869	17.3	0.40	16.5	18.1
2008	2,325	17.6	0.37	16.9	18.3	1,940	17.6	0.40	16.8	18.4
2009	2,389	17.9	0.37	17.2	18.6	2,008	18.1	0.41	17.3	18.9
2010	2,268	16.6	0.35	16.0	17.4	1,879	16.7	0.39	15.9	17.5
2011	2,409	17.4	0.36	16.7	18.1	1,993	17.4	0.40	16.7	18.2
2012	2,471	17.5	0.36	16.8	18.2	2,040	17.5	0.39	16.8	18.3
2013	2,476	17.3	0.36	16.7	18.1	2,066	17.6	0.39	16.8	18.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kidney and Renal Pelvis</b>										
<b>Both Sexes</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	5,985	14.5	0.19	14.1	14.9	600	6.0	0.26	5.5	6.6
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	104	8.3	0.83	6.7	10.1	7	3.8	1.58	1.3	8.2
1991	101	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	150	10.7	0.90	9.0	12.6	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	149	11.0	0.92	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	169	12.1	0.96	10.3	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	179	12.6	0.96	10.8	14.6	13	3.7	1.05	1.9	6.5
1999	183	12.8	0.97	11.0	14.9	17	5.6	1.46	3.2	9.2
2000	219	15.0	1.03	13.0	17.1	21	6.0	1.36	3.6	9.2
2001	230	15.4	1.04	13.5	17.6	20	5.3	1.26	3.1	8.3
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	268	17.1	1.06	15.1	19.4	18	4.6	1.15	2.6	7.4
2004	241	15.3	1.00	13.4	17.4	19	5.6	1.37	3.2	8.8
2005	272	17.2	1.06	15.1	19.4	32	7.3	1.39	4.8	10.5
2006	298	18.1	1.07	16.1	20.3	33	7.0	1.31	4.7	10.0
2007	327	20.1	1.13	17.9	22.4	30	6.0	1.18	3.9	8.8
2008	335	19.8	1.10	17.7	22.1	28	4.6	0.91	3.0	6.8
2009	323	18.7	1.06	16.6	20.9	40	7.6	1.28	5.3	10.5
2010	311	17.7	1.03	15.7	19.8	41	7.9	1.32	5.5	10.9
2011	334	18.6	1.04	16.6	20.8	40	6.6	1.10	4.6	9.1
2012	349	19.1	1.05	17.1	21.3	51	7.7	1.14	5.6	10.3
2013	327	17.6	0.99	15.7	19.6	48	7.5	1.14	5.4	10.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Kidney and Renal Pelvis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	28,558	19.1	0.11	18.9	19.4	24,430	19.1	0.12	18.9	19.4
1986	589	12.9	0.55	11.8	14.0	527	13.1	0.59	11.9	14.3
1987	615	13.8	0.58	12.7	15.0	548	14.0	0.62	12.8	15.3
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	609	13.4	0.56	12.3	14.5	539	13.6	0.60	12.4	14.8
1991	705	14.9	0.58	13.8	16.1	637	15.4	0.62	14.2	16.7
1992	714	15.0	0.57	13.9	16.2	634	15.2	0.62	14.1	16.5
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5
1995	801	16.3	0.58	15.1	17.5	708	16.6	0.63	15.4	17.9
1996	830	16.6	0.58	15.4	17.7	715	16.5	0.62	15.3	17.8
1997	872	17.2	0.59	16.1	18.4	756	17.4	0.64	16.2	18.7
1998	870	17.2	0.59	16.0	18.4	765	17.5	0.64	16.3	18.8
1999	892	17.4	0.59	16.3	18.6	766	17.4	0.63	16.2	18.7
2000	972	18.6	0.60	17.4	19.8	826	18.5	0.65	17.2	19.8
2001	1,036	19.4	0.61	18.2	20.6	885	19.4	0.66	18.1	20.7
2002	1,133	21.0	0.63	19.8	22.3	955	20.8	0.68	19.5	22.1
2003	1,215	22.3	0.65	21.1	23.7	1,026	22.2	0.70	20.9	23.6
2004	1,224	22.1	0.64	20.9	23.4	1,063	22.5	0.70	21.2	23.9
2005	1,244	22.1	0.63	20.8	23.4	1,046	21.9	0.68	20.6	23.3
2006	1,353	23.7	0.65	22.4	25.0	1,150	23.8	0.71	22.5	25.3
2007	1,347	23.2	0.64	21.9	24.4	1,125	22.9	0.69	21.6	24.3
2008	1,435	24.0	0.64	22.7	25.3	1,209	24.0	0.70	22.7	25.4
2009	1,418	23.3	0.63	22.1	24.6	1,190	23.4	0.69	22.1	24.8
2010	1,384	22.4	0.61	21.2	23.6	1,150	22.2	0.67	20.9	23.6
2011	1,481	23.3	0.62	22.1	24.6	1,242	23.4	0.68	22.1	24.8
2012	1,523	23.3	0.61	22.2	24.6	1,262	23.2	0.67	21.9	24.5
2013	1,539	23.4	0.61	22.2	24.6	1,273	23.3	0.67	22.0	24.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kidney and Renal Pelvis</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	3,525	20.4	0.36	19.7	21.1	391	8.7	0.49	7.7	9.7
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	64	12.2	1.61	9.3	15.8	4	5.8	3.23	1.3	15.5
1991	62	12.4	1.68	9.3	16.1	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	104	18.1	1.86	14.6	22.1	9	11.9	4.77	4.4	23.8
1997	100	16.1	1.67	13.0	19.7	12	8.4	2.62	4.0	15.3
1998	92	15.7	1.73	12.5	19.4	8	4.6	1.65	1.9	9.5
1999	114	18.3	1.78	14.9	22.1	10	7.0	2.32	3.2	13.2
2000	121	19.9	1.89	16.3	23.9	16	9.9	2.64	5.4	16.6
2001	130	20.7	1.91	17.1	24.8	14	8.1	2.38	4.1	14.2
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.1	2.10	22.2	30.5	11	6.0	1.96	2.8	11.1
2004	146	22.5	1.96	18.8	26.6	11	7.6	2.58	3.4	14.0
2005	163	25.0	2.08	21.1	29.4	22	11.9	2.85	7.0	18.7
2006	169	24.6	1.99	20.8	28.8	21	9.9	2.37	5.8	15.6
2007	194	28.9	2.17	24.8	33.4	18	6.8	1.70	3.8	11.1
2008	191	26.8	2.02	23.0	31.0	23	8.4	1.90	5.1	13.0
2009	188	25.2	1.92	21.6	29.3	30	11.7	2.26	7.7	17.0
2010	188	25.0	1.92	21.4	29.1	25	11.4	2.52	7.0	17.3
2011	192	24.8	1.87	21.2	28.7	25	8.6	1.90	5.3	13.1
2012	210	27.4	1.99	23.7	31.6	33	11.5	2.19	7.6	16.6
2013	206	25.5	1.84	22.0	29.4	34	11.7	2.17	7.8	16.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kidney and Renal Pelvis</b>										
<b>Females</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	18,729	9.9	0.07	9.8	10.1	15,927	10.0	0.08	9.8	10.1
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5
1987	386	6.4	0.33	5.8	7.1	342	6.4	0.35	5.7	7.1
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1
1991	433	6.9	0.34	6.3	7.6	388	7.1	0.37	6.4	7.9
1992	494	7.8	0.36	7.1	8.6	441	8.1	0.39	7.3	8.9
1993	487	7.6	0.35	6.9	8.3	411	7.4	0.37	6.7	8.1
1994	507	7.8	0.35	7.1	8.5	438	7.8	0.38	7.1	8.6
1995	570	8.7	0.37	8.0	9.5	504	9.0	0.40	8.2	9.8
1996	557	8.6	0.37	7.9	9.4	485	8.8	0.40	8.0	9.6
1997	637	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5
1998	610	9.2	0.38	8.5	10.0	517	9.2	0.41	8.4	10.0
1999	634	9.5	0.38	8.7	10.2	555	9.8	0.42	9.0	10.7
2000	657	9.8	0.38	9.0	10.6	549	9.6	0.42	8.8	10.5
2001	694	10.3	0.39	9.5	11.1	583	10.2	0.43	9.4	11.1
2002	719	10.6	0.40	9.8	11.4	614	10.7	0.44	9.9	11.6
2003	735	10.7	0.40	10.0	11.6	623	10.8	0.44	10.0	11.7
2004	821	11.8	0.42	11.0	12.7	716	12.3	0.47	11.4	13.3
2005	811	11.6	0.41	10.8	12.5	685	11.8	0.46	10.9	12.7
2006	873	12.4	0.42	11.6	13.2	729	12.4	0.46	11.5	13.3
2007	894	12.6	0.43	11.8	13.4	744	12.6	0.47	11.7	13.6
2008	890	12.4	0.42	11.6	13.2	731	12.3	0.46	11.4	13.2
2009	971	13.3	0.43	12.5	14.2	818	13.6	0.49	12.7	14.6
2010	884	12.0	0.41	11.2	12.8	729	12.0	0.46	11.2	13.0
2011	928	12.4	0.42	11.6	13.3	751	12.4	0.46	11.5	13.3
2012	948	12.5	0.41	11.7	13.3	778	12.5	0.46	11.7	13.5
2013	937	12.2	0.41	11.4	13.0	793	12.7	0.46	11.8	13.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kidney and Renal Pelvis</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	2,460	10.4	0.21	9.9	10.8	209	3.9	0.28	3.4	4.5
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	68	8.5	1.05	6.6	10.8	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	62	7.8	1.01	6.0	10.1	3	2.5	1.47	0.5	7.1
1996	65	8.0	1.01	6.1	10.2	4	2.1	1.06	0.6	5.7
1997	78	9.6	1.10	7.5	12.0	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	98	11.5	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	99	10.9	1.11	8.9	13.3	7	3.3	1.31	1.3	6.9
2004	95	10.5	1.08	8.4	12.8	8	4.2	1.53	1.7	8.2
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	12	4.7	1.41	2.3	8.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	144	14.8	1.24	12.4	17.4	5	1.5	0.68	0.5	3.6
2009	135	13.8	1.21	11.6	16.4	10	3.9	1.30	1.8	7.3
2010	123	12.3	1.12	10.2	14.7	16	5.4	1.42	2.9	8.8
2011	142	13.8	1.18	11.6	16.3	15	5.0	1.33	2.7	8.3
2012	139	13.4	1.15	11.2	15.8	18	4.8	1.17	2.8	7.7
2013	121	11.6	1.07	9.6	13.9	14	3.9	1.09	2.1	6.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,138	0.6	0.01	0.6	0.7	2,018	0.7	0.02	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	80	0.7	0.08	0.5	0.8	76	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	80	0.7	0.07	0.5	0.8	74	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2006	97	0.8	0.08	0.6	1.0	87	0.8	0.09	0.7	1.0
2007	89	0.7	0.07	0.6	0.9	83	0.8	0.08	0.6	1.0
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2010	90	0.7	0.07	0.6	0.9	83	0.7	0.08	0.6	0.9
2011	87	0.6	0.07	0.5	0.8	78	0.7	0.08	0.5	0.8
2012	86	0.6	0.07	0.5	0.8	80	0.7	0.08	0.6	0.9
2013	67	0.5	0.06	0.4	0.6	64	0.6	0.07	0.4	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	83	0.2	0.03	0.2	0.3	29	0.3	0.07	0.2	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	4	0.3	0.14	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.3	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,286	0.9	0.03	0.9	1.0	1,217	1.0	0.03	1.0	1.1
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.9	1.5
1998	50	1.1	0.15	0.8	1.4	48	1.2	0.17	0.9	1.5
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2007	53	1.0	0.14	0.8	1.4	50	1.1	0.16	0.8	1.5
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3
2010	53	0.9	0.13	0.7	1.2	49	1.0	0.15	0.7	1.3
2011	55	0.9	0.13	0.7	1.2	51	1.0	0.14	0.7	1.3
2012	51	0.9	0.13	0.7	1.2	46	0.9	0.14	0.7	1.3
2013	42	0.7	0.11	0.5	1.0	41	0.8	0.13	0.6	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	48	0.3	0.05	0.2	0.4	17	0.5	0.12	0.3	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	2	0.3	0.21	0.0	1.1	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.32	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.8	1.07	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.68	0.0	3.0
2013	0					1	0.2	0.23	0.0	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	852	0.4	0.01	0.4	0.5	801	0.5	0.02	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6
2000	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7
2006	42	0.6	0.09	0.4	0.8	36	0.6	0.10	0.4	0.8
2007	36	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
2012	35	0.5	0.08	0.3	0.6	34	0.5	0.09	0.4	0.8
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Ureter										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	35	0.2	0.03	0.1	0.2	12	0.2	0.07	0.1	0.4
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.39	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,684	0.8	0.02	0.8	0.8	2,471	0.9	0.02	0.8	0.9
1986	64	0.6	0.08	0.5	0.8	60	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	97	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	80	0.7	0.08	0.5	0.9	75	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	95	0.8	0.08	0.6	1.0	88	0.9	0.09	0.7	1.1
2001	104	0.9	0.08	0.7	1.0	92	0.9	0.09	0.7	1.1
2002	91	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	102	0.8	0.08	0.7	1.0	96	0.9	0.09	0.8	1.1
2005	123	1.0	0.09	0.8	1.2	116	1.1	0.10	0.9	1.3
2006	106	0.8	0.08	0.7	1.0	103	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	119	1.1	0.10	0.9	1.4
2008	100	0.8	0.08	0.6	0.9	90	0.8	0.09	0.7	1.0
2009	143	1.1	0.09	0.9	1.3	133	1.2	0.11	1.0	1.5
2010	105	0.8	0.08	0.7	1.0	98	0.9	0.09	0.7	1.1
2011	112	0.9	0.08	0.7	1.0	99	0.9	0.09	0.7	1.1
2012	101	0.7	0.07	0.6	0.9	93	0.8	0.09	0.7	1.0
2013	110	0.8	0.08	0.7	1.0	98	0.9	0.09	0.7	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	128	0.2	0.02	0.2	0.3	35	0.3	0.06	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	2	1.2	0.93	0.1	4.9
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	4	0.2	0.12	0.1	0.6	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	2	0.3	0.24	0.0	1.2
2011	7	0.4	0.13	0.1	0.7	2	0.5	0.34	0.1	1.6
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.19	0.0	1.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,429	0.9	0.03	0.9	1.0	1,319	1.0	0.03	1.0	1.1
1986	35	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0
1991	33	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7
1997	46	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2002	58	1.0	0.14	0.8	1.3	50	1.1	0.15	0.8	1.4
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7
2004	50	0.9	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7
2006	54	0.9	0.13	0.7	1.2	53	1.1	0.15	0.8	1.4
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6
2008	57	1.0	0.13	0.8	1.3	54	1.1	0.15	0.8	1.5
2009	83	1.3	0.15	1.1	1.6	76	1.5	0.17	1.1	1.8
2010	54	0.9	0.13	0.7	1.2	51	1.0	0.15	0.8	1.4
2011	65	1.1	0.13	0.8	1.4	61	1.2	0.16	0.9	1.5
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.15	0.8	1.4
2013	62	1.0	0.13	0.8	1.3	55	1.1	0.15	0.8	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	71	0.3	0.04	0.2	0.4	18	0.3	0.10	0.2	0.6
1986	2	0.3	0.19	0.0	1.1	1	0.7	0.68	0.0	7.5
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	4	0.5	0.26	0.1	1.4	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	2	0.7	0.51	0.1	2.7
2011	2	0.2	0.17	0.0	0.9	0				
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.25	0.0	1.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,255	0.7	0.02	0.6	0.7	1,152	0.8	0.02	0.7	0.8
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7
1991	39	0.6	0.10	0.5	0.9	34	0.6	0.11	0.4	0.9
1992	47	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0
2000	39	0.6	0.09	0.4	0.8	37	0.7	0.11	0.5	0.9
2001	50	0.8	0.11	0.6	1.0	45	0.8	0.13	0.6	1.1
2002	33	0.5	0.08	0.3	0.7	29	0.5	0.10	0.3	0.7
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4
2004	52	0.8	0.11	0.6	1.0	50	0.9	0.13	0.7	1.2
2005	54	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2
2006	52	0.8	0.11	0.6	1.0	50	0.9	0.13	0.7	1.2
2007	62	0.9	0.12	0.7	1.2	60	1.1	0.14	0.8	1.4
2008	43	0.6	0.10	0.4	0.8	36	0.6	0.10	0.4	0.9
2009	60	0.9	0.11	0.7	1.1	57	1.0	0.14	0.8	1.3
2010	51	0.7	0.10	0.5	1.0	47	0.8	0.12	0.6	1.1
2011	47	0.7	0.10	0.5	0.9	38	0.7	0.11	0.5	0.9
2012	47	0.6	0.10	0.5	0.9	40	0.7	0.11	0.5	0.9
2013	48	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Eye and Orbit										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	57	0.2	0.03	0.2	0.3	17	0.3	0.08	0.2	0.5
1986	0					1	1.5	1.54	0.0	8.0
1987	2	0.2	0.18	0.0	0.9	0				
1988	4	0.3	0.17	0.1	1.0	0				
1989	2	0.2	0.14	0.0	0.8	0				
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7
1991	1	0.1	0.08	0.0	0.6	0				
1992	3	0.4	0.23	0.1	1.1	0				
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9
1994	3	0.3	0.20	0.1	1.0	0				
1995	2	0.1	0.10	0.0	0.6	0				
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1
1997	0					0				
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8
1999	4	0.4	0.19	0.1	1.0	0				
2000	0					1	0.8	0.79	0.0	3.7
2001	3	0.3	0.14	0.1	0.8	0				
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4
2003	0					0				
2004	2	0.2	0.13	0.0	0.7	0				
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3
2006	0					1	0.3	0.30	0.0	1.9
2007	1	0.1	0.09	0.0	0.5	0				
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6
2009	2	0.2	0.14	0.0	0.7	0				
2010	3	0.3	0.16	0.1	0.8	0				
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.59	0.1	2.7
2012	2	0.2	0.14	0.0	0.7	0				
2013	3	0.3	0.18	0.1	0.9	1	0.3	0.27	0.0	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	21,940	6.4	0.04	6.4	6.5	19,629	6.9	0.05	6.8	7.0
1986	652	5.9	0.24	5.5	6.4	596	6.3	0.26	5.8	6.9
1987	680	6.3	0.25	5.8	6.8	607	6.6	0.27	6.1	7.1
1988	709	6.4	0.24	6.0	6.9	634	6.7	0.27	6.2	7.3
1989	756	6.8	0.25	6.3	7.3	684	7.2	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	668	7.0	0.27	6.5	7.5
1992	711	6.3	0.24	5.8	6.7	639	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	770	6.7	0.24	6.2	7.1	685	7.0	0.27	6.5	7.5
1995	724	6.2	0.23	5.8	6.7	665	6.8	0.26	6.3	7.3
1996	761	6.4	0.23	6.0	6.9	683	6.9	0.26	6.4	7.4
1997	796	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	667	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	701	7.0	0.26	6.4	7.5
2000	774	6.4	0.23	5.9	6.8	693	6.9	0.26	6.4	7.4
2001	792	6.5	0.23	6.0	6.9	721	7.1	0.26	6.6	7.7
2002	762	6.2	0.22	5.7	6.6	684	6.7	0.26	6.2	7.2
2003	800	6.4	0.23	6.0	6.9	723	7.0	0.26	6.5	7.6
2004	852	6.8	0.23	6.4	7.3	764	7.4	0.27	6.9	8.0
2005	810	6.4	0.23	6.0	6.9	715	6.9	0.26	6.4	7.4
2006	894	7.0	0.24	6.6	7.5	785	7.5	0.27	7.0	8.1
2007	829	6.4	0.23	6.0	6.9	731	6.9	0.26	6.4	7.5
2008	892	6.9	0.23	6.4	7.3	788	7.4	0.27	6.9	7.9
2009	841	6.4	0.22	6.0	6.9	744	7.0	0.26	6.5	7.5
2010	893	6.7	0.23	6.3	7.2	787	7.3	0.26	6.8	7.8
2011	909	6.8	0.23	6.4	7.3	789	7.3	0.26	6.8	7.8
2012	828	6.0	0.21	5.6	6.5	735	6.6	0.25	6.1	7.1
2013	835	6.1	0.22	5.7	6.6	749	6.8	0.25	6.3	7.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Brain and Other Nervous System</b>										
<b>Both Sexes</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	1,789	3.9	0.10	3.7	4.1	391	3.4	0.18	3.0	3.7
1986	53	3.7	0.53	2.7	4.9	3	1.1	0.66	0.2	4.3
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	67	4.6	0.59	3.5	5.9	7	3.1	1.37	1.0	7.3
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	52	3.4	0.49	2.5	4.5	5	1.6	0.82	0.4	4.1
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	17	4.7	1.22	2.6	7.8
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	51	3.2	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	12	3.0	1.00	1.3	5.5
2004	66	3.9	0.50	3.0	5.0	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	68	3.9	0.48	3.0	4.9	25	4.2	0.91	2.6	6.4
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	23	3.7	0.82	2.3	5.7
2010	77	4.2	0.49	3.3	5.3	22	4.0	0.90	2.4	6.1
2011	89	4.8	0.52	3.9	6.0	21	2.9	0.65	1.8	4.5
2012	56	2.9	0.40	2.2	3.8	26	3.8	0.79	2.4	5.7
2013	57	3.2	0.43	2.4	4.1	19	3.0	0.71	1.7	4.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Brain and Other Nervous System</b>										
<b>Males</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	11,894	7.6	0.07	7.5	7.8	10,674	8.1	0.08	8.0	8.3
1986	335	6.6	0.37	5.9	7.4	312	7.2	0.42	6.4	8.0
1987	371	7.6	0.41	6.8	8.4	329	7.8	0.44	7.0	8.7
1988	378	7.5	0.40	6.7	8.3	347	8.0	0.44	7.2	8.9
1989	395	7.9	0.41	7.1	8.7	358	8.3	0.45	7.5	9.3
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7
1991	397	7.8	0.40	7.0	8.6	367	8.4	0.45	7.6	9.3
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0
1994	434	8.3	0.41	7.5	9.2	389	8.8	0.45	7.9	9.7
1995	399	7.4	0.38	6.7	8.2	372	8.2	0.43	7.4	9.1
1996	419	7.7	0.38	6.9	8.4	382	8.3	0.43	7.5	9.2
1997	451	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8
1998	417	7.6	0.38	6.9	8.3	365	7.9	0.42	7.1	8.8
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1
2000	405	7.3	0.36	6.6	8.0	362	7.7	0.41	6.9	8.6
2001	442	8.0	0.38	7.2	8.7	399	8.5	0.43	7.7	9.4
2002	382	6.7	0.35	6.1	7.4	345	7.2	0.39	6.5	8.1
2003	446	7.8	0.37	7.0	8.5	402	8.4	0.42	7.6	9.2
2004	441	7.8	0.37	7.0	8.5	398	8.4	0.42	7.6	9.3
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9
2006	489	8.3	0.38	7.6	9.1	438	9.0	0.43	8.2	9.9
2007	430	7.1	0.35	6.4	7.8	377	7.6	0.39	6.8	8.4
2008	465	7.8	0.37	7.1	8.5	408	8.2	0.41	7.5	9.1
2009	452	7.4	0.35	6.7	8.1	399	7.9	0.40	7.2	8.8
2010	487	7.9	0.36	7.2	8.6	437	8.6	0.42	7.8	9.5
2011	503	8.1	0.37	7.4	8.9	434	8.5	0.42	7.7	9.4
2012	460	7.1	0.34	6.5	7.8	410	7.7	0.39	7.0	8.5
2013	469	7.3	0.34	6.6	8.0	414	7.9	0.40	7.2	8.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Brain and Other Nervous System</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	936	4.6	0.16	4.3	4.9	217	4.0	0.30	3.4	4.6
1986	21	3.4	0.76	2.0	5.2	2	1.4	1.03	0.2	8.4
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	27	4.2	0.87	2.7	6.3	3	1.7	0.98	0.4	7.8
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	11	7.1	2.39	3.2	13.7
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	6	3.2	1.61	0.9	7.8
2004	31	4.1	0.80	2.7	6.0	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	32	3.9	0.72	2.7	5.6	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	13	4.6	1.47	2.2	8.5
2010	36	4.6	0.80	3.2	6.5	10	3.3	1.05	1.5	6.1
2011	55	6.7	0.94	5.0	8.8	9	2.9	1.01	1.2	5.7
2012	30	3.4	0.64	2.3	4.9	15	5.5	1.60	2.9	9.5
2013	37	4.2	0.72	3.0	5.9	12	4.0	1.26	1.9	7.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,046	5.5	0.05	5.4	5.6	8,955	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	284	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	287	5.7	0.34	5.0	6.4
1989	361	6.1	0.33	5.5	6.8	326	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	323	5.2	0.29	4.6	5.8	287	5.5	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	336	5.3	0.29	4.7	5.9	296	5.5	0.32	4.9	6.2
1995	325	5.1	0.29	4.6	5.7	293	5.6	0.33	4.9	6.2
1996	342	5.4	0.29	4.8	6.0	301	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	321	5.9	0.33	5.3	6.6
2000	369	5.7	0.30	5.1	6.3	331	6.2	0.34	5.5	6.9
2001	350	5.3	0.29	4.8	5.9	322	6.0	0.34	5.3	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	354	5.3	0.28	4.7	5.9	321	5.9	0.33	5.2	6.5
2004	411	6.1	0.30	5.5	6.8	366	6.7	0.35	6.0	7.4
2005	368	5.5	0.29	4.9	6.1	323	5.9	0.33	5.3	6.6
2006	405	6.0	0.30	5.4	6.6	347	6.3	0.34	5.7	7.0
2007	399	5.8	0.30	5.3	6.5	354	6.4	0.35	5.7	7.1
2008	427	6.1	0.30	5.5	6.7	380	6.7	0.35	6.0	7.4
2009	389	5.6	0.29	5.1	6.2	345	6.2	0.34	5.5	6.9
2010	406	5.7	0.29	5.2	6.3	350	6.1	0.33	5.5	6.8
2011	406	5.7	0.29	5.2	6.3	355	6.2	0.34	5.6	6.9
2012	368	5.1	0.27	4.6	5.7	325	5.6	0.32	5.0	6.3
2013	366	5.1	0.27	4.6	5.6	335	5.8	0.33	5.2	6.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	853	3.4	0.12	3.1	3.6	174	2.8	0.23	2.4	3.3
1986	32	3.9	0.72	2.6	5.6	1	0.8	0.83	0.0	6.2
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	40	5.0	0.81	3.5	6.8	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	29	3.5	0.65	2.3	5.0	2	1.5	1.18	0.1	5.6
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	18	2.0	0.47	1.1	3.1	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	6	2.7	1.25	0.8	6.2
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	8	2.9	1.08	1.2	5.8
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	34	3.3	0.58	2.3	4.7	12	3.0	0.87	1.5	5.3
2012	26	2.5	0.50	1.6	3.7	11	2.7	0.81	1.3	4.9
2013	20	2.2	0.49	1.3	3.3	7	2.2	0.84	0.9	4.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	20,598	6.1	0.04	6.0	6.1	18,535	6.5	0.05	6.4	6.6
1986	606	5.5	0.23	5.1	6.0	559	5.9	0.26	5.4	6.5
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	648	5.8	0.23	5.4	6.3	588	6.2	0.26	5.7	6.8
1989	706	6.4	0.24	5.9	6.9	646	6.8	0.27	6.3	7.4
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	633	6.6	0.27	6.1	7.1
1992	677	6.0	0.23	5.5	6.4	611	6.3	0.26	5.8	6.9
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6
1994	729	6.3	0.23	5.9	6.8	651	6.7	0.26	6.2	7.2
1995	687	5.9	0.23	5.5	6.4	633	6.5	0.26	6.0	7.0
1996	708	6.0	0.23	5.5	6.4	645	6.5	0.26	6.0	7.0
1997	755	6.4	0.23	5.9	6.8	686	6.9	0.26	6.4	7.5
1998	706	5.9	0.22	5.5	6.4	627	6.3	0.25	5.8	6.8
1999	746	6.2	0.23	5.8	6.6	663	6.6	0.26	6.1	7.1
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1
2001	750	6.1	0.22	5.7	6.6	687	6.8	0.26	6.3	7.3
2002	726	5.9	0.22	5.5	6.3	656	6.4	0.25	5.9	6.9
2003	770	6.2	0.22	5.8	6.7	695	6.8	0.26	6.3	7.3
2004	797	6.4	0.23	5.9	6.8	714	6.9	0.26	6.4	7.5
2005	751	5.9	0.22	5.5	6.4	670	6.4	0.25	5.9	6.9
2006	849	6.7	0.23	6.2	7.2	753	7.2	0.27	6.7	7.8
2007	770	6.0	0.22	5.6	6.4	680	6.4	0.25	6.0	7.0
2008	840	6.5	0.23	6.0	6.9	744	7.0	0.26	6.5	7.5
2009	789	6.0	0.22	5.6	6.5	703	6.6	0.25	6.1	7.1
2010	851	6.4	0.22	6.0	6.9	753	7.0	0.26	6.5	7.5
2011	858	6.4	0.22	6.0	6.9	746	6.9	0.26	6.4	7.4
2012	780	5.7	0.21	5.3	6.1	694	6.2	0.24	5.7	6.7
2013	785	5.8	0.21	5.4	6.2	705	6.4	0.25	5.9	6.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,593	3.5	0.09	3.3	3.7	357	3.1	0.18	2.7	3.4
1986	44	3.0	0.48	2.2	4.1	3	1.1	0.66	0.2	4.3
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	6	2.6	1.28	0.7	6.6
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	49	3.2	0.48	2.3	4.3	3	1.2	0.76	0.2	3.7
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	15	4.0	1.11	2.2	6.9
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	45	2.9	0.44	2.1	3.9	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	12	3.0	1.00	1.3	5.5
2004	61	3.6	0.48	2.7	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	61	3.5	0.45	2.6	4.5	24	4.1	0.90	2.5	6.3
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	21	3.4	0.80	2.1	5.4
2010	73	4.0	0.47	3.1	5.0	20	3.7	0.87	2.2	5.8
2011	82	4.5	0.51	3.6	5.6	21	2.9	0.65	1.8	4.5
2012	53	2.8	0.39	2.1	3.7	25	3.7	0.77	2.3	5.5
2013	53	2.9	0.41	2.2	3.8	18	2.8	0.70	1.6	4.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	11,288	7.2	0.07	7.1	7.4	10,182	7.8	0.08	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	297	6.8	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	360	7.1	0.39	6.4	7.9	334	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	343	7.8	0.43	7.0	8.7
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	422	8.1	0.40	7.3	8.9	379	8.6	0.45	7.7	9.5
1995	380	7.1	0.37	6.4	7.9	355	7.9	0.42	7.0	8.7
1996	394	7.2	0.37	6.5	8.0	365	7.9	0.42	7.1	8.8
1997	429	8.0	0.39	7.2	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	340	7.4	0.40	6.6	8.2
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	387	7.0	0.36	6.3	7.7	347	7.4	0.40	6.6	8.2
2001	419	7.6	0.37	6.8	8.3	380	8.1	0.42	7.3	9.0
2002	363	6.4	0.34	5.7	7.1	331	7.0	0.38	6.2	7.7
2003	435	7.6	0.37	6.9	8.3	393	8.2	0.42	7.4	9.1
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	472	8.1	0.38	7.3	8.8	425	8.7	0.43	7.9	9.6
2007	404	6.7	0.34	6.0	7.4	354	7.1	0.38	6.4	7.9
2008	447	7.5	0.36	6.8	8.2	394	8.0	0.41	7.2	8.8
2009	424	6.9	0.34	6.3	7.6	376	7.5	0.39	6.7	8.3
2010	475	7.7	0.36	7.0	8.4	426	8.4	0.41	7.6	9.2
2011	484	7.8	0.36	7.1	8.6	418	8.2	0.41	7.4	9.0
2012	438	6.8	0.33	6.2	7.5	394	7.4	0.38	6.7	8.2
2013	443	6.9	0.33	6.2	7.6	390	7.4	0.38	6.7	8.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Brain</b>										
<b>Males</b>										
<b>Year</b>	<b>Blacks</b>					<b>Asian or Other Races</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	848	4.2	0.15	3.9	4.5	199	3.7	0.29	3.1	4.3
1986	16	2.5	0.64	1.4	4.1	2	1.4	1.03	0.2	8.4
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	3	1.7	0.98	0.4	7.8
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	9	5.7	2.12	2.3	11.7
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.81	3.1	6.5	6	3.2	1.61	0.9	7.8
2004	28	3.7	0.76	2.3	5.5	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	29	3.5	0.68	2.3	5.2	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	12	4.4	1.45	2.0	8.2
2010	35	4.5	0.80	3.1	6.3	10	3.3	1.05	1.5	6.1
2011	53	6.5	0.93	4.8	8.6	9	2.9	1.01	1.2	5.7
2012	28	3.2	0.62	2.1	4.7	14	5.3	1.57	2.6	9.2
2013	36	4.1	0.70	2.8	5.7	11	3.7	1.23	1.7	6.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	9,310	5.1	0.05	5.0	5.2	8,353	5.5	0.06	5.4	5.6
1986	291	4.9	0.29	4.3	5.5	262	5.1	0.32	4.5	5.8
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7
1989	332	5.6	0.31	5.0	6.2	304	6.1	0.35	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2
1992	306	4.9	0.28	4.4	5.5	272	5.2	0.32	4.6	5.8
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	307	4.8	0.28	4.3	5.4	272	5.0	0.31	4.5	5.7
1995	307	4.8	0.28	4.3	5.4	278	5.2	0.32	4.6	5.9
1996	314	4.9	0.28	4.4	5.5	280	5.3	0.32	4.7	5.9
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	338	5.2	0.28	4.6	5.7	300	5.5	0.32	4.9	6.2
2000	344	5.3	0.28	4.7	5.9	312	5.8	0.33	5.2	6.5
2001	331	5.0	0.28	4.5	5.6	307	5.7	0.33	5.1	6.4
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7
2003	335	5.0	0.27	4.5	5.6	302	5.5	0.32	4.9	6.1
2004	377	5.6	0.29	5.1	6.2	334	6.1	0.34	5.4	6.8
2005	336	5.0	0.27	4.4	5.5	299	5.4	0.32	4.8	6.0
2006	377	5.6	0.29	5.0	6.2	328	6.0	0.33	5.3	6.6
2007	366	5.3	0.28	4.8	5.9	326	5.9	0.33	5.2	6.6
2008	393	5.6	0.29	5.1	6.2	350	6.2	0.33	5.5	6.8
2009	365	5.3	0.28	4.7	5.8	327	5.8	0.33	5.2	6.5
2010	376	5.3	0.28	4.7	5.8	327	5.7	0.32	5.1	6.3
2011	374	5.2	0.28	4.7	5.8	328	5.7	0.32	5.1	6.4
2012	342	4.8	0.26	4.3	5.3	300	5.2	0.31	4.6	5.8
2013	342	4.7	0.26	4.2	5.3	315	5.4	0.31	4.8	6.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	745	2.9	0.11	2.7	3.1	158	2.6	0.22	2.2	3.0
1986	28	3.4	0.67	2.2	5.0	1	0.8	0.83	0.0	6.2
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	27	3.2	0.62	2.1	4.7	1	1.1	1.14	0.0	5.3
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	15	1.7	0.43	0.9	2.7	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	6	2.7	1.25	0.8	6.2
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	7	2.6	1.05	1.0	5.5
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.2	12	3.0	0.87	1.5	5.3
2012	25	2.5	0.50	1.6	3.7	11	2.7	0.81	1.3	4.9
2013	17	1.8	0.45	1.1	2.9	7	2.2	0.84	0.9	4.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	31,548	9.3	0.05	9.2	9.4	27,161	9.7	0.06	9.6	9.8
1986	520	4.8	0.22	4.4	5.3	457	5.0	0.24	4.5	5.4
1987	552	5.1	0.22	4.6	5.5	494	5.4	0.25	4.9	5.9
1988	550	5.0	0.22	4.6	5.4	475	5.1	0.24	4.6	5.5
1989	525	4.8	0.21	4.3	5.2	450	4.8	0.23	4.4	5.3
1990	602	5.4	0.22	5.0	5.8	531	5.6	0.25	5.2	6.1
1991	567	5.0	0.21	4.6	5.5	500	5.3	0.24	4.8	5.8
1992	631	5.6	0.22	5.1	6.0	561	5.9	0.25	5.4	6.4
1993	673	5.9	0.23	5.4	6.3	594	6.2	0.25	5.7	6.7
1994	666	5.7	0.22	5.3	6.2	583	6.0	0.25	5.5	6.5
1995	735	6.2	0.23	5.8	6.7	632	6.4	0.26	5.9	7.0
1996	795	6.7	0.24	6.2	7.2	697	7.1	0.27	6.5	7.6
1997	832	7.0	0.24	6.5	7.5	706	7.1	0.27	6.6	7.7
1998	845	7.0	0.24	6.5	7.5	713	7.1	0.27	6.6	7.7
1999	944	7.7	0.25	7.3	8.3	821	8.2	0.29	7.6	8.8
2000	940	7.7	0.25	7.2	8.2	810	8.0	0.28	7.5	8.6
2001	1,022	8.3	0.26	7.8	8.8	876	8.6	0.29	8.1	9.2
2002	1,204	9.7	0.28	9.1	10.2	1,050	10.3	0.32	9.7	10.9
2003	1,220	9.7	0.28	9.2	10.3	1,057	10.3	0.32	9.7	11.0
2004	1,368	10.9	0.30	10.3	11.5	1,202	11.8	0.34	11.1	12.4
2005	1,389	11.0	0.30	10.4	11.6	1,187	11.5	0.34	10.9	12.2
2006	1,551	12.2	0.31	11.6	12.8	1,329	12.9	0.36	12.2	13.6
2007	1,658	12.9	0.32	12.3	13.6	1,420	13.7	0.37	13.0	14.4
2008	1,754	13.5	0.33	12.9	14.2	1,511	14.5	0.38	13.7	15.2
2009	1,864	14.3	0.33	13.7	15.0	1,614	15.4	0.39	14.6	16.2
2010	1,872	14.3	0.33	13.6	14.9	1,581	15.0	0.38	14.3	15.8
2011	1,976	14.8	0.34	14.2	15.5	1,682	15.7	0.39	14.9	16.4
2012	2,129	16.0	0.35	15.3	16.7	1,801	16.8	0.40	16.1	17.6
2013	2,164	16.2	0.35	15.5	16.9	1,827	17.2	0.41	16.4	18.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,580	5.8	0.12	5.5	6.0	1,327	10.2	0.30	9.6	10.8
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	47	3.5	0.54	2.5	4.7	22	10.0	2.72	5.4	16.6
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	41	3.0	0.48	2.1	4.1	7	2.1	0.80	0.8	4.8
1992	48	3.2	0.48	2.4	4.3	14	5.9	1.78	2.9	10.4
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.39	4.0	10.1
1994	57	3.9	0.54	3.0	5.1	21	6.4	1.52	3.8	10.2
1995	61	4.0	0.53	3.1	5.2	31	8.6	1.65	5.7	12.6
1996	66	4.2	0.53	3.3	5.4	28	7.9	1.72	4.9	12.0
1997	81	5.6	0.63	4.4	6.9	35	8.7	1.58	5.9	12.4
1998	79	5.1	0.59	4.0	6.4	39	9.4	1.71	6.3	13.4
1999	63	3.8	0.49	2.9	4.9	36	8.9	1.63	6.0	12.8
2000	73	4.4	0.53	3.5	5.6	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	98	6.0	0.61	4.8	7.3	39	7.4	1.26	5.2	10.4
2003	100	5.9	0.60	4.8	7.2	37	6.6	1.15	4.5	9.3
2004	98	5.7	0.58	4.6	6.9	53	10.2	1.48	7.5	13.6
2005	109	6.4	0.63	5.3	7.8	69	12.7	1.64	9.7	16.3
2006	128	7.3	0.65	6.1	8.7	74	12.7	1.56	9.9	16.2
2007	131	7.5	0.66	6.2	8.9	76	12.3	1.49	9.5	15.6
2008	139	7.7	0.66	6.4	9.1	82	12.1	1.39	9.5	15.1
2009	154	8.6	0.71	7.3	10.1	68	9.8	1.24	7.5	12.6
2010	168	9.0	0.71	7.7	10.5	83	11.2	1.28	8.9	14.1
2011	167	8.9	0.70	7.6	10.4	105	14.3	1.46	11.6	17.5
2012	173	9.3	0.72	8.0	10.9	116	15.3	1.47	12.6	18.5
2013	174	9.1	0.70	7.8	10.6	120	15.0	1.40	12.4	18.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	8,341	5.3	0.06	5.1	5.4	7,305	5.5	0.06	5.4	5.6
1986	146	3.0	0.26	2.5	3.6	135	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	150	3.4	0.28	2.9	4.0
1991	156	3.1	0.25	2.6	3.6	139	3.2	0.28	2.7	3.8
1992	186	3.6	0.27	3.1	4.1	163	3.7	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	191	3.6	0.26	3.1	4.1	162	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	168	3.7	0.28	3.1	4.3
1996	220	4.1	0.28	3.5	4.6	192	4.2	0.30	3.6	4.8
1997	228	4.2	0.28	3.7	4.8	197	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	214	4.6	0.32	4.0	5.3
1999	253	4.4	0.28	3.9	5.0	225	4.7	0.32	4.1	5.4
2000	225	4.0	0.27	3.4	4.5	201	4.2	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	307	5.3	0.30	4.7	5.9	271	5.6	0.34	5.0	6.3
2003	291	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	360	6.1	0.32	5.4	6.7	324	6.6	0.37	5.9	7.3
2005	367	6.1	0.32	5.5	6.8	324	6.5	0.36	5.8	7.3
2006	404	6.7	0.34	6.1	7.4	348	7.0	0.38	6.3	7.8
2007	430	7.1	0.35	6.4	7.8	372	7.4	0.39	6.7	8.2
2008	430	6.9	0.33	6.2	7.5	382	7.4	0.38	6.7	8.2
2009	439	7.0	0.34	6.4	7.7	383	7.4	0.38	6.7	8.2
2010	499	8.0	0.36	7.3	8.7	433	8.5	0.41	7.7	9.3
2011	519	8.1	0.36	7.5	8.9	450	8.5	0.41	7.8	9.4
2012	548	8.5	0.37	7.8	9.2	479	9.0	0.42	8.2	9.9
2013	593	9.0	0.38	8.3	9.8	518	9.7	0.43	8.8	10.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	600	3.1	0.13	2.9	3.4	319	5.4	0.33	4.8	6.1
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	9	1.3	0.44	0.6	2.5	4	2.5	1.24	0.7	8.1
1992	16	2.5	0.64	1.4	4.1	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	5	2.5	1.12	0.8	7.0
1996	19	3.0	0.69	1.8	4.7	8	4.2	1.55	1.8	9.2
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	23	3.3	0.70	2.1	5.0	12	6.7	2.08	3.2	12.4
1999	16	2.3	0.62	1.3	3.9	8	4.3	1.67	1.7	9.3
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	19	2.4	0.58	1.4	3.9	13	6.0	1.87	2.9	10.9
2005	26	3.6	0.72	2.3	5.3	13	4.9	1.46	2.5	8.8
2006	31	3.9	0.72	2.6	5.6	20	7.6	1.82	4.4	12.1
2007	30	4.3	0.84	2.8	6.3	22	7.9	1.82	4.7	12.4
2008	30	3.7	0.71	2.4	5.3	13	3.6	1.02	1.9	6.5
2009	31	3.9	0.72	2.6	5.6	18	5.3	1.30	3.1	8.7
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.6	0.78	3.2	6.4	26	7.9	1.65	5.0	11.9
2012	38	5.0	0.84	3.5	6.9	24	6.7	1.43	4.2	10.2
2013	36	4.2	0.72	2.9	5.9	29	8.0	1.51	5.3	11.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	23,207	13.2	0.09	13.0	13.3	19,856	13.9	0.10	13.7	14.1
1986	374	6.5	0.34	5.8	7.2	322	6.6	0.38	5.9	7.4
1987	388	6.8	0.35	6.1	7.5	348	7.3	0.40	6.5	8.1
1988	406	6.9	0.35	6.3	7.7	352	7.2	0.39	6.4	8.0
1989	389	6.7	0.34	6.0	7.4	328	6.7	0.38	6.0	7.5
1990	430	7.2	0.35	6.5	8.0	381	7.7	0.40	6.9	8.5
1991	411	7.0	0.35	6.3	7.7	361	7.4	0.40	6.6	8.2
1992	445	7.4	0.36	6.7	8.1	398	8.0	0.41	7.2	8.8
1993	479	7.9	0.36	7.2	8.6	414	8.2	0.41	7.4	9.1
1994	475	7.8	0.36	7.1	8.5	421	8.4	0.41	7.6	9.2
1995	544	8.8	0.38	8.1	9.6	464	9.2	0.43	8.4	10.1
1996	575	9.2	0.39	8.5	10.0	505	9.9	0.44	9.1	10.8
1997	604	9.6	0.39	8.9	10.4	509	9.9	0.44	9.0	10.8
1998	590	9.4	0.39	8.7	10.2	499	9.8	0.44	9.0	10.7
1999	691	10.9	0.42	10.1	11.8	596	11.7	0.48	10.7	12.6
2000	715	11.2	0.42	10.4	12.0	609	11.8	0.48	10.9	12.8
2001	729	11.4	0.42	10.6	12.3	623	12.1	0.48	11.1	13.1
2002	897	13.9	0.46	13.0	14.8	779	15.0	0.54	13.9	16.1
2003	929	14.3	0.47	13.4	15.3	806	15.5	0.55	14.4	16.6
2004	1,008	15.6	0.49	14.6	16.6	878	17.0	0.58	15.9	18.1
2005	1,022	15.6	0.49	14.7	16.6	863	16.5	0.57	15.4	17.7
2006	1,147	17.5	0.52	16.4	18.5	981	18.7	0.60	17.6	20.0
2007	1,228	18.6	0.53	17.5	19.6	1,048	19.9	0.62	18.7	21.2
2008	1,324	19.9	0.55	18.8	21.0	1,129	21.4	0.65	20.2	22.7
2009	1,425	21.3	0.57	20.2	22.5	1,231	23.3	0.68	22.0	24.7
2010	1,373	20.4	0.56	19.3	21.5	1,148	21.6	0.65	20.4	22.9
2011	1,457	21.2	0.57	20.1	22.4	1,232	22.7	0.66	21.5	24.1
2012	1,581	23.2	0.59	22.1	24.4	1,322	24.6	0.69	23.3	26.0
2013	1,571	23.2	0.60	22.0	24.4	1,309	24.8	0.70	23.4	26.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,980	7.8	0.18	7.5	8.2	1,008	14.5	0.48	13.6	15.5
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	38	4.9	0.83	3.4	6.8	17	12.6	3.39	6.8	21.4
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	8	5.4	2.09	2.1	11.4
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.68	7.6	19.1
1994	36	4.1	0.69	2.9	5.7	16	8.9	2.39	4.9	15.2
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	20	10.5	2.67	6.0	17.2
1997	61	7.4	0.95	5.6	9.5	25	12.2	2.59	7.7	18.5
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	47	5.0	0.73	3.7	6.6	28	12.9	2.62	8.3	19.2
2000	62	6.7	0.86	5.1	8.6	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	79	8.5	0.96	6.7	10.6	26	9.9	2.02	6.3	14.7
2003	77	8.0	0.92	6.3	10.1	30	9.4	1.79	6.2	13.7
2004	79	8.2	0.93	6.5	10.2	40	14.1	2.30	10.0	19.5
2005	83	8.7	0.96	6.9	10.8	56	19.5	2.74	14.5	25.6
2006	97	9.8	1.00	8.0	12.0	54	17.5	2.47	13.0	23.0
2007	101	10.2	1.02	8.3	12.4	54	16.3	2.29	12.1	21.5
2008	109	10.9	1.05	8.9	13.1	69	19.5	2.43	15.1	25.0
2009	123	12.3	1.12	10.2	14.7	50	13.8	2.02	10.1	18.4
2010	133	13.0	1.14	10.9	15.4	65	16.4	2.10	12.6	21.1
2011	130	12.5	1.11	10.4	14.9	79	20.2	2.35	15.9	25.4
2012	135	13.0	1.13	10.9	15.4	92	23.0	2.45	18.4	28.3
2013	138	13.0	1.13	10.9	15.4	91	21.4	2.29	17.1	26.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	29,249	8.6	0.05	8.5	8.7	25,338	9.1	0.06	9.0	9.2
1986	467	4.3	0.21	3.9	4.8	410	4.5	0.23	4.0	4.9
1987	482	4.5	0.21	4.1	4.9	434	4.7	0.23	4.3	5.2
1988	503	4.6	0.21	4.2	5.0	439	4.7	0.23	4.3	5.2
1989	460	4.2	0.20	3.8	4.6	393	4.2	0.22	3.8	4.6
1990	538	4.8	0.21	4.4	5.2	481	5.1	0.24	4.7	5.6
1991	509	4.5	0.20	4.1	4.9	452	4.8	0.23	4.3	5.2
1992	541	4.8	0.21	4.4	5.2	484	5.0	0.23	4.6	5.5
1993	596	5.2	0.21	4.8	5.6	529	5.5	0.24	5.0	6.0
1994	603	5.2	0.21	4.8	5.6	531	5.4	0.24	5.0	5.9
1995	653	5.5	0.22	5.1	6.0	563	5.7	0.24	5.3	6.2
1996	718	6.1	0.23	5.6	6.5	636	6.4	0.26	5.9	7.0
1997	758	6.4	0.23	5.9	6.8	652	6.6	0.26	6.1	7.1
1998	780	6.5	0.23	6.0	6.9	665	6.7	0.26	6.2	7.2
1999	864	7.1	0.24	6.6	7.6	757	7.6	0.27	7.0	8.1
2000	872	7.1	0.24	6.6	7.6	756	7.5	0.27	7.0	8.1
2001	926	7.5	0.25	7.0	8.0	799	7.9	0.28	7.3	8.4
2002	1,111	8.9	0.27	8.4	9.5	973	9.5	0.31	9.0	10.2
2003	1,124	9.0	0.27	8.5	9.5	977	9.6	0.31	9.0	10.2
2004	1,252	10.0	0.28	9.4	10.5	1,106	10.8	0.33	10.2	11.5
2005	1,302	10.3	0.29	9.7	10.9	1,117	10.8	0.33	10.2	11.5
2006	1,438	11.3	0.30	10.7	11.9	1,243	12.1	0.34	11.4	12.7
2007	1,556	12.2	0.31	11.6	12.8	1,348	13.0	0.36	12.3	13.7
2008	1,660	12.8	0.32	12.2	13.5	1,436	13.8	0.37	13.0	14.5
2009	1,771	13.6	0.33	13.0	14.3	1,547	14.8	0.38	14.0	15.5
2010	1,772	13.5	0.32	12.9	14.1	1,506	14.3	0.37	13.5	15.0
2011	1,877	14.1	0.33	13.4	14.7	1,609	15.0	0.38	14.2	15.7
2012	2,033	15.3	0.34	14.6	15.9	1,726	16.1	0.40	15.4	16.9
2013	2,083	15.6	0.35	14.9	16.3	1,769	16.7	0.40	15.9	17.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,211	5.0	0.11	4.8	5.2	1,239	9.5	0.29	9.0	10.1
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	20	9.4	2.69	4.9	16.1
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	6	1.8	0.75	0.7	4.5
1992	38	2.6	0.43	1.8	3.6	11	4.7	1.65	2.0	9.0
1993	39	2.7	0.44	1.9	3.7	20	5.7	1.32	3.4	9.2
1994	49	3.4	0.49	2.5	4.5	19	5.6	1.41	3.2	9.3
1995	52	3.5	0.50	2.6	4.6	28	7.9	1.60	5.1	11.8
1996	53	3.4	0.47	2.5	4.4	25	7.2	1.68	4.3	11.3
1997	63	4.5	0.58	3.4	5.7	33	8.3	1.56	5.6	12.1
1998	66	4.3	0.54	3.3	5.5	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	33	8.2	1.57	5.4	11.9
2000	65	4.0	0.51	3.1	5.1	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	85	5.2	0.57	4.1	6.4	37	7.1	1.24	4.9	10.1
2003	88	5.2	0.56	4.2	6.5	33	6.0	1.11	4.0	8.6
2004	80	4.6	0.52	3.6	5.8	52	10.0	1.47	7.3	13.4
2005	93	5.5	0.58	4.4	6.8	68	12.5	1.63	9.5	16.1
2006	103	5.9	0.59	4.8	7.2	72	12.4	1.53	9.5	15.8
2007	114	6.6	0.63	5.4	8.0	67	10.8	1.38	8.2	13.9
2008	127	7.1	0.64	5.9	8.5	77	11.3	1.35	8.8	14.3
2009	133	7.4	0.66	6.2	8.8	65	9.4	1.22	7.1	12.1
2010	147	8.0	0.67	6.7	9.4	79	10.5	1.22	8.2	13.2
2011	144	7.7	0.65	6.5	9.1	102	13.9	1.43	11.2	17.0
2012	158	8.5	0.69	7.2	10.0	110	14.4	1.42	11.8	17.5
2013	157	8.2	0.67	7.0	9.6	116	14.4	1.37	11.9	17.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	7,115	4.5	0.05	4.4	4.6	6,327	4.8	0.06	4.6	4.9
1986	116	2.4	0.23	2.0	2.9	106	2.5	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	124	2.8	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.6	0.25	2.1	3.1
1992	139	2.7	0.23	2.3	3.2	125	2.8	0.26	2.3	3.4
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	152	2.9	0.24	2.4	3.4	129	2.8	0.25	2.4	3.4
1995	151	2.8	0.23	2.4	3.3	136	3.0	0.26	2.5	3.5
1996	178	3.3	0.25	2.8	3.8	159	3.5	0.28	2.9	4.1
1997	192	3.5	0.26	3.0	4.1	170	3.7	0.28	3.1	4.3
1998	219	4.0	0.27	3.5	4.5	187	4.0	0.30	3.5	4.6
1999	217	3.8	0.26	3.3	4.4	195	4.1	0.29	3.5	4.7
2000	193	3.4	0.25	2.9	3.9	176	3.7	0.28	3.2	4.3
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	254	4.3	0.27	3.8	4.9	227	4.7	0.31	4.1	5.3
2003	246	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	304	5.1	0.30	4.6	5.7	274	5.5	0.34	4.9	6.2
2005	315	5.2	0.30	4.7	5.9	283	5.7	0.34	5.0	6.4
2006	334	5.5	0.31	5.0	6.2	294	5.9	0.34	5.2	6.6
2007	378	6.3	0.33	5.7	7.0	337	6.7	0.37	6.0	7.5
2008	385	6.1	0.32	5.5	6.8	349	6.7	0.36	6.0	7.5
2009	400	6.4	0.33	5.8	7.1	355	6.9	0.37	6.2	7.6
2010	448	7.2	0.34	6.5	7.9	393	7.6	0.39	6.9	8.4
2011	460	7.2	0.34	6.5	7.9	410	7.7	0.39	7.0	8.5
2012	498	7.7	0.35	7.0	8.4	442	8.3	0.40	7.5	9.1
2013	539	8.2	0.36	7.5	8.9	476	8.9	0.41	8.1	9.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	410	2.2	0.12	2.0	2.5	271	4.6	0.31	4.0	5.3
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	3	1.9	1.12	0.4	7.4
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2
1995	9	1.3	0.46	0.6	2.6	3	1.6	0.92	0.3	5.9
1996	13	2.1	0.58	1.1	3.6	5	3.0	1.37	0.9	7.8
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8
1998	17	2.5	0.60	1.4	4.0	9	4.7	1.69	2.0	9.7
1999	11	1.6	0.47	0.8	2.8	7	3.6	1.50	1.3	8.3
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8
2004	13	1.7	0.49	0.9	3.0	13	6.0	1.87	2.9	10.9
2005	16	2.2	0.58	1.3	3.7	12	4.5	1.41	2.2	8.4
2006	17	2.3	0.57	1.3	3.7	18	6.7	1.70	3.8	11.0
2007	21	3.3	0.76	1.9	5.1	16	5.5	1.44	3.1	9.3
2008	22	2.8	0.64	1.7	4.4	10	2.7	0.88	1.3	5.4
2009	23	2.8	0.61	1.8	4.3	17	5.0	1.26	2.9	8.3
2010	24	3.1	0.66	1.9	4.7	18	5.4	1.30	3.2	8.7
2011	20	2.5	0.58	1.5	3.9	24	7.3	1.61	4.5	11.3
2012	27	3.5	0.69	2.3	5.1	22	6.2	1.39	3.8	9.7
2013	27	3.3	0.66	2.2	4.9	27	7.3	1.41	4.8	10.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	22,134	12.6	0.08	12.4	12.7	19,011	13.3	0.10	13.1	13.5
1986	351	6.1	0.34	5.5	6.8	304	6.3	0.37	5.6	7.1
1987	354	6.2	0.34	5.6	6.9	321	6.8	0.39	6.0	7.5
1988	382	6.5	0.34	5.9	7.2	336	6.9	0.38	6.1	7.7
1989	363	6.2	0.33	5.6	6.9	304	6.2	0.37	5.5	7.0
1990	399	6.7	0.34	6.1	7.4	357	7.3	0.39	6.5	8.1
1991	385	6.5	0.34	5.9	7.2	340	7.0	0.38	6.2	7.7
1992	402	6.7	0.34	6.0	7.4	359	7.2	0.39	6.4	8.0
1993	446	7.4	0.35	6.7	8.1	387	7.7	0.40	6.9	8.5
1994	451	7.4	0.35	6.7	8.1	402	8.0	0.41	7.3	8.9
1995	502	8.1	0.36	7.4	8.8	427	8.4	0.41	7.6	9.3
1996	540	8.7	0.38	8.0	9.4	477	9.4	0.43	8.5	10.3
1997	566	9.0	0.38	8.3	9.8	482	9.4	0.43	8.5	10.2
1998	561	8.9	0.38	8.2	9.7	478	9.4	0.43	8.6	10.3
1999	647	10.3	0.40	9.5	11.1	562	11.1	0.47	10.2	12.0
2000	679	10.6	0.41	9.8	11.5	580	11.3	0.47	10.4	12.2
2001	688	10.8	0.41	10.0	11.6	588	11.4	0.47	10.5	12.4
2002	857	13.3	0.45	12.4	14.2	746	14.3	0.53	13.3	15.4
2003	878	13.6	0.46	12.7	14.5	767	14.8	0.54	13.7	15.8
2004	948	14.7	0.48	13.8	15.6	832	16.1	0.56	15.0	17.3
2005	987	15.1	0.48	14.2	16.1	834	16.0	0.56	14.9	17.1
2006	1,104	16.8	0.51	15.8	17.9	949	18.2	0.59	17.0	19.4
2007	1,178	17.8	0.52	16.8	18.9	1,011	19.2	0.61	18.0	20.5
2008	1,275	19.2	0.54	18.2	20.3	1,087	20.7	0.64	19.5	22.0
2009	1,371	20.5	0.56	19.4	21.7	1,192	22.6	0.67	21.3	24.0
2010	1,324	19.7	0.55	18.6	20.8	1,113	21.0	0.64	19.7	22.3
2011	1,417	20.7	0.56	19.6	21.8	1,199	22.2	0.66	20.9	23.5
2012	1,535	22.6	0.59	21.4	23.8	1,284	24.0	0.68	22.6	25.4
2013	1,544	22.8	0.59	21.6	24.0	1,293	24.5	0.70	23.1	25.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,801	7.2	0.17	6.8	7.5	968	13.9	0.47	13.0	14.9
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	16	12.0	3.34	6.4	20.8
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	8	5.4	2.09	2.1	11.4
1993	33	4.1	0.73	2.8	5.8	20	11.1	2.55	6.7	17.7
1994	32	3.7	0.65	2.5	5.2	15	8.4	2.34	4.5	14.6
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	20	10.5	2.67	6.0	17.2
1997	51	6.3	0.89	4.7	8.3	24	11.8	2.56	7.3	18.1
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	26	12.1	2.56	7.6	18.3
2000	56	6.1	0.82	4.6	7.9	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	74	8.0	0.93	6.3	10.0	25	9.5	1.99	6.0	14.3
2003	69	7.3	0.88	5.6	9.2	26	8.2	1.69	5.3	12.4
2004	67	6.9	0.85	5.4	8.8	39	13.8	2.28	9.7	19.1
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	86	8.7	0.94	6.9	10.7	54	17.5	2.47	13.0	23.0
2007	93	9.5	0.99	7.6	11.6	51	15.4	2.23	11.3	20.4
2008	105	10.5	1.04	8.6	12.8	67	18.9	2.39	14.5	24.3
2009	110	11.0	1.06	9.0	13.3	48	13.2	1.98	9.6	17.8
2010	123	12.0	1.10	10.0	14.4	61	15.1	1.97	11.4	19.5
2011	124	11.9	1.09	9.9	14.3	78	19.9	2.32	15.6	25.0
2012	131	12.6	1.12	10.5	15.0	88	21.8	2.37	17.4	27.0
2013	130	12.2	1.09	10.1	14.5	89	21.0	2.27	16.7	25.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	72,147	21.3	0.08	21.1	21.4	63,807	22.2	0.09	22.0	22.4
1986	1,700	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5
1987	1,746	16.1	0.39	15.4	16.9	1,617	17.2	0.43	16.3	18.1
1988	1,851	17.0	0.40	16.2	17.8	1,683	17.8	0.44	16.9	18.7
1989	1,900	17.4	0.40	16.6	18.2	1,729	18.3	0.45	17.4	19.2
1990	2,068	18.8	0.42	18.0	19.6	1,872	19.7	0.46	18.8	20.6
1991	2,057	18.4	0.41	17.6	19.2	1,881	19.5	0.45	18.6	20.4
1992	2,257	20.0	0.42	19.1	20.8	2,064	21.2	0.47	20.3	22.1
1993	2,308	20.2	0.42	19.4	21.1	2,086	21.2	0.47	20.3	22.2
1994	2,436	21.2	0.43	20.3	22.0	2,169	21.9	0.47	21.0	22.9
1995	2,527	21.8	0.43	20.9	22.6	2,245	22.5	0.48	21.6	23.5
1996	2,633	22.5	0.44	21.6	23.4	2,347	23.5	0.49	22.5	24.4
1997	2,561	21.7	0.43	20.9	22.6	2,272	22.5	0.47	21.6	23.5
1998	2,623	22.1	0.43	21.2	22.9	2,302	22.7	0.47	21.8	23.7
1999	2,739	22.9	0.44	22.0	23.7	2,463	24.2	0.49	23.2	25.2
2000	2,717	22.5	0.43	21.6	23.3	2,399	23.5	0.48	22.5	24.4
2001	2,729	22.4	0.43	21.6	23.2	2,422	23.5	0.48	22.5	24.4
2002	2,772	22.6	0.43	21.8	23.5	2,459	23.7	0.48	22.8	24.7
2003	2,799	22.6	0.43	21.8	23.4	2,459	23.5	0.48	22.6	24.5
2004	2,970	23.8	0.44	23.0	24.7	2,587	24.7	0.49	23.7	25.6
2005	2,917	23.2	0.43	22.3	24.0	2,551	24.1	0.48	23.2	25.1
2006	2,872	22.6	0.42	21.8	23.5	2,538	23.9	0.48	23.0	24.9
2007	2,910	22.6	0.42	21.8	23.4	2,546	23.7	0.47	22.8	24.7
2008	3,031	23.2	0.43	22.4	24.1	2,633	24.2	0.48	23.3	25.1
2009	3,007	22.8	0.42	22.0	23.6	2,610	23.7	0.47	22.8	24.7
2010	3,084	23.1	0.42	22.3	23.9	2,647	23.9	0.47	22.9	24.8
2011	3,001	22.2	0.41	21.4	23.0	2,571	22.9	0.46	22.0	23.8
2012	2,937	21.5	0.40	20.7	22.3	2,537	22.5	0.45	21.6	23.4
2013	2,995	21.5	0.40	20.7	22.3	2,568	22.4	0.45	21.5	23.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,439	14.9	0.19	14.5	15.3	1,222	12.1	0.38	11.4	12.9
1986	124	9.9	0.93	8.1	11.9	26	17.7	4.03	10.7	27.2
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	16	9.4	2.80	4.8	16.4
1989	151	11.3	0.97	9.5	13.4	19	10.0	2.61	5.6	16.4
1990	172	12.8	1.02	10.9	14.9	19	8.6	2.15	4.9	14.0
1991	141	10.3	0.91	8.6	12.3	17	8.3	2.37	4.3	14.1
1992	169	12.3	0.99	10.5	14.4	18	9.6	2.75	5.0	16.2
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	225	15.5	1.06	13.4	17.7	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	36	12.6	2.33	8.4	17.9
1997	232	15.1	1.02	13.2	17.2	42	15.6	2.71	10.7	21.7
1998	260	16.8	1.07	14.8	19.0	37	11.0	2.11	7.3	15.8
1999	225	14.7	1.01	12.8	16.8	26	7.4	1.58	4.6	11.1
2000	247	15.5	1.01	13.6	17.6	43	10.6	1.80	7.4	14.7
2001	248	15.6	1.01	13.7	17.7	44	11.4	1.93	8.0	15.8
2002	242	15.0	0.99	13.2	17.1	44	13.2	2.18	9.2	18.0
2003	260	16.0	1.01	14.1	18.1	58	14.6	2.08	10.8	19.2
2004	296	18.5	1.10	16.4	20.8	50	11.7	1.80	8.5	15.7
2005	268	16.5	1.03	14.5	18.6	66	15.8	2.11	11.9	20.4
2006	253	15.2	0.98	13.4	17.3	50	10.5	1.62	7.6	14.1
2007	287	16.8	1.02	14.9	18.9	56	10.7	1.55	7.9	14.2
2008	278	16.4	1.01	14.5	18.5	72	12.6	1.59	9.7	16.1
2009	270	15.6	0.97	13.7	17.6	69	13.4	1.74	10.2	17.2
2010	298	16.9	1.00	15.0	19.0	75	13.4	1.69	10.3	17.1
2011	300	16.7	0.99	14.9	18.8	78	13.1	1.59	10.2	16.6
2012	289	15.7	0.95	13.9	17.7	66	10.7	1.39	8.2	13.8
2013	284	15.3	0.93	13.6	17.3	93	13.6	1.48	10.8	16.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	38,176	25.7	0.13	25.4	26.0	33,663	26.6	0.15	26.3	26.9
1986	837	17.9	0.65	16.7	19.3	745	18.4	0.70	17.0	19.8
1987	886	18.8	0.66	17.6	20.1	810	19.8	0.72	18.4	21.2
1988	971	20.4	0.68	19.1	21.8	885	21.5	0.75	20.0	23.0
1989	984	20.6	0.68	19.3	22.0	896	21.7	0.74	20.2	23.2
1990	1,104	22.8	0.71	21.4	24.2	989	23.7	0.77	22.2	25.2
1991	1,070	21.7	0.68	20.4	23.1	979	23.0	0.75	21.5	24.5
1992	1,173	24.2	0.73	22.8	25.7	1,064	25.3	0.80	23.8	26.9
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9
1994	1,245	24.7	0.72	23.3	26.2	1,097	25.4	0.78	23.9	27.0
1995	1,334	26.2	0.73	24.8	27.7	1,176	26.9	0.80	25.4	28.5
1996	1,383	26.8	0.73	25.4	28.3	1,205	27.4	0.80	25.8	29.0
1997	1,335	25.8	0.72	24.4	27.3	1,170	26.5	0.79	25.0	28.1
1998	1,403	27.0	0.73	25.6	28.5	1,225	27.7	0.80	26.2	29.3
1999	1,458	27.8	0.74	26.4	29.3	1,295	29.0	0.81	27.4	30.6
2000	1,439	27.0	0.72	25.6	28.5	1,264	28.0	0.80	26.5	29.6
2001	1,404	26.3	0.71	24.9	27.8	1,245	27.5	0.79	26.0	29.1
2002	1,478	27.5	0.73	26.1	29.0	1,315	28.8	0.80	27.3	30.5
2003	1,489	27.3	0.72	25.9	28.7	1,309	28.3	0.79	26.8	29.9
2004	1,617	29.6	0.75	28.1	31.1	1,412	30.6	0.82	29.0	32.2
2005	1,553	28.1	0.72	26.7	29.5	1,361	29.1	0.80	27.6	30.7
2006	1,553	27.7	0.71	26.3	29.1	1,374	29.1	0.79	27.6	30.7
2007	1,581	27.6	0.71	26.2	29.0	1,382	28.8	0.78	27.3	30.4
2008	1,595	27.6	0.70	26.2	29.0	1,391	28.6	0.78	27.1	30.2
2009	1,580	27.0	0.69	25.7	28.4	1,383	28.1	0.77	26.6	29.7
2010	1,679	28.2	0.70	26.9	29.6	1,434	28.7	0.77	27.2	30.3
2011	1,603	26.5	0.68	25.1	27.8	1,371	27.0	0.74	25.6	28.5
2012	1,564	25.5	0.66	24.3	26.9	1,364	26.8	0.74	25.3	28.2
2013	1,641	26.3	0.66	25.0	27.6	1,428	27.6	0.74	26.1	29.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,485	18.5	0.33	17.8	19.1	669	15.1	0.67	13.8	16.4
1986	75	13.2	1.66	10.2	16.9	17	25.6	7.74	12.7	44.7
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	10	13.2	4.71	5.6	25.6
1990	97	16.7	1.84	13.3	20.7	14	15.1	4.55	7.6	27.0
1991	75	12.2	1.52	9.4	15.5	7	9.4	4.65	2.6	21.9
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	126	18.6	1.73	15.3	22.3	16	17.3	5.24	8.6	30.1
1995	138	22.0	2.05	18.2	26.4	15	15.2	4.82	7.3	27.1
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	132	18.8	1.72	15.6	22.5	26	22.7	5.33	13.4	35.2
1998	147	21.5	1.86	18.1	25.5	19	14.0	4.08	7.2	24.0
1999	129	19.4	1.85	16.0	23.4	15	9.1	2.64	4.7	15.9
2000	136	19.0	1.70	15.8	22.6	21	12.8	3.43	6.9	21.1
2001	127	18.1	1.71	15.0	21.8	22	12.1	2.91	7.1	19.2
2002	125	17.6	1.66	14.5	21.1	27	18.8	4.13	11.6	28.4
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	28	13.8	3.00	8.6	20.9
2005	137	19.7	1.80	16.3	23.5	39	21.7	3.99	14.6	30.7
2006	129	17.8	1.64	14.7	21.3	31	15.7	3.24	10.0	23.2
2007	161	21.7	1.83	18.3	25.6	26	10.6	2.36	6.5	16.3
2008	138	19.1	1.72	15.9	22.8	36	13.5	2.54	9.0	19.4
2009	133	17.7	1.63	14.7	21.2	43	19.1	3.28	13.3	26.5
2010	166	22.3	1.82	18.8	26.1	39	16.9	3.09	11.4	23.9
2011	159	21.0	1.76	17.7	24.7	45	17.2	2.81	12.2	23.6
2012	141	17.5	1.52	14.6	20.7	35	12.8	2.32	8.6	18.1
2013	142	17.5	1.53	14.6	20.8	51	16.2	2.44	11.7	21.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	33,971	17.9	0.10	17.7	18.1	30,144	18.8	0.11	18.5	19.0
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1
1988	880	14.3	0.49	13.4	15.3	798	14.9	0.54	13.9	16.0
1989	916	14.9	0.50	13.9	15.9	833	15.6	0.55	14.6	16.8
1990	964	15.6	0.51	14.6	16.6	883	16.5	0.57	15.4	17.6
1991	987	15.6	0.50	14.7	16.7	902	16.5	0.56	15.4	17.7
1992	1,084	16.8	0.52	15.8	17.9	1,000	18.1	0.58	17.0	19.3
1993	1,091	16.9	0.52	15.9	17.9	992	17.8	0.57	16.7	19.0
1994	1,191	18.3	0.53	17.2	19.3	1,072	19.1	0.59	17.9	20.3
1995	1,193	18.1	0.53	17.1	19.2	1,069	18.8	0.58	17.7	20.0
1996	1,250	18.9	0.54	17.9	20.0	1,142	20.2	0.61	19.0	21.4
1997	1,226	18.4	0.53	17.4	19.5	1,102	19.4	0.59	18.3	20.6
1998	1,220	18.3	0.53	17.3	19.3	1,077	18.9	0.58	17.8	20.1
1999	1,281	19.1	0.54	18.0	20.1	1,168	20.5	0.61	19.4	21.8
2000	1,278	19.0	0.53	18.0	20.1	1,135	20.0	0.60	18.8	21.2
2001	1,325	19.4	0.54	18.3	20.4	1,177	20.4	0.60	19.2	21.6
2002	1,294	18.8	0.53	17.8	19.8	1,144	19.7	0.59	18.5	20.9
2003	1,310	18.9	0.53	17.9	20.0	1,150	19.8	0.59	18.6	20.9
2004	1,353	19.4	0.53	18.4	20.5	1,175	20.1	0.59	18.9	21.3
2005	1,364	19.5	0.53	18.4	20.5	1,190	20.3	0.60	19.1	21.5
2006	1,319	18.6	0.52	17.6	19.7	1,164	19.8	0.59	18.7	21.0
2007	1,329	18.7	0.52	17.7	19.7	1,164	19.6	0.59	18.5	20.8
2008	1,436	19.9	0.53	18.9	21.0	1,242	20.8	0.60	19.7	22.0
2009	1,427	19.6	0.53	18.6	20.7	1,227	20.4	0.59	19.2	21.6
2010	1,405	19.3	0.52	18.3	20.3	1,213	20.2	0.59	19.0	21.4
2011	1,398	18.8	0.51	17.8	19.9	1,200	19.6	0.58	18.5	20.8
2012	1,373	18.3	0.50	17.3	19.3	1,173	19.0	0.57	17.9	20.1
2013	1,354	17.7	0.49	16.8	18.7	1,140	18.2	0.55	17.1	19.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,954	12.1	0.23	11.7	12.6	553	9.9	0.45	9.0	10.8
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	8	9.5	4.06	3.3	20.3
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	10	7.9	2.60	3.6	15.0
1992	74	9.3	1.11	7.3	11.8	8	6.9	3.08	2.2	15.2
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	93	11.7	1.24	9.4	14.4	24	16.9	3.74	10.4	25.8
1996	84	10.0	1.11	7.9	12.4	16	10.7	2.84	5.9	17.7
1997	100	11.9	1.21	9.6	14.5	16	10.5	2.84	5.7	17.5
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	96	11.3	1.17	9.1	13.8	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	22	9.3	2.11	5.7	14.5
2001	121	13.6	1.25	11.3	16.3	22	10.7	2.48	6.4	16.6
2002	117	13.0	1.21	10.7	15.6	17	9.0	2.33	5.0	14.6
2003	122	13.3	1.21	11.0	15.8	27	13.2	2.70	8.5	19.5
2004	136	15.0	1.30	12.6	17.8	22	9.9	2.24	6.0	15.2
2005	131	14.2	1.25	11.8	16.9	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	126	13.2	1.19	11.0	15.8	30	10.6	2.06	7.0	15.5
2008	140	14.6	1.24	12.2	17.2	36	12.0	2.10	8.2	16.8
2009	137	14.0	1.21	11.7	16.6	26	9.0	1.86	5.7	13.3
2010	132	13.3	1.17	11.1	15.8	36	11.2	1.97	7.6	15.7
2011	141	13.9	1.18	11.6	16.4	33	9.8	1.79	6.6	13.9
2012	148	14.3	1.20	12.1	16.9	31	9.1	1.71	6.1	13.1
2013	142	13.7	1.16	11.5	16.1	42	11.4	1.82	8.1	15.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	9,759	2.8	0.03	2.8	2.9	8,186	2.9	0.03	2.8	3.0
1986	325	2.9	0.17	2.6	3.3	288	3.1	0.18	2.7	3.4
1987	286	2.5	0.15	2.2	2.8	254	2.6	0.17	2.3	3.0
1988	285	2.4	0.15	2.1	2.7	247	2.5	0.16	2.2	2.8
1989	323	2.8	0.16	2.5	3.1	289	3.0	0.18	2.6	3.4
1990	335	2.9	0.16	2.6	3.2	288	3.0	0.18	2.6	3.4
1991	330	2.8	0.16	2.5	3.2	291	3.0	0.18	2.7	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	315	3.1	0.18	2.8	3.5
1997	362	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	269	2.7	0.16	2.4	3.0
1999	348	2.8	0.15	2.5	3.1	296	2.9	0.17	2.6	3.3
2000	362	2.9	0.15	2.6	3.2	303	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	367	2.9	0.15	2.6	3.2	316	3.1	0.18	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	360	2.9	0.15	2.6	3.2	298	3.0	0.17	2.6	3.3
2005	384	3.1	0.16	2.8	3.4	308	3.1	0.18	2.7	3.4
2006	387	3.1	0.16	2.8	3.4	322	3.2	0.18	2.9	3.6
2007	345	2.7	0.15	2.4	3.0	289	2.8	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	365	2.8	0.15	2.6	3.2	298	2.9	0.17	2.6	3.3
2010	381	3.0	0.16	2.7	3.3	307	3.0	0.18	2.7	3.4
2011	357	2.8	0.15	2.5	3.1	281	2.8	0.17	2.5	3.1
2012	355	2.7	0.15	2.5	3.1	282	2.8	0.17	2.4	3.1
2013	356	2.7	0.15	2.4	3.0	287	2.8	0.17	2.5	3.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Hodgkin Lymphoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,269	2.5	0.07	2.4	2.7	163	1.2	0.10	1.0	1.4
1986	32	2.0	0.38	1.4	3.0	5	4.3	2.45	0.9	11.1
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	45	2.7	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	7	1.9	0.82	0.6	4.4
1997	56	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	43	2.3	0.36	1.7	3.1	8	2.1	0.86	0.8	4.6
1999	37	2.1	0.36	1.5	2.9	6	1.2	0.49	0.4	2.8
2000	46	2.5	0.38	1.8	3.4	3	0.6	0.32	0.1	1.9
2001	48	2.6	0.38	1.9	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	7	1.3	0.51	0.5	2.8
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	44	2.3	0.34	1.6	3.0	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	49	2.6	0.38	1.9	3.5	6	0.8	0.31	0.3	1.8
2010	56	2.9	0.39	2.1	3.7	10	1.3	0.41	0.6	2.5
2011	58	3.0	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.4	4.0	11	1.4	0.45	0.7	2.6
2013	51	2.6	0.37	1.9	3.4	12	1.5	0.43	0.8	2.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Hodgkin Lymphoma</b>										
<b>Males</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	5,360	3.2	0.04	3.2	3.3	4,469	3.3	0.05	3.2	3.4
1986	159	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.6
1987	167	3.0	0.24	2.6	3.6	148	3.2	0.27	2.7	3.8
1988	157	2.8	0.23	2.4	3.3	137	2.9	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	163	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	187	3.2	0.24	2.8	3.7	154	3.2	0.26	2.7	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	172	3.5	0.27	3.0	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	159	3.3	0.26	2.8	3.9
1999	189	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	215	3.6	0.25	3.1	4.1	183	3.7	0.28	3.2	4.3
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	198	3.3	0.23	2.8	3.8	174	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	211	3.5	0.24	3.1	4.0	173	3.5	0.27	3.0	4.1
2005	217	3.6	0.24	3.1	4.1	178	3.6	0.27	3.1	4.2
2006	202	3.3	0.24	2.9	3.8	168	3.4	0.26	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	164	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	197	3.2	0.23	2.8	3.7	161	3.2	0.26	2.7	3.8
2010	205	3.4	0.24	2.9	3.9	162	3.3	0.26	2.8	3.9
2011	203	3.3	0.24	2.9	3.8	160	3.2	0.26	2.7	3.8
2012	195	3.1	0.23	2.7	3.6	157	3.2	0.26	2.7	3.7
2013	187	2.9	0.22	2.5	3.4	156	3.1	0.25	2.6	3.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Hodgkin Lymphoma</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	713	3.1	0.12	2.9	3.4	96	1.6	0.18	1.2	2.0
1986	17	2.2	0.58	1.2	3.8	4	8.9	5.88	1.3	25.5
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	27	3.6	0.72	2.3	5.4	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	22	2.5	0.54	1.5	3.9	3	2.9	1.88	0.4	8.7
1999	22	2.6	0.58	1.6	4.1	5	2.0	0.93	0.6	5.7
2000	25	2.9	0.62	1.9	4.5	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	1	0.4	0.37	0.0	2.7
2005	31	3.5	0.64	2.4	5.1	5	2.1	0.98	0.6	5.2
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	28	3.2	0.62	2.1	4.7	4	1.0	0.52	0.3	3.0
2010	33	3.8	0.69	2.6	5.4	6	1.7	0.69	0.6	3.9
2011	32	3.8	0.71	2.6	5.5	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.8	6	1.7	0.74	0.6	3.9
2013	22	2.5	0.54	1.5	3.8	7	1.8	0.69	0.7	3.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,399	2.5	0.04	2.4	2.5	3,717	2.6	0.04	2.5	2.7
1986	166	2.8	0.22	2.4	3.2	150	3.0	0.25	2.5	3.5
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5
1988	128	2.0	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5
1989	157	2.6	0.21	2.2	3.0	141	2.8	0.24	2.3	3.3
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0
1991	150	2.4	0.20	2.1	2.9	133	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6
1994	141	2.2	0.19	1.9	2.6	129	2.5	0.22	2.1	3.0
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8
1996	162	2.6	0.20	2.2	3.0	143	2.8	0.24	2.4	3.3
1997	175	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6
1999	159	2.5	0.20	2.1	2.9	141	2.8	0.23	2.3	3.3
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3
2004	149	2.3	0.19	2.0	2.7	125	2.4	0.22	2.0	2.9
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5
2007	143	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8
2009	168	2.6	0.20	2.2	3.0	137	2.7	0.23	2.3	3.2
2010	176	2.7	0.21	2.3	3.1	145	2.8	0.24	2.4	3.4
2011	154	2.4	0.19	2.0	2.8	121	2.4	0.22	2.0	2.9
2012	160	2.4	0.19	2.0	2.8	125	2.4	0.22	2.0	2.8
2013	169	2.5	0.20	2.1	2.9	131	2.5	0.22	2.1	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Hodgkin Lymphoma</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	556	2.0	0.09	1.9	2.2	67	0.9	0.11	0.7	1.2
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	1	0.4	0.35	0.0	3.0
1997	20	2.1	0.48	1.3	3.3	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	15	1.6	0.43	0.9	2.7	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	19	1.9	0.43	1.1	3.0	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	4	1.3	0.65	0.3	3.5
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	16	1.6	0.39	0.9	2.5	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	2	0.5	0.34	0.1	2.0
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.7	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.55	2.0	4.2	5	1.2	0.55	0.4	3.0
2013	29	2.7	0.51	1.8	3.9	5	1.2	0.54	0.4	2.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	62,388	18.5	0.07	18.3	18.6	55,621	19.3	0.08	19.1	19.4
1986	1,375	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4
1988	1,566	14.6	0.37	13.9	15.3	1,436	15.3	0.41	14.5	16.1
1989	1,577	14.6	0.37	13.9	15.4	1,440	15.3	0.41	14.5	16.1
1990	1,733	15.9	0.39	15.2	16.7	1,584	16.7	0.42	15.9	17.6
1991	1,727	15.6	0.38	14.8	16.3	1,590	16.5	0.42	15.7	17.3
1992	1,916	17.1	0.39	16.4	17.9	1,766	18.2	0.44	17.4	19.1
1993	1,990	17.6	0.40	16.8	18.4	1,824	18.6	0.44	17.8	19.5
1994	2,108	18.5	0.40	17.7	19.3	1,886	19.1	0.44	18.2	20.0
1995	2,205	19.1	0.41	18.3	20.0	1,967	19.8	0.45	18.9	20.7
1996	2,256	19.4	0.41	18.6	20.2	2,032	20.3	0.45	19.4	21.2
1997	2,199	18.8	0.40	18.0	19.6	1,973	19.6	0.44	18.7	20.5
1998	2,297	19.4	0.41	18.6	20.2	2,033	20.1	0.45	19.2	21.0
1999	2,391	20.0	0.41	19.2	20.9	2,167	21.2	0.46	20.4	22.2
2000	2,355	19.6	0.40	18.8	20.4	2,096	20.5	0.45	19.6	21.4
2001	2,364	19.5	0.40	18.7	20.3	2,120	20.5	0.45	19.6	21.4
2002	2,405	19.7	0.40	18.9	20.5	2,143	20.6	0.45	19.8	21.5
2003	2,446	19.8	0.40	19.0	20.6	2,161	20.6	0.44	19.7	21.5
2004	2,610	21.0	0.41	20.2	21.8	2,289	21.7	0.46	20.8	22.6
2005	2,533	20.1	0.40	19.3	20.9	2,243	21.1	0.45	20.2	22.0
2006	2,485	19.6	0.39	18.8	20.4	2,216	20.8	0.44	19.9	21.6
2007	2,565	19.9	0.40	19.1	20.7	2,257	20.9	0.44	20.0	21.8
2008	2,615	19.9	0.39	19.2	20.7	2,295	20.9	0.44	20.0	21.7
2009	2,642	19.9	0.39	19.2	20.7	2,312	20.8	0.44	20.0	21.7
2010	2,703	20.1	0.39	19.3	20.9	2,340	20.8	0.44	20.0	21.7
2011	2,644	19.4	0.38	18.6	20.1	2,290	20.1	0.43	19.3	21.0
2012	2,582	18.8	0.38	18.0	19.5	2,255	19.7	0.42	18.9	20.6
2013	2,639	18.8	0.37	18.1	19.5	2,281	19.6	0.42	18.8	20.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,170	12.4	0.18	12.0	12.7	1,059	10.9	0.37	10.2	11.7
1986	92	7.8	0.85	6.3	9.7	21	13.4	3.20	7.9	21.2
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	13	7.8	2.64	3.5	14.5
1989	117	9.3	0.89	7.6	11.2	19	10.0	2.61	5.6	16.4
1990	127	10.1	0.93	8.4	12.1	18	8.1	2.09	4.6	13.4
1991	110	8.5	0.85	6.9	10.3	13	6.9	2.27	3.2	12.7
1992	130	10.0	0.91	8.3	11.9	15	8.8	2.72	4.3	15.4
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	188	13.3	1.00	11.4	15.4	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	29	10.7	2.18	6.8	15.8
1997	176	11.9	0.92	10.2	13.8	39	14.9	2.67	10.1	20.9
1998	217	14.5	1.01	12.6	16.6	29	8.9	1.92	5.5	13.4
1999	188	12.6	0.94	10.8	14.6	20	6.2	1.50	3.6	9.8
2000	201	13.0	0.94	11.2	15.0	40	10.0	1.77	6.9	14.1
2001	200	13.0	0.94	11.2	15.0	34	9.5	1.80	6.3	13.6
2002	199	12.7	0.92	11.0	14.6	42	12.7	2.15	8.8	17.5
2003	217	13.7	0.94	11.9	15.6	50	13.3	2.03	9.6	17.8
2004	244	15.7	1.03	13.7	17.8	45	10.9	1.76	7.7	14.8
2005	203	12.8	0.92	11.1	14.8	59	14.5	2.05	10.8	19.0
2006	207	12.8	0.91	11.1	14.7	40	8.7	1.48	6.0	12.0
2007	243	14.6	0.96	12.8	16.6	49	9.7	1.51	7.0	13.1
2008	221	13.4	0.92	11.7	15.3	58	10.7	1.51	7.9	14.0
2009	221	13.0	0.89	11.3	14.8	63	12.6	1.71	9.5	16.4
2010	242	14.1	0.93	12.3	16.0	65	12.1	1.63	9.1	15.7
2011	242	13.7	0.90	12.0	15.6	73	12.6	1.57	9.7	16.1
2012	230	12.6	0.85	11.0	14.4	55	9.3	1.32	6.9	12.2
2013	233	12.8	0.86	11.1	14.6	81	12.1	1.42	9.5	15.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	32,816	22.4	0.13	22.2	22.7	29,194	23.3	0.14	23.1	23.6
1986	678	15.0	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9
1988	814	17.6	0.64	16.4	18.9	748	18.5	0.70	17.2	20.0
1989	818	17.6	0.64	16.4	18.9	748	18.5	0.69	17.1	19.9
1990	912	19.3	0.66	18.1	20.7	826	20.1	0.72	18.8	21.6
1991	890	18.5	0.64	17.2	19.7	821	19.6	0.70	18.2	21.0
1992	1,001	21.1	0.69	19.8	22.5	910	22.1	0.75	20.6	23.6
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7
1994	1,058	21.5	0.68	20.2	22.9	943	22.3	0.74	20.9	23.8
1995	1,142	22.9	0.69	21.6	24.3	1,016	23.6	0.75	22.1	25.1
1996	1,168	23.1	0.69	21.8	24.5	1,033	23.8	0.75	22.4	25.3
1997	1,148	22.7	0.68	21.4	24.1	1,023	23.5	0.75	22.1	25.0
1998	1,215	23.8	0.69	22.5	25.2	1,066	24.4	0.76	22.9	25.9
1999	1,269	24.7	0.70	23.3	26.1	1,140	25.8	0.77	24.3	27.4
2000	1,224	23.4	0.68	22.1	24.8	1,081	24.3	0.75	22.9	25.8
2001	1,206	23.0	0.67	21.7	24.4	1,085	24.2	0.74	22.8	25.7
2002	1,280	24.2	0.69	22.9	25.6	1,141	25.3	0.76	23.9	26.9
2003	1,306	24.2	0.68	22.9	25.6	1,153	25.2	0.75	23.7	26.7
2004	1,406	26.0	0.71	24.7	27.5	1,239	27.0	0.78	25.5	28.6
2005	1,336	24.5	0.68	23.2	25.9	1,183	25.5	0.75	24.0	27.0
2006	1,351	24.4	0.67	23.1	25.7	1,206	25.7	0.75	24.3	27.2
2007	1,379	24.3	0.67	23.0	25.7	1,218	25.5	0.74	24.1	27.0
2008	1,380	24.1	0.66	22.8	25.4	1,217	25.2	0.73	23.7	26.6
2009	1,383	23.8	0.65	22.5	25.1	1,222	24.9	0.72	23.5	26.4
2010	1,474	24.9	0.66	23.6	26.2	1,272	25.4	0.73	24.0	26.9
2011	1,400	23.2	0.63	21.9	24.4	1,211	23.8	0.70	22.5	25.2
2012	1,369	22.4	0.62	21.2	23.7	1,207	23.6	0.69	22.3	25.0
2013	1,454	23.3	0.63	22.1	24.6	1,272	24.5	0.70	23.1	25.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,772	15.4	0.31	14.8	16.0	573	13.5	0.64	12.3	14.8
1986	58	11.0	1.55	8.2	14.5	13	16.7	5.04	8.3	30.1
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	10	13.2	4.71	5.6	25.6
1990	70	13.1	1.70	10.0	16.8	13	14.0	4.39	6.7	25.5
1991	58	9.9	1.41	7.3	13.1	5	8.1	4.56	1.8	20.6
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	100	15.2	1.59	12.3	18.7	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	14	14.9	4.81	7.0	26.7
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	96	14.3	1.53	11.5	17.6	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	16	11.2	3.62	5.3	20.2
1999	107	16.8	1.76	13.5	20.6	10	7.0	2.47	3.1	13.6
2000	111	16.0	1.58	13.1	19.4	21	12.8	3.43	6.9	21.1
2001	98	14.7	1.58	11.8	18.1	16	9.0	2.55	4.8	15.5
2002	104	15.2	1.57	12.3	18.6	26	18.0	4.04	11.0	27.4
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	106	16.1	1.68	13.0	19.7	34	19.6	3.87	12.7	28.4
2006	105	15.0	1.53	12.1	18.3	27	14.3	3.15	8.8	21.6
2007	133	18.6	1.72	15.4	22.3	20	8.9	2.25	5.1	14.4
2008	110	15.8	1.60	12.8	19.2	27	11.0	2.39	6.9	16.7
2009	105	14.5	1.50	11.7	17.7	39	18.1	3.24	12.3	25.4
2010	133	18.5	1.69	15.3	22.1	33	15.2	3.01	9.9	22.1
2011	127	17.2	1.61	14.1	20.6	43	16.8	2.80	11.8	23.1
2012	112	14.2	1.39	11.6	17.2	29	11.1	2.20	7.2	16.2
2013	120	15.0	1.43	12.4	18.1	44	14.4	2.34	10.1	19.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	29,572	15.4	0.09	15.3	15.6	26,427	16.2	0.10	16.0	16.4
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0
1988	752	12.3	0.45	11.4	13.2	688	12.8	0.50	11.8	13.8
1989	759	12.3	0.45	11.5	13.3	692	12.9	0.50	11.9	13.9
1990	821	13.2	0.47	12.3	14.1	758	14.0	0.52	13.0	15.0
1991	837	13.2	0.46	12.3	14.1	769	13.9	0.51	12.9	14.9
1992	915	14.2	0.48	13.3	15.2	856	15.4	0.54	14.4	16.5
1993	954	14.7	0.48	13.8	15.7	880	15.6	0.54	14.6	16.7
1994	1,050	16.1	0.50	15.1	17.1	943	16.6	0.55	15.5	17.7
1995	1,063	16.0	0.50	15.1	17.0	951	16.5	0.54	15.4	17.6
1996	1,088	16.4	0.50	15.4	17.4	999	17.4	0.56	16.3	18.5
1997	1,051	15.7	0.49	14.7	16.7	950	16.5	0.54	15.4	17.6
1998	1,082	16.1	0.49	15.1	17.1	967	16.8	0.55	15.7	17.9
1999	1,122	16.6	0.50	15.6	17.6	1,027	17.8	0.56	16.7	18.9
2000	1,131	16.7	0.50	15.7	17.7	1,015	17.7	0.56	16.6	18.8
2001	1,158	16.8	0.50	15.8	17.8	1,035	17.6	0.55	16.5	18.7
2002	1,125	16.2	0.49	15.2	17.1	1,002	17.0	0.54	15.9	18.1
2003	1,140	16.3	0.49	15.3	17.3	1,008	17.0	0.54	15.9	18.1
2004	1,204	17.1	0.50	16.1	18.1	1,050	17.6	0.55	16.6	18.8
2005	1,197	16.9	0.49	15.9	17.9	1,060	17.7	0.55	16.7	18.9
2006	1,134	15.8	0.47	14.9	16.8	1,010	16.8	0.54	15.8	17.9
2007	1,186	16.4	0.48	15.5	17.4	1,039	17.2	0.54	16.2	18.3
2008	1,235	16.8	0.49	15.9	17.8	1,078	17.6	0.55	16.5	18.7
2009	1,259	17.1	0.49	16.1	18.0	1,090	17.7	0.55	16.6	18.8
2010	1,229	16.6	0.48	15.6	17.5	1,068	17.3	0.54	16.3	18.4
2011	1,244	16.5	0.48	15.5	17.4	1,079	17.2	0.54	16.2	18.3
2012	1,213	15.9	0.46	15.0	16.8	1,048	16.6	0.53	15.6	17.7
2013	1,185	15.2	0.45	14.3	16.1	1,009	15.7	0.51	14.7	16.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Non-Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,398	10.1	0.21	9.7	10.5	486	9.0	0.43	8.2	9.9
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	7	8.5	3.94	2.6	19.1
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	8	6.6	2.42	2.8	13.5
1992	53	7.2	1.01	5.4	9.5	5	5.4	2.96	1.2	13.6
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	85	10.9	1.20	8.7	13.5	21	13.9	3.18	8.4	21.6
1996	68	8.3	1.02	6.4	10.6	15	10.3	2.82	5.6	17.3
1997	80	9.8	1.11	7.7	12.2	15	10.0	2.80	5.3	16.9
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	19	8.2	2.00	4.8	13.2
2001	102	11.7	1.17	9.5	14.2	18	9.6	2.41	5.4	15.4
2002	95	10.7	1.11	8.7	13.1	16	8.7	2.32	4.8	14.4
2003	100	11.1	1.11	9.0	13.5	25	12.6	2.66	7.9	18.8
2004	120	13.4	1.24	11.1	16.1	18	8.6	2.14	5.0	13.8
2005	97	10.7	1.09	8.6	13.0	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	110	11.7	1.13	9.6	14.1	29	10.4	2.04	6.8	15.2
2008	111	11.7	1.13	9.6	14.2	31	10.6	2.00	7.0	15.2
2009	116	12.0	1.12	9.9	14.4	24	8.5	1.83	5.3	12.8
2010	109	11.2	1.08	9.2	13.5	32	10.1	1.90	6.8	14.6
2011	115	11.4	1.08	9.4	13.7	30	9.2	1.75	6.1	13.3
2012	118	11.4	1.07	9.4	13.7	26	7.9	1.62	5.1	11.7
2013	113	11.0	1.05	9.0	13.2	37	10.2	1.74	7.0	14.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	19,701	5.8	0.04	5.7	5.9	14,954	5.1	0.04	5.1	5.2
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	463	4.4	0.20	4.0	4.8	360	3.8	0.20	3.4	4.2
1988	469	4.4	0.20	4.0	4.8	383	4.1	0.21	3.7	4.5
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8
1993	620	5.5	0.22	5.1	5.9	478	4.8	0.22	4.4	5.3
1994	708	6.2	0.23	5.8	6.7	536	5.4	0.23	4.9	5.8
1995	714	6.2	0.23	5.8	6.7	548	5.4	0.23	5.0	5.9
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5
1997	696	6.0	0.23	5.6	6.5	532	5.3	0.23	4.8	5.7
1998	738	6.3	0.23	5.8	6.8	553	5.4	0.23	5.0	5.9
1999	724	6.1	0.23	5.7	6.6	535	5.2	0.23	4.8	5.7
2000	753	6.3	0.23	5.9	6.8	554	5.4	0.23	4.9	5.8
2001	747	6.2	0.23	5.8	6.7	564	5.4	0.23	5.0	5.9
2002	850	7.0	0.24	6.5	7.5	662	6.3	0.25	5.9	6.8
2003	808	6.6	0.23	6.1	7.0	615	5.8	0.23	5.4	6.3
2004	757	6.1	0.22	5.7	6.5	563	5.3	0.23	4.9	5.8
2005	793	6.3	0.22	5.9	6.8	591	5.5	0.23	5.1	6.0
2006	802	6.3	0.22	5.9	6.8	595	5.5	0.23	5.1	6.0
2007	749	5.8	0.21	5.4	6.3	559	5.1	0.22	4.7	5.6
2008	851	6.5	0.22	6.1	7.0	643	5.8	0.23	5.4	6.3
2009	865	6.5	0.22	6.0	6.9	648	5.8	0.23	5.3	6.2
2010	829	6.1	0.21	5.7	6.5	620	5.4	0.22	5.0	5.9
2011	880	6.4	0.22	5.9	6.8	659	5.7	0.23	5.3	6.2
2012	883	6.3	0.21	5.9	6.7	630	5.4	0.22	4.9	5.8
2013	822	5.7	0.20	5.4	6.2	605	5.0	0.21	4.6	5.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,336	11.2	0.17	10.9	11.6	301	3.3	0.20	2.9	3.7
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	100	9.0	0.93	7.3	11.0	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	164	13.6	1.08	11.5	15.8	7	2.8	1.13	1.1	6.0
1995	155	12.7	1.04	10.7	14.9	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	7	3.1	1.25	1.1	6.4
1997	150	11.8	0.98	9.9	13.9	12	5.5	1.74	2.6	9.8
1998	176	13.5	1.03	11.5	15.6	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	166	11.7	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	175	12.3	0.95	10.5	14.3	9	2.6	0.91	1.2	5.0
2003	184	13.0	0.97	11.1	15.0	8	2.7	0.99	1.1	5.2
2004	178	11.9	0.91	10.2	13.8	9	2.3	0.81	1.0	4.4
2005	186	12.3	0.92	10.6	14.3	10	2.4	0.81	1.1	4.5
2006	193	12.7	0.94	11.0	14.7	12	2.7	0.84	1.4	4.9
2007	169	10.7	0.84	9.1	12.5	16	3.3	0.87	1.8	5.4
2008	176	11.1	0.86	9.5	12.9	24	5.5	1.18	3.4	8.2
2009	188	11.6	0.86	9.9	13.4	20	4.2	1.02	2.4	6.6
2010	190	11.4	0.84	9.8	13.1	11	2.1	0.66	1.0	3.7
2011	193	11.2	0.82	9.6	12.9	20	3.4	0.80	2.0	5.3
2012	211	12.2	0.86	10.6	14.0	24	3.6	0.77	2.3	5.5
2013	190	11.1	0.82	9.5	12.8	18	3.1	0.76	1.7	4.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,183	7.1	0.07	7.0	7.3	7,893	6.4	0.07	6.3	6.6
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	226	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3
1988	232	5.3	0.36	4.6	6.1	190	4.9	0.37	4.2	5.7
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5
1994	363	7.8	0.42	7.0	8.6	275	6.8	0.42	6.0	7.6
1995	367	7.8	0.41	7.0	8.6	278	6.7	0.41	5.9	7.6
1996	330	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5
1998	378	7.8	0.41	7.0	8.6	292	6.9	0.41	6.1	7.7
1999	360	7.2	0.38	6.4	8.0	283	6.6	0.39	5.8	7.4
2000	381	7.5	0.39	6.8	8.3	294	6.8	0.40	6.0	7.6
2001	366	7.2	0.38	6.4	7.9	284	6.5	0.39	5.8	7.3
2002	437	8.5	0.41	7.7	9.3	350	7.9	0.43	7.1	8.8
2003	416	8.1	0.40	7.3	8.9	320	7.2	0.41	6.4	8.1
2004	388	7.4	0.38	6.6	8.1	294	6.6	0.39	5.8	7.4
2005	428	7.9	0.39	7.2	8.7	327	7.1	0.40	6.4	8.0
2006	432	7.9	0.39	7.2	8.7	327	7.0	0.39	6.3	7.8
2007	411	7.5	0.37	6.7	8.2	316	6.8	0.39	6.0	7.6
2008	470	8.3	0.39	7.6	9.1	370	7.7	0.41	6.9	8.6
2009	465	8.1	0.38	7.3	8.9	354	7.3	0.39	6.5	8.1
2010	437	7.3	0.35	6.6	8.0	333	6.6	0.37	5.9	7.3
2011	475	7.9	0.37	7.2	8.6	362	7.1	0.38	6.4	7.9
2012	494	8.0	0.37	7.3	8.7	371	7.1	0.38	6.4	7.9
2013	430	6.8	0.34	6.2	7.5	329	6.2	0.35	5.5	6.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,063	13.2	0.31	12.6	13.8	176	4.3	0.36	3.6	5.0
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	52	11.5	1.70	8.4	15.3	1	1.5	1.46	0.0	8.8
1988	38	8.3	1.45	5.7	11.6	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	84	17.1	1.98	13.5	21.4	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	71	13.5	1.71	10.4	17.3	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	6	4.8	2.12	1.6	10.9
1998	81	16.5	1.96	12.9	20.7	4	3.6	2.05	0.8	9.7
1999	72	12.4	1.54	9.6	15.8	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	74	12.5	1.52	9.7	15.8	5	3.9	1.87	1.1	9.2
2002	79	14.0	1.65	11.0	17.6	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	86	14.2	1.60	11.2	17.7	6	3.8	1.73	1.2	8.5
2005	91	14.3	1.55	11.4	17.6	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	6	2.1	0.86	0.8	4.8
2008	85	12.9	1.47	10.1	16.0	12	6.3	1.92	3.1	11.1
2009	95	14.3	1.54	11.4	17.6	12	6.4	2.04	3.1	11.5
2010	93	13.2	1.44	10.5	16.3	8	3.7	1.46	1.4	7.6
2011	100	14.4	1.52	11.6	17.7	11	4.2	1.38	1.9	7.7
2012	98	13.7	1.45	11.0	16.8	16	5.1	1.33	2.9	8.5
2013	83	11.7	1.34	9.2	14.6	12	4.4	1.44	2.1	8.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	9,518	4.9	0.05	4.8	5.0	7,061	4.2	0.05	4.1	4.3
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	237	3.8	0.25	3.3	4.3	187	3.4	0.25	2.9	3.9
1988	237	3.8	0.25	3.3	4.3	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	319	4.8	0.27	4.3	5.4	241	4.2	0.27	3.6	4.7
1994	345	5.2	0.28	4.7	5.8	261	4.5	0.28	4.0	5.1
1995	347	5.2	0.28	4.6	5.7	270	4.6	0.28	4.1	5.2
1996	320	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	345	5.1	0.28	4.6	5.6	254	4.3	0.27	3.8	4.9
1998	360	5.3	0.28	4.8	5.9	261	4.5	0.28	3.9	5.1
1999	364	5.3	0.28	4.8	5.9	252	4.2	0.27	3.7	4.8
2000	372	5.4	0.28	4.9	6.0	260	4.3	0.27	3.8	4.9
2001	381	5.5	0.28	4.9	6.1	280	4.7	0.28	4.1	5.2
2002	413	5.9	0.29	5.3	6.5	312	5.1	0.29	4.6	5.7
2003	392	5.5	0.28	5.0	6.1	295	4.8	0.29	4.3	5.4
2004	369	5.2	0.27	4.7	5.8	269	4.5	0.27	3.9	5.0
2005	365	5.1	0.27	4.6	5.6	264	4.3	0.27	3.8	4.9
2006	370	5.1	0.27	4.6	5.7	268	4.4	0.27	3.8	4.9
2007	338	4.7	0.26	4.2	5.2	243	3.9	0.26	3.4	4.5
2008	381	5.2	0.27	4.7	5.7	273	4.4	0.27	3.8	4.9
2009	400	5.3	0.27	4.8	5.8	294	4.6	0.27	4.1	5.2
2010	392	5.1	0.26	4.6	5.7	287	4.5	0.27	4.0	5.0
2011	405	5.3	0.27	4.8	5.8	297	4.7	0.28	4.1	5.2
2012	389	5.0	0.26	4.5	5.5	259	4.0	0.25	3.5	4.5
2013	392	4.9	0.25	4.5	5.5	276	4.2	0.26	3.7	4.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,273	10.0	0.21	9.6	10.4	125	2.5	0.23	2.0	3.0
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	41	6.2	0.98	4.4	8.4	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	80	11.2	1.26	8.9	13.9	3	1.8	1.05	0.4	5.7
1995	75	10.3	1.20	8.1	12.9	2	1.4	1.01	0.2	5.2
1996	69	9.1	1.10	7.0	11.5	2	1.5	1.14	0.1	5.4
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	95	12.0	1.24	9.7	14.6	3	1.3	0.76	0.3	4.2
1999	105	13.0	1.28	10.6	15.7	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	92	11.1	1.16	8.9	13.6	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	94	11.0	1.14	8.9	13.5	3	1.8	1.02	0.4	4.8
2004	92	10.4	1.09	8.4	12.7	3	1.2	0.72	0.2	3.6
2005	95	10.8	1.11	8.7	13.2	4	1.9	0.99	0.5	4.8
2006	93	10.3	1.08	8.3	12.6	7	3.1	1.21	1.2	6.4
2007	84	9.1	1.00	7.2	11.2	10	4.1	1.35	1.9	7.6
2008	91	9.9	1.05	7.9	12.2	12	4.9	1.47	2.4	8.6
2009	93	9.8	1.02	7.9	12.0	8	2.5	0.97	1.0	5.2
2010	97	10.0	1.03	8.1	12.2	3	0.8	0.50	0.2	2.6
2011	93	9.1	0.95	7.3	11.1	9	2.8	0.96	1.2	5.3
2012	113	11.1	1.06	9.1	13.3	8	2.3	0.87	1.0	4.7
2013	107	10.5	1.03	8.6	12.8	6	2.1	0.89	0.7	4.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	43,207	12.8	0.06	12.6	12.9	37,797	13.1	0.07	13.0	13.3
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2
1987	1,099	10.1	0.31	9.5	10.7	1,001	10.6	0.34	9.9	11.3
1988	1,074	10.0	0.31	9.4	10.6	944	10.0	0.33	9.4	10.7
1989	1,090	10.1	0.31	9.5	10.7	973	10.3	0.34	9.7	11.0
1990	1,186	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9
1991	1,160	10.4	0.31	9.8	11.0	1,040	10.8	0.34	10.1	11.5
1992	1,244	11.0	0.32	10.4	11.7	1,105	11.4	0.34	10.7	12.1
1993	1,308	11.5	0.32	10.9	12.1	1,182	12.0	0.35	11.3	12.7
1994	1,579	13.8	0.35	13.1	14.5	1,410	14.2	0.38	13.5	15.0
1995	1,568	13.5	0.34	12.9	14.2	1,400	14.1	0.38	13.4	14.8
1996	1,505	12.9	0.33	12.3	13.6	1,342	13.4	0.37	12.7	14.1
1997	1,517	12.9	0.33	12.2	13.6	1,338	13.3	0.36	12.6	14.0
1998	1,527	12.8	0.33	12.2	13.5	1,346	13.2	0.36	12.5	14.0
1999	1,657	13.8	0.34	13.2	14.5	1,479	14.5	0.38	13.8	15.2
2000	1,691	14.0	0.34	13.3	14.7	1,477	14.4	0.38	13.7	15.2
2001	1,769	14.5	0.35	13.9	15.2	1,533	14.9	0.38	14.1	15.6
2002	1,786	14.6	0.35	13.9	15.3	1,571	15.1	0.38	14.4	15.9
2003	1,777	14.4	0.34	13.7	15.1	1,578	15.1	0.38	14.3	15.8
2004	1,793	14.3	0.34	13.7	15.0	1,542	14.6	0.37	13.9	15.4
2005	1,704	13.6	0.33	12.9	14.2	1,469	13.9	0.36	13.2	14.6
2006	1,762	13.9	0.33	13.2	14.6	1,541	14.4	0.37	13.7	15.2
2007	1,624	12.7	0.32	12.1	13.3	1,398	13.1	0.35	12.4	13.8
2008	1,787	13.8	0.33	13.2	14.5	1,548	14.3	0.37	13.6	15.1
2009	1,691	12.8	0.32	12.2	13.5	1,457	13.2	0.35	12.6	14.0
2010	1,805	13.6	0.32	12.9	14.2	1,522	13.8	0.36	13.1	14.5
2011	1,845	13.7	0.32	13.1	14.3	1,568	14.0	0.36	13.3	14.8
2012	1,879	13.8	0.32	13.1	14.4	1,567	13.9	0.36	13.2	14.7
2013	1,793	13.0	0.31	12.4	13.7	1,500	13.3	0.35	12.6	14.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	4,223	10.4	0.16	10.0	10.7	718	6.9	0.29	6.4	7.5
1986	90	7.8	0.87	6.2	9.7	7	3.1	1.27	1.2	7.2
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	97	7.6	0.82	6.1	9.3	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	9	3.9	1.82	1.2	8.8
1992	114	8.9	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.5	19	7.4	1.92	4.1	12.1
1996	134	9.7	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	155	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	150	10.2	0.86	8.5	12.0	21	6.0	1.47	3.5	9.6
2000	181	12.4	0.95	10.6	14.4	22	6.1	1.44	3.6	9.6
2001	181	11.8	0.91	10.1	13.7	38	8.0	1.41	5.5	11.3
2002	169	11.9	0.94	10.1	13.8	27	6.7	1.41	4.2	10.0
2003	160	10.5	0.86	8.9	12.3	25	5.5	1.18	3.4	8.3
2004	175	11.1	0.86	9.5	12.9	34	7.1	1.34	4.7	10.2
2005	175	11.5	0.90	9.8	13.4	37	8.1	1.49	5.5	11.5
2006	183	11.7	0.89	10.0	13.6	23	4.3	0.96	2.6	6.6
2007	173	10.6	0.83	9.0	12.3	40	8.5	1.47	5.9	11.9
2008	165	10.5	0.83	8.9	12.2	43	8.5	1.40	6.0	11.7
2009	164	10.2	0.81	8.6	11.9	32	5.3	1.01	3.5	7.7
2010	202	11.8	0.85	10.2	13.5	42	8.5	1.41	6.0	11.6
2011	190	10.9	0.81	9.4	12.6	42	8.0	1.32	5.6	10.9
2012	221	12.7	0.87	11.0	14.5	36	5.8	1.02	3.9	8.1
2013	202	11.2	0.81	9.7	12.9	51	8.4	1.24	6.1	11.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	24,190	16.8	0.11	16.5	17.0	21,240	17.2	0.12	17.0	17.5
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6
1987	601	13.1	0.56	12.0	14.2	555	13.9	0.61	12.7	15.1
1988	579	12.9	0.56	11.8	14.0	504	12.8	0.59	11.7	14.0
1989	592	12.7	0.54	11.7	13.9	535	13.2	0.59	12.1	14.4
1990	630	13.5	0.56	12.4	14.7	572	14.0	0.60	12.8	15.2
1991	650	13.5	0.55	12.5	14.6	586	14.0	0.59	12.9	15.3
1992	727	15.2	0.58	14.1	16.4	647	15.5	0.63	14.3	16.8
1993	719	14.9	0.57	13.8	16.0	643	15.5	0.63	14.2	16.7
1994	874	18.4	0.64	17.2	19.7	777	18.9	0.70	17.6	20.3
1995	859	17.6	0.62	16.4	18.9	773	18.4	0.68	17.1	19.8
1996	845	17.5	0.62	16.3	18.7	749	17.9	0.67	16.6	19.3
1997	839	17.0	0.60	15.8	18.2	750	17.7	0.66	16.4	19.0
1998	852	16.8	0.59	15.6	18.0	758	17.4	0.64	16.2	18.7
1999	915	18.0	0.61	16.8	19.2	829	19.0	0.67	17.7	20.4
2000	922	17.8	0.60	16.7	19.0	803	18.2	0.65	16.9	19.5
2001	985	19.1	0.62	17.9	20.3	845	19.3	0.67	18.0	20.6
2002	1,010	19.5	0.62	18.3	20.8	890	20.1	0.68	18.8	21.5
2003	1,000	19.1	0.61	17.9	20.3	898	20.1	0.68	18.8	21.5
2004	984	18.5	0.60	17.3	19.7	862	19.1	0.66	17.8	20.4
2005	980	18.3	0.59	17.1	19.5	850	18.6	0.65	17.4	20.0
2006	1,023	18.8	0.60	17.6	20.0	902	19.6	0.66	18.3	20.9
2007	944	17.1	0.56	16.0	18.2	820	17.6	0.62	16.4	18.8
2008	1,039	18.3	0.58	17.2	19.5	898	18.8	0.64	17.6	20.1
2009	917	16.0	0.54	14.9	17.1	794	16.4	0.59	15.3	17.6
2010	1,040	17.9	0.56	16.8	19.0	880	18.1	0.62	16.9	19.4
2011	1,040	17.5	0.55	16.5	18.6	878	17.7	0.61	16.5	18.9
2012	1,075	17.8	0.55	16.7	18.9	910	18.1	0.61	16.9	19.3
2013	1,017	16.5	0.53	15.5	17.6	852	16.7	0.58	15.6	17.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,276	13.5	0.31	12.9	14.1	395	8.6	0.51	7.6	9.7
1986	47	10.3	1.73	7.2	14.2	3	2.7	1.78	0.4	10.6
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	52	10.3	1.64	7.4	14.0	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	67	12.6	1.69	9.5	16.3	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	73	12.5	1.59	9.6	16.0	11	9.4	3.31	4.1	18.1
1996	82	15.2	1.84	11.8	19.1	12	8.8	3.51	3.3	17.9
1997	80	13.3	1.62	10.3	16.8	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	68	11.2	1.48	8.5	14.4	12	7.0	2.41	3.1	13.4
2000	100	16.7	1.76	13.4	20.5	15	8.4	2.40	4.4	14.6
2001	105	16.8	1.78	13.5	20.7	28	11.3	2.33	7.2	17.1
2002	89	15.4	1.77	12.1	19.2	17	10.6	2.93	5.7	17.8
2003	83	13.0	1.53	10.1	16.3	14	6.1	1.74	3.2	10.7
2004	83	12.6	1.53	9.8	15.9	15	7.6	2.39	3.7	13.6
2005	98	15.8	1.74	12.6	19.5	22	12.2	2.96	7.1	19.2
2006	103	15.8	1.66	12.7	19.4	10	4.0	1.38	1.7	7.7
2007	96	14.1	1.53	11.3	17.4	18	8.3	2.24	4.5	13.8
2008	95	14.6	1.60	11.7	18.1	24	11.2	2.64	6.7	17.4
2009	81	12.4	1.49	9.7	15.6	20	8.1	2.08	4.5	13.1
2010	118	16.6	1.64	13.6	20.1	20	8.7	2.18	5.0	13.9
2011	103	14.2	1.48	11.4	17.3	25	11.8	2.61	7.3	17.9
2012	122	17.3	1.66	14.2	20.9	11	3.9	1.29	1.8	7.2
2013	103	13.4	1.39	10.8	16.4	35	11.9	2.19	8.0	16.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	19,017	9.9	0.07	9.8	10.1	16,557	10.2	0.08	10.1	10.4
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5
1987	498	8.1	0.37	7.4	8.9	446	8.4	0.40	7.6	9.2
1988	495	8.0	0.37	7.3	8.8	440	8.2	0.40	7.5	9.0
1989	498	8.1	0.37	7.4	8.9	438	8.2	0.40	7.5	9.1
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2
1991	510	8.1	0.36	7.4	8.8	454	8.4	0.40	7.6	9.2
1992	517	8.1	0.36	7.4	8.8	458	8.4	0.40	7.6	9.2
1993	589	9.0	0.38	8.3	9.8	539	9.6	0.42	8.8	10.4
1994	705	10.8	0.41	10.0	11.6	633	11.2	0.45	10.3	12.1
1995	709	10.7	0.41	9.9	11.5	627	11.1	0.45	10.2	12.0
1996	660	9.9	0.39	9.1	10.7	593	10.4	0.43	9.5	11.2
1997	678	10.1	0.39	9.3	10.8	588	10.2	0.43	9.4	11.0
1998	675	9.9	0.38	9.1	10.6	588	10.0	0.42	9.2	10.9
1999	742	10.9	0.40	10.1	11.7	650	11.3	0.45	10.4	12.2
2000	769	11.2	0.41	10.4	12.0	674	11.6	0.45	10.8	12.6
2001	784	11.4	0.41	10.6	12.2	688	11.8	0.46	10.9	12.8
2002	776	11.1	0.40	10.3	11.9	681	11.5	0.45	10.6	12.4
2003	777	11.1	0.40	10.3	11.9	680	11.5	0.45	10.7	12.4
2004	809	11.5	0.41	10.7	12.3	680	11.5	0.45	10.6	12.4
2005	724	10.2	0.39	9.5	11.0	619	10.5	0.43	9.7	11.4
2006	739	10.3	0.38	9.5	11.0	639	10.6	0.43	9.8	11.4
2007	680	9.6	0.37	8.9	10.3	578	9.8	0.42	9.0	10.7
2008	748	10.4	0.38	9.6	11.1	650	10.8	0.44	10.0	11.7
2009	774	10.5	0.38	9.8	11.3	663	10.8	0.43	10.0	11.7
2010	765	10.2	0.38	9.5	11.0	642	10.4	0.42	9.6	11.3
2011	805	10.8	0.39	10.1	11.6	690	11.2	0.44	10.4	12.1
2012	804	10.7	0.39	10.0	11.5	657	10.7	0.43	9.9	11.6
2013	776	10.3	0.38	9.6	11.1	648	10.6	0.43	9.8	11.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,947	8.2	0.19	7.9	8.6	323	5.7	0.34	5.1	6.4
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	3	1.9	1.13	0.4	6.5
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	71	9.1	1.10	7.1	11.5	8	5.8	2.29	2.2	11.9
1996	52	6.4	0.90	4.7	8.4	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	82	9.5	1.07	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	81	9.4	1.06	7.5	11.7	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	80	9.5	1.07	7.5	11.8	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	92	10.1	1.06	8.1	12.4	19	7.1	1.72	4.2	11.4
2005	77	8.7	1.00	6.9	10.9	15	5.2	1.45	2.8	8.9
2006	80	8.9	1.00	7.0	11.0	13	4.6	1.35	2.4	8.1
2007	77	8.2	0.94	6.4	10.2	22	8.8	1.98	5.3	13.5
2008	70	7.6	0.92	5.9	9.7	19	6.7	1.61	3.9	10.6
2009	83	8.9	0.98	7.0	11.0	12	3.4	0.99	1.7	6.0
2010	84	8.4	0.93	6.7	10.4	22	8.3	1.85	5.0	12.6
2011	87	8.7	0.94	6.9	10.7	17	5.3	1.36	3.0	8.7
2012	99	9.7	0.99	7.9	11.9	25	7.4	1.52	4.7	11.0
2013	99	9.5	0.97	7.7	11.6	16	5.1	1.33	2.9	8.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,013	1.5	0.02	1.4	1.5	4,295	1.6	0.02	1.5	1.6
1986	125	1.1	0.10	0.9	1.3	111	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	159	1.3	0.10	1.1	1.5	134	1.4	0.12	1.2	1.6
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	143	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	155	1.6	0.13	1.3	1.8
2001	189	1.5	0.11	1.3	1.8	150	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	167	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	200	1.6	0.11	1.4	1.8	178	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	189	1.5	0.11	1.3	1.8	155	1.6	0.13	1.4	1.9
2008	216	1.7	0.12	1.5	2.0	190	2.0	0.14	1.7	2.3
2009	188	1.5	0.11	1.3	1.7	159	1.6	0.13	1.4	1.9
2010	196	1.6	0.11	1.4	1.8	161	1.7	0.13	1.4	1.9
2011	203	1.6	0.11	1.4	1.9	168	1.7	0.13	1.5	2.0
2012	218	1.8	0.12	1.5	2.0	182	1.9	0.14	1.6	2.2
2013	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.6	2.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	494	0.9	0.04	0.8	1.0	153	1.1	0.09	0.9	1.3
1986	10	0.6	0.21	0.3	1.2	4	1.2	0.61	0.3	4.3
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	2	0.5	0.34	0.1	2.7
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	19	1.0	0.23	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	19	0.9	0.21	0.6	1.4	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	0.9	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.30	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.34	0.3	1.8
2013	17	0.9	0.22	0.5	1.5	9	1.1	0.37	0.5	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,782	1.7	0.03	1.6	1.7	2,381	1.8	0.04	1.7	1.9
1986	65	1.2	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	93	1.6	0.17	1.3	2.0	76	1.6	0.19	1.3	2.0
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	75	1.2	0.14	1.0	1.5	65	1.3	0.16	1.0	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	98	2.0	0.20	1.6	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	109	1.8	0.17	1.4	2.1	98	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	103	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	132	2.1	0.18	1.8	2.5	117	2.4	0.22	2.0	2.9
2009	106	1.7	0.17	1.4	2.1	90	1.9	0.20	1.5	2.3
2010	122	2.0	0.18	1.6	2.3	98	2.0	0.21	1.6	2.5
2011	113	1.8	0.17	1.5	2.2	91	1.9	0.20	1.5	2.3
2012	118	1.9	0.18	1.6	2.3	97	2.0	0.21	1.6	2.5
2013	113	1.8	0.17	1.5	2.2	92	1.9	0.20	1.5	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	276	1.0	0.07	0.9	1.2	76	1.0	0.12	0.8	1.3
1986	5	0.7	0.36	0.2	1.8	2	1.2	0.81	0.1	8.0
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.36	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.4
2012	12	1.3	0.39	0.7	2.4	2	0.6	0.39	0.1	2.2
2013	10	1.2	0.39	0.5	2.2	7	1.8	0.67	0.7	3.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,231	1.3	0.03	1.2	1.3	1,914	1.4	0.03	1.3	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	62	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	98	1.5	0.16	1.2	1.9	90	1.8	0.19	1.4	2.2
2001	78	1.2	0.14	1.0	1.5	60	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	84	1.4	0.15	1.1	1.7	73	1.6	0.18	1.2	2.0
2009	82	1.3	0.14	1.0	1.6	69	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	90	1.4	0.15	1.1	1.7	77	1.6	0.18	1.2	2.0
2012	100	1.6	0.16	1.3	1.9	85	1.7	0.19	1.4	2.2
2013	93	1.5	0.16	1.2	1.8	83	1.7	0.19	1.4	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Lymphocytic Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	218	0.8	0.05	0.7	0.9	77	1.1	0.13	0.8	1.4
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	0				
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	10	1.0	0.33	0.5	1.9	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	9	0.9	0.28	0.4	1.6	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.55	0.3	2.9
2013	7	0.7	0.27	0.3	1.5	2	0.5	0.32	0.1	1.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Both Sexes</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	13,664	4.0	0.03	4.0	4.1	12,092	4.1	0.04	4.1	4.2
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0
1987	320	3.0	0.17	2.7	3.4	292	3.1	0.18	2.8	3.5
1988	351	3.3	0.18	3.0	3.7	313	3.3	0.19	2.9	3.7
1989	341	3.2	0.17	2.8	3.5	310	3.3	0.19	2.9	3.6
1990	372	3.4	0.18	3.1	3.8	343	3.6	0.19	3.2	4.0
1991	383	3.5	0.18	3.1	3.8	345	3.5	0.19	3.2	3.9
1992	424	3.8	0.19	3.5	4.2	384	3.9	0.20	3.5	4.3
1993	403	3.6	0.18	3.2	3.9	370	3.7	0.19	3.3	4.1
1994	531	4.7	0.20	4.3	5.1	479	4.8	0.22	4.4	5.3
1995	461	4.1	0.19	3.7	4.4	417	4.2	0.21	3.8	4.6
1996	457	4.0	0.19	3.6	4.4	422	4.2	0.21	3.8	4.6
1997	437	3.8	0.18	3.4	4.1	396	3.9	0.20	3.5	4.3
1998	463	3.9	0.18	3.6	4.3	416	4.1	0.20	3.7	4.5
1999	489	4.1	0.19	3.8	4.5	451	4.4	0.21	4.0	4.8
2000	503	4.2	0.19	3.9	4.6	419	4.1	0.20	3.7	4.5
2001	580	4.8	0.20	4.4	5.2	507	4.9	0.22	4.5	5.3
2002	620	5.1	0.20	4.7	5.5	548	5.2	0.22	4.8	5.7
2003	625	5.1	0.20	4.7	5.5	573	5.4	0.23	5.0	5.9
2004	612	4.9	0.20	4.5	5.3	536	5.0	0.22	4.6	5.5
2005	558	4.5	0.19	4.1	4.9	481	4.5	0.21	4.1	4.9
2006	610	4.8	0.20	4.4	5.2	541	5.0	0.22	4.6	5.4
2007	514	4.0	0.18	3.6	4.4	450	4.1	0.19	3.7	4.5
2008	638	4.9	0.20	4.5	5.3	555	5.0	0.21	4.6	5.4
2009	540	4.0	0.18	3.7	4.4	471	4.2	0.19	3.8	4.6
2010	539	4.0	0.17	3.6	4.3	450	3.9	0.19	3.6	4.3
2011	528	3.8	0.17	3.5	4.2	456	3.9	0.19	3.6	4.3
2012	585	4.1	0.17	3.8	4.5	488	4.2	0.19	3.8	4.6
2013	507	3.6	0.16	3.3	3.9	430	3.6	0.18	3.3	4.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Chronic Lymphocytic Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,279	3.4	0.10	3.2	3.6	77	1.0	0.12	0.7	1.2
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.51	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	32	2.3	0.41	1.6	3.2	3	1.4	0.85	0.3	3.9
2000	76	5.5	0.64	4.3	6.9	3	1.1	0.65	0.2	3.1
2001	54	3.9	0.54	2.9	5.1	6	1.7	0.74	0.6	3.8
2002	62	4.6	0.60	3.5	5.9	4	1.7	0.84	0.5	4.0
2003	44	3.1	0.47	2.2	4.1	2	0.4	0.26	0.0	1.5
2004	47	3.0	0.44	2.2	4.0	2	0.4	0.29	0.1	1.5
2005	61	4.2	0.55	3.2	5.4	5	1.0	0.46	0.3	2.4
2006	65	4.3	0.54	3.3	5.5	1	0.4	0.37	0.0	1.7
2007	54	3.5	0.49	2.6	4.6	6	1.4	0.61	0.5	3.1
2008	64	4.3	0.55	3.3	5.5	5	1.3	0.60	0.4	2.9
2009	43	2.7	0.42	2.0	3.7	3	0.8	0.45	0.2	2.1
2010	60	3.7	0.49	2.8	4.8	7	1.7	0.70	0.7	3.6
2011	51	3.1	0.44	2.3	4.1	3	0.7	0.41	0.1	1.9
2012	64	3.6	0.47	2.8	4.7	4	0.8	0.40	0.2	1.9
2013	56	3.2	0.43	2.4	4.1	8	1.5	0.57	0.6	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Males</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	7,976	5.7	0.06	5.5	5.8	7,054	5.8	0.07	5.7	5.9
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	175	4.0	0.32	3.4	4.7	161	4.2	0.34	3.5	4.9
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	177	4.0	0.31	3.4	4.6	165	4.1	0.33	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	226	4.9	0.33	4.2	5.6	200	4.9	0.35	4.2	5.6
1992	250	5.5	0.36	4.8	6.2	228	5.7	0.38	5.0	6.5
1993	209	4.4	0.31	3.8	5.1	187	4.5	0.34	3.9	5.2
1994	313	7.0	0.41	6.2	7.8	284	7.2	0.44	6.3	8.1
1995	259	5.6	0.36	4.9	6.4	233	5.8	0.39	5.0	6.6
1996	270	5.8	0.36	5.2	6.6	246	6.1	0.39	5.3	6.9
1997	258	5.4	0.34	4.7	6.1	233	5.6	0.37	4.9	6.4
1998	265	5.3	0.33	4.7	6.0	235	5.5	0.36	4.8	6.2
1999	281	5.7	0.35	5.1	6.5	263	6.2	0.38	5.4	7.0
2000	303	6.0	0.35	5.3	6.7	252	5.8	0.37	5.1	6.6
2001	311	6.2	0.36	5.6	7.0	269	6.2	0.38	5.5	7.0
2002	342	6.8	0.38	6.1	7.6	305	7.0	0.41	6.3	7.9
2003	375	7.3	0.38	6.6	8.1	349	7.9	0.42	7.1	8.7
2004	353	6.8	0.37	6.1	7.6	310	7.0	0.40	6.2	7.8
2005	327	6.3	0.35	5.6	7.0	283	6.3	0.38	5.6	7.1
2006	366	6.9	0.37	6.2	7.7	325	7.2	0.40	6.4	8.0
2007	324	6.0	0.34	5.3	6.7	286	6.2	0.37	5.5	7.0
2008	394	7.0	0.36	6.4	7.8	339	7.1	0.39	6.3	7.9
2009	316	5.5	0.32	4.9	6.1	278	5.7	0.35	5.0	6.4
2010	345	6.0	0.33	5.3	6.6	284	5.8	0.35	5.1	6.5
2011	321	5.4	0.31	4.8	6.0	277	5.4	0.33	4.8	6.1
2012	355	5.8	0.31	5.2	6.4	298	5.8	0.34	5.1	6.5
2013	314	5.0	0.29	4.5	5.6	272	5.2	0.32	4.6	5.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Males</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	754	4.9	0.19	4.5	5.3	46	1.4	0.23	1.0	1.9
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	15	2.7	0.72	1.4	4.4	1	1.5	1.53	0.0	6.7
2000	47	8.2	1.24	6.0	11.0	2	1.8	1.34	0.2	6.3
2001	35	6.6	1.19	4.5	9.3	4	2.4	1.31	0.5	6.5
2002	30	5.6	1.12	3.7	8.2	3	3.1	1.78	0.6	8.2
2003	24	4.0	0.88	2.5	6.1	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	37	6.4	1.12	4.4	8.9	3	1.5	0.89	0.3	4.5
2006	38	5.9	1.00	4.1	8.2	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	41	6.9	1.13	4.8	9.4	4	2.5	1.43	0.5	6.5
2009	21	3.2	0.74	1.9	5.0	2	1.3	0.93	0.1	4.2
2010	43	6.8	1.11	4.8	9.3	5	2.9	1.49	0.8	7.0
2011	30	4.6	0.89	3.1	6.7	3	1.6	0.99	0.3	4.5
2012	36	5.2	0.91	3.5	7.2	1	0.7	0.68	0.0	3.0
2013	29	3.7	0.72	2.5	5.4	5	2.1	1.00	0.6	4.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Females</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	5,688	2.9	0.04	2.8	3.0	5,038	2.9	0.04	2.9	3.0
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	151	2.7	0.22	2.3	3.2
1989	164	2.6	0.21	2.2	3.1	145	2.6	0.22	2.2	3.1
1990	154	2.4	0.20	2.1	2.9	142	2.6	0.22	2.2	3.0
1991	157	2.4	0.19	2.0	2.8	145	2.5	0.21	2.1	2.9
1992	174	2.6	0.20	2.2	3.0	156	2.6	0.21	2.2	3.1
1993	194	2.9	0.21	2.5	3.3	183	3.1	0.23	2.6	3.5
1994	218	3.2	0.22	2.8	3.7	195	3.2	0.24	2.8	3.7
1995	202	3.0	0.21	2.6	3.5	184	3.1	0.24	2.7	3.6
1996	187	2.8	0.20	2.4	3.2	176	3.0	0.23	2.6	3.5
1997	179	2.5	0.19	2.2	2.9	163	2.6	0.21	2.2	3.1
1998	198	2.8	0.20	2.4	3.2	181	2.9	0.22	2.5	3.4
1999	208	3.0	0.21	2.6	3.5	188	3.2	0.24	2.7	3.7
2000	200	2.8	0.20	2.5	3.3	167	2.7	0.21	2.3	3.2
2001	269	3.8	0.23	3.4	4.3	238	3.9	0.25	3.4	4.4
2002	278	3.8	0.23	3.4	4.3	243	3.9	0.25	3.4	4.4
2003	250	3.5	0.22	3.0	3.9	224	3.6	0.24	3.1	4.1
2004	259	3.6	0.22	3.1	4.0	226	3.6	0.24	3.1	4.1
2005	231	3.2	0.21	2.8	3.6	198	3.2	0.23	2.7	3.7
2006	244	3.3	0.21	2.9	3.7	216	3.4	0.23	2.9	3.9
2007	190	2.5	0.18	2.2	2.9	164	2.6	0.20	2.2	3.0
2008	244	3.2	0.21	2.8	3.7	216	3.4	0.24	3.0	3.9
2009	224	2.9	0.19	2.5	3.3	193	2.9	0.21	2.5	3.3
2010	194	2.5	0.18	2.1	2.9	166	2.5	0.20	2.1	2.9
2011	207	2.6	0.19	2.3	3.0	179	2.7	0.21	2.3	3.1
2012	230	2.9	0.20	2.5	3.3	190	2.9	0.22	2.5	3.4
2013	193	2.5	0.18	2.1	2.9	158	2.4	0.20	2.1	2.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	525	2.4	0.10	2.2	2.6	31	0.6	0.12	0.4	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.0	0.53	1.1	3.3	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	20	2.2	0.49	1.3	3.4	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	2	0.6	0.43	0.1	2.4
2006	27	3.1	0.61	2.1	4.6	0				
2007	21	2.4	0.52	1.5	3.6	4	1.9	0.97	0.5	4.7
2008	23	2.6	0.54	1.6	3.9	1	0.5	0.45	0.0	2.2
2009	22	2.4	0.52	1.5	3.6	1	0.4	0.42	0.0	2.1
2010	17	1.8	0.44	1.1	2.9	2	1.0	0.71	0.1	3.2
2011	21	2.1	0.47	1.3	3.3	0				
2012	28	2.7	0.52	1.8	3.9	3	0.9	0.56	0.2	2.7
2013	27	2.7	0.53	1.8	4.0	3	1.0	0.61	0.2	2.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	12,886	3.8	0.03	3.7	3.9	11,326	3.9	0.04	3.9	4.0
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	276	2.5	0.16	2.3	2.9	251	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	265	2.4	0.15	2.1	2.7	241	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	341	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	431	3.7	0.18	3.4	4.1	384	3.9	0.20	3.5	4.3
1996	437	3.7	0.18	3.4	4.1	388	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	532	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
2001	551	4.5	0.19	4.2	4.9	481	4.7	0.21	4.3	5.1
2002	524	4.3	0.19	3.9	4.7	475	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	531	4.2	0.18	3.9	4.6	460	4.4	0.20	4.0	4.8
2005	514	4.1	0.18	3.7	4.5	444	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	507	4.0	0.18	3.6	4.4	447	4.2	0.20	3.8	4.6
2008	507	3.9	0.18	3.6	4.3	442	4.1	0.20	3.7	4.5
2009	554	4.2	0.18	3.8	4.5	480	4.3	0.20	3.9	4.7
2010	629	4.8	0.19	4.4	5.2	534	4.9	0.21	4.5	5.3
2011	606	4.5	0.19	4.1	4.9	516	4.6	0.21	4.2	5.0
2012	639	4.7	0.19	4.3	5.1	534	4.7	0.21	4.3	5.1
2013	672	4.8	0.19	4.5	5.2	563	4.9	0.21	4.5	5.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,237	3.0	0.09	2.9	3.2	274	2.8	0.19	2.5	3.2
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	41	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	51	3.3	0.48	2.5	4.4	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	8	1.5	0.57	0.6	3.1
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	42	2.7	0.42	1.9	3.6	19	4.0	1.00	2.3	6.4
2009	58	3.8	0.51	2.9	4.9	14	2.5	0.74	1.3	4.4
2010	74	4.4	0.52	3.4	5.5	19	4.0	0.97	2.3	6.3
2011	66	3.7	0.47	2.9	4.8	21	4.2	0.97	2.5	6.5
2012	83	4.9	0.55	3.9	6.1	15	2.6	0.71	1.4	4.3
2013	80	4.4	0.50	3.5	5.5	21	3.7	0.85	2.2	5.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,783	4.7	0.06	4.6	4.8	6,034	4.9	0.06	4.8	5.0
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	177	4.2	0.32	3.6	4.8
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	219	4.4	0.31	3.9	5.1	193	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	246	4.8	0.31	4.2	5.5	225	5.1	0.35	4.5	5.9
2000	274	5.3	0.33	4.7	6.0	248	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	288	5.6	0.34	5.0	6.3	262	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	269	5.0	0.31	4.4	5.7	243	5.3	0.34	4.7	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	268	4.8	0.30	4.3	5.4	234	5.0	0.33	4.4	5.7
2009	286	5.0	0.30	4.5	5.7	249	5.1	0.33	4.5	5.8
2010	323	5.6	0.32	5.0	6.2	280	5.8	0.35	5.1	6.5
2011	298	5.1	0.30	4.5	5.7	255	5.2	0.33	4.6	5.9
2012	357	6.0	0.32	5.4	6.6	306	6.1	0.35	5.4	6.8
2013	364	6.0	0.32	5.3	6.6	305	6.0	0.35	5.3	6.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	582	3.5	0.16	3.2	3.8	141	3.4	0.34	2.8	4.1
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	15	2.2	0.58	1.2	3.7	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	22	3.5	0.80	2.1	5.4	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	3	1.0	0.57	0.2	3.3
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.1	10	5.2	1.86	2.2	9.9
2009	28	4.8	0.97	3.1	7.1	9	4.3	1.66	1.7	8.5
2010	33	4.9	0.91	3.3	7.0	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.75	2.6	5.6	10	5.3	1.85	2.3	9.9
2012	45	6.7	1.05	4.8	9.1	4	1.5	0.84	0.3	4.0
2013	40	5.4	0.90	3.8	7.5	14	5.6	1.63	2.9	9.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,103	3.2	0.04	3.1	3.3	5,292	3.3	0.05	3.2	3.4
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	129	2.1	0.19	1.8	2.5	115	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	113	1.8	0.17	1.5	2.2	102	1.9	0.19	1.5	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	147	2.3	0.20	2.0	2.8	130	2.4	0.22	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	195	3.0	0.22	2.6	3.4	169	3.1	0.24	2.6	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	238	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	253	3.7	0.23	3.3	4.2	225	3.9	0.26	3.4	4.5
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	262	3.7	0.23	3.3	4.2	217	3.7	0.26	3.2	4.3
2005	244	3.5	0.23	3.1	4.0	204	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	229	3.3	0.22	2.9	3.7	197	3.4	0.25	2.9	3.9
2008	239	3.3	0.22	2.9	3.7	208	3.4	0.24	3.0	3.9
2009	268	3.7	0.23	3.2	4.1	231	3.8	0.26	3.3	4.3
2010	306	4.2	0.24	3.7	4.7	254	4.2	0.27	3.7	4.8
2011	308	4.1	0.24	3.7	4.6	261	4.2	0.27	3.7	4.8
2012	282	3.7	0.22	3.3	4.2	228	3.6	0.25	3.2	4.1
2013	308	3.9	0.23	3.5	4.4	258	4.1	0.26	3.6	4.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Acute Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	655	2.7	0.11	2.5	3.0	133	2.5	0.23	2.1	3.0
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	24	3.0	0.61	1.9	4.4	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6
1999	28	3.2	0.62	2.1	4.7	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1
2008	20	2.2	0.49	1.3	3.4	9	3.3	1.17	1.5	6.4
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1
2011	36	3.6	0.61	2.5	5.0	11	3.6	1.14	1.7	6.5
2012	38	3.8	0.62	2.7	5.2	11	3.4	1.07	1.7	6.2
2013	40	3.7	0.59	2.6	5.0	7	2.2	0.87	0.9	4.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Myeloid Leukemia</b>										
<b>Both Sexes</b>										
<b>All Races</b>						<b>Whites</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	5,603	1.7	0.02	1.6	1.7	4,748	1.7	0.02	1.6	1.7
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	112	1.1	0.10	0.9	1.3	97	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	156	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	218	1.9	0.13	1.6	2.1	182	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	187	1.6	0.12	1.4	1.8	161	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	189	1.8	0.13	1.6	2.1
2000	217	1.8	0.12	1.6	2.1	183	1.8	0.13	1.5	2.1
2001	243	2.0	0.13	1.8	2.3	212	2.1	0.14	1.8	2.4
2002	192	1.6	0.11	1.4	1.8	157	1.5	0.12	1.3	1.8
2003	234	1.9	0.12	1.7	2.2	204	1.9	0.14	1.7	2.2
2004	252	2.0	0.13	1.8	2.3	213	2.0	0.14	1.8	2.3
2005	205	1.6	0.11	1.4	1.9	169	1.6	0.12	1.4	1.9
2006	226	1.8	0.12	1.6	2.0	191	1.8	0.13	1.5	2.1
2007	195	1.5	0.11	1.3	1.8	157	1.5	0.12	1.3	1.7
2008	223	1.7	0.11	1.5	1.9	180	1.6	0.12	1.4	1.9
2009	232	1.8	0.12	1.6	2.0	197	1.8	0.13	1.6	2.1
2010	252	1.9	0.12	1.7	2.2	215	2.0	0.14	1.7	2.2
2011	267	2.0	0.12	1.7	2.2	217	1.9	0.13	1.7	2.2
2012	223	1.7	0.11	1.4	1.9	184	1.7	0.13	1.4	1.9
2013	223	1.6	0.11	1.4	1.9	180	1.6	0.12	1.4	1.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Chronic Myeloid Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	656	1.6	0.06	1.5	1.7	122	1.2	0.12	1.0	1.4
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	19	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	33	2.4	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	27	1.9	0.37	1.2	2.8	6	1.4	0.63	0.5	3.2
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	7	1.6	0.73	0.5	3.6
2005	27	1.8	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	29	1.8	0.34	1.2	2.6	2	0.3	0.21	0.0	1.3
2007	25	1.5	0.31	1.0	2.3	7	1.3	0.56	0.5	2.9
2008	30	1.8	0.34	1.2	2.6	7	1.3	0.51	0.5	2.7
2009	24	1.5	0.30	0.9	2.2	4	0.5	0.27	0.1	1.5
2010	28	1.6	0.30	1.0	2.3	5	1.0	0.49	0.3	2.4
2011	34	1.9	0.32	1.3	2.6	9	1.7	0.61	0.7	3.3
2012	30	1.7	0.32	1.2	2.5	6	0.7	0.30	0.3	1.7
2013	27	1.5	0.29	0.9	2.1	9	1.5	0.53	0.6	2.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,208	2.2	0.04	2.1	2.3	2,728	2.2	0.04	2.1	2.3
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	63	1.5	0.20	1.2	2.0	54	1.5	0.21	1.1	1.9
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	82	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	112	2.3	0.22	1.9	2.8	98	2.3	0.24	1.9	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	119	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	134	2.6	0.23	2.2	3.1	115	2.6	0.24	2.1	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	110	2.2	0.21	1.8	2.6	89	2.0	0.22	1.6	2.5
2003	135	2.6	0.22	2.2	3.1	114	2.6	0.24	2.1	3.1
2004	145	2.7	0.23	2.3	3.2	130	2.9	0.25	2.4	3.4
2005	135	2.5	0.21	2.1	2.9	112	2.4	0.23	2.0	2.9
2006	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2007	109	2.0	0.19	1.6	2.4	85	1.8	0.20	1.5	2.3
2008	125	2.2	0.20	1.8	2.6	101	2.1	0.22	1.7	2.6
2009	114	2.0	0.19	1.7	2.4	96	2.0	0.21	1.6	2.5
2010	146	2.5	0.21	2.1	3.0	126	2.6	0.24	2.2	3.1
2011	163	2.7	0.22	2.3	3.2	132	2.6	0.23	2.2	3.1
2012	126	2.1	0.19	1.8	2.5	107	2.2	0.21	1.8	2.6
2013	120	2.0	0.18	1.6	2.3	96	1.9	0.19	1.5	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Chronic Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	366	2.2	0.12	2.0	2.5	71	1.5	0.21	1.1	1.9
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	12	2.1	0.73	1.0	4.0	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	11	1.8	0.57	0.9	3.3	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	14	2.6	0.76	1.3	4.5	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	4	2.4	1.36	0.5	6.6
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	3	2.0	1.52	0.2	6.5
2005	17	2.8	0.74	1.6	4.6	3	1.4	0.83	0.2	4.2
2006	20	3.3	0.80	1.9	5.2	1	0.4	0.36	0.0	2.4
2007	15	2.2	0.60	1.2	3.7	5	2.4	1.26	0.6	6.0
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	12	1.9	0.58	0.9	3.4	3	0.9	0.52	0.2	2.9
2010	18	2.3	0.56	1.3	3.6	1	0.3	0.25	0.0	1.9
2011	19	2.4	0.56	1.4	3.7	6	2.7	1.20	0.9	5.9
2012	18	2.7	0.66	1.5	4.3	1	0.2	0.24	0.0	1.7
2013	14	1.8	0.52	1.0	3.1	5	1.2	0.55	0.4	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,395	1.3	0.03	1.2	1.3	2,020	1.3	0.03	1.2	1.3
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	101	1.6	0.16	1.3	1.9	86	1.6	0.17	1.2	1.9
1995	100	1.5	0.15	1.2	1.8	80	1.4	0.16	1.1	1.7
1996	86	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	77	1.2	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	91	1.3	0.14	1.1	1.6	74	1.3	0.15	1.0	1.6
2000	94	1.4	0.14	1.1	1.7	80	1.4	0.16	1.1	1.7
2001	102	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
2002	82	1.2	0.13	0.9	1.5	68	1.2	0.14	0.9	1.5
2003	99	1.4	0.14	1.1	1.7	90	1.5	0.16	1.2	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	70	1.0	0.12	0.8	1.3	57	1.0	0.13	0.7	1.3
2006	89	1.2	0.13	1.0	1.5	76	1.2	0.15	1.0	1.6
2007	86	1.2	0.13	1.0	1.5	72	1.2	0.15	0.9	1.5
2008	98	1.3	0.14	1.1	1.6	79	1.3	0.15	1.0	1.6
2009	118	1.6	0.15	1.3	2.0	101	1.7	0.17	1.4	2.1
2010	106	1.4	0.14	1.1	1.7	89	1.4	0.16	1.1	1.8
2011	104	1.4	0.14	1.2	1.7	85	1.4	0.16	1.1	1.8
2012	97	1.3	0.14	1.1	1.6	77	1.3	0.15	1.0	1.6
2013	103	1.4	0.14	1.1	1.7	84	1.4	0.16	1.1	1.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Chronic Myeloid Leukemia</b>										
<b>Females</b>										
<b>Blacks</b>						<b>Asian or Other Races</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	290	1.2	0.07	1.1	1.4	51	0.9	0.14	0.7	1.3
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	19	2.5	0.58	1.5	3.9	1	0.6	0.60	0.0	3.7
1996	11	1.4	0.44	0.7	2.6	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	15	1.8	0.47	1.0	2.9	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	11	1.2	0.38	0.6	2.2	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	10	1.1	0.36	0.5	2.1	1	0.3	0.29	0.0	2.0
2006	9	0.9	0.30	0.4	1.7	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	13	1.4	0.39	0.7	2.4	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	4	1.5	0.80	0.4	3.9
2011	15	1.4	0.37	0.8	2.3	3	1.0	0.62	0.2	3.0
2012	12	1.2	0.35	0.6	2.1	5	1.2	0.53	0.4	2.9
2013	13	1.2	0.33	0.6	2.1	4	1.4	0.72	0.4	3.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,200	1.0	0.02	0.9	1.0	2,776	1.0	0.02	0.9	1.0
1986	95	0.9	0.09	0.7	1.1	88	1.0	0.10	0.8	1.2
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1
1990	96	0.9	0.09	0.7	1.1	89	0.9	0.10	0.7	1.1
1991	70	0.6	0.08	0.5	0.8	62	0.7	0.08	0.5	0.8
1992	67	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7
1996	135	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4
1997	127	1.1	0.10	0.9	1.3	108	1.1	0.10	0.9	1.3
1998	136	1.1	0.10	1.0	1.4	118	1.1	0.10	0.9	1.4
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7
2000	159	1.3	0.10	1.1	1.5	139	1.3	0.11	1.1	1.6
2001	90	0.7	0.08	0.6	0.9	77	0.7	0.08	0.6	0.9
2002	138	1.1	0.10	1.0	1.3	115	1.1	0.10	0.9	1.3
2003	115	0.9	0.09	0.8	1.1	99	0.9	0.09	0.8	1.1
2004	95	0.8	0.08	0.6	0.9	80	0.7	0.08	0.6	0.9
2005	114	0.9	0.08	0.7	1.1	98	0.9	0.09	0.7	1.1
2006	108	0.9	0.08	0.7	1.0	90	0.8	0.09	0.7	1.0
2007	108	0.8	0.08	0.7	1.0	93	0.8	0.09	0.7	1.0
2008	100	0.8	0.08	0.6	0.9	91	0.8	0.09	0.7	1.0
2009	92	0.7	0.07	0.6	0.8	77	0.7	0.08	0.5	0.8
2010	102	0.7	0.07	0.6	0.9	85	0.7	0.08	0.6	0.9
2011	120	0.9	0.08	0.7	1.1	104	0.9	0.09	0.7	1.1
2012	103	0.7	0.07	0.6	0.9	81	0.7	0.08	0.5	0.9
2013	99	0.7	0.07	0.6	0.9	76	0.6	0.07	0.5	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	359	1.0	0.05	0.9	1.1	47	0.5	0.07	0.3	0.6
1986	7	0.7	0.26	0.3	1.3	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	7	0.6	0.23	0.2	1.2	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	14	1.2	0.32	0.6	2.0	5	1.6	0.79	0.4	4.0
1997	19	1.5	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	17	1.3	0.32	0.7	2.0	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	16	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	12	0.8	0.25	0.4	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	13	0.8	0.23	0.4	1.4	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,686	1.3	0.03	1.2	1.3	1,458	1.3	0.03	1.2	1.3
1986	45	1.1	0.16	0.8	1.4	42	1.1	0.17	0.8	1.5
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7
1991	34	0.8	0.14	0.5	1.1	31	0.8	0.15	0.5	1.1
1992	41	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4
1996	78	1.8	0.21	1.4	2.3	64	1.7	0.21	1.3	2.2
1997	69	1.6	0.20	1.3	2.1	61	1.7	0.22	1.3	2.1
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9
2001	48	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.3
2002	76	1.5	0.18	1.2	1.9	66	1.6	0.19	1.2	2.0
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5
2005	66	1.4	0.17	1.1	1.8	54	1.3	0.18	1.0	1.7
2006	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
2007	53	1.1	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
2008	55	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2009	43	0.8	0.13	0.6	1.1	35	0.8	0.13	0.5	1.1
2010	51	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2011	66	1.2	0.15	1.0	1.6	54	1.2	0.16	0.9	1.5
2012	57	1.0	0.13	0.8	1.3	43	0.9	0.14	0.7	1.2
2013	57	1.0	0.13	0.7	1.3	43	0.9	0.14	0.6	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	187	1.2	0.10	1.1	1.4	30	0.6	0.13	0.4	1.0
1986	3	0.9	0.54	0.2	2.5	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	4	0.8	0.50	0.2	2.3	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	12	2.7	0.85	1.3	4.8	2	1.2	0.85	0.1	5.3
1997	8	1.5	0.59	0.6	3.1	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.2	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.1	2	0.8	0.63	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	7	0.9	0.33	0.3	1.8	3	1.0	0.60	0.2	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,514	0.8	0.02	0.7	0.8	1,318	0.8	0.02	0.7	0.8
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0
1990	41	0.6	0.10	0.4	0.9	37	0.6	0.11	0.5	0.9
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0
1998	65	0.9	0.11	0.7	1.2	53	0.9	0.12	0.6	1.1
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5
2000	87	1.2	0.13	1.0	1.5	76	1.2	0.14	1.0	1.5
2001	42	0.6	0.09	0.4	0.8	37	0.6	0.09	0.4	0.8
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0
2003	60	0.8	0.10	0.6	1.0	53	0.8	0.11	0.6	1.1
2004	40	0.5	0.08	0.4	0.7	33	0.5	0.08	0.3	0.7
2005	48	0.6	0.09	0.5	0.8	44	0.7	0.10	0.5	0.9
2006	50	0.6	0.09	0.5	0.8	43	0.6	0.10	0.5	0.9
2007	55	0.7	0.10	0.5	0.9	47	0.7	0.11	0.5	1.0
2008	45	0.6	0.09	0.4	0.8	40	0.6	0.10	0.4	0.8
2009	49	0.6	0.09	0.5	0.8	42	0.6	0.10	0.4	0.8
2010	51	0.6	0.09	0.5	0.8	41	0.6	0.09	0.4	0.8
2011	54	0.7	0.09	0.5	0.9	50	0.7	0.11	0.5	1.0
2012	46	0.6	0.08	0.4	0.8	38	0.5	0.09	0.4	0.8
2013	42	0.5	0.08	0.4	0.7	33	0.5	0.08	0.3	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	172	0.8	0.06	0.7	0.9	17	0.3	0.08	0.2	0.5
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	10	1.2	0.39	0.6	2.3	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	5	0.6	0.27	0.2	1.4	2	1.0	0.71	0.1	3.3
2007	6	0.6	0.25	0.2	1.3	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	6	0.7	0.27	0.2	1.4	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	8	0.8	0.29	0.3	1.6	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,955	1.2	0.02	1.1	1.2	3,732	1.3	0.02	1.2	1.3
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7
2007	144	1.1	0.09	0.9	1.3	134	1.2	0.11	1.0	1.4
2008	163	1.3	0.10	1.1	1.5	159	1.5	0.12	1.3	1.7
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5
2010	144	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5
2011	145	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4
2012	159	1.2	0.09	1.0	1.4	146	1.3	0.11	1.1	1.5
2013	142	1.0	0.08	0.8	1.2	131	1.1	0.10	0.9	1.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	188	0.5	0.04	0.4	0.6	32	0.4	0.07	0.2	0.5
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	9	0.5	0.18	0.2	1.0	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	2	0.4	0.30	0.0	1.4
2012	12	0.8	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.9	4	0.7	0.37	0.2	1.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,986	2.2	0.04	2.1	2.2	2,826	2.4	0.04	2.3	2.4
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	108	2.2	0.22	1.8	2.7	104	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7
2008	117	2.2	0.21	1.8	2.7	114	2.5	0.24	2.1	3.0
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2010	112	2.1	0.20	1.7	2.5	106	2.3	0.23	1.9	2.8
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4
2012	121	2.1	0.19	1.7	2.5	112	2.3	0.22	1.8	2.7
2013	101	1.7	0.17	1.4	2.0	93	1.8	0.19	1.5	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	137	0.9	0.08	0.8	1.1	22	0.6	0.14	0.3	0.9
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.60	0.0	2.8
2012	8	1.3	0.46	0.5	2.5	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.80	0.2	3.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	969	0.5	0.02	0.5	0.5	906	0.5	0.02	0.5	0.6
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	48	0.7	0.10	0.5	0.9	45	0.8	0.12	0.6	1.1
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7
2011	44	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Mesothelioma										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	51	0.2	0.03	0.2	0.3	10	0.2	0.06	0.1	0.4
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	3	0.3	0.20	0.1	1.0	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.49	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	1	0.3	0.29	0.0	1.6
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.8	1	0.4	0.41	0.0	2.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Kaposi Sarcoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,472	0.7	0.01	0.7	0.8	1,692	0.6	0.01	0.6	0.6
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5
1991	190	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7
1992	188	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7
1993	191	1.5	0.11	1.3	1.8	138	1.3	0.12	1.1	1.6
1994	184	1.5	0.11	1.3	1.8	128	1.3	0.11	1.1	1.5
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2
1996	148	1.2	0.10	1.0	1.4	90	0.9	0.09	0.7	1.1
1997	75	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
1999	58	0.5	0.06	0.4	0.6	33	0.3	0.06	0.2	0.5
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2002	51	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2004	53	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2006	40	0.3	0.05	0.2	0.5	22	0.2	0.05	0.1	0.3
2007	44	0.4	0.05	0.3	0.5	25	0.2	0.05	0.2	0.4
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3
2009	47	0.4	0.06	0.3	0.5	31	0.3	0.05	0.2	0.4
2010	45	0.4	0.05	0.3	0.5	27	0.3	0.05	0.2	0.4
2011	43	0.3	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
2013	32	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

<b>Kaposi Sarcoma</b>										
<b>Both Sexes</b>										
<b>Year</b>	<b>Blacks</b>					<b>Asian or Other Races</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	713	1.5	0.06	1.4	1.6	29	0.2	0.04	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	47	2.6	0.39	1.9	3.5	1	0.3	0.30	0.0	2.4
1993	49	2.8	0.42	2.1	3.8	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	54	2.9	0.40	2.2	3.8	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	23	1.3	0.27	0.8	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	19	1.1	0.25	0.7	1.7	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	16	1.0	0.24	0.5	1.5	0				
2007	17	1.0	0.25	0.6	1.6	1	0.1	0.11	0.0	0.9
2008	14	0.8	0.22	0.4	1.4	1	0.1	0.11	0.0	0.9
2009	13	0.8	0.22	0.4	1.3	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	18	1.0	0.25	0.6	1.6	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.13	0.1	0.7	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Kaposi Sarcoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,287	1.4	0.03	1.3	1.5	1,553	1.2	0.03	1.1	1.2
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9
1991	186	3.2	0.25	2.8	3.8	143	3.0	0.26	2.5	3.5
1992	183	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3
1993	179	2.9	0.22	2.5	3.4	129	2.5	0.22	2.1	3.0
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3
1996	137	2.3	0.20	1.9	2.7	83	1.7	0.19	1.3	2.1
1997	66	1.1	0.14	0.9	1.4	39	0.8	0.13	0.6	1.1
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8
1999	52	0.9	0.13	0.7	1.2	29	0.6	0.12	0.4	0.9
2000	35	0.6	0.10	0.4	0.9	16	0.4	0.09	0.2	0.6
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2002	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2004	46	0.8	0.12	0.6	1.1	24	0.5	0.11	0.3	0.8
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2006	40	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2007	40	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7
2009	40	0.7	0.11	0.5	1.0	24	0.5	0.11	0.3	0.8
2010	40	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6
2013	28	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Kaposi Sarcoma										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	671	3.0	0.12	2.8	3.3	26	0.4	0.08	0.2	0.6
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	46	5.6	0.84	4.0	7.5	1	0.6	0.62	0.0	5.4
1993	46	6.1	0.96	4.3	8.3	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	50	5.9	0.84	4.3	7.8	3	1.4	0.79	0.3	5.3
1997	25	3.0	0.61	1.9	4.5	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	21	2.6	0.58	1.6	4.1	0				
2000	17	2.1	0.51	1.2	3.4	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	18	2.2	0.53	1.3	3.6	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	16	2.2	0.59	1.2	3.7	0				
2007	17	2.3	0.57	1.3	3.7	1	0.2	0.22	0.0	2.0
2008	13	1.7	0.47	0.9	2.9	1	0.2	0.22	0.0	2.0
2009	13	1.8	0.51	0.9	3.1	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	2.0	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.2	1	0.2	0.24	0.0	1.7
2013	16	1.7	0.44	1.0	2.9	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Kaposi Sarcoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	185	0.1	0.01	0.1	0.1	139	0.1	0.01	0.1	0.1
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3
1997	9	0.1	0.04	0.1	0.3	5	0.1	0.04	0.0	0.2
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2000	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1
2006	0					0				
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1
2011	7	0.1	0.04	0.0	0.2	5	0.1	0.05	0.0	0.2
2012	2	0.0	0.02	0.0	0.1	0				
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Invasive Cancer Incidence by Race, Illinois 1986-2013

Kaposi Sarcoma										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	42	0.2	0.03	0.1	0.2	3	0.1	0.04	0.0	0.2
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.18	0.1	0.9	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	0					0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	2	0.2	0.16	0.0	0.8	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	51,020	15.1	0.07	15.0	15.3	43,226	14.8	0.07	14.7	15.0
1986	1,384	13.2	0.36	12.5	14.0	1,163	12.5	0.37	11.8	13.3
1987	1,382	13.1	0.36	12.4	13.8	1,172	12.5	0.37	11.8	13.3
1988	1,470	13.8	0.36	13.1	14.5	1,242	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,419	13.1	0.35	12.4	13.8	1,190	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,216	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,215	12.4	0.36	11.7	13.2
1993	1,873	16.7	0.39	15.9	17.5	1,609	16.2	0.41	15.5	17.1
1994	1,902	16.8	0.39	16.0	17.6	1,639	16.5	0.41	15.7	17.3
1995	1,753	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,672	14.5	0.36	13.8	15.2	1,380	13.7	0.37	13.0	14.4
1997	1,557	13.4	0.34	12.7	14.1	1,310	12.9	0.36	12.2	13.6
1998	1,523	12.9	0.33	12.3	13.6	1,284	12.5	0.35	11.8	13.2
1999	1,559	13.1	0.33	12.5	13.8	1,283	12.4	0.35	11.7	13.1
2000	1,627	13.5	0.34	12.9	14.2	1,353	13.0	0.35	12.3	13.7
2001	2,231	18.4	0.39	17.7	19.2	1,881	18.0	0.41	17.2	18.8
2002	2,264	18.5	0.39	17.8	19.3	1,966	18.7	0.42	17.9	19.5
2003	2,219	18.0	0.38	17.2	18.8	1,886	17.7	0.41	16.9	18.6
2004	2,071	16.6	0.37	15.9	17.4	1,807	16.9	0.40	16.1	17.7
2005	2,068	16.4	0.36	15.7	17.1	1,786	16.5	0.39	15.7	17.3
2006	2,074	16.4	0.36	15.7	17.1	1,770	16.3	0.39	15.6	17.1
2007	2,163	16.7	0.36	16.0	17.4	1,850	16.8	0.39	16.0	17.6
2008	2,187	16.7	0.36	16.0	17.4	1,873	16.8	0.39	16.1	17.6
2009	2,167	16.4	0.35	15.7	17.1	1,818	16.2	0.38	15.4	16.9
2010	2,165	16.2	0.35	15.5	16.9	1,822	16.1	0.38	15.4	16.9
2011	1,970	14.3	0.33	13.7	15.0	1,694	14.6	0.36	13.9	15.3
2012	2,083	15.0	0.33	14.4	15.7	1,741	14.9	0.36	14.2	15.7
2013	1,928	13.6	0.32	13.0	14.3	1,586	13.4	0.34	12.7	14.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	6,807	17.9	0.22	17.5	18.4	720	8.9	0.36	8.2	9.6
1986	209	20.1	1.45	17.3	23.1	12	10.4	3.44	4.8	19.0
1987	206	19.1	1.38	16.5	22.0	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	184	15.7	1.19	13.5	18.2	12	8.0	2.62	3.7	14.4
1993	243	20.5	1.36	17.9	23.3	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	268	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	220	17.1	1.18	14.8	19.5	24	10.3	2.36	6.2	15.8
1998	207	16.0	1.14	13.9	18.4	28	13.5	2.77	8.6	19.8
1999	248	18.8	1.22	16.5	21.3	22	9.2	2.24	5.3	14.4
2000	243	17.7	1.16	15.5	20.1	24	8.0	1.80	4.8	12.2
2001	298	22.0	1.30	19.5	24.7	39	12.4	2.18	8.6	17.3
2002	267	19.3	1.20	17.0	21.8	24	8.0	1.79	4.9	12.1
2003	282	19.7	1.20	17.4	22.1	36	11.4	2.07	7.7	16.1
2004	217	15.0	1.04	13.0	17.1	34	9.8	1.79	6.6	13.8
2005	227	15.3	1.04	13.3	17.4	44	11.3	1.92	7.9	15.6
2006	254	17.4	1.11	15.3	19.7	41	11.2	1.89	7.8	15.4
2007	267	17.6	1.10	15.5	19.9	37	8.9	1.57	6.1	12.4
2008	268	17.2	1.08	15.2	19.5	34	7.8	1.46	5.3	11.2
2009	284	18.0	1.09	15.9	20.2	42	10.2	1.69	7.2	14.0
2010	285	17.8	1.08	15.7	20.0	41	8.5	1.43	5.9	11.7
2011	215	13.4	0.94	11.7	15.4	39	8.0	1.36	5.6	11.1
2012	267	15.8	0.99	13.9	17.8	34	6.8	1.23	4.6	9.6
2013	269	15.6	0.98	13.8	17.7	45	8.0	1.25	5.7	10.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	24,841	17.9	0.12	17.7	18.2	21,070	17.6	0.12	17.4	17.9
1986	689	16.0	0.64	14.8	17.3	572	15.0	0.65	13.7	16.3
1987	648	15.2	0.62	14.0	16.5	545	14.4	0.64	13.1	15.7
1988	740	17.0	0.65	15.8	18.3	613	16.1	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	690	15.4	0.61	14.3	16.6	572	14.6	0.63	13.4	15.9
1991	706	15.7	0.61	14.5	17.0	604	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	580	14.6	0.62	13.4	15.8
1993	840	18.6	0.66	17.3	20.0	706	17.8	0.69	16.5	19.2
1994	865	19.0	0.67	17.7	20.3	745	18.8	0.71	17.4	20.2
1995	830	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	807	17.4	0.63	16.1	18.6	669	16.5	0.65	15.3	17.9
1997	746	15.6	0.58	14.5	16.8	617	14.9	0.61	13.8	16.2
1998	718	15.0	0.57	13.9	16.1	613	14.7	0.60	13.6	16.0
1999	711	14.6	0.56	13.5	15.7	571	13.5	0.57	12.4	14.6
2000	779	15.9	0.58	14.8	17.1	646	15.3	0.61	14.1	16.5
2001	1,111	22.4	0.68	21.1	23.8	940	21.9	0.72	20.5	23.4
2002	1,074	21.4	0.66	20.1	22.7	929	21.5	0.71	20.1	22.9
2003	1,087	21.5	0.66	20.2	22.9	929	21.4	0.71	20.0	22.8
2004	1,034	20.3	0.64	19.0	21.6	910	20.7	0.69	19.4	22.1
2005	1,011	19.4	0.62	18.2	20.6	873	19.5	0.67	18.2	20.9
2006	1,007	19.2	0.61	18.0	20.4	862	19.1	0.66	17.8	20.4
2007	1,060	19.8	0.62	18.6	21.0	915	19.9	0.67	18.6	21.3
2008	1,089	19.9	0.61	18.7	21.1	952	20.3	0.67	19.1	21.7
2009	1,073	19.1	0.60	18.0	20.3	917	19.3	0.65	18.0	20.6
2010	1,082	19.1	0.59	18.0	20.3	922	19.2	0.64	17.9	20.5
2011	1,002	17.4	0.56	16.4	18.6	881	18.0	0.62	16.8	19.3
2012	1,057	18.1	0.57	17.0	19.2	907	18.3	0.62	17.2	19.6
2013	982	16.1	0.53	15.1	17.2	817	15.9	0.57	14.8	17.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,276	21.2	0.39	20.5	22.0	357	9.5	0.57	8.4	10.7
1986	108	24.8	2.59	20.0	30.3	9	13.8	5.04	5.8	27.5
1987	100	24.0	2.60	19.2	29.6	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	121	25.3	2.48	20.7	30.5	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	139	26.6	2.39	22.1	31.6	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	116	21.7	2.13	17.7	26.2	11	10.3	3.41	4.7	18.9
1998	92	16.5	1.79	13.1	20.3	11	12.3	4.23	5.5	22.7
1999	123	23.6	2.27	19.3	28.4	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	145	27.0	2.37	22.5	32.0	18	10.7	2.78	6.0	17.6
2002	127	22.1	2.05	18.3	26.5	14	8.7	2.50	4.5	15.0
2003	136	23.4	2.11	19.4	27.8	13	7.6	2.37	3.7	13.6
2004	97	16.8	1.82	13.5	20.7	19	12.7	3.21	7.2	20.3
2005	110	18.0	1.81	14.6	21.8	22	14.3	3.67	8.0	22.8
2006	118	20.2	1.98	16.5	24.5	21	11.5	2.83	6.6	18.2
2007	118	19.4	1.90	15.8	23.4	20	10.8	2.69	6.2	17.2
2008	119	19.8	1.94	16.2	23.9	16	7.2	2.04	3.8	12.2
2009	126	18.8	1.76	15.5	22.5	18	9.0	2.45	4.8	14.8
2010	131	21.2	1.97	17.5	25.4	22	10.2	2.49	5.9	16.0
2011	93	14.4	1.58	11.5	17.8	17	7.6	2.01	4.2	12.4
2012	118	17.2	1.67	14.1	20.8	14	6.2	1.83	3.1	10.6
2013	125	17.5	1.65	14.5	21.1	26	10.9	2.29	6.9	16.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	26,179	13.2	0.08	13.0	13.4	22,156	12.9	0.09	12.7	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	734	11.9	0.45	11.1	12.8	627	11.5	0.47	10.6	12.5
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	729	11.5	0.43	10.7	12.4	618	11.0	0.45	10.1	11.9
1991	706	10.9	0.42	10.1	11.8	612	10.7	0.44	9.8	11.5
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,033	15.4	0.48	14.5	16.4	903	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	865	12.6	0.43	11.8	13.5	711	11.8	0.45	11.0	12.8
1997	811	11.7	0.41	10.9	12.6	693	11.4	0.44	10.6	12.3
1998	805	11.3	0.40	10.6	12.2	671	10.8	0.42	10.0	11.7
1999	848	11.9	0.41	11.1	12.8	712	11.5	0.44	10.6	12.4
2000	848	12.0	0.41	11.2	12.8	707	11.5	0.44	10.6	12.4
2001	1,120	15.6	0.47	14.7	16.6	941	15.2	0.50	14.2	16.2
2002	1,190	16.5	0.48	15.6	17.5	1,037	16.7	0.53	15.7	17.8
2003	1,132	15.6	0.47	14.7	16.6	957	15.3	0.50	14.3	16.3
2004	1,037	14.3	0.45	13.4	15.2	897	14.4	0.49	13.5	15.4
2005	1,057	14.3	0.45	13.5	15.2	913	14.5	0.49	13.5	15.4
2006	1,067	14.4	0.45	13.6	15.3	908	14.4	0.49	13.5	15.4
2007	1,103	14.7	0.45	13.8	15.6	935	14.7	0.49	13.7	15.7
2008	1,098	14.5	0.44	13.6	15.4	921	14.2	0.48	13.3	15.2
2009	1,094	14.2	0.44	13.4	15.1	901	13.8	0.47	12.9	14.8
2010	1,083	14.1	0.44	13.2	15.0	900	13.9	0.47	13.0	14.8
2011	968	12.3	0.40	11.5	13.1	813	12.2	0.44	11.4	13.1
2012	1,026	12.9	0.41	12.1	13.7	834	12.5	0.44	11.6	13.4
2013	946	11.7	0.39	11.0	12.5	769	11.5	0.43	10.7	12.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Ill-defined and unknown Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,531	15.7	0.27	15.2	16.2	363	8.3	0.46	7.4	9.3
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	86	12.1	1.32	9.6	15.0	7	9.2	3.82	3.3	19.1
1993	122	17.3	1.59	14.3	20.7	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	104	13.8	1.36	11.2	16.7	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	125	15.8	1.43	13.2	18.9	10	7.2	2.51	3.2	13.6
2000	125	15.4	1.39	12.8	18.4	12	6.4	1.94	3.2	11.4
2001	153	18.8	1.53	15.9	22.0	21	13.0	3.00	7.8	20.0
2002	140	16.9	1.44	14.2	20.0	10	6.6	2.23	3.0	12.2
2003	146	17.1	1.43	14.4	20.1	23	13.6	2.98	8.4	20.5
2004	120	13.9	1.28	11.5	16.6	15	7.5	2.04	4.0	12.4
2005	117	13.3	1.24	11.0	16.0	22	9.8	2.25	5.9	15.1
2006	136	15.6	1.35	13.0	18.4	20	10.5	2.43	6.3	16.2
2007	149	16.4	1.36	13.8	19.3	17	7.3	1.87	4.1	11.8
2008	149	16.1	1.33	13.6	18.9	18	8.0	1.96	4.6	12.7
2009	158	17.0	1.37	14.5	19.9	24	11.1	2.32	7.0	16.4
2010	154	16.1	1.31	13.6	18.8	19	7.2	1.73	4.2	11.3
2011	122	12.8	1.17	10.6	15.3	22	8.1	1.79	4.9	12.3
2012	149	14.8	1.23	12.5	17.4	20	7.3	1.68	4.4	11.3
2013	144	14.0	1.18	11.8	16.5	19	5.5	1.32	3.3	8.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Female Breast Insitu										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	45,893	25.5	0.12	25.3	25.7	38,570	25.8	0.13	25.6	26.1
1986	541	10.0	0.44	9.1	10.9	498	10.7	0.50	9.8	11.7
1987	581	10.7	0.46	9.9	11.7	537	11.6	0.52	10.6	12.7
1988	700	12.6	0.49	11.7	13.6	628	13.2	0.54	12.2	14.3
1989	689	12.4	0.48	11.5	13.4	633	13.4	0.55	12.3	14.5
1990	783	13.8	0.50	12.9	14.9	718	15.0	0.57	13.9	16.1
1991	916	16.0	0.54	15.0	17.1	822	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	908	18.5	0.63	17.2	19.7
1993	988	16.8	0.54	15.8	17.9	872	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	934	18.3	0.61	17.1	19.5
1995	1,215	20.0	0.58	18.9	21.2	1,069	20.9	0.65	19.7	22.2
1996	1,349	22.0	0.60	20.9	23.3	1,141	22.2	0.67	20.9	23.6
1997	1,477	23.8	0.62	22.6	25.1	1,265	24.3	0.69	23.0	25.7
1998	1,714	27.3	0.66	26.1	28.7	1,482	28.3	0.74	26.9	29.8
1999	1,723	27.0	0.65	25.8	28.3	1,470	27.6	0.72	26.2	29.1
2000	1,945	30.3	0.69	29.0	31.7	1,666	31.3	0.77	29.8	32.8
2001	2,000	30.8	0.69	29.5	32.2	1,697	31.6	0.77	30.1	33.1
2002	1,894	28.7	0.66	27.5	30.1	1,615	29.7	0.74	28.2	31.2
2003	1,888	28.3	0.65	27.1	29.6	1,586	28.9	0.73	27.5	30.3
2004	2,052	30.4	0.67	29.1	31.8	1,702	30.8	0.75	29.3	32.3
2005	2,098	30.8	0.68	29.5	32.1	1,736	31.0	0.75	29.6	32.5
2006	2,140	31.1	0.68	29.8	32.4	1,777	31.6	0.76	30.2	33.2
2007	2,325	33.3	0.70	32.0	34.7	1,905	33.5	0.78	32.0	35.1
2008	2,307	32.7	0.69	31.4	34.1	1,890	32.9	0.77	31.4	34.5
2009	2,499	35.1	0.71	33.7	36.5	2,043	35.3	0.79	33.8	36.9
2010	2,397	33.2	0.69	31.9	34.6	1,934	33.3	0.77	31.8	34.8
2011	2,479	33.9	0.69	32.6	35.3	1,999	34.0	0.78	32.5	35.6
2012	2,543	34.6	0.70	33.2	36.0	2,005	33.9	0.78	32.4	35.5
2013	2,576	34.8	0.70	33.5	36.2	2,038	34.3	0.78	32.8	35.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Race, Illinois 1986-2013

Female Breast Insitu										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	5,500	22.9	0.31	22.3	23.5	1,280	20.2	0.58	19.1	21.4
1986	35	5.5	0.94	3.8	7.6	4	4.4	2.20	1.2	11.7
1987	38	5.9	0.97	4.1	8.1	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	14	12.7	3.42	6.9	21.7
1989	39	5.9	0.96	4.2	8.1	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	8	5.7	2.05	2.4	12.0
1991	73	10.7	1.27	8.4	13.5	8	5.7	2.15	2.3	12.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	97	12.5	1.29	10.1	15.3	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	112	14.1	1.35	11.6	17.0	21	13.0	2.97	7.9	20.3
1996	150	19.0	1.57	16.1	22.3	30	16.6	3.12	11.1	24.1
1997	155	18.9	1.52	16.0	22.1	26	12.9	2.58	8.4	19.2
1998	166	19.9	1.55	17.0	23.2	27	13.8	2.77	8.9	20.4
1999	169	20.0	1.55	17.1	23.3	40	19.6	3.22	13.8	27.1
2000	178	20.6	1.55	17.7	23.9	55	24.5	3.42	18.3	32.2
2001	221	24.9	1.68	21.7	28.4	54	22.0	3.06	16.4	29.0
2002	215	23.7	1.63	20.7	27.1	51	20.4	2.93	15.1	27.1
2003	225	24.3	1.63	21.2	27.7	51	20.0	2.89	14.8	26.6
2004	277	30.0	1.82	26.6	33.8	64	22.9	2.94	17.5	29.5
2005	271	29.2	1.78	25.8	32.9	65	22.9	2.93	17.5	29.5
2006	293	30.3	1.78	26.9	34.0	54	17.4	2.41	13.0	22.9
2007	308	31.9	1.84	28.4	35.7	89	31.0	3.41	24.7	38.4
2008	321	32.4	1.82	28.9	36.2	71	22.2	2.70	17.2	28.2
2009	339	33.7	1.85	30.2	37.6	97	28.6	2.98	23.1	35.1
2010	342	33.0	1.81	29.6	36.7	92	25.7	2.73	20.6	31.7
2011	366	34.9	1.85	31.4	38.8	91	25.8	2.78	20.6	31.8
2012	407	38.5	1.94	34.8	42.5	108	27.8	2.72	22.7	33.7
2013	409	38.9	1.96	35.2	43.0	106	25.9	2.56	21.1	31.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



**SECTION II**  
**Cancer Incidence by Hispanic Ethnicity and Race**  
**Illinois, 1990-2013**

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

All Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	61,254	367.3	1.71	363.9	370.6	1,370,352	490.9	0.42	490.1	491.7
1990	1,175	308.1	10.54	287.8	329.4	46,305	439.4	2.06	435.3	443.4
1991	1,193	293.4	9.99	274.2	313.6	47,882	448.7	2.07	444.7	452.8
1992	1,301	314.4	10.29	294.6	335.1	50,735	469.4	2.10	465.3	473.5
1993	1,466	336.5	10.31	316.6	357.2	51,375	470.7	2.09	466.6	474.8
1994	1,640	360.8	10.53	340.4	381.9	53,905	491.3	2.12	487.2	495.5
1995	1,776	390.5	11.04	369.1	412.6	53,399	484.3	2.10	480.2	488.4
1996	1,880	407.5	11.17	385.9	429.9	54,455	491.9	2.11	487.8	496.1
1997	1,942	395.0	10.67	374.4	416.3	54,693	490.8	2.10	486.7	494.9
1998	2,089	409.6	10.71	388.9	431.1	55,651	495.2	2.10	491.1	499.4
1999	2,278	412.2	10.33	392.2	432.9	56,558	500.2	2.10	496.0	504.3
2000	2,206	365.3	9.29	347.3	383.9	56,918	500.4	2.10	496.3	504.6
2001	2,357	384.6	9.40	366.4	403.4	58,529	511.5	2.12	507.4	515.7
2002	2,556	386.1	9.01	368.6	404.0	59,755	518.2	2.12	514.1	522.4
2003	2,582	367.4	8.52	350.9	384.4	58,346	501.3	2.08	497.2	505.4
2004	2,813	380.2	8.44	363.8	397.0	58,705	500.9	2.08	496.9	505.0
2005	2,935	372.0	7.96	356.6	387.9	58,963	498.6	2.06	494.6	502.7
2006	3,056	372.8	7.80	357.6	388.3	60,717	510.0	2.08	506.0	514.1
2007	3,264	374.7	7.50	360.1	389.6	61,692	511.7	2.08	507.6	515.7
2008	3,455	378.4	7.36	364.1	393.1	62,846	513.9	2.07	509.8	518.0
2009	3,643	381.1	7.19	367.2	395.4	62,914	508.3	2.05	504.3	512.4
2010	3,675	355.8	6.64	342.9	369.0	61,523	490.8	2.01	486.8	494.7
2011	3,858	358.8	6.51	346.2	371.8	62,511	492.0	2.00	488.0	495.9
2012	3,974	352.3	6.24	340.2	364.8	61,156	475.0	1.96	471.1	478.8
2013	4,140	345.0	5.96	333.4	356.9	60,819	465.9	1.93	462.1	469.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,152,024	489.2	0.46	488.3	490.1	182,110	521.0	1.25	518.6	523.5
1990	40,318	437.4	2.21	433.1	441.8	5,481	471.2	6.57	458.4	484.2
1991	41,956	450.3	2.22	446.0	454.7	5,288	443.2	6.28	430.9	455.6
1992	44,335	471.4	2.26	467.0	475.8	5,785	475.3	6.43	462.8	488.1
1993	44,312	467.6	2.24	463.3	472.0	6,372	514.1	6.62	501.2	527.2
1994	46,296	487.3	2.28	482.8	491.8	6,866	547.3	6.78	534.1	560.8
1995	45,474	478.7	2.26	474.3	483.1	7,064	549.4	6.70	536.4	562.7
1996	46,230	486.2	2.27	481.7	490.6	7,263	555.3	6.67	542.3	568.5
1997	46,485	486.8	2.27	482.4	491.3	7,112	533.8	6.47	521.2	546.6
1998	46,971	489.1	2.26	484.7	493.6	7,395	545.7	6.48	533.1	558.6
1999	48,021	499.1	2.28	494.6	503.6	7,212	520.8	6.25	508.6	533.1
2000	47,987	497.7	2.28	493.2	502.1	7,523	532.7	6.26	520.5	545.1
2001	49,367	510.5	2.31	506.0	515.0	7,740	543.1	6.29	530.8	555.5
2002	50,271	517.2	2.32	512.6	521.7	7,860	540.2	6.21	528.0	552.5
2003	48,863	499.6	2.27	495.2	504.1	7,848	529.0	6.09	517.2	541.1
2004	49,066	500.1	2.27	495.6	504.6	7,931	525.6	6.02	513.8	537.5
2005	49,014	496.7	2.26	492.3	501.2	8,002	523.1	5.96	511.4	534.9
2006	50,347	508.5	2.29	504.0	513.0	8,498	544.5	6.02	532.8	556.4
2007	51,109	511.2	2.29	506.7	515.7	8,613	542.2	5.96	530.6	554.0
2008	52,025	514.5	2.29	510.0	519.0	8,694	535.1	5.86	523.7	546.7
2009	51,859	508.7	2.27	504.2	513.1	8,852	532.1	5.78	520.8	543.6
2010	50,494	490.3	2.23	485.9	494.7	8,705	514.8	5.65	503.7	525.9
2011	51,362	493.6	2.23	489.2	498.0	8,683	501.8	5.51	491.0	512.7
2012	50,066	476.7	2.19	472.4	481.0	8,620	489.3	5.40	478.7	500.0
2013	49,796	469.5	2.16	465.3	473.8	8,703	483.5	5.31	473.1	494.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

All Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	29,865	412.2	2.86	406.6	417.8	696,700	579.9	0.70	578.6	581.3
1990	524	335.1	18.52	299.8	372.9	22,925	525.4	3.58	518.4	532.4
1991	565	315.2	16.75	283.3	349.4	24,422	550.9	3.63	543.8	558.1
1992	610	350.1	17.81	316.0	386.4	26,598	591.2	3.72	583.9	598.5
1993	711	386.1	18.30	351.0	423.2	26,596	583.9	3.67	576.8	591.1
1994	818	416.5	18.41	381.2	453.8	27,347	598.7	3.70	591.4	606.0
1995	848	445.6	19.41	408.4	484.9	27,148	586.2	3.62	579.1	593.3
1996	938	473.9	19.54	436.4	513.4	27,386	586.7	3.60	579.6	593.8
1997	957	445.9	17.99	411.3	482.2	27,688	588.4	3.58	581.4	595.4
1998	995	481.1	19.05	444.5	519.6	27,941	588.2	3.56	581.3	595.3
1999	1,114	463.5	17.44	430.0	498.7	28,647	597.2	3.56	590.2	604.2
2000	1,069	412.4	15.51	382.5	443.6	28,945	598.2	3.55	591.3	605.2
2001	1,166	446.2	16.02	415.3	478.4	29,867	613.2	3.58	606.2	620.3
2002	1,256	449.3	15.45	419.5	480.3	30,825	627.1	3.61	620.0	634.2
2003	1,316	427.1	14.31	399.5	455.9	30,090	603.4	3.51	596.5	610.3
2004	1,360	429.7	14.15	402.4	458.1	30,231	598.3	3.48	591.5	605.1
2005	1,475	421.1	13.11	395.8	447.4	29,924	584.1	3.42	577.4	590.8
2006	1,507	420.4	12.93	395.5	446.4	30,915	595.8	3.43	589.1	602.5
2007	1,626	433.0	12.68	408.5	458.4	31,791	601.7	3.42	595.0	608.5
2008	1,719	438.4	12.45	414.4	463.4	32,303	599.2	3.39	592.6	605.9
2009	1,763	428.7	11.94	405.6	452.6	31,982	581.5	3.31	575.0	588.0
2010	1,793	387.4	10.66	366.8	408.8	31,059	556.3	3.22	550.0	562.6
2011	1,883	389.9	10.49	369.6	410.9	31,567	554.5	3.19	548.2	560.8
2012	1,931	384.0	10.10	364.5	404.2	30,430	524.9	3.08	518.9	531.0
2013	1,921	353.4	9.26	335.5	372.0	30,073	509.5	3.01	503.6	515.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	584,218	571.1	0.75	569.7	572.6	94,130	666.2	2.29	661.7	670.7
1990	19,893	517.8	3.78	510.4	525.3	2,777	603.7	12.30	579.8	628.2
1991	21,432	550.3	3.86	542.7	557.9	2,706	570.5	11.70	547.8	593.9
1992	23,155	586.7	3.94	579.0	594.5	3,146	660.5	12.59	636.0	685.6
1993	22,889	575.0	3.88	567.5	582.7	3,388	688.4	12.63	663.9	713.6
1994	23,316	585.5	3.91	577.9	593.2	3,668	743.3	13.12	717.8	769.4
1995	22,917	570.3	3.83	562.8	577.8	3,837	752.2	12.92	727.1	777.9
1996	23,020	570.1	3.80	562.7	577.6	3,900	742.1	12.59	717.6	767.1
1997	23,454	577.6	3.81	570.2	585.1	3,692	687.4	11.95	664.2	711.2
1998	23,471	573.9	3.78	566.5	581.4	3,820	704.9	12.04	681.5	728.8
1999	24,262	589.1	3.81	581.7	596.6	3,700	670.2	11.61	647.6	693.3
2000	24,246	585.8	3.78	578.4	593.3	4,014	711.2	11.80	688.3	734.7
2001	25,153	605.1	3.84	597.6	612.7	3,969	694.3	11.60	671.7	717.3
2002	25,972	620.7	3.88	613.1	628.4	3,983	683.2	11.42	661.0	705.9
2003	25,161	594.8	3.78	587.4	602.3	4,110	683.9	11.22	662.1	706.2
2004	25,197	589.7	3.74	582.4	597.1	4,124	676.6	11.12	655.0	698.7
2005	24,779	573.4	3.68	566.2	580.6	4,125	669.5	11.03	648.1	691.4
2006	25,587	586.4	3.70	579.1	593.7	4,372	690.0	10.99	668.6	711.8
2007	26,171	590.2	3.69	583.0	597.5	4,584	711.3	11.07	689.8	733.3
2008	26,666	591.0	3.67	583.9	598.3	4,559	686.6	10.70	665.8	707.9
2009	26,268	572.7	3.59	565.7	579.8	4,529	658.8	10.30	638.7	679.3
2010	25,497	548.6	3.50	541.8	555.5	4,389	628.7	10.00	609.3	648.6
2011	25,988	549.4	3.48	542.6	556.3	4,317	599.7	9.59	581.0	618.8
2012	24,960	520.3	3.37	513.7	526.9	4,221	576.8	9.33	558.7	595.4
2013	24,764	508.4	3.31	501.9	514.9	4,200	561.1	9.08	543.4	579.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

All Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	31,389	339.1	2.14	334.9	343.3	673,652	433.8	0.53	432.8	434.9
1990	651	304.5	13.22	279.2	331.4	23,380	394.7	2.63	389.6	399.9
1991	628	285.0	12.70	260.6	310.8	23,460	391.8	2.60	386.7	397.0
1992	691	298.3	12.77	273.8	324.3	24,137	398.6	2.61	393.6	403.8
1993	755	311.6	12.62	287.4	337.2	24,779	403.1	2.60	398.0	408.2
1994	822	328.2	12.89	303.4	354.3	26,558	427.6	2.66	422.4	432.8
1995	928	362.3	13.51	336.4	389.6	26,251	422.6	2.64	417.4	427.8
1996	942	367.0	13.55	341.0	394.4	27,069	433.5	2.67	428.3	438.8
1997	985	361.9	13.23	336.5	388.6	27,005	430.0	2.64	424.8	435.2
1998	1,094	369.4	12.80	344.7	395.2	27,710	437.4	2.65	432.2	442.6
1999	1,164	379.9	12.81	355.2	405.7	27,911	439.0	2.65	433.8	444.2
2000	1,137	334.7	11.51	312.5	357.9	27,973	437.6	2.64	432.4	442.8
2001	1,191	342.8	11.44	320.8	365.9	28,662	445.7	2.66	440.5	450.9
2002	1,300	344.1	10.92	323.0	366.1	28,930	447.3	2.66	442.1	452.6
2003	1,266	324.1	10.45	303.9	345.1	28,256	434.6	2.61	429.5	439.8
2004	1,453	348.3	10.45	328.1	369.3	28,474	435.8	2.61	430.7	440.9
2005	1,460	337.0	9.96	317.8	357.0	29,039	442.1	2.63	436.9	447.3
2006	1,549	340.5	9.72	321.8	360.0	29,802	452.3	2.66	447.1	457.5
2007	1,638	335.5	9.20	317.7	354.0	29,901	450.6	2.65	445.4	455.8
2008	1,736	337.8	9.02	320.4	355.9	30,543	455.5	2.65	450.3	460.7
2009	1,880	350.9	8.97	333.5	368.8	30,932	458.1	2.66	452.9	463.3
2010	1,882	334.6	8.49	318.2	351.6	30,464	446.3	2.62	441.1	451.4
2011	1,975	339.5	8.36	323.4	356.3	30,944	449.6	2.62	444.5	454.8
2012	2,043	333.4	8.00	317.9	349.4	30,726	442.7	2.60	437.6	447.8
2013	2,219	345.0	7.92	329.7	360.9	30,746	438.2	2.58	433.2	443.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	567,806	437.9	0.59	436.7	439.0	87,980	428.5	1.46	425.6	431.3
1990	20,425	398.1	2.86	392.5	403.7	2,704	391.8	7.66	376.9	407.1
1991	20,524	396.4	2.84	390.8	402.0	2,582	364.7	7.30	350.5	379.3
1992	21,180	405.7	2.85	400.1	411.3	2,639	363.2	7.17	349.3	377.5
1993	21,423	404.7	2.82	399.2	410.3	2,984	405.5	7.53	390.9	420.5
1994	22,980	430.5	2.90	424.9	436.3	3,198	427.7	7.66	412.8	443.0
1995	22,557	424.9	2.89	419.2	430.6	3,227	422.2	7.52	407.6	437.2
1996	23,210	436.7	2.92	431.0	442.4	3,363	434.6	7.58	419.9	449.7
1997	23,031	431.8	2.90	426.1	437.5	3,420	434.5	7.51	419.9	449.5
1998	23,500	438.0	2.91	432.3	443.8	3,575	444.7	7.51	430.1	459.7
1999	23,759	443.4	2.93	437.7	449.2	3,512	427.3	7.27	413.1	441.8
2000	23,741	442.4	2.92	436.7	448.1	3,509	418.7	7.12	404.8	432.9
2001	24,214	450.2	2.94	444.5	456.0	3,771	446.2	7.32	432.0	460.8
2002	24,299	450.0	2.94	444.2	455.8	3,877	450.3	7.29	436.1	464.8
2003	23,702	438.5	2.90	432.8	444.2	3,738	428.1	7.05	414.4	442.1
2004	23,869	440.7	2.91	435.1	446.5	3,807	428.9	7.00	415.2	442.8
2005	24,235	446.9	2.93	441.2	452.7	3,877	431.2	6.98	417.6	445.1
2006	24,760	456.7	2.97	450.9	462.6	4,126	451.5	7.09	437.7	465.6
2007	24,938	458.8	2.98	453.0	464.7	4,029	433.9	6.90	420.5	447.7
2008	25,359	462.6	2.98	456.8	468.5	4,135	437.2	6.87	423.8	450.9
2009	25,591	465.7	3.00	459.9	471.6	4,323	449.7	6.92	436.2	463.5
2010	24,997	451.4	2.95	445.6	457.2	4,316	441.1	6.80	427.9	454.6
2011	25,374	456.6	2.97	450.8	462.4	4,366	437.2	6.71	424.1	450.5
2012	25,106	449.7	2.95	443.9	455.5	4,399	433.2	6.64	420.3	446.4
2013	25,032	445.9	2.94	440.2	451.7	4,503	434.1	6.58	421.3	447.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Oral Cavity and Pharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,218	7.1	0.23	6.7	7.6	31,854	11.4	0.06	11.3	11.6
1990	27	6.5	1.36	4.1	9.7	1,128	10.9	0.33	10.3	11.6
1991	23	4.8	1.08	2.9	7.4	1,109	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1
1993	29	6.8	1.48	4.2	10.2	1,106	10.4	0.31	9.8	11.0
1994	33	7.9	1.59	5.1	11.5	1,153	10.7	0.32	10.1	11.4
1995	25	5.8	1.34	3.5	8.9	1,277	11.8	0.33	11.2	12.5
1996	50	13.6	2.21	9.6	18.5	1,246	11.4	0.32	10.8	12.1
1997	61	13.4	1.99	9.8	17.8	1,252	11.4	0.32	10.8	12.1
1998	38	7.7	1.47	5.1	11.0	1,216	11.0	0.31	10.4	11.6
1999	50	6.7	1.01	4.9	9.0	1,262	11.3	0.32	10.7	11.9
2000	40	6.4	1.23	4.2	9.2	1,253	11.1	0.31	10.5	11.7
2001	47	8.0	1.41	5.5	11.2	1,219	10.7	0.31	10.1	11.3
2002	56	7.9	1.22	5.7	10.6	1,296	11.2	0.31	10.6	11.9
2003	49	7.8	1.28	5.4	10.6	1,284	11.0	0.31	10.4	11.6
2004	49	6.3	1.00	4.5	8.5	1,384	11.7	0.32	11.1	12.4
2005	39	4.0	0.71	2.7	5.6	1,303	10.9	0.30	10.3	11.5
2006	60	6.9	1.02	5.0	9.1	1,339	11.1	0.31	10.5	11.7
2007	70	7.3	1.00	5.5	9.5	1,446	11.8	0.31	11.2	12.5
2008	73	8.1	1.07	6.1	10.4	1,505	12.1	0.31	11.5	12.7
2009	78	7.1	0.89	5.4	9.0	1,514	12.1	0.32	11.5	12.7
2010	75	7.1	0.92	5.4	9.1	1,519	11.9	0.31	11.3	12.5
2011	84	7.1	0.86	5.5	9.0	1,647	12.7	0.32	12.1	13.4
2012	76	6.4	0.82	4.9	8.2	1,636	12.5	0.31	11.9	13.1
2013	73	6.3	0.80	4.8	8.0	1,653	12.4	0.31	11.8	13.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	26,016	11.2	0.07	11.0	11.3	4,815	12.9	0.19	12.5	13.2
1990	901	10.0	0.34	9.3	10.7	215	17.5	1.22	15.2	20.1
1991	890	9.8	0.33	9.2	10.5	201	15.7	1.13	13.5	18.0
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	910	9.9	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	921	10.0	0.33	9.3	10.6	207	15.6	1.10	13.5	17.9
1995	1,051	11.3	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6
1996	1,010	10.8	0.34	10.2	11.5	213	15.3	1.06	13.3	17.5
1997	1,012	10.9	0.34	10.2	11.5	206	14.5	1.03	12.6	16.7
1998	969	10.3	0.33	9.7	11.0	209	14.4	1.01	12.5	16.5
1999	1,034	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,023	10.8	0.34	10.1	11.5	192	12.6	0.92	10.9	14.5
2001	1,003	10.5	0.33	9.9	11.2	179	11.5	0.87	9.8	13.3
2002	1,060	11.0	0.34	10.4	11.7	203	13.1	0.93	11.3	15.0
2003	1,061	10.9	0.34	10.2	11.6	187	11.6	0.86	10.0	13.4
2004	1,093	11.2	0.34	10.5	11.9	231	14.1	0.94	12.4	16.1
2005	1,077	10.9	0.34	10.3	11.6	172	10.3	0.79	8.8	12.0
2006	1,093	11.0	0.34	10.3	11.7	179	10.4	0.79	8.9	12.1
2007	1,182	11.8	0.35	11.1	12.5	210	12.4	0.87	10.7	14.2
2008	1,240	12.2	0.35	11.5	12.9	218	12.5	0.86	10.8	14.3
2009	1,254	12.2	0.35	11.6	13.0	196	11.1	0.81	9.6	12.8
2010	1,222	11.7	0.34	11.0	12.4	219	12.2	0.84	10.6	14.0
2011	1,364	12.9	0.36	12.2	13.6	215	11.7	0.82	10.2	13.4
2012	1,355	12.7	0.35	12.0	13.4	220	11.8	0.81	10.3	13.5
2013	1,363	12.6	0.35	11.9	13.3	214	11.6	0.81	10.0	13.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Oral Cavity and Pharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	845	10.3	0.42	9.5	11.1	21,906	17.5	0.12	17.2	17.7
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	16	7.4	2.08	3.9	12.8	741	16.3	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	20	10.6	3.02	5.5	17.9	757	16.1	0.59	14.9	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	17	7.3	1.97	4.0	12.3	874	18.3	0.63	17.1	19.6
1996	36	19.9	4.03	12.8	29.0	845	17.6	0.61	16.4	18.9
1997	42	19.7	3.76	13.1	28.2	835	17.3	0.60	16.1	18.5
1998	24	11.8	3.05	6.6	18.9	828	16.8	0.59	15.6	17.9
1999	31	8.9	1.72	5.8	13.0	843	16.9	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	865	17.2	0.59	16.0	18.4
2001	32	10.2	2.30	6.2	15.6	844	16.5	0.57	15.4	17.7
2002	39	10.6	1.93	7.2	15.1	874	16.9	0.58	15.8	18.1
2003	37	13.8	2.77	8.9	20.1	867	16.6	0.57	15.5	17.8
2004	39	10.5	1.93	7.0	14.9	970	18.1	0.59	17.0	19.3
2005	29	6.0	1.28	3.8	9.1	900	16.6	0.56	15.5	17.7
2006	43	9.7	1.74	6.6	13.6	908	16.5	0.55	15.4	17.6
2007	55	12.0	1.90	8.5	16.2	1,004	17.9	0.57	16.8	19.0
2008	53	11.9	1.89	8.5	16.1	1,027	17.9	0.57	16.8	19.0
2009	49	9.3	1.51	6.6	12.7	1,047	18.1	0.57	17.0	19.2
2010	53	10.8	1.69	7.8	14.6	1,076	18.2	0.57	17.1	19.3
2011	56	9.8	1.52	7.1	13.2	1,181	19.7	0.59	18.5	20.8
2012	55	9.5	1.49	6.8	12.9	1,144	18.8	0.57	17.7	20.0
2013	50	8.8	1.42	6.2	11.9	1,193	19.5	0.58	18.4	20.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	17,781	16.9	0.13	16.6	17.1	3,449	21.6	0.38	20.9	22.4
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0
1991	588	14.8	0.62	13.6	16.1	142	26.4	2.29	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	616	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	611	15.1	0.62	14.0	16.4	144	25.5	2.21	21.3	30.2
1995	706	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	677	16.5	0.64	15.3	17.9	154	25.6	2.11	21.6	30.0
1997	665	16.2	0.63	15.0	17.5	150	25.0	2.12	21.0	29.5
1998	649	15.5	0.61	14.3	16.7	154	25.0	2.09	21.1	29.4
1999	692	16.4	0.62	15.2	17.6	136	21.0	1.85	17.6	25.0
2000	695	16.4	0.62	15.2	17.6	151	23.4	1.95	19.7	27.5
2001	697	16.2	0.62	15.1	17.5	124	18.5	1.71	15.3	22.2
2002	697	16.1	0.61	14.9	17.3	154	23.3	1.93	19.7	27.4
2003	704	16.1	0.61	15.0	17.4	142	20.1	1.73	16.9	23.8
2004	755	16.9	0.62	15.7	18.2	174	25.2	1.99	21.5	29.4
2005	742	16.5	0.61	15.3	17.7	129	18.1	1.63	15.0	21.6
2006	740	16.2	0.60	15.0	17.4	120	16.1	1.50	13.3	19.3
2007	817	17.5	0.62	16.3	18.8	153	21.2	1.78	17.8	25.0
2008	844	17.8	0.62	16.6	19.0	151	20.7	1.78	17.4	24.5
2009	878	18.3	0.63	17.1	19.6	128	16.7	1.53	13.8	20.0
2010	874	17.8	0.61	16.6	19.0	147	19.6	1.70	16.4	23.2
2011	971	19.6	0.64	18.3	20.9	160	20.4	1.67	17.2	23.9
2012	943	18.9	0.63	17.7	20.2	156	19.5	1.62	16.4	22.9
2013	991	19.5	0.64	18.3	20.8	148	19.0	1.63	16.0	22.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Oral Cavity and Pharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	373	4.3	0.25	3.8	4.8	9,948	6.4	0.07	6.3	6.6
1990	12	5.1	1.57	2.5	9.2	356	6.0	0.32	5.4	6.7
1991	7	2.4	0.99	0.9	5.4	368	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	9	3.8	1.45	1.5	7.6	349	5.8	0.31	5.2	6.4
1994	13	5.8	1.81	2.9	10.3	382	6.2	0.32	5.6	6.9
1995	8	4.0	1.61	1.5	8.1	403	6.5	0.33	5.9	7.2
1996	14	8.4	2.39	4.4	14.0	401	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	417	6.8	0.33	6.1	7.5
1998	14	4.7	1.40	2.4	8.2	388	6.2	0.32	5.6	6.9
1999	19	4.7	1.13	2.8	7.6	419	6.7	0.33	6.1	7.4
2000	15	4.8	1.52	2.3	8.6	388	6.2	0.32	5.6	6.8
2001	15	5.8	1.72	2.9	9.9	375	5.9	0.31	5.3	6.5
2002	17	5.2	1.46	2.8	8.7	422	6.6	0.32	6.0	7.2
2003	12	2.9	0.96	1.4	5.4	417	6.4	0.32	5.8	7.1
2004	10	2.6	0.85	1.2	4.8	414	6.4	0.32	5.8	7.1
2005	10	2.0	0.70	0.9	3.9	403	6.2	0.31	5.6	6.8
2006	17	4.1	1.13	2.2	6.9	431	6.5	0.32	5.9	7.1
2007	15	3.0	0.92	1.5	5.3	442	6.7	0.32	6.1	7.4
2008	20	4.5	1.13	2.6	7.2	478	7.1	0.33	6.5	7.8
2009	29	5.0	1.01	3.2	7.4	467	7.0	0.33	6.3	7.6
2010	22	3.8	0.91	2.2	5.9	443	6.6	0.32	6.0	7.2
2011	28	4.6	0.95	2.9	6.8	466	6.7	0.32	6.1	7.4
2012	21	3.7	0.86	2.2	5.7	492	7.0	0.32	6.4	7.7
2013	23	4.1	0.89	2.5	6.1	460	6.5	0.31	5.9	7.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,235	6.4	0.07	6.2	6.5	1,366	6.4	0.17	6.1	6.8
1990	282	5.4	0.33	4.7	6.0	70	9.9	1.20	7.7	12.5
1991	302	6.0	0.36	5.3	6.8	59	7.8	1.03	5.9	10.1
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	294	5.6	0.34	5.0	6.3	46	6.2	0.91	4.5	8.2
1994	310	5.8	0.33	5.1	6.5	63	8.4	1.07	6.4	10.7
1995	345	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	333	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	347	6.6	0.36	5.9	7.4	56	6.9	0.94	5.2	9.0
1998	320	6.0	0.34	5.4	6.7	55	6.6	0.90	5.0	8.6
1999	342	6.6	0.36	5.9	7.3	60	7.0	0.92	5.4	9.1
2000	328	6.2	0.35	5.5	6.9	41	4.7	0.74	3.4	6.4
2001	306	5.7	0.33	5.1	6.4	55	6.2	0.84	4.7	8.1
2002	363	6.8	0.36	6.1	7.5	49	5.5	0.80	4.1	7.3
2003	357	6.6	0.36	5.9	7.3	45	5.1	0.76	3.7	6.8
2004	338	6.3	0.35	5.7	7.1	57	6.1	0.82	4.6	8.0
2005	335	6.3	0.35	5.6	7.0	43	4.5	0.69	3.3	6.1
2006	353	6.4	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	365	6.7	0.36	6.0	7.5	57	6.0	0.80	4.5	7.7
2008	396	7.1	0.37	6.4	7.9	67	6.8	0.84	5.2	8.6
2009	376	6.9	0.37	6.2	7.6	68	6.9	0.85	5.4	8.8
2010	348	6.3	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	393	7.0	0.36	6.3	7.7	55	5.3	0.73	4.0	7.0
2012	412	7.2	0.37	6.5	8.0	64	6.1	0.78	4.7	7.9
2013	372	6.5	0.35	5.8	7.2	66	6.2	0.78	4.8	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Lip</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	55	0.3	0.05	0.2	0.5	1,949	0.7	0.02	0.7	0.7
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	3	0.2	0.16	0.0	1.0	83	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	82	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	80	0.6	0.07	0.5	0.8
2011	5	0.5	0.24	0.1	1.2	57	0.4	0.06	0.3	0.6
2012	3	0.2	0.11	0.0	0.6	53	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	67	0.5	0.06	0.4	0.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,866	0.8	0.02	0.8	0.8	33	0.1	0.02	0.1	0.1
1990	119	1.3	0.12	1.1	1.5	0				
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5
1992	96	1.0	0.11	0.8	1.3	0				
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3
1994	89	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8
1995	97	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7
1998	77	0.8	0.09	0.6	1.0	1	0.1	0.05	0.0	0.3
1999	80	0.8	0.09	0.6	1.0	0				
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5
2001	56	0.6	0.08	0.4	0.7	1	0.1	0.07	0.0	0.4
2002	92	0.9	0.10	0.8	1.1	2	0.1	0.08	0.0	0.4
2003	63	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2004	77	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4
2006	68	0.7	0.09	0.5	0.9	0				
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6
2008	65	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6
2009	64	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5
2010	74	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5
2011	55	0.5	0.07	0.4	0.7	1	0.1	0.06	0.0	0.3
2012	51	0.5	0.07	0.4	0.6	0				
2013	58	0.5	0.07	0.4	0.7	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Lip										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	39	0.4	0.08	0.3	0.6	1,523	1.3	0.03	1.2	1.4
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					80	1.8	0.21	1.4	2.3
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	2	0.4	0.32	0.0	2.3	71	1.5	0.19	1.2	2.0
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	59	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	43	0.8	0.12	0.6	1.1
2012	3	0.4	0.23	0.1	1.3	41	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,473	1.5	0.04	1.4	1.5	19	0.1	0.03	0.1	0.2
1990	96	2.5	0.26	2.0	3.1	0				
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1
1992	82	2.2	0.24	1.7	2.7	0				
1993	69	1.7	0.21	1.3	2.2	0				
1994	67	1.7	0.21	1.3	2.2	0				
1995	77	2.0	0.23	1.6	2.5	0				
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1
1998	61	1.5	0.20	1.2	1.9	1	0.1	0.12	0.0	0.8
1999	69	1.7	0.21	1.3	2.2	0				
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0
2001	43	1.1	0.16	0.8	1.4	0				
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8
2004	62	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0
2006	49	1.2	0.17	0.9	1.5	0				
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2
2009	47	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2
2010	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0
2011	41	0.9	0.14	0.7	1.2	1	0.1	0.13	0.0	0.8
2012	40	0.9	0.14	0.6	1.2	0				
2013	44	0.9	0.14	0.7	1.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Lip</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	16	0.2	0.06	0.1	0.4	426	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					25	0.4	0.08	0.2	0.6
1995	1	0.3	0.29	0.0	1.9	21	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4
2010	0					21	0.3	0.07	0.2	0.5
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3
2012	0					12	0.2	0.05	0.1	0.3
2013	0					19	0.3	0.06	0.2	0.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	393	0.3	0.01	0.3	0.3	14	0.1	0.02	0.0	0.1
1990	23	0.4	0.08	0.3	0.6	0				
1991	15	0.3	0.07	0.2	0.5	0				
1992	14	0.2	0.06	0.1	0.4	0				
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3
1995	20	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6
1996	21	0.4	0.09	0.2	0.6	0				
1997	17	0.3	0.07	0.2	0.5	0				
1998	16	0.3	0.07	0.2	0.5	0				
1999	11	0.2	0.06	0.1	0.4	0				
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6
2002	26	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2003	16	0.3	0.07	0.2	0.5	0				
2004	15	0.3	0.07	0.1	0.4	2	0.2	0.17	0.0	0.8
2005	11	0.2	0.06	0.1	0.3	0				
2006	19	0.4	0.08	0.2	0.6	0				
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8
2008	21	0.4	0.09	0.2	0.6	1	0.1	0.12	0.0	0.6
2009	17	0.3	0.07	0.2	0.5	0				
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2011	14	0.3	0.07	0.1	0.4	0				
2012	11	0.2	0.06	0.1	0.4	0				
2013	14	0.2	0.07	0.1	0.4	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Tongue										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	313	1.9	0.12	1.7	2.1	8,265	3.0	0.03	2.9	3.0
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	7	1.7	0.72	0.6	3.7	270	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	7	1.6	0.66	0.6	3.4	264	2.5	0.15	2.2	2.8
1994	9	2.4	0.90	0.9	4.7	260	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	327	3.0	0.17	2.7	3.3
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	12	1.6	0.48	0.8	2.9	320	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	284	2.5	0.15	2.2	2.8
2002	12	1.7	0.56	0.8	3.2	342	3.0	0.16	2.7	3.3
2003	15	2.2	0.62	1.1	3.7	328	2.8	0.16	2.5	3.1
2004	16	2.1	0.58	1.2	3.6	367	3.1	0.16	2.8	3.4
2005	11	1.4	0.46	0.6	2.6	385	3.2	0.16	2.9	3.6
2006	13	1.4	0.44	0.7	2.5	361	3.0	0.16	2.7	3.3
2007	13	1.4	0.43	0.7	2.5	443	3.6	0.17	3.3	4.0
2008	17	2.0	0.53	1.1	3.2	412	3.3	0.16	3.0	3.6
2009	20	2.0	0.48	1.1	3.1	411	3.3	0.17	3.0	3.6
2010	24	2.2	0.48	1.3	3.3	395	3.1	0.16	2.8	3.4
2011	29	2.5	0.52	1.6	3.7	446	3.5	0.17	3.1	3.8
2012	20	1.7	0.41	1.0	2.6	510	3.9	0.18	3.5	4.2
2013	20	1.6	0.39	0.9	2.5	507	3.7	0.17	3.4	4.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,967	3.0	0.04	2.9	3.1	1,043	2.8	0.09	2.6	3.0
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5
1991	210	2.4	0.17	2.1	2.8	54	4.3	0.59	3.2	5.6
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5
1993	226	2.4	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6
1994	215	2.3	0.16	2.0	2.7	42	3.2	0.50	2.3	4.3
1995	226	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4
1997	275	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6
1998	220	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7
1999	274	2.9	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5
2000	245	2.6	0.17	2.3	2.9	44	2.9	0.45	2.1	4.0
2001	232	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8
2002	282	2.9	0.18	2.6	3.3	51	3.2	0.44	2.4	4.2
2003	278	2.9	0.17	2.6	3.2	39	2.5	0.41	1.8	3.4
2004	297	3.0	0.18	2.7	3.4	47	2.9	0.43	2.1	3.9
2005	330	3.3	0.18	3.0	3.7	37	2.3	0.38	1.6	3.1
2006	300	3.0	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3
2007	390	3.9	0.20	3.5	4.3	39	2.3	0.37	1.6	3.1
2008	368	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7
2009	355	3.5	0.19	3.1	3.9	35	2.0	0.34	1.4	2.8
2010	342	3.3	0.18	2.9	3.6	35	2.0	0.34	1.4	2.8
2011	377	3.6	0.19	3.2	4.0	51	2.8	0.40	2.1	3.7
2012	444	4.2	0.20	3.8	4.6	50	2.7	0.39	2.0	3.6
2013	432	3.9	0.19	3.6	4.3	57	3.0	0.40	2.2	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Tongue</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	216	2.6	0.21	2.2	3.1	5,636	4.4	0.06	4.3	4.6
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2
1993	6	2.9	1.45	0.8	7.2	172	3.6	0.28	3.1	4.2
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5
1997	10	4.9	1.88	1.9	9.7	208	4.2	0.30	3.7	4.9
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	4.0	204	4.0	0.28	3.5	4.6
2000	7	2.4	1.04	0.8	5.4	192	3.8	0.27	3.3	4.3
2001	4	0.9	0.43	0.2	2.6	199	3.8	0.27	3.3	4.4
2002	9	2.7	1.02	1.1	5.5	236	4.5	0.29	3.9	5.1
2003	12	3.9	1.30	1.8	7.2	226	4.3	0.29	3.8	4.9
2004	13	3.8	1.18	1.9	6.8	249	4.6	0.29	4.0	5.2
2005	8	1.9	0.80	0.6	4.1	264	4.8	0.30	4.2	5.4
2006	8	1.7	0.71	0.6	3.7	251	4.5	0.28	3.9	5.1
2007	8	1.6	0.63	0.6	3.4	308	5.4	0.31	4.8	6.1
2008	10	2.5	0.91	1.0	4.9	285	4.9	0.30	4.4	5.5
2009	13	2.7	0.84	1.3	4.8	273	4.7	0.29	4.1	5.3
2010	16	2.8	0.76	1.5	4.8	281	4.7	0.29	4.2	5.3
2011	18	3.2	0.85	1.8	5.3	311	5.1	0.30	4.5	5.7
2012	14	2.3	0.70	1.1	4.1	359	5.9	0.32	5.3	6.6
2013	16	2.4	0.65	1.3	4.0	360	5.7	0.31	5.1	6.3
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	4,700	4.4	0.06	4.3	4.5	772	4.8	0.18	4.5	5.2
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7
1993	143	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6
1995	158	3.8	0.31	3.2	4.5	30	5.3	1.03	3.5	7.7
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8
1997	171	4.1	0.31	3.5	4.8	33	5.9	1.08	4.0	8.3
1998	134	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9
1999	174	4.0	0.31	3.5	4.7	28	4.0	0.76	2.7	5.8
2000	155	3.6	0.29	3.1	4.2	35	5.3	0.91	3.7	7.4
2001	161	3.7	0.29	3.2	4.3	36	5.3	0.89	3.7	7.4
2002	189	4.3	0.32	3.7	5.0	39	5.6	0.90	4.0	7.6
2003	188	4.3	0.31	3.7	4.9	30	4.6	0.88	3.0	6.6
2004	195	4.3	0.31	3.7	4.9	38	5.3	0.88	3.7	7.3
2005	225	4.9	0.33	4.3	5.6	30	4.4	0.82	2.9	6.3
2006	210	4.5	0.32	3.9	5.2	28	3.6	0.70	2.4	5.3
2007	268	5.7	0.35	5.0	6.4	32	4.3	0.78	2.9	6.2
2008	256	5.3	0.34	4.7	6.0	23	3.3	0.73	2.0	5.1
2009	236	4.9	0.32	4.3	5.6	22	2.8	0.60	1.7	4.2
2010	245	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1
2011	263	5.3	0.33	4.6	5.9	37	4.8	0.83	3.4	6.7
2012	308	6.1	0.36	5.4	6.9	39	5.1	0.85	3.5	7.0
2013	310	6.0	0.35	5.3	6.7	39	4.8	0.80	3.3	6.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Tongue</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	97	1.2	0.13	1.0	1.5	2,629	1.7	0.03	1.6	1.8
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	1	0.5	0.45	0.0	2.5	78	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	4	1.7	0.87	0.4	4.3	85	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	5	2.8	1.32	0.9	6.3	119	2.0	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	6	1.5	0.65	0.5	3.5	116	1.9	0.18	1.6	2.3
2000	0					107	1.7	0.16	1.4	2.0
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7
2002	3	0.9	0.57	0.2	2.7	106	1.7	0.16	1.4	2.0
2003	3	0.7	0.42	0.2	2.2	102	1.6	0.16	1.3	2.0
2004	3	0.7	0.41	0.1	2.1	118	1.8	0.17	1.5	2.2
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0
2007	5	1.2	0.58	0.4	2.9	135	2.1	0.18	1.7	2.4
2008	7	1.5	0.61	0.6	3.2	127	1.9	0.17	1.6	2.3
2009	7	1.3	0.53	0.5	2.8	138	2.1	0.18	1.8	2.5
2010	8	1.5	0.56	0.6	3.0	114	1.7	0.16	1.4	2.0
2011	11	1.9	0.63	0.9	3.5	135	2.0	0.17	1.7	2.4
2012	6	1.1	0.45	0.4	2.3	151	2.2	0.18	1.8	2.6
2013	4	0.8	0.42	0.2	2.0	147	2.0	0.17	1.7	2.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,267	1.8	0.04	1.7	1.8	271	1.3	0.08	1.1	1.4
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2
1991	66	1.4	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3
1994	70	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6
1997	104	2.0	0.20	1.7	2.5	14	1.8	0.49	1.0	3.0
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
1999	100	1.9	0.20	1.6	2.4	12	1.4	0.40	0.7	2.4
2000	90	1.7	0.18	1.3	2.1	9	1.1	0.36	0.5	2.0
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9
2002	93	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3
2003	90	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9
2004	102	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5
2006	90	1.6	0.18	1.3	2.0	15	1.6	0.40	0.9	2.6
2007	122	2.3	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5
2008	112	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0
2009	119	2.2	0.21	1.8	2.7	13	1.3	0.38	0.7	2.3
2010	97	1.8	0.19	1.4	2.2	11	1.0	0.31	0.5	1.9
2011	114	2.1	0.20	1.7	2.5	14	1.4	0.37	0.7	2.3
2012	136	2.4	0.22	2.0	2.9	11	1.0	0.32	0.5	1.9
2013	122	2.1	0.20	1.7	2.5	18	1.7	0.40	1.0	2.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Salivary Gland											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	166	0.9	0.08	0.7	1.1	3,325	1.2	0.02	1.2	1.3	
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1	
1991	2	0.4	0.28	0.0	1.6	97	0.9	0.09	0.8	1.1	
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3	
1993	5	0.8	0.42	0.2	2.1	111	1.0	0.10	0.8	1.2	
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4	
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5	
1996	10	3.1	1.09	1.3	5.8	131	1.2	0.10	1.0	1.4	
1997	15	2.8	0.87	1.4	5.0	141	1.3	0.11	1.1	1.5	
1998	6	1.0	0.44	0.3	2.3	135	1.2	0.10	1.0	1.4	
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5	
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4	
2001	5	0.7	0.44	0.1	2.0	132	1.2	0.10	1.0	1.4	
2002	12	1.2	0.43	0.5	2.4	141	1.2	0.10	1.0	1.4	
2003	8	1.5	0.66	0.5	3.2	133	1.1	0.10	1.0	1.4	
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4	
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3	
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5	
2007	12	1.2	0.41	0.5	2.2	159	1.3	0.11	1.1	1.6	
2008	7	0.7	0.31	0.2	1.6	144	1.2	0.10	1.0	1.4	
2009	17	1.5	0.42	0.8	2.6	161	1.3	0.11	1.1	1.6	
2010	7	0.4	0.16	0.2	0.9	167	1.4	0.11	1.2	1.6	
2011	5	0.4	0.17	0.1	0.9	162	1.3	0.11	1.1	1.6	
2012	12	1.1	0.35	0.6	2.0	197	1.6	0.12	1.4	1.8	
2013	7	0.6	0.26	0.2	1.3	161	1.3	0.11	1.1	1.5	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	2,804	1.2	0.02	1.2	1.3	398	1.1	0.05	1.0	1.2	
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0	
1991	81	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8	
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4	
1993	90	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2	
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5	
1995	113	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9	
1996	113	1.2	0.11	1.0	1.5	14	1.0	0.27	0.5	1.7	
1997	121	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6	
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8	
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5	
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4	
2001	113	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3	
2002	124	1.3	0.12	1.1	1.5	12	0.8	0.23	0.4	1.4	
2003	119	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3	
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8	
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2	
2006	117	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9	
2007	132	1.3	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8	
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2	
2009	134	1.4	0.12	1.1	1.6	21	1.3	0.29	0.8	2.0	
2010	131	1.3	0.12	1.1	1.6	25	1.6	0.32	1.0	2.3	
2011	136	1.4	0.12	1.1	1.6	17	1.0	0.24	0.6	1.6	
2012	158	1.6	0.13	1.3	1.8	29	1.6	0.29	1.0	2.3	
2013	125	1.2	0.11	1.0	1.5	27	1.5	0.30	1.0	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Salivary Gland											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	79	1.0	0.13	0.7	1.3	1,889	1.6	0.04	1.5	1.7	
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8	
1991	0					53	1.2	0.16	0.9	1.5	
1992	0					66	1.5	0.19	1.2	1.9	
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8	
1994	0					68	1.6	0.20	1.2	2.0	
1995	0					75	1.7	0.19	1.3	2.1	
1996	4	2.0	1.23	0.4	5.7	73	1.6	0.19	1.3	2.0	
1997	6	2.3	0.98	0.8	5.3	75	1.6	0.19	1.2	2.0	
1998	2	0.4	0.31	0.0	2.3	76	1.6	0.19	1.3	2.0	
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1	
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0	
2001	1	1.0	0.96	0.0	4.0	79	1.6	0.19	1.3	2.1	
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1	
2003	4	2.4	1.41	0.5	6.2	76	1.6	0.18	1.2	2.0	
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0	
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7	
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9	
2007	6	1.5	0.70	0.5	3.5	95	1.9	0.19	1.5	2.3	
2008	6	1.4	0.66	0.4	3.3	81	1.5	0.17	1.2	1.9	
2009	8	1.5	0.63	0.5	3.2	95	1.8	0.19	1.5	2.2	
2010	5	0.6	0.27	0.2	1.6	91	1.7	0.18	1.3	2.1	
2011	2	0.3	0.21	0.0	1.2	101	1.9	0.19	1.6	2.3	
2012	7	1.5	0.62	0.6	3.2	111	2.0	0.20	1.7	2.4	
2013	4	1.0	0.55	0.2	2.5	90	1.7	0.18	1.3	2.1	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	1,630	1.6	0.04	1.6	1.7	199	1.3	0.10	1.1	1.5	
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5	
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8	
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3	
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5	
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6	
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6	
1996	63	1.6	0.21	1.2	2.1	7	1.2	0.46	0.5	2.5	
1997	65	1.6	0.20	1.2	2.0	7	1.3	0.54	0.5	2.7	
1998	64	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9	
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7	
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5	
2001	70	1.7	0.20	1.3	2.2	4	0.8	0.44	0.2	2.0	
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0	
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9	
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6	
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9	
2006	64	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7	
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6	
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3	
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5	
2010	77	1.7	0.19	1.3	2.1	9	1.6	0.56	0.7	3.0	
2011	84	1.9	0.21	1.5	2.4	12	1.6	0.49	0.8	2.9	
2012	88	2.0	0.21	1.6	2.4	18	2.2	0.55	1.3	3.6	
2013	70	1.5	0.19	1.2	2.0	16	2.1	0.55	1.2	3.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Salivary Gland											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	87	0.8	0.10	0.7	1.1	1,436	1.0	0.03	0.9	1.0	
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8	
1991	2	0.7	0.56	0.1	3.0	44	0.8	0.12	0.5	1.0	
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1	
1993	4	1.2	0.72	0.2	3.6	46	0.8	0.11	0.6	1.0	
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3	
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2	
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2	
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4	
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3	
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4	
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2	
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1	
2002	4	0.7	0.38	0.2	2.1	60	1.0	0.12	0.7	1.2	
2003	4	1.0	0.64	0.2	2.9	57	0.9	0.12	0.7	1.1	
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2	
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2	
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4	
2007	6	0.9	0.46	0.2	2.3	64	1.0	0.13	0.8	1.3	
2008	1	0.1	0.14	0.0	1.0	63	1.0	0.12	0.7	1.2	
2009	9	1.6	0.58	0.7	3.1	66	1.0	0.13	0.8	1.3	
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6	
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2	
2012	5	0.9	0.40	0.3	2.0	86	1.3	0.14	1.0	1.6	
2013	3	0.4	0.23	0.1	1.2	71	1.1	0.13	0.8	1.4	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	1,174	0.9	0.03	0.9	1.0	199	0.9	0.07	0.8	1.1	
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2	
1991	36	0.7	0.13	0.5	1.0	7	0.8	0.32	0.3	1.7	
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5	
1993	36	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0	
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0	
1995	44	0.9	0.13	0.6	1.2	12	1.5	0.44	0.8	2.6	
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8	
1997	56	1.1	0.15	0.8	1.5	7	0.8	0.30	0.3	1.7	
1998	47	0.9	0.14	0.7	1.2	8	0.9	0.33	0.4	1.8	
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3	
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1	
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7	
2002	52	1.0	0.14	0.8	1.3	5	0.6	0.27	0.2	1.4	
2003	50	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4	
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9	
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2	
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5	
2007	50	0.9	0.14	0.7	1.2	9	1.0	0.32	0.4	1.8	
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3	
2009	50	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3	
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7	
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2	
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.32	0.5	1.9	
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Floor of Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	77	0.5	0.06	0.4	0.6	2,499	0.9	0.02	0.9	0.9
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	2	0.7	0.53	0.1	2.3	131	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	5	0.7	0.34	0.2	1.8	121	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	2	0.3	0.21	0.0	1.0	97	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	105	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	89	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	90	0.7	0.07	0.5	0.8
2013	1	0.1	0.09	0.0	0.5	99	0.7	0.07	0.6	0.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,985	0.9	0.02	0.8	0.9	481	1.3	0.06	1.2	1.4
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0
1991	108	1.2	0.12	1.0	1.4	25	1.9	0.38	1.2	2.8
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3
1994	88	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4
1995	106	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6
1996	95	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0
2000	92	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7
2005	60	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3
2006	82	0.8	0.09	0.7	1.0	18	1.1	0.26	0.6	1.7
2007	67	0.7	0.08	0.5	0.8	16	1.0	0.24	0.5	1.6
2008	86	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8
2010	63	0.6	0.07	0.4	0.8	15	0.8	0.21	0.4	1.3
2011	75	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1
2012	72	0.6	0.08	0.5	0.8	18	1.1	0.25	0.6	1.7
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Floor of Mouth										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	63	0.7	0.10	0.5	1.0	1,764	1.4	0.03	1.3	1.4
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	91	1.9	0.20	1.5	2.3
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.5	71	1.3	0.15	1.0	1.6
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2
2008	4	1.0	0.51	0.2	2.5	68	1.1	0.14	0.9	1.5
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1
2011	2	0.3	0.18	0.0	1.1	62	1.0	0.13	0.7	1.2
2012	2	0.5	0.42	0.1	1.8	62	0.9	0.12	0.7	1.2
2013	1	0.2	0.18	0.0	1.0	75	1.2	0.14	0.9	1.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,371	1.3	0.03	1.2	1.3	366	2.2	0.12	2.0	2.5
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7
1991	75	1.8	0.21	1.4	2.3	15	2.6	0.67	1.4	4.3
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6
1994	60	1.4	0.19	1.1	1.8	23	4.3	0.95	2.7	6.5
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0
1996	71	1.7	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0
2005	42	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2
2006	57	1.2	0.16	0.9	1.6	13	1.8	0.50	0.9	3.1
2007	41	0.9	0.13	0.6	1.2	13	1.9	0.54	1.0	3.3
2008	56	1.1	0.15	0.9	1.5	11	1.3	0.42	0.7	2.5
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6
2010	43	0.8	0.13	0.6	1.1	9	1.1	0.35	0.5	2.0
2011	52	1.0	0.14	0.7	1.3	10	1.1	0.37	0.5	2.1
2012	51	0.9	0.13	0.7	1.2	11	1.5	0.48	0.7	2.8
2013	60	1.1	0.15	0.9	1.5	14	1.6	0.42	0.8	2.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Floor of Mouth											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	14	0.2	0.06	0.1	0.3	735	0.5	0.02	0.4	0.5	
1990	0					31	0.5	0.10	0.4	0.8	
1991	1	0.4	0.41	0.0	2.4	43	0.7	0.11	0.5	1.0	
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9	
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7	
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8	
1995	1	0.8	0.80	0.0	3.4	36	0.6	0.10	0.4	0.8	
1996	0					30	0.5	0.09	0.3	0.7	
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8	
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6	
1999	0					28	0.5	0.09	0.3	0.7	
2000	1	0.4	0.42	0.0	2.1	31	0.5	0.09	0.3	0.7	
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6	
2002	0					36	0.6	0.09	0.4	0.8	
2003	0					28	0.5	0.09	0.3	0.7	
2004	0					27	0.4	0.08	0.3	0.6	
2005	0					22	0.3	0.07	0.2	0.5	
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7	
2007	0					30	0.4	0.08	0.3	0.6	
2008	0					37	0.5	0.09	0.4	0.8	
2009	0					30	0.4	0.08	0.3	0.6	
2010	0					26	0.4	0.08	0.3	0.6	
2011	0					27	0.4	0.07	0.3	0.6	
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6	
2013	0					24	0.3	0.07	0.2	0.5	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	614	0.5	0.02	0.4	0.5	115	0.5	0.05	0.4	0.7	
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7	
1991	33	0.6	0.12	0.4	0.9	10	1.4	0.43	0.6	2.5	
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7	
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1	
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2	
1995	31	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4	
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8	
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5	
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9	
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4	
2000	25	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5	
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0	
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0	
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9	
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8	
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0	
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2	
2007	26	0.5	0.09	0.3	0.7	3	0.3	0.18	0.1	0.9	
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4	
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0	
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3	
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8	
2012	21	0.4	0.09	0.2	0.6	7	0.7	0.28	0.3	1.5	
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Gum and Other Mouth</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	205	1.3	0.11	1.1	1.5	4,795	1.7	0.02	1.7	1.8
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7
1992	0					172	1.6	0.12	1.4	1.9
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1
1996	9	2.2	0.91	0.8	4.6	194	1.8	0.13	1.5	2.0
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9
2001	5	1.1	0.52	0.3	2.5	194	1.7	0.12	1.5	2.0
2002	5	1.3	0.61	0.4	2.9	202	1.7	0.12	1.5	2.0
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1
2004	11	1.5	0.50	0.7	2.8	216	1.8	0.13	1.6	2.1
2005	3	0.3	0.15	0.1	0.9	188	1.6	0.12	1.4	1.8
2006	9	1.4	0.54	0.5	2.7	206	1.7	0.12	1.5	2.0
2007	14	1.4	0.46	0.6	2.6	191	1.6	0.12	1.4	1.8
2008	17	1.8	0.48	1.0	2.9	239	1.9	0.13	1.7	2.2
2009	13	1.0	0.29	0.5	1.8	225	1.8	0.12	1.6	2.1
2010	18	2.1	0.56	1.2	3.4	236	1.9	0.12	1.6	2.1
2011	12	1.0	0.31	0.5	1.8	249	1.9	0.12	1.7	2.2
2012	13	1.5	0.45	0.7	2.6	224	1.7	0.12	1.5	2.0
2013	14	1.6	0.44	0.8	2.6	218	1.7	0.11	1.4	1.9
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	3,928	1.7	0.03	1.6	1.7	689	1.9	0.07	1.8	2.0
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3
1996	159	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9
1997	159	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0
1998	148	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5
2000	168	1.7	0.13	1.5	2.0	15	1.0	0.26	0.6	1.6
2001	163	1.7	0.13	1.4	2.0	25	1.7	0.34	1.1	2.5
2002	158	1.6	0.13	1.4	1.9	37	2.5	0.41	1.7	3.4
2003	171	1.7	0.13	1.5	2.0	33	2.2	0.38	1.5	3.0
2004	171	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2
2005	154	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0
2006	167	1.7	0.13	1.4	1.9	26	1.5	0.30	1.0	2.2
2007	147	1.5	0.12	1.2	1.7	35	2.1	0.37	1.5	3.0
2008	187	1.8	0.13	1.6	2.1	39	2.3	0.38	1.6	3.2
2009	184	1.8	0.13	1.5	2.1	30	1.7	0.32	1.2	2.5
2010	185	1.8	0.13	1.5	2.1	38	2.1	0.34	1.4	2.8
2011	206	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2
2012	186	1.7	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2013	183	1.7	0.13	1.4	2.0	25	1.4	0.30	0.9	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Gum and Other Mouth										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	118	1.6	0.18	1.3	2.0	2,679	2.2	0.04	2.1	2.3
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2
1992	0					95	2.1	0.22	1.7	2.6
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4
1995	0					104	2.2	0.21	1.8	2.6
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7
2000	2	1.2	1.09	0.0	4.5	96	2.0	0.20	1.6	2.4
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6
2002	1	0.5	0.46	0.0	2.3	106	2.1	0.20	1.7	2.5
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6
2004	8	2.2	0.88	0.9	4.6	118	2.3	0.21	1.9	2.7
2005	3	0.5	0.29	0.1	1.8	103	2.0	0.20	1.6	2.4
2006	6	2.0	1.02	0.5	4.7	112	2.1	0.20	1.7	2.5
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4
2008	12	2.8	0.91	1.3	5.1	130	2.3	0.21	1.9	2.7
2009	5	0.9	0.41	0.3	2.2	130	2.2	0.20	1.9	2.7
2010	10	2.9	1.01	1.3	5.4	136	2.4	0.21	2.0	2.8
2011	5	0.8	0.39	0.3	2.0	146	2.5	0.21	2.1	2.9
2012	8	1.9	0.77	0.7	3.8	126	2.1	0.19	1.7	2.5
2013	5	1.3	0.60	0.4	2.9	138	2.3	0.20	2.0	2.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,137	2.1	0.04	2.0	2.1	421	2.7	0.14	2.5	3.0
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1
1996	93	2.3	0.24	1.9	2.8	17	2.8	0.67	1.6	4.4
1997	94	2.3	0.24	1.9	2.8	16	2.7	0.70	1.5	4.4
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0
2000	86	2.1	0.22	1.6	2.5	8	1.2	0.43	0.5	2.4
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9
2002	77	1.8	0.21	1.4	2.3	24	3.9	0.85	2.4	5.9
2003	85	2.0	0.21	1.6	2.4	21	3.0	0.66	1.8	4.6
2004	92	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3
2005	82	1.9	0.21	1.5	2.3	14	1.8	0.50	1.0	3.1
2006	85	1.9	0.21	1.5	2.4	17	2.4	0.59	1.4	3.8
2007	78	1.7	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6
2008	96	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2
2009	103	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0
2010	105	2.3	0.22	1.8	2.7	23	3.0	0.67	1.8	4.6
2011	117	2.4	0.22	1.9	2.8	16	2.2	0.59	1.3	3.7
2012	103	2.1	0.21	1.7	2.5	13	1.6	0.46	0.8	2.8
2013	113	2.3	0.22	1.9	2.8	17	2.3	0.58	1.3	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Gum and Other Mouth</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	87	1.1	0.13	0.8	1.3	2,116	1.3	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	4	2.2	1.25	0.5	5.7	82	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	92	1.4	0.15	1.1	1.7
2001	2	1.0	0.72	0.1	3.2	89	1.3	0.14	1.1	1.6
2002	4	1.8	0.99	0.4	4.5	96	1.4	0.15	1.2	1.8
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.9	0.57	0.1	2.5	94	1.4	0.14	1.1	1.7
2007	4	0.9	0.54	0.2	2.5	85	1.3	0.14	1.0	1.6
2008	5	0.9	0.45	0.2	2.2	109	1.5	0.15	1.3	1.9
2009	8	1.2	0.41	0.5	2.3	95	1.4	0.15	1.2	1.8
2010	8	1.5	0.59	0.5	3.0	100	1.4	0.15	1.2	1.8
2011	7	1.1	0.45	0.4	2.4	103	1.4	0.14	1.2	1.7
2012	5	1.2	0.55	0.4	2.7	98	1.4	0.14	1.1	1.7
2013	9	1.8	0.63	0.8	3.4	80	1.1	0.13	0.9	1.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,791	1.3	0.03	1.3	1.4	268	1.3	0.08	1.1	1.4
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1
1996	66	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6
1998	63	1.1	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7
2001	73	1.3	0.15	1.0	1.6	14	1.7	0.46	0.9	2.8
2002	81	1.4	0.16	1.1	1.8	13	1.5	0.41	0.8	2.5
2003	86	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2006	82	1.4	0.16	1.1	1.8	9	0.9	0.30	0.4	1.7
2007	69	1.3	0.15	1.0	1.6	15	1.6	0.42	0.9	2.6
2008	91	1.5	0.17	1.2	1.9	13	1.4	0.38	0.7	2.3
2009	81	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2
2010	80	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.3
2011	89	1.5	0.16	1.2	1.8	10	1.0	0.31	0.5	1.8
2012	83	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2
2013	70	1.2	0.14	0.9	1.5	8	0.8	0.30	0.4	1.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Nasopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	80	0.4	0.05	0.3	0.5	1,614	0.6	0.01	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	6	1.0	0.43	0.3	2.3	66	0.6	0.07	0.5	0.8
1998	1	0.1	0.05	0.0	0.8	70	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	4	0.7	0.50	0.1	2.2	74	0.7	0.08	0.5	0.8
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7
2002	6	0.7	0.28	0.2	1.6	67	0.6	0.07	0.5	0.8
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	3	0.2	0.15	0.0	0.8	64	0.6	0.07	0.4	0.7
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8
2007	7	0.8	0.33	0.3	1.7	65	0.5	0.07	0.4	0.7
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7
2012	5	0.3	0.12	0.1	0.7	72	0.6	0.07	0.4	0.7
2013	6	0.5	0.19	0.2	1.0	67	0.5	0.07	0.4	0.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,029	0.5	0.01	0.4	0.5	338	0.9	0.05	0.8	1.0
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0
1997	38	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2000	48	0.5	0.08	0.4	0.7	15	1.0	0.25	0.5	1.6
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4
2002	43	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0
2006	46	0.5	0.07	0.3	0.6	6	0.3	0.14	0.1	0.8
2007	38	0.4	0.06	0.3	0.5	15	0.8	0.22	0.5	1.4
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5
2012	39	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.6
2013	40	0.4	0.06	0.3	0.5	11	0.7	0.20	0.3	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Nasopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	50	0.6	0.10	0.4	0.8	1,115	0.9	0.03	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	5	1.8	0.89	0.5	4.7	50	1.0	0.14	0.7	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	2	0.4	0.31	0.0	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.1	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	56	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	718	0.7	0.03	0.6	0.7	236	1.4	0.10	1.3	1.6
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8
1997	29	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2
2006	33	0.7	0.13	0.5	1.0	3	0.4	0.26	0.1	1.3
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8
2012	31	0.6	0.12	0.4	0.9	12	1.5	0.44	0.8	2.7
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Nasopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	30	0.3	0.05	0.2	0.4	499	0.3	0.02	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	1	0.1	0.10	0.0	1.4	33	0.5	0.10	0.4	0.8
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	3	1.1	0.79	0.1	3.5	22	0.4	0.08	0.2	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	3	0.5	0.32	0.1	1.8	17	0.3	0.07	0.2	0.4
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	1	0.1	0.09	0.0	1.0	21	0.4	0.08	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.5
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4
2013	3	0.5	0.29	0.1	1.4	10	0.2	0.05	0.1	0.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	311	0.3	0.01	0.2	0.3	102	0.5	0.05	0.4	0.6
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6
2000	13	0.3	0.07	0.1	0.5	5	0.5	0.24	0.2	1.3
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4
2002	12	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7
2006	13	0.2	0.06	0.1	0.4	3	0.3	0.17	0.1	0.9
2007	10	0.2	0.06	0.1	0.4	4	0.4	0.21	0.1	1.1
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3
2013	6	0.1	0.04	0.0	0.2	3	0.4	0.20	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Oropharynx</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	50	0.3	0.05	0.2	0.4	1,510	0.5	0.01	0.5	0.6
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	69	0.6	0.07	0.5	0.8
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8
2010	4	0.5	0.26	0.1	1.2	101	0.8	0.08	0.6	1.0
2011	4	0.3	0.13	0.1	0.7	114	0.9	0.08	0.7	1.1
2012	3	0.2	0.10	0.0	0.6	76	0.6	0.07	0.5	0.7
2013	1	0.2	0.16	0.0	0.7	82	0.6	0.07	0.5	0.8
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,162	0.5	0.01	0.5	0.5	326	0.9	0.05	0.8	1.0
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5
1998	44	0.5	0.07	0.3	0.6	24	1.7	0.35	1.1	2.5
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2
2003	57	0.6	0.08	0.4	0.8	12	0.7	0.20	0.4	1.2
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4
2006	52	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0
2010	72	0.7	0.08	0.5	0.9	24	1.3	0.27	0.8	2.0
2011	87	0.8	0.09	0.7	1.0	25	1.3	0.27	0.9	2.0
2012	55	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7
2013	71	0.6	0.08	0.5	0.8	11	0.6	0.19	0.3	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Oropharynx</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	45	0.6	0.11	0.4	0.9	1,126	0.9	0.03	0.8	0.9
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.6	49	0.9	0.13	0.7	1.2
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3
2010	3	0.6	0.39	0.1	1.9	79	1.3	0.15	1.0	1.6
2011	4	0.5	0.26	0.1	1.5	84	1.4	0.16	1.1	1.8
2012	3	0.4	0.20	0.1	1.2	54	0.9	0.12	0.6	1.1
2013	1	0.4	0.42	0.0	1.8	57	0.9	0.12	0.7	1.2
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	865	0.8	0.03	0.8	0.9	243	1.5	0.10	1.3	1.7
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2
1998	35	0.8	0.14	0.6	1.1	20	3.2	0.75	2.0	5.1
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5
2003	39	0.9	0.14	0.6	1.2	10	1.3	0.42	0.6	2.5
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0
2006	41	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0
2010	57	1.1	0.15	0.9	1.5	17	2.1	0.53	1.2	3.4
2011	63	1.3	0.17	1.0	1.7	19	2.3	0.55	1.4	3.7
2012	41	0.8	0.12	0.6	1.1	13	1.6	0.47	0.8	2.8
2013	51	1.0	0.14	0.7	1.3	6	0.8	0.35	0.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5	0.1	0.03	0.0	0.2	384	0.3	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	297	0.2	0.01	0.2	0.3	83	0.4	0.04	0.3	0.5
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8
2000	11	0.2	0.06	0.1	0.4	0				
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2
2008	17	0.3	0.07	0.2	0.5	0				
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Hypopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	81	0.5	0.06	0.4	0.7	2,518	0.9	0.02	0.9	0.9
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2
1991	0					92	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0
2006	6	0.6	0.25	0.2	1.4	106	0.9	0.09	0.7	1.1
2007	3	0.3	0.15	0.1	0.8	104	0.8	0.08	0.7	1.0
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1
2012	4	0.4	0.21	0.1	1.0	112	0.8	0.08	0.7	1.0
2013	8	0.6	0.22	0.3	1.2	92	0.7	0.07	0.5	0.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,888	0.8	0.02	0.8	0.8	600	1.6	0.07	1.5	1.8
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4
2006	76	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.28	0.8	2.0
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.2
2013	67	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Hypopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	73	1.0	0.13	0.7	1.2	2,018	1.6	0.04	1.5	1.7
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1
1991	0					75	1.7	0.20	1.3	2.2
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0
2004	2	0.3	0.21	0.0	1.6	106	2.0	0.19	1.6	2.4
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8
2006	5	1.1	0.49	0.3	2.7	82	1.5	0.17	1.2	1.9
2007	3	0.5	0.29	0.1	1.7	81	1.4	0.16	1.1	1.8
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	2.0
2011	9	2.3	0.88	0.9	4.5	90	1.6	0.17	1.2	1.9
2012	4	0.9	0.52	0.2	2.4	93	1.5	0.16	1.2	1.8
2013	8	1.2	0.46	0.5	2.5	76	1.2	0.14	1.0	1.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,495	1.4	0.04	1.3	1.5	496	3.2	0.15	2.9	3.4
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2
2004	72	1.6	0.19	1.3	2.1	32	4.5	0.81	3.1	6.4
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6
2006	57	1.3	0.17	0.9	1.6	24	3.2	0.66	2.0	4.8
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.60	1.8	4.2
2013	58	1.1	0.15	0.9	1.5	17	2.2	0.56	1.2	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Hypopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8	0.1	0.05	0.1	0.2	500	0.3	0.01	0.3	0.4
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					17	0.3	0.07	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6
2009	0					14	0.2	0.05	0.1	0.3
2010	0					17	0.2	0.06	0.1	0.4
2011	0					26	0.4	0.08	0.3	0.6
2012	0					19	0.3	0.06	0.2	0.4
2013	0					16	0.2	0.06	0.1	0.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	393	0.3	0.02	0.3	0.3	104	0.5	0.05	0.4	0.6
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.2
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Digestive System</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	12,265	84.7	0.86	83.0	86.4	264,277	94.1	0.18	93.7	94.4
1990	236	70.3	5.19	60.5	81.1	9,959	94.6	0.96	92.7	96.5
1991	209	61.7	4.84	52.5	71.8	9,762	91.7	0.94	89.8	93.5
1992	235	68.3	5.07	58.7	78.8	9,932	92.0	0.93	90.2	93.8
1993	323	90.8	5.73	80.0	102.6	9,950	91.2	0.92	89.4	93.0
1994	320	85.5	5.47	75.1	96.7	10,599	96.4	0.94	94.5	98.2
1995	344	90.5	5.60	79.9	102.0	10,576	95.6	0.93	93.8	97.5
1996	350	87.6	5.36	77.4	98.6	10,746	96.6	0.93	94.8	98.5
1997	365	88.1	5.24	78.1	98.9	10,841	96.7	0.93	94.9	98.6
1998	416	95.8	5.44	85.4	106.9	11,480	101.4	0.95	99.6	103.3
1999	434	90.3	5.05	80.7	100.6	11,246	98.6	0.93	96.8	100.5
2000	415	82.1	4.65	73.2	91.6	11,491	100.2	0.94	98.3	102.0
2001	485	89.9	4.72	80.9	99.6	11,264	97.6	0.92	95.8	99.4
2002	499	87.2	4.45	78.7	96.3	11,521	99.2	0.93	97.4	101.0
2003	513	82.5	4.15	74.6	91.0	11,300	96.3	0.91	94.5	98.1
2004	597	94.2	4.43	85.7	103.2	11,577	98.0	0.91	96.2	99.8
2005	621	92.0	4.18	84.0	100.5	11,418	95.6	0.90	93.9	97.4
2006	634	90.0	4.05	82.2	98.2	11,432	95.0	0.89	93.3	96.8
2007	649	85.0	3.76	77.8	92.7	11,441	93.9	0.88	92.1	95.6
2008	655	79.2	3.45	72.6	86.2	11,423	92.4	0.87	90.7	94.1
2009	723	85.3	3.55	78.5	92.5	11,250	90.0	0.86	88.3	91.7
2010	774	84.3	3.37	77.8	91.1	11,163	88.1	0.85	86.5	89.8
2011	791	83.2	3.28	76.9	89.8	11,411	88.9	0.85	87.2	90.6
2012	855	85.0	3.19	78.8	91.4	11,180	85.5	0.82	83.9	87.1
2013	822	77.1	2.95	71.4	83.1	11,315	85.5	0.82	83.9	87.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	217,607	90.7	0.20	90.3	91.1	39,600	117.2	0.60	116.0	118.4
1990	8,544	91.6	1.00	89.7	93.6	1,290	115.9	3.33	109.5	122.6
1991	8,405	89.4	0.98	87.5	91.4	1,218	107.3	3.16	101.2	113.6
1992	8,553	90.0	0.98	88.1	91.9	1,228	103.4	3.03	97.6	109.5
1993	8,477	88.4	0.97	86.5	90.3	1,303	110.8	3.15	104.7	117.1
1994	9,031	93.6	0.99	91.7	95.6	1,407	117.3	3.20	111.1	123.7
1995	8,826	91.4	0.98	89.5	93.4	1,547	125.6	3.27	119.3	132.2
1996	8,985	92.7	0.98	90.8	94.7	1,537	123.2	3.21	117.0	129.6
1997	9,091	93.4	0.98	91.5	95.3	1,537	121.2	3.16	115.1	127.6
1998	9,606	98.1	1.00	96.1	100.1	1,636	127.0	3.20	120.8	133.4
1999	9,442	96.0	0.99	94.1	98.0	1,527	114.6	2.99	108.8	120.6
2000	9,554	96.9	0.99	95.0	98.9	1,639	120.3	3.03	114.4	126.3
2001	9,313	94.1	0.98	92.2	96.1	1,674	121.5	3.03	115.6	127.6
2002	9,446	95.2	0.98	93.3	97.2	1,748	124.7	3.04	118.8	130.8
2003	9,216	92.2	0.96	90.3	94.1	1,756	123.6	3.01	117.7	129.6
2004	9,518	95.0	0.98	93.1	97.0	1,757	120.6	2.93	114.9	126.4
2005	9,291	92.0	0.96	90.1	93.9	1,795	121.3	2.92	115.6	127.1
2006	9,170	90.5	0.95	88.6	92.4	1,880	123.2	2.90	117.6	129.1
2007	9,217	90.0	0.95	88.1	91.9	1,827	117.6	2.81	112.2	123.3
2008	9,147	88.5	0.94	86.7	90.4	1,876	118.4	2.79	113.0	124.0
2009	9,027	86.7	0.93	84.8	88.5	1,840	113.3	2.70	108.0	118.7
2010	8,861	84.2	0.91	82.4	86.0	1,889	114.7	2.70	109.5	120.2
2011	9,027	85.1	0.91	83.4	86.9	1,973	115.6	2.67	110.4	120.9
2012	8,915	82.6	0.89	80.9	84.4	1,782	103.5	2.51	98.6	108.5
2013	8,945	82.4	0.89	80.7	84.2	1,934	108.5	2.53	103.6	113.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Digestive System</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	6,831	99.9	1.43	97.1	102.7	139,109	117.3	0.32	116.7	117.9
1990	128	85.4	9.20	68.4	105.0	5,076	118.4	1.72	115.1	121.8
1991	127	75.4	7.98	60.6	92.4	5,027	116.0	1.69	112.7	119.3
1992	129	80.8	8.72	64.6	99.3	5,192	118.1	1.68	114.8	121.4
1993	163	95.0	9.19	77.8	114.3	5,080	113.9	1.64	110.7	117.1
1994	167	90.6	8.51	74.6	108.4	5,359	119.6	1.67	116.4	123.0
1995	179	101.7	9.45	84.0	121.5	5,482	121.4	1.67	118.1	124.7
1996	192	105.2	9.25	87.9	124.6	5,503	120.7	1.66	117.5	124.0
1997	205	100.0	8.26	84.5	117.3	5,558	120.9	1.65	117.7	124.2
1998	221	116.4	9.58	98.4	136.3	5,889	126.5	1.67	123.2	129.8
1999	254	113.5	8.92	96.7	132.0	5,885	124.7	1.64	121.5	128.0
2000	204	82.6	6.96	69.6	97.2	6,053	126.7	1.65	123.5	130.0
2001	266	108.2	8.02	93.0	124.8	5,831	121.5	1.61	118.3	124.7
2002	297	111.3	7.77	96.6	127.3	6,048	124.1	1.61	121.0	127.3
2003	309	101.4	6.82	88.5	115.5	6,000	121.7	1.59	118.6	124.8
2004	337	113.0	7.53	98.7	128.4	6,144	122.6	1.58	119.5	125.7
2005	342	108.1	6.89	95.0	122.3	6,020	118.3	1.54	115.3	121.4
2006	348	104.6	6.54	92.1	118.0	6,106	118.0	1.53	115.1	121.1
2007	362	100.4	6.24	88.5	113.2	6,043	115.0	1.50	112.0	118.0
2008	374	99.4	5.97	88.1	111.7	6,098	113.9	1.48	111.1	116.9
2009	387	98.9	5.87	87.7	110.9	6,076	111.3	1.45	108.4	114.2
2010	446	99.3	5.42	88.9	110.3	6,050	109.2	1.43	106.4	112.0
2011	449	96.1	5.25	86.1	106.9	6,205	109.6	1.42	106.9	112.5
2012	478	101.0	5.28	90.9	111.8	6,206	107.3	1.39	104.6	110.1
2013	467	90.4	4.77	81.3	100.2	6,178	105.2	1.37	102.5	107.9
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	114,656	113.2	0.34	112.5	113.8	20,432	147.8	1.09	145.7	150.0
1990	4,335	114.5	1.79	111.0	118.1	659	146.5	6.08	134.8	158.8
1991	4,339	113.9	1.78	110.4	117.4	617	131.9	5.65	121.0	143.3
1992	4,464	115.5	1.77	112.1	119.1	636	135.8	5.76	124.7	147.5
1993	4,301	110.0	1.71	106.6	113.4	683	142.7	5.82	131.5	154.5
1994	4,557	116.3	1.76	112.9	119.8	721	150.1	5.95	138.7	162.2
1995	4,541	115.5	1.74	112.1	119.0	819	166.6	6.21	154.6	179.1
1996	4,572	115.6	1.74	112.2	119.1	795	154.1	5.78	142.9	165.8
1997	4,667	117.1	1.73	113.7	120.6	773	147.8	5.63	136.9	159.1
1998	4,943	122.7	1.76	119.3	126.2	828	158.5	5.84	147.2	170.3
1999	4,941	121.4	1.74	118.1	124.9	781	145.8	5.50	135.3	157.0
2000	5,034	122.7	1.74	119.3	126.2	853	154.5	5.58	143.8	165.8
2001	4,842	117.8	1.70	114.5	121.2	834	147.4	5.38	137.1	158.3
2002	4,984	119.8	1.71	116.4	123.2	882	154.5	5.51	143.9	165.6
2003	4,924	117.2	1.68	114.0	120.6	906	155.6	5.46	145.1	166.6
2004	5,086	119.5	1.69	116.2	122.9	891	148.9	5.26	138.7	159.5
2005	4,901	113.7	1.64	110.5	117.0	929	154.3	5.36	143.9	165.1
2006	4,912	112.5	1.62	109.3	115.7	982	155.7	5.22	145.6	166.2
2007	4,855	109.6	1.59	106.5	112.8	944	148.9	5.13	139.0	159.3
2008	4,875	108.4	1.57	105.3	111.5	989	153.9	5.17	143.9	164.3
2009	4,859	106.3	1.55	103.3	109.4	993	148.2	4.97	138.6	158.2
2010	4,859	104.8	1.53	101.8	107.8	957	140.8	4.81	131.5	150.5
2011	4,965	105.5	1.53	102.5	108.5	1,012	142.9	4.73	133.8	152.4
2012	4,985	103.5	1.50	100.6	106.5	932	131.8	4.55	123.1	141.0
2013	4,915	101.3	1.48	98.4	104.2	1,016	137.2	4.53	128.5	146.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Digestive System</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	5,434	71.9	1.06	69.9	74.0	125,168	76.7	0.22	76.3	77.1
1990	108	59.5	6.20	47.9	72.7	4,883	78.2	1.13	76.0	80.5
1991	82	48.5	5.85	37.7	61.1	4,735	74.9	1.10	72.7	77.1
1992	106	58.1	6.14	46.7	71.2	4,740	73.9	1.09	71.8	76.1
1993	160	86.8	7.38	73.0	102.2	4,870	75.1	1.09	73.0	77.3
1994	153	79.8	7.05	66.6	94.5	5,240	79.8	1.11	77.6	82.0
1995	165	82.3	6.99	69.2	96.9	5,094	77.7	1.10	75.6	79.9
1996	158	74.1	6.45	61.9	87.6	5,243	79.1	1.10	76.9	81.3
1997	160	76.0	6.60	63.6	89.8	5,283	79.5	1.11	77.4	81.7
1998	195	81.1	6.48	68.9	94.6	5,591	83.5	1.13	81.4	85.8
1999	180	71.9	5.95	60.7	84.3	5,361	79.7	1.10	77.5	81.9
2000	211	80.8	6.19	69.1	93.7	5,438	80.4	1.10	78.3	82.6
2001	219	75.5	5.69	64.7	87.3	5,433	80.1	1.10	77.9	82.3
2002	202	67.6	5.23	57.7	78.5	5,473	80.4	1.10	78.3	82.6
2003	204	65.4	5.06	55.9	76.0	5,300	77.6	1.08	75.5	79.7
2004	260	79.1	5.42	68.8	90.2	5,433	79.0	1.09	76.9	81.2
2005	279	78.4	5.17	68.6	89.1	5,398	78.2	1.08	76.1	80.3
2006	286	77.1	5.03	67.6	87.5	5,326	77.3	1.08	75.2	79.4
2007	287	72.3	4.64	63.5	81.9	5,398	77.5	1.07	75.4	79.6
2008	281	63.0	4.08	55.3	71.5	5,325	75.9	1.06	73.8	78.0
2009	336	74.6	4.41	66.2	83.6	5,174	73.1	1.04	71.1	75.2
2010	328	70.5	4.20	62.5	79.1	5,113	71.4	1.02	69.5	73.5
2011	342	71.4	4.14	63.6	79.9	5,206	72.0	1.02	70.0	74.1
2012	377	71.8	3.95	64.3	79.9	4,974	68.0	0.99	66.1	70.0
2013	355	65.2	3.70	58.2	72.8	5,137	69.7	1.00	67.8	71.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	102,951	73.7	0.23	73.3	74.2	19,168	96.3	0.70	94.9	97.6
1990	4,209	75.9	1.19	73.6	78.3	631	95.6	3.87	88.1	103.4
1991	4,066	72.6	1.16	70.3	74.9	601	90.0	3.72	82.8	97.5
1992	4,089	72.0	1.15	69.8	74.3	592	83.5	3.48	76.9	90.6
1993	4,176	73.2	1.15	70.9	75.5	620	89.0	3.62	82.1	96.4
1994	4,474	77.4	1.18	75.1	79.7	686	96.0	3.71	88.9	103.5
1995	4,285	74.6	1.16	72.3	76.9	728	99.2	3.72	92.1	106.8
1996	4,413	76.2	1.17	73.9	78.5	742	101.0	3.74	93.8	108.6
1997	4,424	76.5	1.17	74.2	78.8	764	102.0	3.72	94.8	109.6
1998	4,663	80.4	1.20	78.1	82.8	808	105.7	3.75	98.5	113.3
1999	4,501	77.2	1.17	74.9	79.5	746	94.1	3.47	87.4	101.2
2000	4,520	77.5	1.17	75.2	79.8	786	97.3	3.50	90.6	104.4
2001	4,471	76.7	1.17	74.5	79.1	840	102.9	3.58	96.0	110.2
2002	4,462	76.5	1.17	74.2	78.8	866	104.4	3.57	97.5	111.6
2003	4,292	73.6	1.15	71.4	75.9	850	101.3	3.50	94.6	108.4
2004	4,432	75.9	1.16	73.6	78.2	866	100.9	3.45	94.2	107.9
2005	4,390	75.0	1.16	72.8	77.3	866	99.3	3.40	92.7	106.2
2006	4,258	73.2	1.15	71.0	75.5	898	100.5	3.38	94.0	107.4
2007	4,362	74.5	1.16	72.3	76.8	883	96.9	3.30	90.6	103.6
2008	4,272	72.9	1.14	70.7	75.2	887	95.1	3.23	88.8	101.6
2009	4,168	70.7	1.13	68.5	73.0	847	89.4	3.11	83.4	95.7
2010	4,002	67.6	1.10	65.4	69.8	932	96.5	3.20	90.3	103.0
2011	4,062	68.2	1.11	66.0	70.4	961	96.2	3.15	90.1	102.6
2012	3,930	65.5	1.08	63.4	67.7	850	84.2	2.93	78.5	90.1
2013	4,030	67.0	1.09	64.9	69.2	918	88.6	2.97	82.9	94.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Esophagus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	501	3.6	0.18	3.3	4.0	15,260	5.4	0.04	5.3	5.5
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8
1993	15	3.9	1.18	1.9	6.8	537	4.9	0.21	4.5	5.4
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1
1997	15	3.5	1.07	1.7	6.1	541	4.9	0.21	4.5	5.3
1998	18	4.1	1.13	2.2	6.8	654	5.8	0.23	5.4	6.3
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2
2002	22	3.7	0.89	2.2	5.8	635	5.5	0.22	5.1	5.9
2003	25	4.6	1.01	2.9	6.9	636	5.4	0.22	5.0	5.9
2004	22	3.5	0.88	2.0	5.5	678	5.8	0.22	5.3	6.2
2005	30	5.4	1.07	3.5	7.8	635	5.3	0.21	4.9	5.7
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0
2007	25	3.2	0.70	2.0	4.8	684	5.5	0.21	5.1	6.0
2008	22	2.9	0.67	1.7	4.4	698	5.6	0.21	5.2	6.0
2009	27	2.9	0.62	1.8	4.3	699	5.6	0.21	5.2	6.0
2010	23	2.8	0.64	1.7	4.3	639	5.0	0.20	4.6	5.4
2011	34	3.7	0.68	2.5	5.2	699	5.4	0.21	5.0	5.8
2012	29	3.4	0.68	2.2	4.9	730	5.5	0.21	5.1	5.9
2013	24	2.1	0.46	1.3	3.2	681	5.0	0.20	4.7	5.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	12,265	5.1	0.05	5.0	5.2	2,777	7.8	0.15	7.5	8.1
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0
1993	403	4.2	0.21	3.8	4.7	126	9.8	0.89	8.2	11.7
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6
1997	401	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8
1998	520	5.4	0.24	5.0	5.9	126	9.2	0.84	7.7	11.0
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2
2000	556	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2
2001	531	5.5	0.24	5.0	5.9	111	7.8	0.75	6.4	9.4
2002	524	5.4	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5
2003	530	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8
2004	562	5.7	0.24	5.2	6.2	108	7.1	0.69	5.8	8.6
2005	538	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6
2007	570	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7
2009	598	5.8	0.24	5.3	6.3	87	5.0	0.55	4.0	6.2
2010	529	5.0	0.22	4.5	5.4	94	5.3	0.56	4.2	6.5
2011	589	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	7.0
2012	620	5.7	0.23	5.2	6.2	95	5.4	0.57	4.3	6.6
2013	580	5.3	0.22	4.8	5.7	91	4.9	0.53	4.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Esophagus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	391	6.0	0.35	5.3	6.7	11,620	9.5	0.09	9.3	9.7
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	489	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	14	6.3	1.99	3.0	11.3	505	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	17	5.5	1.67	2.7	9.6	481	9.6	0.44	8.7	10.5
2003	20	8.4	2.08	4.9	13.3	498	9.9	0.45	9.1	10.8
2004	16	3.9	1.11	2.1	6.8	510	9.9	0.44	9.0	10.8
2005	24	10.3	2.37	6.2	15.7	496	9.5	0.43	8.7	10.4
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.1
2007	17	4.8	1.35	2.5	8.0	514	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	560	10.2	0.44	9.4	11.1
2009	24	5.8	1.35	3.5	9.0	533	9.7	0.43	8.9	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.8	9.3
2011	27	6.1	1.31	3.8	9.1	541	9.4	0.41	8.6	10.2
2012	21	5.6	1.37	3.2	8.7	562	9.6	0.41	8.8	10.4
2013	22	3.9	0.93	2.3	6.1	543	9.1	0.40	8.3	9.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	9,531	9.2	0.09	9.0	9.4	1,946	13.2	0.31	12.6	13.8
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0
1995	371	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6
1998	410	10.0	0.50	9.0	11.0	88	15.9	1.78	12.6	19.7
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5
2000	430	10.3	0.50	9.4	11.4	96	16.7	1.79	13.4	20.6
2001	389	9.3	0.47	8.4	10.2	80	13.6	1.56	10.7	16.9
2002	405	9.5	0.48	8.6	10.5	72	11.5	1.41	8.9	14.5
2003	426	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6
2004	438	10.0	0.48	9.1	11.0	68	10.6	1.34	8.2	13.6
2005	428	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1
2007	439	9.6	0.46	8.7	10.6	66	10.3	1.33	7.8	13.2
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6
2009	453	9.9	0.47	9.0	10.8	68	9.3	1.17	7.1	11.9
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3
2011	473	9.8	0.46	8.9	10.7	61	8.9	1.20	6.7	11.5
2012	495	10.1	0.46	9.2	11.1	59	8.3	1.14	6.2	10.8
2013	472	9.5	0.45	8.7	10.5	64	8.5	1.12	6.5	11.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Esophagus</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	110	1.7	0.17	1.3	2.0	3,640	2.3	0.04	2.2	2.3
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6
1992	0					151	2.4	0.20	2.0	2.8
1993	8	4.1	1.60	1.6	8.2	152	2.4	0.20	2.0	2.8
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	2.1	149	2.3	0.19	2.0	2.7
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7
1997	2	1.1	0.87	0.1	3.8	148	2.3	0.19	2.0	2.7
1998	4	2.1	1.19	0.5	5.4	149	2.3	0.19	1.9	2.7
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4
2004	6	2.6	1.16	0.9	5.6	168	2.5	0.20	2.2	3.0
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3
2007	8	1.9	0.71	0.8	3.8	170	2.4	0.19	2.1	2.8
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4
2009	3	0.5	0.27	0.1	1.4	166	2.3	0.18	2.0	2.7
2010	7	2.3	0.87	0.9	4.4	155	2.1	0.17	1.8	2.5
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.9	2.6
2012	8	1.7	0.64	0.7	3.4	168	2.3	0.18	1.9	2.7
2013	2	0.4	0.31	0.1	1.4	138	1.8	0.16	1.5	2.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,734	2.0	0.04	1.9	2.0	831	4.1	0.14	3.8	4.3
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0
1993	111	2.0	0.19	1.6	2.4	39	5.2	0.84	3.7	7.1
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6
1995	106	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2
1997	99	1.8	0.18	1.4	2.1	45	5.7	0.85	4.1	7.6
1998	110	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9
2000	126	2.2	0.20	1.8	2.6	39	4.7	0.75	3.3	6.4
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9
2004	124	2.2	0.20	1.9	2.7	40	4.6	0.74	3.3	6.3
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6
2007	131	2.2	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8
2009	145	2.4	0.21	2.0	2.9	19	1.9	0.45	1.2	3.0
2010	119	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9
2012	125	2.0	0.19	1.7	2.5	36	3.5	0.60	2.5	4.9
2013	108	1.7	0.17	1.4	2.1	27	2.5	0.49	1.7	3.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Stomach										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,816	12.1	0.32	11.5	12.8	21,125	7.5	0.05	7.4	7.6
1990	38	12.4	2.36	8.2	17.7	916	8.7	0.29	8.2	9.3
1991	37	9.6	1.81	6.4	13.8	885	8.3	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	59	16.7	2.50	12.2	22.2	915	8.4	0.28	7.9	9.0
1994	54	14.5	2.26	10.4	19.4	891	8.2	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	53	13.7	2.20	9.8	18.6	915	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	936	8.3	0.27	7.7	8.8
1999	64	11.4	1.70	8.3	15.1	873	7.7	0.26	7.2	8.2
2000	66	12.9	1.79	9.6	16.8	845	7.4	0.25	6.9	7.9
2001	75	12.0	1.66	8.9	15.6	847	7.3	0.25	6.8	7.8
2002	73	13.3	1.80	10.0	17.2	901	7.8	0.26	7.3	8.3
2003	79	11.7	1.53	8.8	15.0	882	7.5	0.25	7.0	8.0
2004	86	12.7	1.61	9.7	16.2	850	7.2	0.25	6.7	7.7
2005	88	13.1	1.60	10.1	16.5	826	6.9	0.24	6.4	7.4
2006	89	12.6	1.53	9.8	15.9	827	6.9	0.24	6.4	7.4
2007	92	11.3	1.30	8.9	14.1	855	7.1	0.24	6.6	7.6
2008	90	11.0	1.29	8.6	13.8	853	7.0	0.24	6.5	7.4
2009	122	14.7	1.49	11.9	17.8	848	6.8	0.24	6.4	7.3
2010	107	10.6	1.16	8.5	13.1	823	6.6	0.23	6.1	7.1
2011	112	11.9	1.25	9.5	14.5	897	7.0	0.24	6.6	7.5
2012	104	9.7	1.06	7.8	12.0	865	6.7	0.23	6.2	7.1
2013	117	10.9	1.12	8.8	13.3	926	7.1	0.24	6.7	7.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	15,799	6.6	0.05	6.5	6.7	4,294	13.0	0.20	12.6	13.4
1990	740	7.9	0.29	7.4	8.5	153	13.9	1.16	11.7	16.3
1991	702	7.5	0.28	6.9	8.1	158	14.6	1.20	12.4	17.2
1992	696	7.3	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4
1993	712	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7
1994	694	7.3	0.28	6.7	7.8	176	14.4	1.12	12.3	16.8
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4
1996	694	7.2	0.27	6.6	7.7	190	15.6	1.16	13.4	18.1
1997	711	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3
1998	704	7.2	0.27	6.6	7.7	194	15.7	1.15	13.6	18.1
1999	679	6.9	0.26	6.4	7.4	154	11.7	0.97	9.9	13.8
2000	621	6.3	0.25	5.8	6.8	178	13.4	1.02	11.4	15.5
2001	624	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8
2002	680	6.9	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3
2003	674	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1
2004	631	6.3	0.25	5.8	6.8	176	12.5	0.96	10.7	14.5
2005	600	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8
2006	580	5.7	0.24	5.3	6.2	193	12.7	0.93	10.9	14.6
2007	612	6.0	0.25	5.5	6.5	186	12.4	0.92	10.6	14.3
2008	612	5.9	0.24	5.5	6.4	194	12.8	0.94	11.0	14.8
2009	591	5.7	0.24	5.3	6.2	210	13.0	0.92	11.3	15.0
2010	594	5.7	0.24	5.2	6.2	171	10.6	0.83	9.1	12.4
2011	642	6.1	0.24	5.6	6.6	201	12.1	0.87	10.4	13.9
2012	648	6.0	0.24	5.6	6.5	156	9.3	0.77	7.9	11.0
2013	665	6.2	0.25	5.7	6.7	201	11.8	0.85	10.2	13.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Stomach										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,050	15.5	0.57	14.4	16.6	12,919	11.0	0.10	10.8	11.2
1990	20	18.3	5.11	9.7	30.2	551	13.0	0.57	11.9	14.2
1991	27	14.3	3.28	8.6	22.1	540	12.6	0.56	11.5	13.7
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3
1994	33	19.4	4.14	12.1	28.8	544	12.2	0.54	11.2	13.3
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7
1998	35	17.6	3.70	11.1	26.0	558	12.0	0.52	11.1	13.1
1999	36	14.3	3.12	8.9	21.5	528	11.3	0.50	10.3	12.3
2000	32	14.6	2.97	9.4	21.4	517	10.9	0.48	10.0	11.9
2001	45	17.5	3.41	11.4	25.1	496	10.3	0.47	9.4	11.2
2002	39	15.8	3.07	10.4	22.7	554	11.5	0.49	10.5	12.5
2003	45	13.1	2.36	8.9	18.4	525	10.9	0.48	10.0	11.9
2004	51	13.5	2.30	9.4	18.7	532	10.8	0.47	9.9	11.7
2005	50	16.9	2.96	11.6	23.5	504	10.0	0.45	9.1	10.9
2006	47	14.7	2.58	10.1	20.4	502	9.8	0.44	8.9	10.7
2007	54	14.9	2.30	10.7	20.0	515	9.9	0.44	9.1	10.8
2008	53	14.3	2.25	10.3	19.3	516	9.9	0.44	9.0	10.8
2009	67	18.3	2.61	13.5	23.9	523	9.5	0.42	8.7	10.4
2010	62	14.6	2.15	10.7	19.3	523	9.6	0.43	8.8	10.5
2011	66	14.3	2.03	10.6	18.7	559	10.1	0.44	9.3	11.0
2012	62	13.7	2.02	10.0	18.1	568	10.0	0.43	9.2	10.9
2013	70	13.6	1.88	10.2	17.7	571	10.0	0.43	9.1	10.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	9,788	9.7	0.10	9.5	9.9	2,519	18.9	0.40	18.2	19.7
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4
1991	433	11.5	0.57	10.4	12.7	93	20.2	2.24	16.1	25.0
1992	425	11.0	0.54	9.9	12.1	95	21.2	2.34	16.9	26.2
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7
1994	425	11.0	0.55	10.0	12.1	108	21.1	2.14	17.1	25.7
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9
1996	434	11.1	0.54	10.0	12.2	114	23.6	2.37	19.2	28.7
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2
1998	430	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4
1999	411	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9
2000	383	9.4	0.48	8.5	10.4	101	19.3	2.04	15.5	23.6
2001	370	9.0	0.47	8.1	10.0	103	18.7	1.96	15.1	22.9
2002	428	10.4	0.51	9.4	11.4	100	17.5	1.85	14.1	21.5
2003	411	10.0	0.50	9.0	11.0	98	17.8	1.90	14.2	21.8
2004	407	9.7	0.48	8.7	10.6	98	17.7	1.92	14.1	21.8
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1
2006	359	8.3	0.44	7.5	9.2	112	17.8	1.77	14.5	21.5
2007	370	8.4	0.44	7.6	9.3	113	18.8	1.87	15.3	22.8
2008	370	8.4	0.44	7.5	9.3	116	20.3	2.00	16.6	24.6
2009	369	8.1	0.43	7.3	8.9	125	18.8	1.77	15.5	22.6
2010	389	8.5	0.44	7.7	9.4	100	15.4	1.63	12.4	18.9
2011	404	8.8	0.44	7.9	9.7	119	17.8	1.71	14.6	21.5
2012	442	9.3	0.45	8.4	10.2	86	13.3	1.52	10.5	16.5
2013	427	8.9	0.44	8.1	9.8	109	15.8	1.58	12.8	19.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Stomach										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	766	9.5	0.38	8.8	10.2	8,206	5.0	0.06	4.9	5.1
1990	18	9.3	2.37	5.3	15.0	365	5.8	0.31	5.2	6.4
1991	10	5.5	1.93	2.4	10.4	345	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	27	15.4	3.19	9.8	22.7	375	5.7	0.30	5.1	6.3
1994	21	10.5	2.56	6.1	16.5	347	5.3	0.29	4.7	5.9
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	18	8.7	2.27	4.8	14.0	347	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	378	5.5	0.29	5.0	6.1
1999	28	9.2	1.95	5.8	13.7	345	5.0	0.27	4.5	5.6
2000	34	11.6	2.22	7.7	16.7	328	4.8	0.27	4.3	5.3
2001	30	8.1	1.66	5.2	12.0	351	5.0	0.27	4.5	5.6
2002	34	11.5	2.21	7.5	16.5	347	5.1	0.28	4.5	5.6
2003	34	10.2	1.97	6.7	14.7	357	5.2	0.28	4.6	5.7
2004	35	11.4	2.16	7.6	16.3	318	4.7	0.26	4.2	5.2
2005	38	10.3	1.83	7.1	14.4	322	4.6	0.26	4.1	5.1
2006	42	11.0	1.88	7.6	15.2	325	4.7	0.27	4.2	5.3
2007	38	8.5	1.48	5.8	11.8	340	4.9	0.27	4.4	5.5
2008	37	8.2	1.49	5.6	11.6	337	4.9	0.27	4.3	5.4
2009	55	11.9	1.76	8.7	15.8	325	4.7	0.26	4.2	5.2
2010	45	7.6	1.24	5.3	10.4	300	4.3	0.25	3.8	4.9
2011	46	9.6	1.54	6.9	13.1	338	4.7	0.26	4.2	5.2
2012	42	6.8	1.13	4.8	9.4	297	4.1	0.24	3.6	4.6
2013	47	8.6	1.34	6.2	11.6	355	4.8	0.26	4.3	5.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,011	4.3	0.06	4.2	4.4	1,775	9.1	0.22	8.7	9.5
1990	305	5.4	0.32	4.8	6.1	53	8.1	1.14	6.0	10.7
1991	269	4.7	0.29	4.2	5.3	65	10.5	1.32	8.1	13.4
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8
1993	300	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2
1994	269	4.6	0.29	4.1	5.2	68	9.5	1.17	7.4	12.1
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8
1996	260	4.4	0.28	3.9	5.0	76	10.5	1.21	8.2	13.1
1997	263	4.5	0.28	3.9	5.1	71	9.4	1.13	7.3	11.9
1998	274	4.5	0.28	4.0	5.1	90	12.1	1.29	9.7	14.9
1999	268	4.5	0.28	3.9	5.1	64	8.3	1.05	6.4	10.6
2000	238	3.9	0.26	3.4	4.5	77	9.6	1.11	7.6	12.0
2001	254	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4
2002	252	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8
2003	263	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6
2005	235	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7
2006	221	3.8	0.26	3.3	4.3	81	9.1	1.02	7.2	11.3
2007	242	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4
2008	242	4.1	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7
2009	222	3.9	0.27	3.4	4.4	85	8.9	0.98	7.1	11.1
2010	205	3.5	0.25	3.0	4.0	71	7.6	0.92	5.9	9.6
2011	238	4.0	0.26	3.5	4.5	82	8.3	0.92	6.5	10.3
2012	206	3.4	0.24	2.9	3.9	70	7.1	0.86	5.5	9.0
2013	238	4.0	0.27	3.5	4.5	92	8.9	0.94	7.2	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Small Intestine										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	235	1.5	0.11	1.3	1.7	5,638	2.0	0.03	2.0	2.1
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	5	1.3	0.69	0.3	3.2	160	1.5	0.12	1.2	1.7
1996	5	0.6	0.29	0.2	1.6	179	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	7	1.7	0.74	0.6	3.7	205	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	208	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	230	2.0	0.13	1.8	2.3
2002	9	1.9	0.74	0.8	3.8	258	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	200	1.7	0.12	1.5	2.0
2004	12	1.6	0.62	0.7	3.2	238	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	271	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	249	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	291	2.4	0.14	2.1	2.7
2008	14	1.4	0.40	0.7	2.4	296	2.4	0.14	2.2	2.7
2009	19	2.4	0.62	1.3	3.8	319	2.6	0.15	2.3	2.9
2010	20	2.4	0.58	1.4	3.8	324	2.6	0.15	2.3	2.9
2011	13	1.3	0.41	0.6	2.3	337	2.6	0.15	2.4	3.0
2012	16	1.5	0.41	0.8	2.5	365	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	353	2.7	0.15	2.4	3.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	4,402	1.9	0.03	1.8	1.9	1,086	3.1	0.10	2.9	3.3
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9
1995	124	1.3	0.12	1.1	1.6	34	2.8	0.48	1.9	3.9
1996	141	1.5	0.12	1.2	1.7	35	2.6	0.44	1.8	3.6
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9
1998	165	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6
1999	165	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2
2000	170	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4
2001	182	1.9	0.14	1.6	2.2	43	3.0	0.47	2.2	4.1
2002	201	2.1	0.15	1.8	2.4	50	3.4	0.49	2.5	4.5
2003	153	1.5	0.12	1.3	1.8	41	2.8	0.44	2.0	3.8
2004	184	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3
2005	218	2.2	0.15	1.9	2.5	47	3.1	0.46	2.3	4.2
2006	185	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2
2007	227	2.2	0.15	2.0	2.6	57	3.5	0.47	2.6	4.5
2008	219	2.2	0.15	1.9	2.5	68	4.3	0.53	3.3	5.5
2009	243	2.4	0.15	2.1	2.7	67	4.1	0.52	3.2	5.3
2010	237	2.3	0.15	2.0	2.6	74	4.5	0.53	3.5	5.7
2011	258	2.5	0.16	2.2	2.8	64	3.6	0.46	2.8	4.7
2012	284	2.6	0.16	2.3	3.0	69	4.0	0.49	3.1	5.0
2013	275	2.6	0.16	2.3	2.9	74	4.1	0.48	3.2	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Small Intestine										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	116	1.4	0.16	1.1	1.8	2,921	2.4	0.05	2.3	2.5
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2
1995	0					92	2.0	0.21	1.6	2.4
1996	3	0.5	0.27	0.1	2.5	90	2.0	0.21	1.6	2.4
1997	0					87	1.8	0.20	1.5	2.3
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8
1999	3	2.4	1.59	0.3	6.8	113	2.3	0.22	1.9	2.8
2000	0					106	2.2	0.22	1.8	2.7
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0
2002	4	1.5	0.77	0.4	3.8	130	2.6	0.23	2.1	3.0
2003	4	0.8	0.44	0.2	2.5	116	2.3	0.22	1.9	2.8
2004	5	1.7	1.10	0.3	4.8	135	2.6	0.23	2.2	3.1
2005	5	1.3	0.65	0.4	3.2	145	2.8	0.23	2.3	3.3
2006	9	2.4	0.95	0.9	4.9	128	2.4	0.22	2.0	2.9
2007	6	1.5	0.68	0.5	3.4	139	2.6	0.22	2.2	3.0
2008	7	1.5	0.67	0.5	3.4	143	2.7	0.23	2.2	3.1
2009	9	2.2	0.90	0.8	4.5	172	3.1	0.24	2.7	3.6
2010	9	1.6	0.57	0.7	3.1	175	3.2	0.25	2.8	3.8
2011	9	2.1	0.80	0.8	4.1	163	2.8	0.23	2.4	3.3
2012	12	2.1	0.67	1.0	3.8	202	3.5	0.25	3.0	4.1
2013	9	1.4	0.48	0.6	2.7	163	2.8	0.22	2.3	3.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,305	2.3	0.05	2.2	2.3	534	3.7	0.17	3.4	4.1
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4
1995	72	1.8	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5
1996	70	1.8	0.21	1.4	2.3	18	3.1	0.73	1.8	4.8
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6
1999	89	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5
2000	83	2.0	0.23	1.6	2.5	20	3.5	0.79	2.1	5.4
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4
2002	103	2.4	0.24	2.0	2.9	20	3.4	0.80	2.0	5.3
2003	87	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9
2004	106	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3
2005	120	2.7	0.25	2.3	3.3	21	3.4	0.78	2.0	5.2
2006	103	2.3	0.23	1.9	2.8	19	3.0	0.73	1.8	4.8
2007	111	2.5	0.24	2.0	3.0	23	3.2	0.69	2.0	4.9
2008	106	2.3	0.23	1.9	2.8	32	5.0	0.91	3.4	7.1
2009	133	2.9	0.25	2.4	3.4	33	5.1	0.92	3.4	7.2
2010	132	3.0	0.26	2.5	3.5	36	5.4	0.95	3.7	7.5
2011	131	2.8	0.25	2.3	3.3	23	3.0	0.65	1.8	4.5
2012	153	3.2	0.26	2.7	3.8	42	6.0	0.97	4.3	8.2
2013	128	2.6	0.23	2.2	3.1	33	4.5	0.82	3.1	6.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Small Intestine										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	119	1.5	0.15	1.2	1.9	2,717	1.7	0.03	1.7	1.8
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0
2001	3	1.5	0.87	0.3	3.9	109	1.7	0.16	1.4	2.1
2002	5	2.1	1.05	0.6	4.9	128	2.0	0.18	1.7	2.4
2003	5	2.2	1.08	0.6	5.1	84	1.3	0.14	1.0	1.6
2004	7	1.7	0.77	0.6	3.8	103	1.5	0.15	1.3	1.9
2005	2	0.4	0.27	0.0	1.5	126	1.8	0.17	1.5	2.2
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7
2009	10	2.5	0.85	1.1	4.6	147	2.1	0.18	1.8	2.5
2010	11	2.9	0.91	1.4	5.1	149	2.1	0.18	1.8	2.5
2011	4	0.7	0.38	0.2	1.8	174	2.5	0.19	2.2	2.9
2012	4	0.9	0.46	0.2	2.2	163	2.2	0.18	1.9	2.6
2013	13	2.0	0.59	1.0	3.5	190	2.7	0.20	2.3	3.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,097	1.6	0.04	1.5	1.7	552	2.7	0.11	2.5	2.9
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4
1998	78	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8
2001	86	1.6	0.17	1.3	2.0	20	2.3	0.53	1.4	3.6
2002	98	1.8	0.18	1.5	2.2	30	3.5	0.64	2.3	5.0
2003	66	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1
2004	78	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2
2005	98	1.7	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3
2006	82	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.65	2.7	5.4
2009	110	1.9	0.19	1.6	2.3	34	3.5	0.61	2.4	4.9
2010	105	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4
2011	127	2.3	0.21	1.9	2.7	41	4.1	0.65	2.9	5.6
2012	131	2.2	0.20	1.8	2.7	27	2.5	0.49	1.7	3.7
2013	147	2.6	0.22	2.1	3.0	41	3.8	0.60	2.7	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon and Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,583	38.5	0.58	37.3	39.6	157,575	56.1	0.14	55.8	56.4
1990	129	38.3	3.82	31.2	46.4	6,504	61.7	0.77	60.2	63.3
1991	101	31.9	3.64	25.2	39.7	6,471	60.7	0.76	59.2	62.2
1992	122	36.7	3.75	29.7	44.6	6,444	59.6	0.75	58.2	61.1
1993	150	43.7	4.01	36.2	52.1	6,445	59.0	0.74	57.5	60.4
1994	156	41.4	3.81	34.3	49.4	6,677	60.6	0.74	59.1	62.1
1995	173	50.2	4.36	42.0	59.3	6,539	59.0	0.73	57.6	60.5
1996	162	40.1	3.59	33.3	47.6	6,640	59.6	0.73	58.2	61.0
1997	194	48.1	3.90	40.8	56.2	6,857	61.1	0.74	59.7	62.6
1998	187	46.2	3.87	38.9	54.3	7,184	63.4	0.75	61.9	64.9
1999	195	41.7	3.47	35.2	48.9	6,993	61.2	0.73	59.8	62.7
2000	203	40.5	3.29	34.4	47.4	7,121	62.0	0.74	60.6	63.5
2001	224	42.4	3.25	36.3	49.2	6,858	59.3	0.72	57.9	60.7
2002	247	43.2	3.14	37.3	49.7	7,032	60.5	0.72	59.1	61.9
2003	246	40.5	2.98	34.9	46.7	6,843	58.3	0.71	56.9	59.7
2004	283	46.1	3.17	40.1	52.6	6,916	58.5	0.71	57.1	59.9
2005	289	42.8	2.85	37.4	48.7	6,683	56.0	0.69	54.7	57.4
2006	293	40.6	2.70	35.5	46.2	6,747	56.1	0.69	54.7	57.4
2007	301	39.2	2.56	34.4	44.5	6,518	53.6	0.67	52.3	54.9
2008	299	35.3	2.28	30.9	40.0	6,411	51.9	0.65	50.6	53.2
2009	298	33.9	2.20	29.8	38.5	5,980	47.9	0.63	46.7	49.2
2010	313	32.5	2.06	28.6	36.8	6,035	47.7	0.62	46.5	48.9
2011	345	34.2	2.05	30.3	38.4	6,073	47.5	0.62	46.3	48.7
2012	351	33.7	1.98	30.0	37.8	5,781	44.6	0.60	43.4	45.8
2013	322	29.9	1.83	26.4	33.7	5,823	44.3	0.59	43.1	45.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	132,479	55.2	0.15	54.9	55.5	21,445	63.9	0.45	63.0	64.8
1990	5,748	61.5	0.82	60.0	63.2	698	64.1	2.50	59.3	69.2
1991	5,721	60.7	0.81	59.1	62.3	672	59.8	2.38	55.2	64.6
1992	5,733	60.2	0.80	58.6	61.8	638	54.7	2.22	50.4	59.2
1993	5,636	58.6	0.78	57.1	60.2	732	63.3	2.40	58.7	68.1
1994	5,846	60.4	0.79	58.9	62.0	753	63.4	2.37	58.8	68.2
1995	5,633	58.2	0.78	56.7	59.7	803	66.1	2.39	61.5	70.9
1996	5,726	58.9	0.78	57.4	60.5	795	64.3	2.33	59.8	69.0
1997	5,881	60.3	0.79	58.7	61.8	866	69.4	2.41	64.8	74.3
1998	6,131	62.4	0.80	60.8	64.0	933	73.1	2.44	68.4	78.1
1999	5,996	60.8	0.79	59.2	62.3	856	64.4	2.24	60.0	68.9
2000	6,056	61.2	0.79	59.7	62.8	907	67.0	2.26	62.6	71.5
2001	5,778	58.2	0.77	56.7	59.7	932	68.2	2.28	63.8	72.8
2002	5,876	59.1	0.77	57.6	60.6	992	71.5	2.31	67.0	76.1
2003	5,638	56.4	0.75	54.9	57.9	1,025	72.3	2.30	67.9	77.0
2004	5,754	57.4	0.76	55.9	58.9	1,010	69.0	2.21	64.7	73.4
2005	5,505	54.5	0.74	53.1	56.0	975	65.9	2.15	61.8	70.3
2006	5,509	54.3	0.74	52.9	55.8	1,030	68.0	2.16	63.9	72.4
2007	5,335	52.2	0.72	50.8	53.6	982	63.3	2.06	59.3	67.5
2008	5,203	50.4	0.71	49.0	51.8	998	63.2	2.05	59.3	67.3
2009	4,854	46.6	0.68	45.3	48.0	945	58.4	1.94	54.7	62.3
2010	4,834	46.0	0.67	44.7	47.4	989	60.5	1.97	56.7	64.4
2011	4,845	45.8	0.67	44.5	47.2	1,030	60.4	1.93	56.7	64.3
2012	4,619	43.1	0.65	41.9	44.4	917	53.8	1.82	50.3	57.5
2013	4,622	42.9	0.65	41.6	44.2	967	54.7	1.80	51.2	58.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon and Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,009	44.5	0.96	42.6	46.4	78,925	67.0	0.24	66.6	67.5
1990	67	43.8	6.37	32.2	57.8	3,193	75.1	1.38	72.5	77.9
1991	54	36.7	6.09	25.8	50.2	3,226	75.0	1.36	72.4	77.7
1992	68	44.2	6.53	32.4	58.5	3,272	75.1	1.35	72.5	77.8
1993	75	45.6	6.37	33.9	59.4	3,164	71.6	1.31	69.1	74.2
1994	77	40.8	5.69	30.4	53.2	3,178	71.3	1.30	68.8	73.9
1995	85	56.9	7.60	43.0	73.2	3,177	70.9	1.29	68.4	73.5
1996	77	41.6	5.73	31.1	54.0	3,210	71.0	1.28	68.5	73.5
1997	105	54.5	6.26	43.0	67.9	3,376	73.9	1.29	71.4	76.4
1998	98	56.6	6.97	43.8	71.4	3,515	75.9	1.30	73.4	78.5
1999	118	54.2	6.23	42.7	67.5	3,489	74.6	1.28	72.1	77.1
2000	102	41.9	5.00	32.7	52.6	3,584	75.5	1.27	73.0	78.0
2001	115	49.5	5.51	39.3	61.2	3,414	71.8	1.24	69.4	74.3
2002	154	59.7	5.80	48.9	71.9	3,520	72.7	1.24	70.3	75.2
2003	149	48.9	4.84	39.9	59.1	3,483	71.0	1.22	68.6	73.4
2004	161	59.1	5.74	48.4	71.2	3,458	69.4	1.19	67.1	71.8
2005	151	47.1	4.50	38.7	56.6	3,358	66.4	1.16	64.2	68.7
2006	148	44.1	4.24	36.2	53.1	3,383	65.9	1.15	63.7	68.2
2007	164	44.1	4.09	36.4	52.7	3,296	63.3	1.12	61.1	65.6
2008	161	43.0	3.98	35.6	51.4	3,256	61.2	1.09	59.1	63.4
2009	152	39.3	3.71	32.4	47.1	3,052	56.3	1.04	54.3	58.4
2010	180	38.0	3.28	31.9	44.9	3,138	57.0	1.04	55.0	59.1
2011	189	39.1	3.31	32.9	46.0	3,121	55.6	1.02	53.6	57.6
2012	192	39.5	3.26	33.3	46.3	3,030	53.1	0.99	51.2	55.1
2013	167	32.4	2.86	27.1	38.4	3,032	52.1	0.97	50.2	54.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	66,671	66.1	0.26	65.6	66.6	10,275	75.8	0.79	74.2	77.3
1990	2,830	75.1	1.46	72.3	78.0	327	76.1	4.50	67.5	85.3
1991	2,879	75.9	1.46	73.1	78.8	312	68.9	4.16	61.0	77.4
1992	2,918	76.1	1.45	73.3	79.0	312	68.6	4.15	60.7	77.1
1993	2,768	71.3	1.39	68.6	74.0	355	76.9	4.38	68.6	85.9
1994	2,801	71.5	1.38	68.8	74.3	340	73.8	4.29	65.6	82.6
1995	2,738	70.0	1.36	67.3	72.7	385	80.7	4.38	72.3	89.7
1996	2,781	70.7	1.36	68.0	73.4	361	70.5	3.93	63.0	78.6
1997	2,911	73.3	1.37	70.6	76.0	402	79.0	4.19	71.0	87.6
1998	3,023	75.2	1.38	72.5	77.9	438	85.3	4.32	77.0	94.1
1999	3,012	74.5	1.37	71.8	77.2	401	76.6	4.05	68.9	84.9
2000	3,059	74.8	1.36	72.2	77.6	443	81.9	4.11	74.1	90.3
2001	2,909	71.2	1.33	68.6	73.9	424	76.7	3.93	69.2	84.7
2002	2,972	71.7	1.32	69.1	74.3	464	84.5	4.15	76.6	93.0
2003	2,903	69.4	1.30	66.8	72.0	490	85.4	4.08	77.6	93.7
2004	2,890	68.3	1.28	65.8	70.8	485	81.3	3.89	73.9	89.3
2005	2,777	64.7	1.24	62.3	67.2	467	79.5	3.89	72.0	87.4
2006	2,778	64.0	1.23	61.6	66.5	499	81.3	3.83	73.9	89.1
2007	2,710	61.7	1.20	59.4	64.1	472	75.1	3.65	68.1	82.6
2008	2,627	58.8	1.16	56.6	61.1	498	77.6	3.68	70.6	85.2
2009	2,461	54.2	1.11	52.1	56.4	495	75.4	3.58	68.5	82.7
2010	2,545	55.2	1.11	53.1	57.5	484	72.6	3.48	65.9	79.7
2011	2,523	54.1	1.10	51.9	56.3	497	69.8	3.29	63.5	76.5
2012	2,443	51.5	1.06	49.4	53.6	445	64.0	3.19	57.9	70.5
2013	2,413	50.2	1.04	48.1	52.3	479	65.9	3.17	59.9	72.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon and Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,574	33.6	0.72	32.2	35.0	78,650	48.1	0.17	47.7	48.4
1990	62	34.2	4.75	25.5	44.6	3,311	52.7	0.93	50.9	54.6
1991	47	27.8	4.46	19.8	37.7	3,245	51.2	0.91	49.4	53.0
1992	54	30.6	4.50	22.4	40.5	3,172	49.3	0.88	47.5	51.0
1993	75	41.9	5.16	32.4	53.0	3,281	50.3	0.89	48.6	52.1
1994	79	41.1	5.05	31.8	51.9	3,499	53.3	0.91	51.5	55.1
1995	88	46.2	5.36	36.3	57.7	3,362	51.1	0.89	49.4	52.9
1996	85	39.1	4.63	30.5	49.0	3,430	51.5	0.89	49.8	53.3
1997	89	42.2	4.88	33.2	52.6	3,481	52.1	0.89	50.4	53.9
1998	89	39.3	4.57	30.8	49.0	3,669	54.7	0.91	53.0	56.6
1999	77	31.7	4.01	24.4	40.4	3,504	52.0	0.89	50.3	53.8
2000	101	39.0	4.34	31.0	48.2	3,537	52.1	0.89	50.4	53.9
2001	109	37.3	3.98	29.9	45.7	3,444	50.6	0.87	48.9	52.3
2002	93	30.2	3.46	23.8	37.6	3,512	51.5	0.88	49.8	53.3
2003	97	32.8	3.69	25.9	40.6	3,360	49.2	0.86	47.5	50.9
2004	122	36.6	3.68	29.8	44.4	3,458	50.2	0.86	48.5	51.9
2005	138	39.0	3.64	32.2	46.6	3,325	48.1	0.85	46.5	49.8
2006	145	37.5	3.46	31.1	44.8	3,364	48.7	0.85	47.1	50.4
2007	137	34.9	3.26	28.8	41.8	3,222	46.2	0.83	44.6	47.9
2008	138	29.6	2.73	24.5	35.4	3,155	44.9	0.81	43.3	46.5
2009	146	30.2	2.71	25.1	35.9	2,928	41.5	0.78	40.0	43.0
2010	133	27.3	2.58	22.5	32.8	2,897	40.4	0.77	38.9	41.9
2011	156	30.1	2.59	25.2	35.6	2,952	40.8	0.77	39.3	42.3
2012	159	29.0	2.47	24.4	34.2	2,751	37.7	0.74	36.3	39.2
2013	155	27.8	2.40	23.3	32.8	2,791	38.1	0.74	36.6	39.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	65,808	47.0	0.19	46.6	47.4	11,170	56.1	0.54	55.0	57.1
1990	2,918	52.3	0.99	50.4	54.3	371	56.7	2.99	51.0	62.9
1991	2,842	50.6	0.97	48.7	52.5	360	53.7	2.88	48.3	59.7
1992	2,815	49.4	0.95	47.5	51.3	326	46.5	2.61	41.6	51.9
1993	2,868	49.9	0.95	48.1	51.8	377	54.5	2.84	49.1	60.3
1994	3,045	52.7	0.97	50.8	54.6	413	57.9	2.88	52.4	63.8
1995	2,895	50.2	0.95	48.3	52.1	418	57.1	2.82	51.7	62.9
1996	2,945	50.7	0.95	48.8	52.6	434	59.3	2.87	53.8	65.2
1997	2,970	51.1	0.96	49.3	53.0	464	62.3	2.92	56.7	68.2
1998	3,108	53.5	0.98	51.6	55.5	495	65.0	2.94	59.3	71.0
1999	2,984	51.1	0.95	49.2	53.0	455	57.0	2.69	51.9	62.5
2000	2,997	51.1	0.95	49.2	53.0	464	57.4	2.68	52.2	62.9
2001	2,869	49.0	0.93	47.2	50.9	508	62.3	2.78	57.0	68.0
2002	2,904	49.6	0.94	47.8	51.5	528	63.4	2.78	58.1	69.1
2003	2,735	46.9	0.91	45.1	48.7	535	63.5	2.77	58.2	69.2
2004	2,864	48.9	0.93	47.1	50.7	525	60.5	2.66	55.4	66.0
2005	2,728	46.5	0.91	44.7	48.3	508	57.6	2.58	52.7	62.9
2006	2,731	46.9	0.92	45.1	48.7	531	59.2	2.59	54.3	64.5
2007	2,625	44.8	0.90	43.0	46.6	510	55.8	2.49	51.0	60.9
2008	2,576	43.9	0.89	42.2	45.7	500	53.8	2.43	49.1	58.8
2009	2,393	40.7	0.85	39.0	42.4	450	47.5	2.26	43.1	52.1
2010	2,289	38.7	0.84	37.1	40.4	505	52.1	2.35	47.6	56.9
2011	2,322	38.9	0.84	37.2	40.5	533	53.4	2.35	48.9	58.2
2012	2,176	36.3	0.81	34.7	37.9	472	47.0	2.20	42.8	51.6
2013	2,209	36.9	0.82	35.3	38.6	488	47.3	2.17	43.1	51.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon excluding Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,704	26.6	0.49	25.6	27.5	114,871	40.9	0.12	40.6	41.1
1990	82	24.6	3.06	19.0	31.2	4,776	45.4	0.66	44.1	46.7
1991	67	22.1	3.06	16.5	28.7	4,654	43.7	0.65	42.4	45.0
1992	86	27.0	3.29	20.9	34.0	4,665	43.1	0.64	41.9	44.4
1993	99	29.0	3.29	22.9	36.0	4,713	43.1	0.63	41.9	44.4
1994	107	29.6	3.28	23.5	36.5	5,006	45.4	0.64	44.2	46.7
1995	123	36.8	3.75	29.9	44.8	4,758	42.9	0.62	41.7	44.2
1996	106	26.9	2.97	21.4	33.3	4,892	43.8	0.63	42.6	45.1
1997	136	34.4	3.33	28.2	41.4	5,001	44.5	0.63	43.3	45.7
1998	121	31.5	3.25	25.4	38.3	5,300	46.7	0.64	45.4	47.9
1999	130	28.2	2.84	23.0	34.2	5,145	45.0	0.63	43.7	46.2
2000	142	28.7	2.80	23.5	34.6	5,271	45.8	0.63	44.6	47.0
2001	156	31.1	2.83	25.8	37.0	5,085	43.9	0.62	42.7	45.1
2002	156	28.2	2.57	23.4	33.6	5,104	43.8	0.61	42.6	45.0
2003	163	27.1	2.48	22.5	32.3	5,068	43.1	0.61	41.9	44.3
2004	193	33.2	2.74	28.0	38.9	5,044	42.6	0.60	41.5	43.8
2005	193	31.0	2.49	26.3	36.2	4,837	40.5	0.59	39.4	41.7
2006	209	29.4	2.30	25.1	34.2	4,897	40.8	0.59	39.6	41.9
2007	204	28.6	2.26	24.3	33.3	4,774	39.2	0.57	38.1	40.3
2008	182	22.0	1.82	18.6	25.8	4,589	37.2	0.55	36.1	38.3
2009	189	23.2	1.87	19.7	27.1	4,334	34.8	0.53	33.8	35.9
2010	198	21.8	1.73	18.5	25.4	4,290	34.0	0.53	33.0	35.0
2011	233	23.2	1.69	20.0	26.7	4,376	34.3	0.53	33.3	35.4
2012	235	23.9	1.71	20.6	27.4	4,126	31.9	0.51	30.9	32.9
2013	194	19.0	1.50	16.2	22.1	4,166	31.7	0.50	30.7	32.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	96,071	39.8	0.13	39.6	40.1	16,496	49.6	0.39	48.9	50.4
1990	4,187	44.8	0.70	43.5	46.2	550	50.6	2.23	46.4	55.2
1991	4,113	43.6	0.69	42.3	45.0	498	44.5	2.05	40.6	48.7
1992	4,121	43.2	0.68	41.9	44.5	495	42.5	1.96	38.8	46.5
1993	4,116	42.7	0.67	41.4	44.0	554	47.8	2.08	43.8	52.0
1994	4,356	45.0	0.68	43.6	46.3	595	50.7	2.13	46.6	55.0
1995	4,048	41.7	0.66	40.4	43.0	643	53.4	2.15	49.2	57.7
1996	4,190	42.9	0.67	41.6	44.3	626	50.9	2.08	46.9	55.2
1997	4,270	43.5	0.67	42.2	44.9	660	53.2	2.12	49.1	57.5
1998	4,467	45.2	0.68	43.9	46.6	753	59.6	2.22	55.3	64.1
1999	4,366	44.0	0.67	42.7	45.3	677	51.3	2.01	47.4	55.4
2000	4,450	44.7	0.67	43.4	46.1	716	53.5	2.04	49.6	57.6
2001	4,248	42.5	0.65	41.3	43.8	734	54.2	2.04	50.3	58.3
2002	4,221	42.2	0.65	40.9	43.5	776	56.2	2.06	52.3	60.4
2003	4,153	41.3	0.64	40.0	42.6	800	57.0	2.06	53.1	61.2
2004	4,189	41.6	0.65	40.3	42.8	766	53.0	1.95	49.2	56.9
2005	3,973	39.2	0.63	38.0	40.4	741	50.8	1.90	47.2	54.7
2006	3,986	39.2	0.63	37.9	40.4	788	52.6	1.91	48.9	56.5
2007	3,908	38.0	0.61	36.8	39.2	748	48.9	1.82	45.4	52.6
2008	3,708	35.8	0.60	34.6	37.0	754	48.4	1.80	44.9	52.0
2009	3,512	33.7	0.58	32.5	34.8	709	44.6	1.71	41.3	48.1
2010	3,401	32.3	0.56	31.2	33.5	757	46.8	1.74	43.5	50.4
2011	3,494	33.0	0.57	31.9	34.1	762	45.5	1.69	42.2	48.9
2012	3,296	30.7	0.55	29.6	31.8	675	40.4	1.59	37.4	43.7
2013	3,298	30.4	0.54	29.4	31.5	719	41.3	1.58	38.3	44.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon excluding Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,894	29.3	0.79	27.7	30.8	54,771	47.0	0.20	46.6	47.4
1990	41	28.7	5.36	19.2	40.8	2,251	53.3	1.16	51.0	55.6
1991	35	23.5	4.79	15.1	34.4	2,239	52.5	1.15	50.2	54.8
1992	51	35.2	6.06	24.3	48.5	2,289	53.1	1.14	50.9	55.4
1993	48	30.8	5.43	21.1	42.8	2,204	50.3	1.10	48.1	52.5
1994	48	25.8	4.53	17.7	35.9	2,284	51.9	1.11	49.7	54.1
1995	61	41.9	6.53	30.1	56.1	2,211	49.7	1.08	47.6	51.9
1996	43	23.8	4.31	16.1	33.4	2,245	50.2	1.08	48.1	52.3
1997	70	36.2	5.04	27.0	47.2	2,328	51.4	1.08	49.3	53.6
1998	58	36.6	5.78	26.2	49.2	2,458	53.4	1.09	51.3	55.6
1999	74	35.3	5.02	26.1	46.2	2,427	52.3	1.08	50.2	54.5
2000	68	28.4	4.20	20.7	37.5	2,513	53.5	1.08	51.4	55.7
2001	77	35.0	4.71	26.4	45.1	2,405	51.1	1.05	49.0	53.2
2002	85	34.9	4.53	26.6	44.7	2,433	50.8	1.04	48.8	52.9
2003	102	33.0	4.00	25.7	41.6	2,486	51.1	1.04	49.1	53.2
2004	100	39.6	4.82	30.7	49.8	2,385	48.5	1.00	46.5	50.5
2005	95	32.0	3.79	25.0	40.1	2,312	46.2	0.97	44.3	48.1
2006	102	32.4	3.66	25.6	40.2	2,350	46.5	0.97	44.6	48.4
2007	105	30.0	3.48	23.6	37.5	2,304	44.7	0.94	42.8	46.6
2008	93	24.9	3.04	19.3	31.4	2,202	41.9	0.91	40.1	43.7
2009	86	25.3	3.12	19.6	32.0	2,086	39.1	0.87	37.4	40.8
2010	111	24.5	2.69	19.5	30.2	2,122	39.2	0.87	37.5	40.9
2011	124	25.2	2.64	20.3	30.8	2,128	38.4	0.85	36.8	40.2
2012	123	26.2	2.69	21.2	31.9	2,041	36.4	0.82	34.8	38.1
2013	94	19.8	2.32	15.5	24.7	2,068	35.9	0.81	34.3	37.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	45,932	46.0	0.22	45.5	46.4	7,651	57.4	0.69	56.0	58.8
1990	1,975	52.8	1.22	50.4	55.2	250	58.8	3.97	51.3	67.0
1991	1,995	53.0	1.22	50.6	55.5	227	49.8	3.53	43.1	57.2
1992	2,020	53.2	1.22	50.9	55.7	241	53.3	3.67	46.3	60.9
1993	1,923	49.8	1.16	47.6	52.2	260	56.5	3.75	49.4	64.3
1994	2,000	51.7	1.18	49.4	54.0	259	57.5	3.84	50.3	65.5
1995	1,870	48.1	1.13	45.9	50.4	304	64.1	3.92	56.7	72.2
1996	1,923	49.3	1.14	47.1	51.6	283	56.3	3.56	49.6	63.7
1997	1,987	50.4	1.15	48.2	52.7	303	59.9	3.66	53.0	67.4
1998	2,079	52.0	1.15	49.8	54.3	348	68.3	3.88	60.9	76.2
1999	2,080	51.7	1.14	49.5	54.0	297	57.6	3.54	50.8	64.9
2000	2,126	52.4	1.15	50.2	54.7	334	63.2	3.66	56.2	70.7
2001	2,024	50.0	1.12	47.8	52.3	329	60.3	3.51	53.7	67.6
2002	2,024	49.3	1.10	47.1	51.5	357	65.5	3.67	58.5	73.1
2003	2,059	49.5	1.10	47.4	51.7	372	66.5	3.65	59.6	74.0
2004	2,004	47.8	1.08	45.7	50.0	339	57.7	3.30	51.4	64.4
2005	1,916	45.0	1.04	43.0	47.1	336	58.9	3.40	52.5	65.9
2006	1,922	44.8	1.03	42.8	46.9	367	60.9	3.35	54.5	67.8
2007	1,882	43.2	1.01	41.2	45.2	360	58.4	3.25	52.2	65.1
2008	1,757	39.7	0.96	37.8	41.6	372	59.0	3.24	52.8	65.6
2009	1,677	37.3	0.93	35.5	39.2	346	54.5	3.09	48.6	60.8
2010	1,693	37.3	0.92	35.5	39.2	359	54.6	3.04	48.8	60.9
2011	1,723	37.3	0.92	35.5	39.1	350	50.5	2.84	45.1	56.4
2012	1,642	35.0	0.88	33.3	36.8	311	46.3	2.76	41.1	52.0
2013	1,631	34.1	0.86	32.5	35.9	347	48.9	2.76	43.6	54.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Colon excluding Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,810	24.4	0.62	23.2	25.7	60,100	36.5	0.15	36.2	36.7
1990	41	22.0	3.72	15.3	30.3	2,525	40.1	0.81	38.5	41.7
1991	32	20.4	3.92	13.5	29.3	2,415	38.0	0.78	36.5	39.5
1992	35	20.6	3.75	13.9	29.0	2,376	36.7	0.76	35.3	38.3
1993	51	27.8	4.17	20.2	37.0	2,509	38.3	0.77	36.8	39.9
1994	59	31.8	4.51	23.6	41.6	2,722	41.2	0.80	39.7	42.8
1995	62	33.8	4.61	25.4	43.8	2,547	38.5	0.77	37.0	40.0
1996	63	29.4	4.05	22.0	38.3	2,647	39.6	0.78	38.1	41.1
1997	66	32.1	4.31	24.2	41.4	2,673	39.8	0.78	38.3	41.3
1998	63	28.6	3.93	21.4	37.1	2,842	42.0	0.80	40.5	43.6
1999	56	22.9	3.36	16.8	30.2	2,718	40.0	0.78	38.5	41.6
2000	74	28.6	3.72	21.8	36.7	2,758	40.3	0.78	38.8	41.9
2001	79	28.4	3.52	21.9	35.9	2,680	39.0	0.76	37.5	40.5
2002	71	23.2	3.05	17.6	29.8	2,671	38.9	0.76	37.4	40.4
2003	61	21.4	3.06	15.8	28.0	2,582	37.5	0.75	36.1	39.0
2004	93	29.0	3.32	22.8	36.1	2,659	38.2	0.75	36.8	39.7
2005	98	29.8	3.29	23.7	36.8	2,525	36.2	0.73	34.8	37.7
2006	107	27.0	2.90	21.6	33.2	2,547	36.6	0.74	35.2	38.1
2007	99	27.1	2.96	21.6	33.4	2,470	35.1	0.72	33.7	36.5
2008	89	20.0	2.28	15.8	24.9	2,387	33.8	0.70	32.4	35.2
2009	103	22.3	2.36	17.9	27.3	2,248	31.5	0.68	30.2	32.9
2010	87	19.1	2.21	15.0	23.9	2,168	30.0	0.66	28.7	31.3
2011	109	21.5	2.21	17.4	26.2	2,248	30.9	0.67	29.6	32.2
2012	112	21.8	2.20	17.7	26.5	2,085	28.4	0.64	27.1	29.7
2013	100	18.5	1.99	14.8	22.8	2,098	28.4	0.64	27.2	29.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	50,139	35.4	0.16	35.1	35.7	8,845	44.6	0.48	43.7	45.6
1990	2,212	39.4	0.85	37.8	41.1	300	45.8	2.69	40.7	51.3
1991	2,118	37.5	0.83	35.9	39.1	271	40.9	2.52	36.1	46.1
1992	2,101	36.6	0.81	35.0	38.2	254	36.3	2.31	31.9	41.1
1993	2,193	37.9	0.82	36.3	39.5	294	42.3	2.49	37.5	47.4
1994	2,356	40.4	0.85	38.8	42.1	336	47.4	2.61	42.4	52.8
1995	2,178	37.4	0.81	35.8	39.0	339	46.7	2.56	41.9	52.0
1996	2,267	38.7	0.83	37.1	40.4	343	46.9	2.56	42.0	52.2
1997	2,283	38.9	0.83	37.3	40.6	357	48.1	2.57	43.2	53.4
1998	2,388	40.6	0.84	38.9	42.3	405	53.6	2.68	48.4	59.1
1999	2,286	38.6	0.82	37.0	40.3	380	47.8	2.47	43.1	52.9
2000	2,324	39.2	0.83	37.5	40.8	382	47.5	2.45	42.9	52.6
2001	2,224	37.4	0.81	35.9	39.0	405	49.9	2.50	45.1	55.0
2002	2,197	37.1	0.81	35.5	38.7	419	50.5	2.48	45.7	55.6
2003	2,094	35.5	0.79	33.9	37.1	428	51.0	2.48	46.3	56.1
2004	2,185	36.7	0.80	35.2	38.3	427	49.6	2.42	45.0	54.6
2005	2,057	34.6	0.78	33.0	36.1	405	46.3	2.32	41.8	51.0
2006	2,064	34.9	0.79	33.4	36.5	421	47.2	2.32	42.8	52.0
2007	2,026	34.1	0.78	32.6	35.6	388	42.9	2.20	38.7	47.4
2008	1,951	32.9	0.76	31.4	34.4	382	41.5	2.15	37.4	45.9
2009	1,835	30.8	0.74	29.3	32.2	363	38.4	2.04	34.5	42.6
2010	1,708	28.4	0.71	27.0	29.8	398	41.4	2.10	37.4	45.7
2011	1,771	29.4	0.72	28.0	30.8	412	41.6	2.08	37.6	45.9
2012	1,654	27.2	0.69	25.8	28.6	364	36.6	1.95	32.9	40.6
2013	1,667	27.5	0.70	26.1	28.9	372	36.4	1.92	32.8	40.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Rectum and Rectosigmoid Junction										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,879	11.9	0.31	11.3	12.5	42,704	15.2	0.07	15.1	15.4
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	34	9.8	1.97	6.4	14.3	1,817	17.0	0.40	16.2	17.8
1992	36	9.7	1.79	6.5	13.8	1,779	16.5	0.39	15.7	17.3
1993	51	14.7	2.30	10.6	19.8	1,732	15.8	0.38	15.1	16.6
1994	49	11.8	1.94	8.3	16.2	1,671	15.1	0.37	14.4	15.9
1995	50	13.4	2.22	9.4	18.3	1,781	16.1	0.38	15.4	16.9
1996	56	13.1	2.01	9.5	17.5	1,748	15.7	0.38	15.0	16.5
1997	58	13.7	2.03	10.0	18.2	1,856	16.6	0.39	15.9	17.4
1998	66	14.8	2.10	10.9	19.3	1,884	16.7	0.39	16.0	17.5
1999	65	13.5	1.99	9.8	17.8	1,848	16.3	0.38	15.6	17.0
2000	61	11.9	1.72	8.7	15.6	1,850	16.2	0.38	15.5	17.0
2001	68	11.4	1.60	8.4	14.9	1,773	15.4	0.37	14.7	16.2
2002	91	15.1	1.81	11.7	18.9	1,928	16.7	0.38	15.9	17.4
2003	83	13.4	1.65	10.4	17.0	1,775	15.2	0.36	14.5	15.9
2004	90	12.9	1.59	10.0	16.4	1,872	15.9	0.37	15.2	16.6
2005	96	11.8	1.37	9.3	14.8	1,846	15.5	0.36	14.8	16.2
2006	84	11.2	1.42	8.6	14.3	1,850	15.3	0.36	14.6	16.1
2007	97	10.6	1.22	8.4	13.3	1,744	14.4	0.35	13.7	15.1
2008	117	13.3	1.38	10.7	16.2	1,822	14.7	0.35	14.0	15.4
2009	109	10.7	1.15	8.6	13.2	1,646	13.1	0.33	12.5	13.8
2010	115	10.7	1.13	8.7	13.2	1,745	13.7	0.33	13.1	14.4
2011	112	11.0	1.15	8.8	13.4	1,697	13.2	0.33	12.5	13.8
2012	116	9.9	1.01	8.0	12.0	1,655	12.7	0.32	12.1	13.3
2013	128	10.9	1.05	8.9	13.1	1,657	12.6	0.32	12.0	13.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	36,408	15.3	0.08	15.2	15.5	4,949	14.2	0.21	13.8	14.7
1990	1,561	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9
1991	1,608	17.1	0.43	16.2	17.9	174	15.3	1.19	13.0	17.8
1992	1,612	17.0	0.43	16.2	17.9	143	12.1	1.05	10.2	14.4
1993	1,520	15.9	0.41	15.1	16.7	178	15.5	1.20	13.3	18.0
1994	1,490	15.5	0.40	14.7	16.3	158	12.7	1.03	10.7	14.8
1995	1,585	16.5	0.42	15.7	17.4	160	12.7	1.03	10.8	14.9
1996	1,536	16.0	0.41	15.2	16.8	169	13.4	1.05	11.4	15.6
1997	1,611	16.7	0.42	15.9	17.6	206	16.2	1.16	14.0	18.6
1998	1,664	17.2	0.42	16.3	18.0	180	13.5	1.03	11.6	15.7
1999	1,630	16.8	0.42	16.0	17.6	179	13.0	0.99	11.2	15.1
2000	1,606	16.5	0.41	15.7	17.4	191	13.5	0.99	11.6	15.5
2001	1,530	15.7	0.40	14.9	16.5	198	14.0	1.02	12.1	16.2
2002	1,655	16.9	0.42	16.1	17.8	216	15.3	1.06	13.3	17.5
2003	1,485	15.1	0.39	14.3	15.9	225	15.3	1.04	13.3	17.4
2004	1,565	15.8	0.40	15.1	16.6	244	16.0	1.04	14.0	18.2
2005	1,532	15.4	0.40	14.6	16.2	234	15.1	1.00	13.2	17.2
2006	1,523	15.2	0.39	14.4	15.9	242	15.5	1.01	13.5	17.6
2007	1,427	14.2	0.38	13.4	14.9	234	14.4	0.96	12.6	16.4
2008	1,495	14.6	0.38	13.8	15.4	244	14.8	0.97	13.0	16.8
2009	1,342	13.0	0.36	12.3	13.7	236	13.8	0.92	12.1	15.7
2010	1,433	13.7	0.37	13.0	14.4	232	13.6	0.92	11.9	15.6
2011	1,351	12.8	0.36	12.1	13.5	268	15.0	0.93	13.2	16.9
2012	1,323	12.5	0.35	11.8	13.2	242	13.4	0.88	11.7	15.3
2013	1,324	12.4	0.35	11.8	13.1	248	13.4	0.87	11.7	15.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Rectum and Rectosigmoid Junction</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,115	15.2	0.54	14.2	16.3	24,154	20.0	0.13	19.8	20.3
1990	26	15.1	3.45	9.1	23.3	942	21.9	0.74	20.4	23.3
1991	19	13.2	3.77	6.9	22.2	987	22.5	0.74	21.1	24.0
1992	17	9.1	2.43	5.0	15.1	983	22.0	0.72	20.6	23.5
1993	27	14.8	3.33	9.0	22.6	960	21.4	0.71	20.0	22.8
1994	29	15.0	3.44	9.0	23.0	894	19.4	0.66	18.1	20.7
1995	24	15.1	3.88	8.5	24.1	966	21.2	0.70	19.8	22.6
1996	34	17.8	3.77	11.2	26.4	965	20.8	0.68	19.5	22.2
1997	35	18.3	3.71	11.8	26.7	1,048	22.5	0.70	21.1	23.9
1998	40	20.0	3.90	13.1	28.8	1,057	22.5	0.70	21.1	23.9
1999	44	19.0	3.69	12.4	27.2	1,062	22.3	0.69	20.9	23.7
2000	34	13.5	2.71	8.7	19.7	1,071	22.0	0.68	20.7	23.4
2001	38	14.5	2.85	9.5	21.0	1,009	20.7	0.66	19.4	22.0
2002	69	24.8	3.62	18.2	32.7	1,087	22.0	0.67	20.7	23.3
2003	47	15.9	2.72	11.0	21.9	997	19.9	0.64	18.7	21.2
2004	61	19.6	3.12	13.9	26.4	1,073	21.0	0.65	19.7	22.3
2005	56	15.1	2.44	10.8	20.6	1,046	20.2	0.63	19.0	21.5
2006	46	11.8	2.15	7.9	16.6	1,033	19.5	0.61	18.3	20.7
2007	59	14.0	2.15	10.1	18.8	992	18.6	0.60	17.5	19.9
2008	68	18.1	2.58	13.4	23.7	1,054	19.3	0.61	18.2	20.5
2009	66	14.0	2.01	10.4	18.4	966	17.3	0.57	16.2	18.4
2010	69	13.5	1.88	10.1	17.7	1,016	17.9	0.57	16.8	19.0
2011	65	13.9	2.01	10.3	18.3	993	17.1	0.56	16.1	18.3
2012	69	13.3	1.84	9.9	17.3	989	16.7	0.54	15.7	17.8
2013	73	12.7	1.67	9.6	16.3	964	16.2	0.53	15.1	17.3
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	20,739	20.2	0.14	19.9	20.5	2,624	18.4	0.38	17.7	19.2
1990	855	22.4	0.79	20.9	24.0	77	17.3	2.12	13.4	21.9
1991	884	22.9	0.79	21.4	24.5	85	19.0	2.21	15.0	23.8
1992	898	22.9	0.78	21.4	24.4	71	15.3	1.95	11.7	19.5
1993	845	21.4	0.75	20.0	23.0	95	20.4	2.27	16.2	25.3
1994	801	19.9	0.71	18.5	21.3	81	16.2	1.91	12.7	20.4
1995	868	21.8	0.75	20.4	23.4	81	16.6	1.96	13.0	20.8
1996	858	21.4	0.74	19.9	22.9	78	14.2	1.66	11.1	17.8
1997	924	22.9	0.76	21.4	24.4	99	19.1	2.05	15.3	23.5
1998	944	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1
1999	932	22.7	0.75	21.3	24.2	104	19.1	1.97	15.4	23.3
2000	933	22.4	0.74	21.0	23.9	109	18.7	1.87	15.2	22.7
2001	885	21.2	0.72	19.8	22.7	95	16.3	1.77	13.1	20.1
2002	948	22.5	0.73	21.0	23.9	107	19.0	1.95	15.3	23.1
2003	844	19.9	0.69	18.5	21.3	118	18.8	1.81	15.4	22.7
2004	886	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0
2005	861	19.7	0.68	18.4	21.1	131	20.5	1.88	17.0	24.6
2006	856	19.2	0.66	17.9	20.5	132	20.4	1.86	16.9	24.3
2007	828	18.5	0.65	17.3	19.9	112	16.7	1.66	13.6	20.3
2008	870	19.1	0.66	17.9	20.5	126	18.6	1.75	15.4	22.4
2009	784	16.9	0.61	15.7	18.1	149	20.9	1.82	17.5	24.8
2010	852	17.9	0.63	16.7	19.2	125	18.0	1.69	14.8	21.6
2011	800	16.8	0.60	15.6	18.0	147	19.3	1.67	16.1	22.8
2012	801	16.5	0.59	15.3	17.7	134	17.7	1.60	14.7	21.1
2013	782	16.0	0.59	14.9	17.2	132	17.1	1.56	14.2	20.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Rectum and Rectosigmoid Junction										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	764	9.2	0.36	8.5	9.9	18,550	11.6	0.09	11.5	11.8
1990	21	12.2	2.95	7.2	19.1	786	12.7	0.46	11.8	13.6
1991	15	7.4	2.13	3.8	12.6	830	13.2	0.47	12.3	14.2
1992	19	10.0	2.48	5.8	15.9	796	12.5	0.45	11.7	13.5
1993	24	14.1	3.05	8.7	21.0	772	12.0	0.44	11.2	12.9
1994	20	9.3	2.27	5.4	14.7	777	12.1	0.44	11.2	13.0
1995	26	12.5	2.73	7.7	18.7	815	12.6	0.45	11.8	13.5
1996	22	9.6	2.25	5.7	14.9	783	12.0	0.43	11.2	12.9
1997	23	10.1	2.28	6.2	15.4	808	12.4	0.44	11.5	13.3
1998	26	10.7	2.33	6.6	16.1	827	12.7	0.45	11.9	13.6
1999	21	8.8	2.18	5.1	13.9	786	12.0	0.43	11.2	12.9
2000	27	10.4	2.22	6.5	15.5	779	11.8	0.43	11.0	12.7
2001	30	8.9	1.84	5.7	13.2	764	11.6	0.42	10.8	12.4
2002	22	7.0	1.63	4.2	10.8	841	12.6	0.44	11.8	13.5
2003	36	11.4	2.06	7.7	16.0	778	11.6	0.42	10.8	12.5
2004	29	7.6	1.59	4.9	11.3	799	12.0	0.43	11.1	12.8
2005	40	9.1	1.57	6.3	12.7	800	11.9	0.43	11.1	12.8
2006	38	10.5	1.87	7.2	14.7	817	12.1	0.43	11.3	13.0
2007	38	7.8	1.38	5.4	11.0	752	11.1	0.41	10.3	12.0
2008	49	9.6	1.49	6.9	13.0	768	11.1	0.41	10.3	11.9
2009	43	7.9	1.32	5.5	10.9	680	9.9	0.39	9.2	10.7
2010	46	8.2	1.33	5.8	11.2	729	10.4	0.39	9.7	11.2
2011	47	8.6	1.35	6.2	11.6	704	9.9	0.38	9.2	10.7
2012	47	7.2	1.12	5.2	9.7	666	9.4	0.37	8.7	10.1
2013	55	9.3	1.34	6.8	12.2	693	9.7	0.38	9.0	10.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	15,669	11.6	0.09	11.4	11.8	2,325	11.4	0.24	11.0	11.9
1990	706	12.9	0.49	12.0	13.9	71	11.0	1.32	8.5	13.8
1991	724	13.1	0.50	12.2	14.1	89	12.9	1.39	10.3	15.9
1992	714	12.8	0.49	11.8	13.8	72	10.3	1.23	8.0	12.9
1993	675	12.1	0.47	11.2	13.1	83	12.2	1.36	9.7	15.1
1994	689	12.2	0.48	11.3	13.2	77	10.5	1.21	8.3	13.1
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9
1996	678	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2
1997	687	12.2	0.47	11.3	13.2	107	14.2	1.38	11.6	17.1
1998	720	12.9	0.49	12.0	13.9	90	11.4	1.21	9.1	14.0
1999	698	12.4	0.48	11.5	13.4	75	9.2	1.07	7.2	11.5
2000	673	11.9	0.47	11.0	12.9	82	9.9	1.09	7.8	12.2
2001	645	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1
2002	707	12.5	0.48	11.6	13.5	109	12.9	1.25	10.6	15.6
2003	641	11.4	0.46	10.5	12.4	107	12.5	1.22	10.2	15.1
2004	679	12.1	0.48	11.2	13.1	98	10.9	1.11	8.9	13.3
2005	671	12.0	0.47	11.1	12.9	103	11.4	1.13	9.3	13.8
2006	667	12.0	0.48	11.1	13.0	110	12.0	1.16	9.9	14.5
2007	599	10.7	0.45	9.9	11.6	122	12.9	1.18	10.7	15.4
2008	625	11.0	0.45	10.1	11.9	118	12.3	1.14	10.1	14.7
2009	558	9.9	0.43	9.1	10.8	87	9.0	0.98	7.2	11.2
2010	581	10.3	0.44	9.4	11.2	107	10.7	1.05	8.7	13.0
2011	551	9.5	0.42	8.7	10.4	121	11.8	1.09	9.8	14.2
2012	522	9.1	0.42	8.3	10.0	108	10.4	1.02	8.5	12.6
2013	542	9.4	0.42	8.6	10.3	116	10.8	1.02	8.9	13.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Anus, Anal Canal and Anorectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	205	1.3	0.10	1.1	1.5	3,913	1.4	0.02	1.4	1.5
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	7	2.5	1.05	0.9	5.2	106	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	8	2.8	1.09	1.1	5.5	107	1.0	0.10	0.8	1.2
1997	4	0.5	0.25	0.1	1.4	121	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	8	1.4	0.54	0.6	2.9	144	1.3	0.11	1.1	1.5
2000	7	0.9	0.33	0.3	1.9	164	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	147	1.3	0.11	1.1	1.5
2003	9	1.5	0.56	0.6	3.0	187	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	167	1.4	0.11	1.2	1.6
2006	7	1.0	0.41	0.3	2.1	172	1.5	0.11	1.2	1.7
2007	12	1.5	0.49	0.7	2.7	210	1.7	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	194	1.6	0.11	1.4	1.8
2009	16	1.7	0.49	0.9	2.9	227	1.9	0.13	1.6	2.1
2010	13	1.3	0.41	0.6	2.3	218	1.7	0.12	1.5	2.0
2011	13	1.2	0.37	0.6	2.1	212	1.7	0.12	1.4	1.9
2012	12	0.9	0.27	0.4	1.6	228	1.8	0.12	1.5	2.0
2013	15	1.2	0.34	0.6	2.0	251	2.0	0.13	1.7	2.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,230	1.4	0.02	1.4	1.4	627	1.7	0.07	1.6	1.9
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8
1992	90	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2
1996	92	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0
1997	103	1.1	0.11	0.9	1.4	16	1.2	0.30	0.7	1.9
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4
1999	123	1.3	0.12	1.1	1.6	19	1.3	0.30	0.8	2.0
2000	134	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3
2002	122	1.3	0.12	1.1	1.5	22	1.4	0.29	0.9	2.1
2003	155	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8
2005	138	1.4	0.12	1.2	1.7	27	1.6	0.31	1.0	2.3
2006	136	1.4	0.12	1.2	1.6	33	2.0	0.35	1.4	2.8
2007	174	1.7	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8
2008	149	1.5	0.12	1.2	1.7	41	2.5	0.40	1.8	3.4
2009	189	1.9	0.14	1.6	2.2	32	1.9	0.35	1.3	2.7
2010	169	1.6	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8
2011	166	1.6	0.13	1.4	1.9	39	2.3	0.37	1.6	3.1
2012	192	1.8	0.13	1.5	2.1	32	1.8	0.33	1.2	2.6
2013	216	2.1	0.15	1.8	2.4	29	1.6	0.31	1.1	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Anus, Anal Canal and Anorectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	78	1.0	0.13	0.7	1.3	1,522	1.2	0.03	1.2	1.3
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	61	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	71	1.3	0.16	1.0	1.7
2006	1	0.1	0.10	0.0	1.2	79	1.5	0.17	1.2	1.9
2007	2	0.5	0.47	0.0	2.2	76	1.4	0.17	1.1	1.8
2008	6	1.6	0.73	0.5	3.6	81	1.5	0.17	1.2	1.8
2009	5	0.7	0.29	0.2	1.7	82	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	73	1.4	0.16	1.1	1.7
2012	6	0.7	0.29	0.3	1.7	92	1.6	0.17	1.2	1.9
2013	4	0.4	0.21	0.1	1.2	99	1.8	0.18	1.4	2.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,188	1.2	0.03	1.1	1.2	306	1.9	0.11	1.7	2.2
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7
2002	48	1.1	0.16	0.8	1.5	12	1.6	0.46	0.8	2.8
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6
2005	53	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7
2006	55	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7
2007	62	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8
2008	58	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1
2009	65	1.5	0.19	1.1	1.9	13	1.8	0.54	0.9	3.2
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4
2011	53	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7
2012	74	1.5	0.18	1.2	1.9	15	1.8	0.47	1.0	3.0
2013	82	1.8	0.21	1.4	2.3	14	1.8	0.50	1.0	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Anus, Anal Canal and Anorectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	127	1.6	0.15	1.3	1.9	2,391	1.6	0.03	1.5	1.6
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	5	3.4	1.61	1.0	7.7	64	1.0	0.13	0.8	1.3
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	2	0.7	0.51	0.1	2.6	68	1.1	0.13	0.8	1.4
1997	3	0.6	0.38	0.1	2.3	78	1.3	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	5	1.8	0.84	0.5	4.2	89	1.4	0.15	1.1	1.8
2000	4	1.0	0.51	0.3	2.7	101	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	3	1.0	0.58	0.2	2.7	106	1.7	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	6	1.7	0.74	0.6	3.7	93	1.4	0.15	1.2	1.8
2007	10	2.3	0.80	1.0	4.4	134	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	113	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	9	1.8	0.65	0.8	3.5	128	1.9	0.17	1.6	2.2
2011	10	1.9	0.64	0.9	3.5	139	1.9	0.17	1.6	2.3
2012	6	0.9	0.41	0.3	2.1	136	1.9	0.17	1.6	2.3
2013	11	1.9	0.60	0.9	3.4	152	2.1	0.18	1.8	2.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,042	1.6	0.04	1.5	1.7	321	1.6	0.09	1.4	1.7
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1
1992	55	1.0	0.14	0.8	1.3	9	1.2	0.42	0.6	2.3
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3
1996	57	1.1	0.14	0.8	1.4	11	1.6	0.47	0.8	2.8
1997	67	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3
1999	76	1.5	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5
2000	83	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6
2002	74	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1
2003	93	1.7	0.18	1.4	2.2	13	1.5	0.42	0.8	2.6
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8
2006	81	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0
2007	112	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4
2008	91	1.7	0.18	1.3	2.1	18	1.9	0.45	1.1	3.0
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1
2010	109	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8
2011	113	2.0	0.19	1.6	2.4	22	2.2	0.46	1.3	3.3
2012	118	2.0	0.19	1.7	2.5	17	1.7	0.43	1.0	2.8
2013	134	2.3	0.21	2.0	2.8	15	1.5	0.39	0.8	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Liver										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,417	9.3	0.28	8.8	9.9	12,592	4.5	0.04	4.4	4.6
1990	10	3.4	1.16	1.5	6.3	242	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	27	5.9	1.28	3.7	8.9	411	3.7	0.18	3.4	4.1
1996	37	8.0	1.46	5.4	11.3	423	3.8	0.19	3.5	4.2
1997	38	8.9	1.63	6.0	12.5	426	3.8	0.19	3.5	4.2
1998	47	10.6	1.77	7.4	14.5	450	4.0	0.19	3.6	4.4
1999	51	10.2	1.75	7.1	14.1	487	4.3	0.20	3.9	4.7
2000	51	9.5	1.54	6.7	12.9	500	4.4	0.20	4.0	4.8
2001	53	9.9	1.50	7.2	13.2	499	4.4	0.19	4.0	4.8
2002	60	9.3	1.33	6.9	12.3	531	4.6	0.20	4.2	5.0
2003	56	8.3	1.22	6.1	11.0	520	4.5	0.20	4.1	4.9
2004	59	8.7	1.26	6.4	11.5	580	4.9	0.21	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	620	5.2	0.21	4.8	5.6
2006	62	9.0	1.27	6.7	11.8	626	5.2	0.21	4.8	5.6
2007	77	9.5	1.19	7.3	12.1	675	5.5	0.21	5.1	6.0
2008	64	7.6	1.05	5.7	9.9	678	5.4	0.21	5.0	5.9
2009	106	11.9	1.28	9.5	14.6	742	5.8	0.22	5.4	6.3
2010	127	13.6	1.32	11.1	16.4	760	5.9	0.22	5.5	6.3
2011	94	9.8	1.11	7.8	12.2	744	5.6	0.21	5.2	6.0
2012	123	12.1	1.19	9.9	14.6	761	5.6	0.21	5.2	6.0
2013	128	11.1	1.08	9.1	13.4	731	5.3	0.20	4.9	5.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	9,192	3.9	0.04	3.8	4.0	2,556	7.2	0.14	6.9	7.5
1990	184	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	301	3.2	0.18	2.8	3.5	89	7.2	0.79	5.7	8.9
1996	290	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	311	3.2	0.18	2.9	3.6	90	6.9	0.75	5.6	8.6
1998	338	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	350	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	358	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	384	3.9	0.20	3.5	4.3	106	7.3	0.73	6.0	8.9
2003	387	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	431	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	460	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	455	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	472	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	481	4.7	0.21	4.2	5.1	145	8.4	0.71	7.1	9.9
2009	555	5.3	0.23	4.8	5.7	133	7.4	0.66	6.2	8.8
2010	555	5.2	0.22	4.8	5.7	154	8.7	0.71	7.3	10.2
2011	524	4.8	0.21	4.4	5.3	170	9.0	0.71	7.7	10.5
2012	564	5.1	0.22	4.6	5.5	141	7.4	0.64	6.2	8.8
2013	519	4.7	0.21	4.3	5.1	172	8.8	0.69	7.5	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Liver										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,039	13.7	0.49	12.7	14.7	8,810	7.1	0.08	7.0	7.3
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	268	5.9	0.36	5.2	6.6
1995	17	6.5	1.78	3.5	11.1	281	6.1	0.37	5.4	6.8
1996	23	8.8	2.02	5.3	13.8	284	6.0	0.36	5.3	6.8
1997	25	9.2	1.98	5.8	14.0	283	6.0	0.36	5.4	6.8
1998	36	17.2	3.47	11.1	25.1	308	6.4	0.37	5.7	7.1
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	31	9.0	1.78	5.9	13.3	337	6.8	0.37	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	340	6.9	0.38	6.2	7.7
2002	50	15.9	2.63	11.2	21.8	358	7.1	0.38	6.4	7.9
2003	40	11.8	2.10	8.1	16.6	368	7.2	0.38	6.4	7.9
2004	45	12.8	2.29	8.7	18.0	404	7.6	0.38	6.9	8.4
2005	53	14.7	2.34	10.4	19.9	448	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	442	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	52	12.2	1.94	8.7	16.5	464	8.2	0.39	7.5	9.0
2009	79	18.4	2.41	14.0	23.6	565	9.8	0.42	9.0	10.7
2010	99	22.3	2.55	17.6	27.8	524	8.9	0.40	8.1	9.7
2011	70	14.8	2.05	11.1	19.3	562	9.3	0.40	8.5	10.1
2012	91	18.1	2.15	14.1	22.7	562	8.9	0.39	8.2	9.7
2013	88	15.0	1.83	11.7	19.0	542	8.6	0.38	7.9	9.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,399	6.1	0.08	6.0	6.3	1,799	11.9	0.29	11.3	12.5
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9
1994	202	5.0	0.36	4.4	5.8	52	11.4	1.69	8.3	15.1
1995	206	5.1	0.36	4.4	5.8	58	12.1	1.74	8.9	15.9
1996	184	4.5	0.34	3.9	5.2	74	13.7	1.66	10.6	17.3
1997	205	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0
1998	233	5.6	0.37	4.9	6.4	59	10.5	1.44	7.9	13.7
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0
2000	248	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0
2001	255	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5
2002	261	6.1	0.38	5.4	6.9	67	10.7	1.37	8.2	13.7
2003	277	6.4	0.39	5.7	7.2	65	10.1	1.30	7.7	13.0
2004	305	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2
2005	335	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2
2006	321	7.1	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5
2008	327	7.0	0.39	6.2	7.8	107	14.4	1.45	11.7	17.5
2009	423	8.8	0.44	8.0	9.8	99	12.9	1.35	10.4	15.9
2010	386	7.9	0.41	7.1	8.7	102	13.0	1.34	10.5	15.9
2011	387	7.8	0.40	7.0	8.6	136	17.0	1.53	14.1	20.3
2012	415	8.0	0.40	7.2	8.8	108	13.1	1.31	10.6	15.9
2013	382	7.4	0.39	6.7	8.2	132	15.7	1.43	13.0	18.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Liver										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	378	5.4	0.30	4.8	6.0	3,782	2.4	0.04	2.3	2.4
1990	4	2.8	1.43	0.7	6.8	73	1.2	0.15	1.0	1.6
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0
1994	9	5.2	1.89	2.2	9.9	133	2.0	0.17	1.7	2.4
1995	10	5.0	1.69	2.3	9.2	130	2.0	0.18	1.7	2.4
1996	14	6.7	1.93	3.4	11.3	139	2.1	0.18	1.8	2.5
1997	13	7.5	2.23	3.8	12.8	143	2.2	0.19	1.9	2.6
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5
1999	18	7.7	2.07	4.2	12.6	172	2.6	0.20	2.3	3.1
2000	20	9.0	2.19	5.3	14.1	163	2.5	0.19	2.1	2.9
2001	16	6.7	1.77	3.7	10.9	159	2.4	0.19	2.0	2.8
2002	10	3.5	1.16	1.6	6.4	173	2.6	0.20	2.2	3.0
2003	16	5.0	1.35	2.7	8.3	152	2.3	0.19	1.9	2.7
2004	14	5.0	1.36	2.7	8.3	176	2.6	0.20	2.2	3.0
2005	19	4.8	1.22	2.7	7.7	172	2.6	0.20	2.2	3.0
2006	13	4.5	1.35	2.3	7.8	184	2.7	0.20	2.3	3.1
2007	17	4.7	1.20	2.6	7.5	190	2.8	0.20	2.4	3.2
2008	12	3.5	1.04	1.7	6.0	214	3.0	0.21	2.6	3.5
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0
2010	28	6.0	1.19	3.9	8.7	236	3.4	0.22	3.0	3.9
2011	24	5.5	1.17	3.4	8.2	182	2.6	0.19	2.2	3.0
2012	32	6.7	1.26	4.5	9.5	199	2.7	0.20	2.3	3.1
2013	40	7.3	1.25	5.1	10.1	189	2.6	0.19	2.2	3.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,793	2.1	0.04	2.0	2.1	757	3.8	0.14	3.5	4.0
1990	60	1.2	0.16	0.9	1.5	12	1.6	0.48	0.8	2.9
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6
1994	103	1.7	0.17	1.4	2.1	26	3.6	0.71	2.3	5.3
1995	95	1.7	0.18	1.4	2.1	31	4.3	0.77	2.9	6.0
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2
1997	106	2.0	0.19	1.6	2.4	31	4.3	0.77	2.9	6.0
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1
1999	130	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4
2001	120	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2
2002	123	2.1	0.20	1.8	2.6	39	4.8	0.77	3.4	6.5
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9
2006	134	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7
2007	142	2.4	0.21	2.0	2.9	36	3.9	0.66	2.7	5.4
2008	154	2.6	0.22	2.2	3.1	38	3.9	0.64	2.8	5.4
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8
2010	169	2.9	0.23	2.5	3.4	52	5.3	0.74	3.9	6.9
2011	137	2.4	0.21	2.0	2.8	34	3.3	0.58	2.3	4.7
2012	149	2.5	0.21	2.1	2.9	33	3.2	0.56	2.2	4.5
2013	137	2.3	0.20	2.0	2.8	40	3.7	0.59	2.6	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Gallbladder</b>											
<b>Both Sexes</b>											
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	358	2.5	0.15	2.2	2.8	3,787	1.3	0.02	1.3	1.4	
1990	9	2.3	0.83	1.0	4.6	151	1.4	0.12	1.2	1.7	
1991	8	2.6	1.02	1.0	5.2	146	1.4	0.12	1.2	1.6	
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9	
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3	
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7	
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6	
1996	7	1.3	0.51	0.5	2.7	165	1.5	0.12	1.3	1.7	
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6	
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8	
1999	15	3.3	0.90	1.7	5.4	144	1.3	0.10	1.1	1.5	
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6	
2001	14	2.4	0.78	1.1	4.4	157	1.4	0.11	1.2	1.6	
2002	18	3.3	0.86	1.8	5.3	150	1.3	0.11	1.1	1.5	
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6	
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5	
2005	14	2.0	0.61	1.0	3.5	175	1.5	0.11	1.3	1.7	
2006	22	3.0	0.72	1.7	4.6	146	1.2	0.10	1.0	1.4	
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5	
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7	
2009	24	2.7	0.61	1.7	4.2	162	1.3	0.10	1.1	1.5	
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5	
2011	18	2.0	0.51	1.1	3.2	183	1.4	0.11	1.2	1.7	
2012	31	3.6	0.70	2.3	5.1	151	1.2	0.10	1.0	1.4	
2013	16	1.6	0.45	0.9	2.7	179	1.4	0.10	1.2	1.6	
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	3,149	1.3	0.02	1.3	1.3	524	1.6	0.07	1.4	1.7	
1990	139	1.5	0.13	1.2	1.8	9	1.0	0.34	0.4	1.8	
1991	124	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0	
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7	
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8	
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7	
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2	
1996	142	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7	
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6	
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5	
1999	128	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5	
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3	
2001	141	1.4	0.12	1.2	1.7	13	0.9	0.26	0.5	1.6	
2002	123	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0	
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5	
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9	
2005	149	1.5	0.12	1.3	1.7	22	1.6	0.35	1.0	2.5	
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9	
2007	132	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2	
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8	
2009	126	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8	
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2	
2011	139	1.3	0.12	1.1	1.6	36	2.1	0.37	1.5	3.0	
2012	108	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7	
2013	132	1.2	0.11	1.0	1.5	36	2.1	0.35	1.4	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Gallbladder										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	91	1.5	0.18	1.2	1.9	1,059	0.9	0.03	0.9	1.0
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1
1993	2	1.8	1.47	0.1	6.3	27	0.6	0.12	0.4	0.9
1994	0					50	1.2	0.17	0.9	1.6
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3
1999	6	2.9	1.23	1.0	6.3	46	1.0	0.15	0.7	1.3
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4
2003	4	2.1	1.05	0.5	5.0	34	0.7	0.12	0.5	1.0
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2
2005	4	0.9	0.54	0.2	2.7	47	0.9	0.14	0.7	1.3
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1
2009	6	1.1	0.54	0.3	2.7	49	0.9	0.14	0.7	1.2
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3
2011	4	0.8	0.44	0.2	2.1	65	1.2	0.15	0.9	1.6
2012	7	2.4	0.97	0.9	4.9	45	0.8	0.13	0.6	1.1
2013	4	0.5	0.24	0.1	1.4	54	1.0	0.13	0.7	1.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	874	0.9	0.03	0.8	1.0	144	1.1	0.10	0.9	1.3
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8
1992	33	0.8	0.15	0.6	1.2	0				
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1
1999	41	1.0	0.16	0.7	1.4	3	0.5	0.31	0.1	1.5
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2
2005	36	0.9	0.14	0.6	1.2	9	1.6	0.57	0.7	3.1
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2
2007	35	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9
2013	38	0.8	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Gallbladder</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	267	3.4	0.23	3.0	3.9	2,728	1.7	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	114	1.8	0.17	1.5	2.1
1991	5	3.1	1.52	0.9	7.3	106	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	93	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	4	1.2	0.62	0.3	3.2	114	1.8	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	9	3.5	1.26	1.5	6.8	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	10	2.8	0.99	1.2	5.4	116	1.7	0.16	1.4	2.1
2002	16	5.2	1.35	2.9	8.4	97	1.4	0.15	1.2	1.7
2003	11	2.5	0.76	1.2	4.5	123	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	16	3.9	1.08	2.1	6.5	102	1.4	0.14	1.2	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	18	4.1	1.02	2.3	6.5	113	1.6	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.84	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	24	4.7	1.03	2.9	7.1	106	1.4	0.14	1.2	1.7
2013	12	2.5	0.75	1.2	4.3	125	1.7	0.16	1.4	2.0
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,275	1.6	0.03	1.5	1.7	380	1.9	0.10	1.7	2.1
1990	104	1.8	0.18	1.5	2.2	8	1.4	0.51	0.6	2.7
1991	88	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9
1996	95	1.7	0.18	1.4	2.1	18	2.4	0.57	1.4	3.8
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8
2001	105	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2
2002	81	1.4	0.16	1.1	1.7	12	1.4	0.40	0.7	2.4
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7
2006	86	1.4	0.16	1.1	1.8	12	1.3	0.39	0.7	2.3
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8
2009	89	1.5	0.16	1.2	1.8	21	2.2	0.49	1.4	3.4
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9
2011	87	1.5	0.16	1.2	1.8	25	2.4	0.49	1.6	3.6
2012	76	1.2	0.14	0.9	1.5	24	2.2	0.46	1.4	3.4
2013	94	1.6	0.16	1.2	1.9	23	2.2	0.47	1.4	3.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Pancreas</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,483	11.1	0.32	10.5	11.7	34,404	12.2	0.07	12.1	12.3
1990	21	5.7	1.35	3.3	8.9	1,095	10.4	0.32	9.8	11.0
1991	30	9.3	1.89	6.0	13.6	998	9.4	0.30	8.8	10.0
1992	22	6.9	1.67	4.1	10.8	1,047	9.7	0.30	9.1	10.3
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2
1994	34	9.4	1.80	6.2	13.5	1,294	11.7	0.33	11.1	12.4
1995	37	9.2	1.67	6.2	13.0	1,298	11.8	0.33	11.1	12.4
1996	36	10.7	1.98	7.1	15.1	1,346	12.1	0.33	11.5	12.8
1997	42	10.6	1.85	7.3	14.7	1,273	11.4	0.32	10.7	12.0
1998	41	9.0	1.65	6.1	12.7	1,376	12.1	0.33	11.5	12.8
1999	52	10.5	1.63	7.6	14.1	1,379	12.1	0.33	11.5	12.8
2000	49	11.2	1.82	7.9	15.2	1,435	12.5	0.33	11.9	13.2
2001	57	11.2	1.71	8.1	14.9	1,452	12.6	0.33	12.0	13.3
2002	47	8.9	1.46	6.3	12.2	1,459	12.6	0.33	11.9	13.2
2003	50	8.1	1.25	5.8	10.9	1,484	12.6	0.33	12.0	13.3
2004	73	12.2	1.55	9.3	15.5	1,528	12.9	0.33	12.2	13.5
2005	74	12.4	1.61	9.4	15.8	1,599	13.3	0.33	12.7	14.0
2006	91	13.8	1.62	10.8	17.3	1,509	12.5	0.32	11.9	13.2
2007	83	11.5	1.42	8.9	14.6	1,577	12.9	0.33	12.3	13.6
2008	98	13.0	1.46	10.3	16.2	1,629	13.2	0.33	12.5	13.8
2009	71	9.9	1.28	7.6	12.7	1,753	14.0	0.34	13.3	14.7
2010	101	12.8	1.39	10.2	15.8	1,670	13.2	0.33	12.5	13.8
2011	105	13.1	1.38	10.5	16.0	1,689	13.1	0.32	12.5	13.8
2012	121	12.9	1.27	10.5	15.6	1,714	13.0	0.32	12.4	13.7
2013	114	11.5	1.17	9.3	14.0	1,756	13.1	0.32	12.5	13.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	28,468	11.8	0.07	11.7	12.0	5,288	16.0	0.22	15.6	16.4
1990	910	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9
1991	864	9.2	0.32	8.6	9.9	124	11.4	1.05	9.4	13.6
1992	877	9.3	0.32	8.7	9.9	158	13.2	1.08	11.2	15.5
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0
1994	1,076	11.2	0.34	10.5	11.9	194	16.5	1.22	14.2	19.1
1995	1,081	11.2	0.34	10.6	11.9	203	17.1	1.23	14.8	19.7
1996	1,139	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3
1997	1,085	11.1	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9
1998	1,167	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7
1999	1,153	11.7	0.35	11.0	12.4	197	15.2	1.10	13.1	17.5
2000	1,202	12.2	0.35	11.5	12.9	200	15.0	1.08	13.0	17.3
2001	1,205	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5
2002	1,193	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8
2003	1,211	12.0	0.35	11.4	12.8	243	17.4	1.14	15.3	19.8
2004	1,282	12.7	0.36	12.0	13.4	219	15.2	1.05	13.2	17.4
2005	1,293	12.7	0.36	12.0	13.4	276	19.2	1.18	16.9	21.6
2006	1,206	11.8	0.34	11.2	12.5	272	18.5	1.14	16.3	20.8
2007	1,290	12.5	0.35	11.8	13.2	250	16.9	1.09	14.8	19.1
2008	1,331	12.8	0.35	12.1	13.5	254	16.3	1.05	14.3	18.5
2009	1,443	13.7	0.37	13.0	14.5	272	17.4	1.08	15.4	19.7
2010	1,381	13.0	0.36	12.3	13.7	251	15.9	1.03	14.0	18.1
2011	1,388	13.0	0.36	12.3	13.7	260	15.8	1.00	13.9	17.8
2012	1,395	12.8	0.35	12.1	13.5	276	16.3	1.01	14.4	18.4
2013	1,426	12.9	0.35	12.2	13.6	286	16.5	1.00	14.6	18.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Pancreas</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	753	11.8	0.50	10.9	12.8	16,800	14.2	0.11	13.9	14.4
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0
1991	15	8.7	2.51	4.5	15.0	463	10.7	0.51	9.7	11.7
1992	10	6.9	2.68	2.7	13.7	505	11.3	0.51	10.3	12.3
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9
1996	15	10.1	2.97	5.2	17.2	638	13.9	0.56	12.9	15.1
1997	21	9.3	2.20	5.5	14.6	597	12.9	0.54	11.9	14.0
1998	20	11.4	3.03	6.3	18.5	626	13.5	0.55	12.5	14.6
1999	28	11.2	2.49	6.9	17.0	665	14.0	0.55	13.0	15.1
2000	20	9.5	2.55	5.1	15.5	725	15.1	0.57	14.0	16.3
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0
2004	36	13.4	2.45	9.0	18.9	781	15.7	0.57	14.6	16.8
2005	32	10.5	2.10	6.8	15.3	755	14.9	0.55	13.8	16.0
2006	55	17.6	2.81	12.5	23.8	748	14.5	0.54	13.5	15.6
2007	42	11.7	2.16	7.9	16.6	772	14.8	0.54	13.7	15.8
2008	47	14.2	2.34	10.0	19.4	822	15.5	0.55	14.4	16.6
2009	31	8.6	1.75	5.5	12.6	869	16.0	0.55	14.9	17.1
2010	50	13.8	2.24	9.8	18.7	835	15.2	0.54	14.2	16.3
2011	50	12.4	1.95	8.8	16.7	850	15.1	0.53	14.1	16.2
2012	61	13.2	1.90	9.8	17.4	852	14.6	0.51	13.6	15.7
2013	77	16.8	2.14	12.9	21.4	894	15.2	0.52	14.2	16.3
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	14,012	13.8	0.12	13.6	14.0	2,452	18.0	0.38	17.3	18.8
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2
1991	406	10.6	0.54	9.5	11.7	52	12.0	1.75	8.8	15.9
1992	420	10.7	0.53	9.6	11.7	77	17.1	2.08	13.3	21.6
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6
1996	540	13.5	0.59	12.4	14.8	89	18.3	2.06	14.5	22.8
1997	511	12.8	0.57	11.7	13.9	77	13.8	1.64	10.8	17.3
1998	534	13.4	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3
1999	566	13.8	0.58	12.7	15.0	86	16.1	1.82	12.8	20.0
2000	615	15.0	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6
2003	590	14.0	0.58	12.9	15.2	126	22.2	2.09	18.3	26.7
2004	662	15.6	0.61	14.4	16.9	104	16.7	1.72	13.5	20.4
2005	613	14.3	0.58	13.1	15.5	128	21.4	2.02	17.6	25.7
2006	600	13.8	0.57	12.7	14.9	127	20.5	1.90	16.9	24.5
2007	636	14.3	0.58	13.2	15.5	109	18.4	1.88	14.9	22.4
2008	680	15.1	0.59	14.0	16.3	120	19.0	1.82	15.6	22.9
2009	724	15.8	0.60	14.7	17.1	129	20.2	1.88	16.7	24.2
2010	708	15.3	0.58	14.2	16.5	107	16.2	1.65	13.2	19.8
2011	718	15.3	0.58	14.1	16.5	116	17.4	1.70	14.2	21.0
2012	697	14.3	0.55	13.3	15.5	134	19.1	1.74	15.9	22.8
2013	740	15.1	0.57	14.0	16.3	135	18.5	1.68	15.4	22.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Pancreas</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	730	10.4	0.41	9.6	11.3	17,604	10.7	0.08	10.5	10.8
1990	10	5.5	1.85	2.5	10.2	580	9.4	0.39	8.6	10.2
1991	15	9.2	2.57	4.9	15.4	535	8.5	0.37	7.8	9.3
1992	12	7.0	2.18	3.4	12.3	542	8.4	0.37	7.7	9.2
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4
1994	15	8.5	2.32	4.6	14.1	664	10.0	0.39	9.2	10.8
1995	18	8.9	2.25	5.1	14.2	672	10.1	0.39	9.4	10.9
1996	21	11.0	2.60	6.5	17.0	708	10.7	0.40	9.9	11.5
1997	21	10.7	2.59	6.3	16.7	676	10.1	0.39	9.4	10.9
1998	21	7.5	1.87	4.3	11.9	750	11.2	0.41	10.4	12.0
1999	24	9.8	2.17	6.0	14.8	714	10.5	0.40	9.8	11.3
2000	29	12.6	2.54	8.1	18.3	710	10.5	0.40	9.7	11.3
2001	30	11.4	2.33	7.3	16.7	741	10.9	0.41	10.2	11.8
2002	25	8.7	1.90	5.4	13.1	758	11.0	0.40	10.2	11.8
2003	21	6.6	1.54	3.9	10.2	750	10.9	0.40	10.1	11.7
2004	37	11.2	1.98	7.7	15.6	747	10.6	0.39	9.9	11.4
2005	42	13.5	2.27	9.4	18.5	844	12.1	0.42	11.3	13.0
2006	36	10.6	1.90	7.3	14.9	761	10.9	0.40	10.1	11.7
2007	41	11.2	1.90	7.8	15.5	805	11.4	0.41	10.6	12.2
2008	51	12.2	1.86	8.9	16.3	807	11.3	0.41	10.5	12.1
2009	40	10.8	1.81	7.6	14.9	884	12.3	0.42	11.5	13.1
2010	51	12.1	1.79	8.8	16.0	835	11.5	0.40	10.7	12.3
2011	55	13.3	1.89	9.8	17.4	839	11.4	0.40	10.7	12.3
2012	60	12.4	1.69	9.3	16.1	862	11.7	0.41	10.9	12.5
2013	37	7.1	1.23	4.9	9.8	862	11.5	0.40	10.7	12.3
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	14,456	10.2	0.09	10.1	10.4	2,836	14.5	0.27	13.9	15.0
1990	474	8.7	0.41	7.9	9.5	100	14.9	1.52	12.1	18.2
1991	458	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9
1992	457	8.0	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5
1994	552	9.5	0.41	8.7	10.3	97	13.8	1.42	11.2	16.9
1995	568	9.8	0.42	9.0	10.6	103	14.5	1.45	11.8	17.6
1996	599	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1
1997	574	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0
1998	633	10.9	0.44	10.0	11.8	105	13.6	1.33	11.1	16.4
1999	587	10.0	0.42	9.2	10.8	111	14.3	1.37	11.8	17.2
2000	587	10.1	0.42	9.3	11.0	107	13.6	1.33	11.2	16.5
2001	607	10.4	0.43	9.6	11.3	120	14.7	1.35	12.2	17.6
2002	619	10.5	0.43	9.6	11.4	128	15.8	1.40	13.1	18.7
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0
2004	620	10.3	0.42	9.5	11.1	115	13.7	1.29	11.3	16.5
2005	680	11.5	0.45	10.6	12.4	148	17.5	1.45	14.8	20.6
2006	606	10.2	0.42	9.4	11.1	145	16.7	1.40	14.1	19.7
2007	654	10.9	0.44	10.1	11.8	141	15.9	1.35	13.4	18.8
2008	651	10.9	0.44	10.0	11.8	134	14.4	1.26	12.0	17.1
2009	719	11.9	0.46	11.0	12.8	143	15.5	1.31	13.1	18.3
2010	673	11.1	0.44	10.3	12.0	144	15.4	1.30	12.9	18.1
2011	670	11.1	0.44	10.2	12.0	144	14.5	1.23	12.2	17.2
2012	698	11.5	0.45	10.7	12.5	142	14.2	1.21	11.9	16.7
2013	686	11.1	0.43	10.2	11.9	151	15.0	1.24	12.7	17.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Respiratory System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,361	39.9	0.60	38.7	41.1	221,232	78.6	0.17	78.3	79.0
1990	125	39.8	4.00	32.3	48.3	7,833	73.3	0.84	71.7	75.0
1991	119	35.1	3.63	28.4	42.8	7,806	72.2	0.82	70.6	73.8
1992	127	36.0	3.55	29.4	43.5	8,230	75.6	0.84	74.0	77.3
1993	148	37.0	3.39	30.7	44.2	8,610	78.6	0.85	76.9	80.3
1994	164	40.9	3.60	34.1	48.4	9,172	83.0	0.87	81.3	84.8
1995	186	53.1	4.34	44.9	62.1	9,176	82.8	0.87	81.1	84.5
1996	198	50.3	4.03	42.7	58.6	9,171	82.6	0.86	80.9	84.3
1997	188	46.4	3.80	39.3	54.3	9,058	81.0	0.85	79.3	82.7
1998	227	58.0	4.29	49.9	66.9	9,155	81.2	0.85	79.6	82.9
1999	215	46.5	3.58	39.8	54.0	9,245	81.6	0.85	79.9	83.3
2000	207	41.3	3.25	35.2	48.1	9,122	80.1	0.84	78.5	81.8
2001	223	45.4	3.44	38.9	52.5	9,238	80.7	0.84	79.0	82.3
2002	203	39.2	3.10	33.4	45.7	9,558	82.8	0.85	81.2	84.5
2003	229	39.6	2.90	34.1	45.6	9,543	81.9	0.84	80.3	83.6
2004	270	45.0	3.07	39.2	51.4	9,247	78.8	0.82	77.2	80.5
2005	253	40.2	2.79	34.9	46.0	9,451	79.9	0.83	78.3	81.5
2006	250	37.9	2.64	32.9	43.3	9,671	81.1	0.83	79.5	82.8
2007	275	40.4	2.63	35.4	45.8	9,787	81.0	0.82	79.4	82.6
2008	314	42.1	2.62	37.1	47.4	9,759	79.5	0.81	77.9	81.1
2009	261	34.9	2.35	30.5	39.8	10,015	80.7	0.82	79.1	82.3
2010	282	34.3	2.23	30.1	38.9	9,682	76.9	0.79	75.3	78.5
2011	312	37.5	2.29	33.2	42.3	9,700	75.8	0.78	74.3	77.3
2012	312	35.6	2.17	31.5	40.0	9,615	74.0	0.77	72.5	75.5
2013	273	28.5	1.86	25.0	32.3	9,388	70.6	0.74	69.2	72.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	185,652	77.6	0.18	77.3	78.0	32,540	94.0	0.53	92.9	95.0
1990	6,668	71.2	0.88	69.4	72.9	1,112	93.3	2.86	87.8	99.0
1991	6,692	70.6	0.87	68.9	72.3	1,054	86.4	2.71	81.1	91.9
1992	7,014	73.9	0.89	72.2	75.7	1,157	94.4	2.83	88.9	100.1
1993	7,238	75.9	0.90	74.1	77.6	1,295	104.2	2.95	98.5	110.1
1994	7,794	81.2	0.92	79.4	83.0	1,297	102.9	2.91	97.2	108.7
1995	7,702	80.3	0.92	78.5	82.1	1,390	107.0	2.92	101.3	112.8
1996	7,677	80.1	0.92	78.3	81.9	1,394	107.2	2.92	101.5	113.0
1997	7,616	79.0	0.91	77.3	80.8	1,343	100.7	2.79	95.3	106.3
1998	7,679	79.3	0.91	77.5	81.1	1,355	100.6	2.77	95.2	106.1
1999	7,781	80.2	0.91	78.4	82.0	1,363	99.1	2.73	93.8	104.6
2000	7,731	79.5	0.91	77.8	81.3	1,280	91.3	2.59	86.3	96.5
2001	7,798	80.0	0.91	78.2	81.8	1,331	94.5	2.63	89.4	99.8
2002	8,034	82.0	0.92	80.2	83.8	1,397	97.0	2.64	91.9	102.3
2003	8,014	81.4	0.91	79.6	83.2	1,409	96.1	2.60	91.1	101.3
2004	7,703	77.8	0.89	76.1	79.6	1,421	96.0	2.59	91.0	101.2
2005	7,905	79.5	0.90	77.8	81.3	1,397	92.4	2.52	87.5	97.4
2006	8,062	80.5	0.90	78.8	82.3	1,460	95.2	2.54	90.3	100.3
2007	8,164	80.7	0.90	79.0	82.5	1,461	94.4	2.52	89.6	99.5
2008	8,192	79.9	0.89	78.2	81.7	1,401	88.0	2.40	83.3	92.8
2009	8,400	81.4	0.90	79.7	83.2	1,430	87.1	2.36	82.5	91.8
2010	8,048	77.0	0.87	75.3	78.7	1,435	86.3	2.33	81.8	91.0
2011	8,082	76.3	0.86	74.6	78.0	1,421	84.4	2.29	80.0	89.0
2012	7,929	73.8	0.84	72.2	75.5	1,494	87.4	2.32	82.9	92.1
2013	7,729	70.7	0.82	69.1	72.3	1,443	81.7	2.21	77.4	86.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Respiratory System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,114	51.9	1.06	49.8	54.0	126,894	105.6	0.30	105.0	106.1
1990	65	49.4	7.51	35.8	65.8	5,022	111.3	1.61	108.2	114.5
1991	70	47.1	6.61	35.1	61.5	4,961	108.5	1.58	105.4	111.6
1992	75	49.0	6.73	36.7	63.6	5,138	111.0	1.58	107.9	114.2
1993	96	52.9	6.42	41.1	66.7	5,321	115.0	1.61	111.9	118.2
1994	100	53.7	6.58	41.6	67.8	5,603	121.0	1.65	117.8	124.3
1995	115	76.4	8.45	60.8	94.3	5,553	118.3	1.61	115.2	121.5
1996	134	76.0	7.82	61.4	92.5	5,458	116.6	1.60	113.5	119.7
1997	116	63.6	6.96	50.6	78.3	5,395	114.2	1.57	111.1	117.3
1998	122	74.7	7.90	60.0	91.4	5,421	113.6	1.56	110.5	116.6
1999	125	58.2	6.11	46.9	71.2	5,400	112.5	1.54	109.5	115.6
2000	135	57.4	5.72	46.7	69.5	5,299	109.3	1.51	106.4	112.3
2001	126	58.0	5.95	46.9	70.5	5,334	109.9	1.52	107.0	113.0
2002	111	50.8	5.60	40.4	62.7	5,426	110.9	1.52	108.0	114.0
2003	145	55.5	5.22	45.8	66.5	5,351	107.5	1.48	104.6	110.4
2004	150	52.9	5.02	43.6	63.5	5,154	102.6	1.44	99.8	105.5
2005	155	53.4	4.87	44.3	63.6	5,220	102.4	1.43	99.6	105.2
2006	150	50.3	4.70	41.5	60.1	5,294	103.5	1.44	100.7	106.3
2007	165	54.6	4.73	45.7	64.5	5,329	102.2	1.42	99.5	105.0
2008	179	51.9	4.35	43.7	60.9	5,233	98.4	1.38	95.7	101.1
2009	131	39.5	3.87	32.3	47.6	5,352	98.8	1.37	96.1	101.5
2010	154	43.8	3.91	36.5	52.0	5,162	93.7	1.33	91.1	96.3
2011	172	48.5	4.09	40.8	57.0	5,265	94.0	1.32	91.4	96.6
2012	172	44.8	3.77	37.7	52.6	5,087	89.0	1.28	86.5	91.6
2013	151	35.1	3.18	29.2	41.8	5,116	87.0	1.25	84.6	89.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	105,839	103.0	0.32	102.4	103.6	19,167	136.0	1.03	134.0	138.0
1990	4,243	106.9	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,237	105.4	1.66	102.2	108.7	682	136.5	5.48	126.0	147.7
1992	4,349	107.3	1.66	104.1	110.6	752	149.7	5.73	138.7	161.3
1993	4,447	110.0	1.68	106.7	113.3	822	162.3	5.95	150.8	174.3
1994	4,738	117.4	1.73	114.0	120.8	814	159.2	5.87	147.9	171.1
1995	4,611	113.1	1.69	109.8	116.4	892	168.5	5.93	157.1	180.5
1996	4,538	111.7	1.68	108.5	115.1	857	162.7	5.82	151.5	174.5
1997	4,481	109.8	1.65	106.6	113.1	848	155.8	5.57	145.1	167.1
1998	4,491	108.9	1.64	105.7	112.2	843	155.4	5.60	144.6	166.7
1999	4,517	109.3	1.64	106.1	112.6	818	147.6	5.39	137.2	158.5
2000	4,433	106.6	1.61	103.4	109.8	800	139.9	5.16	130.0	150.4
2001	4,454	107.2	1.61	104.1	110.4	803	139.6	5.15	129.7	150.0
2002	4,562	109.2	1.63	106.0	112.4	794	134.7	5.00	125.1	144.8
2003	4,467	105.4	1.59	102.3	108.5	801	134.0	4.96	124.5	144.1
2004	4,258	99.7	1.54	96.7	102.7	818	137.5	5.05	127.7	147.7
2005	4,315	99.9	1.53	96.9	102.9	807	131.8	4.88	122.4	141.7
2006	4,389	101.3	1.54	98.3	104.4	808	130.4	4.83	121.1	140.2
2007	4,404	100.0	1.52	97.1	103.0	838	134.3	4.89	124.8	144.2
2008	4,366	97.4	1.49	94.5	100.4	775	119.9	4.53	111.2	129.1
2009	4,482	98.7	1.50	95.8	101.7	756	112.3	4.30	104.1	121.1
2010	4,274	92.6	1.44	89.8	95.5	775	113.0	4.28	104.8	121.7
2011	4,367	93.0	1.43	90.2	95.8	778	114.1	4.29	105.9	122.8
2012	4,200	87.9	1.38	85.2	90.7	769	111.3	4.22	103.1	119.8
2013	4,216	86.1	1.35	83.5	88.8	778	109.1	4.12	101.1	117.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Respiratory System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,247	30.5	0.69	29.2	31.9	94,338	59.4	0.19	59.0	59.8
1990	60	34.0	4.67	25.4	44.2	2,811	47.0	0.90	45.3	48.8
1991	49	25.8	4.08	18.5	34.9	2,845	46.7	0.89	45.0	48.5
1992	52	26.9	3.96	19.7	35.6	3,092	50.5	0.92	48.7	52.4
1993	52	24.4	3.63	17.8	32.4	3,289	53.1	0.94	51.3	55.0
1994	64	31.0	4.15	23.4	40.0	3,569	56.8	0.96	55.0	58.7
1995	71	36.5	4.62	28.0	46.5	3,623	57.8	0.97	55.9	59.8
1996	64	30.4	4.14	22.8	39.4	3,713	59.0	0.98	57.1	60.9
1997	72	33.1	4.24	25.3	42.2	3,663	57.5	0.96	55.7	59.5
1998	105	46.6	4.91	37.4	57.0	3,734	58.2	0.96	56.4	60.1
1999	90	36.9	4.28	29.0	46.0	3,845	59.8	0.97	57.9	61.7
2000	72	27.3	3.59	20.8	35.1	3,823	59.1	0.96	57.2	61.0
2001	97	35.0	3.98	27.6	43.5	3,904	60.0	0.97	58.1	61.9
2002	92	30.6	3.54	24.1	38.2	4,132	63.2	0.99	61.3	65.2
2003	84	26.5	3.14	20.7	33.2	4,192	63.9	0.99	61.9	65.8
2004	120	38.2	3.80	31.2	46.3	4,093	61.9	0.98	60.0	63.8
2005	98	29.2	3.20	23.3	36.0	4,231	63.7	0.99	61.8	65.7
2006	100	28.0	3.01	22.4	34.4	4,377	65.3	1.00	63.4	67.3
2007	110	29.3	2.96	23.8	35.6	4,458	65.7	1.00	63.8	67.7
2008	135	33.7	3.15	27.8	40.3	4,526	65.9	0.99	64.0	67.9
2009	130	31.6	2.95	26.1	37.9	4,663	67.4	1.00	65.5	69.4
2010	128	27.3	2.58	22.5	32.7	4,520	64.5	0.97	62.6	66.4
2011	140	29.7	2.66	24.7	35.2	4,435	62.2	0.95	60.3	64.1
2012	140	28.7	2.56	23.9	34.1	4,528	62.9	0.95	61.1	64.8
2013	122	23.4	2.24	19.2	28.1	4,272	58.3	0.91	56.5	60.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	79,813	59.5	0.21	59.1	59.9	13,373	65.9	0.57	64.8	67.0
1990	2,425	46.6	0.97	44.7	48.5	373	53.5	2.80	48.2	59.3
1991	2,455	46.2	0.95	44.4	48.1	372	52.1	2.73	46.9	57.7
1992	2,665	50.3	1.00	48.4	52.3	405	56.6	2.84	51.2	62.4
1993	2,791	52.2	1.01	50.2	54.2	473	65.0	3.02	59.2	71.1
1994	3,056	56.2	1.03	54.2	58.3	483	65.4	3.00	59.6	71.5
1995	3,091	57.3	1.05	55.2	59.3	498	65.4	2.96	59.8	71.5
1996	3,139	58.1	1.05	56.1	60.3	537	70.1	3.05	64.3	76.3
1997	3,135	57.5	1.04	55.5	59.6	495	63.2	2.86	57.7	69.0
1998	3,188	58.1	1.04	56.1	60.2	512	64.4	2.86	58.9	70.2
1999	3,264	59.5	1.05	57.4	61.6	545	67.2	2.90	61.6	73.1
2000	3,298	60.2	1.06	58.1	62.3	480	58.4	2.68	53.3	63.9
2001	3,344	60.9	1.07	58.8	63.0	528	63.9	2.80	58.5	69.6
2002	3,472	63.0	1.08	60.8	65.1	603	71.5	2.93	65.8	77.4
2003	3,547	64.4	1.09	62.3	66.6	608	70.7	2.89	65.2	76.6
2004	3,445	62.2	1.07	60.1	64.4	603	68.9	2.83	63.5	74.7
2005	3,590	64.8	1.10	62.7	67.0	590	66.5	2.76	61.2	72.1
2006	3,673	65.8	1.10	63.6	68.0	652	72.3	2.86	66.9	78.2
2007	3,760	66.8	1.11	64.7	69.0	623	68.6	2.78	63.3	74.3
2008	3,826	67.3	1.11	65.2	69.5	626	66.9	2.71	61.7	72.5
2009	3,918	68.7	1.12	66.5	70.9	674	70.4	2.75	65.2	76.0
2010	3,774	65.4	1.09	63.3	67.6	660	68.3	2.70	63.1	73.8
2011	3,715	63.7	1.07	61.6	65.8	643	64.5	2.58	59.5	69.7
2012	3,729	63.4	1.06	61.4	65.5	725	72.0	2.71	66.7	77.5
2013	3,513	58.8	1.01	56.8	60.8	665	64.1	2.53	59.2	69.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Larynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	453	3.1	0.16	2.8	3.4	13,442	4.8	0.04	4.7	4.9
1990	12	3.2	1.03	1.5	5.9	579	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1
1992	14	3.9	1.12	2.0	6.7	588	5.5	0.23	5.1	6.0
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9
1994	20	4.4	1.08	2.6	7.0	572	5.3	0.22	4.8	5.7
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3
1996	20	5.1	1.30	2.9	8.2	622	5.7	0.23	5.3	6.2
1997	19	5.2	1.37	2.9	8.4	597	5.4	0.22	5.0	5.9
1998	17	4.5	1.24	2.4	7.4	549	4.9	0.21	4.5	5.3
1999	16	3.3	0.91	1.8	5.5	560	5.0	0.21	4.6	5.4
2000	19	3.2	0.79	1.8	5.1	583	5.2	0.21	4.8	5.6
2001	18	2.8	0.76	1.5	4.7	545	4.8	0.20	4.4	5.2
2002	16	2.7	0.74	1.4	4.5	578	5.0	0.21	4.6	5.4
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0
2004	18	3.0	0.81	1.6	4.9	517	4.4	0.19	4.0	4.8
2005	17	2.7	0.70	1.5	4.4	541	4.5	0.20	4.2	4.9
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7
2007	32	4.1	0.78	2.7	5.9	548	4.4	0.19	4.1	4.8
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6
2009	19	2.3	0.57	1.3	3.7	537	4.2	0.18	3.8	4.6
2010	16	2.0	0.53	1.1	3.2	566	4.3	0.18	4.0	4.7
2011	26	3.2	0.67	2.0	4.7	527	4.0	0.18	3.7	4.4
2012	19	2.0	0.49	1.1	3.1	519	3.9	0.17	3.6	4.3
2013	19	1.8	0.45	1.1	2.9	506	3.7	0.17	3.4	4.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	10,667	4.5	0.04	4.4	4.6	2,602	7.1	0.14	6.9	7.4
1990	461	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	465	5.1	0.24	4.6	5.5	118	9.4	0.88	7.8	11.3
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	465	5.0	0.23	4.5	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	459	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	432	4.5	0.22	4.1	5.0	110	7.9	0.76	6.5	9.5
1999	442	4.7	0.22	4.2	5.1	111	7.6	0.73	6.2	9.2
2000	476	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	422	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2
2002	457	4.7	0.22	4.3	5.2	117	7.7	0.72	6.4	9.3
2003	409	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7
2004	400	4.0	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3
2005	437	4.4	0.21	4.0	4.8	100	6.2	0.62	5.0	7.5
2006	417	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9
2007	428	4.2	0.20	3.8	4.6	113	6.8	0.65	5.6	8.2
2008	433	4.2	0.21	3.8	4.6	82	4.8	0.54	3.8	6.0
2009	426	4.1	0.20	3.7	4.5	103	5.8	0.58	4.7	7.0
2010	444	4.1	0.20	3.8	4.6	114	6.0	0.58	5.0	7.3
2011	434	4.1	0.20	3.7	4.5	86	4.9	0.54	3.9	6.0
2012	412	3.8	0.19	3.4	4.2	101	5.7	0.58	4.6	6.9
2013	395	3.6	0.18	3.2	3.9	102	5.7	0.57	4.6	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Larynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	377	5.7	0.33	5.0	6.3	10,681	8.6	0.08	8.4	8.7
1990	7	3.8	1.70	1.3	8.7	453	10.0	0.48	9.0	10.9
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	477	9.9	0.46	9.0	10.8
1994	16	8.1	2.39	4.1	14.0	456	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	492	10.4	0.48	9.5	11.4
1996	18	10.7	3.08	5.5	18.0	475	9.9	0.46	9.1	10.9
1997	16	10.3	3.08	5.2	17.6	472	9.7	0.45	8.8	10.6
1998	11	6.6	2.39	2.8	12.5	456	9.3	0.44	8.5	10.2
1999	13	5.8	1.88	2.7	10.5	466	9.4	0.44	8.6	10.3
2000	19	6.7	1.68	3.8	10.8	468	9.4	0.43	8.5	10.2
2001	13	5.2	1.66	2.5	9.4	437	8.8	0.42	8.0	9.6
2002	14	5.1	1.59	2.5	9.1	460	9.0	0.42	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	15	6.3	1.89	3.2	10.8	420	8.0	0.40	7.3	8.8
2005	15	5.6	1.54	3.0	9.3	427	8.0	0.39	7.2	8.8
2006	14	3.8	1.17	1.8	6.7	421	7.8	0.39	7.1	8.6
2007	28	8.1	1.68	5.2	12.0	437	7.9	0.39	7.2	8.7
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	16	4.6	1.24	2.5	7.6	421	7.3	0.36	6.6	8.0
2010	11	2.8	0.92	1.3	5.1	437	7.4	0.36	6.7	8.1
2011	21	5.7	1.39	3.4	9.0	418	7.2	0.36	6.5	7.9
2012	16	3.8	1.06	2.0	6.3	393	6.6	0.34	6.0	7.3
2013	15	3.2	0.91	1.6	5.4	408	6.6	0.33	5.9	7.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,530	8.1	0.09	7.9	8.3	2,017	13.3	0.31	12.7	13.9
1990	358	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2
1993	383	9.1	0.47	8.2	10.0	88	16.8	1.87	13.3	20.8
1994	369	8.9	0.47	8.0	9.9	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	96	17.3	1.84	13.9	21.3
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	361	8.7	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	364	8.7	0.46	7.8	9.6	86	14.8	1.65	11.8	18.4
1999	368	8.7	0.46	7.9	9.7	92	15.2	1.63	12.1	18.7
2000	384	9.0	0.46	8.1	10.0	79	13.2	1.55	10.4	16.6
2001	342	8.2	0.44	7.3	9.1	89	13.8	1.49	11.1	17.1
2002	371	8.6	0.45	7.7	9.5	86	13.9	1.55	11.0	17.3
2003	325	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3
2004	332	7.5	0.42	6.7	8.4	79	12.4	1.46	9.6	15.5
2005	342	7.6	0.42	6.8	8.5	81	11.7	1.33	9.2	14.6
2006	342	7.6	0.41	6.8	8.5	71	10.6	1.32	8.1	13.5
2007	334	7.3	0.40	6.5	8.1	99	14.2	1.47	11.4	17.3
2008	345	7.3	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7
2009	333	7.0	0.39	6.2	7.8	83	11.1	1.27	8.8	13.9
2010	343	7.1	0.39	6.3	7.9	88	10.8	1.20	8.6	13.5
2011	351	7.2	0.39	6.5	8.0	62	8.6	1.15	6.5	11.2
2012	319	6.4	0.37	5.7	7.2	70	9.7	1.22	7.5	12.4
2013	321	6.2	0.35	5.5	6.9	79	11.1	1.31	8.6	13.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Larynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	76	0.9	0.11	0.7	1.1	2,761	1.8	0.03	1.7	1.9
1990	5	2.7	1.27	0.8	6.3	126	2.2	0.20	1.8	2.6
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5
1992	4	2.1	1.07	0.6	5.2	124	2.1	0.19	1.8	2.5
1993	4	1.5	0.76	0.4	3.9	108	1.8	0.18	1.5	2.2
1994	4	1.5	0.74	0.4	3.8	116	1.9	0.18	1.6	2.3
1995	3	1.2	0.68	0.2	3.4	147	2.5	0.21	2.1	2.9
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5
1998	6	3.0	1.32	1.0	6.4	93	1.5	0.15	1.2	1.8
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9
2000	0					115	1.9	0.17	1.5	2.2
2001	5	0.9	0.40	0.3	2.3	108	1.7	0.17	1.4	2.1
2002	2	0.6	0.41	0.1	2.0	118	1.9	0.17	1.5	2.2
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8
2005	2	0.4	0.28	0.0	1.5	114	1.8	0.17	1.5	2.2
2006	1	0.3	0.32	0.0	1.5	96	1.5	0.15	1.2	1.8
2007	4	0.7	0.35	0.2	1.8	111	1.7	0.16	1.4	2.1
2008	3	0.6	0.34	0.1	1.7	103	1.5	0.15	1.2	1.9
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0
2010	5	1.2	0.59	0.3	2.8	129	1.8	0.16	1.5	2.1
2011	5	1.1	0.51	0.3	2.5	109	1.5	0.15	1.3	1.9
2012	3	0.5	0.29	0.1	1.4	126	1.7	0.16	1.4	2.1
2013	4	0.7	0.37	0.2	1.8	98	1.4	0.14	1.1	1.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,137	1.7	0.04	1.6	1.7	585	2.8	0.11	2.5	3.0
1990	103	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7
1992	90	1.8	0.19	1.4	2.2	34	4.7	0.81	3.3	6.6
1993	84	1.7	0.18	1.3	2.1	23	3.1	0.65	1.9	4.6
1994	96	1.9	0.20	1.5	2.3	18	2.3	0.55	1.4	3.6
1995	108	2.2	0.21	1.8	2.6	38	4.9	0.80	3.5	6.8
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5
1998	68	1.3	0.16	1.0	1.6	24	3.0	0.62	1.9	4.5
1999	74	1.5	0.17	1.1	1.8	19	2.2	0.51	1.3	3.5
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5
2001	80	1.6	0.18	1.2	2.0	26	3.1	0.60	2.0	4.5
2002	86	1.6	0.18	1.3	2.0	31	3.5	0.62	2.3	4.9
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4
2005	95	1.8	0.19	1.5	2.2	19	2.1	0.48	1.2	3.2
2006	75	1.4	0.16	1.1	1.8	20	2.1	0.48	1.3	3.3
2007	94	1.8	0.18	1.4	2.2	14	1.5	0.40	0.8	2.5
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0
2010	101	1.7	0.17	1.4	2.1	26	2.5	0.49	1.6	3.6
2011	83	1.5	0.16	1.2	1.8	24	2.3	0.47	1.4	3.4
2012	93	1.6	0.17	1.3	1.9	31	2.9	0.53	2.0	4.2
2013	74	1.3	0.16	1.0	1.7	23	2.1	0.45	1.3	3.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Lung and Bronchus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	4,737	36.1	0.58	35.0	37.2	205,337	73.0	0.16	72.7	73.3
1990	112	36.4	3.86	29.2	44.6	7,171	67.0	0.80	65.5	68.6
1991	98	30.3	3.40	24.0	37.6	7,103	65.6	0.79	64.1	67.1
1992	107	31.1	3.34	24.9	38.2	7,537	69.1	0.80	67.6	70.7
1993	122	32.2	3.22	26.2	39.0	7,914	72.2	0.82	70.6	73.8
1994	139	36.0	3.43	29.6	43.2	8,502	76.9	0.84	75.2	78.5
1995	160	47.7	4.16	39.8	56.4	8,455	76.2	0.83	74.6	77.8
1996	174	44.2	3.77	37.1	52.0	8,446	76.0	0.83	74.4	77.6
1997	166	40.9	3.54	34.2	48.3	8,368	74.7	0.82	73.1	76.4
1998	206	52.3	4.05	44.7	60.7	8,496	75.3	0.82	73.7	76.9
1999	194	42.7	3.45	36.2	49.9	8,568	75.6	0.82	74.0	77.2
2000	177	36.4	3.10	30.6	42.9	8,437	74.0	0.81	72.5	75.6
2001	197	41.9	3.35	35.6	48.9	8,599	75.1	0.81	73.5	76.7
2002	178	35.3	2.97	29.7	41.5	8,865	76.8	0.82	75.2	78.5
2003	200	36.2	2.81	30.9	42.0	8,891	76.3	0.81	74.8	77.9
2004	243	41.1	2.93	35.6	47.2	8,640	73.7	0.80	72.1	75.3
2005	228	36.8	2.69	31.7	42.4	8,824	74.6	0.80	73.0	76.2
2006	230	35.3	2.56	30.5	40.6	9,044	75.9	0.80	74.4	77.5
2007	237	36.0	2.51	31.2	41.1	9,121	75.5	0.80	74.0	77.1
2008	273	38.3	2.54	33.5	43.5	9,118	74.3	0.79	72.8	75.9
2009	234	31.8	2.26	27.5	36.5	9,374	75.6	0.79	74.1	77.2
2010	255	31.6	2.14	27.5	36.0	9,022	71.8	0.77	70.3	73.3
2011	277	33.7	2.18	29.6	38.2	9,070	70.9	0.76	69.4	72.4
2012	284	33.2	2.11	29.2	37.5	8,996	69.3	0.74	67.8	70.7
2013	246	26.2	1.79	22.8	29.9	8,776	66.1	0.72	64.7	67.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	172,889	72.2	0.17	71.9	72.6	29,637	86.0	0.51	85.1	87.0
1990	6,136	65.4	0.85	63.7	67.0	988	83.2	2.70	78.0	88.7
1991	6,119	64.4	0.83	62.8	66.1	930	76.6	2.56	71.7	81.8
1992	6,459	67.9	0.85	66.2	69.6	1,025	83.9	2.67	78.7	89.3
1993	6,676	69.9	0.86	68.2	71.6	1,170	94.4	2.82	88.9	100.1
1994	7,244	75.3	0.89	73.5	77.0	1,187	94.6	2.80	89.2	100.2
1995	7,132	74.1	0.88	72.4	75.9	1,243	96.1	2.78	90.7	101.7
1996	7,083	73.7	0.88	72.0	75.4	1,274	98.3	2.80	92.9	103.9
1997	7,079	73.3	0.87	71.6	75.0	1,207	91.0	2.66	85.9	96.4
1998	7,151	73.7	0.87	72.0	75.4	1,233	91.8	2.66	86.7	97.2
1999	7,236	74.4	0.88	72.7	76.2	1,239	90.7	2.62	85.7	96.0
2000	7,175	73.7	0.87	72.0	75.4	1,165	83.5	2.48	78.7	88.5
2001	7,295	74.8	0.88	73.1	76.5	1,204	86.1	2.52	81.2	91.1
2002	7,475	76.2	0.88	74.5	77.9	1,270	88.6	2.53	83.7	93.7
2003	7,504	76.1	0.88	74.4	77.9	1,273	87.3	2.49	82.5	92.3
2004	7,222	72.9	0.86	71.3	74.6	1,306	88.6	2.49	83.7	93.6
2005	7,398	74.4	0.87	72.7	76.1	1,282	85.3	2.43	80.6	90.2
2006	7,553	75.4	0.87	73.7	77.1	1,353	88.6	2.45	83.9	93.6
2007	7,641	75.6	0.87	73.9	77.3	1,331	86.5	2.42	81.8	91.4
2008	7,665	74.8	0.86	73.1	76.5	1,303	82.2	2.33	77.7	86.9
2009	7,890	76.5	0.87	74.8	78.2	1,312	80.4	2.27	76.0	85.0
2010	7,520	72.0	0.84	70.4	73.7	1,312	79.8	2.26	75.4	84.3
2011	7,562	71.3	0.83	69.7	73.0	1,321	78.7	2.22	74.5	83.2
2012	7,432	69.2	0.82	67.6	70.9	1,379	81.0	2.23	76.6	85.5
2013	7,242	66.2	0.79	64.7	67.8	1,330	75.4	2.12	71.3	79.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Lung and Bronchus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,621	45.2	1.00	43.3	47.2	114,743	95.8	0.29	95.2	96.3
1990	57	45.2	7.31	32.1	61.2	4,516	100.2	1.53	97.2	103.3
1991	57	39.4	6.12	28.3	52.8	4,424	97.0	1.49	94.1	100.0
1992	61	41.4	6.30	30.0	55.2	4,616	99.8	1.50	96.9	102.8
1993	77	45.0	6.07	33.9	58.2	4,786	103.9	1.53	101.0	107.0
1994	80	44.9	6.11	33.7	58.2	5,089	110.3	1.57	107.2	113.4
1995	95	66.7	7.99	52.0	83.7	5,001	106.6	1.53	103.7	109.7
1996	112	63.0	7.04	50.0	78.0	4,918	105.3	1.52	102.3	108.3
1997	97	52.6	6.23	41.1	65.9	4,860	103.3	1.50	100.4	106.2
1998	109	66.7	7.46	52.9	82.5	4,900	102.9	1.48	100.0	105.9
1999	110	52.0	5.80	41.2	64.3	4,865	101.7	1.47	98.8	104.6
2000	108	47.9	5.34	38.0	59.2	4,771	98.8	1.44	96.0	101.7
2001	110	52.3	5.70	41.7	64.4	4,842	100.1	1.45	97.3	103.0
2002	92	44.3	5.33	34.5	55.7	4,883	100.3	1.45	97.5	103.2
2003	119	48.8	5.00	39.5	59.3	4,870	98.1	1.42	95.4	101.0
2004	129	45.5	4.59	37.0	55.2	4,684	93.6	1.38	90.9	96.3
2005	133	46.5	4.58	38.0	56.2	4,739	93.4	1.37	90.7	96.1
2006	131	45.1	4.48	36.8	54.6	4,810	94.5	1.38	91.8	97.2
2007	134	46.1	4.42	37.9	55.4	4,826	93.0	1.36	90.4	95.7
2008	141	44.7	4.15	36.9	53.4	4,736	89.5	1.32	86.9	92.1
2009	110	33.8	3.61	27.0	41.4	4,870	90.3	1.32	87.8	92.9
2010	133	39.5	3.76	32.5	47.4	4,669	85.3	1.27	82.8	87.8
2011	146	41.8	3.82	34.7	49.8	4,779	85.6	1.26	83.1	88.1
2012	149	40.3	3.61	33.6	47.9	4,644	81.6	1.22	79.2	84.0
2013	131	31.4	3.04	25.8	37.8	4,645	79.4	1.19	77.1	81.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	96,044	93.7	0.30	93.1	94.3	16,982	121.7	0.98	119.7	123.6
1990	3,842	96.8	1.60	93.7	100.0	638	132.3	5.51	121.7	143.5
1991	3,797	94.6	1.57	91.6	97.8	591	119.5	5.16	109.6	130.0
1992	3,924	96.8	1.57	93.7	99.9	661	132.4	5.41	122.1	143.4
1993	4,012	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,319	107.2	1.66	104.0	110.5	727	143.7	5.62	132.9	155.1
1995	4,168	102.2	1.60	99.0	105.4	786	149.6	5.61	138.8	161.0
1996	4,098	101.0	1.60	97.9	104.2	765	146.3	5.54	135.6	157.5
1997	4,067	99.9	1.58	96.8	103.0	740	137.8	5.28	127.6	148.5
1998	4,070	98.8	1.56	95.8	102.0	749	139.3	5.34	129.0	150.1
1999	4,089	99.1	1.56	96.1	102.2	717	131.1	5.12	121.3	141.5
2000	4,000	96.4	1.53	93.4	99.4	714	125.7	4.91	116.3	135.7
2001	4,066	97.9	1.54	94.9	101.0	705	124.5	4.91	115.0	134.4
2002	4,117	98.9	1.55	95.9	102.0	700	119.7	4.73	110.6	129.3
2003	4,085	96.6	1.52	93.6	99.6	707	119.0	4.69	110.0	128.5
2004	3,879	91.0	1.47	88.2	93.9	736	124.8	4.83	115.5	134.5
2005	3,931	91.3	1.47	88.4	94.2	715	118.5	4.68	109.5	128.0
2006	3,997	92.6	1.48	89.7	95.5	726	118.2	4.61	109.3	127.5
2007	4,009	91.4	1.46	88.5	94.3	736	119.6	4.66	110.7	129.1
2008	3,960	88.7	1.43	85.9	91.5	697	108.7	4.34	100.4	117.5
2009	4,100	90.5	1.43	87.8	93.4	664	100.1	4.09	92.2	108.4
2010	3,880	84.4	1.38	81.7	87.1	682	101.6	4.10	93.7	110.0
2011	3,958	84.5	1.37	81.8	87.2	708	104.4	4.11	96.5	112.8
2012	3,838	80.5	1.33	78.0	83.2	693	100.7	4.02	93.0	108.9
2013	3,838	78.7	1.30	76.2	81.3	695	97.4	3.89	90.0	105.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Lung and Bronchus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,116	29.2	0.68	27.8	30.5	90,594	56.9	0.19	56.6	57.3
1990	55	31.3	4.49	23.1	41.2	2,655	44.3	0.88	42.6	46.1
1991	41	23.4	3.92	16.3	32.1	2,679	43.9	0.86	42.2	45.6
1992	46	24.2	3.79	17.4	32.6	2,921	47.6	0.89	45.9	49.4
1993	45	22.3	3.53	15.9	30.1	3,128	50.5	0.91	48.7	52.3
1994	59	29.3	4.08	21.9	38.2	3,413	54.2	0.94	52.4	56.1
1995	65	34.5	4.54	26.1	44.3	3,454	55.0	0.95	53.1	56.9
1996	62	29.4	4.08	21.9	38.2	3,528	55.9	0.95	54.1	57.8
1997	69	31.6	4.12	24.1	40.5	3,508	55.0	0.94	53.2	56.9
1998	97	42.7	4.67	34.0	52.6	3,596	56.0	0.94	54.2	57.9
1999	84	35.0	4.19	27.3	44.0	3,703	57.5	0.95	55.6	59.4
2000	69	26.5	3.55	20.0	34.2	3,666	56.6	0.94	54.8	58.5
2001	87	33.3	3.94	26.0	41.7	3,757	57.7	0.95	55.8	59.6
2002	86	28.9	3.45	22.6	36.3	3,982	60.8	0.97	58.9	62.7
2003	81	26.0	3.13	20.2	32.7	4,021	61.1	0.97	59.3	63.1
2004	114	37.1	3.76	30.1	45.0	3,956	59.8	0.96	57.9	61.7
2005	95	28.8	3.19	22.9	35.5	4,085	61.4	0.97	59.5	63.3
2006	99	27.7	2.99	22.1	34.0	4,234	63.2	0.98	61.3	65.1
2007	103	28.2	2.93	22.8	34.4	4,295	63.2	0.98	61.3	65.2
2008	132	33.1	3.13	27.3	39.7	4,382	63.8	0.98	61.9	65.7
2009	124	30.6	2.91	25.2	36.8	4,504	65.1	0.98	63.2	67.1
2010	122	26.0	2.51	21.3	31.3	4,353	62.1	0.96	60.3	64.0
2011	131	28.1	2.59	23.2	33.5	4,291	60.1	0.93	58.3	62.0
2012	135	28.0	2.54	23.3	33.4	4,352	60.5	0.93	58.6	62.3
2013	115	22.3	2.19	18.2	26.9	4,131	56.3	0.89	54.5	58.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	76,845	57.2	0.21	56.8	57.6	12,655	62.5	0.56	61.4	63.6
1990	2,294	43.9	0.94	42.1	45.8	350	50.3	2.72	45.1	55.9
1991	2,322	43.6	0.92	41.8	45.5	339	47.6	2.62	42.7	53.0
1992	2,535	47.8	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5
1993	2,664	49.7	0.98	47.8	51.7	440	60.6	2.92	55.0	66.5
1994	2,925	53.6	1.01	51.7	55.6	460	62.4	2.94	56.7	68.4
1995	2,964	54.7	1.02	52.7	56.8	457	60.3	2.84	54.8	66.1
1996	2,985	55.1	1.03	53.2	57.2	509	66.6	2.97	60.9	72.6
1997	3,012	55.1	1.02	53.1	57.1	467	59.7	2.78	54.4	65.4
1998	3,081	56.2	1.03	54.2	58.2	484	60.9	2.79	55.6	66.6
1999	3,147	57.3	1.03	55.3	59.3	522	64.5	2.84	59.1	70.3
2000	3,175	57.8	1.04	55.8	59.9	451	55.0	2.61	50.0	60.4
2001	3,229	58.7	1.05	56.7	60.8	499	60.4	2.72	55.2	66.0
2002	3,358	60.8	1.06	58.7	62.9	570	67.8	2.86	62.3	73.6
2003	3,419	62.0	1.07	59.9	64.1	566	66.1	2.80	60.7	71.8
2004	3,343	60.3	1.06	58.2	62.4	570	65.2	2.75	59.9	70.8
2005	3,467	62.5	1.08	60.4	64.6	567	64.0	2.71	58.8	69.5
2006	3,556	63.6	1.08	61.5	65.8	627	69.7	2.81	64.3	75.4
2007	3,632	64.4	1.09	62.3	66.6	595	65.6	2.71	60.4	71.1
2008	3,705	65.1	1.09	63.0	67.3	606	64.9	2.67	59.8	70.4
2009	3,790	66.4	1.10	64.2	68.6	648	67.9	2.70	62.7	73.4
2010	3,640	63.1	1.07	61.0	65.2	630	65.4	2.64	60.4	70.8
2011	3,604	61.6	1.05	59.6	63.7	613	61.6	2.53	56.7	66.7
2012	3,594	61.1	1.04	59.1	63.2	686	68.2	2.65	63.1	73.6
2013	3,404	56.8	0.99	54.9	58.8	635	61.3	2.47	56.5	66.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Bones and Joints</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	271	0.8	0.06	0.7	1.0	2,318	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	96	0.9	0.09	0.7	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	6	0.6	0.26	0.2	1.6	99	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	103	0.9	0.09	0.8	1.1
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	98	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	8	0.4	0.13	0.2	1.0	103	0.9	0.09	0.8	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	112	1.0	0.10	0.8	1.2
2007	15	0.8	0.21	0.4	1.4	114	1.0	0.10	0.9	1.2
2008	6	0.6	0.28	0.2	1.4	86	0.8	0.08	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	95	0.9	0.09	0.7	1.1
2010	10	0.4	0.14	0.2	0.9	93	0.8	0.09	0.7	1.0
2011	11	0.5	0.17	0.3	1.1	97	0.9	0.09	0.7	1.0
2012	19	1.0	0.26	0.6	1.7	99	0.8	0.09	0.7	1.0
2013	22	1.3	0.33	0.7	2.1	101	0.9	0.09	0.7	1.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,910	0.9	0.02	0.9	1.0	308	0.7	0.04	0.6	0.8
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7
1996	87	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3
2000	88	1.0	0.11	0.8	1.2	8	0.4	0.16	0.2	0.9
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5
2002	82	0.9	0.10	0.7	1.2	12	0.6	0.18	0.3	1.1
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2
2004	73	0.8	0.10	0.7	1.1	22	1.2	0.26	0.7	1.9
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1
2006	90	1.1	0.11	0.8	1.3	17	0.9	0.21	0.5	1.4
2007	90	1.1	0.11	0.9	1.3	16	0.8	0.21	0.5	1.4
2008	74	0.9	0.10	0.7	1.1	7	0.3	0.13	0.1	0.7
2009	73	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6
2010	76	0.9	0.10	0.7	1.1	14	0.8	0.21	0.4	1.3
2011	74	0.8	0.10	0.6	1.0	16	0.8	0.20	0.4	1.3
2012	84	0.9	0.10	0.7	1.1	11	0.6	0.19	0.3	1.1
2013	87	1.0	0.11	0.8	1.3	13	0.7	0.19	0.4	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Bones and Joints</b>											
<b>Males</b>											
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	145	0.8	0.09	0.7	1.0	1,260	1.0	0.03	1.0	1.1	
1990	7	3.7	1.82	1.0	8.9	49	1.0	0.14	0.7	1.3	
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4	
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0	
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1	
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2	
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6	
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5	
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5	
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1	
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5	
2000	9	1.1	0.39	0.4	2.8	57	1.1	0.15	0.8	1.4	
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0	
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2	
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5	
2004	5	0.4	0.20	0.1	1.7	60	1.1	0.15	0.9	1.5	
2005	6	0.9	0.46	0.2	2.5	57	1.1	0.14	0.8	1.4	
2006	10	1.6	0.67	0.6	3.5	55	1.1	0.15	0.8	1.4	
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6	
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1	
2009	11	0.9	0.29	0.4	2.0	48	0.9	0.13	0.7	1.2	
2010	2	0.2	0.14	0.0	1.0	56	1.0	0.14	0.8	1.3	
2011	8	0.8	0.32	0.3	1.9	52	1.0	0.13	0.7	1.3	
2012	10	0.8	0.27	0.4	1.8	58	1.1	0.14	0.8	1.4	
2013	11	1.3	0.48	0.5	2.6	61	1.2	0.15	0.9	1.5	
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	1,041	1.1	0.03	1.0	1.1	167	0.9	0.07	0.7	1.0	
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0	
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1	
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5	
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4	
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6	
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0	
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9	
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9	
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8	
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3	
2000	45	1.1	0.16	0.8	1.5	6	0.8	0.38	0.3	1.9	
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0	
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5	
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0	
2004	41	1.0	0.16	0.7	1.4	15	1.8	0.51	1.0	3.2	
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5	
2006	41	1.0	0.16	0.7	1.4	10	1.0	0.31	0.5	1.9	
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9	
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2	
2009	41	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6	
2010	48	1.1	0.16	0.8	1.5	6	0.7	0.29	0.2	1.6	
2011	37	0.8	0.14	0.6	1.2	13	1.4	0.43	0.7	2.6	
2012	52	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6	
2013	53	1.3	0.18	1.0	1.7	8	0.8	0.31	0.4	1.7	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Bones and Joints</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	126	0.8	0.09	0.7	1.0	1,058	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	3	0.5	0.28	0.1	2.0	41	0.7	0.12	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	51	0.9	0.12	0.7	1.2
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	6	0.6	0.26	0.2	1.7	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	7	0.8	0.31	0.3	1.8	50	0.9	0.12	0.6	1.1
2008	3	0.5	0.32	0.1	1.6	45	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	47	0.8	0.12	0.6	1.1
2010	8	0.7	0.25	0.3	1.6	37	0.6	0.11	0.5	0.9
2011	3	0.2	0.14	0.1	0.9	45	0.8	0.12	0.6	1.1
2012	9	1.1	0.41	0.5	2.2	41	0.7	0.11	0.5	0.9
2013	11	1.3	0.45	0.6	2.5	40	0.7	0.11	0.5	0.9
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	869	0.8	0.03	0.8	0.9	141	0.6	0.05	0.5	0.7
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4
1996	37	0.9	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9
2002	42	0.9	0.14	0.7	1.3	6	0.6	0.24	0.2	1.3
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5
2007	37	0.8	0.14	0.6	1.1	8	0.8	0.27	0.3	1.5
2008	38	0.9	0.14	0.6	1.2	3	0.3	0.15	0.1	0.8
2009	32	0.8	0.14	0.5	1.1	12	1.2	0.36	0.6	2.1
2010	28	0.6	0.12	0.4	0.9	8	0.8	0.29	0.4	1.6
2011	37	0.8	0.14	0.6	1.2	3	0.3	0.17	0.1	0.9
2012	32	0.7	0.13	0.5	1.0	8	0.8	0.27	0.3	1.5
2013	34	0.8	0.14	0.5	1.1	5	0.5	0.22	0.2	1.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Soft Tissue including Heart										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	670	2.8	0.13	2.5	3.1	8,060	3.0	0.03	2.9	3.0
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	16	2.6	0.81	1.3	4.7	247	2.3	0.15	2.0	2.6
1993	11	1.4	0.50	0.6	2.8	244	2.3	0.15	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	17	1.9	0.51	1.0	3.3	276	2.5	0.15	2.2	2.8
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	25	3.4	0.87	2.0	5.6	337	3.1	0.17	2.7	3.4
1998	26	2.9	0.69	1.7	4.6	322	2.9	0.16	2.6	3.2
1999	16	1.6	0.50	0.8	3.0	319	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	283	2.5	0.15	2.2	2.8
2001	28	3.0	0.76	1.7	4.9	344	3.1	0.17	2.8	3.4
2002	19	1.6	0.44	0.9	2.8	324	2.9	0.16	2.6	3.2
2003	32	2.4	0.55	1.4	3.7	377	3.3	0.17	3.0	3.7
2004	34	3.0	0.64	1.9	4.5	355	3.1	0.17	2.8	3.4
2005	36	2.6	0.53	1.7	3.9	355	3.1	0.16	2.8	3.4
2006	32	3.5	0.73	2.2	5.2	401	3.5	0.18	3.2	3.8
2007	40	3.7	0.71	2.4	5.3	380	3.3	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	398	3.5	0.18	3.1	3.8
2009	40	3.2	0.62	2.1	4.6	382	3.3	0.17	2.9	3.6
2010	48	3.7	0.67	2.5	5.2	399	3.4	0.17	3.0	3.7
2011	35	2.7	0.53	1.7	3.9	390	3.3	0.17	3.0	3.6
2012	55	3.7	0.56	2.7	4.9	401	3.3	0.17	3.0	3.6
2013	49	3.3	0.53	2.3	4.5	431	3.6	0.18	3.2	3.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,525	2.9	0.04	2.9	3.0	1,252	3.3	0.09	3.1	3.5
1990	198	2.2	0.16	1.9	2.6	41	2.9	0.48	2.0	4.0
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	199	2.2	0.16	1.9	2.6	41	3.0	0.47	2.1	4.0
1993	206	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9
1995	231	2.5	0.17	2.2	2.9	39	2.4	0.40	1.7	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	272	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0
1998	257	2.8	0.17	2.4	3.1	56	3.6	0.50	2.7	4.7
1999	250	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	232	2.5	0.16	2.2	2.8	43	2.7	0.42	1.9	3.6
2001	284	3.1	0.19	2.8	3.5	48	3.1	0.46	2.3	4.1
2002	268	2.9	0.18	2.6	3.3	45	2.8	0.43	2.0	3.8
2003	315	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	282	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	275	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8
2006	318	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4
2007	310	3.4	0.19	3.0	3.8	55	3.3	0.45	2.4	4.3
2008	320	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8
2009	303	3.2	0.19	2.9	3.6	53	3.1	0.43	2.3	4.0
2010	317	3.2	0.19	2.9	3.6	62	3.6	0.46	2.7	4.6
2011	316	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4
2012	324	3.3	0.19	2.9	3.7	65	3.5	0.45	2.7	4.5
2013	336	3.5	0.20	3.1	3.9	66	3.7	0.47	2.9	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Soft Tissue including Heart											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	372	3.2	0.22	2.8	3.7	4,255	3.5	0.05	3.4	3.6	
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3	
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7	
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9	
1993	6	1.1	0.57	0.3	3.7	123	2.5	0.23	2.1	3.0	
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7	
1995	14	2.8	0.92	1.3	5.7	140	2.9	0.25	2.4	3.4	
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5	
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4	
1998	12	3.0	1.18	1.2	6.3	178	3.7	0.28	3.1	4.2	
1999	12	2.6	1.01	1.0	5.5	176	3.5	0.27	3.0	4.1	
2000	5	0.9	0.48	0.2	2.8	147	3.0	0.25	2.5	3.5	
2001	14	2.6	0.90	1.2	5.2	188	3.7	0.27	3.2	4.3	
2002	9	1.2	0.48	0.4	2.9	167	3.4	0.27	2.9	4.0	
2003	21	3.5	1.24	1.5	6.7	186	3.7	0.27	3.2	4.3	
2004	20	3.6	1.11	1.8	6.4	191	3.7	0.27	3.2	4.3	
2005	22	2.7	0.72	1.5	4.6	187	3.6	0.27	3.1	4.2	
2006	21	4.7	1.21	2.6	7.6	192	3.8	0.27	3.2	4.3	
2007	14	3.2	1.14	1.4	6.1	219	4.2	0.29	3.7	4.8	
2008	14	2.0	0.81	0.7	4.1	214	4.1	0.29	3.6	4.7	
2009	24	4.9	1.29	2.7	8.0	191	3.6	0.26	3.1	4.2	
2010	26	3.7	0.89	2.1	5.9	218	4.0	0.28	3.5	4.6	
2011	22	3.7	0.94	2.1	5.9	225	4.1	0.28	3.6	4.7	
2012	28	4.1	0.92	2.5	6.3	207	3.7	0.26	3.2	4.3	
2013	30	4.3	0.94	2.7	6.6	238	4.3	0.29	3.8	4.9	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	3,523	3.5	0.06	3.4	3.6	571	3.5	0.15	3.2	3.8	
1990	106	2.6	0.26	2.1	3.2	21	3.3	0.84	1.9	5.4	
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8	
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0	
1993	105	2.6	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7	
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8	
1995	123	3.0	0.28	2.5	3.6	13	1.7	0.47	0.9	2.9	
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5	
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3	
1998	146	3.6	0.30	3.0	4.2	28	3.8	0.79	2.4	5.7	
1999	134	3.2	0.28	2.7	3.8	30	4.9	0.97	3.2	7.2	
2000	120	2.9	0.27	2.4	3.5	21	3.1	0.71	1.8	4.8	
2001	157	3.7	0.30	3.2	4.4	27	4.0	0.81	2.5	5.9	
2002	142	3.5	0.30	2.9	4.1	19	2.6	0.64	1.5	4.2	
2003	155	3.7	0.30	3.2	4.4	23	3.3	0.74	2.0	5.1	
2004	160	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1	
2005	150	3.5	0.29	3.0	4.1	28	4.3	0.91	2.7	6.4	
2006	162	3.8	0.30	3.2	4.4	27	3.5	0.71	2.3	5.2	
2007	186	4.4	0.32	3.8	5.1	27	3.8	0.77	2.4	5.6	
2008	177	4.2	0.32	3.6	4.9	27	3.6	0.72	2.3	5.3	
2009	159	3.6	0.29	3.1	4.3	19	2.5	0.60	1.4	3.9	
2010	175	3.9	0.30	3.3	4.5	31	4.5	0.87	3.0	6.5	
2011	189	4.2	0.32	3.6	4.9	27	3.5	0.69	2.2	5.1	
2012	169	3.8	0.30	3.2	4.4	28	3.5	0.67	2.3	5.1	
2013	190	4.2	0.32	3.6	4.9	30	3.8	0.71	2.5	5.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Soft Tissue including Heart										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	298	2.5	0.17	2.1	2.8	3,805	2.6	0.04	2.5	2.7
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	7	2.0	0.84	0.7	4.6	136	2.3	0.20	2.0	2.8
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	136	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	10	3.0	1.13	1.2	6.0	155	2.5	0.20	2.1	3.0
1998	14	3.0	0.87	1.6	5.4	144	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	136	2.2	0.19	1.8	2.6
2001	14	3.3	1.11	1.5	6.1	156	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	11	1.5	0.48	0.7	2.9	191	3.1	0.23	2.7	3.6
2004	14	2.5	0.75	1.3	4.5	164	2.7	0.21	2.3	3.1
2005	14	2.5	0.76	1.2	4.4	168	2.7	0.21	2.3	3.1
2006	11	2.4	0.85	1.1	4.6	209	3.4	0.24	2.9	3.9
2007	26	4.3	0.98	2.6	6.7	161	2.6	0.21	2.2	3.1
2008	21	3.6	0.91	2.0	5.8	184	2.9	0.22	2.5	3.4
2009	16	2.0	0.53	1.1	3.4	191	3.1	0.23	2.7	3.6
2010	22	3.5	0.91	2.0	5.7	181	2.8	0.22	2.4	3.3
2011	13	1.8	0.57	0.9	3.3	165	2.6	0.21	2.2	3.1
2012	27	3.4	0.70	2.1	5.0	194	2.9	0.21	2.5	3.3
2013	19	2.3	0.58	1.3	3.8	193	3.0	0.23	2.6	3.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,002	2.5	0.05	2.4	2.6	681	3.2	0.12	2.9	3.4
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	108	2.2	0.22	1.8	2.7	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1
1995	108	2.2	0.21	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	121	2.4	0.22	1.9	2.8	29	3.5	0.66	2.3	5.0
1998	111	2.3	0.22	1.8	2.7	28	3.4	0.64	2.2	4.9
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	112	2.2	0.21	1.8	2.7	22	2.4	0.52	1.5	3.7
2001	127	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7
2002	126	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3
2004	122	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	125	2.4	0.22	2.0	2.9	32	3.4	0.61	2.3	4.9
2006	156	3.1	0.26	2.6	3.7	46	4.8	0.71	3.5	6.4
2007	124	2.6	0.24	2.1	3.1	28	2.9	0.55	1.9	4.2
2008	143	2.8	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3
2009	144	2.9	0.25	2.5	3.5	34	3.5	0.61	2.4	4.9
2010	142	2.7	0.24	2.3	3.2	31	3.1	0.57	2.1	4.5
2011	127	2.7	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7
2012	155	2.9	0.24	2.4	3.4	37	3.5	0.59	2.5	4.9
2013	146	2.9	0.25	2.4	3.5	36	3.6	0.61	2.5	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Skin excluding Basal and Squamous										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	930	4.9	0.19	4.5	5.3	43,018	15.7	0.08	15.6	15.9
1990	13	2.5	0.92	1.1	4.9	898	8.7	0.29	8.1	9.3
1991	16	3.8	1.24	1.7	6.8	956	9.2	0.30	8.7	9.9
1992	17	2.7	0.70	1.5	4.6	1,021	9.6	0.30	9.1	10.3
1993	17	3.6	1.04	1.9	6.2	966	9.0	0.29	8.4	9.5
1994	19	3.2	0.88	1.7	5.4	1,171	10.8	0.32	10.2	11.5
1995	31	5.4	1.17	3.4	8.2	1,208	11.1	0.32	10.5	11.8
1996	27	4.1	1.03	2.3	6.6	1,315	12.0	0.33	11.3	12.6
1997	26	4.0	1.04	2.2	6.5	1,436	13.0	0.34	12.3	13.7
1998	30	5.8	1.32	3.5	8.9	1,467	13.2	0.34	12.5	13.9
1999	39	6.7	1.36	4.3	9.8	1,520	13.6	0.35	12.9	14.3
2000	35	5.3	1.09	3.4	7.8	1,652	14.7	0.36	14.0	15.4
2001	26	3.1	0.75	1.8	4.9	1,774	15.7	0.37	14.9	16.4
2002	44	6.0	1.12	4.0	8.5	1,784	15.7	0.37	14.9	16.4
2003	42	4.8	0.94	3.2	7.0	1,829	15.9	0.37	15.2	16.7
2004	39	3.9	0.79	2.5	5.7	1,967	17.1	0.39	16.3	17.8
2005	44	4.8	0.87	3.3	6.8	2,187	18.9	0.41	18.1	19.7
2006	46	4.8	0.85	3.3	6.7	2,235	19.2	0.41	18.4	20.1
2007	55	5.6	0.93	3.9	7.7	2,315	19.7	0.41	18.9	20.6
2008	42	4.0	0.69	2.7	5.5	2,498	21.0	0.43	20.2	21.9
2009	59	4.5	0.69	3.3	6.1	2,504	21.0	0.43	20.1	21.8
2010	58	5.1	0.76	3.7	6.8	2,444	20.1	0.41	19.3	21.0
2011	67	6.4	0.89	4.7	8.3	2,577	21.1	0.42	20.3	22.0
2012	68	5.6	0.77	4.2	7.3	2,682	21.8	0.43	20.9	22.6
2013	70	6.0	0.80	4.6	7.8	2,612	20.7	0.42	19.9	21.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	40,258	17.7	0.09	17.6	17.9	699	1.9	0.07	1.8	2.0
1990	867	9.8	0.34	9.2	10.5	23	1.9	0.41	1.2	2.9
1991	927	10.5	0.35	9.9	11.3	19	1.5	0.37	0.9	2.4
1992	980	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3
1993	936	10.2	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5
1994	1,126	12.3	0.37	11.6	13.0	19	1.3	0.31	0.8	2.0
1995	1,152	12.6	0.37	11.9	13.3	23	1.6	0.34	1.0	2.4
1996	1,251	13.6	0.39	12.8	14.4	23	1.7	0.36	1.0	2.5
1997	1,352	14.6	0.40	13.8	15.4	30	2.0	0.37	1.3	2.8
1998	1,376	14.7	0.40	14.0	15.5	32	2.3	0.41	1.5	3.2
1999	1,455	15.6	0.41	14.8	16.4	30	2.0	0.38	1.3	2.9
2000	1,547	16.5	0.42	15.7	17.4	25	1.5	0.31	1.0	2.3
2001	1,652	17.6	0.44	16.8	18.5	31	2.1	0.40	1.4	3.1
2002	1,658	17.7	0.44	16.8	18.5	26	1.6	0.31	1.0	2.3
2003	1,676	17.7	0.44	16.9	18.6	37	2.3	0.39	1.6	3.2
2004	1,807	19.1	0.45	18.2	20.0	25	1.6	0.32	1.0	2.3
2005	1,978	20.8	0.47	19.9	21.8	32	2.1	0.38	1.4	3.0
2006	2,070	21.8	0.49	20.9	22.8	42	2.5	0.40	1.8	3.4
2007	2,169	22.8	0.50	21.8	23.8	35	2.2	0.37	1.5	3.0
2008	2,322	24.0	0.51	23.0	25.0	33	2.0	0.36	1.4	2.8
2009	2,327	24.1	0.51	23.1	25.1	41	2.4	0.39	1.7	3.3
2010	2,260	23.0	0.50	22.1	24.0	35	2.2	0.37	1.5	3.0
2011	2,398	24.4	0.51	23.4	25.4	31	1.7	0.31	1.1	2.4
2012	2,502	25.2	0.52	24.2	26.3	29	1.6	0.31	1.1	2.4
2013	2,470	24.5	0.51	23.5	25.5	32	1.8	0.33	1.2	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Skin excluding Basal and Squamous										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	444	5.5	0.33	4.9	6.2	24,063	19.9	0.13	19.7	20.2
1990	6	2.9	1.70	0.6	7.9	473	10.6	0.50	9.6	11.6
1991	8	3.1	1.67	0.7	7.9	503	11.0	0.50	10.0	12.0
1992	7	2.4	0.98	0.9	5.6	565	12.1	0.52	11.1	13.2
1993	8	5.4	2.32	1.9	11.5	526	11.2	0.50	10.3	12.2
1994	10	4.5	1.88	1.6	9.5	629	13.3	0.54	12.3	14.4
1995	17	8.0	2.35	4.1	13.8	686	14.4	0.56	13.3	15.5
1996	12	2.7	0.91	1.2	5.5	705	14.5	0.55	13.5	15.7
1997	14	3.7	1.32	1.6	7.3	816	16.7	0.59	15.6	18.0
1998	17	9.5	2.82	4.8	16.2	820	16.9	0.60	15.8	18.1
1999	27	12.6	3.15	7.3	19.9	883	17.9	0.61	16.7	19.1
2000	17	6.0	1.95	2.8	10.8	921	18.6	0.62	17.4	19.8
2001	14	4.6	1.61	2.0	8.7	987	19.7	0.63	18.5	21.0
2002	19	7.0	2.04	3.6	11.9	1,036	20.6	0.65	19.3	21.9
2003	16	3.4	0.99	1.8	6.0	1,015	20.0	0.63	18.8	21.3
2004	17	4.3	1.47	1.9	7.9	1,141	22.2	0.66	20.9	23.5
2005	25	5.6	1.37	3.3	8.9	1,198	23.2	0.68	21.9	24.6
2006	19	5.4	1.56	2.8	9.2	1,220	23.6	0.68	22.2	24.9
2007	28	7.4	1.81	4.3	11.6	1,252	23.9	0.68	22.5	25.2
2008	23	4.6	1.07	2.7	7.2	1,420	26.7	0.72	25.3	28.1
2009	21	3.8	1.00	2.1	6.3	1,388	25.7	0.70	24.4	27.2
2010	28	6.0	1.35	3.6	9.1	1,415	25.7	0.70	24.3	27.1
2011	25	5.4	1.28	3.2	8.4	1,465	26.4	0.71	25.1	27.9
2012	30	5.2	1.09	3.3	7.7	1,526	27.2	0.71	25.8	28.6
2013	36	7.2	1.36	4.8	10.3	1,473	25.7	0.69	24.4	27.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	22,724	22.3	0.15	22.0	22.6	302	2.0	0.12	1.7	2.2
1990	452	11.7	0.56	10.6	12.8	14	3.0	0.83	1.6	5.0
1991	490	12.4	0.57	11.3	13.5	9	1.9	0.68	0.8	3.7
1992	547	13.6	0.59	12.5	14.8	8	1.2	0.44	0.5	2.5
1993	512	12.7	0.57	11.6	13.8	10	1.8	0.60	0.8	3.3
1994	604	14.9	0.62	13.7	16.2	11	1.9	0.62	0.9	3.5
1995	663	16.3	0.64	15.0	17.6	10	1.9	0.64	0.8	3.5
1996	678	16.4	0.64	15.2	17.7	9	1.6	0.54	0.7	3.0
1997	779	18.7	0.68	17.4	20.1	10	1.6	0.58	0.7	3.1
1998	777	18.8	0.68	17.5	20.2	14	2.1	0.56	1.1	3.5
1999	850	20.3	0.70	18.9	21.7	16	2.2	0.57	1.3	3.7
2000	866	20.7	0.71	19.3	22.1	10	1.4	0.44	0.7	2.6
2001	920	21.8	0.72	20.4	23.2	17	2.8	0.70	1.6	4.5
2002	976	23.0	0.74	21.6	24.5	9	1.2	0.42	0.6	2.4
2003	958	22.5	0.73	21.0	23.9	10	1.6	0.51	0.7	2.9
2004	1,060	24.6	0.76	23.2	26.2	9	1.1	0.38	0.5	2.2
2005	1,098	25.4	0.78	23.9	27.0	11	1.8	0.60	0.9	3.4
2006	1,141	26.4	0.79	24.9	28.0	19	3.0	0.75	1.7	4.8
2007	1,184	27.0	0.80	25.5	28.7	14	2.0	0.55	1.1	3.4
2008	1,347	30.3	0.84	28.6	31.9	15	2.1	0.57	1.1	3.5
2009	1,288	28.7	0.81	27.1	30.4	17	2.3	0.58	1.3	3.8
2010	1,319	28.8	0.81	27.2	30.4	15	2.5	0.68	1.4	4.2
2011	1,380	30.0	0.83	28.4	31.7	15	2.1	0.58	1.1	3.6
2012	1,433	30.9	0.84	29.3	32.6	16	2.0	0.52	1.1	3.3
2013	1,402	29.7	0.81	28.1	31.4	14	1.8	0.52	1.0	3.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Skin excluding Basal and Squamous										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	486	4.5	0.24	4.1	5.0	18,955	12.9	0.09	12.8	13.1
1990	7	2.4	1.09	0.7	5.6	425	7.5	0.37	6.8	8.2
1991	8	4.1	1.75	1.5	8.7	453	8.1	0.39	7.3	8.9
1992	10	3.1	1.04	1.4	6.1	456	7.8	0.37	7.1	8.6
1993	9	2.7	0.95	1.2	5.4	440	7.4	0.36	6.8	8.2
1994	9	2.5	0.86	1.1	5.0	542	9.1	0.40	8.4	10.0
1995	14	3.6	1.12	1.7	6.6	522	8.8	0.39	8.1	9.6
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	620	10.4	0.42	9.6	11.2
1998	13	3.3	1.16	1.5	6.4	647	10.6	0.42	9.8	11.5
1999	12	2.4	0.81	1.1	4.6	637	10.5	0.42	9.7	11.4
2000	18	4.9	1.32	2.7	8.2	731	12.0	0.45	11.1	12.9
2001	12	1.9	0.60	1.0	3.7	787	12.8	0.46	11.9	13.8
2002	25	5.5	1.33	3.3	8.7	748	12.3	0.45	11.4	13.2
2003	26	6.0	1.44	3.5	9.4	814	13.2	0.47	12.3	14.2
2004	22	3.8	0.96	2.2	6.2	826	13.4	0.47	12.5	14.3
2005	19	4.0	1.09	2.2	6.7	989	16.0	0.52	15.0	17.1
2006	27	4.6	0.99	2.9	7.0	1,015	16.5	0.52	15.5	17.5
2007	27	4.5	1.00	2.7	6.8	1,063	17.2	0.54	16.2	18.3
2008	19	3.4	0.87	1.9	5.5	1,078	17.5	0.54	16.4	18.6
2009	38	5.4	0.98	3.7	7.7	1,116	17.8	0.55	16.8	18.9
2010	30	4.6	0.90	3.0	6.7	1,029	16.3	0.52	15.3	17.3
2011	42	7.3	1.25	5.1	10.2	1,112	17.7	0.55	16.7	18.8
2012	38	5.9	1.06	4.0	8.3	1,156	18.2	0.55	17.2	19.4
2013	34	5.2	0.94	3.5	7.4	1,139	17.5	0.54	16.4	18.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	17,534	14.8	0.11	14.6	15.0	397	1.9	0.09	1.7	2.1
1990	415	8.7	0.44	7.9	9.6	9	1.2	0.42	0.6	2.3
1991	437	9.3	0.46	8.4	10.3	10	1.3	0.43	0.6	2.5
1992	433	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	424	8.6	0.42	7.7	9.4	14	1.7	0.46	0.9	2.8
1994	522	10.6	0.47	9.7	11.6	8	0.9	0.33	0.4	1.8
1995	489	10.0	0.46	9.1	10.9	13	1.4	0.40	0.8	2.5
1996	573	11.6	0.49	10.7	12.6	14	1.7	0.47	0.9	2.9
1997	573	11.7	0.49	10.7	12.7	20	2.3	0.52	1.4	3.6
1998	599	12.0	0.50	11.0	13.0	18	2.3	0.54	1.3	3.6
1999	605	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	681	13.7	0.53	12.7	14.8	15	1.6	0.42	0.9	2.7
2001	732	14.8	0.55	13.7	15.9	14	1.7	0.45	0.9	2.8
2002	682	13.9	0.54	12.9	15.0	17	1.8	0.44	1.1	2.9
2003	718	14.4	0.55	13.4	15.5	27	2.9	0.56	1.9	4.2
2004	747	15.1	0.56	14.0	16.2	16	1.8	0.45	1.0	2.9
2005	880	17.8	0.62	16.7	19.1	21	2.3	0.51	1.4	3.5
2006	929	18.9	0.64	17.7	20.2	23	2.4	0.50	1.5	3.6
2007	985	20.3	0.66	19.0	21.6	21	2.2	0.49	1.4	3.4
2008	975	20.0	0.66	18.7	21.3	18	2.0	0.47	1.2	3.1
2009	1,039	21.1	0.68	19.8	22.5	24	2.5	0.51	1.6	3.7
2010	941	19.1	0.65	17.8	20.4	20	2.0	0.45	1.2	3.1
2011	1,018	20.7	0.68	19.4	22.1	16	1.5	0.37	0.8	2.4
2012	1,069	21.5	0.69	20.2	22.9	13	1.4	0.38	0.7	2.3
2013	1,068	21.1	0.68	19.8	22.5	18	1.8	0.43	1.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Melanoma of the Skin										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	740	4.0	0.17	3.7	4.3	39,331	14.4	0.07	14.2	14.5
1990	11	2.3	0.90	0.9	4.7	800	7.7	0.28	7.2	8.3
1991	12	3.1	1.19	1.2	6.1	866	8.4	0.29	7.8	8.9
1992	13	2.3	0.66	1.2	4.1	910	8.6	0.29	8.0	9.2
1993	13	2.7	0.87	1.3	4.9	840	7.8	0.27	7.3	8.3
1994	13	2.5	0.82	1.2	4.6	1,051	9.7	0.30	9.1	10.3
1995	26	4.5	1.05	2.7	7.0	1,093	10.1	0.31	9.5	10.7
1996	17	2.5	0.76	1.2	4.4	1,187	10.8	0.32	10.2	11.5
1997	19	3.2	0.95	1.6	5.5	1,301	11.8	0.33	11.1	12.4
1998	26	5.1	1.21	3.0	7.9	1,317	11.8	0.33	11.2	12.5
1999	28	5.1	1.20	3.0	7.9	1,385	12.4	0.33	11.7	13.1
2000	30	4.8	1.07	2.9	7.3	1,489	13.2	0.34	12.6	13.9
2001	22	2.7	0.72	1.5	4.5	1,603	14.2	0.35	13.5	14.9
2002	35	4.7	0.94	3.0	6.8	1,624	14.3	0.35	13.6	15.0
2003	35	4.3	0.91	2.7	6.4	1,657	14.5	0.36	13.8	15.2
2004	35	3.6	0.78	2.3	5.5	1,799	15.6	0.37	14.9	16.4
2005	33	3.6	0.75	2.3	5.4	2,005	17.3	0.39	16.6	18.1
2006	36	3.6	0.71	2.3	5.2	2,024	17.4	0.39	16.7	18.2
2007	40	4.4	0.85	2.9	6.3	2,145	18.3	0.40	17.5	19.1
2008	33	3.4	0.66	2.3	5.0	2,290	19.3	0.41	18.5	20.1
2009	46	3.6	0.60	2.5	4.9	2,312	19.4	0.41	18.6	20.2
2010	47	4.0	0.66	2.8	5.5	2,278	18.8	0.40	18.0	19.6
2011	54	5.1	0.80	3.6	6.9	2,410	19.8	0.41	19.0	20.6
2012	54	4.6	0.71	3.3	6.2	2,509	20.4	0.42	19.6	21.2
2013	62	5.4	0.76	4.0	7.0	2,436	19.4	0.40	18.6	20.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	37,142	16.4	0.09	16.2	16.6	294	0.9	0.05	0.8	1.0
1990	784	8.9	0.32	8.2	9.5	9	0.8	0.27	0.4	1.5
1991	849	9.7	0.34	9.0	10.3	10	0.8	0.28	0.4	1.6
1992	890	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2
1993	830	9.1	0.32	8.5	9.7	4	0.3	0.13	0.1	0.7
1994	1,021	11.2	0.35	10.5	11.9	8	0.6	0.22	0.3	1.2
1995	1,055	11.6	0.36	10.9	12.3	9	0.7	0.25	0.3	1.4
1996	1,145	12.5	0.37	11.8	13.2	9	0.8	0.28	0.4	1.6
1997	1,235	13.4	0.38	12.6	14.1	15	1.1	0.28	0.6	1.8
1998	1,253	13.5	0.38	12.7	14.2	10	0.8	0.24	0.4	1.4
1999	1,338	14.4	0.39	13.6	15.2	16	1.2	0.30	0.7	1.9
2000	1,404	15.1	0.40	14.3	15.9	11	0.7	0.22	0.4	1.3
2001	1,502	16.1	0.42	15.3	16.9	17	1.3	0.32	0.7	2.0
2002	1,526	16.3	0.42	15.5	17.2	11	0.7	0.21	0.4	1.3
2003	1,530	16.2	0.42	15.4	17.1	21	1.4	0.30	0.8	2.1
2004	1,665	17.6	0.44	16.8	18.5	10	0.7	0.22	0.3	1.2
2005	1,830	19.3	0.46	18.4	20.2	14	1.0	0.28	0.5	1.7
2006	1,891	20.0	0.47	19.1	20.9	18	1.2	0.29	0.7	1.9
2007	2,023	21.3	0.48	20.4	22.3	16	1.0	0.26	0.6	1.7
2008	2,148	22.3	0.49	21.3	23.3	8	0.5	0.19	0.2	1.1
2009	2,175	22.6	0.50	21.7	23.6	12	0.7	0.21	0.4	1.3
2010	2,122	21.7	0.48	20.7	22.6	18	1.1	0.27	0.7	1.8
2011	2,252	23.0	0.50	22.0	24.0	15	0.9	0.23	0.5	1.4
2012	2,357	23.8	0.51	22.8	24.8	7	0.4	0.16	0.2	0.9
2013	2,317	23.0	0.49	22.1	24.0	17	1.0	0.25	0.6	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Melanoma of the Skin										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	340	4.5	0.30	3.9	5.1	22,101	18.2	0.12	18.0	18.5
1990	4	2.5	1.68	0.4	7.6	419	9.3	0.46	8.4	10.2
1991	6	2.6	1.61	0.4	7.4	466	10.1	0.48	9.2	11.1
1992	5	2.1	0.96	0.7	5.4	499	10.7	0.49	9.7	11.7
1993	7	4.0	1.83	1.3	9.0	466	9.8	0.46	8.9	10.8
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8
1995	14	6.2	2.01	2.9	11.3	630	13.1	0.53	12.1	14.2
1996	8	1.7	0.73	0.6	4.3	647	13.3	0.53	12.3	14.4
1997	10	3.2	1.29	1.2	6.8	739	15.1	0.56	14.0	16.2
1998	14	7.6	2.41	3.7	13.5	747	15.3	0.57	14.3	16.5
1999	20	9.8	2.80	5.1	16.5	809	16.3	0.58	15.2	17.5
2000	14	5.5	1.92	2.4	10.3	835	16.7	0.58	15.6	17.9
2001	13	4.5	1.60	1.9	8.5	898	17.9	0.60	16.8	19.1
2002	14	5.3	1.63	2.6	9.3	946	18.7	0.61	17.5	19.9
2003	11	2.5	0.88	1.1	5.0	942	18.5	0.61	17.3	19.7
2004	15	4.0	1.45	1.6	7.6	1,053	20.4	0.63	19.2	21.7
2005	16	3.8	1.12	1.9	6.6	1,090	21.1	0.65	19.8	22.4
2006	15	4.4	1.42	2.0	7.8	1,104	21.3	0.65	20.0	22.6
2007	21	6.2	1.69	3.3	10.1	1,170	22.3	0.66	21.0	23.6
2008	16	3.7	1.01	2.0	6.2	1,304	24.4	0.69	23.1	25.8
2009	14	3.0	0.92	1.5	5.3	1,295	24.0	0.68	22.7	25.4
2010	22	4.5	1.16	2.5	7.3	1,317	23.8	0.67	22.5	25.1
2011	19	4.4	1.17	2.4	7.1	1,366	24.6	0.68	23.3	26.0
2012	25	4.6	1.05	2.8	7.1	1,419	25.2	0.68	23.9	26.6
2013	31	6.3	1.29	4.1	9.3	1,383	24.1	0.66	22.8	25.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	21,024	20.5	0.14	20.3	20.8	121	0.9	0.09	0.7	1.1
1990	405	10.3	0.52	9.3	11.4	7	1.5	0.58	0.6	3.1
1991	461	11.6	0.55	10.5	12.7	2	0.6	0.49	0.1	2.1
1992	491	12.2	0.56	11.1	13.3	3	0.4	0.25	0.1	1.4
1993	460	11.2	0.53	10.2	12.3	2	0.3	0.23	0.0	1.2
1994	541	13.3	0.58	12.2	14.5	4	0.8	0.42	0.2	2.1
1995	614	15.0	0.61	13.8	16.2	4	1.0	0.53	0.2	2.5
1996	627	15.1	0.61	14.0	16.4	3	0.6	0.34	0.1	1.6
1997	709	17.0	0.64	15.7	18.3	5	1.0	0.49	0.3	2.3
1998	717	17.3	0.65	16.0	18.6	4	0.7	0.38	0.2	1.9
1999	784	18.6	0.67	17.4	20.0	8	1.1	0.41	0.5	2.3
2000	789	18.7	0.67	17.4	20.1	5	0.8	0.35	0.3	1.8
2001	843	20.0	0.69	18.6	21.4	9	1.6	0.55	0.7	3.0
2002	899	21.1	0.71	19.8	22.6	4	0.6	0.31	0.2	1.6
2003	889	20.8	0.70	19.4	22.2	7	1.1	0.44	0.4	2.3
2004	983	22.8	0.73	21.4	24.3	2	0.3	0.19	0.0	1.0
2005	1,010	23.3	0.74	21.9	24.8	2	0.5	0.37	0.0	1.6
2006	1,040	24.0	0.75	22.6	25.5	8	1.6	0.60	0.6	3.1
2007	1,110	25.3	0.77	23.9	26.9	8	1.2	0.44	0.5	2.4
2008	1,246	27.9	0.80	26.4	29.5	4	0.6	0.32	0.2	1.6
2009	1,215	27.1	0.79	25.6	28.7	4	0.6	0.30	0.1	1.5
2010	1,234	26.9	0.78	25.3	28.4	9	1.7	0.57	0.7	3.1
2011	1,292	28.1	0.80	26.6	29.7	7	1.1	0.45	0.4	2.4
2012	1,343	28.9	0.81	27.4	30.6	3	0.3	0.19	0.1	1.0
2013	1,322	28.0	0.79	26.4	29.5	7	1.1	0.42	0.4	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Melanoma of the Skin										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	400	3.7	0.21	3.3	4.2	17,230	11.8	0.09	11.7	12.0
1990	7	2.4	1.09	0.7	5.6	381	6.7	0.35	6.0	7.4
1991	6	3.4	1.67	1.0	7.9	400	7.2	0.36	6.5	7.9
1992	8	2.6	0.95	1.1	5.3	411	7.1	0.35	6.4	7.8
1993	6	1.9	0.83	0.6	4.5	374	6.4	0.33	5.7	7.1
1994	7	2.1	0.81	0.8	4.5	494	8.4	0.38	7.6	9.2
1995	12	3.2	1.09	1.4	6.1	463	7.9	0.37	7.2	8.6
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	562	9.5	0.40	8.7	10.3
1998	12	3.2	1.16	1.4	6.3	570	9.4	0.40	8.7	10.3
1999	8	1.6	0.64	0.6	3.5	576	9.5	0.40	8.8	10.4
2000	16	4.5	1.28	2.3	7.7	654	10.8	0.42	10.0	11.7
2001	9	1.3	0.48	0.6	2.9	705	11.6	0.44	10.8	12.5
2002	21	4.4	1.12	2.4	7.1	678	11.2	0.43	10.4	12.1
2003	24	5.8	1.43	3.3	9.2	715	11.7	0.44	10.9	12.6
2004	20	3.6	0.95	2.0	6.0	746	12.1	0.45	11.3	13.0
2005	17	3.5	1.01	1.9	6.0	915	14.9	0.50	14.0	15.9
2006	21	3.3	0.77	2.0	5.3	920	15.0	0.50	14.0	16.0
2007	19	3.3	0.87	1.8	5.5	975	15.9	0.52	14.9	17.0
2008	17	3.2	0.87	1.8	5.4	986	16.1	0.52	15.1	17.1
2009	32	4.3	0.84	2.8	6.3	1,017	16.4	0.53	15.4	17.4
2010	25	3.7	0.81	2.3	5.7	961	15.2	0.50	14.3	16.3
2011	35	5.9	1.11	3.9	8.4	1,044	16.8	0.53	15.7	17.8
2012	29	4.6	0.94	2.9	6.8	1,090	17.2	0.54	16.2	18.3
2013	31	4.7	0.90	3.1	6.8	1,053	16.2	0.52	15.2	17.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	16,118	13.7	0.11	13.5	13.9	173	0.9	0.06	0.7	1.0
1990	379	8.0	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1
1991	388	8.3	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1
1992	399	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6
1993	370	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8
1994	480	9.8	0.46	8.9	10.7	4	0.5	0.26	0.1	1.3
1995	441	9.1	0.44	8.2	10.0	5	0.6	0.28	0.2	1.4
1996	518	10.6	0.47	9.7	11.5	6	0.9	0.38	0.3	1.9
1997	526	10.9	0.48	9.9	11.8	10	1.2	0.38	0.6	2.2
1998	536	10.9	0.48	9.9	11.8	6	0.8	0.32	0.3	1.7
1999	554	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1
2000	615	12.5	0.51	11.5	13.5	6	0.7	0.28	0.3	1.5
2001	659	13.5	0.53	12.4	14.6	8	1.0	0.35	0.4	1.9
2002	627	13.0	0.53	11.9	14.0	7	0.8	0.30	0.3	1.6
2003	641	13.1	0.53	12.1	14.1	14	1.5	0.42	0.8	2.6
2004	682	13.9	0.54	12.8	15.0	8	0.9	0.33	0.4	1.8
2005	820	16.8	0.60	15.6	18.0	12	1.4	0.40	0.7	2.4
2006	851	17.5	0.61	16.3	18.7	10	1.1	0.35	0.5	2.0
2007	913	19.0	0.65	17.7	20.3	8	0.8	0.30	0.4	1.7
2008	902	18.7	0.64	17.5	20.0	4	0.5	0.23	0.1	1.2
2009	960	19.8	0.66	18.5	21.1	8	0.8	0.29	0.4	1.6
2010	888	18.0	0.63	16.8	19.3	9	0.9	0.29	0.4	1.7
2011	960	19.7	0.66	18.4	21.1	8	0.8	0.28	0.3	1.5
2012	1,014	20.5	0.67	19.2	21.9	4	0.4	0.22	0.1	1.1
2013	995	19.8	0.66	18.5	21.1	10	1.0	0.33	0.5	1.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Breast excluding in situ										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,851	46.6	0.56	45.5	47.7	200,905	72.7	0.16	72.3	73.0
1990	172	40.3	3.42	33.9	47.6	7,344	71.7	0.85	70.1	73.4
1991	182	41.3	3.42	34.9	48.5	7,559	72.9	0.85	71.2	74.6
1992	197	45.5	3.79	38.3	53.4	7,716	73.4	0.84	71.8	75.1
1993	221	42.4	3.23	36.3	49.1	7,541	70.6	0.82	69.0	72.2
1994	225	43.8	3.34	37.5	50.8	8,126	75.6	0.84	74.0	77.3
1995	266	49.2	3.50	42.6	56.5	8,012	74.0	0.83	72.4	75.6
1996	292	58.3	4.05	50.6	66.6	8,182	74.9	0.83	73.3	76.6
1997	319	56.9	3.81	49.7	64.8	8,293	75.3	0.83	73.7	77.0
1998	296	52.4	3.62	45.6	59.9	8,586	77.1	0.83	75.5	78.8
1999	345	55.6	3.52	48.9	62.9	8,782	78.2	0.83	76.5	79.8
2000	342	46.6	2.99	41.0	52.8	8,546	75.4	0.82	73.8	77.0
2001	323	46.1	3.05	40.4	52.4	8,749	76.5	0.82	74.9	78.1
2002	390	49.3	2.92	43.8	55.4	8,470	73.4	0.80	71.9	75.0
2003	359	45.7	2.86	40.3	51.6	7,878	67.6	0.76	66.1	69.1
2004	373	42.1	2.50	37.3	47.2	7,997	68.2	0.77	66.7	69.7
2005	428	48.0	2.64	42.9	53.4	8,140	68.8	0.77	67.3	70.3
2006	425	45.5	2.51	40.7	50.6	8,522	71.5	0.78	70.0	73.0
2007	475	47.4	2.44	42.7	52.4	8,506	70.5	0.77	69.0	72.0
2008	469	43.7	2.27	39.3	48.3	8,680	71.1	0.77	69.6	72.7
2009	499	45.8	2.31	41.4	50.5	8,850	71.8	0.77	70.3	73.3
2010	541	47.2	2.26	42.8	51.8	8,897	71.3	0.77	69.8	72.8
2011	538	43.2	2.07	39.3	47.4	9,195	73.1	0.78	71.6	74.7
2012	555	43.7	2.04	39.8	47.9	9,008	71.0	0.77	69.5	72.5
2013	619	47.1	2.08	43.1	51.3	9,326	72.6	0.77	71.1	74.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	169,248	73.1	0.18	72.7	73.4	25,968	72.2	0.46	71.3	73.1
1990	6,514	73.3	0.92	71.5	75.1	728	61.6	2.34	57.1	66.4
1991	6,665	74.2	0.92	72.4	76.1	779	62.6	2.30	58.2	67.3
1992	6,789	74.8	0.92	73.0	76.6	811	64.8	2.33	60.3	69.5
1993	6,538	71.0	0.89	69.2	72.7	882	68.8	2.38	64.2	73.6
1994	7,088	76.8	0.92	75.0	78.6	912	70.0	2.38	65.4	74.8
1995	6,926	74.8	0.90	73.0	76.6	942	70.8	2.36	66.3	75.6
1996	7,050	75.6	0.91	73.9	77.4	970	71.4	2.34	66.8	76.1
1997	7,067	75.5	0.90	73.8	77.3	1,042	76.3	2.41	71.7	81.2
1998	7,277	77.0	0.91	75.3	78.8	1,092	77.8	2.40	73.1	82.6
1999	7,470	78.8	0.91	77.0	80.6	1,071	74.5	2.32	70.1	79.2
2000	7,270	76.3	0.90	74.5	78.0	1,037	70.9	2.24	66.6	75.4
2001	7,392	77.1	0.90	75.3	78.9	1,151	77.8	2.34	73.3	82.6
2002	7,073	73.3	0.87	71.6	75.0	1,153	75.2	2.25	70.8	79.7
2003	6,565	67.7	0.84	66.1	69.4	1,079	69.4	2.15	65.3	73.8
2004	6,705	68.7	0.84	67.1	70.4	1,060	67.3	2.10	63.2	71.5
2005	6,743	68.7	0.84	67.1	70.4	1,142	72.2	2.18	68.0	76.6
2006	7,054	71.6	0.86	69.9	73.3	1,183	73.4	2.17	69.2	77.8
2007	7,062	71.1	0.86	69.4	72.8	1,160	70.4	2.10	66.4	74.7
2008	7,190	71.6	0.86	69.9	73.3	1,176	71.0	2.11	66.9	75.3
2009	7,234	71.6	0.86	69.9	73.3	1,304	77.0	2.17	72.8	81.4
2010	7,285	71.4	0.86	69.7	73.1	1,263	73.5	2.11	69.4	77.7
2011	7,489	73.1	0.87	71.4	74.8	1,309	75.8	2.14	71.6	80.1
2012	7,300	71.1	0.86	69.4	72.8	1,306	73.4	2.08	69.4	77.6
2013	7,502	72.2	0.86	70.5	73.9	1,416	78.2	2.13	74.1	82.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Breast excluding in situ										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	39	0.5	0.09	0.3	0.7	1,643	1.4	0.03	1.3	1.5
1990	0					35	0.8	0.13	0.5	1.1
1991	0					47	1.1	0.17	0.8	1.5
1992	0					67	1.5	0.19	1.2	1.9
1993	4	1.3	0.70	0.3	4.1	66	1.4	0.17	1.1	1.8
1994	0					62	1.4	0.19	1.1	1.9
1995	1	0.3	0.27	0.0	2.4	77	1.6	0.19	1.3	2.1
1996	3	1.7	1.13	0.2	5.2	66	1.4	0.18	1.1	1.8
1997	1	0.3	0.29	0.0	2.3	75	1.6	0.19	1.3	2.0
1998	0					59	1.2	0.16	0.9	1.6
1999	1	0.8	0.77	0.0	3.5	75	1.6	0.18	1.2	2.0
2000	1	0.2	0.19	0.0	1.8	70	1.4	0.17	1.1	1.8
2001	3	0.8	0.46	0.2	2.6	66	1.3	0.16	1.0	1.7
2002	3	1.8	1.25	0.2	5.3	81	1.7	0.19	1.3	2.1
2003	2	1.0	0.73	0.1	3.3	70	1.4	0.17	1.1	1.8
2004	0					70	1.4	0.16	1.1	1.7
2005	0					59	1.2	0.16	0.9	1.5
2006	1	0.1	0.13	0.0	1.2	61	1.2	0.15	0.9	1.5
2007	0					70	1.3	0.16	1.0	1.7
2008	3	0.2	0.13	0.1	1.2	72	1.4	0.16	1.1	1.7
2009	3	0.7	0.44	0.1	2.1	73	1.3	0.16	1.0	1.7
2010	1	0.1	0.12	0.0	1.0	69	1.2	0.15	1.0	1.6
2011	5	1.0	0.50	0.2	2.4	82	1.4	0.16	1.1	1.8
2012	3	0.4	0.25	0.1	1.4	89	1.6	0.17	1.3	2.0
2013	4	0.7	0.42	0.1	2.0	82	1.4	0.15	1.1	1.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,336	1.3	0.04	1.2	1.4	269	2.0	0.13	1.7	2.2
1990	31	0.8	0.14	0.5	1.1	4	0.9	0.44	0.2	2.2
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2
1993	56	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4
1994	49	1.3	0.19	1.0	1.7	11	2.6	0.82	1.2	4.6
1995	65	1.6	0.20	1.2	2.1	11	2.0	0.64	1.0	3.7
1996	55	1.4	0.19	1.0	1.8	8	1.8	0.67	0.7	3.5
1997	59	1.5	0.19	1.1	1.9	14	2.9	0.82	1.5	4.9
1998	47	1.1	0.17	0.8	1.5	11	2.0	0.64	1.0	3.7
1999	62	1.5	0.19	1.2	1.9	12	2.2	0.69	1.1	4.0
2000	58	1.4	0.18	1.1	1.8	10	1.7	0.57	0.7	3.1
2001	56	1.3	0.18	1.0	1.7	9	1.4	0.50	0.6	2.8
2002	65	1.6	0.20	1.2	2.0	13	2.6	0.80	1.3	4.6
2003	58	1.4	0.18	1.1	1.8	12	2.0	0.61	1.0	3.6
2004	57	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8
2006	51	1.2	0.17	0.9	1.6	8	1.4	0.50	0.6	2.7
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2
2008	58	1.3	0.18	1.0	1.7	11	1.5	0.45	0.7	2.7
2009	56	1.2	0.17	0.9	1.6	16	2.1	0.55	1.2	3.5
2010	56	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1
2011	65	1.3	0.16	1.0	1.7	14	2.3	0.64	1.2	3.9
2012	69	1.5	0.18	1.2	1.9	14	1.9	0.52	1.0	3.2
2013	60	1.2	0.16	0.9	1.5	20	3.0	0.69	1.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Breast excluding in situ										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,812	89.7	1.04	87.7	91.8	199,262	131.4	0.30	130.9	132.0
1990	172	77.9	6.35	65.9	91.2	7,309	127.5	1.52	124.5	130.5
1991	182	79.6	6.33	67.7	92.9	7,512	129.7	1.53	126.8	132.8
1992	197	85.8	6.75	73.1	99.9	7,649	130.5	1.52	127.6	133.5
1993	217	81.3	5.99	70.0	93.9	7,475	125.3	1.47	122.4	128.2
1994	225	84.6	6.14	73.0	97.4	8,064	134.2	1.51	131.3	137.2
1995	265	94.8	6.41	82.7	108.1	7,935	131.9	1.50	129.0	134.9
1996	289	107.9	7.10	94.4	122.6	8,116	133.9	1.50	131.0	136.9
1997	318	107.9	6.83	95.0	122.1	8,218	134.9	1.50	131.9	137.8
1998	296	99.2	6.48	86.9	112.6	8,527	138.4	1.51	135.4	141.4
1999	344	106.0	6.40	93.8	119.2	8,707	140.6	1.52	137.7	143.7
2000	341	90.8	5.54	80.3	102.3	8,476	135.7	1.49	132.9	138.7
2001	320	87.7	5.54	77.2	99.2	8,683	138.1	1.49	135.2	141.1
2002	387	94.6	5.35	84.4	105.6	8,389	132.8	1.46	129.9	135.7
2003	357	86.9	5.18	77.0	97.5	7,808	122.7	1.40	120.0	125.5
2004	373	82.1	4.69	73.2	91.8	7,927	123.8	1.40	121.1	126.6
2005	428	93.0	4.93	83.6	103.1	8,081	125.2	1.41	122.4	128.0
2006	424	87.8	4.65	78.9	97.4	8,461	130.6	1.44	127.8	133.4
2007	475	92.1	4.58	83.3	101.5	8,436	129.3	1.43	126.5	132.1
2008	466	84.8	4.26	76.7	93.6	8,608	130.1	1.43	127.3	132.9
2009	496	87.9	4.29	79.7	96.7	8,777	131.6	1.43	128.9	134.5
2010	540	91.3	4.23	83.2	100.0	8,828	131.0	1.43	128.3	133.9
2011	533	83.6	3.88	76.1	91.5	9,113	134.5	1.45	131.7	137.4
2012	552	84.8	3.85	77.4	92.7	8,919	130.8	1.42	128.0	133.6
2013	615	91.2	3.93	83.7	99.2	9,244	134.1	1.44	131.3	136.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	167,912	133.6	0.33	132.9	134.2	25,699	123.0	0.77	121.5	124.6
1990	6,483	131.3	1.68	128.1	134.7	724	104.7	3.95	97.1	112.7
1991	6,624	133.1	1.68	129.9	136.5	773	107.0	3.91	99.5	114.9
1992	6,734	134.0	1.67	130.8	137.3	799	109.4	3.92	101.8	117.3
1993	6,482	127.0	1.61	123.8	130.2	872	116.3	3.99	108.6	124.3
1994	7,039	137.4	1.67	134.2	140.7	901	117.9	3.98	110.2	125.9
1995	6,861	134.5	1.65	131.3	137.8	931	119.8	3.97	112.1	127.8
1996	6,995	136.3	1.66	133.1	139.6	962	121.3	3.95	113.7	129.3
1997	7,008	136.5	1.66	133.3	139.8	1,028	128.5	4.04	120.7	136.7
1998	7,230	139.5	1.66	136.2	142.8	1,081	131.9	4.04	124.1	140.1
1999	7,408	143.2	1.69	139.9	146.5	1,059	126.3	3.91	118.8	134.2
2000	7,212	138.8	1.66	135.6	142.1	1,027	120.3	3.78	113.0	127.9
2001	7,336	140.7	1.66	137.4	144.0	1,142	132.2	3.94	124.6	140.2
2002	7,008	133.8	1.62	130.6	137.0	1,140	128.4	3.83	121.0	136.1
2003	6,507	124.2	1.56	121.2	127.3	1,067	118.4	3.65	111.3	125.7
2004	6,648	126.2	1.57	123.2	129.3	1,049	114.9	3.57	108.0	122.2
2005	6,693	126.5	1.57	123.4	129.6	1,134	123.4	3.69	116.3	130.9
2006	7,003	132.4	1.61	129.3	135.6	1,175	125.8	3.70	118.6	133.3
2007	7,005	132.0	1.61	128.8	135.2	1,148	120.8	3.60	113.9	128.1
2008	7,132	132.7	1.61	129.5	135.8	1,165	121.6	3.60	114.6	128.8
2009	7,178	133.0	1.61	129.9	136.2	1,288	131.9	3.72	124.7	139.4
2010	7,229	132.9	1.61	129.8	136.1	1,251	126.3	3.62	119.3	133.6
2011	7,424	136.4	1.64	133.2	139.6	1,295	129.3	3.65	122.3	136.7
2012	7,231	132.9	1.62	129.7	136.1	1,292	126.0	3.56	119.1	133.2
2013	7,442	135.4	1.63	132.3	138.7	1,396	133.8	3.65	126.8	141.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,276	51.0	0.78	49.4	52.5	82,314	54.3	0.19	53.9	54.7
1990	133	54.8	5.17	45.2	65.9	3,228	55.6	1.00	53.7	57.6
1991	143	59.9	5.63	49.4	71.9	3,200	54.6	0.98	52.7	56.5
1992	151	57.3	5.17	47.6	68.3	3,236	54.9	0.98	53.0	56.9
1993	143	49.8	4.60	41.2	59.6	3,264	54.7	0.97	52.8	56.6
1994	159	53.8	4.71	45.0	63.8	3,339	55.2	0.97	53.3	57.1
1995	170	53.8	4.64	45.1	63.7	3,347	55.5	0.97	53.6	57.4
1996	165	54.1	4.80	45.1	64.3	3,574	59.1	1.00	57.1	61.1
1997	169	54.9	4.88	45.7	65.2	3,366	55.2	0.96	53.4	57.2
1998	197	58.3	4.79	49.2	68.3	3,465	56.4	0.97	54.5	58.3
1999	208	63.9	5.17	54.1	74.7	3,296	53.4	0.94	51.6	55.3
2000	193	51.7	4.24	43.7	60.6	3,307	53.3	0.93	51.5	55.2
2001	196	47.6	3.86	40.3	55.7	3,353	53.7	0.93	51.9	55.6
2002	224	53.7	4.11	46.0	62.3	3,379	53.8	0.93	52.0	55.6
2003	196	41.6	3.40	35.2	48.8	3,293	51.7	0.91	49.9	53.5
2004	250	53.8	3.83	46.5	61.8	3,300	51.4	0.90	49.6	53.2
2005	225	45.2	3.36	38.8	52.2	3,460	53.5	0.92	51.8	55.4
2006	265	51.2	3.50	44.5	58.5	3,514	54.1	0.92	52.3	55.9
2007	241	45.5	3.20	39.5	52.2	3,473	53.1	0.91	51.3	54.9
2008	298	53.8	3.42	47.3	60.9	3,566	53.8	0.92	52.0	55.7
2009	289	48.8	3.14	42.9	55.4	3,661	54.5	0.92	52.7	56.4
2010	263	41.3	2.80	36.0	47.1	3,687	54.1	0.91	52.3	55.9
2011	313	50.7	3.13	44.7	57.2	3,694	54.1	0.91	52.3	55.9
2012	308	45.9	2.82	40.6	51.8	3,630	51.9	0.89	50.2	53.7
2013	377	54.6	3.00	48.9	60.7	3,682	52.1	0.88	50.4	53.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	68,867	55.0	0.21	54.6	55.4	10,929	52.2	0.50	51.2	53.2
1990	2,767	55.6	1.08	53.5	57.8	421	59.6	2.96	53.9	65.6
1991	2,782	55.5	1.08	53.4	57.7	357	48.9	2.64	43.8	54.3
1992	2,857	57.0	1.09	54.9	59.2	333	45.0	2.51	40.2	50.2
1993	2,794	55.1	1.06	53.0	57.2	412	53.8	2.69	48.6	59.3
1994	2,849	55.4	1.06	53.4	57.6	441	57.9	2.80	52.5	63.6
1995	2,867	56.3	1.07	54.2	58.5	403	51.4	2.59	46.4	56.7
1996	3,062	60.2	1.11	58.1	62.4	434	54.7	2.66	49.6	60.1
1997	2,856	55.9	1.06	53.8	58.0	438	53.5	2.59	48.6	58.9
1998	2,941	57.2	1.07	55.2	59.4	444	53.0	2.54	48.1	58.2
1999	2,772	53.9	1.04	51.9	56.0	426	50.3	2.46	45.6	55.4
2000	2,736	53.2	1.03	51.2	55.2	453	52.4	2.48	47.7	57.5
2001	2,788	54.0	1.04	52.0	56.1	457	52.6	2.48	47.9	57.7
2002	2,825	54.6	1.04	52.6	56.7	451	51.2	2.43	46.5	56.1
2003	2,754	52.4	1.01	50.5	54.5	417	47.2	2.33	42.7	52.0
2004	2,737	52.0	1.01	50.0	54.0	455	51.0	2.41	46.4	55.9
2005	2,868	54.5	1.04	52.5	56.5	464	50.5	2.36	46.0	55.3
2006	2,893	54.6	1.03	52.5	56.6	495	54.0	2.45	49.3	59.0
2007	2,869	53.9	1.03	51.9	55.9	479	50.9	2.34	46.4	55.7
2008	2,932	54.6	1.03	52.6	56.6	498	51.5	2.33	47.0	56.3
2009	2,978	54.8	1.03	52.8	56.9	538	54.8	2.39	50.2	59.7
2010	3,009	54.7	1.03	52.7	56.8	511	51.2	2.29	46.8	55.9
2011	2,993	54.3	1.03	52.3	56.4	532	53.2	2.34	48.7	58.0
2012	2,961	52.9	1.01	50.9	54.9	526	50.8	2.25	46.4	55.4
2013	2,977	52.8	1.00	50.9	54.9	544	51.1	2.23	46.8	55.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Cervix Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,799	15.2	0.40	14.4	15.9	13,572	9.6	0.08	9.5	9.8
1990	59	21.0	2.97	15.6	27.7	680	12.4	0.49	11.5	13.4
1991	75	30.2	3.99	22.9	39.0	645	11.4	0.46	10.5	12.3
1992	72	25.2	3.42	19.0	32.8	599	10.6	0.44	9.8	11.5
1993	69	20.2	2.59	15.5	26.1	671	11.8	0.46	10.9	12.7
1994	71	20.9	2.76	15.8	27.0	588	10.2	0.42	9.4	11.1
1995	69	19.5	2.61	14.7	25.3	677	11.7	0.45	10.8	12.6
1996	76	20.3	2.55	15.6	26.0	675	11.7	0.45	10.8	12.6
1997	83	21.8	2.75	16.7	27.9	634	10.9	0.43	10.0	11.7
1998	88	21.7	2.65	16.8	27.5	661	11.3	0.44	10.4	12.2
1999	79	20.4	2.61	15.6	26.2	615	10.5	0.42	9.6	11.3
2000	66	15.0	2.10	11.2	19.7	662	11.2	0.44	10.4	12.1
2001	80	15.6	1.88	12.2	19.8	564	9.5	0.40	8.7	10.3
2002	73	15.0	2.03	11.2	19.5	533	9.0	0.39	8.3	9.9
2003	81	15.0	1.88	11.6	19.2	544	9.2	0.40	8.4	10.0
2004	79	15.1	1.88	11.6	19.2	492	8.2	0.37	7.5	8.9
2005	65	11.0	1.46	8.3	14.3	514	8.6	0.39	7.9	9.4
2006	82	15.4	1.94	11.9	19.7	504	8.5	0.38	7.8	9.3
2007	81	14.5	1.76	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	84	14.2	1.74	11.0	18.0	560	9.4	0.40	8.6	10.2
2009	69	9.9	1.28	7.5	12.7	495	8.2	0.38	7.5	9.0
2010	70	9.5	1.24	7.3	12.3	460	7.6	0.36	6.9	8.4
2011	91	12.9	1.46	10.2	16.0	462	7.6	0.37	6.9	8.4
2012	61	8.1	1.09	6.1	10.5	423	7.0	0.35	6.3	7.7
2013	76	10.0	1.22	7.8	12.7	427	7.1	0.35	6.4	7.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	9,541	8.5	0.09	8.3	8.7	3,473	16.2	0.28	15.7	16.8
1990	475	10.4	0.49	9.4	11.4	184	25.5	1.92	21.9	29.5
1991	459	9.7	0.46	8.8	10.7	161	21.1	1.70	17.9	24.7
1992	449	9.6	0.46	8.7	10.5	132	17.4	1.54	14.5	20.6
1993	471	10.0	0.47	9.1	11.0	177	22.0	1.68	18.8	25.5
1994	384	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	476	10.1	0.47	9.2	11.1	172	21.4	1.65	18.2	24.8
1996	493	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	463	9.7	0.46	8.9	10.7	149	17.0	1.41	14.3	20.0
1998	471	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	427	9.0	0.44	8.2	9.9	160	18.1	1.45	15.4	21.2
2000	446	9.4	0.45	8.6	10.3	183	20.3	1.51	17.5	23.5
2001	407	8.6	0.43	7.7	9.4	139	15.3	1.30	12.8	18.0
2002	383	8.2	0.42	7.4	9.1	132	14.6	1.27	12.2	17.3
2003	371	7.9	0.41	7.1	8.7	143	15.6	1.31	13.2	18.4
2004	345	7.2	0.39	6.4	8.0	120	13.2	1.21	10.9	15.8
2005	367	7.9	0.42	7.1	8.8	129	13.9	1.23	11.6	16.5
2006	360	7.8	0.42	7.0	8.7	125	13.3	1.20	11.0	15.8
2007	334	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	380	8.2	0.43	7.4	9.1	154	16.0	1.30	13.6	18.8
2009	318	6.8	0.39	6.0	7.6	146	14.7	1.23	12.4	17.3
2010	321	6.9	0.40	6.2	7.8	116	11.5	1.08	9.5	13.9
2011	333	7.1	0.40	6.3	7.9	115	11.8	1.11	9.7	14.2
2012	303	6.5	0.39	5.7	7.3	97	9.8	1.01	7.9	12.0
2013	305	6.7	0.40	5.9	7.5	104	10.2	1.02	8.3	12.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,079	21.2	0.50	20.2	22.2	41,191	26.7	0.13	26.5	27.0
1990	43	20.2	3.21	14.4	27.4	1,392	23.5	0.64	22.2	24.8
1991	30	14.9	2.87	9.8	21.5	1,443	24.0	0.64	22.8	25.3
1992	38	16.8	2.89	11.6	23.4	1,521	25.5	0.66	24.2	26.8
1993	40	15.4	2.62	10.7	21.3	1,472	24.4	0.64	23.2	25.7
1994	38	15.6	2.69	10.8	21.7	1,549	25.4	0.65	24.1	26.7
1995	45	15.9	2.53	11.4	21.6	1,549	25.5	0.65	24.2	26.8
1996	51	20.7	3.27	14.8	28.0	1,691	27.8	0.68	26.5	29.2
1997	50	18.3	2.96	13.0	24.9	1,555	25.2	0.65	24.0	26.5
1998	62	21.7	3.08	16.0	28.4	1,637	26.5	0.66	25.2	27.8
1999	63	21.9	3.14	16.2	28.8	1,541	24.8	0.64	23.6	26.1
2000	76	21.4	2.76	16.3	27.4	1,553	24.9	0.64	23.7	26.2
2001	67	19.0	2.59	14.3	24.7	1,678	26.7	0.66	25.4	28.0
2002	94	23.8	2.72	18.8	29.7	1,681	26.5	0.65	25.2	27.8
2003	65	15.2	2.07	11.4	19.8	1,614	25.1	0.63	23.9	26.4
2004	104	22.7	2.47	18.1	28.0	1,675	25.9	0.64	24.7	27.2
2005	97	20.3	2.24	16.2	25.1	1,769	27.0	0.65	25.7	28.3
2006	113	22.1	2.26	17.9	27.0	1,860	28.2	0.66	26.9	29.5
2007	104	20.8	2.20	16.7	25.6	1,817	27.3	0.65	26.0	28.6
2008	126	23.4	2.23	19.2	28.2	1,860	27.4	0.64	26.1	28.7
2009	143	23.4	2.09	19.5	27.8	2,029	29.5	0.66	28.2	30.8
2010	116	18.5	1.85	15.0	22.4	2,062	29.5	0.66	28.2	30.8
2011	151	24.2	2.11	20.2	28.6	2,059	29.2	0.66	27.9	30.5
2012	159	23.9	2.02	20.1	28.1	2,075	28.8	0.65	27.5	30.1
2013	204	29.5	2.18	25.4	34.1	2,109	28.8	0.64	27.5	30.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	35,564	27.9	0.15	27.6	28.2	4,433	21.3	0.32	20.7	22.0
1990	1,266	24.8	0.72	23.5	26.3	119	16.9	1.57	13.9	20.2
1991	1,327	25.7	0.72	24.3	27.1	98	14.2	1.45	11.5	17.3
1992	1,389	27.3	0.75	25.9	28.8	118	16.2	1.51	13.3	19.4
1993	1,333	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1
1994	1,413	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4
1995	1,397	27.1	0.74	25.7	28.6	121	16.0	1.47	13.2	19.1
1996	1,517	29.6	0.77	28.2	31.2	146	19.4	1.62	16.4	22.8
1997	1,374	26.5	0.72	25.1	28.0	158	20.2	1.62	17.1	23.6
1998	1,439	27.7	0.74	26.3	29.2	166	20.6	1.61	17.6	24.0
1999	1,351	26.1	0.72	24.7	27.5	147	18.0	1.50	15.2	21.2
2000	1,333	25.8	0.71	24.4	27.2	169	20.2	1.57	17.3	23.5
2001	1,446	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5
2002	1,446	27.5	0.73	26.1	29.0	188	21.6	1.59	18.6	25.0
2003	1,392	26.3	0.71	24.9	27.7	159	18.5	1.48	15.7	21.6
2004	1,433	27.0	0.72	25.6	28.4	190	21.2	1.55	18.3	24.5
2005	1,501	28.0	0.73	26.6	29.5	203	22.0	1.56	19.1	25.3
2006	1,550	28.8	0.74	27.3	30.3	245	27.1	1.74	23.8	30.7
2007	1,525	28.1	0.73	26.7	29.6	231	24.6	1.63	21.5	28.0
2008	1,573	28.6	0.73	27.1	30.0	213	21.8	1.51	19.0	25.0
2009	1,718	30.9	0.76	29.4	32.4	243	24.7	1.60	21.6	28.0
2010	1,722	30.5	0.75	29.1	32.0	252	25.2	1.61	22.1	28.5
2011	1,678	29.4	0.74	28.0	30.9	279	27.5	1.67	24.3	31.0
2012	1,712	29.6	0.73	28.2	31.1	283	26.6	1.61	23.6	30.0
2013	1,729	29.6	0.73	28.2	31.1	281	25.3	1.54	22.4	28.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Corpus Uteri</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,018	20.5	0.50	19.6	21.5	40,106	26.1	0.13	25.8	26.3
1990	39	18.4	3.08	12.9	25.4	1,351	22.8	0.63	21.6	24.1
1991	28	13.8	2.75	8.9	20.1	1,395	23.2	0.63	22.0	24.5
1992	36	15.9	2.81	10.9	22.3	1,466	24.6	0.65	23.3	25.9
1993	37	14.4	2.56	9.8	20.2	1,408	23.4	0.63	22.2	24.7
1994	34	14.2	2.58	9.6	20.1	1,467	24.1	0.64	22.9	25.4
1995	42	14.9	2.40	10.5	20.4	1,512	24.9	0.65	23.7	26.2
1996	50	20.0	3.17	14.2	27.0	1,661	27.3	0.68	26.0	28.7
1997	47	17.5	2.92	12.2	24.0	1,517	24.7	0.64	23.4	26.0
1998	57	19.9	2.93	14.6	26.4	1,596	25.8	0.65	24.6	27.2
1999	59	20.4	3.01	15.0	27.1	1,503	24.3	0.63	23.1	25.5
2000	74	21.0	2.74	16.0	27.0	1,512	24.3	0.63	23.1	25.6
2001	67	19.0	2.59	14.3	24.7	1,641	26.2	0.65	24.9	27.5
2002	92	23.3	2.70	18.3	29.1	1,636	25.8	0.64	24.6	27.1
2003	64	15.0	2.06	11.2	19.6	1,584	24.7	0.62	23.5	25.9
2004	102	22.4	2.46	17.9	27.7	1,636	25.4	0.63	24.1	26.6
2005	95	19.8	2.20	15.7	24.5	1,726	26.4	0.64	25.1	27.7
2006	108	21.1	2.20	17.0	25.8	1,812	27.6	0.65	26.3	28.9
2007	104	20.8	2.20	16.7	25.6	1,783	26.8	0.64	25.5	28.1
2008	122	22.3	2.16	18.3	27.0	1,808	26.6	0.63	25.4	27.9
2009	142	23.3	2.09	19.3	27.7	1,987	28.9	0.66	27.6	30.2
2010	113	17.8	1.81	14.4	21.7	2,003	28.6	0.65	27.4	29.9
2011	150	24.0	2.10	20.0	28.4	2,008	28.5	0.65	27.2	29.8
2012	154	22.8	1.96	19.1	27.0	2,031	28.1	0.64	26.9	29.4
2013	202	29.1	2.16	25.1	33.7	2,063	28.2	0.63	26.9	29.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	34,791	27.3	0.15	27.1	27.6	4,145	19.9	0.31	19.3	20.5
1990	1,240	24.3	0.71	23.0	25.8	106	14.9	1.47	12.2	18.1
1991	1,293	25.0	0.71	23.6	26.4	84	12.1	1.34	9.6	15.0
1992	1,344	26.4	0.74	25.0	27.9	108	14.8	1.44	12.1	17.9
1993	1,284	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,347	26.0	0.72	24.6	27.4	108	14.6	1.43	12.0	17.7
1995	1,367	26.6	0.73	25.2	28.0	114	14.9	1.41	12.3	17.9
1996	1,492	29.2	0.77	27.7	30.7	142	18.9	1.60	15.9	22.2
1997	1,346	26.0	0.72	24.6	27.5	148	18.9	1.56	15.9	22.2
1998	1,410	27.2	0.73	25.8	28.7	155	19.3	1.56	16.4	22.6
1999	1,325	25.7	0.71	24.3	27.1	135	16.6	1.44	13.9	19.6
2000	1,304	25.3	0.71	23.9	26.7	158	18.8	1.50	16.0	22.0
2001	1,417	27.2	0.73	25.8	28.7	173	20.4	1.56	17.5	23.7
2002	1,414	27.0	0.73	25.6	28.5	175	20.1	1.53	17.3	23.4
2003	1,366	25.9	0.71	24.5	27.3	155	18.0	1.46	15.3	21.1
2004	1,404	26.5	0.72	25.1	28.0	180	20.1	1.51	17.3	23.3
2005	1,469	27.5	0.73	26.1	29.0	192	20.9	1.52	18.0	24.1
2006	1,522	28.3	0.74	26.9	29.8	226	24.9	1.67	21.7	28.3
2007	1,504	27.8	0.73	26.4	29.2	221	23.5	1.59	20.4	26.8
2008	1,540	27.9	0.72	26.5	29.4	195	20.0	1.45	17.3	23.1
2009	1,688	30.3	0.75	28.9	31.8	232	23.6	1.57	20.7	26.9
2010	1,683	29.8	0.74	28.4	31.3	234	23.3	1.54	20.3	26.5
2011	1,647	28.9	0.73	27.5	30.3	263	26.0	1.63	22.9	29.4
2012	1,683	29.1	0.73	27.7	30.6	269	25.2	1.57	22.3	28.5
2013	1,702	29.2	0.73	27.8	30.6	264	23.7	1.49	20.9	26.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Uterus, NOS										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	61	0.7	0.09	0.5	0.9	1,085	0.7	0.02	0.6	0.7
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	30	0.5	0.09	0.3	0.7
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	41	0.6	0.09	0.4	0.8
2001	0					37	0.5	0.09	0.4	0.7
2002	2	0.5	0.38	0.1	2.0	45	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6
2004	2	0.2	0.17	0.0	1.2	39	0.5	0.09	0.4	0.7
2005	2	0.5	0.38	0.1	1.8	43	0.6	0.10	0.4	0.8
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9
2007	0					34	0.5	0.09	0.3	0.7
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0
2009	1	0.1	0.14	0.0	0.9	42	0.6	0.09	0.4	0.8
2010	3	0.6	0.38	0.1	1.8	59	0.9	0.12	0.7	1.1
2011	1	0.2	0.19	0.0	1.0	51	0.7	0.10	0.5	1.0
2012	5	1.0	0.49	0.3	2.4	44	0.6	0.10	0.5	0.9
2013	2	0.4	0.30	0.0	1.4	46	0.6	0.10	0.5	0.8
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	773	0.6	0.02	0.5	0.6	288	1.4	0.08	1.3	1.6
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1
1996	25	0.5	0.10	0.3	0.7	4	0.6	0.28	0.2	1.4
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5
2000	29	0.5	0.09	0.3	0.7	11	1.4	0.44	0.7	2.5
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2
2004	29	0.4	0.08	0.3	0.6	10	1.1	0.34	0.5	2.0
2005	32	0.5	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5
2007	21	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9
2009	30	0.5	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9
2010	39	0.7	0.11	0.5	1.0	18	1.9	0.45	1.1	3.0
2011	31	0.5	0.10	0.4	0.8	16	1.5	0.39	0.9	2.5
2012	29	0.5	0.10	0.3	0.7	14	1.4	0.37	0.8	2.3
2013	27	0.4	0.08	0.3	0.6	17	1.6	0.39	0.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ovary										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,099	11.0	0.38	10.3	11.8	21,253	13.9	0.10	13.7	14.1
1990	28	12.1	2.59	7.5	18.2	950	16.3	0.54	15.3	17.4
1991	35	13.4	2.56	8.9	19.3	915	15.9	0.54	14.9	17.0
1992	31	11.0	2.13	7.2	16.0	896	15.3	0.52	14.3	16.4
1993	27	11.7	2.56	7.3	17.7	892	14.9	0.51	14.0	16.0
1994	40	13.2	2.24	9.2	18.4	967	15.9	0.52	14.9	17.0
1995	42	11.9	2.13	8.1	16.8	895	14.8	0.50	13.8	15.8
1996	32	11.0	2.22	7.1	16.2	963	15.7	0.51	14.7	16.8
1997	26	11.3	2.45	7.0	16.9	938	15.4	0.51	14.4	16.4
1998	33	11.0	2.22	7.1	16.1	923	14.9	0.49	13.9	15.9
1999	52	15.1	2.50	10.6	20.7	911	14.6	0.49	13.7	15.6
2000	38	10.8	1.98	7.2	15.3	852	13.4	0.46	12.5	14.4
2001	41	10.6	1.92	7.1	14.9	853	13.6	0.47	12.7	14.5
2002	43	10.0	1.71	7.0	13.9	899	14.2	0.48	13.3	15.1
2003	41	9.3	1.76	6.2	13.3	884	13.6	0.46	12.7	14.5
2004	56	13.1	2.03	9.5	17.6	881	13.5	0.46	12.7	14.5
2005	55	12.6	1.98	9.0	17.0	892	13.7	0.46	12.8	14.6
2006	62	12.2	1.77	9.0	16.2	904	13.7	0.46	12.8	14.6
2007	42	7.6	1.31	5.2	10.6	889	13.5	0.46	12.6	14.4
2008	67	12.2	1.67	9.1	15.8	833	12.5	0.44	11.6	13.3
2009	62	12.0	1.69	8.9	15.8	840	12.5	0.44	11.6	13.4
2010	61	9.6	1.38	7.1	12.7	860	12.6	0.44	11.8	13.5
2011	60	11.1	1.60	8.2	14.6	825	12.2	0.43	11.3	13.1
2012	56	8.0	1.14	5.9	10.5	801	11.6	0.42	10.7	12.4
2013	69	10.2	1.32	7.7	13.1	790	11.4	0.42	10.6	12.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	18,446	14.6	0.11	14.4	14.8	2,194	10.6	0.23	10.2	11.1
1990	852	17.1	0.60	15.9	18.3	88	12.6	1.37	10.1	15.6
1991	828	17.0	0.61	15.8	18.2	74	10.3	1.23	8.1	13.0
1992	819	16.5	0.59	15.4	17.7	67	9.2	1.14	7.1	11.7
1993	795	15.7	0.57	14.6	16.8	85	11.3	1.25	9.0	14.0
1994	860	16.7	0.58	15.6	17.9	92	12.3	1.30	9.9	15.1
1995	797	15.6	0.56	14.5	16.7	81	10.2	1.15	8.1	12.7
1996	840	16.2	0.57	15.1	17.4	101	13.0	1.31	10.5	15.8
1997	821	16.0	0.57	14.9	17.2	95	11.9	1.23	9.6	14.6
1998	822	15.8	0.56	14.8	17.0	83	10.0	1.11	7.9	12.4
1999	808	15.5	0.55	14.4	16.6	84	10.0	1.10	8.0	12.4
2000	753	14.2	0.53	13.2	15.3	72	8.4	1.00	6.5	10.6
2001	718	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	773	14.7	0.54	13.7	15.8	94	10.7	1.11	8.6	13.1
2003	771	14.4	0.53	13.3	15.4	90	10.3	1.10	8.3	12.7
2004	764	14.3	0.53	13.3	15.4	97	11.1	1.13	8.9	13.5
2005	764	14.3	0.53	13.3	15.4	91	10.0	1.06	8.0	12.3
2006	775	14.3	0.52	13.3	15.3	91	9.9	1.05	8.0	12.2
2007	771	14.3	0.53	13.3	15.4	91	9.7	1.03	7.8	12.0
2008	713	13.1	0.50	12.1	14.1	92	9.6	1.01	7.7	11.8
2009	694	12.7	0.50	11.8	13.8	113	11.7	1.11	9.6	14.1
2010	703	12.7	0.49	11.7	13.7	110	11.1	1.07	9.1	13.4
2011	684	12.5	0.49	11.6	13.5	95	9.5	0.98	7.6	11.6
2012	676	12.1	0.48	11.2	13.1	94	9.3	0.97	7.5	11.4
2013	645	11.6	0.47	10.7	12.5	113	11.2	1.07	9.2	13.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Male Genital System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,685	129.3	1.60	126.1	132.4	200,018	164.1	0.37	163.4	164.9
1990	117	99.4	10.89	79.2	122.5	5,755	136.6	1.87	133.0	140.4
1991	115	83.9	9.40	66.5	103.8	7,283	167.9	2.04	163.9	171.9
1992	158	118.6	11.22	97.7	142.1	8,801	197.5	2.17	193.3	201.8
1993	174	124.9	11.22	103.9	148.3	8,447	186.9	2.09	182.8	191.0
1994	243	153.1	11.70	131.1	177.4	8,160	179.3	2.03	175.4	183.4
1995	232	140.7	11.06	119.8	163.6	7,654	165.4	1.93	161.6	169.2
1996	270	163.5	11.80	141.2	187.9	7,764	165.2	1.90	161.5	169.0
1997	269	143.7	10.39	124.0	165.1	8,075	170.7	1.92	166.9	174.5
1998	269	151.1	10.95	130.4	173.7	8,004	167.7	1.89	164.0	171.4
1999	329	157.0	10.30	137.5	178.2	8,445	175.1	1.92	171.4	178.9
2000	335	142.2	9.23	124.6	161.2	8,489	175.0	1.91	171.3	178.8
2001	347	144.5	9.10	127.2	163.2	9,022	184.2	1.95	180.4	188.1
2002	368	143.5	8.70	126.9	161.3	9,290	187.4	1.96	183.6	191.3
2003	377	132.5	8.03	117.3	149.0	8,578	170.1	1.85	166.4	173.7
2004	383	128.5	7.50	114.2	143.9	8,456	165.1	1.81	161.6	168.7
2005	427	127.8	7.05	114.4	142.2	8,256	158.7	1.77	155.2	162.2
2006	452	132.6	7.15	119.0	147.2	8,979	169.1	1.81	165.5	172.6
2007	507	145.4	7.34	131.4	160.4	9,699	179.1	1.85	175.5	182.7
2008	557	149.3	7.23	135.4	164.0	9,677	173.9	1.80	170.4	177.5
2009	594	149.8	6.93	136.5	163.9	9,396	164.2	1.73	160.8	167.6
2010	544	119.2	5.81	108.1	131.1	8,473	145.1	1.61	142.0	148.3
2011	550	111.3	5.38	101.0	122.3	8,606	144.2	1.59	141.1	147.4
2012	530	105.4	5.17	95.5	115.9	7,596	123.9	1.46	121.0	126.8
2013	538	98.4	4.75	89.3	108.0	7,113	113.7	1.38	111.0	116.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	162,009	155.8	0.39	155.1	156.6	31,887	230.3	1.35	227.7	233.0
1990	5,037	134.1	1.95	130.3	137.9	657	167.9	7.03	154.4	182.1
1991	6,448	167.5	2.15	163.3	171.8	755	177.3	6.91	164.0	191.3
1992	7,701	195.1	2.28	190.6	199.6	1,028	236.3	7.86	221.2	252.1
1993	7,279	182.7	2.19	178.5	187.1	1,101	241.9	7.77	226.9	257.5
1994	6,801	169.8	2.10	165.7	174.0	1,257	276.6	8.34	260.5	293.3
1995	6,328	156.4	2.00	152.5	160.4	1,237	259.6	7.83	244.5	275.3
1996	6,341	155.1	1.97	151.3	159.0	1,321	265.8	7.73	250.9	281.4
1997	6,717	163.8	2.02	159.9	167.8	1,195	234.2	7.14	220.4	248.6
1998	6,503	157.7	1.97	153.9	161.6	1,258	242.6	7.19	228.7	257.0
1999	6,965	167.8	2.02	163.9	171.9	1,220	228.1	6.84	214.9	241.9
2000	6,842	164.4	2.00	160.5	168.4	1,431	264.0	7.31	249.9	278.7
2001	7,378	176.1	2.06	172.1	180.2	1,385	251.1	7.07	237.4	265.3
2002	7,566	179.1	2.07	175.1	183.3	1,364	237.8	6.77	224.8	251.4
2003	6,863	160.5	1.95	156.7	164.4	1,404	236.0	6.59	223.3	249.3
2004	6,706	155.1	1.91	151.4	158.9	1,434	237.4	6.58	224.7	250.6
2005	6,482	147.9	1.85	144.3	151.6	1,422	232.6	6.51	220.0	245.6
2006	7,093	159.2	1.91	155.5	163.0	1,578	249.1	6.58	236.3	262.3
2007	7,602	167.4	1.94	163.6	171.3	1,722	266.1	6.71	253.1	279.5
2008	7,558	162.6	1.90	158.9	166.4	1,733	256.2	6.42	243.8	269.1
2009	7,230	151.8	1.82	148.2	155.4	1,731	247.1	6.22	235.1	259.6
2010	6,562	135.5	1.71	132.2	138.9	1,535	213.5	5.71	202.5	225.0
2011	6,707	135.7	1.70	132.4	139.1	1,413	188.3	5.24	178.2	198.8
2012	5,743	113.6	1.54	110.6	116.7	1,429	184.5	5.11	174.6	194.7
2013	5,557	107.8	1.48	104.9	110.7	1,277	163.6	4.79	154.3	173.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Prostate										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	7,740	124.5	1.59	121.4	127.6	191,922	157.7	0.36	157.0	158.4
1990	99	93.5	10.64	73.8	116.0	5,439	130.7	1.84	127.2	134.4
1991	97	78.5	9.15	61.6	98.0	6,987	162.3	2.01	158.4	166.3
1992	141	115.8	11.19	94.9	139.2	8,515	192.2	2.14	188.0	196.5
1993	156	121.9	11.20	101.0	145.3	8,124	180.8	2.06	176.7	184.8
1994	223	150.0	11.67	128.0	174.2	7,836	173.3	2.00	169.4	177.3
1995	205	136.0	11.00	115.3	158.8	7,342	159.7	1.90	155.9	163.4
1996	247	159.2	11.75	137.0	183.4	7,435	159.2	1.87	155.5	162.9
1997	243	139.3	10.26	119.9	160.5	7,714	163.9	1.89	160.2	167.6
1998	244	147.7	10.91	127.1	170.2	7,669	161.2	1.86	157.6	164.9
1999	298	153.8	10.28	134.3	174.9	8,100	168.6	1.89	164.9	172.3
2000	293	137.1	9.19	119.7	156.0	8,174	169.0	1.88	165.3	172.7
2001	312	139.9	9.05	122.8	158.5	8,661	177.3	1.92	173.6	181.1
2002	327	138.4	8.62	122.0	156.1	8,954	181.0	1.93	177.2	184.8
2003	331	127.4	7.93	112.3	143.6	8,244	163.7	1.82	160.1	167.3
2004	348	125.0	7.47	110.8	140.3	8,090	158.1	1.78	154.6	161.6
2005	382	123.0	6.98	109.7	137.2	7,933	152.4	1.73	149.1	155.9
2006	397	127.3	7.10	113.8	141.8	8,630	162.3	1.77	158.8	165.8
2007	451	140.5	7.31	126.5	155.4	9,360	172.5	1.81	168.9	176.1
2008	496	143.0	7.15	129.3	157.6	9,303	166.6	1.76	163.1	170.1
2009	549	144.8	6.87	131.6	158.7	9,052	157.4	1.69	154.1	160.7
2010	476	112.7	5.74	101.8	124.5	8,093	137.8	1.57	134.7	140.9
2011	476	105.2	5.33	95.0	116.1	8,285	138.0	1.55	135.0	141.1
2012	468	99.9	5.11	90.1	110.3	7,225	116.7	1.41	113.9	119.5
2013	481	93.2	4.69	84.3	102.8	6,757	106.7	1.33	104.1	109.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	154,636	148.5	0.38	147.7	149.2	31,454	227.8	1.35	225.1	230.4
1990	4,746	127.6	1.92	123.9	131.4	638	163.9	6.96	150.5	178.0
1991	6,173	161.3	2.12	157.2	165.5	739	174.4	6.86	161.3	188.3
1992	7,434	189.1	2.25	184.7	193.5	1,012	233.8	7.83	218.7	249.6
1993	6,978	175.8	2.15	171.7	180.1	1,082	239.1	7.74	224.2	254.7
1994	6,500	163.0	2.06	159.0	167.1	1,240	273.9	8.31	257.9	290.6
1995	6,040	149.9	1.96	146.1	153.8	1,221	257.1	7.80	242.0	272.7
1996	6,047	148.4	1.93	144.7	152.3	1,301	262.9	7.70	248.0	278.4
1997	6,383	156.0	1.97	152.2	159.9	1,178	231.7	7.11	218.0	246.0
1998	6,193	150.4	1.93	146.6	154.2	1,241	240.4	7.17	226.5	254.8
1999	6,662	160.7	1.98	156.8	164.6	1,201	225.7	6.81	212.5	239.4
2000	6,554	157.5	1.96	153.7	161.4	1,414	261.6	7.28	247.5	276.2
2001	7,050	168.3	2.01	164.4	172.3	1,368	248.8	7.04	235.2	262.9
2002	7,263	171.9	2.03	167.9	175.9	1,343	235.1	6.74	222.0	248.6
2003	6,554	153.0	1.90	149.3	156.8	1,388	233.9	6.57	221.2	247.1
2004	6,370	146.8	1.85	143.2	150.5	1,417	235.2	6.55	222.5	248.3
2005	6,198	140.8	1.81	137.3	144.4	1,400	229.3	6.46	216.8	242.2
2006	6,775	151.3	1.86	147.7	155.0	1,563	247.1	6.56	234.4	260.3
2007	7,302	159.9	1.89	156.2	163.7	1,701	263.4	6.68	250.4	276.8
2008	7,226	154.3	1.84	150.7	157.9	1,709	253.1	6.39	240.8	266.0
2009	6,908	143.5	1.76	140.1	147.0	1,719	245.6	6.20	233.6	258.0
2010	6,217	126.8	1.64	123.6	130.1	1,513	210.6	5.67	199.7	222.0
2011	6,416	128.4	1.64	125.2	131.7	1,398	186.6	5.22	176.5	197.1
2012	5,408	105.2	1.46	102.3	108.1	1,411	182.2	5.08	172.4	192.4
2013	5,239	99.6	1.41	96.9	102.4	1,257	160.9	4.75	151.8	170.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Testis											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	835	3.5	0.14	3.3	3.8	6,835	5.4	0.07	5.3	5.5	
1990	13	2.4	0.76	1.1	5.3	260	4.6	0.29	4.1	5.2	
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1	
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0	
1993	15	2.0	0.59	1.1	4.5	270	4.9	0.30	4.3	5.5	
1994	18	2.6	0.66	1.5	5.1	268	4.8	0.30	4.3	5.4	
1995	22	2.7	0.64	1.6	5.1	258	4.6	0.29	4.1	5.2	
1996	18	2.1	0.52	1.2	4.3	274	4.9	0.30	4.4	5.6	
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4	
1998	22	2.4	0.60	1.3	4.5	278	5.1	0.31	4.6	5.8	
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2	
2000	37	3.8	0.71	2.6	6.0	261	4.9	0.30	4.3	5.5	
2001	30	2.8	0.54	1.9	4.6	298	5.6	0.32	5.0	6.3	
2002	36	3.9	1.02	2.2	6.6	293	5.5	0.32	4.9	6.2	
2003	44	3.9	0.64	2.7	5.7	284	5.4	0.32	4.8	6.1	
2004	28	2.3	0.44	1.5	3.7	317	6.1	0.34	5.4	6.8	
2005	41	4.0	0.83	2.5	6.2	282	5.4	0.32	4.8	6.1	
2006	50	4.3	0.64	3.2	6.0	291	5.6	0.33	5.0	6.3	
2007	52	4.4	0.64	3.3	6.1	279	5.5	0.33	4.8	6.1	
2008	56	4.8	0.66	3.6	6.4	310	6.1	0.35	5.4	6.8	
2009	36	3.2	0.54	2.2	4.6	302	6.0	0.35	5.3	6.7	
2010	60	5.1	0.69	3.8	6.8	318	6.3	0.35	5.6	7.0	
2011	70	5.7	0.68	4.4	7.3	268	5.2	0.32	4.6	5.9	
2012	56	4.7	0.71	3.4	6.4	308	6.1	0.35	5.4	6.8	
2013	51	4.2	0.59	3.1	5.6	314	6.3	0.36	5.6	7.0	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	6,324	6.3	0.08	6.2	6.5	260	1.3	0.08	1.1	1.5	
1990	245	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9	
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5	
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4	
1993	253	5.6	0.36	4.9	6.4	15	1.9	0.52	1.1	3.3	
1994	256	5.7	0.36	5.0	6.4	8	0.9	0.31	0.4	1.8	
1995	241	5.4	0.35	4.7	6.1	9	1.1	0.37	0.5	2.2	
1996	247	5.5	0.35	4.9	6.3	12	1.5	0.44	0.8	2.7	
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4	
1998	260	6.0	0.38	5.3	6.8	12	1.3	0.38	0.7	2.4	
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8	
2000	243	5.8	0.37	5.1	6.5	9	1.0	0.33	0.5	2.0	
2001	273	6.5	0.39	5.7	7.3	11	1.2	0.37	0.6	2.3	
2002	268	6.4	0.39	5.7	7.3	14	1.7	0.45	0.9	2.9	
2003	269	6.5	0.40	5.8	7.4	7	0.8	0.29	0.3	1.7	
2004	294	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5	
2005	253	6.3	0.40	5.6	7.2	14	1.6	0.44	0.9	2.8	
2006	268	6.7	0.41	5.9	7.6	10	1.2	0.38	0.6	2.3	
2007	253	6.4	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7	
2008	282	7.2	0.43	6.4	8.1	14	1.7	0.46	0.9	2.9	
2009	284	7.4	0.44	6.5	8.3	8	0.9	0.31	0.4	1.8	
2010	294	7.6	0.45	6.8	8.6	12	1.4	0.42	0.7	2.6	
2011	245	6.3	0.41	5.5	7.1	8	1.0	0.34	0.4	1.9	
2012	282	7.3	0.44	6.5	8.2	12	1.4	0.42	0.7	2.6	
2013	286	7.5	0.45	6.6	8.4	11	1.3	0.42	0.7	2.5	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Penis											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	99	1.2	0.14	0.9	1.5	988	0.8	0.03	0.8	0.9	
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1	
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2	
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1	
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3	
1994	2	0.5	0.41	0.1	2.9	47	1.0	0.15	0.8	1.4	
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2	
1996	5	2.2	1.05	0.7	5.4	42	0.9	0.14	0.6	1.2	
1997	3	2.0	1.55	0.2	6.6	39	0.9	0.14	0.6	1.2	
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3	
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4	
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2	
2001	5	1.7	0.88	0.5	4.3	49	1.0	0.15	0.8	1.4	
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9	
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0	
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2	
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9	
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3	
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2	
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2	
2009	9	1.9	0.73	0.7	3.8	38	0.8	0.13	0.5	1.1	
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3	
2011	4	0.5	0.23	0.1	1.4	41	0.8	0.12	0.6	1.1	
2012	6	0.8	0.34	0.3	1.9	47	0.8	0.13	0.6	1.1	
2013	4	0.7	0.39	0.1	1.9	30	0.6	0.10	0.4	0.8	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	815	0.8	0.03	0.8	0.9	147	1.1	0.09	0.9	1.3	
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2	
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3	
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9	
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1	
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4	
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8	
1996	35	0.8	0.14	0.6	1.2	7	1.2	0.49	0.4	2.6	
1997	31	0.8	0.14	0.5	1.1	7	1.2	0.49	0.5	2.6	
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1	
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9	
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4	
2001	42	1.0	0.16	0.8	1.4	5	1.0	0.44	0.3	2.2	
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8	
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1	
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9	
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8	
2006	43	1.0	0.15	0.7	1.4	5	0.7	0.34	0.2	1.7	
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1	
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1	
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7	
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5	
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4	
2012	40	0.9	0.14	0.6	1.2	5	0.7	0.35	0.2	1.7	
2013	22	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	4,209	27.7	0.48	26.8	28.7	106,378	37.9	0.12	37.7	38.2
1990	73	22.9	3.04	17.3	29.5	3,269	31.0	0.55	30.0	32.1
1991	81	22.7	2.86	17.4	28.9	3,330	31.3	0.55	30.2	32.4
1992	77	20.8	2.65	16.0	26.6	3,474	32.1	0.55	31.0	33.2
1993	74	19.3	2.49	14.7	24.7	3,603	32.9	0.55	31.9	34.0
1994	106	27.7	3.02	22.1	34.1	3,706	33.7	0.56	32.6	34.8
1995	105	25.0	2.88	19.7	31.1	3,713	33.5	0.55	32.4	34.6
1996	102	25.5	2.91	20.1	31.7	3,969	35.8	0.57	34.7	36.9
1997	142	35.3	3.50	28.8	42.7	4,050	36.2	0.57	35.1	37.3
1998	142	28.6	2.79	23.4	34.5	4,012	35.6	0.56	34.5	36.7
1999	146	30.3	2.93	24.8	36.4	4,131	36.4	0.57	35.3	37.5
2000	146	26.0	2.46	21.4	31.2	4,353	38.1	0.58	37.0	39.3
2001	166	29.0	2.60	24.1	34.5	4,348	37.9	0.58	36.8	39.0
2002	158	27.2	2.46	22.6	32.3	4,682	40.4	0.59	39.3	41.6
2003	187	28.6	2.40	24.1	33.6	4,787	41.0	0.59	39.9	42.2
2004	165	24.0	2.14	20.0	28.5	4,853	41.2	0.59	40.0	42.4
2005	204	29.5	2.36	25.0	34.4	4,937	41.7	0.60	40.5	42.8
2006	199	27.2	2.21	23.1	31.8	4,927	41.3	0.59	40.2	42.5
2007	233	28.2	2.06	24.3	32.5	4,992	41.3	0.59	40.2	42.5
2008	237	28.0	2.07	24.1	32.3	5,216	42.6	0.60	41.5	43.8
2009	260	30.2	2.11	26.2	34.5	5,305	42.8	0.60	41.7	44.0
2010	266	27.2	1.89	23.6	31.1	5,038	40.1	0.57	38.9	41.2
2011	310	31.0	1.96	27.3	35.1	5,160	40.3	0.57	39.2	41.4
2012	308	28.6	1.80	25.2	32.3	5,171	40.0	0.57	38.9	41.1
2013	322	28.4	1.74	25.1	31.9	5,352	40.8	0.57	39.7	42.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	94,572	39.7	0.13	39.4	39.9	9,754	28.5	0.29	27.9	29.0
1990	3,023	32.7	0.60	31.6	33.9	221	19.1	1.32	16.6	21.8
1991	3,083	33.0	0.60	31.9	34.2	219	19.3	1.34	16.8	22.1
1992	3,189	33.7	0.60	32.6	34.9	250	21.6	1.41	18.9	24.5
1993	3,266	34.3	0.60	33.1	35.5	299	23.4	1.39	20.8	26.3
1994	3,366	35.2	0.61	34.0	36.4	295	23.8	1.42	21.1	26.7
1995	3,390	35.3	0.61	34.1	36.5	289	22.6	1.37	20.0	25.5
1996	3,583	37.4	0.63	36.2	38.7	329	25.6	1.45	22.8	28.6
1997	3,643	37.8	0.63	36.6	39.0	330	25.2	1.42	22.4	28.1
1998	3,609	37.2	0.62	36.0	38.5	335	25.0	1.39	22.3	27.8
1999	3,710	38.1	0.63	36.9	39.4	352	26.6	1.45	23.8	29.6
2000	3,878	39.7	0.64	38.5	41.0	405	29.3	1.49	26.5	32.4
2001	3,882	39.8	0.64	38.5	41.1	396	28.5	1.46	25.7	31.5
2002	4,172	42.4	0.66	41.1	43.7	428	30.6	1.51	27.7	33.7
2003	4,262	43.1	0.66	41.8	44.4	435	29.3	1.43	26.6	32.2
2004	4,337	43.6	0.67	42.3	44.9	418	28.1	1.40	25.4	30.9
2005	4,348	43.7	0.67	42.4	45.0	454	30.2	1.44	27.4	33.1
2006	4,325	43.2	0.66	42.0	44.6	485	31.7	1.47	28.9	34.7
2007	4,338	42.9	0.66	41.6	44.2	533	34.4	1.52	31.5	37.5
2008	4,528	44.3	0.67	43.0	45.6	575	36.0	1.53	33.0	39.1
2009	4,624	44.8	0.67	43.5	46.2	560	34.5	1.49	31.7	37.6
2010	4,383	42.0	0.65	40.8	43.3	508	30.7	1.40	28.1	33.6
2011	4,488	42.4	0.65	41.2	43.7	533	31.2	1.39	28.6	34.1
2012	4,503	42.2	0.64	41.0	43.5	536	31.2	1.38	28.6	34.0
2013	4,642	43.1	0.65	41.8	44.4	569	32.4	1.39	29.8	35.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,684	39.3	0.90	37.5	41.1	72,593	61.5	0.23	61.1	62.0
1990	43	32.4	5.85	22.0	45.4	2,256	52.8	1.15	50.6	55.1
1991	57	34.8	5.58	24.8	47.2	2,296	52.6	1.13	50.4	54.9
1992	54	33.3	5.31	23.8	45.1	2,359	53.6	1.13	51.4	55.8
1993	50	28.4	4.75	19.8	39.0	2,457	54.7	1.13	52.5	57.0
1994	69	39.3	5.63	29.0	51.6	2,480	55.1	1.13	52.9	57.4
1995	69	37.3	5.71	27.0	49.8	2,515	55.4	1.13	53.2	57.6
1996	60	33.5	5.39	23.8	45.3	2,696	58.7	1.15	56.4	61.0
1997	97	56.3	7.23	43.0	71.7	2,713	58.3	1.13	56.1	60.6
1998	95	45.1	5.72	34.6	57.4	2,719	58.2	1.13	56.0	60.4
1999	81	34.3	4.64	25.8	44.4	2,797	59.4	1.14	57.2	61.6
2000	96	38.5	4.59	30.0	48.4	2,934	61.6	1.15	59.3	63.9
2001	105	39.8	4.69	31.1	49.8	2,963	61.4	1.14	59.2	63.7
2002	103	38.8	4.49	30.5	48.4	3,239	67.0	1.19	64.7	69.3
2003	121	41.3	4.52	32.9	50.9	3,272	66.7	1.18	64.4	69.1
2004	116	39.1	4.31	31.1	48.2	3,311	66.6	1.17	64.3	68.9
2005	136	42.4	4.42	34.2	51.8	3,355	66.5	1.16	64.2	68.8
2006	120	36.4	3.94	29.1	44.8	3,321	65.3	1.15	63.0	67.6
2007	144	38.5	3.71	31.6	46.4	3,391	65.7	1.14	63.5	68.0
2008	151	39.3	3.84	32.1	47.3	3,584	68.2	1.16	65.9	70.5
2009	171	45.0	3.99	37.5	53.4	3,620	67.6	1.14	65.4	69.9
2010	172	38.0	3.40	31.7	45.2	3,477	63.9	1.10	61.7	66.1
2011	192	43.8	3.68	36.9	51.5	3,546	63.5	1.09	61.4	65.7
2012	191	39.2	3.27	33.1	46.1	3,553	62.6	1.07	60.5	64.8
2013	191	35.3	2.91	29.8	41.4	3,739	64.9	1.09	62.8	67.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	65,334	64.6	0.26	64.1	65.1	5,818	41.8	0.58	40.6	42.9
1990	2,117	56.2	1.26	53.8	58.7	122	25.9	2.53	21.2	31.3
1991	2,151	56.0	1.24	53.6	58.5	128	27.6	2.60	22.8	33.1
1992	2,183	56.3	1.23	53.9	58.8	151	33.1	2.90	27.7	39.2
1993	2,260	57.6	1.24	55.2	60.1	174	33.2	2.67	28.2	38.8
1994	2,281	57.9	1.24	55.6	60.4	163	32.9	2.76	27.7	38.7
1995	2,321	58.6	1.24	56.2	61.1	169	32.6	2.65	27.6	38.2
1996	2,472	61.9	1.26	59.5	64.4	186	34.6	2.68	29.6	40.3
1997	2,469	61.1	1.24	58.7	63.6	193	36.4	2.79	31.1	42.2
1998	2,480	61.3	1.24	58.9	63.8	194	35.2	2.67	30.2	40.8
1999	2,534	62.2	1.25	59.8	64.7	212	39.1	2.87	33.7	45.1
2000	2,646	64.5	1.26	62.0	67.0	233	42.1	2.93	36.6	48.2
2001	2,687	64.9	1.26	62.4	67.4	225	40.0	2.83	34.6	45.9
2002	2,932	70.7	1.31	68.1	73.3	254	46.3	3.10	40.4	52.7
2003	2,929	69.9	1.30	67.4	72.5	281	46.4	2.92	40.9	52.5
2004	2,982	70.3	1.30	67.7	72.8	258	43.1	2.86	37.7	49.1
2005	2,992	69.8	1.29	67.3	72.3	270	45.0	2.92	39.4	51.0
2006	2,952	68.4	1.27	66.0	71.0	285	47.1	2.96	41.4	53.2
2007	2,981	68.2	1.26	65.8	70.8	324	51.7	3.03	45.9	57.9
2008	3,166	71.3	1.28	68.8	73.8	337	51.1	2.92	45.5	57.1
2009	3,192	70.8	1.27	68.3	73.3	340	51.1	2.93	45.5	57.1
2010	3,056	66.8	1.23	64.5	69.3	318	46.3	2.73	41.1	51.9
2011	3,142	67.2	1.22	64.8	69.6	316	44.7	2.66	39.7	50.2
2012	3,142	66.4	1.21	64.0	68.8	322	45.4	2.66	40.3	50.9
2013	3,267	68.1	1.22	65.7	70.5	363	50.2	2.76	45.0	55.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,525	18.4	0.52	17.4	19.4	33,785	21.1	0.12	20.9	21.3
1990	30	16.2	3.29	10.4	23.8	1,013	16.6	0.53	15.6	17.7
1991	24	12.9	2.88	7.8	19.6	1,034	16.6	0.52	15.6	17.6
1992	23	11.0	2.49	6.6	16.8	1,115	17.7	0.54	16.7	18.8
1993	24	12.0	2.61	7.5	18.1	1,146	18.1	0.54	17.0	19.2
1994	37	18.3	3.25	12.5	25.6	1,226	19.0	0.55	18.0	20.1
1995	36	15.7	2.95	10.4	22.3	1,198	18.5	0.54	17.5	19.6
1996	42	19.5	3.30	13.5	26.8	1,273	19.8	0.56	18.7	20.9
1997	45	20.2	3.41	14.1	27.8	1,337	20.6	0.57	19.5	21.8
1998	47	16.3	2.60	11.6	22.1	1,293	19.9	0.56	18.9	21.1
1999	65	26.3	3.68	19.6	34.3	1,334	20.4	0.56	19.3	21.5
2000	50	15.6	2.52	11.1	21.2	1,419	21.6	0.58	20.5	22.8
2001	61	20.0	2.88	14.7	26.3	1,385	21.0	0.57	19.9	22.2
2002	55	17.4	2.58	12.7	23.1	1,443	21.7	0.58	20.6	22.8
2003	66	18.3	2.51	13.7	23.8	1,515	22.9	0.59	21.8	24.1
2004	49	11.8	1.89	8.4	16.1	1,542	23.0	0.59	21.9	24.2
2005	68	19.0	2.54	14.3	24.5	1,582	23.5	0.60	22.4	24.8
2006	79	19.8	2.48	15.2	25.1	1,606	23.8	0.60	22.6	25.0
2007	89	19.7	2.27	15.5	24.6	1,601	23.5	0.60	22.4	24.7
2008	86	19.1	2.23	14.9	23.9	1,632	23.7	0.60	22.5	24.9
2009	89	18.3	2.13	14.3	22.8	1,685	24.3	0.60	23.2	25.6
2010	94	18.0	2.06	14.2	22.4	1,561	22.2	0.57	21.0	23.3
2011	118	21.1	2.10	17.2	25.6	1,614	22.7	0.58	21.6	23.9
2012	117	20.0	1.99	16.3	24.3	1,618	22.6	0.58	21.5	23.7
2013	131	22.4	2.10	18.4	26.8	1,613	22.2	0.57	21.1	23.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	29,238	21.6	0.13	21.4	21.9	3,936	19.6	0.31	19.0	20.2
1990	906	17.1	0.58	16.0	18.3	99	14.5	1.48	11.8	17.7
1991	932	17.1	0.57	16.0	18.2	91	13.7	1.46	11.0	16.8
1992	1,006	18.4	0.59	17.2	19.6	99	14.3	1.46	11.6	17.5
1993	1,006	18.2	0.58	17.0	19.4	125	16.8	1.53	13.9	20.1
1994	1,085	19.4	0.60	18.2	20.6	132	17.8	1.57	14.9	21.2
1995	1,069	19.2	0.60	18.0	20.4	120	15.8	1.46	13.1	18.9
1996	1,111	20.1	0.62	18.9	21.4	143	19.0	1.60	15.9	22.3
1997	1,174	21.1	0.63	19.9	22.4	137	17.7	1.53	14.8	20.9
1998	1,129	20.4	0.62	19.2	21.7	141	17.9	1.52	15.1	21.2
1999	1,176	21.2	0.63	20.0	22.5	140	18.2	1.55	15.3	21.4
2000	1,232	22.1	0.64	20.9	23.4	172	21.0	1.62	18.0	24.4
2001	1,195	21.5	0.63	20.3	22.8	171	20.8	1.60	17.8	24.2
2002	1,240	22.0	0.64	20.8	23.3	174	20.8	1.59	17.8	24.1
2003	1,333	24.0	0.67	22.7	25.3	154	17.8	1.45	15.1	20.9
2004	1,355	24.1	0.67	22.8	25.5	160	18.3	1.45	15.5	21.3
2005	1,356	24.2	0.67	22.9	25.6	184	20.7	1.54	17.8	23.9
2006	1,373	24.4	0.67	23.1	25.7	200	22.1	1.58	19.1	25.4
2007	1,357	24.1	0.67	22.8	25.4	209	23.1	1.61	20.0	26.4
2008	1,362	23.8	0.66	22.6	25.2	238	25.5	1.67	22.4	29.0
2009	1,432	25.1	0.68	23.7	26.4	220	23.5	1.60	20.5	26.8
2010	1,327	23.0	0.65	21.7	24.3	190	19.8	1.45	17.0	22.8
2011	1,346	23.3	0.65	22.0	24.6	217	21.8	1.50	19.0	25.0
2012	1,361	23.1	0.65	21.9	24.4	214	21.7	1.51	18.9	24.9
2013	1,375	23.4	0.65	22.1	24.7	206	20.3	1.44	17.6	23.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary Bladder (incl in situ)										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,643	12.8	0.35	12.1	13.5	63,085	22.4	0.09	22.3	22.6
1990	37	13.1	2.38	8.8	18.4	2,162	20.4	0.44	19.6	21.3
1991	45	13.9	2.33	9.7	19.0	2,118	19.8	0.43	19.0	20.7
1992	38	10.2	1.81	7.0	14.3	2,213	20.4	0.44	19.5	21.2
1993	39	10.8	1.91	7.4	15.1	2,345	21.4	0.44	20.5	22.3
1994	51	14.5	2.27	10.4	19.5	2,365	21.4	0.44	20.6	22.3
1995	45	11.7	2.05	8.1	16.3	2,304	20.7	0.43	19.9	21.6
1996	47	12.9	2.11	9.1	17.5	2,553	22.9	0.45	22.0	23.8
1997	65	19.8	2.77	14.7	25.7	2,518	22.4	0.45	21.5	23.3
1998	65	14.9	2.12	11.0	19.5	2,502	22.1	0.44	21.2	23.0
1999	68	15.9	2.20	11.9	20.7	2,590	22.7	0.45	21.8	23.6
2000	63	12.1	1.71	9.0	15.8	2,699	23.5	0.45	22.7	24.4
2001	77	16.7	2.14	12.8	21.3	2,611	22.7	0.44	21.8	23.6
2002	72	14.8	1.94	11.2	19.0	2,804	24.1	0.46	23.3	25.1
2003	82	14.1	1.76	10.8	17.8	2,833	24.2	0.46	23.3	25.1
2004	67	12.1	1.64	9.1	15.6	2,801	23.8	0.45	22.9	24.6
2005	80	13.4	1.68	10.3	17.0	2,893	24.3	0.45	23.4	25.2
2006	64	11.1	1.53	8.3	14.4	2,711	22.7	0.44	21.8	23.6
2007	81	11.7	1.44	9.0	14.8	2,777	22.9	0.44	22.1	23.8
2008	74	11.2	1.44	8.6	14.3	2,929	23.9	0.45	23.0	24.8
2009	88	12.3	1.42	9.6	15.3	2,961	23.8	0.44	22.9	24.7
2010	96	12.1	1.37	9.6	15.0	2,803	22.2	0.42	21.4	23.0
2011	99	12.5	1.35	10.0	15.3	2,834	22.1	0.42	21.3	22.9
2012	102	12.2	1.30	9.8	14.9	2,776	21.4	0.41	20.6	22.2
2013	98	9.8	1.07	7.8	12.1	2,983	22.6	0.42	21.8	23.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	57,899	24.1	0.10	23.9	24.3	3,994	12.4	0.20	12.0	12.8
1990	2,040	21.9	0.49	20.9	22.9	107	9.7	0.97	7.9	11.8
1991	1,992	21.2	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2
1992	2,067	21.7	0.48	20.7	22.6	124	11.3	1.04	9.3	13.5
1993	2,190	22.8	0.49	21.9	23.8	139	11.7	1.02	9.8	13.8
1994	2,199	22.8	0.49	21.8	23.8	140	11.9	1.03	10.0	14.1
1995	2,145	22.2	0.48	21.2	23.1	135	11.1	0.98	9.3	13.2
1996	2,360	24.4	0.50	23.4	25.4	154	12.8	1.06	10.9	15.1
1997	2,324	23.8	0.50	22.9	24.8	148	12.3	1.04	10.4	14.5
1998	2,302	23.5	0.49	22.6	24.5	155	12.1	0.99	10.3	14.2
1999	2,387	24.3	0.50	23.3	25.3	159	12.9	1.04	11.0	15.1
2000	2,488	25.3	0.51	24.3	26.3	174	13.2	1.02	11.3	15.4
2001	2,409	24.5	0.50	23.5	25.5	162	12.5	1.00	10.6	14.6
2002	2,583	26.0	0.51	25.0	27.0	176	13.5	1.04	11.6	15.7
2003	2,620	26.3	0.52	25.3	27.3	155	11.2	0.91	9.5	13.1
2004	2,566	25.6	0.51	24.6	26.6	161	11.4	0.92	9.7	13.3
2005	2,633	26.2	0.51	25.2	27.2	177	12.5	0.95	10.7	14.5
2006	2,469	24.5	0.50	23.5	25.5	175	12.5	0.96	10.7	14.5
2007	2,507	24.5	0.49	23.6	25.5	194	13.2	0.96	11.3	15.2
2008	2,626	25.4	0.50	24.5	26.4	235	15.6	1.04	13.7	17.8
2009	2,666	25.5	0.50	24.5	26.5	225	14.7	1.00	12.8	16.8
2010	2,547	24.1	0.48	23.1	25.0	186	12.0	0.90	10.3	13.9
2011	2,573	24.0	0.48	23.1	25.0	192	11.9	0.88	10.2	13.8
2012	2,531	23.4	0.47	22.5	24.4	180	11.2	0.86	9.6	13.0
2013	2,675	24.5	0.48	23.5	25.4	232	13.9	0.94	12.2	15.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary Bladder (incl in situ)										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,153	20.3	0.69	19.0	21.7	46,424	40.1	0.19	39.8	40.5
1990	28	22.3	4.85	13.8	33.4	1,601	37.9	0.98	36.0	39.9
1991	34	23.8	4.92	15.1	34.9	1,552	36.1	0.95	34.3	38.0
1992	31	18.5	3.72	11.9	27.1	1,611	37.1	0.95	35.3	39.1
1993	26	16.1	3.65	9.7	24.5	1,715	38.7	0.96	36.9	40.6
1994	34	21.0	4.29	13.5	30.7	1,672	37.6	0.94	35.8	39.5
1995	32	18.5	4.16	11.2	28.0	1,688	37.7	0.94	35.9	39.6
1996	29	16.9	3.83	10.2	25.6	1,847	40.8	0.97	38.9	42.7
1997	48	34.9	6.01	24.1	48.0	1,824	39.7	0.94	37.9	41.6
1998	46	24.9	4.37	17.1	34.6	1,832	39.6	0.94	37.8	41.5
1999	42	20.2	3.72	13.6	28.6	1,886	40.6	0.95	38.7	42.4
2000	45	20.3	3.53	14.0	28.1	1,953	41.6	0.95	39.8	43.6
2001	52	25.5	4.09	18.1	34.4	1,922	40.6	0.93	38.8	42.5
2002	54	24.8	3.82	17.9	33.1	2,083	44.0	0.97	42.1	46.0
2003	59	22.9	3.57	16.5	30.7	2,051	42.7	0.95	40.8	44.6
2004	52	21.6	3.43	15.4	29.1	2,092	43.0	0.95	41.1	44.9
2005	58	22.4	3.48	16.0	29.9	2,118	42.8	0.94	40.9	44.6
2006	42	17.2	2.99	11.9	23.8	1,971	39.7	0.90	38.0	41.5
2007	58	18.5	2.77	13.5	24.6	2,054	40.7	0.91	38.9	42.5
2008	54	19.0	2.99	13.6	25.5	2,170	42.4	0.92	40.6	44.2
2009	60	19.6	2.81	14.5	25.7	2,238	42.8	0.92	41.0	44.6
2010	66	18.9	2.62	14.1	24.6	2,118	39.8	0.88	38.1	41.6
2011	69	20.2	2.67	15.3	25.9	2,101	38.6	0.86	37.0	40.3
2012	73	19.8	2.57	15.1	25.3	2,068	37.4	0.84	35.8	39.1
2013	61	12.5	1.78	9.2	16.4	2,257	39.9	0.86	38.3	41.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	43,085	43.1	0.21	42.7	43.5	2,446	19.3	0.41	18.5	20.1
1990	1,534	41.0	1.08	38.9	43.2	56	12.9	1.87	9.5	17.0
1991	1,478	39.0	1.04	36.9	41.1	62	14.4	1.93	10.8	18.6
1992	1,520	39.6	1.04	37.6	41.7	72	17.0	2.15	13.0	21.6
1993	1,619	41.6	1.06	39.6	43.7	87	17.9	2.03	14.2	22.3
1994	1,571	40.2	1.03	38.2	42.3	81	17.7	2.10	13.8	22.2
1995	1,591	40.6	1.04	38.6	42.7	79	16.3	1.93	12.7	20.4
1996	1,739	44.0	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2
1997	1,699	42.4	1.04	40.4	44.4	91	19.6	2.19	15.5	24.3
1998	1,700	42.3	1.04	40.3	44.4	101	19.1	2.01	15.4	23.4
1999	1,755	43.4	1.04	41.4	45.5	94	19.9	2.19	15.8	24.5
2000	1,816	44.7	1.06	42.6	46.8	107	20.8	2.14	16.9	25.4
2001	1,799	43.9	1.04	41.9	46.0	92	18.2	2.01	14.4	22.4
2002	1,955	47.7	1.09	45.6	49.9	97	20.0	2.15	16.0	24.5
2003	1,903	46.0	1.06	43.9	48.1	104	18.8	1.96	15.1	23.0
2004	1,930	46.1	1.06	44.1	48.3	106	19.1	1.98	15.4	23.3
2005	1,954	46.1	1.05	44.1	48.2	106	19.4	2.00	15.6	23.6
2006	1,811	42.6	1.01	40.7	44.6	110	21.1	2.12	17.1	25.6
2007	1,873	43.5	1.02	41.5	45.5	123	21.1	2.03	17.3	25.4
2008	1,979	45.3	1.03	43.3	47.4	144	23.7	2.08	19.8	28.1
2009	2,037	45.7	1.03	43.7	47.8	148	24.6	2.14	20.5	29.1
2010	1,938	42.9	0.99	41.0	44.9	123	19.5	1.84	16.1	23.5
2011	1,931	41.9	0.97	40.1	43.9	121	19.3	1.85	15.8	23.2
2012	1,915	41.1	0.96	39.3	43.0	105	16.1	1.66	13.0	19.7
2013	2,038	42.9	0.97	41.0	44.8	156	24.0	2.01	20.2	28.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Urinary Bladder (incl in situ)										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	490	6.9	0.34	6.3	7.6	16,661	10.2	0.08	10.0	10.3
1990	9	6.2	2.23	2.6	11.8	561	9.0	0.39	8.3	9.8
1991	11	6.5	2.06	3.1	11.6	566	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	602	9.4	0.39	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	630	9.8	0.39	9.0	10.6
1994	17	9.3	2.43	5.2	15.0	693	10.5	0.40	9.8	11.4
1995	13	6.6	2.04	3.3	11.6	616	9.3	0.38	8.6	10.1
1996	18	9.7	2.42	5.6	15.4	706	10.7	0.41	9.9	11.5
1997	17	9.3	2.44	5.2	15.0	694	10.5	0.40	9.7	11.3
1998	19	7.2	1.88	4.0	11.7	670	10.1	0.39	9.4	10.9
1999	26	12.0	2.61	7.4	17.9	704	10.5	0.40	9.7	11.3
2000	18	5.6	1.43	3.1	9.1	746	11.1	0.41	10.3	12.0
2001	25	9.7	2.16	6.0	14.7	689	10.2	0.39	9.4	11.0
2002	18	6.6	1.73	3.7	10.7	721	10.5	0.40	9.7	11.3
2003	23	7.1	1.63	4.3	10.9	782	11.6	0.42	10.7	12.4
2004	15	4.5	1.29	2.3	7.6	709	10.3	0.39	9.5	11.1
2005	22	6.7	1.52	4.1	10.3	775	11.2	0.41	10.4	12.1
2006	22	6.5	1.52	3.9	10.0	740	10.7	0.40	10.0	11.5
2007	23	6.1	1.38	3.7	9.3	723	10.3	0.39	9.6	11.1
2008	20	5.4	1.28	3.2	8.4	759	10.7	0.40	10.0	11.5
2009	28	6.6	1.35	4.3	9.7	723	10.1	0.38	9.4	10.9
2010	30	6.7	1.34	4.3	9.7	685	9.3	0.36	8.6	10.1
2011	30	6.5	1.27	4.3	9.4	733	10.1	0.38	9.3	10.8
2012	29	6.3	1.22	4.1	9.0	708	9.6	0.37	8.9	10.3
2013	37	7.4	1.28	5.1	10.3	726	9.6	0.37	8.9	10.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	14,814	10.6	0.09	10.4	10.8	1,548	8.0	0.21	7.6	8.5
1990	506	9.3	0.42	8.5	10.2	51	7.7	1.10	5.7	10.1
1991	514	9.2	0.41	8.4	10.0	47	7.4	1.09	5.4	9.8
1992	547	9.7	0.42	8.9	10.6	52	7.9	1.10	5.9	10.3
1993	571	10.1	0.43	9.3	11.0	52	7.4	1.05	5.5	9.8
1994	628	11.0	0.44	10.1	11.9	59	8.3	1.09	6.3	10.7
1995	554	9.7	0.42	8.9	10.5	56	7.6	1.03	5.7	9.9
1996	621	10.9	0.44	10.0	11.8	73	10.3	1.21	8.0	12.9
1997	625	11.0	0.45	10.1	11.9	57	7.8	1.04	5.9	10.1
1998	602	10.6	0.44	9.8	11.5	54	7.3	1.00	5.5	9.5
1999	632	11.0	0.44	10.1	11.9	65	8.7	1.09	6.7	11.1
2000	672	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	610	10.7	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	628	10.7	0.44	9.9	11.6	79	9.8	1.11	7.8	12.3
2003	717	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	636	10.9	0.44	10.1	11.8	55	6.5	0.89	4.9	8.5
2005	679	11.7	0.46	10.8	12.6	71	8.3	0.99	6.5	10.5
2006	658	11.4	0.45	10.5	12.3	65	7.5	0.94	5.8	9.6
2007	634	10.8	0.44	9.9	11.7	71	8.2	0.98	6.4	10.3
2008	647	10.9	0.44	10.1	11.8	91	10.3	1.09	8.3	12.7
2009	629	10.5	0.43	9.7	11.4	77	8.6	0.98	6.7	10.7
2010	609	10.0	0.41	9.2	10.8	63	6.9	0.87	5.3	8.8
2011	642	10.7	0.43	9.9	11.6	71	7.4	0.89	5.7	9.3
2012	616	10.0	0.41	9.2	10.9	75	8.1	0.94	6.3	10.1
2013	637	10.3	0.42	9.5	11.2	76	7.6	0.89	6.0	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Kidney and Renal Pelvis</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,483	14.3	0.32	13.6	14.9	40,728	14.6	0.07	14.5	14.8
1990	35	9.3	1.80	6.1	13.4	1,004	9.7	0.31	9.1	10.3
1991	32	7.1	1.35	4.7	10.2	1,106	10.5	0.32	9.8	11.1
1992	36	9.2	1.73	6.1	13.1	1,172	10.9	0.32	10.3	11.6
1993	31	7.6	1.52	4.9	11.1	1,168	10.7	0.32	10.1	11.4
1994	52	12.4	1.94	8.9	16.7	1,236	11.3	0.32	10.7	12.0
1995	59	13.1	2.01	9.4	17.5	1,312	11.9	0.33	11.3	12.6
1996	52	11.2	1.82	7.9	15.3	1,335	12.2	0.33	11.5	12.9
1997	74	14.7	2.06	11.0	19.2	1,435	13.0	0.34	12.3	13.7
1998	70	12.3	1.70	9.2	16.0	1,410	12.6	0.34	12.0	13.3
1999	72	13.1	1.84	9.7	17.1	1,454	12.9	0.34	12.2	13.6
2000	80	13.1	1.71	10.0	16.9	1,549	13.7	0.35	13.0	14.4
2001	86	11.5	1.40	8.9	14.6	1,644	14.4	0.36	13.7	15.1
2002	82	11.8	1.47	9.1	15.0	1,770	15.4	0.37	14.7	16.1
2003	100	13.9	1.60	10.9	17.3	1,850	15.9	0.37	15.2	16.7
2004	98	12.0	1.37	9.4	14.9	1,947	16.6	0.38	15.8	17.3
2005	122	15.8	1.65	12.7	19.3	1,933	16.4	0.37	15.7	17.1
2006	133	15.8	1.57	12.9	19.2	2,093	17.6	0.39	16.9	18.4
2007	146	15.8	1.44	13.1	18.8	2,095	17.4	0.38	16.7	18.2
2008	160	16.4	1.46	13.7	19.5	2,165	17.7	0.38	17.0	18.5
2009	169	17.4	1.52	14.5	20.6	2,220	18.0	0.39	17.3	18.8
2010	168	14.8	1.28	12.4	17.5	2,100	16.8	0.37	16.0	17.5
2011	208	18.2	1.42	15.6	21.2	2,201	17.3	0.38	16.5	18.0
2012	199	15.8	1.22	13.5	18.3	2,272	17.6	0.38	16.9	18.4
2013	219	18.1	1.35	15.5	20.9	2,257	17.4	0.37	16.6	18.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	34,383	14.7	0.08	14.5	14.8	5,534	15.4	0.21	15.0	15.8
1990	891	9.9	0.34	9.3	10.6	104	8.4	0.84	6.8	10.2
1991	996	10.8	0.35	10.2	11.6	101	8.4	0.86	6.8	10.2
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8
1993	996	10.6	0.34	10.0	11.3	150	10.8	0.91	9.1	12.7
1994	1,072	11.4	0.35	10.7	12.1	147	11.2	0.95	9.4	13.2
1995	1,154	12.2	0.36	11.5	12.9	149	11.1	0.93	9.4	13.1
1996	1,150	12.3	0.36	11.6	13.0	168	12.2	0.96	10.4	14.2
1997	1,230	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3
1998	1,214	12.8	0.37	12.1	13.5	177	12.6	0.97	10.8	14.6
1999	1,250	13.1	0.37	12.4	13.8	183	13.0	0.98	11.1	15.0
2000	1,297	13.5	0.38	12.8	14.3	219	15.1	1.04	13.2	17.3
2001	1,388	14.5	0.39	13.7	15.3	227	15.4	1.04	13.5	17.6
2002	1,488	15.4	0.40	14.6	16.2	245	16.6	1.08	14.6	18.9
2003	1,553	16.0	0.41	15.2	16.8	267	17.3	1.07	15.2	19.5
2004	1,686	17.1	0.42	16.3	18.0	239	15.4	1.01	13.5	17.5
2005	1,614	16.5	0.41	15.7	17.3	271	17.3	1.07	15.3	19.6
2006	1,748	17.7	0.43	16.9	18.6	297	18.3	1.08	16.3	20.6
2007	1,728	17.4	0.42	16.6	18.2	324	20.2	1.14	18.1	22.6
2008	1,789	17.7	0.43	16.9	18.6	333	20.0	1.12	17.8	22.3
2009	1,848	18.3	0.43	17.5	19.2	323	19.0	1.08	16.9	21.2
2010	1,716	16.8	0.41	16.0	17.6	311	18.0	1.04	16.0	20.1
2011	1,805	17.4	0.42	16.6	18.2	333	18.9	1.06	16.8	21.0
2012	1,861	17.8	0.42	16.9	18.6	346	19.3	1.06	17.3	21.5
2013	1,869	17.7	0.42	16.9	18.6	324	17.8	1.01	15.9	19.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Kidney and Renal Pelvis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,482	18.2	0.56	17.1	19.3	24,608	20.0	0.13	19.8	20.3
1990	14	8.6	2.87	3.9	15.7	595	13.6	0.57	12.5	14.7
1991	22	10.7	2.60	6.2	17.0	683	15.1	0.59	14.0	16.3
1992	21	12.5	3.29	7.0	20.4	693	15.2	0.59	14.1	16.4
1993	21	10.7	2.87	5.8	17.6	691	14.8	0.57	13.7	16.0
1994	32	16.7	3.54	10.5	24.9	749	16.1	0.60	15.0	17.3
1995	37	18.8	3.91	12.0	27.7	764	16.2	0.60	15.1	17.4
1996	29	14.5	3.39	8.6	22.3	801	16.8	0.60	15.6	18.0
1997	49	21.4	4.01	14.3	30.4	823	17.1	0.60	16.0	18.3
1998	45	18.0	3.42	12.0	25.8	825	17.2	0.60	16.0	18.4
1999	35	12.5	2.66	7.9	18.7	857	17.6	0.61	16.5	18.9
2000	48	16.5	2.77	11.5	22.7	924	18.7	0.62	17.5	20.0
2001	52	13.7	2.18	9.7	18.7	984	19.6	0.63	18.4	20.9
2002	47	13.5	2.33	9.3	18.7	1,086	21.5	0.66	20.2	22.8
2003	59	17.5	2.72	12.6	23.5	1,156	22.7	0.67	21.4	24.0
2004	64	17.4	2.61	12.7	23.2	1,160	22.4	0.67	21.1	23.8
2005	76	19.5	2.69	14.6	25.4	1,168	22.3	0.66	21.0	23.6
2006	77	19.0	2.56	14.3	24.6	1,276	24.1	0.68	22.8	25.5
2007	81	18.7	2.38	14.3	23.9	1,266	23.5	0.67	22.2	24.9
2008	95	19.6	2.35	15.3	24.7	1,340	24.3	0.68	23.0	25.7
2009	111	25.4	2.84	20.1	31.5	1,307	23.4	0.66	22.1	24.7
2010	105	19.0	2.15	15.0	23.6	1,279	22.5	0.64	21.3	23.8
2011	121	23.2	2.51	18.5	28.5	1,360	23.4	0.65	22.1	24.7
2012	113	18.5	1.95	14.8	22.6	1,410	23.8	0.65	22.5	25.1
2013	128	22.4	2.27	18.1	27.2	1,411	23.6	0.65	22.4	24.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	20,815	20.0	0.14	19.8	20.3	3,271	21.7	0.40	20.9	22.5
1990	525	13.8	0.61	12.6	15.0	64	12.4	1.63	9.4	16.0
1991	617	15.6	0.64	14.4	16.9	62	12.6	1.70	9.5	16.3
1992	614	15.4	0.63	14.2	16.7	74	15.0	1.85	11.6	19.0
1993	595	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6
1994	654	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8
1995	671	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6
1996	687	16.8	0.64	15.5	18.1	103	18.1	1.87	14.6	22.1
1997	708	17.2	0.65	16.0	18.6	99	16.1	1.68	13.0	19.7
1998	721	17.5	0.66	16.2	18.8	91	15.7	1.73	12.5	19.4
1999	731	17.6	0.66	16.4	19.0	114	18.5	1.80	15.1	22.3
2000	778	18.5	0.67	17.3	19.9	121	20.1	1.91	16.5	24.2
2001	836	19.7	0.68	18.4	21.1	129	20.8	1.92	17.2	24.9
2002	909	21.3	0.71	19.9	22.7	155	26.0	2.22	21.9	30.7
2003	970	22.6	0.73	21.2	24.1	169	26.4	2.12	22.4	30.9
2004	1,002	22.9	0.73	21.5	24.4	145	22.6	1.97	18.9	26.8
2005	973	22.1	0.72	20.7	23.6	162	25.2	2.10	21.3	29.6
2006	1,073	24.2	0.75	22.8	25.7	169	24.9	2.01	21.1	29.2
2007	1,045	23.2	0.73	21.8	24.7	194	29.3	2.19	25.2	33.9
2008	1,118	24.4	0.74	22.9	25.8	190	27.1	2.04	23.2	31.4
2009	1,085	23.5	0.73	22.1	25.0	188	25.7	1.96	22.0	29.8
2010	1,048	22.4	0.71	21.0	23.8	188	25.5	1.95	21.8	29.6
2011	1,133	23.6	0.72	22.2	25.0	191	25.0	1.89	21.4	29.0
2012	1,161	23.8	0.72	22.4	25.3	209	27.9	2.02	24.0	32.1
2013	1,161	23.7	0.71	22.3	25.1	204	25.8	1.88	22.3	29.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Kidney and Renal Pelvis</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,001	11.0	0.38	10.2	11.7	16,120	10.4	0.08	10.2	10.5
1990	21	10.1	2.41	5.9	15.8	409	6.9	0.35	6.2	7.6
1991	10	3.9	1.33	1.7	7.5	423	7.0	0.34	6.3	7.7
1992	15	6.8	1.90	3.6	11.5	479	7.8	0.36	7.2	8.6
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4
1994	20	9.0	2.17	5.3	14.1	487	7.8	0.36	7.1	8.5
1995	22	8.7	2.11	5.0	13.7	548	8.7	0.38	8.0	9.5
1996	23	8.9	2.07	5.3	13.8	534	8.6	0.38	7.9	9.4
1997	25	9.5	2.18	5.7	14.6	612	9.7	0.39	8.9	10.5
1998	25	7.9	1.68	5.0	11.9	585	9.3	0.39	8.5	10.1
1999	37	13.3	2.49	8.9	18.9	597	9.4	0.39	8.6	10.2
2000	32	10.0	2.08	6.4	14.8	625	9.8	0.40	9.0	10.6
2001	34	9.3	1.79	6.2	13.4	660	10.3	0.40	9.5	11.1
2002	35	10.1	1.86	6.8	14.4	684	10.6	0.41	9.8	11.5
2003	41	10.7	1.88	7.3	14.9	694	10.8	0.41	10.0	11.6
2004	34	7.4	1.38	4.9	10.6	787	12.1	0.43	11.2	12.9
2005	46	12.2	2.03	8.6	16.7	765	11.7	0.43	10.9	12.6
2006	56	12.9	1.93	9.4	17.2	817	12.4	0.44	11.5	13.3
2007	65	13.3	1.79	10.1	17.3	829	12.5	0.44	11.7	13.4
2008	65	13.4	1.81	10.1	17.4	825	12.3	0.44	11.5	13.2
2009	58	10.7	1.56	7.9	14.2	913	13.6	0.46	12.7	14.5
2010	63	11.0	1.51	8.2	14.3	821	12.1	0.43	11.2	12.9
2011	87	14.4	1.66	11.3	18.0	841	12.1	0.43	11.3	13.0
2012	86	13.4	1.54	10.6	16.7	862	12.4	0.43	11.5	13.3
2013	91	14.4	1.64	11.4	18.0	846	12.0	0.43	11.2	12.9
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	13,568	10.4	0.09	10.3	10.6	2,263	10.9	0.23	10.5	11.4
1990	366	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6
1991	379	7.2	0.38	6.5	8.0	39	5.6	0.91	3.9	7.6
1992	426	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6
1993	401	7.5	0.38	6.8	8.3	68	8.6	1.06	6.7	10.9
1994	418	7.8	0.39	7.0	8.6	66	8.5	1.07	6.6	10.9
1995	483	9.0	0.41	8.2	9.8	62	7.9	1.02	6.1	10.2
1996	463	8.8	0.42	8.0	9.7	65	8.1	1.02	6.2	10.3
1997	522	9.7	0.43	8.8	10.5	76	9.4	1.09	7.4	11.7
1998	493	9.2	0.42	8.4	10.1	86	10.5	1.15	8.4	13.0
1999	519	9.8	0.44	8.9	10.7	69	8.7	1.06	6.7	11.0
2000	519	9.7	0.43	8.8	10.6	98	11.6	1.19	9.4	14.2
2001	552	10.3	0.44	9.4	11.2	98	11.6	1.18	9.4	14.1
2002	579	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8
2003	583	10.9	0.46	10.0	11.8	98	11.0	1.12	8.9	13.4
2004	684	12.6	0.49	11.7	13.6	94	10.5	1.09	8.4	12.8
2005	641	12.0	0.48	11.0	13.0	109	12.0	1.16	9.8	14.5
2006	675	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4
2007	683	12.6	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6
2008	671	12.2	0.48	11.3	13.2	143	14.9	1.25	12.5	17.5
2009	763	13.9	0.52	12.9	14.9	135	14.1	1.23	11.8	16.7
2010	668	12.2	0.49	11.2	13.1	123	12.5	1.14	10.3	14.9
2011	672	12.1	0.48	11.1	13.0	142	14.1	1.20	11.8	16.6
2012	700	12.4	0.49	11.5	13.4	137	13.4	1.17	11.2	15.9
2013	708	12.6	0.49	11.6	13.6	120	11.7	1.09	9.7	14.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ureter										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	52	0.4	0.06	0.3	0.6	1,821	0.7	0.02	0.6	0.7
1990	0					75	0.7	0.08	0.5	0.9
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9
1995	0					79	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	1.1	79	0.7	0.08	0.5	0.9
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9
2003	2	0.3	0.23	0.0	1.1	74	0.6	0.07	0.5	0.8
2004	0					69	0.6	0.07	0.5	0.7
2005	2	0.3	0.20	0.0	1.0	80	0.7	0.08	0.5	0.9
2006	2	0.3	0.23	0.0	1.1	95	0.8	0.08	0.7	1.0
2007	4	0.4	0.22	0.1	1.1	85	0.7	0.08	0.6	0.9
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9
2010	1	0.1	0.08	0.0	0.5	89	0.7	0.08	0.6	0.9
2011	2	0.2	0.12	0.0	0.6	85	0.7	0.07	0.5	0.8
2012	6	0.6	0.26	0.2	1.3	80	0.6	0.07	0.5	0.8
2013	3	0.4	0.23	0.1	1.1	64	0.5	0.06	0.4	0.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,710	0.7	0.02	0.7	0.7	76	0.2	0.03	0.2	0.3
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6
1997	69	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6
1998	74	0.7	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8
2000	73	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0
2001	65	0.7	0.08	0.5	0.8	0				
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7
2004	62	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4
2006	85	0.9	0.09	0.7	1.1	8	0.6	0.22	0.3	1.2
2007	79	0.8	0.09	0.6	1.0	4	0.3	0.14	0.1	0.7
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2010	82	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2011	76	0.7	0.08	0.5	0.9	4	0.3	0.13	0.1	0.6
2012	74	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7
2013	62	0.6	0.07	0.4	0.7	2	0.1	0.08	0.0	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ureter										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	29	0.5	0.10	0.3	0.7	1,096	1.0	0.03	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4
2003	1	0.5	0.45	0.0	2.2	46	0.9	0.14	0.7	1.2
2004	0					41	0.8	0.13	0.6	1.1
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4
2007	3	0.6	0.36	0.1	1.9	50	1.0	0.15	0.8	1.4
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1
2009	0					51	1.0	0.14	0.7	1.3
2010	1	0.2	0.16	0.0	1.1	52	1.0	0.14	0.7	1.3
2011	1	0.1	0.13	0.0	0.9	54	1.0	0.13	0.7	1.3
2012	4	0.9	0.48	0.2	2.3	47	0.9	0.13	0.7	1.2
2013	2	0.5	0.37	0.0	1.7	40	0.7	0.12	0.5	1.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,033	1.0	0.03	1.0	1.1	43	0.3	0.05	0.2	0.5
1990	45	1.1	0.17	0.8	1.5	0				
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3
1994	45	1.2	0.18	0.8	1.6	0				
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0
1997	47	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6
1998	47	1.2	0.17	0.9	1.6	1	0.2	0.16	0.0	0.9
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0
2001	38	0.9	0.15	0.6	1.3	0				
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8
2007	47	1.1	0.17	0.8	1.5	2	0.3	0.21	0.0	1.1
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8
2010	48	1.1	0.15	0.8	1.4	3	0.6	0.32	0.1	1.5
2011	50	1.0	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7
2012	42	0.9	0.15	0.7	1.3	4	0.7	0.38	0.2	1.8
2013	40	0.9	0.14	0.6	1.2	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ureter										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	23	0.4	0.08	0.2	0.6	725	0.4	0.02	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					36	0.5	0.09	0.4	0.7
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	0					28	0.4	0.08	0.3	0.6
2005	0					33	0.5	0.08	0.3	0.7
2006	1	0.4	0.38	0.0	1.7	41	0.6	0.09	0.4	0.8
2007	1	0.3	0.25	0.0	1.3	35	0.5	0.08	0.3	0.7
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7
2010	0					37	0.5	0.09	0.4	0.7
2011	1	0.2	0.19	0.0	1.0	31	0.4	0.08	0.3	0.6
2012	2	0.4	0.28	0.0	1.3	33	0.5	0.08	0.3	0.6
2013	1	0.3	0.27	0.0	1.2	24	0.3	0.07	0.2	0.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	677	0.5	0.02	0.4	0.5	33	0.2	0.03	0.1	0.3
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9
1992	29	0.5	0.09	0.3	0.7	0				
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8
1995	27	0.5	0.09	0.3	0.7	0				
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9
1997	22	0.4	0.09	0.3	0.6	0				
1998	27	0.4	0.08	0.3	0.6	0				
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8
2000	34	0.6	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9
2001	27	0.5	0.09	0.3	0.7	0				
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8
2004	25	0.4	0.09	0.3	0.6	3	0.4	0.22	0.1	1.1
2005	32	0.5	0.10	0.4	0.8	0				
2006	35	0.6	0.10	0.4	0.9	4	0.5	0.26	0.1	1.3
2007	32	0.5	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8
2008	36	0.6	0.10	0.4	0.8	0				
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2011	26	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0
2012	32	0.5	0.10	0.4	0.8	0				
2013	22	0.4	0.08	0.2	0.6	2	0.2	0.14	0.0	0.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Eye and Orbit										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	172	0.7	0.07	0.6	0.9	2,219	0.8	0.02	0.8	0.9
1990	6	1.7	0.85	0.5	4.1	60	0.6	0.07	0.4	0.7
1991	6	0.7	0.36	0.2	2.0	66	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	92	0.8	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	8	0.9	0.49	0.2	2.4	88	0.8	0.09	0.6	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	1	0.0	0.04	0.0	0.8	79	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	88	0.8	0.08	0.6	1.0
2001	10	0.8	0.35	0.3	1.9	94	0.8	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	84	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	91	0.8	0.08	0.6	1.0
2005	8	0.8	0.31	0.3	1.7	115	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	97	0.8	0.08	0.7	1.0
2007	9	0.7	0.30	0.2	1.5	113	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	96	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	133	1.1	0.10	0.9	1.3
2010	7	0.7	0.33	0.2	1.6	98	0.8	0.09	0.7	1.0
2011	14	0.9	0.27	0.4	1.6	98	0.8	0.08	0.7	1.0
2012	11	0.6	0.20	0.3	1.2	90	0.7	0.08	0.6	0.9
2013	12	0.8	0.28	0.4	1.6	98	0.8	0.08	0.6	1.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,046	0.9	0.02	0.9	0.9	105	0.2	0.02	0.2	0.3
1990	51	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9
1991	59	0.7	0.09	0.5	0.8	2	0.1	0.07	0.0	0.4
1992	83	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7
1995	81	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8
1997	74	0.8	0.10	0.6	1.0	4	0.2	0.12	0.1	0.6
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6
2000	81	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6
2001	83	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8
2002	72	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2004	86	0.9	0.10	0.7	1.1	3	0.1	0.08	0.0	0.4
2005	108	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5
2006	94	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3
2007	110	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2008	86	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5
2009	123	1.3	0.12	1.1	1.5	8	0.4	0.15	0.2	0.9
2010	91	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6
2011	88	0.9	0.10	0.7	1.1	6	0.3	0.13	0.1	0.7
2012	85	0.8	0.09	0.7	1.0	2	0.1	0.07	0.0	0.4
2013	88	0.9	0.10	0.7	1.1	5	0.3	0.13	0.1	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Eye and Orbit											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	88	0.8	0.11	0.6	1.0	1,196	1.0	0.03	0.9	1.0	
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0	
1991	4	0.5	0.25	0.1	2.9	29	0.7	0.13	0.4	1.0	
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4	
1993	0					38	0.8	0.13	0.6	1.1	
1994	0					41	0.9	0.14	0.6	1.2	
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3	
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6	
1997	1	0.1	0.09	0.0	2.0	45	0.9	0.14	0.7	1.3	
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9	
1999	0					50	1.0	0.15	0.8	1.4	
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4	
2001	5	0.9	0.55	0.2	2.9	49	1.0	0.14	0.7	1.3	
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4	
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5	
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2	
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5	
2006	6	1.0	0.56	0.2	2.7	48	0.9	0.13	0.7	1.2	
2007	7	1.3	0.68	0.3	3.3	53	1.0	0.14	0.8	1.3	
2008	4	0.4	0.20	0.1	1.4	53	1.0	0.14	0.8	1.3	
2009	4	0.6	0.35	0.2	1.8	79	1.4	0.16	1.1	1.8	
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2	
2011	6	0.8	0.38	0.2	2.0	59	1.1	0.14	0.8	1.4	
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2	
2013	6	0.8	0.40	0.2	2.0	56	1.0	0.13	0.7	1.3	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	1,108	1.1	0.03	1.0	1.2	57	0.3	0.04	0.2	0.4	
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1	
1991	27	0.7	0.14	0.5	1.1	1	0.1	0.14	0.0	0.9	
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4	
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9	
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1	
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1	
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8	
1997	40	1.0	0.16	0.7	1.4	4	0.5	0.26	0.1	1.4	
1998	30	0.7	0.13	0.5	1.0	0					
1999	50	1.2	0.17	0.9	1.6	0					
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8	
2001	42	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5	
2002	46	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2	
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7	
2004	43	1.0	0.16	0.7	1.4	1	0.1	0.09	0.0	0.7	
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9	
2006	47	1.0	0.15	0.8	1.4	1	0.1	0.09	0.0	0.7	
2007	52	1.2	0.17	0.9	1.6	0					
2008	50	1.1	0.16	0.8	1.5	1	0.1	0.10	0.0	0.7	
2009	72	1.6	0.19	1.2	2.0	6	0.7	0.29	0.2	1.6	
2010	46	1.0	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0	
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.18	0.0	0.9	
2012	50	1.1	0.16	0.8	1.5	0					
2013	51	1.1	0.16	0.8	1.5	2	0.3	0.20	0.0	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Eye and Orbit										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	84	0.7	0.09	0.5	0.9	1,023	0.7	0.02	0.7	0.7
1990	3	1.6	1.07	0.2	4.9	28	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	37	0.6	0.11	0.5	0.9
1992	4	1.0	0.57	0.2	3.1	43	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	5	1.4	0.84	0.3	4.0	37	0.6	0.10	0.4	0.8
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	0					34	0.6	0.10	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	36	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	45	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	30	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	45	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	52	0.9	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	49	0.8	0.11	0.6	1.0
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					43	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	54	0.9	0.12	0.6	1.1
2010	2	0.5	0.40	0.1	1.8	49	0.8	0.11	0.6	1.0
2011	8	1.0	0.40	0.4	2.1	39	0.6	0.10	0.4	0.9
2012	8	1.0	0.35	0.4	2.0	39	0.6	0.10	0.4	0.8
2013	6	0.9	0.40	0.3	2.0	42	0.7	0.10	0.5	0.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	938	0.8	0.03	0.7	0.8	48	0.2	0.03	0.1	0.3
1990	23	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6
1992	40	0.8	0.12	0.5	1.0	3	0.4	0.23	0.1	1.1
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0
1995	34	0.7	0.12	0.5	0.9	2	0.2	0.10	0.0	0.6
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5
1997	34	0.7	0.12	0.5	1.0	0				
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0
2000	34	0.7	0.12	0.5	0.9	0				
2001	41	0.8	0.13	0.6	1.1	3	0.3	0.15	0.1	0.8
2002	26	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8
2003	56	1.1	0.14	0.8	1.4	0				
2004	43	0.9	0.13	0.6	1.2	2	0.2	0.13	0.0	0.7
2005	48	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6
2006	47	0.9	0.14	0.7	1.3	0				
2007	58	1.1	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6
2008	36	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9
2009	51	1.0	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7
2010	45	0.9	0.14	0.7	1.2	3	0.3	0.17	0.1	0.9
2011	33	0.7	0.12	0.4	0.9	4	0.4	0.19	0.1	1.0
2012	35	0.7	0.12	0.5	0.9	2	0.2	0.15	0.0	0.8
2013	37	0.7	0.12	0.5	1.0	3	0.3	0.18	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Brain and Other Nervous System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,325	5.5	0.19	5.1	5.8	17,818	6.6	0.05	6.5	6.7
1990	27	4.4	1.03	2.6	6.9	653	6.2	0.24	5.7	6.7
1991	35	5.2	1.03	3.4	7.7	692	6.5	0.25	6.0	7.0
1992	32	4.0	0.81	2.6	6.0	679	6.3	0.24	5.9	6.8
1993	33	5.2	1.09	3.3	7.8	683	6.3	0.24	5.8	6.8
1994	30	3.4	0.80	2.1	5.4	740	6.8	0.25	6.3	7.3
1995	37	4.3	0.89	2.8	6.5	687	6.3	0.24	5.9	6.8
1996	41	5.0	0.93	3.4	7.2	720	6.6	0.24	6.1	7.1
1997	51	6.0	1.10	4.1	8.6	745	6.8	0.25	6.3	7.3
1998	45	4.3	0.83	2.9	6.3	711	6.4	0.24	6.0	6.9
1999	51	5.9	1.05	4.0	8.3	740	6.6	0.24	6.2	7.1
2000	48	5.7	1.03	3.9	8.1	726	6.5	0.24	6.1	7.0
2001	62	6.6	1.13	4.6	9.1	730	6.5	0.24	6.1	7.0
2002	66	6.7	1.03	4.8	9.0	696	6.2	0.24	5.8	6.7
2003	62	6.9	1.13	4.9	9.4	738	6.5	0.24	6.1	7.0
2004	68	6.4	1.04	4.6	8.7	784	6.9	0.25	6.5	7.4
2005	59	4.9	0.84	3.4	6.8	751	6.6	0.24	6.1	7.1
2006	69	6.2	0.92	4.6	8.3	825	7.2	0.25	6.7	7.7
2007	76	5.9	0.82	4.4	7.7	753	6.6	0.24	6.1	7.1
2008	63	4.9	0.74	3.6	6.6	829	7.1	0.25	6.6	7.6
2009	77	5.6	0.78	4.2	7.4	764	6.5	0.24	6.1	7.0
2010	74	5.8	0.80	4.3	7.6	819	7.0	0.25	6.5	7.5
2011	82	5.5	0.72	4.2	7.1	827	7.0	0.25	6.5	7.5
2012	75	5.4	0.74	4.0	7.0	753	6.2	0.23	5.8	6.7
2013	62	4.2	0.62	3.1	5.6	773	6.5	0.24	6.0	7.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	15,825	7.2	0.06	7.1	7.3	1,528	3.9	0.10	3.7	4.1
1990	598	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	634	7.1	0.28	6.5	7.7	46	3.2	0.49	2.3	4.3
1992	608	6.7	0.28	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	612	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	655	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4
1995	630	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6
1996	642	7.1	0.28	6.5	7.7	63	3.8	0.50	2.9	5.0
1997	672	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3
1998	625	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	651	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4
2000	645	7.1	0.28	6.5	7.7	68	4.2	0.53	3.2	5.4
2001	660	7.2	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3
2002	619	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4
2003	664	7.2	0.28	6.7	7.8	58	3.6	0.48	2.7	4.7
2004	697	7.6	0.29	7.1	8.2	66	4.0	0.51	3.1	5.1
2005	659	7.1	0.28	6.6	7.7	71	4.2	0.51	3.2	5.3
2006	720	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0
2007	655	7.1	0.28	6.6	7.7	68	3.9	0.49	3.0	5.0
2008	727	7.7	0.29	7.2	8.3	72	4.1	0.49	3.2	5.1
2009	670	7.1	0.28	6.6	7.7	66	3.8	0.48	2.9	4.9
2010	715	7.7	0.30	7.1	8.3	75	4.2	0.50	3.3	5.3
2011	712	7.6	0.29	7.0	8.2	89	5.0	0.54	4.0	6.2
2012	665	6.9	0.28	6.3	7.4	55	3.0	0.41	2.2	3.9
2013	690	7.4	0.29	6.8	8.0	57	3.2	0.44	2.4	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Brain and Other Nervous System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	745	6.1	0.29	5.5	6.7	9,670	7.8	0.08	7.7	8.0
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	19	4.4	1.13	2.4	7.8	378	7.9	0.41	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	419	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	398	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	424	8.5	0.42	7.7	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	31	6.7	1.75	3.7	11.0	399	8.0	0.40	7.2	8.8
2000	23	6.2	1.60	3.5	10.1	382	7.5	0.38	6.8	8.3
2001	39	8.6	1.86	5.4	13.0	403	7.9	0.40	7.2	8.8
2002	35	7.2	1.67	4.3	11.2	347	6.8	0.37	6.1	7.5
2003	36	6.9	1.64	4.1	10.8	410	7.9	0.39	7.2	8.7
2004	34	7.2	1.61	4.4	11.0	407	7.9	0.40	7.2	8.7
2005	40	6.7	1.45	4.2	10.1	402	7.7	0.39	6.9	8.5
2006	34	6.8	1.48	4.2	10.3	455	8.7	0.41	7.9	9.5
2007	47	8.0	1.53	5.3	11.5	383	7.1	0.37	6.4	7.9
2008	34	5.6	1.17	3.5	8.4	431	8.0	0.39	7.3	8.9
2009	43	6.7	1.25	4.4	9.6	409	7.5	0.38	6.8	8.3
2010	43	6.6	1.28	4.4	9.6	444	8.2	0.39	7.4	9.0
2011	51	6.7	1.16	4.7	9.4	452	8.3	0.40	7.5	9.1
2012	37	5.1	1.03	3.3	7.5	423	7.4	0.37	6.7	8.2
2013	34	4.4	0.90	2.8	6.5	435	7.8	0.38	7.1	8.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,599	8.4	0.09	8.3	8.6	814	4.7	0.17	4.3	5.0
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	348	8.6	0.47	7.7	9.5	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	374	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	361	8.6	0.46	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	349	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	339	8.0	0.44	7.2	8.9	36	5.2	0.97	3.5	7.5
2001	361	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	311	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	364	8.7	0.46	7.8	9.6	31	4.2	0.81	2.7	6.1
2005	353	8.2	0.44	7.3	9.1	39	5.1	0.86	3.6	7.1
2006	404	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	330	7.6	0.42	6.8	8.5	32	4.0	0.74	2.7	5.8
2008	375	8.6	0.45	7.7	9.5	38	4.6	0.77	3.2	6.4
2009	357	8.1	0.44	7.3	9.1	37	4.6	0.80	3.2	6.5
2010	395	9.0	0.46	8.1	10.0	35	4.6	0.82	3.2	6.5
2011	385	8.8	0.46	7.9	9.7	55	6.9	0.96	5.1	9.0
2012	375	8.1	0.43	7.3	9.0	29	3.4	0.65	2.3	5.0
2013	381	8.6	0.46	7.8	9.6	37	4.4	0.74	3.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Brain and Other Nervous System</b>											
<b>Females</b>											
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	580	4.8	0.24	4.4	5.3	8,148	5.6	0.06	5.5	5.7	
1990	12	5.4	1.66	2.7	9.7	293	5.1	0.30	4.5	5.8	
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0	
1992	14	3.3	1.04	1.6	6.3	309	5.2	0.30	4.6	5.8	
1993	13	4.1	1.30	2.0	7.5	311	5.2	0.30	4.6	5.8	
1994	15	3.5	1.06	1.8	6.4	321	5.3	0.30	4.8	6.0	
1995	18	4.7	1.31	2.5	8.1	307	5.2	0.30	4.6	5.8	
1996	20	5.4	1.37	3.0	8.8	322	5.4	0.31	4.8	6.1	
1997	24	6.6	1.67	3.7	10.7	321	5.4	0.30	4.8	6.0	
1998	15	2.8	0.86	1.4	5.2	324	5.4	0.30	4.8	6.1	
1999	20	5.2	1.35	2.9	8.5	341	5.6	0.31	5.0	6.2	
2000	25	5.3	1.31	3.0	8.5	344	5.7	0.31	5.1	6.4	
2001	23	4.7	1.30	2.5	7.9	327	5.4	0.30	4.9	6.1	
2002	31	6.3	1.35	4.0	9.5	349	5.8	0.31	5.2	6.4	
2003	26	6.6	1.58	3.9	10.3	328	5.3	0.30	4.8	6.0	
2004	34	5.7	1.29	3.5	8.8	377	6.2	0.32	5.6	6.9	
2005	19	3.2	0.93	1.6	5.5	349	5.7	0.31	5.1	6.4	
2006	35	5.8	1.17	3.7	8.5	370	6.0	0.32	5.4	6.7	
2007	29	4.2	0.85	2.7	6.3	370	6.1	0.32	5.4	6.7	
2008	29	4.3	0.94	2.7	6.6	398	6.3	0.32	5.7	7.0	
2009	34	4.7	0.96	3.0	6.9	355	5.7	0.31	5.1	6.3	
2010	31	5.0	1.02	3.2	7.4	375	6.0	0.32	5.4	6.6	
2011	31	4.2	0.89	2.7	6.3	375	5.9	0.32	5.3	6.6	
2012	38	5.5	1.04	3.7	7.9	330	5.2	0.30	4.6	5.8	
2013	28	4.0	0.85	2.5	6.0	338	5.3	0.30	4.7	5.9	
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	7,226	6.1	0.07	6.0	6.3	714	3.3	0.12	3.0	3.5	
1990	269	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8	
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9	
1992	273	5.5	0.34	4.8	6.2	34	4.0	0.71	2.8	5.7	
1993	275	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2	
1994	281	5.5	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6	
1995	276	5.6	0.35	5.0	6.3	29	3.5	0.66	2.3	5.1	
1996	281	5.8	0.35	5.1	6.5	36	4.1	0.70	2.9	5.7	
1997	293	6.0	0.36	5.3	6.8	21	2.2	0.49	1.4	3.4	
1998	289	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5	
1999	302	6.1	0.36	5.4	6.8	32	3.5	0.63	2.4	5.0	
2000	306	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0	
2001	299	6.2	0.36	5.5	6.9	18	2.0	0.47	1.2	3.1	
2002	308	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5	
2003	297	6.0	0.36	5.4	6.8	23	2.6	0.54	1.6	3.8	
2004	333	6.8	0.38	6.1	7.6	35	3.8	0.65	2.6	5.3	
2005	306	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7	
2006	316	6.5	0.37	5.8	7.2	42	4.4	0.69	3.2	6.0	
2007	325	6.7	0.39	6.0	7.5	36	3.8	0.64	2.6	5.2	
2008	352	7.0	0.39	6.3	7.8	34	3.5	0.61	2.4	4.9	
2009	313	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6	
2010	320	6.4	0.38	5.7	7.2	40	4.0	0.63	2.8	5.4	
2011	327	6.6	0.38	5.9	7.4	34	3.4	0.60	2.4	4.8	
2012	290	5.8	0.36	5.1	6.5	26	2.6	0.52	1.7	3.8	
2013	309	6.2	0.37	5.5	7.0	20	2.2	0.50	1.4	3.4	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Brain</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,213	5.1	0.18	4.7	5.5	16,805	6.2	0.05	6.1	6.3
1990	25	4.1	1.01	2.4	6.6	601	5.7	0.23	5.2	6.2
1991	31	4.5	0.97	2.8	6.9	651	6.1	0.24	5.6	6.6
1992	28	3.4	0.75	2.1	5.4	649	6.0	0.24	5.6	6.5
1993	29	4.8	1.07	2.9	7.3	626	5.8	0.23	5.3	6.3
1994	27	3.0	0.76	1.7	5.0	702	6.5	0.25	6.0	7.0
1995	35	4.2	0.88	2.6	6.3	652	6.0	0.24	5.5	6.5
1996	38	4.7	0.90	3.1	6.8	670	6.1	0.24	5.6	6.6
1997	50	6.0	1.10	4.0	8.5	705	6.4	0.24	5.9	6.9
1998	40	4.1	0.82	2.6	6.0	666	6.0	0.23	5.6	6.5
1999	44	5.3	1.01	3.5	7.6	702	6.3	0.24	5.8	6.8
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6
2001	55	6.2	1.12	4.2	8.7	695	6.2	0.24	5.8	6.7
2002	62	6.5	1.03	4.7	8.8	664	5.9	0.23	5.5	6.4
2003	59	6.5	1.10	4.6	9.0	711	6.3	0.24	5.8	6.8
2004	66	6.3	1.04	4.5	8.7	731	6.5	0.24	6.0	6.9
2005	51	4.6	0.83	3.1	6.5	700	6.1	0.23	5.7	6.6
2006	66	6.0	0.91	4.4	8.0	783	6.8	0.25	6.4	7.3
2007	66	5.4	0.79	3.9	7.1	704	6.1	0.23	5.7	6.6
2008	58	4.7	0.73	3.4	6.4	782	6.7	0.24	6.2	7.2
2009	70	5.0	0.73	3.7	6.7	719	6.1	0.23	5.7	6.6
2010	67	5.3	0.77	3.9	7.0	784	6.6	0.24	6.2	7.1
2011	75	5.1	0.69	3.8	6.6	783	6.6	0.24	6.1	7.1
2012	69	4.9	0.69	3.6	6.4	711	5.8	0.22	5.4	6.3
2013	57	4.0	0.61	2.9	5.4	728	6.1	0.23	5.6	6.6
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	15,006	6.8	0.06	6.7	6.9	1,379	3.5	0.10	3.3	3.7
1990	554	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9
1991	603	6.7	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7
1992	584	6.4	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3
1993	567	6.3	0.26	5.7	6.8	48	3.2	0.49	2.4	4.3
1994	624	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8
1995	600	6.7	0.27	6.1	7.2	49	3.2	0.48	2.4	4.3
1996	607	6.7	0.27	6.2	7.2	54	3.2	0.46	2.4	4.2
1997	637	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1
1998	590	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5
1999	620	6.7	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8
2001	633	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9
2002	595	6.5	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0
2003	639	7.0	0.28	6.4	7.5	56	3.5	0.47	2.6	4.5
2004	649	7.1	0.28	6.5	7.6	61	3.7	0.49	2.8	4.8
2005	621	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6
2006	690	7.5	0.29	6.9	8.1	73	4.3	0.52	3.4	5.4
2007	614	6.6	0.27	6.1	7.2	61	3.5	0.46	2.7	4.5
2008	688	7.3	0.28	6.7	7.9	65	3.7	0.46	2.8	4.7
2009	635	6.8	0.28	6.2	7.3	59	3.5	0.47	2.6	4.5
2010	687	7.3	0.29	6.8	7.9	72	4.0	0.49	3.1	5.1
2011	675	7.2	0.28	6.6	7.7	82	4.6	0.52	3.7	5.8
2012	630	6.5	0.27	5.9	7.0	52	2.9	0.40	2.1	3.8
2013	650	6.9	0.28	6.4	7.5	53	3.0	0.42	2.2	3.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Brain										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	703	5.9	0.29	5.3	6.5	9,198	7.4	0.08	7.3	7.6
1990	14	3.1	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	18	4.0	1.06	2.2	7.3	351	7.3	0.40	6.6	8.1
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	407	8.4	0.42	7.6	9.3
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	374	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	402	8.1	0.41	7.3	8.9
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0
1999	30	6.6	1.75	3.6	10.9	378	7.6	0.39	6.8	8.4
2000	22	6.1	1.60	3.4	10.1	365	7.2	0.38	6.4	7.9
2001	35	8.3	1.85	5.1	12.7	384	7.6	0.39	6.8	8.4
2002	35	7.2	1.67	4.3	11.2	328	6.4	0.35	5.7	7.1
2003	36	6.9	1.64	4.1	10.8	399	7.7	0.39	7.0	8.5
2004	34	7.2	1.61	4.4	11.0	386	7.5	0.39	6.8	8.3
2005	37	6.5	1.44	4.0	9.9	378	7.2	0.37	6.5	8.0
2006	34	6.8	1.48	4.2	10.3	438	8.4	0.40	7.6	9.2
2007	41	7.6	1.52	4.9	11.1	363	6.7	0.36	6.1	7.5
2008	33	5.5	1.17	3.5	8.3	414	7.7	0.38	7.0	8.5
2009	40	6.1	1.19	3.9	8.8	384	7.0	0.37	6.4	7.8
2010	41	6.5	1.27	4.2	9.4	434	8.0	0.39	7.2	8.8
2011	47	6.4	1.15	4.4	9.0	437	8.0	0.39	7.3	8.8
2012	35	4.9	1.02	3.1	7.3	403	7.1	0.36	6.4	7.8
2013	32	4.2	0.89	2.7	6.4	411	7.3	0.37	6.6	8.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	8,217	8.1	0.09	7.9	8.2	749	4.3	0.17	4.0	4.7
1990	308	7.5	0.44	6.7	8.5	25	3.8	0.82	2.3	5.8
1991	325	8.0	0.45	7.1	8.9	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	364	8.9	0.47	8.0	9.9	40	6.2	1.06	4.3	8.6
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	345	8.2	0.45	7.4	9.1	24	2.9	0.62	1.8	4.5
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8
1999	333	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6
2000	325	7.7	0.43	6.9	8.6	33	4.8	0.93	3.1	6.9
2001	346	8.2	0.44	7.4	9.2	30	4.7	0.92	3.1	6.8
2002	297	7.0	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4
2003	358	8.4	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	346	8.2	0.44	7.4	9.1	28	3.7	0.77	2.4	5.6
2005	335	7.8	0.43	6.9	8.7	35	4.6	0.81	3.1	6.5
2006	391	9.2	0.47	8.3	10.1	36	5.1	0.92	3.4	7.2
2007	313	7.2	0.41	6.4	8.0	29	3.6	0.69	2.4	5.3
2008	362	8.3	0.44	7.4	9.2	34	4.2	0.74	2.8	5.9
2009	337	7.7	0.43	6.9	8.5	33	4.2	0.76	2.8	6.0
2010	386	8.8	0.46	7.9	9.8	34	4.5	0.81	3.1	6.4
2011	372	8.4	0.45	7.6	9.3	53	6.7	0.95	4.9	8.8
2012	361	7.8	0.42	7.0	8.7	27	3.2	0.63	2.1	4.7
2013	359	8.0	0.44	7.2	9.0	36	4.2	0.72	2.9	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Brain</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	510	4.3	0.23	3.9	4.8	7,607	5.2	0.06	5.1	5.3
1990	11	5.0	1.60	2.3	9.1	266	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	12	2.8	0.97	1.3	5.6	294	5.0	0.29	4.4	5.6
1993	12	3.9	1.26	1.8	7.2	280	4.7	0.28	4.1	5.3
1994	12	2.7	0.92	1.2	5.3	295	4.9	0.29	4.3	5.5
1995	17	4.5	1.28	2.3	7.8	290	4.9	0.29	4.3	5.5
1996	18	4.8	1.31	2.6	8.1	296	5.0	0.29	4.4	5.6
1997	23	6.5	1.67	3.6	10.5	303	5.1	0.29	4.5	5.7
1998	14	2.7	0.85	1.3	5.1	302	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	321	5.3	0.30	4.8	6.0
2001	20	4.2	1.27	2.1	7.4	311	5.2	0.29	4.6	5.8
2002	27	5.9	1.33	3.6	9.1	336	5.5	0.31	5.0	6.2
2003	23	6.0	1.50	3.4	9.5	312	5.1	0.29	4.5	5.7
2004	32	5.6	1.28	3.3	8.6	345	5.6	0.31	5.0	6.3
2005	14	2.8	0.91	1.3	5.1	322	5.2	0.30	4.7	5.9
2006	32	5.3	1.13	3.3	8.0	345	5.6	0.31	5.0	6.2
2007	25	3.5	0.78	2.2	5.5	341	5.5	0.30	4.9	6.2
2008	25	4.0	0.92	2.4	6.2	368	5.8	0.31	5.3	6.5
2009	30	4.1	0.89	2.5	6.2	335	5.3	0.30	4.8	6.0
2010	26	4.2	0.94	2.6	6.4	350	5.5	0.30	4.9	6.1
2011	28	3.8	0.83	2.3	5.8	346	5.4	0.30	4.9	6.1
2012	34	4.8	0.94	3.1	7.0	308	4.8	0.29	4.3	5.4
2013	25	3.7	0.83	2.2	5.6	317	5.0	0.29	4.4	5.6
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	6,789	5.7	0.07	5.6	5.9	630	2.9	0.12	2.7	3.1
1990	246	5.1	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	260	5.2	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4
1993	251	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	260	5.1	0.33	4.5	5.8	30	3.4	0.63	2.3	4.9
1995	262	5.3	0.33	4.7	6.0	27	3.2	0.63	2.1	4.7
1996	262	5.3	0.34	4.7	6.0	30	3.3	0.62	2.2	4.8
1997	276	5.6	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3
1998	275	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	287	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	289	5.9	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3
2001	287	5.9	0.35	5.2	6.6	15	1.7	0.44	0.9	2.8
2002	298	6.1	0.36	5.4	6.8	27	2.9	0.56	1.9	4.2
2003	281	5.7	0.34	5.0	6.4	23	2.6	0.54	1.6	3.8
2004	303	6.2	0.36	5.5	6.9	33	3.6	0.63	2.5	5.0
2005	286	5.8	0.35	5.1	6.5	27	2.8	0.54	1.8	4.1
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3
2007	301	6.2	0.37	5.5	6.9	32	3.4	0.60	2.3	4.7
2008	326	6.5	0.37	5.7	7.2	31	3.2	0.58	2.2	4.6
2009	298	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2
2010	301	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2
2011	303	6.1	0.37	5.4	6.9	29	3.0	0.56	2.0	4.3
2012	269	5.3	0.34	4.7	6.0	25	2.5	0.51	1.6	3.8
2013	291	5.8	0.36	5.2	6.6	17	1.9	0.46	1.1	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Endocrine System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,571	9.3	0.21	8.9	9.7	26,830	10.0	0.06	9.9	10.2
1990	26	4.4	1.09	2.5	7.1	576	5.5	0.23	5.0	6.0
1991	30	4.1	0.84	2.6	6.2	537	5.1	0.22	4.7	5.6
1992	33	4.6	0.98	2.9	7.0	598	5.6	0.23	5.2	6.1
1993	40	6.0	1.14	3.9	8.7	633	5.9	0.24	5.5	6.4
1994	44	4.5	0.76	3.1	6.4	622	5.8	0.23	5.3	6.2
1995	46	7.3	1.31	4.9	10.3	689	6.3	0.24	5.9	6.8
1996	52	5.7	0.93	4.0	7.8	743	6.8	0.25	6.3	7.3
1997	48	5.1	0.87	3.5	7.1	784	7.1	0.26	6.6	7.7
1998	71	6.5	0.84	4.9	8.4	774	7.0	0.25	6.5	7.5
1999	75	6.9	0.97	5.2	9.1	869	7.9	0.27	7.4	8.4
2000	59	5.3	0.79	3.9	7.2	881	7.9	0.27	7.4	8.5
2001	81	7.0	0.89	5.4	9.0	941	8.4	0.28	7.9	9.0
2002	83	7.1	0.88	5.4	9.0	1,121	10.0	0.30	9.4	10.6
2003	110	8.7	1.00	6.8	10.9	1,110	9.9	0.30	9.3	10.5
2004	124	9.5	1.01	7.6	11.7	1,244	11.1	0.32	10.5	11.8
2005	131	9.9	1.03	8.0	12.1	1,258	11.1	0.32	10.5	11.8
2006	132	9.1	0.90	7.4	11.0	1,419	12.5	0.34	11.9	13.2
2007	156	10.9	1.01	9.0	13.1	1,502	13.2	0.35	12.6	13.9
2008	165	11.5	1.04	9.5	13.7	1,589	13.9	0.35	13.2	14.6
2009	190	13.1	1.08	11.1	15.4	1,674	14.6	0.36	13.9	15.4
2010	202	12.9	1.01	11.0	15.0	1,670	14.6	0.36	13.9	15.3
2011	210	13.8	1.05	11.8	16.0	1,766	15.1	0.37	14.4	15.9
2012	210	12.0	0.88	10.3	13.8	1,919	16.5	0.39	15.8	17.3
2013	253	14.3	0.96	12.4	16.3	1,911	16.5	0.39	15.7	17.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	22,842	10.6	0.07	10.5	10.7	2,380	6.1	0.13	5.9	6.4
1990	507	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9
1991	471	5.3	0.25	4.9	5.9	41	3.0	0.49	2.1	4.1
1992	529	6.0	0.26	5.5	6.5	48	3.3	0.49	2.4	4.4
1993	555	6.3	0.27	5.8	6.8	48	3.5	0.52	2.5	4.6
1994	539	6.0	0.26	5.5	6.6	57	4.0	0.54	3.0	5.2
1995	589	6.6	0.27	6.1	7.2	60	4.0	0.53	3.0	5.2
1996	647	7.2	0.28	6.6	7.8	65	4.2	0.53	3.3	5.4
1997	659	7.3	0.29	6.8	7.9	80	5.6	0.64	4.4	7.0
1998	642	7.2	0.28	6.6	7.7	79	5.2	0.59	4.1	6.4
1999	749	8.4	0.31	7.8	9.0	63	3.8	0.49	2.9	4.9
2000	753	8.4	0.31	7.8	9.0	72	4.5	0.54	3.5	5.6
2001	797	8.9	0.32	8.3	9.5	97	6.1	0.63	4.9	7.4
2002	970	10.8	0.35	10.2	11.5	98	6.1	0.62	4.9	7.4
2003	950	10.6	0.35	9.9	11.3	99	5.9	0.60	4.8	7.2
2004	1,081	12.2	0.37	11.5	12.9	97	5.7	0.58	4.6	7.0
2005	1,064	11.8	0.37	11.1	12.6	105	6.3	0.63	5.2	7.7
2006	1,204	13.4	0.39	12.6	14.2	125	7.3	0.66	6.0	8.7
2007	1,274	14.2	0.40	13.4	15.0	128	7.4	0.67	6.2	8.9
2008	1,348	15.0	0.42	14.2	15.8	139	7.8	0.68	6.6	9.3
2009	1,438	16.1	0.43	15.2	16.9	150	8.6	0.71	7.2	10.1
2010	1,390	15.5	0.43	14.7	16.4	168	9.3	0.73	7.9	10.8
2011	1,483	16.2	0.43	15.4	17.1	166	9.1	0.72	7.8	10.7
2012	1,605	17.8	0.46	16.9	18.7	170	9.4	0.74	8.0	11.0
2013	1,598	17.9	0.46	17.0	18.8	174	9.4	0.72	8.0	10.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Endocrine System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	532	4.0	0.22	3.6	4.5	7,219	5.7	0.07	5.6	5.9
1990	4	0.9	0.46	0.2	3.6	168	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	148	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	178	3.7	0.28	3.1	4.3
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	179	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.5	1.27	1.5	7.1	205	4.1	0.29	3.5	4.7
1997	14	3.9	1.37	1.7	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	235	4.6	0.30	4.0	5.2
2000	15	2.5	0.77	1.2	4.8	210	4.1	0.28	3.5	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	288	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	271	5.2	0.32	4.6	5.8
2004	20	2.8	0.69	1.6	4.7	340	6.4	0.35	5.7	7.1
2005	25	4.4	1.31	2.2	7.7	342	6.4	0.35	5.7	7.1
2006	28	3.8	0.85	2.3	6.0	376	7.0	0.36	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	401	7.5	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	398	7.1	0.36	6.5	7.9
2009	36	5.8	1.18	3.7	8.6	403	7.2	0.37	6.5	8.0
2010	35	4.7	0.98	3.0	7.1	464	8.4	0.40	7.6	9.2
2011	43	5.9	1.04	4.0	8.3	476	8.5	0.40	7.7	9.3
2012	46	4.6	0.70	3.3	6.3	502	8.9	0.41	8.1	9.7
2013	50	5.8	0.94	4.1	8.0	543	9.5	0.42	8.7	10.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,276	6.1	0.08	5.9	6.2	552	3.3	0.15	3.0	3.6
1990	147	3.6	0.30	3.0	4.2	16	3.0	0.85	1.6	5.1
1991	131	3.2	0.29	2.7	3.9	9	1.3	0.45	0.6	2.6
1992	155	3.8	0.31	3.2	4.4	16	2.5	0.64	1.4	4.2
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2
1994	150	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4
1995	159	3.8	0.30	3.2	4.4	13	1.8	0.53	0.9	3.2
1996	177	4.2	0.32	3.6	4.9	19	3.0	0.70	1.8	4.7
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2
1998	199	4.7	0.34	4.1	5.4	23	3.4	0.71	2.1	5.1
1999	207	4.9	0.34	4.2	5.6	16	2.4	0.63	1.3	4.0
2000	187	4.4	0.32	3.8	5.1	10	1.3	0.42	0.6	2.5
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2
2002	252	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9
2004	306	7.1	0.41	6.3	7.9	18	2.4	0.58	1.4	3.8
2005	300	6.9	0.40	6.1	7.7	25	3.5	0.72	2.2	5.2
2006	322	7.4	0.41	6.6	8.2	30	3.9	0.72	2.6	5.6
2007	345	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2
2008	350	7.8	0.42	7.0	8.6	30	3.7	0.72	2.5	5.5
2009	350	7.7	0.42	6.9	8.6	31	4.0	0.73	2.7	5.7
2010	400	9.0	0.46	8.1	10.0	35	4.3	0.76	3.0	6.1
2011	411	9.0	0.46	8.2	10.0	37	4.7	0.80	3.2	6.5
2012	436	9.6	0.47	8.7	10.6	38	5.1	0.86	3.5	7.1
2013	472	10.4	0.49	9.4	11.4	36	4.3	0.74	3.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Endocrine System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,039	14.9	0.36	14.2	15.6	19,611	14.1	0.10	13.9	14.3
1990	22	7.6	1.92	4.3	12.3	408	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	389	7.0	0.36	6.3	7.8
1992	25	7.3	1.68	4.4	11.4	420	7.4	0.37	6.7	8.2
1993	30	8.1	1.65	5.2	12.1	449	7.9	0.38	7.2	8.7
1994	32	7.3	1.41	4.8	10.8	443	7.8	0.37	7.1	8.6
1995	35	10.0	1.95	6.6	14.6	509	8.9	0.40	8.1	9.7
1996	37	8.2	1.49	5.6	11.8	538	9.3	0.40	8.5	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	56	10.0	1.44	7.4	13.4	534	9.3	0.40	8.5	10.1
1999	57	10.9	1.68	7.9	14.8	634	11.0	0.44	10.2	11.9
2000	44	8.3	1.38	5.8	11.5	671	11.5	0.45	10.7	12.4
2001	62	11.1	1.59	8.2	14.8	667	11.5	0.45	10.6	12.4
2002	64	11.5	1.60	8.6	15.1	833	14.3	0.50	13.3	15.3
2003	90	14.5	1.76	11.2	18.4	839	14.3	0.50	13.4	15.4
2004	104	16.3	1.83	12.9	20.3	904	15.6	0.52	14.6	16.7
2005	106	15.8	1.70	12.6	19.6	916	15.6	0.52	14.6	16.7
2006	104	14.6	1.58	11.7	18.1	1,043	17.7	0.56	16.7	18.8
2007	127	17.6	1.73	14.4	21.3	1,101	18.7	0.57	17.6	19.8
2008	133	18.1	1.74	14.9	21.9	1,191	20.2	0.60	19.1	21.4
2009	154	20.8	1.83	17.3	24.7	1,271	21.7	0.62	20.5	22.9
2010	167	21.5	1.78	18.1	25.3	1,206	20.5	0.61	19.3	21.7
2011	167	21.7	1.82	18.3	25.6	1,290	21.4	0.61	20.2	22.7
2012	164	19.4	1.60	16.4	22.9	1,417	23.9	0.65	22.6	25.2
2013	203	23.2	1.71	20.0	26.8	1,368	23.2	0.65	21.9	24.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	16,566	15.1	0.12	14.8	15.3	1,828	8.4	0.20	8.0	8.7
1990	360	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	340	7.4	0.41	6.7	8.3	32	4.2	0.77	2.8	6.0
1992	374	8.0	0.42	7.2	8.9	32	3.9	0.70	2.7	5.5
1993	385	8.3	0.43	7.5	9.2	37	4.8	0.80	3.4	6.6
1994	389	8.4	0.43	7.6	9.3	36	4.2	0.70	2.9	5.8
1995	430	9.4	0.46	8.5	10.3	47	5.6	0.83	4.1	7.5
1996	470	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	476	10.1	0.47	9.2	11.1	60	7.4	0.96	5.6	9.5
1998	443	9.7	0.46	8.8	10.6	56	6.4	0.87	4.8	8.3
1999	542	11.9	0.51	10.9	12.9	47	5.1	0.74	3.7	6.7
2000	566	12.3	0.52	11.3	13.4	62	6.8	0.87	5.2	8.8
2001	562	12.3	0.52	11.3	13.4	70	7.6	0.92	5.9	9.7
2002	718	15.7	0.59	14.5	16.9	79	8.6	0.98	6.8	10.8
2003	718	15.6	0.59	14.5	16.8	76	8.1	0.93	6.3	10.1
2004	775	17.2	0.63	16.0	18.5	79	8.4	0.94	6.6	10.4
2005	764	16.7	0.62	15.5	18.0	80	8.6	0.97	6.8	10.7
2006	882	19.3	0.66	18.0	20.6	95	9.8	1.01	7.9	12.0
2007	929	20.3	0.68	19.0	21.7	99	10.2	1.03	8.3	12.5
2008	998	22.0	0.71	20.6	23.4	109	11.1	1.07	9.1	13.4
2009	1,088	24.2	0.76	22.8	25.8	119	12.1	1.12	10.0	14.5
2010	990	22.0	0.72	20.6	23.5	133	13.3	1.17	11.1	15.8
2011	1,072	23.2	0.74	21.8	24.7	129	12.8	1.14	10.6	15.2
2012	1,169	25.8	0.79	24.3	27.4	132	13.0	1.15	10.9	15.5
2013	1,126	25.3	0.79	23.8	26.9	138	13.4	1.16	11.2	15.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Thyroid										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,394	8.7	0.20	8.3	9.1	24,943	9.3	0.06	9.2	9.4
1990	25	4.0	1.00	2.3	6.5	513	4.9	0.22	4.5	5.3
1991	26	3.8	0.83	2.3	5.9	483	4.6	0.21	4.2	5.0
1992	29	3.9	0.88	2.4	6.1	512	4.8	0.21	4.4	5.2
1993	34	4.7	0.95	3.1	7.0	562	5.3	0.22	4.8	5.7
1994	36	4.0	0.74	2.7	5.9	567	5.2	0.22	4.8	5.7
1995	41	6.5	1.24	4.3	9.3	612	5.6	0.23	5.2	6.1
1996	46	5.0	0.88	3.4	7.1	672	6.1	0.24	5.7	6.6
1997	41	4.3	0.80	2.9	6.3	717	6.5	0.24	6.1	7.0
1998	66	5.8	0.79	4.4	7.7	714	6.5	0.24	6.0	7.0
1999	70	6.5	0.95	4.8	8.7	794	7.2	0.26	6.7	7.7
2000	56	4.9	0.76	3.6	6.7	816	7.3	0.26	6.9	7.9
2001	73	6.5	0.87	4.9	8.4	853	7.6	0.26	7.1	8.2
2002	75	6.6	0.86	5.0	8.5	1,036	9.3	0.29	8.7	9.8
2003	97	7.5	0.91	5.8	9.5	1,027	9.1	0.29	8.6	9.7
2004	115	8.9	0.99	7.1	11.1	1,137	10.2	0.30	9.6	10.8
2005	125	9.5	1.02	7.6	11.7	1,177	10.4	0.31	9.8	11.0
2006	128	8.7	0.88	7.1	10.7	1,310	11.6	0.32	10.9	12.2
2007	145	10.2	0.98	8.4	12.3	1,411	12.4	0.33	11.8	13.1
2008	159	11.2	1.03	9.2	13.4	1,501	13.1	0.34	12.5	13.8
2009	180	12.5	1.06	10.5	14.8	1,591	13.9	0.36	13.2	14.6
2010	189	12.2	0.98	10.3	14.3	1,583	13.8	0.35	13.1	14.5
2011	200	13.3	1.04	11.3	15.5	1,677	14.4	0.36	13.7	15.1
2012	200	11.5	0.87	9.8	13.3	1,833	15.8	0.38	15.1	16.6
2013	238	13.4	0.93	11.6	15.3	1,845	15.9	0.38	15.2	16.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	21,390	9.9	0.07	9.8	10.1	2,039	5.3	0.12	5.1	5.5
1990	458	5.2	0.25	4.8	5.7	39	2.9	0.49	2.0	4.0
1991	427	4.8	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6
1992	456	5.1	0.24	4.7	5.6	38	2.7	0.44	1.9	3.7
1993	496	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8
1994	495	5.5	0.25	5.1	6.1	49	3.4	0.50	2.5	4.6
1995	524	5.9	0.26	5.4	6.4	52	3.6	0.50	2.6	4.7
1996	592	6.6	0.27	6.1	7.1	52	3.4	0.48	2.5	4.5
1997	612	6.8	0.27	6.3	7.3	62	4.5	0.58	3.4	5.8
1998	599	6.7	0.27	6.2	7.2	66	4.4	0.55	3.4	5.6
1999	690	7.8	0.30	7.2	8.4	50	3.0	0.43	2.2	4.0
2000	702	7.8	0.30	7.3	8.4	64	4.0	0.51	3.1	5.2
2001	728	8.1	0.30	7.5	8.7	84	5.3	0.58	4.2	6.5
2002	901	10.0	0.34	9.4	10.7	85	5.3	0.58	4.2	6.5
2003	883	9.8	0.33	9.2	10.5	87	5.3	0.57	4.2	6.5
2004	994	11.2	0.36	10.5	11.9	79	4.6	0.53	3.7	5.8
2005	1,000	11.1	0.36	10.4	11.8	89	5.4	0.58	4.3	6.6
2006	1,122	12.5	0.38	11.8	13.2	100	5.9	0.59	4.8	7.1
2007	1,213	13.5	0.39	12.7	14.3	111	6.6	0.63	5.4	7.9
2008	1,279	14.2	0.41	13.4	15.0	127	7.3	0.66	6.0	8.7
2009	1,378	15.4	0.43	14.6	16.3	131	7.5	0.66	6.2	8.9
2010	1,328	14.8	0.42	14.0	15.6	147	8.2	0.68	6.9	9.6
2011	1,420	15.5	0.43	14.7	16.4	143	7.9	0.67	6.6	9.3
2012	1,539	17.0	0.45	16.2	17.9	155	8.6	0.70	7.3	10.1
2013	1,554	17.4	0.46	16.5	18.3	157	8.4	0.69	7.1	9.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Thyroid										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	429	3.5	0.21	3.1	3.9	6,224	4.9	0.06	4.8	5.1
1990	4	0.9	0.46	0.2	3.6	135	2.8	0.25	2.4	3.4
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	3.9	134	2.8	0.24	2.3	3.3
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	3.6	147	3.0	0.25	2.5	3.5
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4
1996	11	2.9	1.23	1.0	6.4	167	3.3	0.26	2.8	3.9
1997	11	3.4	1.30	1.3	7.0	181	3.6	0.27	3.1	4.2
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7
1999	15	2.8	0.84	1.4	5.3	202	3.9	0.28	3.4	4.5
2000	13	2.1	0.72	0.9	4.4	180	3.5	0.26	3.0	4.0
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9
2002	14	2.3	0.68	1.2	4.4	240	4.6	0.30	4.0	5.2
2003	13	2.1	0.70	1.0	4.1	233	4.4	0.29	3.9	5.0
2004	16	2.3	0.63	1.3	4.2	288	5.4	0.32	4.8	6.1
2005	22	4.2	1.31	2.1	7.4	293	5.4	0.32	4.8	6.1
2006	25	3.4	0.82	2.0	5.6	309	5.7	0.33	5.1	6.4
2007	23	3.7	0.92	2.1	6.0	355	6.6	0.35	5.9	7.3
2008	29	4.9	1.10	3.0	7.6	356	6.4	0.34	5.7	7.1
2009	32	5.5	1.17	3.5	8.3	368	6.6	0.35	5.9	7.3
2010	29	4.3	0.97	2.6	6.6	419	7.5	0.38	6.8	8.3
2011	37	5.3	1.01	3.5	7.7	423	7.5	0.37	6.8	8.3
2012	40	4.2	0.68	2.9	5.8	458	8.0	0.39	7.3	8.8
2013	41	5.0	0.91	3.4	7.2	498	8.7	0.40	8.0	9.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,512	5.3	0.07	5.2	5.4	372	2.3	0.12	2.1	2.6
1990	121	3.0	0.27	2.5	3.6	10	2.2	0.77	1.0	4.2
1991	106	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3
1992	120	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0
1994	124	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4
1995	129	3.1	0.27	2.6	3.6	9	1.3	0.47	0.6	2.6
1996	148	3.5	0.29	3.0	4.1	13	2.1	0.59	1.1	3.6
1997	159	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8
1998	177	4.2	0.32	3.6	4.8	17	2.5	0.61	1.5	4.0
1999	180	4.2	0.31	3.6	4.9	11	1.6	0.48	0.8	2.9
2000	164	3.8	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4
2002	213	4.9	0.34	4.3	5.7	11	1.5	0.45	0.7	2.7
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3
2004	260	6.0	0.37	5.3	6.7	12	1.6	0.48	0.8	2.9
2005	262	5.9	0.37	5.2	6.7	15	2.1	0.57	1.2	3.6
2006	271	6.1	0.38	5.4	6.9	16	2.2	0.57	1.3	3.6
2007	316	7.2	0.41	6.4	8.1	20	3.2	0.76	1.9	5.0
2008	320	7.0	0.40	6.3	7.9	22	2.9	0.66	1.8	4.5
2009	325	7.2	0.41	6.4	8.1	23	2.9	0.62	1.8	4.4
2010	366	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7
2011	377	8.2	0.44	7.4	9.1	20	2.6	0.60	1.6	4.1
2012	404	8.8	0.45	8.0	9.8	27	3.6	0.71	2.3	5.2
2013	438	9.6	0.47	8.7	10.6	27	3.4	0.68	2.2	5.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Thyroid										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,965	14.3	0.35	13.6	15.0	18,719	13.5	0.10	13.3	13.7
1990	21	6.9	1.78	3.8	11.3	378	6.8	0.35	6.1	7.5
1991	20	5.8	1.39	3.4	9.4	365	6.6	0.35	5.9	7.3
1992	24	6.6	1.56	4.0	10.5	378	6.7	0.35	6.0	7.4
1993	27	6.9	1.46	4.4	10.6	419	7.4	0.37	6.7	8.2
1994	31	7.2	1.40	4.7	10.7	420	7.4	0.37	6.7	8.2
1995	33	9.4	1.88	6.1	13.8	469	8.2	0.38	7.4	9.0
1996	35	7.5	1.40	5.0	10.9	505	8.8	0.39	8.0	9.6
1997	30	5.7	1.14	3.7	8.6	536	9.2	0.40	8.4	10.0
1998	56	10.0	1.44	7.4	13.4	505	8.8	0.39	8.0	9.6
1999	55	10.4	1.64	7.5	14.2	592	10.3	0.43	9.5	11.2
2000	43	7.9	1.34	5.5	11.1	636	10.9	0.44	10.1	11.8
2001	60	10.9	1.57	8.0	14.5	628	10.8	0.43	10.0	11.7
2002	61	10.9	1.56	8.1	14.5	796	13.6	0.49	12.7	14.6
2003	84	13.1	1.63	10.1	16.8	794	13.6	0.49	12.7	14.6
2004	99	15.6	1.80	12.3	19.6	849	14.7	0.51	13.7	15.7
2005	103	15.3	1.67	12.2	19.0	884	15.1	0.51	14.1	16.2
2006	103	14.3	1.56	11.4	17.8	1,001	17.0	0.55	16.0	18.1
2007	122	17.0	1.70	13.9	20.7	1,056	17.9	0.56	16.8	19.0
2008	130	17.7	1.73	14.5	21.5	1,145	19.5	0.59	18.4	20.7
2009	148	19.9	1.79	16.6	23.8	1,223	20.9	0.61	19.7	22.1
2010	160	20.5	1.73	17.3	24.2	1,164	19.8	0.59	18.6	21.0
2011	163	21.3	1.81	17.9	25.2	1,254	20.9	0.61	19.7	22.1
2012	160	19.0	1.58	16.0	22.3	1,375	23.2	0.64	22.0	24.5
2013	197	22.3	1.66	19.1	25.8	1,347	22.8	0.64	21.6	24.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	15,878	14.5	0.12	14.2	14.7	1,667	7.6	0.19	7.3	8.0
1990	337	7.4	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3
1991	321	7.0	0.40	6.3	7.9	27	3.6	0.72	2.3	5.3
1992	336	7.2	0.40	6.4	8.0	28	3.4	0.65	2.3	4.9
1993	361	7.8	0.42	7.0	8.7	33	4.2	0.74	2.9	5.9
1994	371	8.1	0.42	7.3	9.0	32	3.7	0.66	2.5	5.2
1995	395	8.6	0.44	7.7	9.5	43	5.2	0.80	3.7	7.0
1996	444	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1
1997	453	9.6	0.46	8.7	10.6	50	6.3	0.89	4.6	8.3
1998	422	9.2	0.45	8.4	10.1	49	5.7	0.82	4.2	7.5
1999	510	11.3	0.50	10.3	12.3	39	4.2	0.67	3.0	5.7
2000	538	11.7	0.51	10.7	12.8	56	6.2	0.84	4.7	8.1
2001	529	11.6	0.51	10.6	12.6	67	7.3	0.90	5.7	9.3
2002	688	15.0	0.58	13.9	16.2	74	8.1	0.95	6.4	10.2
2003	685	15.0	0.58	13.8	16.1	68	7.3	0.88	5.6	9.2
2004	734	16.3	0.61	15.1	17.6	67	7.1	0.87	5.5	9.0
2005	738	16.2	0.61	15.0	17.4	74	7.9	0.93	6.2	10.0
2006	851	18.6	0.65	17.4	20.0	84	8.7	0.95	6.9	10.7
2007	897	19.6	0.67	18.3	21.0	91	9.5	1.00	7.6	11.6
2008	959	21.2	0.70	19.9	22.6	105	10.7	1.06	8.8	13.0
2009	1,053	23.5	0.75	22.1	25.0	108	11.0	1.07	9.0	13.3
2010	962	21.4	0.71	20.0	22.8	123	12.3	1.12	10.2	14.7
2011	1,043	22.7	0.73	21.3	24.2	123	12.2	1.11	10.1	14.6
2012	1,135	25.1	0.78	23.6	26.7	128	12.6	1.13	10.5	15.1
2013	1,116	25.1	0.78	23.6	26.7	130	12.5	1.12	10.4	14.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Lymphoma</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	3,851	20.4	0.39	19.7	21.2	61,099	22.2	0.09	22.0	22.3
1990	80	14.5	2.06	10.8	19.1	1,988	18.9	0.43	18.1	19.8
1991	69	14.0	2.08	10.2	18.6	1,988	18.6	0.42	17.8	19.5
1992	96	18.8	2.36	14.4	23.9	2,161	20.1	0.43	19.2	20.9
1993	101	17.3	2.18	13.3	22.1	2,207	20.3	0.43	19.5	21.2
1994	119	19.9	2.32	15.6	24.9	2,317	21.2	0.44	20.3	22.1
1995	122	22.6	2.64	17.7	28.3	2,405	21.8	0.45	21.0	22.7
1996	114	18.8	2.24	14.7	23.7	2,519	22.8	0.46	21.9	23.7
1997	107	17.0	2.02	13.3	21.4	2,454	22.0	0.45	21.2	22.9
1998	129	20.1	2.12	16.2	24.6	2,494	22.3	0.45	21.4	23.2
1999	164	24.1	2.38	19.7	29.1	2,575	22.9	0.45	22.0	23.8
2000	127	18.5	2.07	14.7	22.9	2,590	22.9	0.45	22.0	23.8
2001	132	19.3	2.05	15.5	23.7	2,597	22.8	0.45	21.9	23.7
2002	172	23.0	2.16	19.0	27.6	2,600	22.7	0.45	21.8	23.6
2003	173	21.3	1.99	17.6	25.5	2,626	22.8	0.45	21.9	23.7
2004	187	23.4	2.13	19.4	27.9	2,783	24.0	0.46	23.1	24.9
2005	182	20.5	1.85	17.0	24.4	2,735	23.5	0.45	22.6	24.4
2006	186	18.3	1.56	15.4	21.6	2,686	23.0	0.45	22.1	23.8
2007	209	22.7	1.86	19.2	26.6	2,701	22.8	0.44	21.9	23.7
2008	236	24.1	1.87	20.5	28.0	2,795	23.3	0.45	22.4	24.2
2009	228	22.2	1.72	19.0	25.8	2,779	23.0	0.44	22.1	23.9
2010	221	21.6	1.66	18.4	25.0	2,863	23.5	0.45	22.6	24.4
2011	222	19.9	1.53	17.0	23.1	2,779	22.5	0.43	21.6	23.4
2012	218	18.6	1.43	15.9	21.6	2,719	21.9	0.43	21.1	22.8
2013	257	19.8	1.39	17.2	22.7	2,738	21.7	0.42	20.9	22.6
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	53,531	23.2	0.10	23.0	23.4	5,858	15.6	0.21	15.2	16.0
1990	1,794	19.8	0.47	18.9	20.8	171	12.9	1.03	11.0	15.1
1991	1,813	19.8	0.47	18.9	20.7	140	10.4	0.92	8.7	12.4
1992	1,971	21.3	0.49	20.4	22.3	167	12.4	1.00	10.5	14.5
1993	1,988	21.3	0.48	20.4	22.3	192	13.3	1.00	11.4	15.4
1994	2,052	21.9	0.49	21.0	22.9	224	15.6	1.07	13.5	17.8
1995	2,129	22.7	0.49	21.7	23.7	227	16.0	1.11	14.0	18.4
1996	2,235	23.8	0.51	22.8	24.8	233	15.5	1.05	13.5	17.7
1997	2,170	23.0	0.50	22.0	24.0	230	15.2	1.03	13.2	17.3
1998	2,179	23.0	0.49	22.0	24.0	257	16.8	1.08	14.8	19.1
1999	2,303	24.2	0.51	23.2	25.2	224	14.9	1.02	12.9	17.0
2000	2,277	24.1	0.51	23.1	25.1	246	15.6	1.02	13.7	17.8
2001	2,291	24.0	0.50	23.0	25.0	247	15.7	1.02	13.8	17.9
2002	2,295	24.0	0.50	23.0	25.0	239	15.1	1.00	13.2	17.2
2003	2,287	23.8	0.50	22.8	24.8	259	16.2	1.02	14.2	18.3
2004	2,404	24.9	0.51	23.9	25.9	294	18.7	1.11	16.5	21.0
2005	2,375	24.5	0.51	23.5	25.5	266	16.6	1.04	14.7	18.8
2006	2,355	24.4	0.51	23.4	25.4	253	15.5	0.99	13.6	17.6
2007	2,342	23.9	0.50	23.0	24.9	286	17.1	1.03	15.1	19.2
2008	2,405	24.3	0.50	23.3	25.3	276	16.6	1.02	14.7	18.8
2009	2,394	24.0	0.50	23.1	25.1	268	15.8	0.98	13.9	17.8
2010	2,438	24.4	0.51	23.4	25.4	296	17.2	1.02	15.3	19.4
2011	2,362	23.3	0.49	22.3	24.3	298	17.0	1.01	15.1	19.1
2012	2,336	23.1	0.49	22.1	24.1	285	15.9	0.96	14.1	17.9
2013	2,336	22.8	0.49	21.9	23.8	280	15.5	0.95	13.7	17.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Lymphoma</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,218	24.0	0.66	22.7	25.3	32,280	26.8	0.15	26.5	27.1
1990	49	16.8	3.07	11.3	24.0	1,055	23.0	0.73	21.6	24.5
1991	50	17.8	3.40	11.8	25.7	1,020	21.9	0.70	20.5	23.3
1992	61	24.3	4.13	16.9	33.6	1,112	24.2	0.75	22.8	25.7
1993	66	18.5	2.99	13.1	25.4	1,151	24.4	0.73	23.0	25.9
1994	75	24.8	4.10	17.4	34.0	1,170	24.7	0.74	23.3	26.2
1995	69	23.5	4.00	16.4	32.5	1,265	26.4	0.76	25.0	28.0
1996	71	21.6	3.70	15.0	29.9	1,312	27.2	0.76	25.7	28.7
1997	63	19.3	3.23	13.5	26.6	1,272	26.3	0.75	24.9	27.8
1998	79	27.9	4.18	20.3	37.1	1,324	27.3	0.76	25.8	28.8
1999	98	29.4	4.12	21.9	38.4	1,360	27.9	0.76	26.4	29.4
2000	77	22.0	3.37	15.9	29.5	1,362	27.6	0.75	26.1	29.1
2001	65	20.2	3.48	13.9	27.9	1,339	27.0	0.75	25.6	28.5
2002	105	29.4	3.71	22.6	37.5	1,373	27.6	0.75	26.2	29.1
2003	99	26.5	3.59	19.9	34.2	1,390	27.6	0.75	26.1	29.1
2004	113	30.1	3.85	23.0	38.4	1,504	29.8	0.78	28.3	31.4
2005	101	22.1	2.83	16.9	28.3	1,452	28.6	0.76	27.1	30.1
2006	110	21.3	2.53	16.6	26.8	1,443	28.1	0.75	26.7	29.6
2007	115	25.4	3.02	19.8	31.9	1,466	28.0	0.74	26.6	29.5
2008	121	27.6	3.13	21.8	34.2	1,474	27.9	0.74	26.5	29.4
2009	127	27.2	2.98	21.7	33.6	1,453	27.3	0.73	25.9	28.7
2010	118	23.9	2.66	19.0	29.6	1,561	28.8	0.74	27.4	30.3
2011	118	21.6	2.41	17.2	26.8	1,485	26.9	0.71	25.6	28.4
2012	127	22.9	2.40	18.4	28.0	1,437	26.0	0.70	24.7	27.4
2013	141	22.5	2.26	18.3	27.3	1,500	26.7	0.70	25.3	28.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	28,192	27.9	0.17	27.6	28.2	3,171	19.4	0.36	18.7	20.2
1990	941	23.9	0.80	22.3	25.5	97	16.9	1.87	13.5	21.0
1991	930	23.2	0.78	21.7	24.8	74	12.3	1.54	9.4	15.6
1992	1,004	25.4	0.82	23.8	27.1	95	16.8	1.87	13.4	20.9
1993	1,030	25.5	0.81	23.9	27.1	108	16.2	1.70	13.1	19.9
1994	1,024	25.4	0.81	23.8	27.0	125	18.6	1.73	15.4	22.3
1995	1,111	27.3	0.83	25.7	28.9	136	22.1	2.07	18.3	26.5
1996	1,135	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2
1997	1,109	27.1	0.82	25.5	28.7	131	18.9	1.73	15.7	22.7
1998	1,148	27.9	0.83	26.3	29.6	146	21.7	1.87	18.2	25.7
1999	1,200	29.0	0.84	27.4	30.7	128	19.6	1.87	16.1	23.6
2000	1,190	28.7	0.84	27.1	30.4	136	19.2	1.72	16.0	22.9
2001	1,181	28.4	0.83	26.8	30.0	126	18.3	1.72	15.1	22.0
2002	1,214	29.1	0.84	27.4	30.8	124	17.7	1.68	14.6	21.3
2003	1,211	28.7	0.83	27.1	30.3	137	19.9	1.77	16.6	23.7
2004	1,302	30.9	0.86	29.2	32.6	159	23.5	1.99	19.8	27.7
2005	1,263	29.7	0.84	28.1	31.4	136	19.9	1.82	16.5	23.8
2006	1,266	29.7	0.84	28.0	31.3	129	18.1	1.66	15.0	21.7
2007	1,267	29.1	0.83	27.5	30.8	161	22.2	1.86	18.7	26.1
2008	1,275	29.0	0.82	27.4	30.7	137	19.3	1.74	16.0	23.0
2009	1,263	28.5	0.82	26.9	30.2	131	17.9	1.65	14.8	21.4
2010	1,325	29.4	0.82	27.8	31.1	165	22.7	1.86	19.2	26.6
2011	1,256	27.5	0.79	26.0	29.1	159	21.5	1.80	18.1	25.3
2012	1,246	27.4	0.80	25.9	29.0	140	17.8	1.56	14.9	21.2
2013	1,301	28.3	0.80	26.7	29.9	141	17.9	1.56	14.9	21.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Lymphoma</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,633	17.4	0.49	16.5	18.4	28,819	18.6	0.11	18.4	18.8
1990	31	12.1	2.64	7.5	18.3	933	15.6	0.52	14.6	16.7
1991	19	9.9	2.51	5.6	15.8	968	16.0	0.52	15.0	17.0
1992	35	13.8	2.73	9.0	20.1	1,049	17.0	0.53	16.0	18.1
1993	35	15.0	2.93	9.9	21.7	1,056	17.0	0.53	16.0	18.1
1994	44	15.6	2.77	10.7	21.9	1,147	18.4	0.55	17.3	19.5
1995	53	21.0	3.46	14.8	28.7	1,140	18.1	0.54	17.0	19.2
1996	43	16.2	2.82	11.2	22.6	1,207	19.2	0.56	18.1	20.3
1997	44	14.7	2.58	10.1	20.6	1,182	18.7	0.55	17.6	19.8
1998	50	14.3	2.19	10.4	19.3	1,170	18.5	0.55	17.4	19.6
1999	66	19.7	2.85	14.5	26.0	1,215	19.1	0.55	18.0	20.2
2000	50	15.2	2.57	10.6	21.0	1,228	19.4	0.56	18.3	20.5
2001	67	19.4	2.68	14.5	25.2	1,258	19.5	0.56	18.4	20.6
2002	67	17.4	2.50	12.8	22.9	1,227	18.9	0.55	17.8	20.0
2003	74	17.4	2.31	13.2	22.5	1,236	19.0	0.55	18.0	20.1
2004	74	18.1	2.48	13.6	23.5	1,279	19.6	0.56	18.5	20.7
2005	81	18.8	2.44	14.3	24.1	1,283	19.6	0.56	18.6	20.8
2006	76	15.6	1.99	12.0	20.0	1,243	18.9	0.55	17.9	20.0
2007	94	20.5	2.37	16.1	25.6	1,235	18.7	0.54	17.7	19.8
2008	115	21.6	2.32	17.3	26.5	1,321	19.8	0.56	18.8	21.0
2009	101	18.3	2.04	14.5	22.7	1,326	19.8	0.56	18.7	20.9
2010	103	19.6	2.13	15.6	24.1	1,302	19.5	0.56	18.5	20.7
2011	104	18.5	1.99	14.8	22.8	1,294	19.0	0.54	18.0	20.1
2012	91	15.0	1.72	11.8	18.7	1,282	18.7	0.54	17.6	19.8
2013	116	17.6	1.77	14.3	21.4	1,238	17.8	0.52	16.8	18.9
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	25,339	19.5	0.13	19.3	19.8	2,687	12.7	0.25	12.2	13.2
1990	853	16.5	0.58	15.4	17.7	74	10.1	1.20	7.9	12.7
1991	883	16.9	0.58	15.8	18.1	66	8.9	1.12	6.8	11.4
1992	967	18.4	0.60	17.2	19.6	72	9.2	1.11	7.2	11.6
1993	958	18.0	0.59	16.8	19.2	84	10.8	1.21	8.6	13.4
1994	1,028	19.2	0.61	18.0	20.4	99	12.7	1.30	10.3	15.5
1995	1,018	18.8	0.60	17.6	20.0	91	11.6	1.23	9.3	14.3
1996	1,100	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4
1997	1,061	19.8	0.62	18.6	21.0	99	11.9	1.22	9.7	14.5
1998	1,031	19.2	0.61	18.1	20.5	111	12.9	1.24	10.6	15.6
1999	1,103	20.6	0.63	19.4	21.9	96	11.4	1.18	9.2	14.0
2000	1,087	20.5	0.63	19.3	21.8	110	12.6	1.21	10.3	15.2
2001	1,110	20.6	0.63	19.4	21.9	121	13.8	1.26	11.4	16.5
2002	1,081	19.9	0.62	18.7	21.2	115	13.0	1.22	10.7	15.6
2003	1,076	19.9	0.62	18.7	21.1	122	13.4	1.22	11.1	16.1
2004	1,102	20.3	0.63	19.1	21.6	135	15.1	1.31	12.7	17.9
2005	1,112	20.5	0.63	19.3	21.8	130	14.3	1.27	11.9	17.0
2006	1,089	20.2	0.63	19.0	21.5	124	13.3	1.21	11.1	15.9
2007	1,075	19.8	0.62	18.6	21.1	125	13.4	1.21	11.1	16.0
2008	1,130	20.7	0.64	19.5	22.0	139	14.7	1.26	12.3	17.4
2009	1,131	20.6	0.63	19.4	21.9	137	14.3	1.23	12.0	16.9
2010	1,113	20.5	0.64	19.3	21.8	131	13.5	1.20	11.3	16.1
2011	1,106	20.0	0.63	18.8	21.3	139	14.0	1.20	11.7	16.5
2012	1,090	19.5	0.61	18.3	20.7	145	14.4	1.21	12.1	17.0
2013	1,035	18.4	0.60	17.3	19.6	139	13.7	1.18	11.5	16.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Hodgkin Lymphoma</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	739	2.7	0.12	2.4	2.9	7,801	3.0	0.03	2.9	3.0
1990	20	2.5	0.63	1.4	4.3	315	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	5.0	315	2.9	0.17	2.6	3.3
1992	14	1.8	0.69	0.8	3.7	327	3.0	0.16	2.6	3.3
1993	16	1.4	0.41	0.8	2.7	302	2.7	0.16	2.4	3.1
1994	24	2.2	0.49	1.3	3.6	304	2.7	0.16	2.4	3.1
1995	23	1.6	0.34	1.0	2.6	299	2.7	0.16	2.4	3.0
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6
1997	23	3.2	0.94	1.6	5.5	339	3.1	0.17	2.8	3.4
1998	24	2.5	0.72	1.3	4.3	302	2.8	0.16	2.5	3.1
1999	33	2.6	0.54	1.7	4.0	315	2.9	0.16	2.6	3.2
2000	24	3.2	0.96	1.6	5.5	338	3.1	0.17	2.8	3.4
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4
2002	32	2.4	0.54	1.5	3.8	335	3.1	0.17	2.7	3.4
2003	32	2.5	0.54	1.5	3.8	321	2.9	0.16	2.6	3.3
2004	34	3.4	0.82	2.0	5.3	326	3.0	0.17	2.7	3.3
2005	35	2.4	0.50	1.5	3.6	349	3.2	0.17	2.9	3.6
2006	34	2.3	0.49	1.5	3.5	353	3.3	0.17	2.9	3.6
2007	38	2.6	0.50	1.7	3.8	307	2.8	0.16	2.5	3.2
2008	44	3.0	0.57	2.0	4.3	372	3.4	0.18	3.1	3.8
2009	42	2.7	0.50	1.8	3.8	323	3.0	0.17	2.6	3.3
2010	52	3.5	0.58	2.5	4.8	329	3.1	0.17	2.7	3.4
2011	48	3.5	0.61	2.4	4.9	309	2.9	0.16	2.5	3.2
2012	35	2.2	0.43	1.4	3.2	320	2.9	0.17	2.6	3.3
2013	47	3.0	0.51	2.1	4.2	309	2.8	0.16	2.5	3.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	6,409	3.1	0.04	3.0	3.2	1,126	2.6	0.08	2.5	2.8
1990	269	3.0	0.19	2.7	3.4	44	2.7	0.42	1.9	3.6
1991	276	3.1	0.19	2.8	3.5	31	1.9	0.34	1.3	2.7
1992	284	3.1	0.19	2.8	3.5	39	2.4	0.39	1.7	3.3
1993	246	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9
1994	260	2.9	0.18	2.5	3.3	37	2.2	0.37	1.5	3.1
1995	258	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7
1996	296	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6
1997	276	3.2	0.19	2.8	3.6	56	3.2	0.44	2.4	4.2
1998	248	2.8	0.18	2.5	3.2	42	2.3	0.36	1.7	3.2
1999	264	3.0	0.19	2.7	3.4	37	2.2	0.36	1.5	3.0
2000	282	3.3	0.20	2.9	3.7	45	2.5	0.37	1.8	3.3
2001	272	3.2	0.19	2.8	3.6	48	2.7	0.38	2.0	3.5
2002	288	3.3	0.20	3.0	3.7	41	2.3	0.37	1.6	3.2
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2
2004	264	3.1	0.19	2.7	3.5	52	2.9	0.40	2.1	3.8
2005	274	3.3	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7
2006	289	3.4	0.20	3.0	3.9	46	2.5	0.38	1.9	3.4
2007	252	3.0	0.19	2.6	3.4	43	2.3	0.35	1.6	3.1
2008	297	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0
2009	262	3.1	0.20	2.8	3.5	47	2.6	0.38	1.9	3.4
2010	258	3.1	0.20	2.8	3.5	56	3.0	0.40	2.2	3.9
2011	236	2.8	0.19	2.5	3.2	58	3.1	0.42	2.4	4.1
2012	247	2.9	0.19	2.6	3.3	59	3.2	0.43	2.4	4.2
2013	245	3.0	0.20	2.6	3.4	50	2.6	0.38	1.9	3.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Hodgkin Lymphoma</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	430	3.2	0.20	2.8	3.6	4,281	3.4	0.05	3.3	3.5
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1
1991	9	3.4	1.82	0.8	8.6	171	3.4	0.26	2.9	3.9
1992	9	3.2	1.59	0.9	7.8	163	3.2	0.25	2.7	3.7
1993	10	1.5	0.54	0.6	4.0	171	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	5.5	173	3.3	0.25	2.8	3.8
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8
1999	20	2.8	0.71	1.6	5.0	169	3.2	0.25	2.8	3.8
2000	14	3.8	1.62	1.3	8.0	201	3.8	0.27	3.3	4.4
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0
2002	18	2.5	0.65	1.4	4.5	180	3.4	0.26	2.9	4.0
2003	17	2.5	0.74	1.2	4.6	166	3.2	0.25	2.7	3.7
2004	20	4.3	1.46	2.0	7.9	191	3.7	0.27	3.2	4.2
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4
2006	19	2.3	0.67	1.2	4.1	183	3.5	0.26	3.0	4.1
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2
2009	26	3.9	1.02	2.1	6.3	171	3.3	0.25	2.8	3.8
2010	26	4.0	0.98	2.3	6.4	179	3.5	0.26	3.0	4.0
2011	33	5.3	1.13	3.3	7.9	170	3.2	0.25	2.8	3.8
2012	20	2.4	0.63	1.3	4.0	175	3.3	0.26	2.8	3.9
2013	30	3.9	0.85	2.4	5.9	157	2.9	0.24	2.5	3.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	3,492	3.5	0.06	3.4	3.6	636	3.3	0.13	3.0	3.5
1990	153	3.6	0.30	3.0	4.2	27	3.7	0.74	2.4	5.5
1991	149	3.6	0.30	3.0	4.2	17	2.3	0.58	1.3	3.8
1992	145	3.4	0.28	2.9	4.0	18	2.9	0.75	1.6	4.7
1993	140	3.3	0.28	2.8	3.9	28	3.4	0.67	2.2	5.1
1994	141	3.3	0.28	2.7	3.9	26	3.4	0.69	2.2	5.1
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9
1996	160	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5
1998	142	3.4	0.28	2.8	4.0	22	2.5	0.55	1.6	3.9
1999	136	3.2	0.28	2.7	3.8	22	2.7	0.59	1.7	4.2
2000	170	4.1	0.31	3.5	4.7	25	3.0	0.63	1.9	4.6
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1
2002	159	3.8	0.30	3.2	4.4	20	2.3	0.54	1.4	3.7
2003	139	3.4	0.29	2.8	4.0	21	2.5	0.58	1.5	4.0
2004	153	3.7	0.30	3.1	4.3	36	4.5	0.77	3.1	6.3
2005	160	3.9	0.31	3.3	4.6	30	3.5	0.65	2.4	5.1
2006	149	3.6	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4
2007	139	3.4	0.29	2.8	4.0	28	3.2	0.62	2.1	4.7
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8
2009	139	3.3	0.29	2.8	4.0	26	3.1	0.61	2.0	4.5
2010	138	3.4	0.30	2.9	4.1	33	3.9	0.72	2.7	5.6
2011	129	3.1	0.28	2.6	3.7	32	4.0	0.74	2.7	5.7
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	5.0
2013	129	3.2	0.29	2.6	3.8	21	2.4	0.55	1.5	3.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Hodgkin Lymphoma</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	309	2.2	0.15	1.9	2.5	3,520	2.6	0.04	2.5	2.7
1990	10	2.3	0.80	1.0	4.9	133	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	144	2.5	0.21	2.1	3.0
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	10	1.6	0.55	0.7	3.5	131	2.2	0.20	1.9	2.7
1995	13	1.7	0.49	0.9	3.5	117	2.0	0.19	1.7	2.4
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.50	1.7	7.9	164	2.9	0.23	2.5	3.4
1998	6	1.1	0.47	0.4	2.7	132	2.3	0.21	2.0	2.8
1999	13	2.4	0.77	1.1	4.6	146	2.6	0.21	2.2	3.0
2000	10	2.7	1.14	0.9	5.7	137	2.4	0.21	2.0	2.9
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2
2002	14	2.2	0.77	1.0	4.3	155	2.7	0.22	2.3	3.2
2003	15	2.5	0.77	1.2	4.5	155	2.7	0.22	2.3	3.2
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9
2005	16	2.3	0.71	1.1	4.2	151	2.7	0.22	2.3	3.2
2006	15	2.4	0.71	1.2	4.2	170	3.0	0.23	2.6	3.5
2007	13	1.6	0.49	0.8	3.0	130	2.3	0.21	2.0	2.8
2008	23	3.1	0.80	1.7	5.1	178	3.2	0.25	2.8	3.8
2009	16	1.7	0.45	0.9	2.9	152	2.7	0.23	2.3	3.2
2010	26	3.2	0.70	2.0	4.9	150	2.7	0.23	2.3	3.2
2011	15	2.0	0.62	1.0	3.6	139	2.5	0.22	2.1	3.0
2012	15	1.9	0.57	0.9	3.3	145	2.5	0.22	2.1	3.0
2013	17	2.2	0.59	1.2	3.6	152	2.7	0.22	2.3	3.2
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,917	2.7	0.05	2.6	2.8	490	2.1	0.10	1.9	2.3
1990	116	2.5	0.24	2.1	3.0	17	1.9	0.48	1.1	3.1
1991	127	2.7	0.25	2.3	3.2	14	1.5	0.41	0.8	2.6
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6
1994	119	2.5	0.24	2.1	3.0	11	1.2	0.37	0.6	2.2
1995	106	2.3	0.23	1.9	2.8	7	0.7	0.27	0.3	1.5
1996	136	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8
1997	141	3.1	0.27	2.6	3.7	20	2.2	0.49	1.3	3.4
1998	106	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3
1999	128	2.9	0.26	2.4	3.5	15	1.7	0.43	0.9	2.7
2000	112	2.6	0.25	2.1	3.1	20	2.1	0.46	1.3	3.2
2001	129	2.9	0.26	2.5	3.5	19	1.9	0.44	1.2	3.0
2002	129	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4
2003	127	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4
2004	111	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6
2005	114	2.7	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0
2006	140	3.3	0.28	2.7	3.8	22	2.2	0.48	1.4	3.4
2007	113	2.6	0.25	2.2	3.2	15	1.5	0.39	0.8	2.5
2008	142	3.4	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2
2010	120	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3
2011	107	2.6	0.25	2.1	3.1	26	2.6	0.51	1.7	3.8
2012	110	2.5	0.25	2.1	3.1	30	3.1	0.57	2.1	4.4
2013	116	2.8	0.27	2.3	3.3	29	2.8	0.53	1.9	4.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Non-Hodgkin Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,112	17.8	0.37	17.0	18.5	53,298	19.2	0.08	19.0	19.4
1990	60	12.0	1.96	8.5	16.4	1,673	16.0	0.40	15.2	16.8
1991	54	11.4	1.86	8.0	15.5	1,673	15.7	0.39	15.0	16.5
1992	82	16.9	2.26	12.8	21.9	1,834	17.1	0.40	16.3	17.9
1993	85	15.9	2.14	12.0	20.6	1,905	17.6	0.40	16.8	18.4
1994	95	17.7	2.27	13.6	22.7	2,013	18.5	0.41	17.7	19.3
1995	99	21.1	2.62	16.3	26.7	2,106	19.1	0.42	18.3	20.0
1996	94	16.8	2.16	12.9	21.5	2,162	19.5	0.42	18.7	20.4
1997	84	13.8	1.79	10.5	17.7	2,115	19.0	0.41	18.2	19.8
1998	105	17.6	1.99	13.9	21.9	2,192	19.5	0.42	18.7	20.4
1999	131	21.5	2.32	17.2	26.4	2,260	20.0	0.42	19.2	20.8
2000	103	15.3	1.83	11.9	19.3	2,252	19.8	0.42	19.0	20.7
2001	102	16.3	1.94	12.7	20.5	2,262	19.7	0.42	18.9	20.6
2002	140	20.6	2.09	16.7	25.0	2,265	19.7	0.41	18.9	20.5
2003	141	18.8	1.91	15.3	22.9	2,305	19.8	0.41	19.0	20.7
2004	153	20.0	1.97	16.4	24.2	2,457	21.0	0.43	20.2	21.9
2005	147	18.1	1.79	14.7	21.9	2,386	20.3	0.42	19.4	21.1
2006	152	16.0	1.48	13.2	19.1	2,333	19.7	0.41	18.9	20.5
2007	171	20.1	1.79	16.8	23.9	2,394	20.0	0.41	19.2	20.8
2008	192	21.1	1.79	17.7	24.8	2,423	19.9	0.41	19.1	20.7
2009	186	19.6	1.64	16.5	23.0	2,456	20.0	0.41	19.3	20.9
2010	169	18.0	1.56	15.1	21.3	2,534	20.4	0.41	19.6	21.3
2011	174	16.4	1.40	13.7	19.3	2,470	19.6	0.40	18.9	20.4
2012	183	16.5	1.36	13.9	19.3	2,399	19.0	0.40	18.3	19.8
2013	210	16.8	1.30	14.4	19.6	2,429	18.9	0.39	18.2	19.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	47,122	20.1	0.09	19.9	20.3	4,732	13.0	0.19	12.6	13.4
1990	1,525	16.8	0.44	16.0	17.7	127	10.2	0.94	8.5	12.2
1991	1,537	16.6	0.43	15.8	17.5	109	8.6	0.85	7.0	10.4
1992	1,687	18.2	0.45	17.4	19.1	128	10.0	0.92	8.3	11.9
1993	1,742	18.6	0.45	17.7	19.5	142	10.4	0.91	8.7	12.3
1994	1,792	19.0	0.45	18.2	19.9	187	13.4	1.01	11.5	15.5
1995	1,871	19.8	0.46	18.9	20.7	192	14.1	1.06	12.2	16.4
1996	1,939	20.4	0.47	19.5	21.4	186	12.8	0.97	11.0	14.9
1997	1,894	19.8	0.46	18.9	20.8	174	11.9	0.93	10.2	13.9
1998	1,931	20.2	0.46	19.3	21.1	215	14.5	1.01	12.6	16.6
1999	2,039	21.2	0.47	20.3	22.1	187	12.7	0.95	10.9	14.7
2000	1,995	20.8	0.47	19.9	21.7	201	13.2	0.95	11.4	15.1
2001	2,019	20.8	0.47	19.9	21.8	199	13.1	0.95	11.3	15.1
2002	2,007	20.6	0.46	19.7	21.6	198	12.8	0.93	11.0	14.7
2003	2,021	20.7	0.46	19.8	21.6	216	13.8	0.95	12.0	15.8
2004	2,140	21.8	0.48	20.9	22.8	242	15.8	1.04	13.8	17.9
2005	2,101	21.2	0.47	20.3	22.2	202	13.0	0.93	11.2	14.9
2006	2,066	20.9	0.47	20.0	21.9	207	13.0	0.92	11.2	14.9
2007	2,090	21.0	0.46	20.1	21.9	243	14.8	0.97	13.0	16.8
2008	2,108	20.8	0.46	19.9	21.7	220	13.6	0.94	11.8	15.5
2009	2,132	20.9	0.46	20.0	21.8	221	13.2	0.91	11.5	15.1
2010	2,180	21.2	0.46	20.3	22.2	240	14.3	0.94	12.5	16.2
2011	2,126	20.5	0.45	19.6	21.4	240	13.9	0.92	12.1	15.8
2012	2,089	20.2	0.45	19.3	21.1	226	12.7	0.86	11.1	14.5
2013	2,091	19.9	0.45	19.0	20.8	230	12.9	0.87	11.2	14.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Non-Hodgkin Lymphoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,788	20.8	0.62	19.6	22.1	27,999	23.4	0.14	23.2	23.7
1990	39	14.0	2.90	8.9	21.0	873	19.5	0.68	18.2	20.9
1991	41	14.4	2.87	9.4	21.3	849	18.5	0.65	17.3	19.8
1992	52	21.1	3.82	14.3	29.8	949	21.1	0.70	19.7	22.5
1993	56	17.0	2.94	11.7	23.8	980	21.1	0.69	19.8	22.5
1994	61	22.1	4.02	14.9	31.1	997	21.4	0.69	20.1	22.8
1995	59	22.2	3.98	15.1	31.1	1,083	23.0	0.71	21.6	24.4
1996	58	19.7	3.64	13.2	27.9	1,110	23.3	0.71	22.0	24.8
1997	51	17.6	3.18	11.9	24.8	1,097	23.0	0.70	21.6	24.4
1998	61	23.6	3.84	16.6	32.1	1,154	24.0	0.71	22.6	25.4
1999	78	26.6	4.05	19.3	35.5	1,191	24.6	0.72	23.2	26.1
2000	63	18.2	2.96	12.9	24.9	1,161	23.8	0.70	22.4	25.2
2001	48	16.5	3.32	10.7	24.0	1,158	23.6	0.70	22.2	25.0
2002	87	26.9	3.65	20.3	34.9	1,193	24.2	0.71	22.8	25.6
2003	82	24.0	3.51	17.6	31.6	1,224	24.4	0.70	23.0	25.8
2004	93	25.8	3.56	19.3	33.5	1,313	26.1	0.73	24.7	27.6
2005	82	19.7	2.76	14.7	25.8	1,254	24.8	0.71	23.4	26.2
2006	91	19.0	2.44	14.5	24.3	1,260	24.6	0.70	23.3	26.0
2007	90	21.7	2.86	16.5	27.9	1,289	24.6	0.70	23.3	26.0
2008	100	24.7	3.05	19.1	31.3	1,280	24.2	0.69	22.9	25.6
2009	101	23.4	2.80	18.2	29.4	1,282	24.0	0.68	22.7	25.4
2010	92	19.9	2.47	15.4	25.2	1,382	25.3	0.70	24.0	26.7
2011	85	16.4	2.13	12.5	21.0	1,315	23.7	0.67	22.4	25.1
2012	107	20.5	2.32	16.2	25.4	1,262	22.7	0.65	21.5	24.0
2013	111	18.6	2.09	14.8	23.1	1,343	23.7	0.66	22.4	25.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	24,700	24.4	0.16	24.1	24.7	2,535	16.2	0.34	15.5	16.9
1990	788	20.3	0.74	18.9	21.8	70	13.3	1.72	10.1	17.1
1991	781	19.6	0.72	18.3	21.1	57	10.0	1.42	7.4	13.1
1992	859	22.0	0.77	20.6	23.6	77	14.0	1.71	10.8	17.7
1993	890	22.2	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2
1994	883	22.1	0.76	20.7	23.7	99	15.2	1.59	12.3	18.7
1995	959	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0
1996	975	24.0	0.77	22.5	25.5	119	19.0	1.88	15.5	23.1
1997	974	23.9	0.77	22.4	25.5	95	14.3	1.54	11.5	17.7
1998	1,006	24.6	0.78	23.1	26.1	124	19.2	1.79	15.8	23.0
1999	1,064	25.8	0.80	24.2	27.4	106	16.9	1.78	13.6	20.7
2000	1,020	24.7	0.78	23.2	26.2	111	16.2	1.60	13.3	19.7
2001	1,038	24.9	0.78	23.4	26.5	97	14.8	1.59	11.8	18.2
2002	1,055	25.3	0.78	23.8	26.9	104	15.4	1.59	12.4	18.8
2003	1,072	25.3	0.78	23.8	26.9	116	17.3	1.67	14.2	20.9
2004	1,149	27.2	0.81	25.6	28.8	123	19.0	1.83	15.6	22.9
2005	1,103	25.8	0.78	24.3	27.4	106	16.4	1.70	13.2	20.0
2006	1,117	26.0	0.79	24.5	27.6	105	15.2	1.55	12.3	18.6
2007	1,128	25.8	0.78	24.3	27.3	133	19.0	1.75	15.7	22.7
2008	1,120	25.4	0.77	23.9	26.9	110	16.1	1.62	13.0	19.5
2009	1,124	25.2	0.76	23.7	26.7	105	14.8	1.53	12.0	18.1
2010	1,187	26.0	0.77	24.5	27.6	132	18.7	1.72	15.5	22.4
2011	1,127	24.4	0.74	22.9	25.9	127	17.5	1.64	14.5	21.0
2012	1,109	24.1	0.74	22.6	25.6	111	14.4	1.42	11.8	17.5
2013	1,172	25.1	0.75	23.7	26.6	120	15.4	1.46	12.7	18.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Non-Hodgkin Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,324	15.2	0.46	14.3	16.1	25,299	16.0	0.10	15.8	16.2
1990	21	9.8	2.52	5.5	15.8	800	13.3	0.48	12.3	14.2
1991	13	7.7	2.27	3.9	13.2	824	13.5	0.48	12.6	14.4
1992	30	12.9	2.70	8.2	19.2	885	14.3	0.49	13.3	15.3
1993	29	13.7	2.87	8.7	20.3	925	14.8	0.49	13.8	15.8
1994	34	14.0	2.72	9.2	20.2	1,016	16.1	0.51	15.1	17.1
1995	40	19.3	3.42	13.2	26.9	1,023	16.0	0.51	15.1	17.1
1996	36	14.3	2.67	9.5	20.3	1,052	16.5	0.51	15.5	17.5
1997	33	10.7	2.09	7.0	15.5	1,018	15.8	0.50	14.8	16.8
1998	44	13.3	2.14	9.4	18.1	1,038	16.1	0.51	15.2	17.2
1999	53	17.3	2.75	12.4	23.4	1,069	16.5	0.51	15.5	17.5
2000	40	12.6	2.30	8.5	17.8	1,091	17.0	0.52	16.0	18.0
2001	54	16.9	2.54	12.3	22.5	1,104	16.8	0.51	15.8	17.8
2002	53	15.2	2.38	10.9	20.4	1,072	16.2	0.50	15.2	17.2
2003	59	15.0	2.18	11.0	19.8	1,081	16.3	0.50	15.3	17.3
2004	60	15.5	2.29	11.3	20.5	1,144	17.2	0.51	16.2	18.2
2005	65	16.5	2.33	12.2	21.6	1,132	17.0	0.51	16.0	18.0
2006	61	13.3	1.85	9.9	17.4	1,073	15.9	0.49	15.0	16.9
2007	81	18.8	2.32	14.6	23.9	1,105	16.4	0.50	15.4	17.4
2008	92	18.5	2.18	14.4	23.2	1,143	16.6	0.50	15.6	17.6
2009	85	16.6	1.99	12.9	20.9	1,174	17.1	0.51	16.1	18.1
2010	77	16.4	2.01	12.7	20.7	1,152	16.8	0.51	15.8	17.8
2011	89	16.5	1.89	13.0	20.6	1,155	16.5	0.50	15.6	17.5
2012	76	13.1	1.63	10.1	16.6	1,137	16.1	0.49	15.2	17.1
2013	99	15.4	1.67	12.4	19.0	1,086	15.1	0.47	14.2	16.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	22,422	16.8	0.11	16.6	17.0	2,197	10.6	0.23	10.2	11.1
1990	737	14.0	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6
1991	756	14.2	0.53	13.2	15.3	52	7.4	1.04	5.5	9.7
1992	828	15.5	0.55	14.5	16.6	51	7.1	1.01	5.2	9.3
1993	852	15.7	0.55	14.7	16.8	62	8.4	1.09	6.4	10.8
1994	909	16.6	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2
1995	912	16.5	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5
1996	964	17.6	0.58	16.4	18.7	67	8.3	1.03	6.4	10.5
1997	920	16.7	0.56	15.6	17.8	79	9.8	1.11	7.7	12.2
1998	925	16.8	0.56	15.8	18.0	91	10.8	1.15	8.7	13.3
1999	975	17.7	0.58	16.6	18.9	81	9.8	1.10	7.7	12.1
2000	975	18.0	0.59	16.9	19.2	90	10.5	1.12	8.4	12.9
2001	981	17.6	0.57	16.5	18.8	102	11.8	1.18	9.6	14.4
2002	952	17.0	0.56	15.9	18.2	94	10.8	1.12	8.7	13.2
2003	949	17.0	0.56	15.9	18.1	100	11.2	1.13	9.1	13.6
2004	991	17.7	0.57	16.6	18.9	119	13.5	1.25	11.2	16.2
2005	998	17.9	0.58	16.8	19.0	96	10.7	1.10	8.7	13.1
2006	949	17.0	0.56	15.9	18.1	102	11.1	1.11	9.0	13.5
2007	962	17.2	0.57	16.1	18.3	110	11.9	1.14	9.7	14.3
2008	988	17.3	0.56	16.2	18.4	110	11.8	1.14	9.7	14.3
2009	1,008	17.6	0.57	16.5	18.8	116	12.2	1.14	10.1	14.7
2010	993	17.6	0.58	16.5	18.8	108	11.3	1.10	9.3	13.7
2011	999	17.4	0.57	16.3	18.6	113	11.4	1.09	9.4	13.8
2012	980	17.0	0.56	15.9	18.1	115	11.3	1.07	9.3	13.7
2013	919	15.7	0.54	14.6	16.8	110	10.9	1.05	8.9	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Myeloma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	928	6.3	0.23	5.9	6.8	16,907	6.0	0.05	5.9	6.1
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	16	4.4	1.28	2.3	7.5	537	5.1	0.22	4.7	5.5
1992	21	6.2	1.53	3.6	9.8	510	4.7	0.21	4.3	5.2
1993	21	5.0	1.25	2.9	8.0	599	5.5	0.22	5.0	5.9
1994	17	4.6	1.21	2.5	7.5	691	6.3	0.24	5.8	6.8
1995	26	7.9	1.69	4.9	11.7	688	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	21	4.4	1.05	2.6	6.9	675	6.0	0.23	5.6	6.5
1998	30	5.6	1.14	3.6	8.3	708	6.3	0.24	5.8	6.8
1999	27	5.2	1.14	3.2	7.9	697	6.1	0.23	5.7	6.6
2000	50	10.8	1.73	7.6	14.6	703	6.2	0.23	5.7	6.6
2001	34	6.2	1.17	4.1	8.9	713	6.2	0.23	5.8	6.7
2002	34	6.0	1.18	3.9	8.6	816	7.0	0.25	6.6	7.5
2003	37	6.5	1.25	4.3	9.3	771	6.6	0.24	6.1	7.1
2004	37	6.1	1.12	4.1	8.6	720	6.1	0.23	5.7	6.6
2005	55	7.9	1.17	5.7	10.4	738	6.2	0.23	5.8	6.7
2006	42	5.2	0.89	3.6	7.2	760	6.3	0.23	5.9	6.8
2007	38	4.8	0.87	3.3	6.8	711	5.9	0.22	5.4	6.3
2008	54	7.1	1.07	5.2	9.4	797	6.5	0.23	6.0	7.0
2009	60	7.4	1.07	5.5	9.8	805	6.4	0.23	6.0	6.9
2010	64	6.4	0.88	4.8	8.4	765	6.0	0.22	5.6	6.5
2011	53	4.9	0.73	3.5	6.5	827	6.4	0.23	6.0	6.9
2012	74	7.3	0.92	5.6	9.2	809	6.2	0.22	5.8	6.7
2013	71	6.7	0.87	5.1	8.5	751	5.7	0.21	5.3	6.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	12,576	5.2	0.05	5.2	5.3	3,965	11.7	0.19	11.4	12.1
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5
1991	437	4.7	0.23	4.3	5.1	94	8.3	0.88	6.7	10.2
1992	404	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3
1993	457	4.8	0.22	4.3	5.2	132	11.4	1.02	9.5	13.6
1994	519	5.4	0.24	4.9	5.9	164	13.7	1.09	11.6	16.0
1995	522	5.4	0.24	4.9	5.9	155	12.8	1.05	10.8	15.0
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8
1997	511	5.3	0.23	4.8	5.7	150	11.9	0.99	10.0	14.0
1998	523	5.4	0.24	4.9	5.9	176	13.6	1.04	11.6	15.8
1999	509	5.2	0.23	4.7	5.7	176	12.9	0.99	11.1	15.0
2000	508	5.2	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7
2001	531	5.4	0.23	4.9	5.9	166	11.8	0.93	10.1	13.8
2002	629	6.3	0.25	5.9	6.9	174	12.4	0.95	10.6	14.4
2003	581	5.8	0.24	5.3	6.3	182	13.0	0.98	11.1	15.0
2004	530	5.3	0.23	4.9	5.8	175	11.8	0.91	10.1	13.7
2005	538	5.4	0.23	4.9	5.8	185	12.4	0.93	10.7	14.4
2006	555	5.5	0.23	5.0	5.9	191	12.7	0.94	11.0	14.7
2007	523	5.1	0.23	4.7	5.6	169	10.9	0.85	9.3	12.6
2008	589	5.7	0.24	5.3	6.2	176	11.3	0.87	9.6	13.1
2009	590	5.6	0.23	5.2	6.1	188	11.7	0.87	10.1	13.5
2010	560	5.3	0.23	4.8	5.7	188	11.4	0.85	9.8	13.2
2011	606	5.7	0.23	5.2	6.2	193	11.3	0.84	9.8	13.1
2012	563	5.2	0.22	4.8	5.7	209	12.3	0.87	10.6	14.1
2013	539	4.9	0.21	4.5	5.3	189	11.2	0.83	9.6	13.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Myeloma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	512	7.2	0.37	6.5	8.0	8,763	7.4	0.08	7.2	7.6
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	12	6.6	2.29	2.9	12.4	289	6.4	0.38	5.6	7.2
1994	8	5.0	2.08	1.8	10.4	355	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	355	7.8	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	321	7.0	0.40	6.2	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	365	7.9	0.42	7.1	8.7
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	353	7.3	0.39	6.6	8.2
2001	22	9.0	2.26	5.2	14.4	344	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	415	8.5	0.42	7.7	9.4
2003	17	4.4	1.21	2.4	7.5	399	8.2	0.41	7.4	9.0
2004	18	7.0	1.93	3.7	11.6	370	7.4	0.39	6.7	8.2
2005	33	10.4	2.06	6.8	15.1	395	7.8	0.40	7.1	8.6
2006	24	6.3	1.57	3.6	10.0	408	8.0	0.40	7.2	8.8
2007	20	5.6	1.40	3.2	8.9	391	7.6	0.39	6.8	8.4
2008	34	9.6	1.94	6.2	13.9	436	8.2	0.40	7.5	9.1
2009	34	9.7	1.93	6.3	14.0	431	8.0	0.39	7.3	8.8
2010	37	7.0	1.26	4.8	9.9	400	7.2	0.37	6.5	8.0
2011	36	6.9	1.28	4.7	9.9	439	7.9	0.38	7.2	8.7
2012	42	8.4	1.46	5.8	11.6	452	7.9	0.38	7.2	8.7
2013	38	7.6	1.40	5.1	10.8	392	6.8	0.35	6.1	7.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,679	6.6	0.08	6.5	6.8	1,881	13.7	0.33	13.1	14.4
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4
1993	225	5.6	0.38	4.9	6.4	57	12.9	1.84	9.5	16.9
1994	267	6.8	0.43	6.0	7.7	84	17.3	1.99	13.6	21.6
1995	266	6.7	0.42	5.9	7.6	80	16.7	1.99	13.0	21.0
1996	247	6.2	0.40	5.5	7.1	69	13.2	1.69	10.1	16.9
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0
1998	279	6.9	0.42	6.1	7.8	81	16.6	1.97	13.0	20.9
1999	272	6.6	0.41	5.9	7.5	72	12.6	1.56	9.7	16.0
2000	267	6.5	0.40	5.8	7.4	76	13.0	1.55	10.1	16.4
2001	263	6.4	0.39	5.6	7.2	74	12.6	1.53	9.8	16.0
2002	329	7.9	0.44	7.1	8.8	78	14.0	1.66	10.9	17.6
2003	304	7.3	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5
2004	279	6.6	0.40	5.9	7.5	83	13.8	1.59	10.9	17.2
2005	296	6.9	0.41	6.2	7.8	90	14.3	1.56	11.4	17.6
2006	304	7.0	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3
2007	297	6.8	0.40	6.1	7.7	85	13.4	1.51	10.6	16.6
2008	336	7.6	0.42	6.8	8.4	85	13.0	1.49	10.3	16.3
2009	320	7.1	0.40	6.3	7.9	95	14.5	1.57	11.6	17.8
2010	298	6.4	0.38	5.7	7.2	92	13.3	1.46	10.6	16.4
2011	326	7.0	0.40	6.3	7.9	100	14.7	1.55	11.8	18.0
2012	333	7.0	0.39	6.3	7.8	96	13.7	1.47	11.0	16.9
2013	294	6.0	0.36	5.4	6.8	83	11.9	1.36	9.4	14.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Myeloma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	416	5.5	0.29	4.9	6.1	8,144	5.0	0.06	4.9	5.2
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7
1991	5	3.4	1.62	1.0	7.8	268	4.3	0.26	3.8	4.8
1992	10	5.9	2.03	2.6	11.0	250	4.0	0.26	3.5	4.5
1993	9	3.8	1.42	1.6	7.5	310	4.8	0.28	4.3	5.4
1994	9	4.4	1.55	1.9	8.4	336	5.2	0.29	4.7	5.8
1995	14	8.4	2.37	4.4	14.0	333	5.1	0.28	4.6	5.7
1996	16	7.4	1.96	4.1	12.1	304	4.7	0.27	4.2	5.3
1997	12	5.4	1.64	2.7	9.4	333	5.1	0.28	4.5	5.7
1998	17	5.8	1.51	3.2	9.4	343	5.3	0.29	4.7	5.9
1999	16	5.7	1.54	3.1	9.4	348	5.3	0.29	4.7	5.9
2000	22	9.3	2.16	5.5	14.3	350	5.3	0.29	4.7	5.9
2001	12	4.0	1.22	2.0	7.1	369	5.5	0.29	5.0	6.1
2002	12	4.4	1.42	2.0	7.8	401	6.0	0.30	5.4	6.6
2003	20	7.7	1.90	4.4	12.1	372	5.5	0.29	5.0	6.1
2004	19	5.6	1.36	3.2	8.8	350	5.2	0.28	4.7	5.8
2005	22	5.8	1.33	3.5	8.9	343	5.0	0.27	4.5	5.6
2006	18	4.3	1.08	2.4	6.8	352	5.1	0.28	4.6	5.7
2007	18	4.2	1.08	2.4	6.8	320	4.7	0.26	4.2	5.2
2008	20	5.1	1.21	3.0	7.9	361	5.2	0.28	4.7	5.8
2009	26	5.8	1.22	3.6	8.6	374	5.2	0.27	4.7	5.8
2010	27	5.7	1.17	3.6	8.3	365	5.1	0.27	4.6	5.6
2011	17	3.0	0.79	1.6	4.9	388	5.4	0.28	4.8	6.0
2012	32	6.2	1.15	4.2	8.8	357	4.9	0.27	4.4	5.5
2013	33	5.9	1.10	3.9	8.4	359	4.9	0.26	4.4	5.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,897	4.3	0.06	4.2	4.4	2,084	10.4	0.23	10.0	10.9
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4
1991	219	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3
1992	200	3.6	0.26	3.1	4.1	49	6.9	0.99	5.1	9.1
1993	232	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5
1994	252	4.5	0.29	3.9	5.1	80	11.3	1.27	8.9	14.1
1995	256	4.5	0.29	4.0	5.1	75	10.4	1.21	8.1	13.0
1996	232	4.1	0.27	3.6	4.7	69	9.2	1.11	7.1	11.6
1997	242	4.2	0.28	3.7	4.8	85	11.3	1.24	9.0	14.0
1998	244	4.3	0.28	3.8	4.9	95	12.1	1.25	9.8	14.8
1999	237	4.1	0.27	3.6	4.7	104	13.0	1.29	10.6	15.8
2000	241	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9
2001	268	4.6	0.29	4.1	5.3	92	11.2	1.17	9.0	13.7
2002	300	5.2	0.30	4.6	5.8	96	11.4	1.17	9.2	13.9
2003	277	4.8	0.29	4.2	5.4	92	10.9	1.14	8.8	13.4
2004	251	4.4	0.28	3.8	5.0	92	10.5	1.10	8.4	12.9
2005	242	4.2	0.27	3.7	4.8	95	10.9	1.12	8.8	13.3
2006	251	4.3	0.28	3.8	4.9	92	10.3	1.08	8.3	12.7
2007	226	3.9	0.26	3.4	4.4	84	9.2	1.01	7.3	11.4
2008	253	4.3	0.28	3.8	4.9	91	10.0	1.06	8.0	12.3
2009	270	4.5	0.28	4.0	5.1	93	9.9	1.04	8.0	12.2
2010	262	4.4	0.28	3.9	5.0	96	10.1	1.04	8.1	12.3
2011	280	4.7	0.29	4.1	5.3	93	9.2	0.97	7.4	11.3
2012	230	3.9	0.26	3.4	4.4	113	11.2	1.08	9.2	13.6
2013	245	4.0	0.26	3.5	4.6	106	10.6	1.05	8.7	12.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,492	10.7	0.27	10.1	11.2	36,465	13.2	0.07	13.1	13.4
1990	47	8.2	1.63	5.4	12.0	1,139	10.8	0.32	10.1	11.4
1991	49	8.3	1.51	5.6	11.8	1,111	10.5	0.32	9.8	11.1
1992	59	9.9	1.70	6.8	13.7	1,185	11.0	0.32	10.4	11.7
1993	52	7.3	1.26	5.1	10.2	1,256	11.6	0.33	10.9	12.2
1994	78	10.9	1.71	7.8	14.7	1,501	13.7	0.36	13.0	14.4
1995	80	10.2	1.54	7.4	13.7	1,488	13.5	0.35	12.9	14.3
1996	70	8.9	1.49	6.2	12.3	1,435	13.0	0.34	12.3	13.7
1997	86	10.8	1.57	8.0	14.3	1,431	12.9	0.34	12.2	13.5
1998	87	10.5	1.56	7.7	14.0	1,440	12.8	0.34	12.2	13.5
1999	98	11.6	1.59	8.7	15.1	1,559	13.8	0.35	13.1	14.5
2000	103	10.1	1.38	7.6	13.1	1,588	14.0	0.35	13.3	14.7
2001	83	9.9	1.48	7.2	13.2	1,686	14.8	0.36	14.1	15.6
2002	115	12.9	1.62	9.9	16.4	1,671	14.6	0.36	13.9	15.3
2003	89	9.3	1.31	6.9	12.1	1,688	14.6	0.36	13.9	15.3
2004	106	9.8	1.31	7.4	12.6	1,687	14.5	0.35	13.8	15.2
2005	113	9.8	1.16	7.6	12.3	1,591	13.6	0.34	13.0	14.3
2006	140	13.8	1.52	11.0	17.1	1,622	13.8	0.35	13.1	14.5
2007	115	8.4	0.97	6.7	10.6	1,509	12.8	0.33	12.2	13.5
2008	144	11.4	1.20	9.2	14.0	1,643	13.8	0.34	13.1	14.5
2009	135	11.3	1.22	9.0	13.9	1,556	12.9	0.33	12.2	13.6
2010	149	10.8	1.08	8.8	13.2	1,656	13.6	0.34	12.9	14.3
2011	144	10.0	1.00	8.1	12.1	1,701	13.8	0.34	13.1	14.5
2012	169	12.2	1.11	10.1	14.6	1,710	13.8	0.34	13.1	14.4
2013	181	12.8	1.12	10.7	15.1	1,612	12.9	0.33	12.2	13.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	31,611	13.6	0.08	13.5	13.8	3,803	10.7	0.18	10.4	11.1
1990	1,034	11.3	0.35	10.6	12.0	97	7.7	0.83	6.1	9.5
1991	993	10.9	0.35	10.2	11.6	102	7.9	0.83	6.4	9.7
1992	1,046	11.3	0.35	10.6	12.0	114	9.0	0.88	7.4	10.9
1993	1,132	12.1	0.36	11.4	12.9	110	8.3	0.83	6.7	10.0
1994	1,332	14.2	0.39	13.4	14.9	141	10.7	0.94	9.0	12.7
1995	1,321	14.1	0.39	13.3	14.9	143	10.6	0.93	8.9	12.6
1996	1,273	13.4	0.38	12.7	14.2	133	9.8	0.88	8.1	11.7
1997	1,253	13.2	0.38	12.5	14.0	154	10.9	0.91	9.2	12.8
1998	1,260	13.2	0.37	12.5	14.0	147	10.4	0.88	8.7	12.2
1999	1,381	14.5	0.39	13.8	15.3	150	10.3	0.87	8.6	12.1
2000	1,378	14.4	0.39	13.7	15.2	179	12.4	0.95	10.6	14.4
2001	1,455	15.2	0.40	14.4	16.0	178	11.8	0.91	10.1	13.7
2002	1,459	15.1	0.40	14.3	15.9	168	11.9	0.94	10.1	13.9
2003	1,490	15.4	0.40	14.6	16.2	160	10.6	0.86	9.0	12.5
2004	1,441	14.8	0.39	14.1	15.6	172	11.0	0.87	9.4	12.9
2005	1,362	14.0	0.38	13.3	14.8	174	11.6	0.90	9.9	13.5
2006	1,405	14.3	0.39	13.6	15.1	181	11.8	0.90	10.1	13.6
2007	1,288	13.2	0.37	12.5	14.0	172	10.7	0.84	9.1	12.5
2008	1,411	14.3	0.39	13.6	15.1	163	10.5	0.84	8.9	12.3
2009	1,329	13.3	0.37	12.6	14.1	159	10.1	0.81	8.5	11.8
2010	1,383	13.9	0.38	13.1	14.6	198	11.8	0.86	10.2	13.6
2011	1,437	14.2	0.38	13.4	15.0	187	10.9	0.82	9.4	12.7
2012	1,412	14.0	0.38	13.3	14.8	221	13.0	0.89	11.3	14.8
2013	1,336	13.2	0.37	12.4	13.9	200	11.3	0.82	9.8	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,387	12.3	0.46	11.4	13.2	20,499	17.5	0.12	17.2	17.7
1990	16	4.5	1.82	1.7	9.6	614	13.8	0.58	12.7	15.0
1991	25	8.8	2.32	4.9	14.6	625	13.7	0.56	12.6	14.8
1992	33	11.6	2.76	6.8	18.3	694	15.3	0.59	14.1	16.5
1993	28	7.8	1.94	4.4	12.7	691	15.1	0.59	13.9	16.3
1994	45	11.0	2.38	6.9	16.8	829	18.5	0.66	17.2	19.8
1995	44	12.8	3.09	7.5	20.0	815	17.7	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	805	17.6	0.63	16.4	18.9
1997	46	10.9	2.27	6.9	16.3	793	17.1	0.62	15.9	18.3
1998	53	12.9	2.61	8.3	18.9	799	16.8	0.60	15.7	18.0
1999	52	11.6	2.39	7.4	17.2	863	18.2	0.63	17.0	19.4
2000	53	10.4	2.19	6.5	15.5	869	18.0	0.62	16.8	19.3
2001	48	12.3	2.59	7.8	18.2	937	19.5	0.64	18.3	20.8
2002	59	16.0	2.94	10.7	22.5	951	19.7	0.65	18.5	21.0
2003	45	10.2	2.26	6.2	15.4	955	19.5	0.64	18.3	20.8
2004	48	10.2	2.12	6.4	15.0	936	19.0	0.63	17.8	20.2
2005	68	11.0	1.74	7.9	15.0	912	18.4	0.62	17.3	19.7
2006	88	18.5	2.77	13.5	24.6	935	18.7	0.62	17.5	19.9
2007	72	11.7	1.78	8.5	15.7	872	17.2	0.59	16.1	18.4
2008	85	14.5	2.13	10.6	19.2	954	18.4	0.61	17.3	19.7
2009	68	11.1	1.81	7.9	15.2	849	16.2	0.57	15.1	17.4
2010	78	11.9	1.77	8.6	15.8	962	18.2	0.60	17.1	19.4
2011	87	11.9	1.61	9.0	15.5	953	17.7	0.58	16.6	18.9
2012	106	16.1	1.94	12.5	20.3	969	17.7	0.58	16.5	18.8
2013	100	14.9	1.84	11.5	18.9	917	16.5	0.56	15.4	17.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	17,845	18.0	0.14	17.7	18.3	2,061	14.1	0.33	13.4	14.7
1990	557	14.3	0.62	13.1	15.6	52	10.5	1.66	7.5	14.2
1991	562	14.3	0.61	13.1	15.5	53	9.6	1.43	7.0	12.8
1992	614	15.6	0.64	14.4	16.9	67	12.7	1.70	9.6	16.5
1993	616	15.7	0.65	14.5	17.0	65	11.1	1.51	8.3	14.4
1994	732	18.9	0.71	17.6	20.4	82	15.3	1.90	11.9	19.5
1995	729	18.5	0.70	17.2	19.9	73	12.7	1.61	9.7	16.2
1996	710	18.0	0.69	16.7	19.4	81	15.2	1.85	11.8	19.2
1997	705	17.8	0.68	16.5	19.1	79	13.3	1.63	10.3	16.9
1998	705	17.4	0.66	16.2	18.8	77	12.9	1.57	10.0	16.3
1999	777	19.2	0.70	17.9	20.6	68	11.3	1.49	8.6	14.6
2000	751	18.4	0.68	17.1	19.8	99	16.7	1.77	13.4	20.5
2001	800	19.8	0.70	18.4	21.2	104	17.0	1.80	13.6	20.8
2002	833	20.4	0.71	19.0	21.8	89	15.5	1.79	12.2	19.4
2003	854	20.7	0.71	19.3	22.1	83	13.1	1.54	10.3	16.5
2004	815	19.6	0.69	18.3	21.0	82	12.6	1.53	9.8	16.0
2005	785	18.9	0.68	17.6	20.2	97	15.9	1.75	12.6	19.6
2006	818	19.5	0.69	18.2	20.9	101	15.8	1.67	12.7	19.3
2007	752	17.7	0.65	16.5	19.1	95	14.3	1.55	11.4	17.6
2008	818	19.0	0.67	17.7	20.4	93	14.5	1.60	11.6	18.0
2009	729	16.7	0.63	15.5	18.0	80	12.6	1.51	9.8	15.8
2010	807	18.5	0.66	17.3	19.9	116	16.8	1.66	13.7	20.3
2011	801	17.9	0.65	16.7	19.2	101	14.3	1.50	11.5	17.5
2012	813	18.0	0.65	16.8	19.3	122	17.7	1.69	14.5	21.3
2013	762	16.7	0.62	15.5	18.0	102	13.6	1.41	11.0	16.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,105	9.3	0.34	8.6	10.0	15,966	10.2	0.08	10.0	10.3
1990	31	11.3	2.50	6.9	17.2	525	8.6	0.38	7.9	9.4
1991	24	7.8	1.96	4.4	12.6	486	8.0	0.37	7.3	8.8
1992	26	8.3	2.08	4.8	13.4	491	8.0	0.37	7.3	8.8
1993	24	6.9	1.68	4.0	11.0	565	9.0	0.38	8.3	9.8
1994	33	10.1	2.30	6.1	15.5	672	10.7	0.42	9.9	11.6
1995	36	8.9	1.74	5.9	13.1	673	10.7	0.42	9.9	11.5
1996	30	8.9	1.98	5.5	13.6	630	9.9	0.40	9.1	10.7
1997	40	10.6	2.14	6.8	15.6	638	9.9	0.40	9.2	10.8
1998	34	8.4	1.87	5.1	12.8	641	9.8	0.39	9.1	10.6
1999	46	11.7	2.16	7.8	16.6	696	10.8	0.42	10.0	11.7
2000	50	10.0	1.84	6.7	14.2	719	11.1	0.42	10.3	11.9
2001	35	8.0	1.73	5.0	12.0	749	11.6	0.43	10.8	12.5
2002	56	10.6	1.84	7.3	14.8	720	10.8	0.41	10.0	11.7
2003	44	8.9	1.64	5.9	12.6	733	11.2	0.42	10.4	12.0
2004	58	9.6	1.66	6.7	13.4	751	11.4	0.42	10.6	12.3
2005	45	8.3	1.51	5.6	11.7	679	10.3	0.40	9.5	11.1
2006	52	10.0	1.71	7.0	13.9	687	10.2	0.40	9.5	11.1
2007	43	5.6	1.01	3.8	8.0	637	9.7	0.40	9.0	10.6
2008	59	9.0	1.39	6.5	12.1	689	10.2	0.40	9.5	11.1
2009	67	11.3	1.65	8.3	15.0	707	10.4	0.40	9.6	11.2
2010	71	10.2	1.39	7.7	13.3	694	10.0	0.39	9.2	10.8
2011	57	8.1	1.24	5.8	10.9	748	10.9	0.41	10.1	11.7
2012	63	8.8	1.27	6.5	11.6	741	10.8	0.41	10.0	11.7
2013	81	11.1	1.39	8.5	14.1	695	10.0	0.40	9.3	10.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	13,766	10.5	0.09	10.3	10.7	1,742	8.5	0.21	8.1	8.9
1990	477	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	431	8.3	0.41	7.5	9.2	49	6.6	0.97	4.8	8.7
1992	432	8.2	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	516	9.6	0.43	8.7	10.4	45	6.1	0.93	4.4	8.2
1994	600	11.1	0.46	10.2	12.1	59	7.9	1.04	6.0	10.2
1995	592	11.1	0.47	10.2	12.0	70	9.1	1.11	7.1	11.5
1996	563	10.4	0.45	9.5	11.3	52	6.4	0.91	4.8	8.5
1997	548	10.0	0.44	9.2	10.9	75	9.3	1.09	7.3	11.7
1998	555	10.0	0.43	9.2	10.9	70	8.4	1.02	6.5	10.6
1999	604	11.2	0.47	10.3	12.2	82	9.6	1.08	7.6	12.0
2000	627	11.5	0.47	10.6	12.5	80	9.4	1.07	7.5	11.7
2001	655	12.1	0.48	11.1	13.1	74	8.5	1.00	6.6	10.7
2002	626	11.2	0.46	10.3	12.2	79	9.5	1.08	7.5	11.8
2003	636	11.6	0.48	10.7	12.6	77	8.8	1.02	7.0	11.1
2004	626	11.4	0.47	10.5	12.4	90	10.0	1.06	8.0	12.3
2005	577	10.6	0.46	9.7	11.6	77	8.8	1.02	7.0	11.0
2006	587	10.5	0.45	9.6	11.4	80	9.0	1.01	7.1	11.2
2007	536	10.0	0.45	9.1	10.9	77	8.3	0.95	6.5	10.4
2008	593	10.7	0.46	9.8	11.7	70	7.7	0.93	6.0	9.8
2009	600	10.7	0.46	9.8	11.7	79	8.6	0.97	6.8	10.7
2010	576	10.1	0.44	9.3	11.0	82	8.4	0.93	6.6	10.4
2011	636	11.4	0.47	10.5	12.3	86	8.7	0.95	7.0	10.8
2012	599	10.9	0.47	10.0	11.9	99	9.9	1.01	8.0	12.1
2013	574	10.4	0.46	9.5	11.4	98	9.6	0.98	7.8	11.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	970	2.3	0.08	2.1	2.4	3,451	1.4	0.02	1.3	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	20	2.1	0.54	1.2	3.7	127	1.2	0.11	1.0	1.4
1992	21	1.9	0.45	1.1	3.2	141	1.3	0.11	1.1	1.5
1993	19	1.6	0.42	0.9	2.9	150	1.4	0.11	1.2	1.6
1994	28	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	36	2.2	0.41	1.5	3.4	148	1.4	0.11	1.2	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	31	1.8	0.36	1.2	2.9	145	1.4	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	161	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	46	2.2	0.38	1.5	3.1	154	1.5	0.12	1.3	1.7
2006	58	2.8	0.47	2.0	3.9	148	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	134	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	153	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	140	1.4	0.12	1.2	1.7
2010	57	2.5	0.37	1.8	3.4	139	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	147	1.5	0.12	1.2	1.7
2012	70	3.2	0.43	2.4	4.1	148	1.5	0.12	1.2	1.7
2013	60	2.5	0.36	1.9	3.4	146	1.5	0.12	1.2	1.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,847	1.5	0.03	1.4	1.5	428	0.9	0.05	0.9	1.0
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6
1991	104	1.2	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6
1992	110	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3
1993	128	1.5	0.13	1.3	1.8	18	1.0	0.25	0.6	1.7
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1
1996	107	1.3	0.12	1.0	1.5	19	1.0	0.24	0.6	1.6
1997	122	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2
1999	125	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3
2000	112	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3
2001	124	1.6	0.14	1.3	1.9	30	1.5	0.29	1.0	2.2
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2
2006	118	1.6	0.14	1.3	1.9	20	1.1	0.25	0.7	1.7
2007	104	1.4	0.14	1.1	1.7	21	1.1	0.25	0.7	1.7
2008	129	1.7	0.15	1.4	2.0	12	0.6	0.18	0.3	1.1
2009	115	1.5	0.15	1.3	1.9	17	0.9	0.21	0.5	1.4
2010	109	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5
2011	117	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5
2012	121	1.6	0.15	1.3	1.9	19	1.1	0.26	0.7	1.8
2013	117	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Lymphocytic Leukemia											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	549	2.4	0.12	2.2	2.7	1,927	1.6	0.04	1.5	1.6	
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5	
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9	
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9	
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1	
1994	17	2.1	0.52	1.2	4.4	76	1.5	0.17	1.2	1.8	
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1	
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6	
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1	
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0	
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9	
2000	20	1.8	0.41	1.1	3.5	55	1.1	0.14	0.8	1.4	
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2	
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2	
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0	
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9	
2005	29	3.0	0.71	1.8	4.9	80	1.6	0.18	1.2	2.0	
2006	38	3.1	0.52	2.2	4.6	83	1.7	0.18	1.3	2.0	
2007	33	3.5	0.79	2.1	5.6	70	1.4	0.17	1.1	1.8	
2008	38	3.4	0.60	2.3	5.0	94	1.8	0.19	1.5	2.3	
2009	29	2.4	0.49	1.6	3.8	77	1.6	0.18	1.2	2.0	
2010	33	2.6	0.48	1.8	3.9	89	1.8	0.19	1.4	2.2	
2011	35	2.7	0.47	1.8	3.9	78	1.6	0.18	1.3	2.0	
2012	36	2.8	0.47	1.9	4.0	82	1.7	0.19	1.3	2.1	
2013	31	2.4	0.43	1.6	3.5	82	1.7	0.19	1.3	2.1	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	1,585	1.7	0.04	1.6	1.8	244	1.1	0.07	1.0	1.3	
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1	
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4	
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7	
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9	
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0	
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9	
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8	
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3	
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5	
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4	
2000	45	1.1	0.17	0.8	1.5	7	0.8	0.31	0.3	1.7	
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1	
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3	
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8	
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8	
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6	
2006	69	1.9	0.22	1.4	2.3	11	1.2	0.38	0.6	2.3	
2007	56	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0	
2008	81	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4	
2009	64	1.7	0.22	1.3	2.2	9	0.9	0.31	0.4	1.8	
2010	69	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3	
2011	60	1.6	0.21	1.2	2.1	10	1.0	0.33	0.5	2.0	
2012	66	1.8	0.22	1.4	2.3	12	1.4	0.41	0.7	2.5	
2013	62	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Lymphocytic Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	421	2.1	0.12	1.9	2.3	1,524	1.2	0.03	1.1	1.2
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	12	2.7	0.90	1.2	5.4	47	0.9	0.13	0.6	1.2
1992	14	2.9	0.86	1.5	5.5	61	1.1	0.14	0.8	1.4
1993	9	1.3	0.46	0.6	3.1	63	1.1	0.14	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	16	2.2	0.64	1.2	4.2	59	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	8	1.0	0.38	0.4	2.4	65	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	75	1.4	0.16	1.1	1.7
2001	10	1.1	0.35	0.5	2.4	68	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6
2008	25	2.7	0.65	1.6	4.3	59	1.2	0.16	0.9	1.5
2009	19	1.7	0.42	1.0	2.9	63	1.2	0.16	0.9	1.6
2010	24	2.3	0.54	1.4	3.7	50	0.9	0.14	0.7	1.2
2011	21	2.1	0.53	1.2	3.5	69	1.3	0.16	1.0	1.7
2012	34	3.5	0.69	2.2	5.1	66	1.3	0.16	1.0	1.6
2013	29	2.7	0.55	1.7	4.0	64	1.3	0.16	1.0	1.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,262	1.3	0.04	1.2	1.4	184	0.8	0.06	0.7	0.9
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0
1991	39	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6
1992	50	1.1	0.16	0.8	1.5	8	1.0	0.36	0.4	2.0
1993	51	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9
1996	53	1.3	0.17	0.9	1.6	10	1.1	0.34	0.5	2.0
1997	48	1.2	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4
1999	55	1.4	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2000	67	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4
2001	51	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1
2008	48	1.3	0.19	1.0	1.8	7	0.7	0.27	0.3	1.5
2009	51	1.3	0.19	1.0	1.8	8	0.8	0.28	0.3	1.6
2010	40	1.0	0.16	0.7	1.4	7	0.7	0.25	0.3	1.4
2011	57	1.5	0.20	1.1	1.9	8	0.8	0.28	0.3	1.6
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.30	0.3	1.6
2013	55	1.5	0.21	1.1	1.9	7	0.7	0.28	0.3	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Chronic Lymphocytic Leukemia</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	215	1.7	0.13	1.5	2.0	12,164	4.3	0.04	4.2	4.4
1990	4	1.4	0.75	0.4	3.6	368	3.5	0.18	3.1	3.9
1991	6	2.0	0.88	0.7	4.4	377	3.5	0.18	3.2	3.9
1992	7	3.0	1.24	1.1	6.1	417	3.9	0.19	3.5	4.3
1993	7	1.9	0.80	0.7	4.1	396	3.6	0.18	3.3	4.0
1994	1	0.5	0.46	0.0	2.0	530	4.8	0.21	4.4	5.3
1995	3	0.7	0.43	0.1	2.1	458	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	450	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	432	3.9	0.19	3.5	4.2
1998	7	1.3	0.55	0.5	2.9	456	4.0	0.19	3.7	4.4
1999	9	2.3	0.85	0.9	4.4	480	4.2	0.19	3.9	4.6
2000	7	1.3	0.50	0.5	2.6	496	4.3	0.19	4.0	4.7
2001	6	0.9	0.47	0.3	2.3	574	5.0	0.21	4.6	5.4
2002	9	1.3	0.46	0.6	2.6	611	5.2	0.21	4.8	5.7
2003	12	2.6	0.86	1.2	4.7	613	5.2	0.21	4.8	5.7
2004	8	1.3	0.51	0.5	2.7	604	5.1	0.21	4.7	5.5
2005	11	1.8	0.55	0.9	3.1	547	4.6	0.20	4.2	5.0
2006	16	3.3	0.88	1.8	5.3	594	4.9	0.20	4.5	5.3
2007	15	1.9	0.54	1.0	3.2	499	4.1	0.18	3.7	4.5
2008	14	1.9	0.54	1.0	3.2	624	5.1	0.20	4.7	5.5
2009	12	1.6	0.54	0.8	3.0	528	4.2	0.18	3.8	4.6
2010	9	1.1	0.40	0.5	2.1	530	4.1	0.18	3.8	4.5
2011	11	1.4	0.45	0.7	2.5	517	4.0	0.18	3.6	4.4
2012	13	1.6	0.48	0.8	2.8	572	4.4	0.19	4.0	4.8
2013	16	1.8	0.47	1.0	2.9	491	3.7	0.17	3.4	4.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	10,722	4.5	0.04	4.4	4.5	1,161	3.5	0.10	3.3	3.7
1990	339	3.6	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	340	3.6	0.20	3.2	4.0	36	3.2	0.55	2.2	4.4
1992	377	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	363	3.8	0.20	3.4	4.2	33	2.8	0.50	1.9	3.9
1994	478	5.0	0.23	4.5	5.5	47	3.9	0.58	2.8	5.2
1995	414	4.3	0.21	3.9	4.8	38	3.1	0.52	2.2	4.3
1996	415	4.3	0.21	3.9	4.7	34	2.8	0.49	1.9	3.9
1997	391	4.0	0.20	3.6	4.4	37	2.9	0.48	2.0	3.9
1998	409	4.2	0.21	3.8	4.6	41	3.1	0.49	2.2	4.2
1999	442	4.5	0.22	4.1	5.0	32	2.3	0.41	1.6	3.3
2000	413	4.2	0.21	3.8	4.6	76	5.6	0.65	4.4	7.0
2001	501	5.0	0.23	4.6	5.5	54	4.0	0.55	3.0	5.2
2002	539	5.4	0.23	4.9	5.9	62	4.7	0.60	3.5	6.0
2003	561	5.6	0.24	5.2	6.1	44	3.1	0.47	2.2	4.1
2004	528	5.2	0.23	4.8	5.7	47	3.0	0.45	2.2	4.0
2005	473	4.7	0.22	4.3	5.1	60	4.2	0.55	3.2	5.4
2006	525	5.1	0.23	4.7	5.6	65	4.4	0.55	3.3	5.6
2007	435	4.2	0.20	3.8	4.6	54	3.6	0.49	2.7	4.7
2008	542	5.2	0.23	4.8	5.7	63	4.3	0.55	3.3	5.5
2009	460	4.4	0.21	4.0	4.8	42	2.7	0.42	1.9	3.6
2010	442	4.1	0.20	3.7	4.5	59	3.7	0.49	2.8	4.8
2011	445	4.1	0.20	3.7	4.5	51	3.1	0.45	2.3	4.1
2012	476	4.4	0.21	4.0	4.9	64	3.7	0.47	2.8	4.8
2013	414	3.8	0.19	3.4	4.2	56	3.2	0.44	2.4	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Chronic Lymphocytic Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	119	2.0	0.21	1.6	2.5	7,176	6.1	0.07	6.0	6.3
1990	1	0.6	0.57	0.0	3.6	217	5.0	0.35	4.3	5.7
1991	3	1.9	1.13	0.3	5.6	223	5.0	0.34	4.3	5.7
1992	4	4.2	2.24	1.0	10.3	246	5.6	0.36	4.9	6.3
1993	4	2.4	1.39	0.5	6.5	205	4.5	0.32	3.9	5.2
1994	1	1.2	1.18	0.0	5.1	312	7.2	0.42	6.4	8.1
1995	2	0.9	0.67	0.1	3.5	257	5.8	0.37	5.1	6.6
1996	1	1.6	1.57	0.0	6.3	269	6.0	0.38	5.3	6.8
1997	3	2.1	1.44	0.3	6.3	255	5.5	0.35	4.9	6.3
1998	4	1.6	0.98	0.3	4.7	261	5.5	0.34	4.9	6.2
1999	5	3.0	1.60	0.7	7.3	276	5.9	0.36	5.2	6.6
2000	4	1.5	0.80	0.4	4.0	299	6.2	0.36	5.5	7.0
2001	4	0.9	0.47	0.2	2.8	307	6.5	0.37	5.8	7.2
2002	6	1.7	0.74	0.6	4.0	336	7.1	0.39	6.3	7.9
2003	7	4.1	1.82	1.3	8.7	368	7.5	0.40	6.8	8.3
2004	2	1.0	0.70	0.1	3.2	351	7.1	0.39	6.4	7.9
2005	2	0.6	0.43	0.1	2.2	325	6.6	0.37	5.9	7.3
2006	10	4.8	1.68	2.1	8.9	356	7.1	0.38	6.4	7.9
2007	12	3.5	1.10	1.7	6.2	312	6.1	0.35	5.5	6.8
2008	8	2.4	0.95	0.9	4.9	386	7.3	0.38	6.6	8.1
2009	8	1.9	0.85	0.6	4.2	308	5.7	0.33	5.1	6.4
2010	5	1.3	0.64	0.4	3.1	340	6.3	0.35	5.6	7.0
2011	7	1.7	0.68	0.6	3.5	314	5.6	0.32	5.0	6.3
2012	9	2.4	0.85	1.0	4.5	346	6.1	0.33	5.4	6.8
2013	7	1.4	0.57	0.5	2.9	307	5.3	0.31	4.7	6.0
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	6,323	6.3	0.08	6.1	6.4	691	5.1	0.21	4.7	5.5
1990	200	5.2	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4
1991	198	5.0	0.36	4.3	5.8	25	5.0	1.05	3.1	7.5
1992	224	5.8	0.39	5.0	6.6	22	4.8	1.05	2.9	7.2
1993	183	4.6	0.35	4.0	5.3	22	4.3	0.95	2.6	6.6
1994	283	7.4	0.45	6.6	8.4	26	5.9	1.25	3.7	8.7
1995	231	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2
1996	245	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2
1997	230	5.8	0.39	5.0	6.6	23	4.3	0.93	2.7	6.5
1998	231	5.6	0.37	4.9	6.4	27	4.7	0.94	3.1	6.9
1999	258	6.4	0.40	5.6	7.2	15	2.7	0.73	1.5	4.5
2000	248	6.0	0.38	5.3	6.8	47	8.3	1.25	6.0	11.1
2001	265	6.5	0.40	5.7	7.3	35	6.7	1.20	4.5	9.4
2002	299	7.3	0.42	6.5	8.2	30	5.7	1.12	3.7	8.3
2003	342	8.2	0.44	7.3	9.1	24	4.1	0.89	2.5	6.2
2004	308	7.3	0.42	6.5	8.2	27	4.3	0.87	2.8	6.3
2005	282	6.7	0.40	5.9	7.5	36	6.3	1.12	4.3	8.8
2006	315	7.4	0.42	6.6	8.3	38	6.0	1.01	4.2	8.3
2007	274	6.3	0.39	5.6	7.1	33	5.1	0.93	3.4	7.2
2008	332	7.4	0.41	6.6	8.3	40	6.8	1.12	4.7	9.3
2009	270	6.0	0.37	5.3	6.7	21	3.3	0.75	2.0	5.0
2010	280	6.2	0.37	5.4	6.9	42	6.8	1.12	4.8	9.3
2011	270	5.7	0.36	5.1	6.5	30	4.7	0.91	3.1	6.8
2012	290	6.1	0.37	5.4	6.9	36	5.2	0.93	3.6	7.4
2013	265	5.5	0.34	4.8	6.2	29	3.8	0.73	2.5	5.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Chronic Lymphocytic Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	96	1.5	0.16	1.2	1.8	4,988	3.0	0.04	2.9	3.1	
1990	3	2.0	1.18	0.4	5.5	151	2.5	0.20	2.1	2.9	
1991	3	2.0	1.19	0.4	5.5	154	2.4	0.19	2.0	2.8	
1992	3	2.1	1.37	0.3	6.0	171	2.6	0.20	2.3	3.1	
1993	3	1.6	0.96	0.3	4.5	191	2.9	0.21	2.5	3.3	
1994	0					218	3.3	0.23	2.9	3.8	
1995	1	0.5	0.54	0.0	2.6	201	3.1	0.22	2.7	3.6	
1996	6	3.6	1.50	1.3	7.5	181	2.8	0.21	2.4	3.2	
1997	2	1.0	0.74	0.1	3.4	177	2.6	0.20	2.2	3.0	
1998	3	1.1	0.65	0.2	3.2	195	2.8	0.21	2.5	3.3	
1999	4	1.8	0.98	0.4	4.6	204	3.1	0.22	2.7	3.6	
2000	3	1.0	0.61	0.2	3.0	197	2.9	0.21	2.5	3.4	
2001	2	0.9	0.68	0.1	3.0	267	3.9	0.24	3.5	4.4	
2002	3	1.0	0.56	0.2	2.7	275	3.9	0.24	3.5	4.4	
2003	5	1.8	0.86	0.5	4.1	245	3.5	0.23	3.1	4.0	
2004	6	1.7	0.74	0.6	3.7	253	3.6	0.23	3.2	4.1	
2005	9	2.7	0.94	1.2	5.1	222	3.2	0.22	2.8	3.6	
2006	6	2.2	0.95	0.8	4.7	238	3.4	0.22	2.9	3.8	
2007	3	0.6	0.38	0.1	1.9	187	2.6	0.19	2.2	3.0	
2008	6	1.4	0.62	0.5	3.1	238	3.3	0.22	2.9	3.8	
2009	4	1.3	0.69	0.3	3.2	220	3.0	0.20	2.6	3.4	
2010	4	0.9	0.49	0.2	2.3	190	2.6	0.19	2.2	3.0	
2011	4	1.1	0.56	0.3	2.6	203	2.7	0.20	2.4	3.2	
2012	4	1.0	0.51	0.3	2.4	226	3.1	0.21	2.7	3.5	
2013	9	2.0	0.68	0.9	3.7	184	2.5	0.19	2.2	3.0	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	4,399	3.1	0.05	3.0	3.2	470	2.4	0.11	2.2	2.6	
1990	139	2.6	0.22	2.2	3.1	11	1.6	0.50	0.8	2.9	
1991	142	2.5	0.21	2.1	2.9	11	1.8	0.55	0.9	3.2	
1992	153	2.7	0.22	2.3	3.1	16	2.4	0.61	1.4	3.9	
1993	180	3.1	0.23	2.6	3.6	11	1.6	0.50	0.8	2.9	
1994	195	3.3	0.24	2.9	3.9	21	2.9	0.63	1.8	4.4	
1995	183	3.2	0.24	2.8	3.8	15	2.1	0.54	1.1	3.4	
1996	170	3.0	0.23	2.6	3.5	11	1.5	0.47	0.8	2.7	
1997	161	2.7	0.21	2.3	3.1	14	1.8	0.49	1.0	3.0	
1998	178	3.0	0.23	2.5	3.4	14	1.8	0.50	1.0	3.1	
1999	184	3.3	0.24	2.8	3.8	17	2.1	0.50	1.2	3.3	
2000	165	2.8	0.22	2.4	3.3	29	3.7	0.68	2.4	5.2	
2001	236	4.0	0.27	3.5	4.6	19	2.3	0.53	1.4	3.6	
2002	240	4.0	0.26	3.5	4.6	32	4.0	0.71	2.7	5.6	
2003	219	3.7	0.25	3.2	4.2	20	2.4	0.54	1.5	3.7	
2004	220	3.7	0.25	3.2	4.2	20	2.2	0.50	1.4	3.4	
2005	191	3.2	0.24	2.8	3.7	24	2.9	0.60	1.9	4.3	
2006	210	3.5	0.24	3.0	4.0	27	3.2	0.61	2.1	4.6	
2007	161	2.7	0.21	2.3	3.1	21	2.4	0.53	1.5	3.7	
2008	210	3.5	0.25	3.0	4.0	23	2.6	0.55	1.7	3.9	
2009	190	3.0	0.23	2.6	3.5	21	2.3	0.50	1.4	3.5	
2010	162	2.6	0.21	2.2	3.1	17	1.8	0.45	1.1	2.9	
2011	175	2.8	0.22	2.4	3.3	21	2.2	0.48	1.3	3.3	
2012	186	3.1	0.24	2.7	3.6	28	2.7	0.52	1.8	4.0	
2013	149	2.5	0.21	2.1	3.0	27	2.7	0.54	1.8	4.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	735	3.7	0.17	3.4	4.0	11,063	4.0	0.04	3.9	4.1
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	22	3.4	0.90	1.9	5.7	319	2.9	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	24	3.2	0.80	1.8	5.2	407	3.7	0.18	3.3	4.1
1996	18	3.0	0.91	1.5	5.2	419	3.8	0.18	3.4	4.2
1997	14	2.2	0.65	1.1	3.9	459	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	32	3.9	0.99	2.2	6.3	500	4.4	0.20	4.0	4.8
2001	24	3.0	0.77	1.7	4.8	527	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	485	4.2	0.19	3.9	4.6
2003	23	2.4	0.58	1.4	3.8	470	4.1	0.19	3.7	4.5
2004	37	4.4	0.95	2.7	6.5	494	4.3	0.19	3.9	4.7
2005	31	2.9	0.61	1.9	4.4	483	4.2	0.19	3.8	4.5
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	29	2.5	0.56	1.5	3.8	478	4.1	0.19	3.7	4.5
2008	29	3.1	0.69	1.9	4.7	478	4.0	0.19	3.7	4.4
2009	43	3.9	0.74	2.6	5.6	511	4.2	0.19	3.8	4.5
2010	50	4.6	0.75	3.2	6.2	579	4.8	0.20	4.4	5.2
2011	39	3.4	0.63	2.3	4.9	567	4.6	0.20	4.2	5.0
2012	56	5.3	0.79	3.8	7.0	583	4.7	0.20	4.3	5.1
2013	65	5.3	0.75	4.0	7.0	607	4.7	0.20	4.4	5.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	9,646	4.1	0.04	4.1	4.2	1,125	3.2	0.10	3.0	3.4
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	285	3.0	0.18	2.7	3.4	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	361	3.8	0.20	3.4	4.2	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	403	4.2	0.21	3.8	4.7	50	3.5	0.51	2.6	4.7
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	448	4.7	0.22	4.3	5.1	44	2.9	0.45	2.1	3.9
2001	458	4.8	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8
2002	437	4.5	0.22	4.1	4.9	38	2.6	0.43	1.8	3.5
2003	410	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3
2004	425	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7
2005	414	4.3	0.21	3.9	4.7	51	3.4	0.49	2.5	4.5
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6
2007	418	4.3	0.21	3.9	4.8	48	3.0	0.44	2.2	4.0
2008	415	4.2	0.21	3.8	4.6	42	2.7	0.43	1.9	3.7
2009	437	4.3	0.21	3.9	4.7	58	3.9	0.52	2.9	5.0
2010	487	4.9	0.23	4.5	5.4	72	4.4	0.53	3.4	5.5
2011	481	4.7	0.22	4.3	5.2	63	3.6	0.47	2.8	4.7
2012	479	4.7	0.22	4.3	5.1	83	5.0	0.56	4.0	6.2
2013	509	4.9	0.22	4.5	5.4	78	4.4	0.51	3.4	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	381	4.1	0.28	3.6	4.7	5,815	5.0	0.07	4.8	5.1
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	14	3.7	1.15	1.8	7.1	180	3.9	0.30	3.3	4.5
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	212	4.5	0.32	3.9	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	234	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	259	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	265	5.5	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	16	3.9	1.28	1.8	7.1	253	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	249	4.9	0.31	4.3	5.5
2009	15	2.3	0.74	1.1	4.2	271	5.2	0.32	4.6	5.8
2010	22	4.4	1.13	2.5	7.1	301	5.7	0.33	5.1	6.4
2011	19	3.7	1.04	2.0	6.2	279	5.2	0.32	4.6	5.9
2012	40	8.0	1.49	5.3	11.3	317	5.8	0.33	5.2	6.5
2013	39	7.0	1.35	4.6	10.1	325	5.8	0.33	5.2	6.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	5,139	5.2	0.07	5.0	5.3	527	3.6	0.17	3.3	4.0
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5
1992	163	4.1	0.32	3.4	4.7	11	2.1	0.70	1.0	3.9
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2
1996	187	4.6	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5
1999	213	5.2	0.36	4.5	6.0	15	2.2	0.59	1.2	3.7
2000	233	5.7	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7
2002	240	5.9	0.38	5.1	6.7	18	3.3	0.86	1.9	5.4
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1
2004	227	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6
2005	223	5.3	0.36	4.7	6.1	22	3.5	0.81	2.1	5.4
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6
2008	216	5.1	0.35	4.4	5.8	22	3.4	0.77	2.1	5.2
2009	234	5.3	0.35	4.6	6.0	28	4.9	0.98	3.2	7.2
2010	258	5.9	0.37	5.2	6.7	33	5.0	0.92	3.4	7.1
2011	239	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5
2012	267	5.9	0.37	5.2	6.7	45	6.9	1.07	4.9	9.3
2013	273	6.0	0.37	5.3	6.8	39	5.4	0.92	3.8	7.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Acute Myeloid Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	354	3.4	0.21	3.0	3.8	5,248	3.4	0.05	3.3	3.5	
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1	
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9	
1992	8	3.0	1.24	1.1	6.4	139	2.3	0.20	2.0	2.8	
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8	
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7	
1995	15	3.9	1.10	2.1	6.9	180	2.9	0.22	2.5	3.3	
1996	11	3.3	1.12	1.5	6.2	207	3.3	0.23	2.9	3.8	
1997	10	3.2	1.10	1.4	6.1	235	3.7	0.25	3.3	4.2	
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6	
1999	19	4.7	1.43	2.4	8.3	219	3.5	0.24	3.0	4.0	
2000	17	4.0	1.25	2.0	7.2	241	3.7	0.24	3.3	4.2	
2001	12	3.7	1.25	1.7	6.9	241	3.8	0.25	3.3	4.3	
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8	
2003	13	2.3	0.67	1.2	4.2	226	3.5	0.23	3.0	4.0	
2004	21	4.6	1.28	2.4	7.7	241	3.7	0.24	3.2	4.2	
2005	14	2.6	0.81	1.3	4.7	230	3.5	0.24	3.1	4.0	
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9	
2007	11	1.6	0.56	0.7	3.2	218	3.4	0.23	3.0	3.9	
2008	10	1.9	0.70	0.8	3.7	229	3.4	0.23	2.9	3.9	
2009	28	5.2	1.16	3.2	7.9	240	3.5	0.23	3.1	4.0	
2010	28	4.8	1.01	3.1	7.2	278	4.1	0.25	3.6	4.6	
2011	20	3.3	0.81	1.9	5.2	288	4.2	0.26	3.7	4.8	
2012	16	3.0	0.80	1.6	4.9	266	3.8	0.24	3.4	4.3	
2013	26	4.0	0.86	2.5	6.0	282	3.9	0.24	3.4	4.4	
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2013	4,507	3.5	0.05	3.4	3.6	598	2.9	0.12	2.6	3.1	
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5	
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0	
1992	122	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9	
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4	
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2	
1995	155	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4	
1996	184	3.5	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9	
1997	200	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5	
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4	
1999	189	3.6	0.26	3.1	4.1	28	3.3	0.62	2.2	4.7	
2000	215	3.9	0.27	3.4	4.5	22	2.4	0.52	1.5	3.7	
2001	213	4.0	0.28	3.5	4.6	25	2.9	0.59	1.9	4.3	
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4	
2003	190	3.5	0.26	3.0	4.0	30	3.4	0.62	2.3	4.8	
2004	198	3.7	0.27	3.2	4.3	36	4.0	0.67	2.8	5.5	
2005	191	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7	
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3	
2007	186	3.6	0.27	3.1	4.1	24	2.6	0.53	1.6	3.8	
2008	199	3.6	0.26	3.1	4.1	20	2.2	0.50	1.4	3.4	
2009	203	3.6	0.26	3.1	4.1	30	3.3	0.61	2.2	4.7	
2010	229	4.1	0.28	3.6	4.7	39	4.0	0.64	2.8	5.5	
2011	242	4.3	0.29	3.8	4.9	35	3.6	0.61	2.5	5.0	
2012	212	3.8	0.27	3.2	4.3	38	3.8	0.63	2.7	5.3	
2013	236	4.1	0.28	3.5	4.6	39	3.7	0.59	2.6	5.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Chronic Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	336	1.7	0.11	1.4	1.9	4,750	1.7	0.03	1.7	1.8
1990	3	0.8	0.56	0.1	2.6	153	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	8	0.8	0.31	0.3	1.8	210	1.9	0.13	1.7	2.2
1996	5	0.6	0.28	0.2	1.6	200	1.8	0.13	1.6	2.1
1997	20	3.3	0.93	1.7	5.6	167	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	204	1.8	0.13	1.6	2.1
2001	17	2.9	0.83	1.5	4.9	226	2.0	0.13	1.7	2.3
2002	12	2.3	0.81	1.0	4.3	180	1.6	0.12	1.4	1.8
2003	14	1.8	0.58	0.9	3.3	220	1.9	0.13	1.7	2.2
2004	13	0.8	0.27	0.4	1.6	239	2.1	0.13	1.8	2.3
2005	16	1.5	0.46	0.7	2.7	189	1.6	0.12	1.4	1.9
2006	15	1.7	0.53	0.8	3.0	211	1.8	0.12	1.6	2.1
2007	9	0.8	0.32	0.3	1.7	186	1.6	0.12	1.4	1.8
2008	24	2.0	0.48	1.2	3.2	199	1.7	0.12	1.4	1.9
2009	22	2.3	0.55	1.4	3.6	210	1.8	0.12	1.5	2.0
2010	21	1.7	0.45	1.0	2.8	231	1.9	0.13	1.7	2.2
2011	26	1.8	0.41	1.1	2.8	241	1.9	0.13	1.7	2.2
2012	18	1.3	0.33	0.7	2.1	205	1.7	0.12	1.5	2.0
2013	20	1.4	0.37	0.8	2.3	203	1.6	0.12	1.4	1.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	3,978	1.7	0.03	1.7	1.8	595	1.7	0.07	1.5	1.8
1990	133	1.5	0.13	1.2	1.7	19	1.4	0.33	0.8	2.2
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0
1992	130	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9
1995	174	1.9	0.14	1.6	2.2	33	2.5	0.45	1.7	3.5
1996	172	1.8	0.14	1.5	2.1	22	1.7	0.36	1.0	2.5
1997	141	1.5	0.12	1.2	1.7	21	1.5	0.34	0.9	2.3
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1
1999	174	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0
2000	171	1.8	0.14	1.5	2.1	27	1.8	0.35	1.2	2.6
2001	197	2.0	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1
2002	145	1.5	0.12	1.3	1.8	27	1.9	0.38	1.3	2.8
2003	191	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5
2004	200	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7
2005	154	1.6	0.13	1.3	1.9	27	1.8	0.36	1.2	2.7
2006	176	1.8	0.14	1.5	2.1	29	1.8	0.35	1.2	2.7
2007	149	1.5	0.13	1.3	1.8	25	1.5	0.32	1.0	2.3
2008	158	1.6	0.13	1.3	1.9	29	1.8	0.34	1.2	2.6
2009	177	1.8	0.14	1.6	2.1	22	1.3	0.29	0.8	2.0
2010	194	1.9	0.14	1.7	2.3	28	1.6	0.31	1.0	2.3
2011	193	1.9	0.14	1.6	2.2	34	1.9	0.33	1.3	2.7
2012	167	1.7	0.14	1.5	2.0	30	1.8	0.33	1.2	2.6
2013	161	1.6	0.13	1.4	1.9	27	1.5	0.29	1.0	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Chronic Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	195	2.0	0.18	1.6	2.3	2,707	2.3	0.04	2.2	2.4
1990	1	0.1	0.12	0.0	2.8	81	1.8	0.21	1.4	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	104	2.3	0.23	1.8	2.7
1995	4	0.8	0.51	0.2	3.2	114	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	116	2.6	0.24	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	125	2.6	0.23	2.2	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	5	2.9	1.40	0.9	6.6	105	2.2	0.22	1.8	2.6
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	135	2.8	0.24	2.3	3.3
2005	14	2.6	0.93	1.1	5.1	121	2.4	0.22	2.0	2.9
2006	9	2.3	1.08	0.7	5.2	128	2.6	0.23	2.1	3.0
2007	5	0.6	0.28	0.2	1.8	104	2.1	0.20	1.7	2.5
2008	11	2.2	0.82	0.9	4.4	114	2.2	0.21	1.8	2.7
2009	9	2.1	0.79	0.8	4.2	105	2.0	0.20	1.7	2.5
2010	12	2.4	0.90	0.9	4.7	134	2.6	0.23	2.2	3.1
2011	17	2.3	0.65	1.2	4.0	146	2.7	0.23	2.3	3.2
2012	11	1.8	0.62	0.8	3.4	115	2.1	0.20	1.8	2.6
2013	11	1.6	0.59	0.6	3.1	109	2.0	0.19	1.6	2.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,276	2.3	0.05	2.2	2.4	332	2.3	0.13	2.0	2.6
1990	68	1.8	0.22	1.4	2.3	12	2.2	0.74	1.0	4.1
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	73	1.9	0.22	1.4	2.4	10	2.1	0.69	0.9	3.8
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6
1994	90	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	98	2.5	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	11	1.9	0.58	0.9	3.4
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	106	2.6	0.25	2.1	3.1	14	2.6	0.77	1.3	4.5
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3
2002	84	2.1	0.23	1.6	2.5	16	3.0	0.80	1.7	4.9
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6
2004	120	2.9	0.26	2.4	3.4	10	1.8	0.62	0.8	3.4
2005	99	2.3	0.24	1.9	2.8	17	2.9	0.75	1.6	4.7
2006	106	2.5	0.25	2.1	3.0	20	3.4	0.81	2.0	5.3
2007	81	1.9	0.22	1.5	2.4	15	2.2	0.61	1.2	3.8
2008	91	2.1	0.23	1.7	2.6	16	2.3	0.60	1.3	3.8
2009	87	2.0	0.22	1.6	2.5	12	1.9	0.59	1.0	3.4
2010	114	2.7	0.25	2.2	3.2	18	2.3	0.57	1.3	3.7
2011	117	2.6	0.24	2.1	3.1	19	2.4	0.57	1.4	3.8
2012	96	2.2	0.23	1.8	2.7	18	2.7	0.67	1.6	4.3
2013	86	1.9	0.20	1.5	2.3	14	1.9	0.53	1.0	3.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Chronic Myeloid Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	141	1.4	0.13	1.1	1.7	2,043	1.3	0.03	1.3	1.4
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	95	1.5	0.16	1.2	1.9
1995	4	0.7	0.39	0.2	2.4	96	1.5	0.16	1.2	1.9
1996	2	0.5	0.36	0.0	2.1	84	1.3	0.14	1.0	1.6
1997	7	2.2	1.10	0.6	5.2	70	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6
1999	6	1.6	0.67	0.6	3.6	85	1.3	0.14	1.0	1.6
2000	3	1.1	0.79	0.1	3.5	91	1.4	0.15	1.1	1.8
2001	8	2.2	0.91	0.8	4.6	94	1.5	0.15	1.2	1.8
2002	7	1.9	0.90	0.6	4.4	75	1.2	0.14	0.9	1.5
2003	7	2.1	0.92	0.7	4.5	92	1.4	0.15	1.1	1.7
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9
2005	2	0.4	0.34	0.0	1.7	68	1.0	0.13	0.8	1.3
2006	6	1.3	0.55	0.4	2.8	83	1.2	0.14	1.0	1.5
2007	4	0.9	0.51	0.2	2.4	82	1.3	0.14	1.0	1.6
2008	13	2.0	0.60	1.0	3.6	85	1.2	0.14	1.0	1.5
2009	13	2.5	0.76	1.2	4.4	105	1.6	0.16	1.3	1.9
2010	9	1.3	0.46	0.6	2.6	97	1.4	0.14	1.1	1.7
2011	9	1.3	0.48	0.5	2.6	95	1.4	0.15	1.1	1.7
2012	7	0.9	0.34	0.4	1.9	90	1.4	0.15	1.1	1.7
2013	9	1.3	0.48	0.5	2.6	94	1.4	0.15	1.1	1.7
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,702	1.3	0.03	1.2	1.4	263	1.3	0.08	1.1	1.4
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5
1994	80	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1
1995	76	1.4	0.16	1.1	1.7	19	2.5	0.59	1.5	3.9
1996	70	1.2	0.15	1.0	1.6	11	1.5	0.45	0.7	2.6
1997	58	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9
1999	68	1.2	0.15	1.0	1.6	15	1.8	0.47	1.0	3.0
2000	78	1.5	0.17	1.1	1.8	11	1.2	0.37	0.6	2.2
2001	83	1.6	0.18	1.2	2.0	9	1.1	0.36	0.5	2.0
2002	61	1.1	0.15	0.8	1.4	11	1.3	0.39	0.6	2.3
2003	83	1.5	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1
2005	55	1.0	0.14	0.8	1.3	10	1.2	0.37	0.6	2.1
2006	70	1.2	0.15	1.0	1.6	9	0.9	0.30	0.4	1.7
2007	68	1.3	0.16	1.0	1.6	10	1.1	0.33	0.5	1.9
2008	67	1.2	0.15	0.9	1.5	13	1.4	0.39	0.7	2.4
2009	90	1.7	0.18	1.3	2.1	10	1.0	0.33	0.5	1.9
2010	80	1.4	0.16	1.1	1.7	10	1.0	0.30	0.5	1.8
2011	76	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.4
2012	71	1.4	0.17	1.1	1.8	12	1.2	0.36	0.6	2.1
2013	75	1.4	0.17	1.1	1.8	13	1.2	0.34	0.6	2.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Other Leukemia</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	123	0.8	0.09	0.6	1.0	2,670	1.0	0.02	0.9	1.0
1990	6	1.7	0.85	0.5	4.1	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	65	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	65	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	132	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	9	2.5	1.03	0.9	5.0	127	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	4	0.6	0.37	0.1	1.8	155	1.3	0.11	1.1	1.6
2001	2	0.4	0.39	0.0	1.7	88	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	131	1.1	0.10	0.9	1.3
2003	3	0.6	0.42	0.1	1.8	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	92	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	110	0.9	0.09	0.7	1.1
2006	3	0.6	0.39	0.1	1.7	105	0.9	0.09	0.7	1.1
2007	5	0.3	0.14	0.1	0.8	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	94	0.8	0.08	0.6	0.9
2009	5	0.6	0.34	0.2	1.6	87	0.7	0.08	0.6	0.9
2010	6	0.5	0.28	0.1	1.3	96	0.7	0.08	0.6	0.9
2011	5	0.3	0.19	0.1	0.9	115	0.9	0.09	0.8	1.1
2012	5	0.4	0.20	0.1	1.0	98	0.8	0.08	0.6	0.9
2013	11	0.9	0.33	0.4	1.8	88	0.7	0.07	0.5	0.8
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	2,302	1.0	0.02	0.9	1.0	317	1.0	0.06	0.9	1.1
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0
1991	57	0.6	0.08	0.5	0.8	8	0.7	0.27	0.3	1.4
1992	58	0.6	0.08	0.5	0.8	7	0.6	0.24	0.2	1.2
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5
1996	113	1.2	0.11	1.0	1.4	14	1.2	0.33	0.6	2.0
1997	102	1.0	0.10	0.9	1.3	19	1.5	0.36	0.9	2.4
1998	110	1.1	0.11	0.9	1.3	16	1.2	0.32	0.7	2.0
1999	146	1.5	0.12	1.2	1.7	20	1.5	0.36	0.9	2.4
2000	136	1.4	0.12	1.1	1.6	16	1.2	0.31	0.7	2.0
2001	75	0.7	0.08	0.6	0.9	11	0.9	0.26	0.4	1.5
2002	109	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9
2004	79	0.7	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4
2005	95	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5
2006	87	0.8	0.09	0.7	1.0	16	1.2	0.29	0.7	1.9
2007	88	0.8	0.09	0.7	1.0	12	0.9	0.25	0.4	1.5
2008	85	0.8	0.09	0.6	1.0	8	0.5	0.20	0.2	1.1
2009	72	0.7	0.08	0.5	0.9	13	0.8	0.24	0.4	1.4
2010	80	0.7	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2
2011	99	0.9	0.09	0.7	1.1	13	0.9	0.25	0.5	1.5
2012	78	0.7	0.08	0.6	0.9	16	0.9	0.23	0.5	1.4
2013	67	0.6	0.08	0.5	0.8	15	0.9	0.24	0.5	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Other Leukemia</b>											
<b>Males</b>											
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	70	1.0	0.16	0.7	1.3	1,403	1.3	0.03	1.2	1.4	
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6	
1991	3	1.2	0.93	0.1	4.6	31	0.8	0.14	0.5	1.1	
1992	2	0.5	0.36	0.0	3.0	39	0.9	0.15	0.6	1.3	
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8	
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3	
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2	
1996	2	0.4	0.36	0.0	2.6	76	1.8	0.21	1.4	2.3	
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1	
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9	
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4	
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9	
2001	1	1.0	0.96	0.0	4.0	47	1.0	0.15	0.8	1.4	
2002	3	2.5	1.68	0.3	7.0	73	1.6	0.18	1.2	2.0	
2003	0					55	1.2	0.16	0.9	1.6	
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5	
2005	1	0.4	0.42	0.0	2.0	65	1.4	0.18	1.1	1.8	
2006	2	1.4	1.00	0.2	4.2	56	1.2	0.16	0.9	1.5	
2007	3	0.4	0.26	0.1	1.6	50	1.1	0.15	0.8	1.4	
2008	4	1.4	0.86	0.2	3.8	51	1.0	0.15	0.8	1.4	
2009	4	1.0	0.67	0.1	2.9	39	0.8	0.13	0.6	1.1	
2010	3	0.7	0.60	0.1	2.5	48	0.9	0.13	0.7	1.2	
2011	4	0.7	0.42	0.1	2.0	62	1.3	0.16	1.0	1.6	
2012	4	0.5	0.25	0.1	1.4	53	1.0	0.14	0.7	1.3	
2013	6	1.1	0.54	0.3	2.6	51	0.9	0.14	0.7	1.3	
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>					
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	
1990-2013	1,204	1.3	0.04	1.2	1.4	166	1.3	0.11	1.1	1.5	
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7	
1991	28	0.8	0.15	0.5	1.1	3	1.0	0.58	0.2	2.6	
1992	35	0.9	0.16	0.7	1.3	4	0.9	0.50	0.2	2.3	
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2	
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7	
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1	
1996	62	1.7	0.22	1.3	2.2	12	2.7	0.86	1.3	4.8	
1997	58	1.7	0.22	1.3	2.2	8	1.6	0.60	0.6	3.1	
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8	
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1	
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4	
2001	39	1.0	0.16	0.7	1.4	6	1.3	0.55	0.4	2.7	
2002	63	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8	
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8	
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1	
2005	54	1.4	0.19	1.0	1.8	8	1.5	0.57	0.6	3.0	
2006	45	1.1	0.16	0.8	1.5	11	1.8	0.56	0.9	3.2	
2007	43	1.1	0.16	0.8	1.4	6	1.3	0.53	0.5	2.7	
2008	47	1.1	0.16	0.8	1.5	4	0.6	0.34	0.2	1.7	
2009	31	0.8	0.14	0.5	1.1	7	1.1	0.47	0.4	2.4	
2010	41	0.9	0.15	0.7	1.3	5	0.6	0.25	0.2	1.3	
2011	50	1.2	0.17	0.9	1.5	9	1.7	0.57	0.7	3.1	
2012	41	0.9	0.15	0.7	1.3	9	1.2	0.42	0.5	2.3	
2013	38	0.9	0.14	0.6	1.2	7	0.9	0.34	0.4	1.9	

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Other Leukemia</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	53	0.7	0.11	0.5	0.9	1,267	0.7	0.02	0.7	0.8
1990	5	2.9	1.43	0.8	6.8	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	4	2.3	1.30	0.5	5.8	61	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	3	0.8	0.60	0.1	2.8	84	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	41	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	3	1.0	0.68	0.1	3.0	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	39	0.5	0.08	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	45	0.6	0.09	0.4	0.8
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.9
2007	2	0.1	0.10	0.0	0.9	53	0.7	0.10	0.5	1.0
2008	2	0.5	0.46	0.0	2.0	43	0.6	0.09	0.4	0.8
2009	1	0.4	0.35	0.0	1.5	48	0.6	0.09	0.5	0.9
2010	3	0.5	0.29	0.1	1.5	48	0.6	0.09	0.4	0.8
2011	1	0.1	0.07	0.0	0.7	53	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	45	0.6	0.09	0.4	0.8
2013	5	0.8	0.41	0.2	2.0	37	0.5	0.08	0.3	0.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,098	0.7	0.02	0.7	0.8	151	0.8	0.06	0.7	0.9
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7
1998	50	0.9	0.12	0.6	1.1	11	1.4	0.43	0.7	2.5
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1
2000	73	1.2	0.15	0.9	1.5	10	1.3	0.40	0.6	2.3
2001	36	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8
2004	33	0.5	0.09	0.3	0.7	6	0.7	0.30	0.3	1.5
2005	41	0.6	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3
2006	42	0.6	0.10	0.5	0.9	5	0.6	0.28	0.2	1.4
2007	45	0.7	0.11	0.5	1.0	6	0.6	0.25	0.2	1.3
2008	38	0.6	0.10	0.4	0.9	4	0.5	0.24	0.1	1.2
2009	41	0.6	0.10	0.5	0.9	6	0.7	0.28	0.2	1.5
2010	39	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4
2011	49	0.8	0.11	0.6	1.0	4	0.4	0.22	0.1	1.1
2012	37	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2013	29	0.4	0.08	0.3	0.6	8	0.8	0.29	0.4	1.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Mesothelioma</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	143	0.9	0.09	0.8	1.1	3,351	1.2	0.02	1.2	1.2
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1
1991	3	0.9	0.51	0.2	2.5	117	1.1	0.10	0.9	1.3
1992	4	0.7	0.37	0.2	2.0	123	1.1	0.10	0.9	1.3
1993	3	0.9	0.53	0.2	2.5	116	1.1	0.10	0.9	1.3
1994	0					140	1.3	0.11	1.1	1.5
1995	6	1.3	0.58	0.4	2.9	157	1.4	0.11	1.2	1.7
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4
1997	0					138	1.2	0.10	1.0	1.5
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6
1999	4	0.8	0.44	0.2	2.1	136	1.2	0.10	1.0	1.4
2000	6	1.0	0.50	0.3	2.4	137	1.2	0.10	1.0	1.4
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6
2007	8	1.1	0.42	0.4	2.2	136	1.1	0.10	0.9	1.3
2008	8	0.7	0.29	0.3	1.5	155	1.3	0.11	1.1	1.5
2009	11	1.4	0.44	0.7	2.5	131	1.1	0.10	0.9	1.3
2010	3	0.3	0.21	0.1	1.0	141	1.1	0.10	1.0	1.4
2011	9	1.1	0.40	0.4	2.1	136	1.1	0.10	0.9	1.3
2012	9	0.9	0.33	0.4	1.7	150	1.2	0.10	1.0	1.4
2013	8	0.6	0.24	0.3	1.3	134	1.0	0.09	0.8	1.2
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	3,152	1.3	0.02	1.3	1.4	165	0.5	0.04	0.4	0.6
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1
1991	113	1.2	0.11	1.0	1.4	3	0.3	0.15	0.1	0.7
1992	116	1.2	0.11	1.0	1.4	5	0.5	0.21	0.2	1.1
1993	109	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1
1995	143	1.5	0.12	1.3	1.8	14	1.1	0.31	0.6	1.9
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1
1999	129	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9
2000	131	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9
2007	126	1.2	0.11	1.0	1.4	9	0.6	0.19	0.3	1.1
2008	151	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5
2009	125	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7
2010	133	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0
2012	138	1.3	0.11	1.1	1.5	11	0.7	0.22	0.4	1.3
2013	123	1.1	0.10	0.9	1.4	7	0.4	0.16	0.2	0.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Mesothelioma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	105	1.6	0.18	1.3	2.0	2,532	2.2	0.04	2.1	2.3
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	3	2.0	1.18	0.4	5.7	83	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	105	2.3	0.22	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	5	2.1	1.10	0.5	5.3	105	2.2	0.22	1.8	2.7
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9
2007	6	2.1	0.91	0.7	4.5	101	2.0	0.20	1.7	2.5
2008	6	1.2	0.59	0.4	2.9	111	2.3	0.22	1.9	2.7
2009	6	1.9	0.80	0.7	4.0	108	2.2	0.21	1.8	2.6
2010	1	0.1	0.14	0.0	1.0	111	2.2	0.21	1.8	2.7
2011	8	2.3	0.94	0.9	4.7	93	1.8	0.19	1.4	2.2
2012	8	1.9	0.74	0.7	3.8	113	2.1	0.20	1.7	2.5
2013	6	1.0	0.45	0.3	2.3	95	1.7	0.18	1.4	2.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,392	2.4	0.05	2.3	2.5	118	0.9	0.09	0.7	1.1
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8
1993	77	2.0	0.23	1.5	2.5	4	1.1	0.61	0.3	2.8
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9
1998	101	2.5	0.25	2.0	3.0	4	0.9	0.49	0.2	2.3
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8
2000	101	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6
2007	95	2.2	0.23	1.8	2.7	6	0.8	0.35	0.3	1.9
2008	108	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3
2009	103	2.4	0.24	1.9	2.9	4	0.6	0.30	0.2	1.5
2010	105	2.4	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4
2011	85	1.9	0.21	1.6	2.4	7	1.2	0.49	0.5	2.5
2012	105	2.3	0.23	1.9	2.8	7	1.1	0.45	0.4	2.4
2013	87	1.9	0.20	1.5	2.3	5	0.7	0.32	0.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Mesothelioma</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	38	0.4	0.07	0.3	0.6	819	0.5	0.02	0.5	0.5
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	1	0.7	0.68	0.0	3.2	22	0.4	0.08	0.2	0.5
1992	4	1.3	0.72	0.3	3.8	32	0.5	0.09	0.3	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	2	0.7	0.51	0.1	2.7	38	0.6	0.10	0.4	0.8
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	47	0.7	0.11	0.5	1.0
1999	1	0.3	0.34	0.0	1.9	35	0.5	0.09	0.4	0.8
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6
2011	1	0.2	0.15	0.0	0.9	43	0.6	0.09	0.4	0.8
2012	1	0.1	0.12	0.0	0.8	37	0.5	0.08	0.4	0.7
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	760	0.6	0.02	0.5	0.6	47	0.2	0.03	0.2	0.3
1990	22	0.4	0.08	0.2	0.6	0				
1991	22	0.4	0.09	0.3	0.6	0				
1992	30	0.5	0.10	0.4	0.8	0				
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
1995	33	0.6	0.10	0.4	0.8	5	0.6	0.28	0.2	1.5
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1
1998	44	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1
1999	33	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0
2008	43	0.8	0.12	0.6	1.1	0				
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1
2013	36	0.6	0.10	0.4	0.9	2	0.2	0.15	0.0	0.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Kaposi Sarcoma</b>										
<b>Both Sexes</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	281	1.0	0.08	0.9	1.2	1,744	0.7	0.02	0.6	0.7
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7
1991	31	3.5	0.80	2.1	5.5	159	1.4	0.12	1.2	1.7
1992	19	1.6	0.41	0.9	2.9	169	1.5	0.12	1.3	1.8
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.12	1.2	1.7
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4
1996	28	4.1	1.04	2.3	6.6	120	1.1	0.10	0.9	1.3
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6
1999	9	1.3	0.63	0.4	3.0	49	0.4	0.06	0.3	0.6
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5
2002	7	0.7	0.34	0.2	1.7	44	0.4	0.06	0.3	0.5
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5
2004	8	0.4	0.16	0.2	1.0	45	0.4	0.06	0.3	0.5
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5
2006	7	1.0	0.42	0.3	2.1	33	0.3	0.05	0.2	0.4
2007	7	0.4	0.16	0.2	1.0	37	0.3	0.06	0.2	0.5
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5
2009	9	1.0	0.39	0.4	2.0	38	0.4	0.06	0.2	0.5
2010	7	0.6	0.27	0.2	1.4	38	0.4	0.06	0.3	0.5
2011	7	0.6	0.25	0.2	1.3	36	0.3	0.06	0.2	0.5
2012	7	0.4	0.13	0.1	0.8	20	0.2	0.04	0.1	0.3
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	1,048	0.5	0.02	0.5	0.5	640	1.5	0.06	1.4	1.7
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8
1991	115	1.3	0.12	1.1	1.5	41	2.4	0.39	1.7	3.4
1992	121	1.3	0.12	1.1	1.6	47	2.6	0.39	1.9	3.5
1993	111	1.2	0.11	1.0	1.4	48	2.8	0.42	2.1	3.8
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0
1996	62	0.7	0.09	0.5	0.9	54	2.9	0.40	2.2	3.9
1997	35	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0
1999	24	0.3	0.05	0.2	0.4	23	1.3	0.28	0.8	2.0
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9
2002	23	0.3	0.05	0.2	0.4	19	1.1	0.25	0.7	1.7
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4
2006	15	0.2	0.04	0.1	0.3	16	1.0	0.25	0.6	1.6
2007	19	0.2	0.05	0.1	0.3	17	1.0	0.26	0.6	1.7
2008	19	0.2	0.05	0.1	0.3	14	0.8	0.22	0.5	1.4
2009	22	0.2	0.05	0.1	0.4	13	0.8	0.23	0.4	1.4
2010	21	0.2	0.05	0.2	0.4	15	0.9	0.23	0.5	1.4
2011	16	0.2	0.05	0.1	0.3	18	1.1	0.25	0.6	1.7
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7
2013	14	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Kaposi Sarcoma</b>										
<b>Males</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	265	1.8	0.14	1.5	2.1	1,609	1.3	0.03	1.2	1.4
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3
1991	31	6.9	1.88	3.7	11.8	155	3.0	0.24	2.5	3.5
1992	19	3.0	0.76	1.7	5.8	164	3.1	0.24	2.6	3.6
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8
1996	23	5.3	1.79	2.4	9.9	114	2.1	0.20	1.7	2.5
1997	10	1.4	0.49	0.6	3.5	56	1.1	0.14	0.8	1.4
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0
1999	8	2.2	1.41	0.3	6.2	44	0.9	0.13	0.6	1.2
2000	3	0.4	0.26	0.1	2.1	32	0.6	0.11	0.4	0.9
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9
2002	7	1.5	0.72	0.4	3.7	39	0.8	0.13	0.6	1.1
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0
2004	8	0.8	0.29	0.3	2.1	38	0.8	0.12	0.5	1.1
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9
2006	7	2.1	0.95	0.7	4.7	33	0.7	0.12	0.5	0.9
2007	7	0.8	0.31	0.3	2.0	33	0.7	0.12	0.5	0.9
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0
2009	6	0.9	0.43	0.3	2.3	34	0.7	0.12	0.5	1.0
2010	6	0.9	0.42	0.3	2.2	34	0.7	0.12	0.5	1.0
2011	6	0.9	0.37	0.3	2.0	30	0.6	0.11	0.4	0.8
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5
2013	0					28	0.5	0.10	0.3	0.7
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	952	1.0	0.03	0.9	1.0	605	3.2	0.13	3.0	3.5
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4
1991	112	2.6	0.25	2.1	3.2	40	5.4	0.88	3.8	7.4
1992	117	2.7	0.25	2.2	3.2	46	5.7	0.86	4.1	7.7
1993	102	2.2	0.22	1.8	2.7	45	6.0	0.97	4.3	8.3
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7
1996	60	1.4	0.18	1.0	1.8	50	6.0	0.86	4.4	8.0
1997	30	0.7	0.13	0.5	1.0	24	2.9	0.62	1.9	4.5
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0
1999	21	0.5	0.11	0.3	0.8	21	2.7	0.59	1.6	4.1
2000	13	0.3	0.09	0.2	0.6	17	2.1	0.52	1.2	3.4
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7
2002	19	0.5	0.11	0.3	0.8	18	2.3	0.54	1.4	3.6
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6
2006	15	0.4	0.09	0.2	0.6	16	2.3	0.60	1.2	3.8
2007	15	0.4	0.10	0.2	0.6	17	2.4	0.59	1.4	3.8
2008	16	0.4	0.10	0.2	0.7	13	1.7	0.48	0.9	3.0
2009	18	0.4	0.10	0.3	0.7	13	1.8	0.52	1.0	3.2
2010	19	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8
2011	12	0.3	0.09	0.2	0.5	16	2.0	0.51	1.2	3.3
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2
2013	11	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

<b>Kaposi Sarcoma</b>										
<b>Females</b>										
<b>Hispanic (Any Race)</b>						<b>Non-Hispanic (Any Race)</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	16	0.3	0.07	0.2	0.4	135	0.1	0.01	0.1	0.1
1990	0					11	0.2	0.05	0.1	0.3
1991	0					4	0.1	0.03	0.0	0.2
1992	0					5	0.1	0.04	0.0	0.2
1993	0					12	0.2	0.06	0.1	0.4
1994	0					10	0.2	0.05	0.1	0.3
1995	0					7	0.1	0.04	0.0	0.2
1996	5	2.7	1.28	0.8	6.1	6	0.1	0.04	0.0	0.2
1997	0					9	0.1	0.05	0.1	0.3
1998	0					8	0.1	0.04	0.1	0.3
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2
2000	1	0.2	0.18	0.0	1.4	4	0.1	0.03	0.0	0.2
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2
2002	0					5	0.1	0.03	0.0	0.2
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1
2004	0					7	0.1	0.03	0.0	0.2
2005	0					5	0.1	0.04	0.0	0.2
2006	0					0				
2007	0					4	0.1	0.02	0.0	0.1
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2
2009	3	0.9	0.55	0.2	2.5	4	0.1	0.03	0.0	0.2
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2
2011	1	0.3	0.30	0.0	1.3	6	0.1	0.04	0.0	0.2
2012	0					2	0.0	0.02	0.0	0.1
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1
<b>Non-Hispanic Whites</b>						<b>Non-Hispanic Blacks</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1990-2013	96	0.1	0.01	0.1	0.1	35	0.2	0.03	0.1	0.2
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7
1996	2	0.0	0.02	0.0	0.1	4	0.4	0.20	0.1	1.1
1997	5	0.1	0.04	0.0	0.2	3	0.3	0.18	0.1	0.9
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8
2000	4	0.1	0.03	0.0	0.2	0				
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2003	3	0.0	0.03	0.0	0.2	0				
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0
2006	0					0				
2007	4	0.1	0.03	0.0	0.2	0				
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2009	4	0.1	0.03	0.0	0.2	0				
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8
2011	4	0.1	0.05	0.0	0.3	2	0.2	0.16	0.0	0.8
2012	0					1	0.1	0.12	0.0	0.6
2013	3	0.1	0.04	0.0	0.2	0				

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ill-defined and unknown Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	1,755	13.0	0.35	12.3	13.7	43,545	15.5	0.07	15.3	15.6
1990	31	10.4	2.16	6.6	15.3	1,388	13.3	0.36	12.6	14.0
1991	45	12.9	2.24	8.9	17.9	1,367	12.9	0.35	12.2	13.6
1992	32	8.8	1.84	5.6	13.0	1,381	12.8	0.35	12.2	13.5
1993	39	11.5	2.12	7.7	16.2	1,834	16.9	0.40	16.1	17.7
1994	40	10.3	1.92	6.9	14.6	1,862	17.0	0.40	16.3	17.8
1995	51	14.2	2.33	10.0	19.3	1,702	15.4	0.37	14.7	16.1
1996	54	14.9	2.31	10.7	19.9	1,618	14.6	0.36	13.9	15.3
1997	42	9.4	1.68	6.4	13.2	1,515	13.5	0.35	12.9	14.2
1998	61	13.0	2.02	9.3	17.4	1,462	12.9	0.34	12.2	13.6
1999	58	13.9	2.11	10.0	18.4	1,501	13.1	0.34	12.5	13.8
2000	57	11.3	1.81	8.0	15.2	1,570	13.6	0.34	13.0	14.3
2001	83	16.8	2.16	12.8	21.4	2,148	18.5	0.40	17.8	19.4
2002	95	16.2	1.96	12.6	20.4	2,169	18.6	0.40	17.8	19.4
2003	88	16.9	2.03	13.1	21.2	2,131	18.1	0.39	17.4	18.9
2004	95	16.6	1.96	12.9	20.7	1,976	16.7	0.38	16.0	17.5
2005	79	12.0	1.55	9.1	15.3	1,989	16.6	0.37	15.9	17.4
2006	86	13.2	1.61	10.2	16.7	1,988	16.6	0.37	15.9	17.3
2007	86	11.4	1.41	8.8	14.4	2,077	17.0	0.38	16.3	17.7
2008	90	13.5	1.58	10.5	16.8	2,097	17.0	0.38	16.3	17.8
2009	105	12.9	1.42	10.2	15.9	2,062	16.6	0.37	15.9	17.3
2010	87	10.6	1.26	8.2	13.3	2,078	16.6	0.37	15.9	17.3
2011	106	12.3	1.33	9.8	15.1	1,864	14.5	0.34	13.9	15.2
2012	115	12.8	1.31	10.3	15.5	1,968	15.2	0.35	14.6	16.0
2013	130	13.5	1.29	11.1	16.2	1,798	13.7	0.33	13.1	14.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	36,729	15.2	0.08	15.1	15.4	5,914	17.8	0.24	17.4	18.3
1990	1,159	12.6	0.37	11.9	13.3	219	18.9	1.32	16.4	21.7
1991	1,175	12.6	0.37	11.8	13.3	174	15.2	1.18	13.0	17.7
1992	1,183	12.5	0.37	11.8	13.3	184	15.9	1.20	13.6	18.4
1993	1,570	16.4	0.42	15.6	17.3	243	20.7	1.37	18.1	23.6
1994	1,601	16.7	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1
1995	1,411	14.6	0.39	13.8	15.4	268	21.8	1.37	19.2	24.7
1996	1,326	13.7	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1
1997	1,270	13.1	0.37	12.3	13.8	218	17.1	1.18	14.8	19.5
1998	1,224	12.4	0.36	11.7	13.1	206	16.1	1.15	13.9	18.5
1999	1,228	12.4	0.36	11.7	13.1	247	18.9	1.23	16.6	21.5
2000	1,296	13.0	0.36	12.3	13.8	243	17.9	1.17	15.6	20.3
2001	1,800	18.1	0.43	17.2	18.9	297	22.1	1.31	19.6	24.8
2002	1,872	18.7	0.43	17.9	19.6	267	19.4	1.21	17.1	21.9
2003	1,800	17.9	0.42	17.0	18.7	282	19.9	1.21	17.6	22.4
2004	1,714	17.0	0.41	16.2	17.8	215	15.0	1.05	13.0	17.2
2005	1,709	16.7	0.41	15.9	17.6	227	15.4	1.05	13.5	17.6
2006	1,686	16.6	0.41	15.8	17.4	253	17.5	1.12	15.4	19.9
2007	1,769	17.1	0.41	16.3	17.9	265	17.7	1.11	15.6	20.0
2008	1,786	17.1	0.41	16.3	18.0	267	17.4	1.09	15.3	19.6
2009	1,718	16.4	0.40	15.6	17.2	284	18.2	1.11	16.1	20.5
2010	1,740	16.6	0.41	15.8	17.4	283	18.0	1.09	15.9	20.2
2011	1,594	14.8	0.38	14.1	15.6	213	13.6	0.95	11.8	15.5
2012	1,634	15.2	0.38	14.4	16.0	264	15.9	1.00	14.0	18.0
2013	1,464	13.5	0.36	12.8	14.2	267	15.8	0.99	14.0	17.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ill-defined and unknown Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	854	13.8	0.57	12.7	14.9	21,191	18.4	0.13	18.2	18.7
1990	17	11.6	3.44	5.9	19.9	673	15.6	0.62	14.4	16.8
1991	19	16.0	4.44	8.6	26.4	687	15.8	0.62	14.6	17.1
1992	12	5.7	2.00	2.5	11.0	672	15.4	0.61	14.3	16.7
1993	20	15.1	4.16	8.1	24.8	820	18.8	0.68	17.5	20.2
1994	22	11.6	3.26	6.1	19.4	843	19.3	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	808	18.0	0.65	16.7	19.3
1996	24	14.6	3.63	8.4	23.0	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	726	15.9	0.60	14.8	17.1
1998	30	11.3	2.46	7.0	17.1	688	15.0	0.58	13.9	16.2
1999	29	16.2	3.57	10.0	24.3	682	14.7	0.57	13.6	15.8
2000	34	18.3	3.88	11.5	27.0	745	16.0	0.59	14.8	17.2
2001	40	18.1	3.55	11.8	26.0	1,071	22.7	0.70	21.3	24.1
2002	45	16.4	3.12	10.9	23.4	1,029	21.6	0.68	20.3	23.0
2003	42	17.2	3.21	11.5	24.4	1,045	21.8	0.68	20.5	23.2
2004	43	16.9	2.95	11.6	23.4	991	20.6	0.66	19.3	21.9
2005	44	14.1	2.52	9.6	19.7	967	19.6	0.64	18.4	20.9
2006	42	13.6	2.58	9.1	19.4	965	19.5	0.63	18.3	20.8
2007	40	11.3	2.16	7.5	16.2	1,020	20.2	0.64	19.0	21.5
2008	42	14.4	2.53	9.9	20.0	1,047	20.4	0.64	19.1	21.7
2009	48	12.0	2.05	8.3	16.5	1,025	19.6	0.62	18.4	20.8
2010	44	10.3	1.80	7.1	14.3	1,038	19.7	0.62	18.5	21.0
2011	49	12.6	2.12	8.8	17.3	953	17.8	0.59	16.7	19.0
2012	58	13.6	2.07	9.8	18.1	999	18.5	0.59	17.3	19.7
2013	68	15.0	2.06	11.3	19.5	914	16.3	0.55	15.2	17.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	17,932	18.2	0.14	17.9	18.4	2,809	20.9	0.42	20.1	21.7
1990	555	14.7	0.64	13.5	16.0	114	23.5	2.33	19.1	28.5
1991	587	15.4	0.65	14.1	16.7	93	20.3	2.23	16.1	25.1
1992	568	14.9	0.64	13.6	16.2	98	22.0	2.40	17.6	27.2
1993	686	18.0	0.70	16.6	19.4	121	25.5	2.50	20.9	30.9
1994	724	19.0	0.72	17.6	20.5	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	139	26.9	2.41	22.3	32.0
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	597	15.2	0.63	14.0	16.5	116	21.9	2.15	17.9	26.5
1998	583	14.8	0.62	13.6	16.0	92	16.6	1.80	13.3	20.5
1999	543	13.5	0.58	12.4	14.7	123	23.8	2.29	19.5	28.6
2000	612	15.3	0.62	14.1	16.5	118	21.3	2.08	17.4	25.8
2001	900	22.2	0.74	20.7	23.7	145	27.2	2.39	22.7	32.3
2002	885	21.7	0.74	20.3	23.2	127	22.3	2.07	18.5	26.7
2003	889	21.6	0.73	20.2	23.1	136	23.6	2.13	19.6	28.1
2004	867	21.0	0.72	19.6	22.4	97	17.0	1.84	13.6	21.0
2005	830	19.7	0.69	18.4	21.1	110	18.2	1.83	14.8	22.1
2006	821	19.4	0.68	18.1	20.8	117	20.3	2.00	16.6	24.5
2007	879	20.4	0.70	19.1	21.9	117	19.5	1.92	15.9	23.6
2008	911	20.9	0.70	19.6	22.3	118	19.8	1.95	16.2	24.0
2009	871	19.7	0.68	18.4	21.1	126	19.1	1.79	15.7	22.9
2010	879	19.8	0.68	18.5	21.2	130	21.4	2.00	17.7	25.7
2011	834	18.4	0.65	17.2	19.7	92	14.5	1.60	11.6	18.0
2012	854	18.8	0.65	17.5	20.1	116	17.3	1.69	14.2	20.9
2013	754	16.0	0.60	14.9	17.2	124	17.8	1.67	14.7	21.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Ill-defined and unknown Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	901	12.4	0.45	11.5	13.3	22,354	13.5	0.09	13.3	13.7
1990	14	9.3	2.73	4.8	15.9	715	11.6	0.44	10.8	12.5
1991	26	12.0	2.55	7.5	17.9	680	10.8	0.42	10.0	11.7
1992	20	10.8	2.72	6.2	17.2	709	11.1	0.42	10.3	12.0
1993	19	9.4	2.38	5.3	15.0	1,014	15.6	0.50	14.7	16.6
1994	18	9.4	2.41	5.3	15.1	1,019	15.5	0.49	14.6	16.5
1995	29	14.9	3.09	9.4	21.9	894	13.4	0.45	12.5	14.3
1996	30	15.1	3.01	9.8	21.9	835	12.6	0.44	11.7	13.5
1997	22	9.2	2.08	5.6	14.0	789	11.8	0.42	11.0	12.6
1998	31	13.4	2.80	8.5	19.8	774	11.3	0.41	10.5	12.1
1999	29	12.2	2.57	7.6	18.0	819	11.9	0.42	11.1	12.8
2000	23	6.5	1.60	3.8	10.3	825	12.1	0.43	11.3	13.0
2001	43	15.9	2.74	11.0	22.0	1,077	15.7	0.48	14.7	16.6
2002	50	16.2	2.57	11.6	21.9	1,140	16.4	0.49	15.5	17.4
2003	46	16.6	2.65	11.8	22.5	1,086	15.7	0.48	14.7	16.7
2004	52	16.1	2.56	11.5	21.7	985	14.2	0.46	13.3	15.1
2005	35	10.1	1.91	6.7	14.4	1,022	14.6	0.46	13.7	15.5
2006	44	13.0	2.11	9.2	17.7	1,023	14.6	0.46	13.7	15.5
2007	46	11.5	1.87	8.1	15.6	1,057	14.9	0.47	14.0	15.8
2008	48	12.8	2.03	9.1	17.3	1,050	14.6	0.46	13.7	15.6
2009	57	13.5	1.95	10.0	17.8	1,037	14.3	0.45	13.4	15.2
2010	43	10.5	1.72	7.4	14.3	1,040	14.4	0.46	13.5	15.4
2011	57	12.2	1.74	9.0	16.0	911	12.3	0.42	11.5	13.2
2012	57	12.1	1.71	9.0	15.8	969	13.0	0.43	12.2	13.9
2013	62	12.2	1.65	9.2	15.8	884	11.8	0.41	11.0	12.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	18,797	13.2	0.10	13.0	13.4	3,105	15.7	0.28	15.2	16.3
1990	604	11.1	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	588	10.5	0.44	9.7	11.4	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	86	12.2	1.33	9.7	15.1
1993	884	15.5	0.53	14.4	16.5	122	17.5	1.60	14.5	20.9
1994	877	15.3	0.53	14.2	16.3	139	19.1	1.64	16.0	22.6
1995	753	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	681	11.7	0.46	10.8	12.7	149	20.1	1.66	17.0	23.6
1997	673	11.5	0.45	10.6	12.4	102	13.6	1.36	11.1	16.5
1998	641	10.7	0.43	9.8	11.5	114	15.0	1.42	12.3	18.0
1999	685	11.5	0.45	10.6	12.4	124	15.8	1.43	13.2	18.9
2000	684	11.5	0.45	10.7	12.5	125	15.6	1.40	12.9	18.5
2001	900	15.2	0.52	14.2	16.2	152	18.8	1.54	15.9	22.0
2002	987	16.6	0.54	15.6	17.7	140	17.1	1.45	14.3	20.1
2003	911	15.3	0.52	14.3	16.4	146	17.3	1.44	14.5	20.3
2004	847	14.3	0.50	13.4	15.4	118	13.8	1.28	11.4	16.5
2005	879	14.7	0.51	13.7	15.7	117	13.5	1.26	11.1	16.2
2006	865	14.6	0.51	13.6	15.6	136	15.7	1.36	13.2	18.6
2007	890	14.8	0.51	13.9	15.9	148	16.5	1.37	13.9	19.4
2008	875	14.3	0.50	13.4	15.4	149	16.3	1.35	13.8	19.2
2009	847	13.9	0.49	12.9	14.9	158	17.3	1.39	14.7	20.2
2010	861	14.3	0.50	13.3	15.3	153	16.2	1.33	13.7	19.0
2011	760	12.3	0.46	11.4	13.3	121	12.9	1.19	10.7	15.5
2012	780	12.6	0.47	11.7	13.6	148	15.0	1.25	12.6	17.6
2013	710	11.5	0.45	10.7	12.5	143	14.1	1.20	11.9	16.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2013

Female Breast Insitu										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	2,020	19.9	0.47	19.0	20.8	41,362	28.1	0.14	27.8	28.3
1990	18	7.7	1.85	4.5	12.3	765	14.1	0.52	13.1	15.1
1991	12	5.0	1.64	2.3	9.2	904	16.5	0.56	15.4	17.6
1992	17	6.6	1.65	3.7	10.7	994	17.9	0.58	16.8	19.1
1993	35	12.7	2.22	8.7	17.8	953	17.0	0.56	15.9	18.1
1994	24	9.4	2.05	5.8	14.3	1,039	18.0	0.57	16.9	19.1
1995	44	17.7	2.84	12.5	24.0	1,171	20.3	0.60	19.1	21.5
1996	44	14.0	2.30	9.8	19.2	1,305	22.4	0.63	21.2	23.7
1997	41	13.3	2.20	9.4	18.4	1,436	24.4	0.65	23.1	25.7
1998	53	17.2	2.57	12.5	22.9	1,661	28.0	0.69	26.7	29.4
1999	60	18.9	2.65	14.0	24.7	1,663	27.6	0.68	26.3	28.9
2000	71	18.0	2.21	13.9	22.9	1,874	31.0	0.72	29.6	32.4
2001	88	22.0	2.58	17.2	27.6	1,912	31.4	0.72	30.0	32.8
2002	85	17.9	2.07	14.0	22.4	1,809	29.3	0.69	27.9	30.6
2003	91	22.9	2.62	18.0	28.5	1,797	28.9	0.68	27.5	30.2
2004	94	20.8	2.32	16.5	25.9	1,958	31.2	0.71	29.8	32.6
2005	127	26.3	2.47	21.7	31.6	1,971	31.1	0.71	29.7	32.5
2006	86	17.5	2.02	13.7	21.9	2,054	32.3	0.72	30.9	33.7
2007	131	24.5	2.28	20.2	29.3	2,194	34.1	0.74	32.7	35.6
2008	111	19.3	1.93	15.7	23.4	2,196	33.9	0.73	32.4	35.3
2009	139	23.6	2.12	19.6	28.1	2,360	36.2	0.76	34.7	37.7
2010	127	20.1	1.89	16.6	24.2	2,270	34.6	0.74	33.2	36.1
2011	183	27.2	2.11	23.2	31.7	2,296	34.5	0.74	33.1	36.0
2012	157	24.4	2.06	20.5	28.7	2,386	35.8	0.75	34.4	37.3
2013	182	25.6	1.99	21.9	29.8	2,394	35.9	0.75	34.4	37.4
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2013	34,345	28.5	0.16	28.2	28.8	5,302	25.2	0.35	24.5	25.9
1990	700	15.3	0.59	14.1	16.5	54	7.7	1.06	5.7	10.0
1991	810	17.5	0.63	16.3	18.8	73	10.8	1.28	8.5	13.6
1992	891	19.1	0.65	17.8	20.4	83	11.3	1.25	9.0	14.0
1993	837	17.8	0.63	16.6	19.1	97	12.7	1.30	10.3	15.5
1994	911	18.8	0.63	17.6	20.1	102	13.2	1.32	10.7	16.0
1995	1,026	21.2	0.67	19.9	22.6	111	14.2	1.35	11.6	17.1
1996	1,101	22.7	0.69	21.4	24.1	148	18.9	1.57	16.0	22.3
1997	1,227	25.0	0.72	23.6	26.5	154	19.0	1.54	16.1	22.2
1998	1,434	29.2	0.78	27.7	30.8	164	19.9	1.56	17.0	23.2
1999	1,414	28.4	0.76	26.9	29.9	167	20.0	1.56	17.1	23.3
2000	1,600	32.3	0.81	30.7	33.9	178	20.8	1.57	17.9	24.1
2001	1,612	32.3	0.81	30.8	34.0	221	25.1	1.70	21.9	28.7
2002	1,537	30.4	0.78	28.9	32.0	211	23.5	1.63	20.5	27.0
2003	1,496	29.5	0.77	28.0	31.0	225	24.6	1.64	21.4	28.0
2004	1,608	31.6	0.80	30.1	33.2	277	30.4	1.84	26.9	34.2
2005	1,618	31.5	0.79	30.0	33.1	270	29.4	1.80	26.0	33.2
2006	1,694	33.2	0.82	31.6	34.8	291	30.5	1.80	27.1	34.3
2007	1,783	34.5	0.83	32.9	36.1	306	32.2	1.86	28.6	36.0
2008	1,783	34.3	0.83	32.7	36.0	320	32.8	1.85	29.3	36.6
2009	1,912	36.7	0.86	35.1	38.4	333	33.7	1.87	30.2	37.6
2010	1,809	34.9	0.84	33.2	36.6	341	33.5	1.84	30.0	37.3
2011	1,824	34.8	0.84	33.1	36.4	365	35.4	1.88	31.8	39.3
2012	1,855	35.3	0.85	33.7	37.0	405	39.1	1.98	35.4	43.2
2013	1,863	35.5	0.85	33.9	37.3	406	39.5	1.99	35.6	43.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

**SECTION III**  
**Pediatric Cancer Incidence**  
**Illinois, 1986-2013**

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

All Sites										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	10,769	146.9	1.42	144.2	149.7	15,751	161.0	1.28	158.5	163.6
1986	335	131.7	7.21	117.9	146.6	489	141.9	6.42	129.5	155.0
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	355	140.9	7.49	126.6	156.3	519	153.2	6.73	140.3	167.0
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	455	136.9	6.43	124.5	150.0
1991	353	136.5	7.28	122.6	151.5	488	144.9	6.58	132.3	158.4
1992	335	129.1	7.07	115.6	143.7	469	139.3	6.45	127.0	152.5
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5
1994	378	142.3	7.33	128.3	157.4	521	150.8	6.62	138.1	164.4
1995	418	155.8	7.63	141.2	171.5	566	161.3	6.79	148.2	175.1
1996	378	140.3	7.22	126.5	155.2	537	151.7	6.55	139.1	165.1
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0
1998	383	141.9	7.25	128.0	156.9	553	154.3	6.57	141.7	167.8
1999	407	150.4	7.46	136.2	165.8	588	163.5	6.75	150.6	177.3
2000	354	130.7	6.95	117.4	145.0	546	151.6	6.49	139.2	164.9
2001	415	153.1	7.52	138.7	168.5	593	164.5	6.76	151.5	178.3
2002	412	152.6	7.52	138.2	168.1	580	161.4	6.70	148.6	175.1
2003	371	138.1	7.17	124.4	152.9	572	159.8	6.68	147.0	173.4
2004	433	161.8	7.78	146.9	177.8	615	171.7	6.92	158.4	185.8
2005	424	160.0	7.77	145.1	175.9	613	171.7	6.94	158.4	185.9
2006	397	151.4	7.60	136.8	167.0	589	165.7	6.83	152.6	179.6
2007	406	155.5	7.72	140.7	171.4	629	176.8	7.05	163.2	191.2
2008	399	153.5	7.68	138.8	169.3	628	176.7	7.06	163.2	191.1
2009	387	149.6	7.61	135.1	165.3	604	170.8	6.95	157.4	185.0
2010	421	163.7	7.98	148.4	180.1	638	181.8	7.20	168.0	196.5
2011	417	163.6	8.01	148.3	180.1	626	180.4	7.21	166.5	195.1
2012	397	157.3	7.90	142.2	173.6	595	173.6	7.12	160.0	188.2
2013	432	173.1	8.33	157.2	190.2	637	188.3	7.46	174.0	203.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	3,455	47.0	0.80	45.5	48.6	4,176	42.6	0.66	41.3	43.9
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6
2002	130	48.3	4.24	40.3	57.3	152	42.3	3.43	35.9	49.6
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5
2004	155	57.9	4.65	49.2	67.8	190	53.1	3.85	45.8	61.2
2005	130	48.9	4.29	40.9	58.1	159	44.6	3.54	37.9	52.1
2006	138	52.7	4.49	44.3	62.3	162	46.0	3.62	39.2	53.7
2007	128	49.3	4.35	41.1	58.6	154	43.9	3.54	37.2	51.4
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7
2009	133	51.3	4.45	42.9	60.8	159	45.4	3.60	38.6	53.1
2010	146	56.7	4.69	47.8	66.6	180	51.7	3.85	44.4	59.8
2011	141	55.3	4.65	46.5	65.2	172	50.0	3.81	42.8	58.0
2012	141	55.9	4.70	47.0	65.9	172	50.6	3.85	43.3	58.7
2013	134	53.7	4.63	45.0	63.6	166	49.3	3.83	42.1	57.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Lymphoid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,719	37.0	0.71	35.6	38.4	3,135	31.9	0.57	30.8	33.1
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3
2007	94	36.3	3.74	29.3	44.4	110	31.5	3.00	25.9	37.9
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6
2009	103	39.7	3.91	32.4	48.1	115	33.0	3.07	27.2	39.6
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8
2011	112	43.9	4.15	36.2	52.8	127	37.0	3.29	30.9	44.0
2012	113	44.8	4.21	36.9	53.8	128	37.7	3.34	31.5	44.9
2013	106	42.5	4.12	34.8	51.4	124	36.9	3.32	30.7	44.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Acute myeloid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	491	6.7	0.30	6.1	7.3	692	7.1	0.27	6.6	7.6
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9
2010	15	5.8	1.50	3.3	9.6	34	9.5	1.64	6.6	13.3
2011	15	5.9	1.52	3.3	9.7	25	7.2	1.44	4.6	10.6
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1
2013	13	5.2	1.45	2.8	8.9	25	7.4	1.47	4.8	10.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Lymphoma and reticuloendothelial neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,206	16.7	0.48	15.7	17.6	2,435	25.1	0.51	24.1	26.1
1986	49	19.9	2.84	14.7	26.3	88	25.8	2.76	20.7	31.8
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	47	19.2	2.81	14.1	25.6	98	29.2	2.96	23.7	35.6
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	81	24.2	2.69	19.2	30.0
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	52	19.6	2.72	14.6	25.7	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	29	10.8	2.00	7.2	15.4	78	21.8	2.47	17.2	27.2
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	82	22.9	2.53	18.2	28.4
2003	44	16.4	2.47	11.9	22.0	85	23.8	2.58	19.0	29.4
2004	39	14.5	2.33	10.3	19.9	79	22.0	2.47	17.4	27.4
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	36	13.8	2.31	9.7	19.2	87	24.3	2.60	19.4	30.0
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	36	13.9	2.32	9.7	19.2	81	22.6	2.51	17.9	28.1
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.5	2.54	11.9	22.3	92	26.2	2.73	21.1	32.1
2012	51	20.2	2.83	15.0	26.6	90	26.1	2.75	21.0	32.1
2013	63	25.2	3.17	19.3	32.2	114	33.5	3.13	27.6	40.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Hodgkin lymphoma</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	400	5.6	0.28	5.1	6.2	1,233	12.7	0.36	12.0	13.5
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7
1988	13	5.5	1.52	2.9	9.4	55	16.3	2.21	12.3	21.3
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2
2004	15	5.6	1.44	3.1	9.2	43	11.9	1.82	8.6	16.1
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8
2009	11	4.2	1.28	2.1	7.6	42	11.6	1.79	8.3	15.7
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3
2011	7	2.7	1.04	1.1	5.7	33	9.3	1.61	6.4	13.0
2012	12	4.7	1.37	2.5	8.3	30	8.6	1.57	5.8	12.3
2013	17	6.8	1.64	3.9	10.8	47	13.7	1.99	10.0	18.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Non-Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	621	8.6	0.34	7.9	9.3	1,010	10.4	0.33	9.8	11.1
1986	25	10.1	2.02	6.5	14.9	38	11.2	1.82	7.9	15.4
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6
1994	25	9.7	1.94	6.3	14.3	37	11.0	1.81	7.7	15.1
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2
1998	29	10.9	2.03	7.3	15.7	45	12.7	1.89	9.3	17.0
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9
2000	18	6.7	1.57	4.0	10.5	29	8.1	1.50	5.4	11.6
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6
2002	25	9.3	1.86	6.0	13.7	40	11.2	1.76	8.0	15.2
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0
2006	21	8.0	1.75	5.0	12.3	37	10.4	1.71	7.3	14.3
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7
2011	19	7.5	1.71	4.5	11.7	41	11.7	1.83	8.4	15.9
2012	27	10.7	2.06	7.0	15.6	45	13.1	1.95	9.5	17.5
2013	26	10.4	2.04	6.8	15.2	46	13.5	1.99	9.9	18.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

CNS and misc intracranial and intraspinal neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	2,191	30.0	0.64	28.8	31.3	2,679	27.5	0.53	26.4	28.5
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	70	27.7	3.32	21.6	35.0	83	24.9	2.73	19.8	30.8
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	85	32.1	3.49	25.6	39.7	102	29.3	2.90	23.9	35.6
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	97	26.9	2.73	21.8	32.8
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6
2001	80	29.6	3.30	23.4	36.8	95	26.3	2.70	21.3	32.2
2002	79	29.3	3.30	23.2	36.5	99	27.6	2.77	22.4	33.6
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	93	35.3	3.66	28.5	43.2	118	33.3	3.07	27.6	39.9
2006	86	32.8	3.54	26.2	40.5	105	29.7	2.90	24.3	36.0
2007	82	31.5	3.48	25.0	39.1	99	28.2	2.83	22.9	34.3
2008	68	26.3	3.19	20.4	33.3	84	24.0	2.62	19.1	29.7
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1
2010	80	31.1	3.48	24.7	38.7	102	29.3	2.90	23.9	35.6
2011	89	35.0	3.70	28.1	43.0	108	31.4	3.02	25.8	37.9
2012	76	30.1	3.45	23.7	37.7	94	27.6	2.85	22.3	33.8
2013	84	33.7	3.67	26.9	41.7	93	27.8	2.88	22.4	34.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Ependymoma and choroid plexus tumor</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	209	2.8	0.20	2.5	3.3	248	2.5	0.16	2.2	2.9
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0
2005	7	2.7	1.01	1.1	5.5	11	3.1	0.94	1.6	5.6
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2
2011	6	2.4	0.96	0.9	5.1	7	2.0	0.77	0.8	4.2
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.85	1.0	4.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Astrocytoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	1,068	14.7	0.45	13.8	15.6	1,347	13.8	0.38	13.1	14.6
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8
1992	35	13.8	2.34	9.6	19.2	44	13.2	2.00	9.6	17.8
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7
1994	42	15.7	2.42	11.3	21.2	49	13.9	1.99	10.3	18.4
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4
2002	35	13.0	2.20	9.1	18.1	47	13.1	1.91	9.6	17.4
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7
2006	49	18.7	2.67	13.8	24.7	57	16.2	2.14	12.2	20.9
2007	41	15.8	2.46	11.3	21.4	53	15.0	2.07	11.3	19.7
2008	29	11.3	2.10	7.6	16.2	38	10.9	1.77	7.7	15.0
2009	29	11.3	2.10	7.6	16.2	37	10.6	1.75	7.5	14.6
2010	40	15.6	2.46	11.1	21.2	60	17.1	2.21	13.1	22.0
2011	43	16.9	2.57	12.2	22.7	54	15.7	2.13	11.8	20.5
2012	46	18.2	2.69	13.3	24.3	57	16.7	2.22	12.7	21.7
2013	40	16.0	2.53	11.5	21.8	44	13.1	1.98	9.6	17.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Intracranial and intraspinal embryonal tumors</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	483	6.6	0.30	6.0	7.2	564	5.8	0.24	5.3	6.3
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	22	8.6	1.84	5.4	13.1	26	7.6	1.48	4.9	11.1
2012	12	4.8	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9
2013	21	8.4	1.84	5.2	12.9	24	7.2	1.46	4.6	10.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Other glioma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	328	4.5	0.25	4.0	5.0	399	4.1	0.21	3.7	4.5
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8
2001	17	6.3	1.52	3.7	10.0	19	5.3	1.21	3.2	8.2
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1
2007	13	5.0	1.39	2.7	8.6	13	3.8	1.04	2.0	6.4
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3
2010	14	5.5	1.46	3.0	9.2	14	4.1	1.09	2.2	6.8
2011	16	6.3	1.58	3.6	10.2	19	5.6	1.27	3.3	8.7
2012	6	2.4	0.97	0.9	5.2	9	2.6	0.87	1.2	5.0
2013	13	5.2	1.44	2.8	8.9	14	4.2	1.11	2.3	7.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Neuroblastoma and other peripheral nervous cell tumors</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	791	10.5	0.37	9.8	11.3	815	8.1	0.29	7.6	8.7
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.5	2.38	10.2	19.9	39	11.4	1.82	8.1	15.5
2011	29	11.4	2.12	7.6	16.4	29	8.5	1.59	5.7	12.3
2012	19	7.6	1.74	4.6	11.8	20	6.0	1.33	3.6	9.2
2013	20	8.1	1.81	5.0	12.5	20	6.1	1.36	3.7	9.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Neuroblastoma and ganglioneuroblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	776	10.3	0.37	9.6	11.1	790	7.9	0.28	7.3	8.5
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0
2010	36	14.1	2.34	9.9	19.5	38	11.1	1.80	7.8	15.2
2011	28	11.0	2.08	7.3	15.9	28	8.2	1.56	5.5	11.9
2012	18	7.2	1.69	4.3	11.4	19	5.7	1.30	3.4	8.8
2013	19	7.7	1.77	4.6	12.0	19	5.8	1.32	3.5	9.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Retinoblastoma</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	293	3.9	0.23	3.5	4.4	293	2.9	0.17	2.6	3.3
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.4
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4
2012	5	2.0	0.90	0.7	4.7	5	1.5	0.67	0.5	3.5
2013	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Renal tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	614	8.3	0.33	7.6	8.9	653	6.6	0.26	6.1	7.1
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9
2011	19	7.5	1.72	4.5	11.7	21	6.2	1.34	3.8	9.4
2012	24	9.5	1.95	6.1	14.2	26	7.7	1.51	5.0	11.3
2013	19	7.7	1.75	4.6	11.9	22	6.6	1.40	4.1	10.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Nephroblastoma and other nonepithelial renal tumors</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	591	7.9	0.33	7.3	8.6	605	6.1	0.25	5.6	6.6
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.72	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.95	6.1	14.2	25	7.4	1.48	4.8	11.0
2013	18	7.3	1.71	4.3	11.5	19	5.7	1.31	3.4	8.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Hepatic tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	152	2.0	0.17	1.7	2.4	174	1.8	0.13	1.5	2.0
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2011	8	3.2	1.12	1.4	6.2	8	2.4	0.84	1.0	4.7
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.5
2013	10	4.1	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Hepatoblastoma</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	126	1.7	0.15	1.4	2.0	129	1.3	0.11	1.1	1.5
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2011	8	3.2	1.12	1.4	6.2	8	2.4	0.84	1.0	4.7
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7
2013	10	4.1	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Malignant bone tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	429	6.0	0.29	5.4	6.6	780	8.1	0.29	7.5	8.7
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3
2013	18	7.2	1.69	4.2	11.3	28	8.2	1.55	5.5	11.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Osteosarcoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	252	3.5	0.22	3.1	4.0	464	4.8	0.22	4.4	5.3
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8
2013	12	4.8	1.37	2.5	8.3	19	5.6	1.28	3.4	8.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

<b>Ewing tumor and related sarcomas of bone</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2013	136	1.9	0.16	1.6	2.2	237	2.5	0.16	2.2	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0
2013	3	1.2	0.69	0.3	3.5	4	1.2	0.59	0.3	3.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Soft tissue and other extrasosseous sarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	756	10.4	0.38	9.6	11.1	1,121	11.5	0.34	10.8	12.2
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	27	10.2	1.97	6.7	14.9	42	12.4	1.92	8.9	16.8
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	24	9.1	1.85	5.8	13.5	34	9.5	1.63	6.6	13.3
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	32	12.3	2.17	8.4	17.4	50	14.1	1.99	10.4	18.6
2009	28	10.9	2.06	7.2	15.7	43	12.2	1.86	8.8	16.4
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5
2013	30	12.0	2.20	8.1	17.2	47	13.9	2.02	10.2	18.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Rhabdomyosarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	370	5.0	0.26	4.5	5.6	457	4.7	0.22	4.3	5.1
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2
2010	16	6.3	1.56	3.6	10.2	17	5.0	1.20	2.9	7.9
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5
2012	12	4.8	1.38	2.5	8.3	16	4.7	1.18	2.7	7.6
2013	14	5.6	1.50	3.1	9.4	18	5.4	1.26	3.2	8.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Germ cell, trophoblastic tumors and neoplasms of gonads										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	380	5.2	0.27	4.7	5.7	1,058	10.8	0.33	10.2	11.5
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.29	2.3	7.8	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	10	3.9	1.23	1.9	7.2	39	10.8	1.73	7.7	14.7
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9
2011	15	5.9	1.52	3.3	9.7	49	13.8	1.98	10.2	18.3
2012	10	4.0	1.25	1.9	7.3	43	12.3	1.87	8.9	16.6
2013	12	4.8	1.39	2.5	8.4	38	11.1	1.79	7.8	15.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Intracranial and intraspinal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	89	1.2	0.13	1.0	1.5	145	1.5	0.12	1.3	1.8
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8
2013	3	1.2	0.69	0.3	3.5	6	1.8	0.71	0.6	3.8

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Malignant gonadal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	181	2.5	0.18	2.1	2.9	698	7.2	0.27	6.6	7.7
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5
1998	7	2.6	0.99	1.1	5.4	26	7.4	1.44	4.8	10.8
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6
2009	6	2.3	0.95	0.9	5.1	31	8.5	1.53	5.8	12.1
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2
2011	8	3.1	1.11	1.4	6.2	34	9.6	1.64	6.6	13.4
2012	0					28	7.9	1.49	5.3	11.4
2013	5	2.0	0.90	0.7	4.7	25	7.2	1.45	4.7	10.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*  
*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Other malignant epithelial neoplasms and melanomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	445	6.2	0.29	5.6	6.8	1,489	15.3	0.40	14.6	16.1
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	37	11.5	1.89	8.1	15.9
1991	10	4.1	1.30	2.0	7.5	41	12.9	2.02	9.3	17.5
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	41	11.6	1.81	8.3	15.7
1999	17	6.4	1.56	3.7	10.3	54	15.2	2.07	11.4	19.9
2000	12	4.5	1.29	2.3	7.8	50	14.0	1.98	10.4	18.4
2001	20	7.4	1.66	4.5	11.4	56	15.6	2.09	11.8	20.3
2002	20	7.4	1.64	4.5	11.4	59	16.5	2.14	12.5	21.2
2003	17	6.3	1.52	3.7	10.1	57	15.9	2.11	12.1	20.6
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	27	10.1	1.95	6.7	14.7	62	17.2	2.19	13.2	22.1
2006	25	9.5	1.91	6.2	14.1	68	18.9	2.29	14.7	23.9
2007	17	6.4	1.55	3.7	10.3	76	20.8	2.38	16.4	26.0
2008	25	9.6	1.91	6.2	14.1	79	21.8	2.45	17.2	27.1
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0
2011	18	7.1	1.66	4.2	11.2	67	18.9	2.31	14.6	24.0
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4
2013	27	10.7	2.06	7.1	15.6	84	24.4	2.66	19.4	30.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Thyroid carcinoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	185	2.6	0.19	2.2	3.0	655	6.8	0.26	6.3	7.3
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1
1990	1	0.4	0.43	0.0	2.3	16	5.0	1.24	2.8	8.0
1991	2	0.8	0.59	0.1	2.9	13	4.1	1.14	2.2	7.0
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9
1999	7	2.7	1.01	1.1	5.5	22	6.2	1.33	3.9	9.4
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6
2002	10	3.7	1.16	1.8	6.8	26	7.2	1.42	4.7	10.6
2003	7	2.6	0.97	1.0	5.3	26	7.3	1.42	4.7	10.6
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9
2006	14	5.3	1.43	2.9	9.0	34	9.5	1.62	6.6	13.2
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6
2011	7	2.8	1.04	1.1	5.7	30	8.4	1.54	5.7	12.1
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0
2013	14	5.6	1.48	3.0	9.3	47	13.6	1.99	10.0	18.1

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Malignant melanoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	104	1.4	0.14	1.2	1.7	374	3.8	0.20	3.5	4.3
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9
2001	4	1.5	0.74	0.4	3.8	10	2.8	0.88	1.3	5.1
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8
2005	6	2.3	0.93	0.8	5.0	18	5.0	1.18	3.0	7.9
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1
2013	6	2.4	0.98	0.9	5.2	19	5.5	1.27	3.3	8.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2013

Other and unspecified malignant neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2013	42	0.6	0.09	0.4	0.8	55	0.6	0.08	0.4	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	3	1.2	0.68	0.2	3.5	3	0.9	0.51	0.2	2.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	0					2	0.6	0.40	0.1	2.1
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015*

**APPENDIX A**  
**Illinois Populations Used for Rate Calculations**  
**1986-2013**

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1986 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
<b>1986 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
<b>1986 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1987 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
<b>1987 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
<b>1987 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1988 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
<b>1988 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
<b>1988 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1989 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
<b>1989 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
<b>1989 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1990 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
<b>1990 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
<b>1990 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1991 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
<b>1991 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
<b>1991 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1992 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
<b>1992 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
<b>1992 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1993 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
<b>1993 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
<b>1993 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1994 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
<b>1994 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
<b>1994 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1995 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
<b>1995 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
<b>1995 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1996 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
<b>1996 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
<b>1996 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1997 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
<b>1997 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
<b>1997 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1998 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
<b>1998 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
<b>1998 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1999 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
<b>1999 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
<b>1999 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2000 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
<b>2000 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
<b>2000 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2001 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
<b>2001 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
<b>2001 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2002 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
<b>2002 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
<b>2002 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2003 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
<b>2003 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
<b>2003 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2004 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
<b>2004 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
<b>2004 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2005 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
<b>2005 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
<b>2005 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2006 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
<b>2006 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
<b>2006 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2007 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
<b>2007 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
<b>2007 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2008 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
<b>2008 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
<b>2008 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2009 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
<b>2009 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
<b>2009 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2010 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	162,716	122,886	29,536	10,294
01-04 years	671,045	506,620	121,418	43,007
05-09 years	857,443	652,347	152,016	53,080
10-14 years	877,830	665,069	165,055	47,706
15-19 years	920,417	688,199	184,386	47,832
20-24 years	880,413	672,501	151,721	56,191
25-29 years	909,843	708,982	133,694	67,167
30-34 years	868,916	674,292	127,510	67,114
35-39 years	851,463	658,143	127,905	65,415
40-44 years	870,213	688,456	126,521	55,236
45-49 years	936,148	754,954	134,078	47,116
50-54 years	932,420	756,440	133,255	42,725
55-59 years	812,823	664,438	109,514	38,871
60-64 years	672,867	554,958	85,160	32,749
65-69 years	487,828	403,906	60,897	23,025
70-74 years	365,999	303,915	46,558	15,526
75-79 years	288,875	245,464	34,078	9,333
80-84 years	235,833	206,626	23,255	5,952
85+ years	237,005	212,211	20,251	4,543
Total	12,840,097	10,140,407	1,966,808	732,882
<b>2010 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	83,334	62,928	15,131	5,275
01-04 years	341,741	258,622	61,407	21,712
05-09 years	437,610	334,181	76,963	26,466
10-14 years	448,039	340,573	83,639	23,827
15-19 years	472,928	354,474	93,661	24,793
20-24 years	448,261	344,917	74,241	29,103
25-29 years	456,861	360,949	63,195	32,717
30-34 years	435,282	343,671	59,064	32,547
35-39 years	424,476	334,567	58,113	31,796
40-44 years	432,791	347,672	58,253	26,866
45-49 years	461,611	377,308	61,827	22,476
50-54 years	456,908	376,213	60,515	20,180
55-59 years	394,745	328,395	48,422	17,928
60-64 years	322,405	270,306	36,863	15,236
65-69 years	227,357	190,721	25,810	10,826
70-74 years	164,193	138,090	18,829	7,274
75-79 years	122,689	105,608	13,090	3,991
80-84 years	92,346	81,778	8,223	2,345
85+ years	73,705	66,342	5,758	1,605
Total	6,297,282	5,017,315	923,004	356,963
<b>2010 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	79,382	59,958	14,405	5,019
01-04 years	329,304	247,998	60,011	21,295
05-09 years	419,833	318,166	75,053	26,614
10-14 years	429,791	324,496	81,416	23,879
15-19 years	447,489	333,725	90,725	23,039
20-24 years	432,152	327,584	77,480	27,088
25-29 years	452,982	348,033	70,499	34,450
30-34 years	433,634	330,621	68,446	34,567
35-39 years	426,987	323,576	69,792	33,619
40-44 years	437,422	340,784	68,268	28,370
45-49 years	474,537	377,646	72,251	24,640
50-54 years	475,512	380,227	72,740	22,545
55-59 years	418,078	336,043	61,092	20,943
60-64 years	350,462	284,652	48,297	17,513
65-69 years	260,471	213,185	35,087	12,199
70-74 years	201,806	165,825	27,729	8,252
75-79 years	166,186	139,856	20,988	5,342
80-84 years	143,487	124,848	15,032	3,607
85+ years	163,300	145,869	14,493	2,938
Total	6,542,815	5,123,092	1,043,804	375,919

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2011 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	161,046	123,123	28,394	9,529
01-04 years	662,360	499,673	119,619	43,068
05-09 years	850,810	647,290	149,463	54,057
10-14 years	872,085	661,287	161,790	49,008
15-19 years	907,302	679,534	178,923	48,845
20-24 years	883,286	668,806	158,184	56,296
25-29 years	903,863	703,293	133,288	67,282
30-34 years	881,251	683,508	129,077	68,666
35-39 years	830,865	641,595	123,163	66,107
40-44 years	874,399	688,082	127,547	58,770
45-49 years	913,177	733,749	130,830	48,598
50-54 years	939,366	762,002	133,990	43,374
55-59 years	831,487	678,440	112,634	40,413
60-64 years	708,338	583,662	90,052	34,624
65-69 years	498,868	412,533	61,721	24,614
70-74 years	374,012	310,120	47,135	16,757
75-79 years	289,412	244,085	35,117	10,210
80-84 years	234,875	205,183	23,404	6,288
85+ years	241,923	215,827	21,110	4,986
Total	12,858,725	10,141,792	1,965,441	751,492
<b>2011 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	82,525	63,098	14,496	4,931
01-04 years	337,289	254,956	60,594	21,739
05-09 years	434,580	331,919	75,623	27,038
10-14 years	444,759	338,317	81,944	24,498
15-19 years	465,939	349,430	91,283	25,226
20-24 years	448,649	342,255	77,554	28,840
25-29 years	454,199	358,031	63,336	32,832
30-34 years	440,968	347,942	59,828	33,198
35-39 years	414,754	326,370	56,115	32,269
40-44 years	434,701	347,719	58,582	28,400
45-49 years	451,075	367,575	60,203	23,297
50-54 years	460,749	379,070	61,198	20,481
55-59 years	403,907	335,432	49,787	18,688
60-64 years	339,152	284,403	38,737	16,012
65-69 years	233,295	195,515	26,223	11,557
70-74 years	168,082	141,186	19,026	7,870
75-79 years	123,757	105,714	13,531	4,512
80-84 years	92,428	81,656	8,309	2,463
85+ years	76,352	68,509	6,079	1,764
Total	6,307,160	5,019,097	922,448	365,615
<b>2011 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	78,521	60,025	13,898	4,598
01-04 years	325,071	244,717	59,025	21,329
05-09 years	416,230	315,371	73,840	27,019
10-14 years	427,326	322,970	79,846	24,510
15-19 years	441,363	330,104	87,640	23,619
20-24 years	434,637	326,551	80,630	27,456
25-29 years	449,664	345,262	69,952	34,450
30-34 years	440,283	335,566	69,249	35,468
35-39 years	416,111	315,225	67,048	33,838
40-44 years	439,698	340,363	68,965	30,370
45-49 years	462,102	366,174	70,627	25,301
50-54 years	478,617	382,932	72,792	22,893
55-59 years	427,580	343,008	62,847	21,725
60-64 years	369,186	299,259	51,315	18,612
65-69 years	265,573	217,018	35,498	13,057
70-74 years	205,930	168,934	28,109	8,887
75-79 years	165,655	138,371	21,586	5,698
80-84 years	142,447	123,527	15,095	3,825
85+ years	165,571	147,318	15,031	3,222
Total	6,551,565	5,122,695	1,042,993	385,877



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2012 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	158,756	120,506	28,593	9,657
01-04 years	652,243	493,517	116,287	42,439
05-09 years	847,482	644,038	148,422	55,022
10-14 years	864,767	656,118	158,250	50,399
15-19 years	891,247	668,374	172,968	49,905
20-24 years	896,041	672,633	165,384	58,024
25-29 years	893,403	692,605	133,906	66,892
30-34 years	889,628	689,126	129,916	70,586
35-39 years	823,918	636,932	120,396	66,590
40-44 years	872,316	681,532	128,161	62,623
45-49 years	891,380	713,786	127,526	50,068
50-54 years	935,585	757,907	133,342	44,336
55-59 years	851,592	693,625	116,302	41,665
60-64 years	710,013	582,679	91,606	35,728
65-69 years	536,865	445,190	64,883	26,792
70-74 years	387,909	321,470	48,317	18,122
75-79 years	291,855	244,852	35,863	11,140
80-84 years	231,177	201,015	23,494	6,668
85+ years	247,586	220,007	22,046	5,533
Total	12,873,763	10,135,912	1,965,662	772,189
<b>2012 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	80,708	61,234	14,482	4,992
01-04 years	332,643	252,262	58,981	21,400
05-09 years	432,256	329,614	75,030	27,612
10-14 years	441,212	335,758	80,138	25,316
15-19 years	457,391	343,345	88,373	25,673
20-24 years	455,424	344,010	81,757	29,657
25-29 years	448,769	351,990	64,053	32,726
30-34 years	444,975	350,427	60,457	34,091
35-39 years	411,470	323,969	55,071	32,430
40-44 years	433,790	344,817	58,813	30,160
45-49 years	440,910	358,289	58,583	24,038
50-54 years	459,022	377,018	61,061	20,943
55-59 years	413,801	342,895	51,590	19,316
60-64 years	340,366	284,675	39,305	16,386
65-69 years	251,956	211,725	27,641	12,590
70-74 years	174,640	146,692	19,481	8,467
75-79 years	125,533	106,666	13,783	5,084
80-84 years	91,326	80,329	8,361	2,636
85+ years	79,031	70,626	6,460	1,945
Total	6,315,223	5,016,341	923,420	375,462
<b>2012 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	78,048	59,272	14,111	4,665
01-04 years	319,600	241,255	57,306	21,039
05-09 years	415,226	314,424	73,392	27,410
10-14 years	423,555	320,360	78,112	25,083
15-19 years	433,856	325,029	84,595	24,232
20-24 years	440,617	328,623	83,627	28,367
25-29 years	444,634	340,615	69,853	34,166
30-34 years	444,653	338,699	69,459	36,495
35-39 years	412,448	312,963	65,325	34,160
40-44 years	438,526	336,715	69,348	32,463
45-49 years	450,470	355,497	68,943	26,030
50-54 years	476,563	380,889	72,281	23,393
55-59 years	437,791	350,730	64,712	22,349
60-64 years	369,647	298,004	52,301	19,342
65-69 years	284,909	233,465	37,242	14,202
70-74 years	213,269	174,778	28,836	9,655
75-79 years	166,322	138,186	22,080	6,056
80-84 years	139,851	120,686	15,133	4,032
85+ years	168,555	149,381	15,586	3,588
Total	6,558,540	5,119,571	1,042,242	396,727

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2013 Both Sexes</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	156,692	117,860	28,220	10,612
01-04 years	641,517	486,118	113,664	41,735
05-09 years	841,974	638,338	147,990	55,646
10-14 years	858,139	652,004	153,893	52,242
15-19 years	877,277	659,792	166,755	50,730
20-24 years	906,868	675,401	171,643	59,824
25-29 years	887,784	684,295	135,930	67,559
30-34 years	896,996	693,184	130,874	72,938
35-39 years	826,213	639,820	119,282	67,111
40-44 years	862,503	669,652	127,482	65,369
45-49 years	870,545	694,131	124,595	51,819
50-54 years	928,474	750,575	132,005	45,894
55-59 years	868,262	705,800	119,632	42,830
60-64 years	722,947	591,919	93,810	37,218
65-69 years	557,104	460,702	67,654	28,748
70-74 years	408,215	338,710	50,047	19,458
75-79 years	298,032	249,467	36,473	12,092
80-84 years	228,569	197,346	24,081	7,142
85+ years	252,441	223,650	22,695	6,096
Total	12,890,552	10,128,764	1,966,725	795,063
<b>2013 Males</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	79,940	60,212	14,269	5,459
01-04 years	327,010	248,280	57,648	21,082
05-09 years	428,826	326,145	74,757	27,924
10-14 years	437,799	333,634	77,854	26,311
15-19 years	449,723	338,647	85,076	26,000
20-24 years	461,778	345,547	85,660	30,571
25-29 years	447,075	348,223	65,565	33,287
30-34 years	448,306	352,087	60,968	35,251
35-39 years	413,336	325,941	54,833	32,562
40-44 years	428,526	338,846	58,296	31,384
45-49 years	431,203	348,967	57,251	24,985
50-54 years	455,743	373,670	60,432	21,641
55-59 years	422,250	348,994	53,360	19,896
60-64 years	346,581	289,227	40,297	17,057
65-69 years	262,133	219,968	28,700	13,465
70-74 years	184,307	154,970	20,218	9,119
75-79 years	128,855	109,274	14,037	5,544
80-84 years	90,963	79,514	8,580	2,869
85+ years	81,517	72,666	6,714	2,137
Total	6,325,871	5,014,812	924,515	386,544
<b>2013 Females</b>	<b>All Races</b>	<b>White</b>	<b>Black</b>	<b>Asian/Other</b>
00 years	76,752	57,648	13,951	5,153
01-04 years	314,507	237,838	56,016	20,653
05-09 years	413,148	312,193	73,233	27,722
10-14 years	420,340	318,370	76,039	25,931
15-19 years	427,554	321,145	81,679	24,730
20-24 years	445,090	329,854	85,983	29,253
25-29 years	440,709	336,072	70,365	34,272
30-34 years	448,690	341,097	69,906	37,687
35-39 years	412,877	313,879	64,449	34,549
40-44 years	433,977	330,806	69,186	33,985
45-49 years	439,342	345,164	67,344	26,834
50-54 years	472,731	376,905	71,573	24,253
55-59 years	446,012	356,806	66,272	22,934
60-64 years	376,366	302,692	53,513	20,161
65-69 years	294,971	240,734	38,954	15,283
70-74 years	223,908	183,740	29,829	10,339
75-79 years	169,177	140,193	22,436	6,548
80-84 years	137,606	117,832	15,501	4,273
85+ years	170,924	150,984	15,981	3,959
Total	6,564,681	5,113,952	1,042,210	408,519

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1990 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
<b>1990 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
<b>1990 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1991 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
<b>1991 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
<b>1991 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1992 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
<b>1992 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
<b>1992 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1993 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
<b>1993 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
<b>1993 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1994 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
<b>1994 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
<b>1994 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1995 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
<b>1995 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
<b>1995 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1996 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
<b>1996 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
<b>1996 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1997 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
<b>1997 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
<b>1997 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1998 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
<b>1998 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
<b>1998 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>1999 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
<b>1999 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
<b>1999 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2000 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
<b>2000 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
<b>2000 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2001 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
<b>2001 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
<b>2001 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2002 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
<b>2002 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
<b>2002 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2003 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
<b>2003 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
<b>2003 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2004 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
<b>2004 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
<b>2004 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2005 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
<b>2005 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
<b>2005 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2006 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
<b>2006 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
<b>2006 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2007 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
<b>2007 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
<b>2007 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2008 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
<b>2008 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
<b>2008 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2009 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
<b>2009 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
<b>2009 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2010 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	40,987	121,729	85,262	27,657
01-04 years	171,645	499,400	350,657	113,115
05-09 years	207,847	649,596	462,652	142,973
10-14 years	192,969	684,861	488,340	157,142
15-19 years	182,035	738,382	521,292	177,064
20-24 years	168,929	711,484	517,345	145,210
25-29 years	177,724	732,119	545,042	127,366
30-34 years	179,397	689,519	508,478	121,430
35-39 years	167,658	683,805	502,610	122,943
40-44 years	139,953	730,260	558,074	122,635
45-49 years	113,142	823,006	649,639	130,901
50-54 years	91,996	840,424	670,663	130,588
55-59 years	68,028	744,795	600,707	107,686
60-64 years	48,174	624,693	509,701	83,837
65-69 years	30,988	456,840	374,817	60,065
70-74 years	21,281	344,718	283,898	45,947
75-79 years	15,217	273,658	231,091	33,671
80-84 years	9,696	226,137	197,462	22,993
85+ years	6,760	230,245	205,832	20,053
Total	2,034,426	10,805,671	8,263,562	1,893,276
<b>2010 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,961	62,373	43,672	14,190
01-04 years	87,045	254,696	179,540	57,169
05-09 years	106,246	331,364	237,197	72,358
10-14 years	98,437	349,602	250,422	79,584
15-19 years	94,075	378,853	268,219	89,895
20-24 years	90,454	357,807	261,633	71,043
25-29 years	94,372	362,489	273,712	60,105
30-34 years	94,247	341,035	256,254	56,177
35-39 years	87,613	336,863	253,086	55,753
40-44 years	73,626	359,165	278,957	56,376
45-49 years	58,888	402,723	322,387	60,310
50-54 years	47,484	409,424	331,892	59,254
55-59 years	34,714	360,031	295,812	47,551
60-64 years	23,764	298,641	247,919	36,259
65-69 years	14,617	212,740	176,960	25,445
70-74 years	9,656	154,537	129,032	18,533
75-79 years	6,570	116,119	99,391	12,917
80-84 years	4,113	88,233	77,884	8,118
85+ years	2,626	71,079	63,859	5,693
Total	1,049,508	5,247,774	4,047,828	886,730
<b>2010 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,026	59,356	41,590	13,467
01-04 years	84,600	244,704	171,117	55,946
05-09 years	101,601	318,232	225,455	70,615
10-14 years	94,532	335,259	237,918	77,558
15-19 years	87,960	359,529	253,073	87,169
20-24 years	78,475	353,677	255,712	74,167
25-29 years	83,352	369,630	271,330	67,261
30-34 years	85,150	348,484	252,224	65,253
35-39 years	80,045	346,942	249,524	67,190
40-44 years	66,327	371,095	279,117	66,259
45-49 years	54,254	420,283	327,252	70,591
50-54 years	44,512	431,000	338,771	71,334
55-59 years	33,314	384,764	304,895	60,135
60-64 years	24,410	326,052	261,782	47,578
65-69 years	16,371	244,100	197,857	34,620
70-74 years	11,625	190,181	154,866	27,414
75-79 years	8,647	157,539	131,700	20,754
80-84 years	5,583	137,904	119,578	14,875
85+ years	4,134	159,166	141,973	14,360
Total	984,918	5,557,897	4,215,734	1,006,546

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2011 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	39,644	121,402	85,548	27,130
01-04 years	169,431	492,929	345,468	111,385
05-09 years	209,866	640,944	455,882	140,197
10-14 years	195,925	676,160	481,896	153,685
15-19 years	183,826	723,476	510,991	171,558
20-24 years	170,347	712,939	512,768	151,293
25-29 years	176,262	727,601	540,822	126,945
30-34 years	179,179	702,072	517,971	122,869
35-39 years	170,079	660,786	483,805	118,091
40-44 years	145,817	728,582	552,428	123,433
45-49 years	117,334	795,843	624,549	127,496
50-54 years	95,750	843,616	672,755	131,259
55-59 years	72,047	759,440	611,028	110,662
60-64 years	51,797	656,541	535,037	88,650
65-69 years	33,390	465,478	381,183	60,815
70-74 years	22,357	351,655	289,085	46,500
75-79 years	16,036	273,376	228,959	34,660
80-84 years	10,387	224,488	195,391	23,127
85+ years	7,586	234,337	208,666	20,880
Total	2,067,060	10,791,665	8,234,232	1,890,635
<b>2011 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	20,286	62,239	43,895	13,849
01-04 years	85,918	251,371	176,780	56,378
05-09 years	107,400	327,180	233,914	70,921
10-14 years	99,826	344,933	246,893	77,830
15-19 years	94,590	371,349	262,790	87,434
20-24 years	90,596	358,053	259,193	74,091
25-29 years	93,527	360,672	271,631	60,211
30-34 years	94,133	346,835	260,732	56,876
35-39 years	88,781	325,973	243,801	53,698
40-44 years	76,544	358,157	276,389	56,606
45-49 years	61,312	389,763	310,382	58,607
50-54 years	49,466	411,283	332,929	59,901
55-59 years	36,757	367,150	300,959	48,851
60-64 years	25,754	313,398	260,170	38,095
65-69 years	15,765	217,530	180,646	25,831
70-74 years	10,134	157,948	131,682	18,725
75-79 years	7,029	116,728	99,100	13,318
80-84 years	4,387	88,041	77,500	8,200
85+ years	2,948	73,404	65,721	6,004
Total	1,065,153	5,242,007	4,035,107	885,426
<b>2011 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,358	59,163	41,653	13,281
01-04 years	83,513	241,558	168,688	55,007
05-09 years	102,466	313,764	221,968	69,276
10-14 years	96,099	331,227	235,003	75,855
15-19 years	89,236	352,127	248,201	84,124
20-24 years	79,751	354,886	253,575	77,202
25-29 years	82,735	366,929	269,191	66,734
30-34 years	85,046	355,237	257,239	65,993
35-39 years	81,298	334,813	240,004	64,393
40-44 years	69,273	370,425	276,039	66,827
45-49 years	56,022	406,080	314,167	68,889
50-54 years	46,284	432,333	339,826	71,358
55-59 years	35,290	392,290	310,069	61,811
60-64 years	26,043	343,143	274,867	50,555
65-69 years	17,625	247,948	200,537	34,984
70-74 years	12,223	193,707	157,403	27,775
75-79 years	9,007	156,648	129,859	21,342
80-84 years	6,000	136,447	117,891	14,927
85+ years	4,638	160,933	142,945	14,876
Total	1,001,907	5,549,658	4,199,125	1,005,209



Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2012 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	38,424	120,332	84,220	27,232
01-04 years	165,586	486,657	341,279	108,860
05-09 years	212,636	634,846	450,311	138,799
10-14 years	198,540	666,227	474,452	149,971
15-19 years	184,914	706,333	499,020	165,449
20-24 years	173,173	722,868	514,253	158,267
25-29 years	173,091	720,312	533,110	127,665
30-34 years	178,988	710,640	523,824	123,596
35-39 years	171,859	652,059	477,581	115,145
40-44 years	151,675	720,641	540,574	123,839
45-49 years	121,633	769,747	600,586	124,040
50-54 years	99,034	836,551	665,622	130,545
55-59 years	76,778	774,814	621,899	114,168
60-64 years	54,298	655,715	531,686	90,157
65-69 years	36,520	500,345	410,924	63,881
70-74 years	23,632	364,277	299,239	47,656
75-79 years	16,718	275,137	229,107	35,375
80-84 years	10,935	220,242	190,707	23,203
85+ years	8,584	239,002	211,903	21,793
Total	2,097,018	10,776,745	8,200,297	1,889,641
<b>2012 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,298	61,410	43,014	13,809
01-04 years	84,177	248,466	174,884	55,168
05-09 years	108,411	323,845	230,800	70,140
10-14 years	101,073	340,139	243,260	75,956
15-19 years	94,824	362,567	256,615	84,433
20-24 years	91,379	364,045	260,469	78,109
25-29 years	91,569	357,200	267,512	60,961
30-34 years	94,023	350,952	263,340	57,450
35-39 years	89,664	321,806	240,634	52,557
40-44 years	79,320	354,470	271,008	56,737
45-49 years	63,765	377,145	298,784	56,921
50-54 years	51,183	407,839	329,264	59,743
55-59 years	39,228	374,573	306,184	50,575
60-64 years	27,184	313,182	259,093	38,623
65-69 years	17,393	234,563	195,321	27,210
70-74 years	10,688	163,952	136,664	19,167
75-79 years	7,422	118,111	99,698	13,560
80-84 years	4,567	86,759	75,994	8,251
85+ years	3,312	75,719	67,487	6,378
Total	1,078,480	5,236,743	4,020,025	885,748
<b>2012 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,126	58,922	41,206	13,423
01-04 years	81,409	238,191	166,395	53,692
05-09 years	104,225	311,001	219,511	68,659
10-14 years	97,467	326,088	231,192	74,015
15-19 years	90,090	343,766	242,405	81,016
20-24 years	81,794	358,823	253,784	80,158
25-29 years	81,522	363,112	265,598	66,704
30-34 years	84,965	359,688	260,484	66,146
35-39 years	82,195	330,253	236,947	62,588
40-44 years	72,355	366,171	269,566	67,102
45-49 years	57,868	392,602	301,802	67,119
50-54 years	47,851	428,712	336,358	70,802
55-59 years	37,550	400,241	315,715	63,593
60-64 years	27,114	342,533	272,593	51,534
65-69 years	19,127	265,782	215,603	36,671
70-74 years	12,944	200,325	162,575	28,489
75-79 years	9,296	157,026	129,409	21,815
80-84 years	6,368	133,483	114,713	14,952
85+ years	5,272	163,283	144,416	15,415
Total	1,018,538	5,540,002	4,180,272	1,003,893

Illinois Populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

<b>2013 Both Sexes</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	38,462	118,230	82,667	26,539
01-04 years	160,902	480,615	336,883	106,916
05-09 years	213,802	628,172	443,796	138,031
10-14 years	201,461	656,678	467,833	145,384
15-19 years	186,467	690,810	489,034	159,118
20-24 years	175,879	730,989	514,487	164,417
25-29 years	171,051	716,733	526,647	129,722
30-34 years	178,159	718,837	528,818	124,498
35-39 years	173,034	653,179	479,478	113,757
40-44 years	156,017	706,486	524,846	122,938
45-49 years	126,528	744,017	576,262	121,074
50-54 years	102,776	825,698	654,856	129,091
55-59 years	80,917	787,345	630,265	117,338
60-64 years	57,306	665,641	538,160	92,300
65-69 years	39,625	517,479	423,477	66,571
70-74 years	25,019	383,196	315,199	49,344
75-79 years	17,470	280,562	233,031	35,964
80-84 years	11,482	217,087	186,515	23,763
85+ years	9,503	242,938	214,690	22,421
Total	2,125,860	10,764,692	8,166,944	1,889,186
<b>2013 Males</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,457	60,483	42,420	13,430
01-04 years	81,630	245,380	172,541	54,212
05-09 years	108,588	320,238	227,366	69,652
10-14 years	102,640	335,159	239,804	73,546
15-19 years	95,314	354,409	251,479	81,099
20-24 years	91,771	370,007	261,584	81,945
25-29 years	90,627	356,448	264,650	62,481
30-34 years	93,652	354,654	265,513	57,908
35-39 years	90,183	323,153	242,128	52,192
40-44 years	81,330	347,196	263,213	56,140
45-49 years	66,512	364,691	286,853	55,573
50-54 years	53,119	402,624	324,123	59,053
55-59 years	41,410	380,840	310,290	52,262
60-64 years	28,811	317,770	262,160	39,592
65-69 years	19,085	243,048	201,972	28,218
70-74 years	11,364	172,943	144,293	19,895
75-79 years	7,739	121,116	102,015	13,800
80-84 years	4,797	86,166	74,962	8,455
85+ years	3,693	77,824	69,171	6,621
Total	1,091,722	5,234,149	4,006,537	886,074
<b>2013 Females</b>	<b>Hispanic (any race)</b>	<b>Non-Hispanic (any race)</b>	<b>Non-Hispanic White</b>	<b>Non-Hispanic Black</b>
00 years	19,005	57,747	40,247	13,109
01-04 years	79,272	235,235	164,342	52,704
05-09 years	105,214	307,934	216,430	68,379
10-14 years	98,821	321,519	228,029	71,838
15-19 years	91,153	336,401	237,555	78,019
20-24 years	84,108	360,982	252,903	82,472
25-29 years	80,424	360,285	261,997	67,241
30-34 years	84,507	364,183	263,305	66,590
35-39 years	82,851	330,026	237,350	61,565
40-44 years	74,687	359,290	261,633	66,798
45-49 years	60,016	379,326	289,409	65,501
50-54 years	49,657	423,074	330,733	70,038
55-59 years	39,507	406,505	319,975	65,076
60-64 years	28,495	347,871	276,000	52,708
65-69 years	20,540	274,431	221,505	38,353
70-74 years	13,655	210,253	170,906	29,449
75-79 years	9,731	159,446	131,016	22,164
80-84 years	6,685	130,921	111,553	15,308
85+ years	5,810	165,114	145,519	15,800
Total	1,034,138	5,530,543	4,160,407	1,003,112

## **APPENDIX B**

### **SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008**

**SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition\*^**

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
<b>Oral Cavity and Pharynx</b>			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
<b>Digestive System</b>			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
<b>Respiratory System</b>			
Nose, Nasal Cavity and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
<b>Bones and Joints</b>	<b>C400-C419</b>	<b>excluding 9050-9055, 9140, 9590-9992</b>	<b>23000</b>
<b>Soft Tissue Including Heart</b>	<b>C380, C470-C479, C490-C499</b>	<b>excluding 9050-9055, 9140, 9590-9992</b>	<b>24000</b>
<b>Skin Excluding Basal and Squamous</b>			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
<b>Breast</b>	<b>C500-C509</b>	<b>excluding 9050-9055, 9140, 9590-9992</b>	<b>26000</b>
<b>Female Genital System</b>			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
<b>Male Genital System</b>			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
<b>Urinary System</b>			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
<b>Eye and Orbit</b>	<b>C690-C699</b>	<b>excluding 9050-9055, 9140, 9590-9992</b>	<b>30000</b>

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
<b>Brain and Other Nervous System</b>			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719	9530-9539	31040
	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992	
<b>Endocrine System</b>			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine Including Thymus	C379, C740-C749, C750-C759		32020
<b>Lymphoma</b>			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098, C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
<b>Myeloma</b>		<b>9731-9732, 9734</b>	<b>34000</b>
<b>Leukemia</b>			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
<b>Mesothelioma</b>		<b>9050-9055</b>	<b>36010</b>
<b>Kaposi Sarcoma</b>		<b>9140</b>	<b>36020</b>
<b>Miscellaneous</b>		<b>9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992</b>	<b>37000</b>
	<b>C760-C768, C809</b>	<b>excluding 9050-9055, 9140, 9590-9992</b>	
	<b>C420-C424</b>		
	<b>C770-C779</b>		
<b>Invalid</b>	<b>Site or histology code not within valid range or site code not found in this table.</b>		<b>99999</b>

\* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

## **APPENDIX C**

### **SEER Site/Histology Recode Based on ICCC Third Edition and ICD-O-3/WHO 2008**



**Site/Histology Recode Based on International Classification of Childhood Cancer, third Edition (ICCC-3)  
Based on ICD-O-3 / WHO 2008\*^**

**Main Classification Table**

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
<b>I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases</b>					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809	9835-9836	3	001	011
	C420-C421, C424	9811-9818, 9837			
(a.2) Mature B-cell Leukemias	C000-C809	9826, 9832-9833, 9940	3	002	011
	C420-C421, C424	9823			
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809	9831, 9834, 9948	3	003	011
	C420-C421, C424	9827			
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
<b>II Lymphomas and Reticuloendothelial Neoplasms</b>					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809	9727-9729	3	010	022
	C000-C419, C422-C423, C425-C809	9811-9818, 9837			
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970	3	011	022
	C000-C419, C422-C423, C425-C809	9823			
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768	3	012	022
	C000-C419, C422-C423, C425-C809	9827			

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
<b>III CNS and Miscellaneous Intracranial and Intraspinial Neoplasms</b>					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intraspinial Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogliomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intraspinial Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glia Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intraspinial Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
<b>IV Neuroblastoma and Other Peripheral Nervous Cell Tumors</b>					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
<b>V Retinoblastoma</b>	<b>C000-C809</b>	<b>9510-9514</b>	<b>3</b>	<b>035</b>	<b>050</b>
<b>VI Renal tumors</b>					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
<b>VII Hepatic Tumors</b>					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
<b>VIII Malignant Bone Tumors</b>					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
<b>IX Soft Tissue and Other Extrasosseous Sarcomas</b>					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
<b>X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads</b>					
<b>(a) Intracranial and Intraspinial Germ Cell Tumors</b>					
(a.1) Intracranial and Intraspinial Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intraspinial Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intraspinial Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intraspinial Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intraspinial Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intraspinial Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
<b>(b) Malignant Extracranial and Extragonadal Germ Cell Tumors</b>					
(b.1) Malignant Germinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015	3	090	104
	C000-C809	8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809	8590-8671	3	091	105
	C569, C620-C629	8000-8005	3	091	105
<b>XI Other Malignant Epithelial Neoplasms and Malignant Melanomas</b>					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573	3	093	112
	C000-C809	8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
<b>XII Other and Unspecified Malignant Neoplasms</b>					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121



<b>Site Group</b>	<b>ICD-O-3 Site</b>	<b>ICD-O-3 Histology (Type)</b>	<b>ICD-O-3 Behavior</b>	<b>Extended Classification</b>	<b>Main Classification</b>
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

\* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

**APPENDIX D**  
**Formulas for Rates**

## Formulas for Rates

SEER\*Stat software was used to calculate rates. The following are the rate algorithms.

### Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100,000$$

SEER\*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

### Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER\*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[ \left( \frac{count_i}{pop_i} \right) \times 100,000 \times \left( \frac{stdmili}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where count is the number of cases for the  $i^{\text{th}}$  age group,  $pop_i$  is the relevant population for the same age group, and  $stdmili$  is the standard population for the same age group.

### Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

### Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AARate} = \left[ \sum_{i=x}^y \left( \frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left( \frac{count_i}{population_i^2} \right) \right]^{\frac{1}{2}} \times 100,000$$

### Crude Rate Confidence Intervals

The endpoints of a  $p \times 100\%$  confidence interval are calculated as:

$$CI_{low} = \frac{\left( \frac{1}{2} \left( ChiInv \left( \frac{p}{2}, 2 \times count \right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left( \frac{1}{2} \left( ChiInv \left( 1 - \frac{p}{2}, 2 \times (count + 1) \right) \right) \right)}{population} \times 100,000$$

where  $ChiInv(p,n)$  is the inverse of the chi-squared distribution function evaluated at  $p$  and with  $n$  degrees of freedom, and we define  $ChiInv(p,0) = 0$ .

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

#### Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups  $x$  through  $y$ , and let:

$$w_i = \frac{std\bar{r}al_i}{\left( pop_i \times \sum_{j=x}^y std\bar{r}al_j \right)}$$

$$v = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a  $p \times 100\%$  confidence interval are calculated as:

$$CI_{low} = \left( \frac{v}{2 \times rate} \right) \times \left( ChiInv \left( \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left( \frac{v}{2 \times rate} \right) \times \left( ChiInv \left( 1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.