

**Illinois County
Cancer Statistics Review
Incidence, 1999-2003**

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, IL 62761

April 2006

Prepared by

Melinda Lehnerr, R.N.
Assistant Division Chief

Tiefu Shen, M.D., Ph.D.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number U55/CCU521913-04 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Lehnerr, M.L., Shen, T. Illinois County Cancer Statistics Review Incidence, 1999-2003. Epidemiologic Report Series 06:02. Springfield, Ill.: Illinois Department of Public Health, April 2006.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

**ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 1999 - 2003**

TABLE OF CONTENTS

OVERVIEW AND TECHNICAL NOTES 1

SECTION I.

Sex-specific Cancer Incidence by County, Illinois, 1999 – 2003 7

- All Sites Combined 9**
- Colon and Rectum 13**
- Lung and Bronchus 17**
- Female Breast 21**
- Cervix 24**
- Prostate 27**

SECTION II.

**Percent Distribution of Stage at Diagnosis by Race and County,
Illinois, 1999 – 2003 31**

- Colon and Rectum 32**
- Female Breast 36**
- Cervix 40**
- Prostate 44**

SECTION III.

County-specific Cancer Incidence Rate, Illinois, 1999 – 2003 49

County-specific Cancer Incidence, All Races, Illinois, 1999 – 2003 51

- All Illinois Counties 51**
- Adams County 52**
- Alexander County 53**
- Bond County 54**
- Boone County 55**
- Brown County 56**
- Bureau County 57**
- Calhoun County 58**
- Carroll County 59**
- Cass County 60**
- Champaign County 61**
- Christian County 62**

Clark County	63
Clay County	64
Clinton County	65
Coles County	66
Cook County	67
Crawford County	68
Cumberland County	69
DeKalb County	70
DeWitt County	71
Douglas County	72
DuPage County	73
Edgar County	74
Edwards County	75
Effingham County	76
Fayette County	77
Ford County	78
Franklin County	79
Fulton County	80
Gallatin County	81
Greene County	82
Grundy County	83
Hamilton County	84
Hancock County	85
Hardin County	86
Henderson County	87
Henry County	88
Iroquois County	89
Jackson County	90
Jasper County	91
Jefferson County	92
Jersey County	93
Jo Daviess County	94
Johnson County	95
Kane County	96
Kankakee County	97
Kendall County	98
Knox County	99
Lake County	100
LaSalle County	101
Lawrence County	102
Lee County	103
Livingston County	104
Logan County	105
McDonough County	106
McHenry County	107
McLean County	108
Macon County	109
Macoupin County	110
Madison County	111
Marion County	112
Marshall County	113

Mason County	114
Massac County	115
Menard County	116
Mercer County	117
Monroe County	118
Montgomery County	119
Morgan County	120
Moultrie County	121
Ogle County	122
Peoria County	123
Perry County	124
Piatt County	125
Pike County	126
Pope County	127
Pulaski County	128
Putnam County	129
Randolph County	130
Richland County	131
Rock Island County	132
St. Clair County	133
Saline County	134
Sangamon County	135
Schuyler County	136
Scott County	137
Shelby County	138
Stark County	139
Stephenson County	140
Tazewell County	141
Union County	142
Vermilion County	143
Wabash County	144
Warren County	145
Washington County	146
Wayne County	147
White County	148
Whiteside County	149
Will County	150
Williamson County	151
Winnebago County	152
Woodford County	153
County-specific Cancer Incidence, Whites, Illinois, 1999 – 2003	154
All Illinois Counties	154
Champaign County	155
Cook County	156
DuPage County	157
Kane County	158
Kankakee County	159
Lake County	160
Macon County	161
Madison County	162

Peoria County	163
Rock Island County	164
St. Clair County	165
Sangamon County	166
Vermilion County	167
Will County	168
Winnebago County	169
County-specific Cancer Incidence, Blacks, Illinois, 1998 – 2002	170
All Illinois Counties	170
Champaign County	171
Cook County	172
DuPage County	173
Kane County	174
Kankakee County	175
Lake County	176
Macon County	177
Madison County	178
Peoria County	179
Rock Island County	180
St. Clair County	181
Sangamon County	182
Vermilion County	183
Will County	184
Winnebago County	185
Appendix A. Illinois County Population Totals, 1999 – 2003	188
Appendix B. Formulas for Rates	226

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 1999 – 2003

OVERVIEW

This report presents cancer incidence occurring in Illinois' 102 counties for 1999 through 2003. The first two sections of the report include tables designed to facilitate county comparisons. Data for all races are presented for all counties. Cancer incidence data for whites and blacks are included for the 15 counties that have sufficiently large black populations to allow meaningful statistics for the race group. County-specific tables with expanded cancer sites are included in Section III. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals are presented for all sites combined, colon and rectum, and lung and bronchus by sex category and for female breast, cervix and prostate. These sites were chosen based on two considerations: the need to facilitate evaluation of various cancer prevention and control programs and sufficient numbers to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant and unstaged for cancers of the colon and rectum (both sexes) and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant and unstaged stage categories.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented including all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 1999 – 2003. Data for female breast cancer diagnosed in the *in situ* stage that correlates highly with mammography screening usage also are reported in these tables. These tables contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals for each cancer site by sex category for all races. For the 15 counties with large black populations, tables in the same format are presented for whites and blacks.

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Newly diagnosed cancer cases among Illinois residents are reported to ISCR by the health care facilities where the cancer is diagnosed and treated. Central cancer registries and facilities in other states also report data to ISCR on Illinois residents diagnosed and treated for cancer in their states. Most out-of-state cases come from

Florida, Indiana, Iowa, Kentucky, Minnesota (Mayo Clinic), Missouri (state registry and St. Louis Barnes/Jewish Hospital) and Wisconsin. In addition, data exchange agreements are in effect with Arkansas, California, Michigan, Mississippi, North Carolina, Washington and Wyoming. For data used in this publication, almost 6 percent of ISCR cases are reported from out-of-state agencies and organizations.¹ A death certificate clearance process involving active follow back of cancer deaths in an effort to identify missed cases has served as an additional means of case identification since August 1993.

The preparation and release of this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. For this report, the database files reflect the status of ISCR as November 2005.

Population Estimates

For 1999 through 2003, estimates of Illinois' resident populations of all races, whites, blacks, and Asian/other races were provided by NCI's SEER program. The methodology for these estimates is available at the following Web site: www.seer.cancer.gov/popdata/methods.pdf. These population estimates are displayed in Appendix A.

Definitions

Cancer Incidence Sites

Although cases diagnosed in 1999 and 2000 were reported with The *International Classification of Diseases for Oncology* version 2 (ICD-O-2) codes², and cases diagnosed in 2001 to 2003, were reported with version 3 (ICD-O-3) codes³, all cases were converted to version 3 codes and grouped according to sites group definitions established by the SEER program of the National Cancer Institute (NCI) and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.⁴⁻⁸ Beginning with last year's report and continued this year, both Kaposi sarcoma and mesothelioma were classified as separate site groups. This change has a slight impact on cancer incidence rates for a few specific cancers, compared to using the previous site grouping method.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat[®] software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 1999 – 2003. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95 percent level. The formulas for rate calculations are displayed in Appendix B.

Race Categories

The race-specific categories in this report are all races for all 102 counties. Data for whites and blacks are presented for 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will and Winnebago) with sufficient black population estimates and annual cancer incidence for blacks to allow meaningful statistics. Cases reported as “other” or “unknown” race are included in the “all races” category.

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for 1996 through 2003.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2005, ISCR quality control data for the diagnosis years considered in this report (1999 – 2003) are as follow:

Year	Completeness (NAACCR Method) (%) (As of 11-05)	Pass EDITS (%)	DCO (%)	Unresolved Duplicate (per 1,000)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1999-2003	100	100	2.2	0.02	0.0	0.0	0.0	1.5

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences may instead be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 1999 – 2003 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. However, counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances exceeds 25 percent. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.
- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95 percent probability where the “true” rate for the county or the state actually falls. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.⁹
- Population estimates used for denominators may lack precision. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 1990 or 2000 census population counts.

REFERENCES

1. Lehnherr, M. and Havener, L.A.. Assessment of interstate exchange of cancer data, 1986 – 1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.
2. Percy, C.; Van Holten, V. and Muir, C. (eds). *International Classification of Diseases for Oncology*. 2nd edition. Geneva: World Health Organization, 1990.
3. Fritz, A.; Percy, C.; Jack, A; Shanmugaratnam, K.; Sobin, L.; Parkin, D.M. and Whelan, S. (eds). *International Classification of Diseases for Oncology*. 3rd edition. Geneva: World Health Organization, 2000.
4. Havener, L. and Hultstrom, D. (eds). *Standards for Cancer Registries, Vol II, Data Standards and Data Dictionary*. Version 11, Tenth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
5. NAACCR (North American Association of Central Cancer Registries). *Standards for Cancer Registries, Vol III, Standards for Completeness, Quality, Analysis and Management of Data*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
6. Ellison, J.H.; Wu, X.C.; Howe, H.L.; McLaughlin, C.; Lake, A.; Firth, R.; Roney, D.; Sullivan, S.; Cormier, M.; Leonfellner, S. and Kosary, C. (eds). *Cancer in North America, 1999-2003. Volume One: Incidence*. Springfield, Ill.: North American Association of Central Cancer Registries, April 2005.
7. Ellison, J.H.; Wu, X.C.; Howe, H.L.; McLaughlin, C.; Lake, A.; Firth, R.; Roney, D.; Sullivan, S.; Cormier, M.; Leonfellner, S. and Kosary, C. (eds). *Cancer in North America, 1999-2003. Volume Two: Mortality*. Springfield, Ill.: North American Association of Central Cancer Registries, April 2005.
8. Ries, L.A.G.; Eisner, M.P.; Kosary, C.L.; Hankey, B.F.; Miller, B.A.; Clegg, L.; Mariotto, A.; Feuer, E.J. and Edwards, B.K. (eds). *SEER Cancer Statistics Review, 1975-2002*, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2002, 2005.
9. Schenke, N. and Gentleman, J.F.. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I.

Sex-specific Cancer Incidence by County, Illinois, 1999-2003

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1999-2003**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	295,142	486.4	484.6	488.1	150,332	580.9	577.9	583.9	144,810	425.5	423.3	427.7
Adams	2,053	483.1	462.0	505.1	1,114	599.3	564.5	635.9	939	404.7	378.1	432.9
Alexander	283	492.2	435.9	554.6	153	624.2	529.0	732.4	130	405.6	337.0	487.0
Bond	511	523.9	479.3	572.1	283	653.4	578.6	736.2	228	456.9	397.9	523.4
Boone	910	462.0	432.3	493.2	481	558.6	508.2	613.4	429	404.4	366.9	444.8
Brown	134	388.3	324.6	463.8	74	473.3	369.0	602.5	60	341.2	256.4	453.1
Bureau	1,163	511.0	481.5	542.2	600	610.6	562.5	662.2	563	452.5	414.0	494.3
Calhoun	158	462.7	391.8	546.7	82	492.8	391.0	620.4	76	450.7	350.8	579.5
Carroll	562	502.3	460.8	547.3	281	540.8	478.9	610.0	281	479.8	423.2	543.9
Cass	410	511.6	462.9	564.4	211	601.0	522.3	688.5	199	452.2	389.9	522.8
Champaign	3,502	485.7	469.7	502.1	1,783	571.9	545.4	599.6	1,719	426.7	406.6	447.6
Christian	1,168	538.3	507.4	570.7	633	677.3	625.4	732.7	535	442.9	404.5	484.7
Clark	515	483.1	441.6	528.0	272	579.3	512.2	653.9	243	415.9	363.4	475.4
Clay	450	480.5	435.9	529.0	245	604.5	530.9	686.5	205	397.8	342.1	461.6
Clinton	857	440.4	411.3	471.2	472	552.0	502.9	605.1	385	364.0	327.9	403.5
Coles	1,323	506.4	479.3	534.8	676	602.2	557.5	649.8	647	445.0	410.5	482.0
Cook	121,691	479.9	477.2	482.6	61,217	577.5	572.8	582.1	60,474	418.3	415.0	421.7
Crawford	616	499.0	460.0	541.0	323	586.9	524.5	656.0	293	449.1	397.3	506.9
Cumberland	310	477.0	424.9	534.5	162	580.4	493.8	679.6	148	415.9	349.5	493.4
DeKalb	1,726	479.9	457.4	503.3	844	546.4	509.7	585.2	882	440.9	411.9	471.4
DeWitt	468	472.5	430.3	518.1	249	575.1	505.5	652.8	219	406.0	352.5	466.5
Douglas	549	474.8	435.6	517.0	279	553.7	490.3	623.9	270	422.3	371.9	478.4
DuPage	19,259	475.0	468.2	481.8	9,401	549.7	538.3	561.4	9,858	430.4	421.9	439.1
Edgar	529	426.4	390.3	465.6	281	537.4	476.3	604.8	248	359.1	313.6	410.6
Edwards	208	462.8	400.9	533.2	108	537.5	440.4	652.3	100	409.9	330.0	507.3
Effingham	916	503.8	471.6	537.8	530	672.9	616.7	733.1	386	381.6	343.7	422.9
Fayette	490	387.4	353.6	423.9	274	493.9	436.9	556.7	216	315.1	273.2	362.7
Ford	438	471.1	426.7	519.7	212	538.8	468.3	618.5	226	439.3	380.4	506.7
Franklin	1,360	528.2	500.0	557.8	716	646.7	599.9	696.5	644	451.0	415.3	489.5
Fulton	1,181	475.5	448.3	504.2	643	582.1	537.9	629.4	538	408.8	373.4	447.3
Gallatin	213	509.9	441.8	587.4	113	612.3	502.5	742.2	100	436.2	351.5	540.8
Greene	464	509.4	463.2	559.6	245	614.3	539.4	697.7	219	435.9	377.6	502.1
Grundy	1,015	532.9	500.5	566.8	500	593.6	542.2	649.1	515	494.6	452.5	539.9
Hamilton	257	434.4	381.6	493.9	150	584.4	493.9	689.3	107	336.0	272.2	414.2
Hancock	631	479.6	442.2	519.8	354	617.1	554.2	686.1	277	385.8	339.7	438.0
Hardin	168	519.6	443.0	609.1	98	669.7	542.3	824.5	70	394.6	305.1	512.4
Henderson	240	455.1	398.9	519.5	119	503.5	415.5	608.9	121	432.9	357.8	524.6
Henry	1,513	490.4	465.7	516.2	802	594.3	553.7	637.4	711	421.0	389.7	454.5
Iroquois	967	477.1	447.0	509.1	531	587.4	538.2	640.5	436	398.3	360.1	440.4
Jackson	1,195	472.9	446.3	500.8	639	588.5	543.4	636.6	556	394.6	361.8	429.8
Jasper	316	520.9	464.4	583.4	174	644.9	552.5	750.0	142	425.8	356.7	507.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1999-2003**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1,133	489.2	460.9	518.9	619	607.0	560.0	657.1	514	408.1	372.6	446.6
Jersey	525	434.8	398.3	474.2	265	488.7	431.2	552.7	260	397.7	350.2	450.9
Jo Daviess	766	507.0	471.3	545.3	406	574.1	518.9	634.5	360	455.6	408.4	508.2
Johnson	371	534.6	481.3	593.1	200	603.9	521.7	696.9	171	499.7	426.2	584.7
Kane	7,699	477.6	466.8	488.6	3,841	555.8	537.5	574.7	3,858	426.0	412.5	439.9
Kankakee	2,846	533.9	514.5	554.0	1,488	638.0	605.7	671.9	1,358	463.5	439.0	489.1
Kendall	1,200	503.4	474.7	533.4	601	573.2	526.0	624.2	599	456.2	420.0	494.9
Knox	1,702	488.6	465.3	512.9	836	546.5	510.0	585.2	866	451.3	420.5	484.2
Lake	13,007	493.6	485.0	502.3	6,408	553.9	539.7	568.4	6,599	454.4	443.4	465.6
LaSalle	3,383	508.7	491.5	526.4	1,770	604.8	576.8	633.7	1,613	445.3	423.1	468.5
Lawrence	482	459.5	418.2	504.6	235	517.8	453.4	590.1	247	431.9	376.2	495.5
Lee	1,020	506.4	475.7	538.8	540	592.8	543.6	645.8	480	445.3	405.7	488.4
Livingston	1,094	489.0	460.2	519.3	547	564.2	517.9	613.7	547	442.1	404.8	482.4
Logan	882	508.2	474.9	543.5	467	629.0	573.1	689.2	415	428.3	386.9	473.8
McDonough	784	465.6	432.9	500.4	395	549.3	496.2	607.2	389	416.5	374.2	463.1
McHenry	5,256	499.5	485.8	513.5	2,698	593.6	570.1	617.9	2,558	436.9	419.9	454.5
McLean	3,032	485.5	468.3	503.2	1,536	577.0	547.9	607.3	1,496	424.8	403.3	447.1
Macon	3,646	555.4	537.4	573.9	2,024	714.0	683.0	746.2	1,622	446.5	424.7	469.4
Macoupin	1,515	498.9	473.7	525.3	792	591.7	551.1	634.8	723	432.5	400.3	467.1
Madison	6,973	492.6	481.0	504.3	3,595	591.9	572.6	611.9	3,378	427.1	412.6	442.0
Marion	1,402	553.5	524.5	583.9	753	695.3	646.4	747.2	649	461.1	425.1	499.8
Marshall	434	495.5	449.1	546.5	231	586.1	512.6	669.0	203	439.7	378.7	510.4
Mason	545	542.8	497.6	591.6	305	662.9	590.2	743.2	240	447.9	391.1	512.0
Massac	454	475.3	431.9	522.3	248	606.8	533.3	688.3	206	393.8	340.0	455.1
Menard	305	451.7	402.0	506.8	158	530.4	449.8	622.9	147	394.1	331.9	466.9
Mercer	491	475.9	434.5	521.0	258	544.8	480.1	617.0	233	424.1	370.2	485.1
Monroe	721	487.5	452.5	524.7	387	597.6	538.7	662.2	334	406.2	363.3	453.5
Montgomery	973	524.4	491.4	559.3	498	619.2	565.9	676.5	475	468.9	425.7	516.1
Morgan	1,002	474.5	445.3	505.3	502	548.8	501.7	599.4	500	431.2	393.2	472.6
Moultrie	419	458.1	414.3	505.9	210	539.7	469.0	619.3	209	416.4	358.8	482.3
Ogle	1,298	472.0	446.6	498.6	668	536.1	495.9	579.0	630	429.8	396.6	465.4
Peoria	5,175	522.9	508.7	537.4	2,612	619.9	596.2	644.3	2,563	462.3	444.3	481.0
Perry	589	436.3	401.5	473.7	325	555.8	496.8	620.4	264	364.6	320.4	414.4
Piatt	460	467.7	425.6	513.5	250	568.1	499.3	645.0	210	387.5	335.5	447.2
Pike	548	468.1	428.7	510.9	299	577.4	513.4	648.2	249	392.1	342.2	448.9
Pope	76	263.5	206.7	337.4	40	299.6	212.2	422.5	36	229.5	158.9	338.0
Pulaski	194	431.2	371.7	499.4	109	581.5	476.6	706.2	85	332.6	262.6	419.3
Putnam	193	517.0	446.1	598.2	108	633.4	518.3	769.8	85	436.7	347.0	548.1
Randolph	922	476.3	445.8	508.7	502	592.2	541.4	646.9	420	394.9	356.5	437.1
Richland	479	473.6	431.4	519.4	276	620.2	548.7	699.3	203	369.7	318.5	428.2
Rock Island	4,236	498.3	483.3	513.6	2,236	602.1	577.3	627.8	2,000	426.7	407.8	446.3

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1999-2003**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	6,802	528.1	515.6	540.8	3,469	639.1	617.8	661.0	3,333	454.6	439.1	470.5
Saline	850	476.7	444.6	510.9	458	624.6	568.5	685.3	392	381.2	342.6	424.0
Sangamon	5,042	497.8	484.1	511.8	2,500	590.3	567.1	614.2	2,542	441.5	424.3	459.3
Schuyler	206	423.0	366.1	488.5	113	522.4	429.8	632.8	93	356.9	285.4	446.5
Scott	151	443.9	375.2	523.6	70	470.1	365.8	598.8	81	446.0	351.6	562.1
Shelby	638	432.0	398.7	467.9	372	559.0	503.3	619.9	266	342.4	301.1	389.0
Stark	197	472.4	406.8	547.6	107	583.7	477.5	710.3	90	409.0	323.7	514.5
Stephenson	1,311	444.7	420.7	469.9	673	525.6	486.5	567.3	638	393.9	363.0	427.1
Tazewell	3,824	521.7	505.3	538.6	2,023	624.5	597.4	652.7	1,801	453.4	432.5	475.3
Union	513	443.3	405.2	484.7	272	532.3	470.5	601.0	241	379.2	331.0	433.8
Vermilion	2,479	500.4	480.8	520.7	1,278	588.1	556.1	621.7	1,201	446.8	421.3	473.7
Wabash	396	511.7	461.9	566.1	214	636.0	553.4	728.6	182	431.5	369.1	503.2
Warren	595	529.6	487.4	575.1	302	621.0	552.5	696.6	293	477.6	422.6	539.0
Washington	493	534.8	488.0	585.5	262	626.8	553.0	708.9	231	477.0	415.5	546.5
Wayne	504	437.8	399.6	479.3	255	523.7	460.9	593.4	249	386.8	337.9	442.3
White	515	472.3	431.2	517.2	262	539.2	475.4	610.9	253	429.4	374.8	492.0
Whiteside	1,724	477.1	454.7	500.5	903	565.7	529.3	604.1	821	417.9	389.0	448.5
Will	10,195	495.4	485.6	505.3	5,296	598.4	581.5	615.7	4,899	425.9	413.9	438.1
Williamson	1,851	488.5	466.4	511.6	990	606.2	568.8	645.6	861	410.4	382.6	440.0
Winnebago	6,975	488.2	476.8	499.8	3,459	559.4	540.7	578.7	3,516	443.5	428.9	458.6
Woodford	930	463.7	434.0	495.2	492	565.8	516.6	618.6	438	402.0	364.1	443.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, All Sites, 1999-2003**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	248,198	480.2	478.3	482.0	125,692	565.1	562.0	568.3	122,506	426.6	424.2	429.1
Champaign	3,114	483.3	466.4	500.7	1,577	563.0	535.3	591.8	1,537	430.1	408.6	452.5
Cook	86,938	470.8	467.6	473.9	43,290	552.7	547.5	558.0	43,648	421.6	417.6	425.6
DuPage	17,806	479.9	472.8	487.1	8,703	555.5	543.6	567.6	9,103	435.2	426.3	444.4
Kane	7,071	465.9	454.9	477.0	3,529	541.8	523.3	560.9	3,542	415.7	401.9	429.8
Kankakee	2,461	520.3	499.9	541.4	1,276	615.4	581.7	650.7	1,185	457.8	431.8	485.2
Lake	11,748	489.5	480.5	498.6	5,729	541.1	526.6	556.0	6,019	457.6	446.0	469.4
Macon	3,300	552.3	533.4	571.7	1,803	693.3	661.4	726.4	1,497	456.5	433.0	481.1
Madison	6,542	487.1	475.3	499.1	3,355	580.3	560.7	600.6	3,187	426.1	411.2	441.4
Peoria	4,550	511.0	496.2	526.3	2,279	598.9	574.5	624.2	2,271	458.1	438.9	478.0
Rock Island	3,836	477.6	462.5	493.1	1,980	564.3	539.6	589.9	1,856	419.1	399.8	439.3
St. Clair	5,142	516.8	502.7	531.2	2,654	619.7	596.2	644.0	2,488	448.2	430.4	466.6
Sangamon	4,685	495.8	481.6	510.3	2,326	586.0	562.2	610.6	2,359	441.0	423.1	459.5
Vermilion	2,266	491.5	471.2	512.5	1,157	571.2	538.5	605.5	1,109	442.7	416.3	470.6
Will	9,046	488.2	478.0	498.5	4,634	579.1	561.7	596.9	4,412	428.0	415.4	441.0
Winnebago	6,359	482.8	471.0	494.9	3,137	549.1	529.9	568.9	3,222	442.7	427.4	458.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Blacks, All Sites, 1999-2003**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	37,165	513.2	507.9	518.5	19,125	657.9	648.1	667.7	18,040	420.3	414.1	426.5
Champaign	302	543.8	482.0	612.4	164	723.0	606.7	864.3	138	423.4	354.3	502.9
Cook	29,571	510.5	504.6	516.4	15,140	657.4	646.6	668.4	14,431	416.9	410.1	423.8
DuPage	352	525.4	456.9	604.1	160	574.6	462.0	719.1	192	478.5	396.4	577.3
Kane	339	559.8	493.7	634.2	168	652.1	537.1	795.0	171	497.9	418.2	590.9
Kankakee	347	621.9	557.0	693.1	185	781.7	670.0	910.2	162	506.7	430.8	593.5
Lake	670	493.5	454.7	535.3	335	572.1	506.2	647.0	335	436.1	388.9	488.2
Macon	318	551.8	491.5	618.3	204	906.6	778.8	1059.0	114	322.3	265.1	389.4
Madison	318	486.8	434.2	544.4	164	629.3	533.7	740.3	154	390.6	330.7	458.7
Peoria	518	595.6	543.8	651.7	269	756.2	664.1	859.7	249	487.5	427.3	554.4
Rock Island	178	462.4	394.7	540.6	101	605.5	480.8	762.5	77	365.2	287.4	459.9
St. Clair	1,546	550.7	523.4	579.2	753	677.8	628.9	730.2	793	469.5	437.2	503.6
Sangamon	291	497.1	439.8	560.6	149	640.9	535.3	766.0	142	404.0	339.0	478.4
Vermilion	164	556.7	474.4	649.6	89	693.3	554.5	862.3	75	463.5	364.1	582.5
Will	782	496.7	459.1	537.2	440	658.8	589.4	736.5	342	378.3	336.4	424.8
Winnebago	477	509.1	462.6	559.9	252	638.5	557.7	732.1	225	413.9	359.9	474.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	35,671	58.7	58.1	59.4	17,960	71.1	70.1	72.2	17,711	49.8	49.1	50.6
Adams	248	55.2	48.4	62.9	119	64.3	53.2	77.3	129	48.3	39.9	58.3
Alexander	43	73.6	53.0	100.6	20	82.0	50.0	127.8	23	66.5	41.3	105.5
Bond	67	67.4	52.2	86.3	34	79.4	54.7	112.4	33	62.0	42.2	89.7
Boone	124	64.3	53.5	76.8	77	95.4	74.6	120.9	47	43.6	32.0	58.2
Brown	21	62.5	38.5	99.8	12	81.7	41.5	149.9	9	48.6	21.8	106.9
Bureau	163	67.2	57.1	78.9	82	83.4	66.2	104.1	81	53.7	42.1	68.6
Calhoun	20	55.4	33.5	92.1	10	61.0	29.0	123.5	10	51.4	23.9	113.1
Carroll	68	56.1	43.4	72.5	34	64.3	44.4	92.0	34	49.0	33.5	72.5
Cass	53	62.1	46.4	81.9	28	80.9	53.7	117.5	25	48.3	31.0	74.1
Champaign	364	50.5	45.5	56.0	179	59.1	50.7	68.7	185	43.9	37.7	50.8
Christian	172	76.4	65.2	89.2	93	101.3	81.7	124.5	79	59.0	46.1	75.2
Clark	66	60.4	46.5	77.9	34	72.1	49.8	102.3	32	51.6	34.7	75.8
Clay	76	79.4	62.0	100.8	43	106.3	76.8	144.6	33	60.5	40.6	89.0
Clinton	131	66.9	55.9	79.6	67	79.2	61.2	101.4	64	58.8	45.0	76.0
Coles	166	61.9	52.8	72.4	78	70.5	55.7	88.4	88	56.1	44.7	70.1
Cook	14,606	57.8	56.9	58.8	7,292	70.6	69.0	72.3	7,314	48.9	47.8	50.1
Crawford	92	71.9	57.8	89.1	38	70.3	49.7	98.2	54	74.3	55.1	99.6
Cumberland	43	62.5	45.0	85.4	20	70.0	42.6	110.8	23	54.9	33.9	87.2
DeKalb	196	54.8	47.3	63.1	87	57.8	46.2	71.6	109	52.5	43.0	63.5
DeWitt	55	54.8	41.2	72.0	30	69.4	46.7	100.5	25	42.3	27.1	64.8
Douglas	78	65.0	51.3	81.7	39	76.9	54.6	106.3	39	54.1	38.1	75.9
DuPage	2,069	52.4	50.2	54.7	1,038	63.1	59.2	67.3	1,031	45.2	42.4	48.1
Edgar	57	43.7	32.9	57.5	26	50.0	32.7	74.1	31	40.9	27.2	61.0
Edwards	29	67.7	44.9	99.7	14	76.0	41.3	130.9	15	54.2	29.6	97.9
Effingham	126	66.9	55.7	79.9	63	80.5	61.8	103.3	63	56.7	43.2	73.5
Fayette	75	58.1	45.6	73.4	34	62.3	43.0	87.8	41	57.4	40.7	79.8
Ford	80	76.7	60.4	97.3	37	93.3	65.6	130.7	43	69.3	48.9	98.1
Franklin	203	76.0	65.7	87.8	95	87.0	70.3	106.9	108	69.9	56.7	85.9
Fulton	147	57.0	48.0	67.5	79	71.3	56.5	89.5	68	47.7	36.7	62.0
Gallatin	33	84.2	57.2	121.8	10	54.2	25.5	105.7	23	108.2	66.8	172.1
Greene	68	72.8	56.2	93.4	36	90.1	63.0	126.1	32	60.1	40.3	88.3
Grundy	130	68.6	57.3	81.5	65	80.1	61.6	102.8	65	60.1	46.3	77.2
Hamilton	40	62.0	44.1	87.0	22	82.5	51.6	128.8	18	51.5	29.7	89.4
Hancock	84	61.0	48.5	76.5	44	75.8	55.0	103.0	40	48.7	34.1	69.7
Hardin	28	86.7	57.4	130.2	18	128.6	75.9	212.0	10	57.4	27.3	121.5
Henderson	33	61.4	42.2	89.6	17	69.2	40.0	117.9	16	53.0	29.9	95.3
Henry	188	58.0	50.0	67.3	89	66.9	53.7	82.7	99	51.4	41.4	63.6
Iroquois	154	71.5	60.5	84.3	80	88.3	70.0	110.9	74	58.0	45.1	74.7
Jackson	169	66.4	56.8	77.4	85	78.2	62.4	97.1	84	55.1	43.7	68.9
Jasper	48	76.6	56.3	103.3	25	92.6	59.9	138.8	23	65.7	41.1	104.1

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	161	66.2	56.3	77.5	86	84.8	67.8	105.0	75	50.8	39.7	64.9
Jersey	69	55.9	43.4	71.3	41	75.5	54.0	103.8	28	40.3	26.6	60.1
Jo Daviess	100	64.7	52.5	79.5	42	58.4	41.9	80.5	58	66.4	50.2	88.3
Johnson	40	58.1	41.5	80.4	17	53.7	30.9	88.6	23	62.0	39.2	97.0
Kane	877	57.1	53.3	61.1	444	68.5	62.0	75.6	433	48.6	44.1	53.5
Kankakee	325	60.6	54.2	67.6	172	75.2	64.3	87.8	153	49.1	41.5	57.7
Kendall	140	62.8	52.7	74.4	72	74.6	57.6	95.8	68	54.6	42.3	69.6
Knox	212	57.7	50.1	66.4	94	62.3	50.3	76.6	118	53.5	43.9	65.0
Lake	1,406	56.4	53.4	59.4	731	66.9	61.8	72.2	675	48.4	44.8	52.3
LaSalle	448	64.3	58.5	70.7	246	83.8	73.7	95.1	202	48.7	41.9	56.4
Lawrence	66	58.8	45.0	76.6	34	75.6	52.2	107.2	32	46.3	30.5	70.6
Lee	132	64.2	53.7	76.5	60	66.9	51.0	86.8	72	61.4	47.8	78.6
Livingston	142	59.4	49.9	70.4	69	71.2	55.4	90.3	73	51.4	39.9	65.8
Logan	125	68.6	56.9	82.2	72	97.1	76.0	122.8	53	46.9	34.7	63.1
McDonough	111	62.1	50.9	75.5	45	62.1	45.3	84.0	66	63.5	48.5	83.0
McHenry	605	60.7	55.9	65.8	328	74.6	66.3	83.8	277	49.1	43.4	55.3
McLean	358	57.9	52.1	64.3	188	71.9	61.9	83.4	170	46.4	39.6	54.0
Macon	426	63.1	57.3	69.5	219	78.0	67.9	89.3	207	52.6	45.6	60.7
Macoupin	228	71.5	62.4	81.8	120	89.0	73.8	106.8	108	55.8	45.3	68.5
Madison	901	62.7	58.7	67.0	461	77.9	70.9	85.5	440	52.6	47.7	57.9
Marion	171	63.1	53.9	73.8	79	74.1	58.6	92.6	92	56.7	45.2	70.8
Marshall	55	59.2	44.4	78.8	29	74.5	49.8	109.5	26	50.0	32.1	78.1
Mason	72	68.8	53.7	87.6	43	93.3	67.4	127.2	29	47.3	31.3	70.9
Massac	54	54.8	40.9	72.5	28	69.7	46.2	101.7	26	48.1	30.9	73.3
Menard	40	60.1	42.7	83.3	18	60.4	35.4	98.3	22	59.8	37.2	94.2
Mercer	58	54.8	41.5	71.7	34	70.3	48.6	99.8	24	39.2	25.0	61.2
Monroe	99	66.3	53.9	80.9	42	64.4	46.2	88.6	57	64.3	48.5	84.6
Montgomery	139	71.7	60.1	85.3	69	86.0	66.9	109.4	70	60.9	46.9	79.0
Morgan	132	60.1	50.2	71.7	66	73.5	56.8	93.9	66	51.1	39.1	66.4
Moultrie	56	57.4	43.1	76.0	28	72.5	48.2	106.3	28	50.5	32.8	76.8
Ogle	153	54.5	46.2	64.0	83	67.4	53.6	84.1	70	43.4	33.7	55.4
Peoria	599	59.0	54.3	64.0	280	67.4	59.7	75.9	319	52.6	46.9	59.0
Perry	98	72.0	58.4	88.4	51	86.6	64.4	114.7	47	61.3	44.7	83.7
Piatt	75	74.7	58.7	94.6	44	98.6	71.5	134.3	31	52.8	35.6	78.2
Pike	80	64.8	51.0	81.9	48	92.3	67.9	123.8	32	43.4	29.1	64.9
Pope	11	35.7	17.8	74.2	5	43.8	14.1	117.6	6	34.6	12.5	104.3
Pulaski	24	51.6	32.8	79.9	15	83.5	46.5	142.6	9	34.1	14.7	72.9
Putnam	21	54.0	33.4	85.8	13	80.7	42.4	142.9	8	37.1	15.8	83.8
Randolph	115	57.3	47.2	69.2	62	73.8	56.5	95.0	53	43.7	32.3	58.9
Richland	68	65.2	50.4	83.7	39	89.1	63.2	123.1	29	46.8	30.7	70.2
Rock Island	456	52.3	47.6	57.4	227	61.3	53.5	69.9	229	44.7	39.0	51.1

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	884	67.9	63.5	72.6	424	80.4	72.9	88.7	460	59.9	54.5	65.7
Saline	138	75.0	62.8	89.4	64	86.9	66.8	111.7	74	67.3	52.2	86.7
Sangamon	606	59.2	54.5	64.1	288	69.2	61.4	77.9	318	51.7	46.1	57.9
Schuyler	28	59.2	38.9	89.1	10	45.4	21.7	89.7	18	70.7	40.7	121.3
Scott	25	73.0	47.0	110.7	9	61.1	27.8	122.0	16	84.4	47.6	144.6
Shelby	95	63.1	50.9	78.0	44	65.9	47.8	89.6	51	61.3	45.2	83.0
Stark	36	81.5	56.7	116.4	23	120.5	76.2	186.3	13	51.2	26.1	98.4
Stephenson	161	52.1	44.3	61.1	81	63.8	50.6	79.7	80	43.8	34.4	55.5
Tazewell	433	57.9	52.5	63.6	211	67.7	58.8	77.7	222	51.0	44.4	58.4
Union	70	57.5	44.6	73.7	33	63.5	43.6	90.8	37	51.4	35.4	74.3
Vermilion	326	63.5	56.7	70.9	170	79.7	68.0	92.9	156	51.9	44.0	61.2
Wabash	58	70.0	53.0	91.8	35	103.7	72.2	145.8	23	46.5	28.9	74.0
Warren	71	60.4	47.0	77.1	33	68.0	46.7	96.8	38	54.0	37.5	77.2
Washington	73	73.2	57.2	93.2	39	94.1	66.8	130.1	34	60.8	41.6	88.2
Wayne	71	58.0	45.1	74.2	37	75.9	53.3	105.9	34	44.7	30.5	65.8
White	86	74.5	59.3	93.7	48	97.2	71.6	131.3	38	55.8	38.4	81.7
Whiteside	182	48.4	41.6	56.2	91	57.4	46.1	70.6	91	40.0	32.0	49.8
Will	1,118	57.5	54.1	61.0	604	72.1	66.2	78.6	514	46.6	42.7	50.9
Williamson	216	54.8	47.7	62.8	102	63.8	51.9	77.7	114	48.4	39.7	58.9
Winnebago	820	57.4	53.5	61.4	419	68.1	61.6	75.1	401	48.6	43.9	53.7
Woodford	113	54.5	44.8	66.0	58	67.3	51.0	87.5	55	45.5	33.9	60.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Colon and Rectum, 1999-2003**

Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	30,069	57.4	56.8	58.1	15,268	70.0	68.9	71.2	14,801	48.2	47.4	49.0
Champaign	315	48.2	43.0	53.9	160	58.6	49.8	68.7	155	40.1	33.9	47.2
Cook	10,282	54.7	53.7	55.8	5,230	68.0	66.2	69.9	5,052	45.2	44.0	46.5
DuPage	1,918	52.6	50.3	55.0	963	64.1	60.0	68.4	955	45.0	42.1	48.0
Kane	815	55.8	52.0	59.9	416	67.8	61.1	75.0	399	46.9	42.4	51.9
Kankakee	291	60.6	53.8	68.0	154	75.4	63.9	88.8	137	48.9	40.9	58.1
Lake	1,265	55.4	52.3	58.6	661	66.2	61.0	71.8	604	47.2	43.5	51.2
Macon	386	62.2	56.1	68.9	194	74.9	64.6	86.5	192	53.4	46.0	62.0
Madison	858	62.7	58.6	67.1	440	78.0	70.8	85.8	418	52.5	47.5	58.0
Peoria	545	58.8	54.0	64.1	259	68.8	60.6	77.8	286	51.3	45.4	58.0
Rock Island	412	49.5	44.8	54.6	203	57.6	49.9	66.2	209	42.4	36.7	48.9
St. Clair	684	67.0	62.1	72.3	341	81.6	73.1	90.9	343	57.7	51.6	64.4
Sangamon	572	59.4	54.7	64.6	271	69.5	61.4	78.4	301	52.1	46.2	58.5
Vermilion	294	60.9	54.1	68.4	146	72.9	61.5	86.1	148	52.3	44.1	62.0
Will	992	56.4	52.9	60.0	539	71.1	64.9	77.8	453	45.2	41.1	49.6
Winnebago	739	55.7	51.8	59.9	378	66.5	59.9	73.6	361	46.9	42.1	52.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Blacks, Colon and Rectum, 1999 - 2003**

Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,639	66.9	65.0	68.9	2,180	78.6	75.2	82.2	2,459	59.3	57.0	61.7
Champaign	36	67.1	46.4	95.1	16	60.9	33.8	118.2	20	66.4	40.3	103.8
Cook	3,737	67.0	64.8	69.2	1,749	79.5	75.7	83.5	1,988	58.9	56.4	61.6
DuPage	47	82.8	56.0	121.4	18	63.7	30.7	136.5	29	95.2	58.5	151.2
Kane	37	69.5	46.8	101.4	16	59.0	31.0	120.9	21	74.4	44.1	120.3
Kankakee	32	61.1	41.5	87.7	17	75.8	43.3	127.7	15	50.1	27.8	84.5
Lake	83	64.8	51.0	81.9	36	62.1	41.4	93.3	47	67.1	48.8	90.5
Macon	35	64.7	44.7	91.4	22	104.9	62.5	177.4	13	39.8	21.1	69.4
Madison	39	61.9	43.9	85.2	18	65.6	38.7	109.1	21	56.0	34.6	86.2
Peoria	51	63.7	47.0	85.0	20	57.5	34.2	93.8	31	67.7	45.7	97.3
Rock Island	22	56.5	34.9	89.6	12	68.2	31.6	143.1	10	48.2	23.0	92.2
St. Clair	187	68.9	59.3	79.7	76	69.6	54.5	88.4	111	67.5	55.5	81.5
Sangamon	31	55.9	37.5	81.0	16	72.3	39.5	127.5	15	44.4	24.6	74.5
Vermilion	28	98.1	65.2	142.0	21	173.6	106.0	274.5	7	44.4	17.7	92.6
Will	106	72.8	58.3	90.6	54	92.4	65.2	129.4	52	61.6	45.0	83.1
Winnebago	54	61.2	45.5	81.7	30	76.0	50.1	116.5	24	49.5	31.4	75.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,860	72.9	72.2	73.5	24,553	96.1	94.9	97.4	19,307	56.6	55.8	57.4
Adams	333	77.6	69.3	86.6	189	100.0	86.2	115.6	144	62.2	52.1	73.9
Alexander	64	110.8	85.1	142.7	42	170.1	122.5	231.1	22	65.1	40.4	103.6
Bond	91	93.0	74.8	114.8	60	137.4	104.5	178.5	31	58.8	39.6	85.9
Boone	128	67.2	56.0	80.0	73	86.7	67.6	110.5	55	52.5	39.5	68.5
Brown	25	77.1	49.8	117.5	19	128.2	76.6	206.9	6	35.1	12.9	90.2
Bureau	188	80.5	69.3	93.4	107	106.8	87.5	129.7	81	62.6	49.3	79.3
Calhoun	35	96.3	66.7	139.9	23	135.0	85.3	212.7	12	63.8	31.8	129.3
Carroll	96	83.4	67.3	103.1	56	107.8	81.3	141.9	40	64.3	45.6	91.0
Cass	66	80.5	62.2	103.0	39	109.8	77.9	150.7	27	55.5	36.3	83.2
Champaign	495	70.2	64.2	76.7	261	84.9	74.9	96.1	234	59.7	52.2	67.9
Christian	243	110.3	96.8	125.5	145	154.3	130.1	182.0	98	78.1	63.0	96.5
Clark	73	68.0	53.1	86.5	48	101.2	74.5	135.8	25	42.2	27.1	64.9
Clay	68	69.6	53.8	89.4	42	101.1	72.8	138.0	26	49.3	31.6	75.6
Clinton	135	68.2	57.1	81.0	81	94.9	75.2	118.8	54	50.8	38.0	67.2
Coles	238	90.4	79.2	102.9	128	113.5	94.6	135.3	110	74.2	60.7	90.2
Cook	17,539	69.8	68.7	70.8	9,604	91.7	89.9	93.6	7,935	54.6	53.4	55.8
Crawford	78	61.5	48.5	77.7	48	87.5	64.5	117.7	30	42.8	28.6	63.5
Cumberland	48	74.7	55.0	100.0	35	123.5	86.0	174.1	13	35.4	18.8	64.0
DeKalb	224	63.5	55.5	72.5	119	79.6	65.9	95.6	105	53.4	43.6	64.8
DeWitt	83	80.6	64.1	100.5	57	130.9	99.0	171.1	26	44.7	29.0	67.4
Douglas	79	66.8	52.8	83.9	48	95.7	70.4	128.0	31	44.7	30.2	65.3
DuPage	2,393	61.8	59.3	64.4	1,229	76.4	72.0	80.9	1,164	52.8	49.8	56.0
Edgar	96	76.4	61.8	94.2	56	105.7	79.8	138.0	40	56.5	39.7	79.8
Edwards	42	90.5	65.0	124.8	31	153.2	103.9	221.0	11	39.6	19.4	79.3
Effingham	139	76.3	64.1	90.2	88	112.2	90.0	138.5	51	48.7	36.1	64.8
Fayette	81	64.2	50.9	80.3	54	98.1	73.6	128.8	27	37.8	24.6	57.0
Ford	66	71.1	54.7	91.9	36	91.2	63.8	128.3	30	58.6	38.8	87.3
Franklin	252	97.2	85.4	110.4	157	140.0	118.8	164.2	95	65.4	52.5	81.3
Fulton	206	82.3	71.3	94.8	126	114.0	94.9	136.3	80	56.4	44.4	71.6
Gallatin	35	78.1	54.2	111.9	20	104.2	63.1	166.5	15	61.2	33.9	110.7
Greene	85	90.0	71.6	112.5	52	129.5	96.6	171.2	33	59.1	40.0	86.4
Grundy	134	70.9	59.4	84.0	79	94.8	74.8	118.9	55	51.5	38.7	67.5
Hamilton	48	78.8	57.8	106.8	33	125.6	86.3	180.0	15	42.7	23.5	78.1
Hancock	92	69.3	55.7	86.0	60	104.2	79.4	135.4	32	45.3	30.6	66.7
Hardin	35	104.9	72.8	150.7	19	126.7	76.0	207.5	16	83.5	47.6	151.0
Henderson	46	84.0	61.5	115.3	28	117.2	77.1	176.1	18	61.0	36.1	104.7
Henry	212	67.0	58.2	76.9	136	100.1	83.9	118.8	76	44.0	34.5	55.9
Iroquois	147	72.4	61.1	85.7	85	93.3	74.4	116.2	62	57.1	43.5	74.9
Jackson	163	65.6	55.9	76.6	102	95.2	77.6	115.9	61	44.2	33.7	57.3
Jasper	63	100.9	77.3	130.7	37	137.6	96.9	191.8	26	72.2	46.5	111.4

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	176	75.3	64.6	87.6	112	109.8	90.4	132.4	64	49.7	38.1	64.4
Jersey	78	63.2	50.0	79.4	44	81.5	59.0	110.7	34	49.9	34.4	71.3
Jo Daviess	95	61.0	49.3	75.4	53	76.4	56.9	101.5	42	52.2	37.4	72.9
Johnson	56	80.9	61.0	106.3	39	122.8	86.8	170.3	17	45.0	26.2	76.2
Kane	1,029	68.6	64.4	73.0	573	89.6	82.1	97.7	456	54.2	49.3	59.4
Kankakee	484	90.1	82.3	98.5	271	115.6	102.1	130.5	213	71.5	62.1	81.9
Kendall	156	70.8	60.0	83.2	96	97.0	77.9	120.2	60	49.5	37.7	64.0
Knox	310	86.6	77.2	97.1	168	109.3	93.4	127.4	142	69.9	58.7	83.3
Lake	1,697	68.5	65.2	71.9	861	79.4	74.0	85.2	836	60.8	56.8	65.1
LaSalle	597	89.1	82.0	96.7	340	114.4	102.6	127.3	257	69.8	61.3	79.2
Lawrence	85	78.8	62.7	98.9	52	112.5	83.9	149.2	33	56.7	38.5	83.5
Lee	151	75.6	64.0	89.0	88	95.6	76.6	118.4	63	60.4	46.3	78.3
Livingston	152	68.8	58.3	80.9	88	90.9	72.9	112.2	64	52.2	40.0	67.5
Logan	130	74.7	62.3	89.1	80	108.7	86.2	135.8	50	51.0	37.7	68.5
McDonough	122	70.7	58.6	85.0	67	92.4	71.6	118.2	55	56.0	41.7	74.7
McHenry	715	72.5	67.2	78.1	382	89.1	80.0	99.2	333	61.2	54.7	68.2
McLean	391	64.9	58.6	71.7	212	82.6	71.7	94.9	179	53.3	45.7	61.7
Macon	601	89.9	82.8	97.4	349	121.6	109.1	135.3	252	66.6	58.6	75.6
Macoupin	252	82.4	72.4	93.5	148	109.6	92.6	129.1	104	62.7	50.9	76.9
Madison	1,205	84.4	79.7	89.3	673	111.5	103.2	120.5	532	66.4	60.8	72.4
Marion	241	94.3	82.7	107.3	133	122.5	102.5	145.5	108	74.9	61.1	91.3
Marshall	57	61.3	46.3	81.1	37	92.1	64.8	129.4	20	40.9	24.6	68.0
Mason	100	98.1	79.7	120.2	65	140.3	108.2	180.2	35	63.9	44.3	91.2
Massac	86	88.4	70.6	110.0	53	125.6	94.0	165.3	33	62.3	42.5	90.0
Menard	46	67.0	48.9	90.8	30	100.8	67.6	146.6	16	41.1	23.3	70.8
Mercer	70	66.3	51.6	84.7	35	74.5	51.8	105.0	35	59.8	41.4	85.9
Monroe	88	59.9	48.0	74.0	48	77.3	56.6	104.0	40	49.7	35.4	68.5
Montgomery	165	86.7	73.8	101.7	104	129.9	106.1	157.8	61	57.0	43.1	75.1
Morgan	184	86.4	74.3	100.1	109	117.9	96.8	142.6	75	64.5	50.5	81.8
Moultrie	67	73.5	56.8	94.6	33	84.4	58.1	120.2	34	66.2	45.3	95.8
Ogle	193	69.6	60.1	80.3	109	87.9	72.1	106.5	84	56.4	44.9	70.3
Peoria	846	85.1	79.5	91.1	486	115.9	105.8	126.8	360	64.7	58.1	71.9
Perry	88	65.2	52.2	80.9	61	105.2	80.4	135.9	27	37.5	24.5	56.5
Piatt	67	66.9	51.9	86.0	41	95.4	68.1	131.5	26	48.8	31.7	74.3
Pike	93	76.1	61.2	94.4	55	103.1	77.6	135.6	38	55.3	38.5	79.4
Pope	16	53.3	30.3	96.0	12	83.8	42.6	164.1	4	23.3	6.1	90.8
Pulaski	35	74.7	51.8	106.7	25	130.9	84.3	198.3	10	35.3	16.3	73.1
Putnam	36	96.2	67.3	135.9	20	109.0	66.5	173.5	16	86.3	49.0	148.0
Randolph	139	72.3	60.7	85.7	79	94.0	74.4	117.5	60	56.3	42.7	73.8
Richland	76	72.7	57.1	92.0	50	112.3	83.2	149.3	26	44.7	28.8	68.1
Rock Island	653	75.7	70.0	81.8	357	95.9	86.2	106.5	296	60.7	53.9	68.3

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1999-2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	1,158	89.7	84.6	95.1	678	126.0	116.6	136.0	480	64.6	58.9	70.8
Saline	194	107.9	93.1	124.9	118	160.1	132.5	192.6	76	76.2	59.7	96.9
Sangamon	781	77.3	71.9	82.9	444	105.3	95.6	115.7	337	58.4	52.3	65.1
Schuyler	36	74.4	51.8	106.5	26	119.4	77.6	180.4	10	35.5	16.5	76.0
Scott	20	55.7	33.8	89.4	13	91.5	48.6	161.5	7	33.2	12.7	78.9
Shelby	109	71.8	58.8	87.4	74	109.9	86.2	139.1	35	42.1	29.1	60.7
Stark	30	68.0	45.5	100.8	18	98.4	58.1	160.9	12	49.5	24.8	96.7
Stephenson	185	62.6	53.9	72.6	109	83.8	68.8	101.5	76	46.2	36.2	58.6
Tazewell	599	80.7	74.3	87.5	335	104.1	93.2	116.1	264	64.8	57.2	73.3
Union	89	74.7	59.9	92.9	52	98.5	73.4	130.6	37	55.6	38.7	79.3
Vermilion	462	91.3	83.1	100.1	268	121.6	107.4	137.3	194	69.0	59.5	79.8
Wabash	75	95.9	75.3	121.3	46	135.1	98.8	181.8	29	66.8	44.4	99.1
Warren	102	89.0	72.5	108.9	63	126.2	96.9	162.7	39	61.9	43.6	86.9
Washington	66	70.7	54.6	91.0	40	94.2	67.2	129.9	26	52.3	33.9	79.2
Wayne	88	74.9	59.8	93.2	53	106.7	79.8	140.9	35	52.0	36.0	75.1
White	104	94.5	77.0	116.0	60	120.6	92.0	157.6	44	76.8	55.2	106.9
Whiteside	260	70.5	62.2	79.8	159	98.4	83.7	115.2	101	49.4	40.1	60.6
Will	1,466	75.1	71.3	79.1	811	96.0	89.2	103.2	655	60.5	55.9	65.4
Williamson	309	79.6	71.0	89.2	187	113.5	97.7	131.3	122	55.4	45.9	66.8
Winnebago	1,132	79.3	74.7	84.0	652	105.7	97.7	114.3	480	60.2	54.9	65.9
Woodford	103	51.0	41.5	62.2	57	67.1	50.8	87.4	46	41.2	29.9	56.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County												
Whites, Lung and Bronchus, 1999-2003												
Incidence counts are five-year totals.												
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.												
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	37,139	72.0	71.2	72.7	20,639	93.8	92.5	95.1	16,500	56.8	56.0	57.7
Champaign	433	68.1	61.9	74.9	227	81.8	71.4	93.3	206	58.7	50.9	67.5
Cook	12,309	66.7	65.5	67.9	6,583	85.1	83.1	87.2	5,726	54.1	52.6	55.5
DuPage	2,272	63.4	60.8	66.1	1,165	78.1	73.6	82.9	1,107	54.4	51.2	57.7
Kane	958	67.4	63.1	71.9	531	87.8	80.2	96.0	427	53.5	48.5	58.9
Kankakee	434	90.4	82.1	99.4	242	115.5	101.3	131.4	192	72.1	62.2	83.4
Lake	1,567	68.9	65.5	72.5	789	79.0	73.4	85.0	778	62.0	57.7	66.5
Macon	550	89.7	82.3	97.6	311	117.8	105.0	131.8	239	69.2	60.6	78.9
Madison	1,135	83.5	78.7	88.5	633	109.9	101.5	119.0	502	65.9	60.2	72.1
Peoria	742	82.3	76.5	88.6	419	110.3	99.9	121.5	323	64.3	57.4	72.0
Rock Island	618	75.4	69.5	81.7	338	95.9	85.9	106.8	280	60.3	53.3	68.0
St. Clair	869	86.3	80.6	92.3	507	118.9	108.7	129.9	362	63.7	57.2	70.8
Sangamon	724	76.3	70.9	82.2	409	103.0	93.2	113.6	315	58.3	52.0	65.3
Vermilion	433	91.3	82.8	100.4	253	122.4	107.7	138.8	180	68.2	58.4	79.4
Will	1,331	75.4	71.3	79.6	727	95.3	88.3	102.9	604	61.6	56.8	66.8
Winnebago	1,046	79.0	74.3	84.0	601	105.0	96.7	113.8	445	60.4	54.8	66.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County												
Blacks, Lung and Bronchus, 1999 - 2003												
Incidence counts are five-year totals.												
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.												
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,101	85.8	83.6	88.0	3,530	122.3	118.1	126.6	2,571	61.3	59.0	63.8
Champaign	58	110.4	83.2	144.7	31	132.1	87.2	205.1	27	91.8	60.2	134.7
Cook	4,822	83.9	81.6	86.4	2,765	120.1	115.6	124.9	2,057	60.1	57.6	62.8
DuPage	44	85.7	57.8	125.6	22	89.3	48.3	168.6	22	78.1	45.0	131.1
Kane	61	119.0	87.8	159.5	36	168.5	107.3	262.4	25	89.1	55.2	138.3
Kankakee	49	86.2	63.5	115.5	28	116.3	76.2	174.9	21	65.3	40.3	101.8
Lake	107	88.6	71.8	108.6	59	115.4	85.0	156.2	48	69.9	51.1	94.0
Macon	51	90.5	67.1	120.4	38	164.0	114.6	240.7	13	39.7	21.0	69.4
Madison	67	104.4	80.7	133.3	39	151.0	105.8	212.8	28	74.9	49.7	108.8
Peoria	98	117.2	94.7	144.0	61	173.2	131.0	227.5	37	78.2	54.8	109.0
Rock Island	27	68.0	44.6	102.6	14	75.9	40.9	146.9	13	61.1	32.4	108.0
St. Clair	284	102.8	91.1	115.6	170	153.6	130.8	179.9	114	68.5	56.5	82.5
Sangamon	56	101.1	75.7	133.0	34	155.0	104.4	227.0	22	67.0	41.7	102.7
Vermilion	28	95.5	63.4	138.6	15	117.3	64.7	203.4	13	82.0	43.6	141.2
Will	112	77.0	62.4	94.6	69	105.6	79.5	140.6	43	54.6	38.8	75.4
Winnebago	76	88.6	69.2	112.6	44	120.2	86.2	168.4	32	64.2	43.5	92.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1999 - 2003**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,300	129.7	128.5	131.0	36,580	130.9	129.6	132.3	5,356	121.7	118.5	125.1
Adams	252	115.1	100.8	131.1								
Alexander	37	122.2	85.3	173.0								
Bond	64	137.6	105.3	177.9								
Boone	136	127.3	106.8	150.8								
Brown	19	131.5	77.4	216.4								
Bureau	154	131.3	110.6	155.4								
Calhoun	19	119.5	69.7	202.1								
Carroll	77	134.2	105.0	171.4								
Cass	59	139.5	105.2	182.5								
Champaign	530	135.6	124.2	147.7	487	140.9	128.6	154.2	31	86.4	58.2	124.9
Christian	153	133.9	112.7	158.6								
Clark	69	121.2	93.2	156.6								
Clay	62	122.1	92.1	160.5								
Clinton	100	98.1	79.5	120.2								
Coles	191	135.9	116.8	157.5								
Cook	17,949	126.6	124.8	128.5	12,852	128.8	126.6	131.1	4,296	121.7	118.1	125.4
Crawford	79	126.0	99.0	159.3								
Cumberland	41	122.2	86.9	169.2								
DeKalb	280	143.7	127.2	161.8								
DeWitt	78	149.8	117.5	189.4								
Douglas	92	146.0	117.0	180.9								
DuPage	3,257	140.1	135.3	145.1	2,993	142.0	137.0	147.3	68	136.1	98.0	190.8
Edgar	72	109.7	85.0	140.7								
Edwards	38	170.0	118.2	240.8								
Effingham	129	133.7	111.2	159.7								
Fayette	59	89.8	67.9	117.6								
Ford	68	139.4	106.2	181.5								
Franklin	153	110.0	92.6	130.2								
Fulton	147	118.0	99.0	140.4								
Gallatin	16	67.9	37.7	120.5								
Greene	55	117.2	87.1	155.8								
Grundy	163	160.1	136.3	187.0								
Hamilton	34	113.4	76.7	165.8								
Hancock	79	113.6	89.2	144.4								
Hardin	13	77.0	40.3	146.8								
Henderson	40	150.8	106.8	212.9								
Henry	200	127.0	109.7	146.8								
Iroquois	112	105.1	85.8	128.4								
Jackson	175	130.7	111.8	152.1								
Jasper	33	103.9	70.7	150.9								

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	171	142.3	121.3	166.4								
Jersey	79	126.5	100.0	159.1								
Jo Daviess	105	140.1	113.9	172.1								
Johnson	55	155.8	116.9	206.4								
Kane	1,204	131.8	124.4	139.6	1,112	129.8	122.2	137.7	43	103.7	72.6	147.9
Kankakee	380	133.2	120.1	147.5	323	128.6	114.8	143.7	53	160.5	120.0	212.0
Kendall	199	148.6	128.5	171.2								
Knox	234	126.9	110.6	145.4								
Lake	2,141	143.3	137.2	149.6	1,958	145.4	138.9	152.0	102	124.5	100.8	153.1
LaSalle	472	139.3	126.7	152.9								
Lawrence	61	115.0	86.6	151.9								
Lee	130	123.6	103.0	147.9								
Livingston	159	134.0	113.5	157.7								
Logan	119	131.4	108.4	158.7								
McDonough	101	113.0	91.3	139.3								
McHenry	772	127.6	118.6	137.1								
McLean	486	140.3	128.0	153.5								
Macon	480	135.4	123.4	148.4	437	136.4	123.7	150.4	38	105.9	74.6	147.3
Macoupin	190	115.8	99.4	134.7								
Madison	915	118.2	110.6	126.3	882	120.7	112.7	129.1	22	53.7	33.5	82.3
Marion	167	126.0	107.1	147.7								
Marshall	62	133.5	101.2	175.7								
Mason	73	137.4	106.8	175.6								
Massac	62	122.5	93.1	159.8								
Menard	56	150.3	113.0	198.5								
Mercer	76	138.8	108.9	176.3								
Monroe	100	126.3	102.5	154.5								
Montgomery	117	122.5	100.6	148.8								
Morgan	143	129.0	108.3	153.2								
Moultrie	67	137.5	105.1	178.6								
Ogle	168	117.5	100.3	137.2								
Peoria	765	143.6	133.4	154.3	680	143.3	132.5	154.8	76	135.0	105.7	170.9
Perry	63	93.4	71.0	121.7								
Piatt	67	128.9	99.3	166.5								
Pike	59	105.8	79.4	139.8								
Pope	13	91.7	48.0	178.2								
Pulaski	18	68.2	39.3	115.2								
Putnam	25	134.0	85.9	205.7								
Randolph	111	112.6	91.9	137.3								
Richland	61	115.1	87.1	150.4								
Rock Island	586	130.3	119.8	141.6	544	128.7	117.9	140.4	22	102.9	64.2	159.3

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	965	135.1	126.7	144.0	703	130.5	120.9	140.7	245	143.0	125.5	162.2
Saline	89	91.9	72.9	115.2								
Sangamon	816	144.5	134.6	154.9	765	146.5	136.2	157.5	43	124.0	89.3	168.6
Schuyler	28	113.0	73.7	172.3								
Scott	18	93.7	54.4	156.4								
Shelby	71	95.2	73.6	122.4								
Stark	22	113.6	69.1	180.7								
Stephenson	172	111.3	94.8	130.1								
Tazewell	502	129.8	118.6	142.0								
Union	71	117.8	91.3	151.0								
Vermilion	361	140.7	126.3	156.5	331	139.4	124.4	155.9	24	149.4	95.5	223.5
Wabash	60	153.2	115.9	200.4								
Warren	75	125.1	97.7	159.3								
Washington	63	142.1	108.4	184.4								
Wayne	84	138.6	109.3	175.0								
White	68	128.4	98.2	167.3								
Whiteside	234	120.6	105.3	137.8								
Will	1,524	129.2	122.7	135.9	1,385	131.7	124.8	138.9	101	102.9	82.3	128.0
Williamson	245	116.9	102.3	133.3								
Winnebago	1,100	141.6	133.3	150.3	1,016	143.2	134.5	152.4	73	124.7	97.2	159.1
Woodford	136	128.0	106.9	152.8								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	3,274	10.1	9.8	10.5	2,383	9.1	8.7	9.4	748	16.2	15.1	17.5
Adams	18	10.6	6.2	17.1								
Alexander	2	6.0	0.6	29.5								
Bond	4	10.3	2.8	27.9								
Boone	9	8.2	3.8	15.9								
Brown	1	5.7	0.1	51.6								
Bureau	14	14.0	7.4	24.5								
Calhoun	1	7.9	0.2	60.4								
Carroll	4	8.6	2.1	25.8								
Cass	5	11.7	3.7	29.9								
Champaign	28	6.6	4.4	9.7	20	5.4	3.3	8.6	6	15.8	5.7	37.2
Christian	6	5.7	2.0	13.6								
Clark	5	8.8	2.6	23.9								
Clay	6	16.8	5.8	38.9								
Clinton	7	7.7	3.0	16.7								
Coles	9	7.3	3.3	14.4								
Cook	1,558	11.2	10.7	11.8	872	9.3	8.6	9.9	607	16.7	15.4	18.1
Crawford	9	20.5	9.3	39.6								
Cumberland	1	2.9	0.1	21.6								
DeKalb	22	11.1	6.9	16.9								
DeWitt	4	10.1	2.7	26.6								
Douglas	7	14.1	5.6	30.1								
DuPage	161	6.9	5.8	8.0	144	6.9	5.8	8.1	6	13.6	3.6	45.5
Edgar	6	12.2	4.4	28.2								
Edwards	1	5.0	0.1	35.7								
Effingham	6	6.8	2.5	15.4								
Fayette	6	9.6	3.4	22.9								
Ford	2	2.1	0.3	15.9								
Franklin	10	9.5	4.5	18.2								
Fulton	9	9.1	4.0	18.4								
Gallatin	2	10.4	1.3	48.0								
Greene	6	18.0	6.5	40.1								
Grundy	12	12.1	6.3	21.5								
Hamilton	2	10.0	1.2	40.1								
Hancock	4	8.0	2.1	22.5								
Hardin	2	14.3	1.5	69.3								
Henderson	4	18.5	5.0	55.1								
Henry	15	11.6	6.4	19.7								
Iroquois	12	11.9	6.0	22.6								
Jackson	16	12.7	7.2	21.1								
Jasper	3	11.1	2.0	38.1								

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	14	14.0	7.6	24.0								
Jersey	3	3.9	0.7	14.5								
Jo Daviess	9	16.2	7.3	32.4								
Johnson	4	16.0	4.2	43.5								
Kane	97	9.6	7.8	11.8	86	9.3	7.5	11.6	7	14.1	4.6	39.5
Kankakee	37	13.9	9.8	19.2	31	13.6	9.2	19.4	5	13.0	4.2	34.1
Kendall	8	5.4	2.3	11.2								
Knox	23	15.5	9.6	23.8								
Lake	144	9.1	7.6	10.7	120	8.6	7.1	10.3	11	12.4	6.0	24.0
LaSalle	30	10.2	6.9	14.8								
Lawrence	6	11.4	3.7	29.7								
Lee	11	11.6	5.7	21.7								
Livingston	10	9.9	4.7	18.7								
Logan	11	13.7	6.8	25.5								
McDonough	5	6.1	1.8	16.2								
McHenry	59	9.0	6.8	11.7								
McLean	26	7.6	5.0	11.2								
Macon	35	11.9	8.2	16.7	30	11.6	7.7	16.9	4	9.4	2.6	27.5
Macoupin	14	11.9	6.5	20.4								
Madison	58	8.3	6.3	10.8	48	7.4	5.5	9.9	8	19.0	8.1	38.7
Marion	17	14.7	8.4	24.3								
Marshall	4	11.5	2.8	34.0								
Mason	5	11.7	3.7	29.4								
Massac	5	9.2	2.9	24.8								
Menard	1	2.8	0.1	21.4								
Mercer	7	17.1	6.8	36.8								
Monroe	5	6.3	2.0	16.0								
Montgomery	9	11.5	5.1	22.9								
Morgan	6	6.3	2.3	14.5								
Moultrie	1	3.2	0.1	19.0								
Ogle	17	12.9	7.5	21.1								
Peoria	52	10.9	8.1	14.3	42	10.6	7.6	14.5	7	11.7	4.6	26.4
Perry	9	14.4	6.3	29.6								
Piatt	1	1.2	0.0	14.3								
Pike	7	16.7	6.6	36.2								
Pope	1	6.5	0.2	71.2								
Pulaski	6	35.7	13.1	80.1								
Putnam	2	12.5	1.5	54.2								
Randolph	10	12.6	5.9	24.0								
Richland	5	10.4	3.2	26.7								
Rock Island	60	15.2	11.6	19.8	54	15.1	11.2	19.9	3	13.4	2.7	44.7

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1999 – 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	66	9.7	7.5	12.4	38	7.8	5.5	10.8	27	15.1	9.9	22.2
Saline	9	12.6	5.5	25.4								
Sangamon	32	6.0	4.1	8.6	28	5.8	3.8	8.5	4	10.6	2.7	29.4
Schuyler	3	15.8	3.2	54.0								
Scott	2	13.5	1.6	54.8								
Shelby	6	9.9	3.4	23.5								
Stark	1	7.4	0.2	45.2								
Stephenson	14	11.1	6.0	19.2								
Tazewell	23	6.9	4.4	10.5								
Union	4	7.2	1.9	21.0								
Vermilion	19	8.3	4.9	13.3	18	8.7	5.0	14.1	0	0.0	0.0	25.3
Wabash	6	17.5	6.2	40.7								
Warren	4	8.6	2.3	23.7								
Washington	7	16.5	6.5	36.4								
Wayne	3	7.6	1.6	23.3								
White	7	15.5	6.0	35.7								
Whiteside	27	17.9	11.7	26.4								
Will	112	8.5	7.0	10.2	93	8.1	6.5	9.9	16	14.0	7.5	25.5
Williamson	19	11.3	6.7	18.0								
Winnebago	69	9.3	7.2	11.8	58	8.8	6.6	11.4	9	13.4	6.0	28.6
Woodford	8	9.3	4.0	19.1								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	42,679	165.6	164.0	167.1	33,900	152.4	150.7	154.0	6,393	226.5	220.8	232.4
Adams	323	169.9	151.8	189.8								
Alexander	45	183.2	133.6	246.2								
Bond	71	165.6	128.9	210.4								
Boone	114	132.0	108.3	160.2								
Brown	15	101.5	56.5	174.0								
Bureau	147	146.5	123.7	172.8								
Calhoun	27	159.4	104.7	241.6								
Carroll	82	153.0	121.6	191.9								
Cass	58	163.1	123.7	211.6								
Champaign	560	181.5	166.6	197.4	498	178.3	162.9	194.9	51	241.0	175.2	334.0
Christian	165	173.8	148.3	202.9								
Clark	68	144.0	111.7	184.0								
Clay	64	152.9	117.7	196.5								
Clinton	129	151.2	126.0	180.5								
Coles	185	162.0	139.4	187.4								
Cook	17,724	168.5	166.0	171.1	11,619	149.2	146.5	151.9	5,045	224.2	217.8	230.7
Crawford	112	201.2	165.6	243.8								
Cumberland	50	178.9	132.4	238.4								
DeKalb	261	175.0	154.3	197.9								
DeWitt	67	154.6	119.5	197.8								
Douglas	74	143.2	112.3	180.9								
DuPage	2,746	160.3	154.2	166.6	2,497	158.4	152.1	164.9	58	243.4	168.9	353.1
Edgar	72	136.4	106.7	172.6								
Edwards	27	130.5	85.9	193.6								
Effingham	176	221.4	189.8	256.9								
Fayette	84	149.6	119.3	186.0								
Ford	59	147.9	112.4	192.7								
Franklin	183	160.6	138.1	186.2								
Fulton	177	159.2	136.5	185.0								
Gallatin	28	144.0	95.3	213.3								
Greene	66	162.3	125.4	207.8								
Grundy	131	159.1	132.8	189.6								
Hamilton	41	159.9	114.5	220.5								
Hancock	109	186.8	153.3	226.6								
Hardin	24	159.0	101.6	245.8								
Henderson	34	145.3	99.8	209.5								
Henry	215	155.2	135.1	177.8								
Iroquois	145	157.1	132.5	185.8								
Jackson	178	167.1	143.3	193.8								
Jasper	50	183.8	136.4	244.4								

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	167	163.7	139.8	190.8								
Jersey	73	132.3	103.4	167.6								
Jo Daviess	118	158.5	131.1	191.2								
Johnson	51	156.0	115.6	207.6								
Kane	1,111	164.1	154.2	174.6	1,007	157.1	147.2	167.6	48	179.3	123.3	265.5
Kankakee	409	175.6	158.9	193.9	323	154.7	138.2	173.0	72	324.3	252.0	414.5
Kendall	153	147.0	123.6	174.4								
Knox	186	119.1	102.6	137.8								
Lake	1,888	163.5	155.9	171.4	1,603	150.3	142.8	158.2	122	211.6	173.3	259.0
LaSalle	420	142.1	128.8	156.5								
Lawrence	58	123.9	94.0	161.8								
Lee	164	181.2	154.4	211.8								
Livingston	161	166.3	141.6	194.2								
Logan	112	152.4	125.4	183.8								
McDonough	96	131.7	106.7	161.7								
McHenry	724	162.5	150.3	175.6								
McLean	419	162.5	147.1	179.2								
Macon	668	232.4	215.0	251.0	578	218.0	200.5	236.8	82	356.7	281.4	457.3
Macoupin	206	151.8	131.7	174.4								
Madison	1,041	167.5	157.4	178.1	930	157.1	147.1	167.6	67	250.0	192.7	322.8
Marion	243	221.1	194.2	251.1								
Marshall	61	149.9	114.6	194.9								
Mason	75	160.6	126.2	202.8								
Massac	65	156.9	121.0	200.9								
Menard	40	131.3	93.3	181.7								
Mercer	75	154.3	121.2	194.9								
Monroe	124	186.4	154.8	223.8								
Montgomery	108	132.8	108.9	160.8								
Morgan	118	127.8	105.7	153.5								
Moultrie	62	156.6	120.0	202.3								
Ogle	163	129.9	110.6	152.0								
Peoria	770	181.6	168.9	195.0	654	169.2	156.5	182.8	93	281.3	224.8	349.9
Perry	99	168.7	137.0	206.1								
Piatt	72	161.3	126.0	204.8								
Pike	69	131.7	102.4	168.0								
Pope	12	83.7	42.7	163.7								
Pulaski	33	172.2	118.1	246.8								
Putnam	28	158.7	105.0	234.5								
Randolph	163	194.1	165.4	226.7								
Richland	79	172.3	136.2	216.0								
Rock Island	692	183.7	170.2	198.0	559	156.3	143.5	169.9	39	238.6	163.7	347.5

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1999 - 2003**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	932	170.2	159.4	181.7	650	150.4	139.0	162.6	249	226.3	198.5	257.7
Saline	103	138.4	113.0	168.7								
Sangamon	676	159.1	147.3	171.8	628	157.1	145.0	170.1	40	174.4	121.9	247.4
Schuyler	24	108.5	69.4	166.7								
Scott	19	121.7	73.0	196.1								
Shelby	107	156.1	127.9	189.7								
Stark	17	89.3	51.9	148.8								
Stephenson	179	136.9	117.5	158.8								
Tazewell	610	185.2	170.7	200.8								
Union	60	116.6	88.9	151.5								
Vermilion	320	144.7	129.2	161.7	275	132.5	117.2	149.4	24	183.1	117.0	280.8
Wabash	43	126.5	91.5	172.0								
Warren	74	147.9	116.0	186.9								
Washington	74	174.8	137.1	220.9								
Wayne	76	152.6	120.1	192.2								
White	58	117.0	88.8	153.7								
Whiteside	274	170.3	150.7	191.9								
Will	1,501	170.7	161.8	180.1	1,218	152.3	143.5	161.5	165	238.9	200.2	285.8
Williamson	281	169.7	150.4	191.1								
Winnebago	837	135.0	126.0	144.7	747	129.8	120.6	139.6	77	206.4	160.0	266.8
Woodford	152	172.6	146.1	202.9								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Section II.

**Percent Distribution of Stage at Diagnosis by Race and County, Illinois,
1999-2003**

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	34.4	39.8	17.2	8.6	35.0	40.2	16.8	7.9	29.8	37.5	21.0	11.7
Adams	37.5	40.7	13.7	8.1								
Alexander	46.5	25.6	23.3	4.7								
Bond	34.3	38.8	13.4	13.4								
Boone	37.1	34.7	16.9	11.3								
Brown	47.6	28.6	19.0	4.8								
Bureau	38.7	35.6	13.5	12.3								
Calhoun	50.0	25.0	10.0	15.0								
Carroll	25.0	36.8	11.8	26.5								
Cass	39.6	34.0	24.5	1.9								
Champaign	40.4	39.6	14.3	5.8	40.3	40.3	13.7	5.7	33.3	33.3	25.0	8.3
Christian	32.0	46.5	15.7	5.8								
Clark	31.8	43.9	13.6	10.6								
Clay	34.2	44.7	17.1	3.9								
Clinton	43.5	32.8	20.6	3.1								
Coles	41.0	38.6	16.3	4.2								
Cook	32.7	40.5	18.0	8.8	33.9	41.3	17.3	7.4	28.2	38.4	20.9	12.5
Crawford	31.5	45.7	17.4	5.4								
Cumberland	32.6	39.5	23.3	4.7								
DeKalb	32.1	39.8	18.9	9.2								
DeWitt	34.5	32.7	16.4	16.4								
Douglas	43.6	37.2	19.2	0.0								
DuPage	38.2	38.4	16.8	6.6	38.3	38.2	17.0	6.5	38.3	29.8	21.3	10.6
Edgar	28.1	49.1	14.0	8.8								
Edwards	24.1	48.3	10.3	17.2								
Effingham	34.9	41.3	15.9	7.9								
Fayette	44.0	32.0	12.0	12.0								
Ford	23.8	53.8	18.8	3.8								
Franklin	34.5	35.0	20.2	10.3								
Fulton	37.4	35.4	15.6	11.6								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	30.3	45.5	12.1	12.1								
Greene	35.3	39.7	17.6	7.4								
Grundy	36.9	40.8	13.1	9.2								
Hamilton	35.0	50.0	10.0	5.0								
Hancock	28.6	35.7	21.4	14.3								
Hardin	46.4	39.3	10.7	3.6								
Henderson	36.4	36.4	15.2	12.1								
Henry	38.3	37.2	14.9	9.6								
Iroquois	35.7	42.2	17.5	4.5								
Jackson	36.7	39.6	13.0	10.7								
Jasper	39.6	31.3	22.9	6.3								
Jefferson	37.3	39.8	16.8	6.2								
Jersey	42.0	37.7	13.0	7.2								
Jo Daviess	31.0	31.0	12.0	26.0								
Johnson	30.0	35.0	20.0	15.0								
Kane	34.3	40.7	18.2	6.7	34.4	41.5	17.8	6.4	35.1	29.7	29.7	5.4
Kankakee	37.8	39.1	15.1	8.0	39.2	38.8	14.4	7.6	25.0	40.6	21.9	12.5
Kendall	22.9	47.9	20.7	8.6								
Knox	48.6	30.2	16.0	5.2								
Lake	32.4	41.6	17.7	8.3	32.3	42.4	17.3	8.1	38.6	33.7	21.7	6.0
LaSalle	36.8	39.3	16.5	7.4								
Lawrence	25.8	40.9	19.7	13.6								
Lee	42.4	34.8	11.4	11.4								
Livingston	31.0	38.7	13.4	16.9								
Logan	27.2	50.4	13.6	8.8								
McDonough	43.2	36.0	10.8	9.9								
McHenry	34.2	38.0	19.3	8.4								
McLean	31.0	47.8	15.6	5.6								
Macon	34.0	41.3	19.5	5.2	33.9	42.5	18.7	4.9	34.3	28.6	28.6	8.6
Macoupin	30.3	48.2	12.3	9.2								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	31.2	44.4	16.0	8.4	31.2	44.3	15.7	8.7	30.8	46.2	23.1	0.0
Marion	37.4	40.9	18.1	3.5								
Marshall	30.9	54.5	9.1	5.5								
Mason	43.1	36.1	9.7	11.1								
Massac	50.0	33.3	13.0	3.7								
Menard	40.0	35.0	17.5	7.5								
Mercer	39.7	29.3	20.7	10.3								
Monroe	34.3	38.4	17.2	10.1								
Montgomery	28.1	36.0	22.3	13.7								
Morgan	34.8	40.9	20.5	3.8								
Moultrie	44.6	30.4	17.9	7.1								
Ogle	38.6	38.6	15.7	7.2								
Peoria	32.7	40.6	19.0	7.7	32.1	41.8	18.7	7.3	41.2	27.5	21.6	9.8
Perry	35.7	43.9	11.2	9.2								
Piatt	30.7	45.3	16.0	8.0								
Pike	38.8	35.0	12.5	13.8								
Pope	27.3	27.3	45.5	0.0								
Pulaski	33.3	37.5	16.7	12.5								
Putnam	42.9	33.3	9.5	14.3								
Randolph	42.6	30.4	20.9	6.1								
Richland	38.2	41.2	10.3	10.3								
Rock Island	38.2	34.0	14.9	12.9	38.3	34.5	15.5	11.7	36.4	31.8	13.6	18.2
St. Clair	38.0	33.8	18.7	9.5	38.2	34.1	19.2	8.6	39.6	32.6	18.2	9.6
Saline	34.1	42.0	11.6	12.3								
Sangamon	30.5	47.4	14.4	7.8	30.6	47.9	14.0	7.5	25.8	38.7	22.6	12.9
Schuyler	32.1	39.3	14.3	14.3								
Scott	36.0	40.0	20.0	4.0								
Shelby	34.7	33.7	22.1	9.5								
Stark	25.0	47.2	16.7	11.1								
Stephenson	47.2	28.0	12.4	12.4								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	36.5	37.9	18.2	7.4								
Union	38.6	41.4	15.7	4.3								
Vermilion	34.0	40.8	17.5	7.7	34.7	40.8	16.7	7.8	28.6	42.9	25.0	3.6
Wabash	22.4	46.6	22.4	8.6								
Warren	42.3	36.6	14.1	7.0								
Washington	45.2	31.5	11.0	12.3								
Wayne	36.6	42.3	15.5	5.6								
White	23.3	44.2	19.8	12.8								
Whiteside	37.4	31.3	13.7	17.6								
Will	35.6	36.9	18.3	9.2	36.0	37.7	17.6	8.7	33.0	29.2	25.5	12.3
Williamson	34.3	38.0	17.1	10.6								
Winnebago	38.0	38.3	15.6	8.0	37.1	39.6	16.0	7.3	51.9	29.6	16.7	1.9
Woodford	27.4	51.3	13.3	8.0								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1999 - 2003**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Illinois	18.0	49.2	25.1	4.1	3.7	18.1	50.3	24.4	3.8	3.4	15.6	42.4	30.2	6.1	5.7
Adams	19.5	46.6	26.8	3.2	3.8										
Alexander	9.8	65.9	12.2	7.3	4.9										
Bond	8.6	52.9	27.1	5.7	5.7										
Boone	18.6	50.9	22.8	4.8	3.0										
Brown	0.0	63.2	26.3	10.5	0.0										
Bureau	13.0	52.0	22.6	4.0	8.5										
Calhoun	20.8	45.8	20.8	4.2	8.3										
Carroll	8.3	48.8	23.8	7.1	11.9										
Cass	19.2	52.1	21.9	2.7	4.1										
Champaign	21.5	50.4	24.6	2.5	1.0	21.8	51.0	23.4	2.6	1.1	18.4	42.1	39.5	0.0	0.0
Christian	19.0	48.7	23.3	4.2	4.8										
Clark	16.9	42.2	31.3	3.6	6.0										
Clay	16.2	45.9	25.7	6.8	5.4										
Clinton	11.5	58.4	19.5	8.8	1.8										
Coles	17.3	51.1	25.5	3.5	2.6										
Cook	18.0	47.8	25.6	4.8	3.9	18.4	49.6	24.4	4.3	3.2	15.5	42.5	29.5	6.6	5.8
Crawford	13.2	42.9	27.5	9.9	6.6										
Cumberland	12.8	70.2	10.6	4.3	2.1										
DeKalb	18.6	47.4	25.9	2.6	5.5										
DeWitt	16.1	47.3	21.5	5.4	9.7										
Douglas	17.1	57.7	21.6	2.7	0.9										
DuPage	20.2	48.5	25.0	3.2	3.1	19.6	49.2	24.9	3.4	2.9	22.7	38.6	29.5	0.0	9.1
Edgar	22.6	52.7	20.4	4.3	0.0										
Edwards	11.6	58.1	23.3	7.0	0.0										
Effingham	17.3	52.6	22.4	4.5	3.2										
Fayette	20.3	47.3	25.7	2.7	4.1										
Ford	15.0	50.0	32.5	1.3	1.3										
Franklin	14.5	48.6	26.8	4.5	5.6										
Fulton	9.3	61.7	22.2	1.9	4.9										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1999 - 2003**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Gallatin	27.3	54.5	13.6	0.0	4.5										
Greene	16.7	42.4	31.8	3.0	6.1										
Grundy	14.7	53.4	23.0	5.2	3.7										
Hamilton	10.5	52.6	23.7	2.6	10.5										
Hancock	10.2	53.4	22.7	5.7	8.0										
Hardin	7.1	64.3	28.6	0.0	0.0										
Henderson	14.9	42.6	25.5	8.5	8.5										
Henry	15.3	50.0	25.4	6.8	2.5										
Iroquois	15.8	45.9	27.1	6.0	5.3										
Jackson	13.4	58.9	24.3	3.0	0.5										
Jasper	17.5	50.0	30.0	2.5	0.0										
Jefferson	11.4	56.0	25.9	3.1	3.6										
Jersey	9.2	58.6	27.6	3.4	1.1										
Jo Daviess	11.8	48.7	21.8	1.7	16.0										
Johnson	9.8	45.9	24.6	8.2	11.5										
Kane	18.7	46.9	26.1	4.2	4.1	18.2	47.7	26.4	4.1	3.5	24.6	35.1	33.3	5.3	1.8
Kankakee	16.3	48.5	28.9	4.2	2.2	17.0	50.6	26.2	3.9	2.3	8.6	36.2	46.6	6.9	1.7
Kendall	26.6	43.5	24.7	2.6	2.6										
Knox	13.7	62.0	22.9	1.1	0.4										
Lake	21.4	47.5	25.3	2.9	2.9	21.5	48.2	24.8	2.8	2.7	14.3	43.7	34.5	5.0	2.5
LaSalle	10.6	55.1	27.1	3.6	3.6										
Lawrence	11.6	55.1	20.3	8.7	4.3										
Lee	12.8	59.1	20.8	2.7	4.7										
Livingston	14.5	47.8	30.6	2.7	4.3										
Logan	17.4	55.6	23.6	2.1	1.4										
McDonough	12.2	53.9	20.0	2.6	11.3										
McHenry	18.0	49.6	26.0	4.4	2.0										
McLean	16.4	48.7	25.5	4.3	5.2										
Macon	20.3	52.0	22.8	3.8	1.2	20.8	51.8	22.3	3.8	1.3	11.6	53.5	30.2	4.7	0.0
Macoupin	18.5	50.6	21.9	2.6	6.4										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1999 - 2003**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Madison	17.8	49.0	21.8	3.4	8.0	17.3	49.3	22.0	3.4	8.1	33.3	27.3	24.2	6.1	9.1
Marion	14.4	49.7	28.2	5.6	2.1										
Marshall	11.4	61.4	17.1	5.7	4.3										
Mason	18.0	51.7	23.6	2.2	4.5										
Massac	7.5	58.2	26.9	6.0	1.5										
Menard	18.8	53.6	20.3	1.4	5.8										
Mercer	12.6	48.3	32.2	3.4	3.4										
Monroe	18.7	50.4	23.6	3.3	4.1										
Montgomery	14.6	53.3	24.8	3.6	3.6										
Morgan	17.8	50.6	25.9	2.3	3.4										
Moultrie	14.1	56.4	17.9	6.4	5.1										
Ogle	17.6	51.0	24.0	4.4	2.9										
Peoria	17.6	53.1	24.4	2.3	2.7	17.9	54.8	22.1	2.3	2.9	15.6	37.8	44.4	1.1	1.1
Perry	11.3	57.7	26.8	2.8	1.4										
Piatt	16.3	61.3	18.8	2.5	1.3										
Pike	16.9	50.7	26.8	4.2	1.4										
Pope	0.0	69.2	23.1	7.7	0.0										
Pulaski	10.0	55.0	15.0	10.0	10.0										
Putnam	24.2	33.3	30.3	6.1	6.1										
Randolph	13.3	56.3	22.7	1.6	6.3										
Richland	11.6	56.5	26.1	4.3	1.4										
Rock Island	17.6	50.9	25.7	2.4	3.4	17.1	51.7	26.1	2.3	2.9	12.0	40.0	28.0	4.0	16.0
St. Clair	15.6	51.5	24.7	3.6	4.6	16.6	52.1	24.0	3.6	3.8	12.8	48.0	27.8	3.9	7.5
Saline	8.2	50.5	29.9	1.0	10.3										
Sangamon	21.2	48.6	23.5	3.8	3.0	21.7	48.4	23.2	3.9	2.8	14.0	50.0	26.0	2.0	8.0
Schuyler	0.0	57.1	32.1	7.1	3.6										
Scott	18.2	50.0	31.8	0.0	0.0										
Shelby	24.5	50.0	21.3	2.1	2.1										
Stark	15.4	46.2	26.9	3.8	7.7										
Stephenson	13.6	57.8	20.1	4.0	4.5										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1999 - 2003**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Tazewell	17.4	51.3	25.3	3.5	2.5										
Union	10.1	58.2	27.8	3.8	0.0										
Vermilion	18.0	55.9	21.4	2.3	2.5	18.5	55.7	21.4	2.2	2.2	14.3	53.6	25.0	3.6	3.6
Wabash	13.0	59.4	23.2	2.9	1.4										
Warren	8.5	58.5	26.8	3.7	2.4										
Washington	20.3	38.0	29.1	5.1	7.6										
Wayne	9.7	52.7	29.0	3.2	5.4										
White	8.1	52.7	27.0	2.7	9.5										
Whiteside	12.4	53.2	23.6	3.4	7.5										
Will	19.5	45.9	27.5	4.3	2.8	19.1	46.8	26.8	4.4	2.9	20.5	37.0	36.2	3.9	2.4
Williamson	12.5	50.7	23.2	7.5	6.1										
Winnebago	22.8	52.2	20.6	2.7	1.6	22.9	52.5	20.3	2.7	1.7	19.8	46.2	29.7	3.3	1.1
Woodford	16.6	51.5	26.4	0.6	4.9										

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	51.6	32.5	9.1	6.7	53.6	31.1	9.4	5.9	44.7	37.6	8.8	9.0
Adams	38.9	55.6	5.6	0.0								
Alexander	100.0	0.0	0.0	0.0								
Bond	25.0	75.0	0.0	0.0								
Boone	44.4	33.3	11.1	11.1								
Brown	100.0	0.0	0.0	0.0								
Bureau	71.4	7.1	7.1	14.3								
Calhoun	100.0	0.0	0.0	0.0								
Carroll	75.0	25.0	0.0	0.0								
Cass	60.0	40.0	0.0	0.0								
Champaign	60.7	32.1	3.6	3.6	65.0	30.0	5.0	0.0	50.0	33.3	0.0	16.7
Christian	50.0	16.7	33.3	0.0								
Clark	20.0	40.0	20.0	20.0								
Clay	16.7	50.0	16.7	16.7								
Clinton	71.4	0.0	28.6	0.0								
Coles	44.4	33.3	22.2	0.0								
Cook	49.9	33.4	9.7	7.0	51.9	31.4	11.1	5.5	46.1	36.4	8.4	9.1
Crawford	77.8	11.1	11.1	0.0								
Cumberland	100.0	0.0	0.0	0.0								
DeKalb	63.6	22.7	4.5	9.1								
DeWitt	100.0	0.0	0.0	0.0								
Douglas	71.4	14.3	14.3	0.0								
DuPage	60.2	28.0	6.2	5.6	61.8	27.1	6.3	4.9	66.7	33.3	0.0	0.0
Edgar	33.3	50.0	16.7	0.0								
Edwards	0.0	100.0	0.0	0.0								
Effingham	66.7	0.0	0.0	33.3								
Fayette	66.7	33.3	0.0	0.0								
Ford	0.0	50.0	0.0	50.0								
Franklin	50.0	30.0	10.0	10.0								
Fulton	77.8	11.1	11.1	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	100.0	0.0	0.0	0.0								
Greene	66.7	16.7	16.7	0.0								
Grundy	58.3	25.0	16.7	0.0								
Hamilton	0.0	50.0	50.0	0.0								
Hancock	25.0	75.0	0.0	0.0								
Hardin	0.0	100.0	0.0	0.0								
Henderson	75.0	25.0	0.0	0.0								
Henry	33.3	53.3	13.3	0.0								
Iroquois	16.7	58.3	16.7	8.3								
Jackson	56.3	37.5	0.0	6.3								
Jasper	33.3	33.3	0.0	33.3								
Jefferson	57.1	35.7	7.1	0.0								
Jersey	33.3	0.0	33.3	33.3								
Jo Daviess	55.6	11.1	11.1	22.2								
Johnson	50.0	25.0	0.0	25.0								
Kane	56.7	24.7	12.4	6.2	60.5	23.3	12.8	3.5	28.6	42.9	14.3	14.3
Kankakee	40.5	48.6	2.7	8.1	38.7	48.4	3.2	9.7	40.0	60.0	0.0	0.0
Kendall	75.0	12.5	12.5	0.0								
Knox	56.5	26.1	13.0	4.3								
Lake	54.2	31.3	8.3	6.3	55.8	31.7	7.5	5.0	36.4	27.3	9.1	27.3
LaSalle	43.3	40.0	6.7	10.0								
Lawrence	50.0	33.3	0.0	16.7								
Lee	45.5	27.3	18.2	9.1								
Livingston	60.0	20.0	20.0	0.0								
Logan	63.6	27.3	9.1	0.0								
McDonough	40.0	20.0	20.0	20.0								
McHenry	52.5	32.2	10.2	5.1								
McLean	76.9	11.5	7.7	3.8								
Macon	68.6	17.1	14.3	0.0	70.0	13.3	16.7	0.0	50.0	50.0	0.0	0.0
Macoupin	64.3	28.6	0.0	7.1								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	48.3	32.8	8.6	10.3	47.9	31.3	8.3	12.5	37.5	50.0	12.5	0.0
Marion	52.9	35.3	5.9	5.9								
Marshall	50.0	50.0	0.0	0.0								
Mason	60.0	20.0	20.0	0.0								
Massac	20.0	60.0	20.0	0.0								
Menard	100.0	0.0	0.0	0.0								
Mercer	85.7	0.0	0.0	14.3								
Monroe	20.0	60.0	20.0	0.0								
Montgomery	88.9	11.1	0.0	0.0								
Morgan	0.0	66.7	33.3	0.0								
Moultrie	100.0	0.0	0.0	0.0								
Ogle	70.6	23.5	0.0	5.9								
Peoria	48.1	34.6	11.5	5.8	50.0	33.3	9.5	7.1	42.9	42.9	14.3	0.0
Perry	22.2	66.7	11.1	0.0								
Piatt	0.0	0.0	0.0	100.0								
Pike	85.7	14.3	0.0	0.0								
Pope	100.0	0.0	0.0	0.0								
Pulaski	16.7	83.3	0.0	0.0								
Putnam	0.0	100.0	0.0	0.0								
Randolph	60.0	40.0	0.0	0.0								
Richland	40.0	60.0	0.0	0.0								
Rock Island	55.0	31.7	8.3	5.0	59.3	31.5	3.7	5.6	0.0	33.3	66.7	0.0
St. Clair	43.9	40.9	9.1	6.1	57.9	28.9	5.3	7.9	22.2	59.3	14.8	3.7
Saline	66.7	33.3	0.0	0.0								
Sangamon	53.1	28.1	9.4	9.4	53.6	25.0	10.7	10.7	50.0	50.0	0.0	0.0
Schuyler	66.7	0.0	0.0	33.3								
Scott	50.0	50.0	0.0	0.0								
Shelby	33.3	50.0	0.0	16.7								
Stark	100.0	0.0	0.0	0.0								
Stephenson	42.9	28.6	14.3	14.3								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	65.2	21.7	4.3	8.7								
Union	25.0	50.0	25.0	0.0								
Vermilion	42.1	31.6	15.8	10.5	38.9	33.3	16.7	11.1	0.0	0.0	0.0	0.0
Wabash	16.7	50.0	0.0	33.3								
Warren	50.0	25.0	25.0	0.0								
Washington	28.6	57.1	14.3	0.0								
Wayne	100.0	0.0	0.0	0.0								
White	71.4	0.0	14.3	14.3								
Whiteside	55.6	33.3	0.0	11.1								
Will	45.5	38.4	6.3	9.8	46.2	37.6	7.5	8.6	31.3	50.0	0.0	18.8
Williamson	47.4	36.8	5.3	10.5								
Winnebago	50.7	34.8	10.1	4.3	51.7	32.8	10.3	5.2	44.4	44.4	11.1	0.0
Woodford	50.0	25.0	25.0	0.0								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	77.4	8.8	4.5	9.4	78.9	9.2	4.0	8.0	72.6	8.6	7.9	11.0
Adams	81.7	8.0	5.3	5.0								
Alexander	73.3	11.1	8.9	6.7								
Bond	67.6	8.5	9.9	14.1								
Boone	72.8	14.0	6.1	7.0								
Brown	86.7	0.0	13.3	0.0								
Bureau	62.6	2.7	4.1	30.6								
Calhoun	66.7	22.2	0.0	11.1								
Carroll	70.7	7.3	2.4	19.5								
Cass	77.6	6.9	3.4	12.1								
Champaign	87.3	7.0	2.9	2.9	87.8	7.4	2.4	2.4	82.4	2.0	7.8	7.8
Christian	84.2	7.9	4.2	3.6								
Clark	70.6	10.3	8.8	10.3								
Clay	71.9	10.9	1.6	15.6								
Clinton	78.3	8.5	7.0	6.2								
Coles	73.0	10.8	5.4	10.8								
Cook	77.3	8.2	5.5	8.9	79.5	8.6	4.6	7.2	72.4	8.0	8.4	11.2
Crawford	82.1	8.0	3.6	6.3								
Cumberland	78.0	2.0	2.0	18.0								
DeKalb	77.8	7.7	3.4	11.1								
DeWitt	53.7	16.4	9.0	20.9								
Douglas	78.4	12.2	2.7	6.8								
DuPage	80.7	9.6	3.1	6.6	81.7	9.9	3.0	5.4	74.1	12.1	6.9	6.9
Edgar	77.8	11.1	2.8	8.3								
Edwards	85.2	3.7	0.0	11.1								
Effingham	83.0	7.4	4.5	5.1								
Fayette	76.2	8.3	6.0	9.5								
Ford	83.1	5.1	5.1	6.8								
Franklin	72.1	12.6	4.4	10.9								
Fulton	65.5	10.2	4.5	19.8								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	64.3	3.6	7.1	25.0								
Greene	75.8	6.1	7.6	10.6								
Grundy	80.2	9.2	1.5	9.2								
Hamilton	85.4	4.9	2.4	7.3								
Hancock	61.5	3.7	4.6	30.3								
Hardin	79.2	8.3	0.0	12.5								
Henderson	61.8	2.9	5.9	29.4								
Henry	72.1	6.5	1.4	20.0								
Iroquois	77.9	6.9	6.2	9.0								
Jackson	83.1	6.7	1.7	8.4								
Jasper	90.0	2.0	4.0	4.0								
Jefferson	85.6	6.0	2.4	6.0								
Jersey	82.2	13.7	0.0	4.1								
Jo Daviess	64.4	5.1	3.4	27.1								
Johnson	82.4	3.9	3.9	9.8								
Kane	78.2	10.8	4.0	7.0	80.0	10.6	4.0	5.4	66.7	20.8	4.2	8.3
Kankakee	74.8	10.8	8.3	6.1	76.8	10.5	8.4	4.3	65.3	13.9	9.7	11.1
Kendall	72.5	18.3	1.3	7.8								
Knox	72.0	11.3	4.8	11.8								
Lake	77.4	9.2	3.1	10.3	79.2	9.7	3.3	7.8	74.6	12.3	3.3	9.8
LaSalle	66.9	5.2	5.7	22.1								
Lawrence	89.7	8.6	0.0	1.7								
Lee	79.3	4.9	2.4	13.4								
Livingston	68.3	16.1	3.7	11.8								
Logan	80.4	8.0	3.6	8.0								
McDonough	72.9	6.3	2.1	18.8								
McHenry	80.2	8.0	4.7	7.0								
McLean	69.2	15.3	4.1	11.5								
Macon	83.7	7.0	3.9	5.4	83.9	7.3	3.6	5.2	82.9	6.1	6.1	4.9
Macoupin	71.4	9.7	2.9	16.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	75.4	11.6	2.6	10.4	76.3	12.5	2.0	9.1	70.1	7.5	9.0	13.4
Marion	84.0	7.8	4.9	3.3								
Marshall	67.2	11.5	4.9	16.4								
Mason	77.3	8.0	2.7	12.0								
Massac	86.2	6.2	1.5	6.2								
Menard	80.0	5.0	5.0	10.0								
Mercer	80.0	10.7	1.3	8.0								
Monroe	80.6	11.3	4.0	4.0								
Montgomery	67.6	9.3	4.6	18.5								
Morgan	75.4	9.3	4.2	11.0								
Moultrie	74.2	6.5	6.5	12.9								
Ogle	68.7	15.3	6.1	9.8								
Peoria	78.3	8.7	2.6	10.4	78.3	8.9	2.6	10.2	82.8	9.7	1.1	6.5
Perry	82.8	5.1	2.0	10.1								
Piatt	90.3	5.6	2.8	1.4								
Pike	72.5	10.1	5.8	11.6								
Pope	75.0	16.7	0.0	8.3								
Pulaski	72.7	6.1	9.1	12.1								
Putnam	82.1	0.0	3.6	14.3								
Randolph	82.8	8.6	1.2	7.4								
Richland	86.1	11.4	2.5	0.0								
Rock Island	82.9	4.5	1.9	10.7	85.3	5.4	2.1	7.2	79.5	2.6	2.6	15.4
St. Clair	74.1	10.2	3.9	11.8	75.1	10.9	2.8	11.2	72.7	8.4	6.8	12.0
Saline	72.8	9.7	4.9	12.6								
Sangamon	81.4	7.1	5.0	6.5	82.5	7.2	4.5	5.9	70.0	7.5	15.0	7.5
Schuyler	83.3	0.0	0.0	16.7								
Scott	84.2	10.5	0.0	5.3								
Shelby	82.2	7.5	5.6	4.7								
Stark	82.4	5.9	0.0	11.8								
Stephenson	79.9	3.4	6.7	10.1								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1999 - 2003**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	77.4	9.7	2.5	10.5								
Union	83.3	13.3	0.0	3.3								
Vermilion	79.7	7.8	5.0	7.5	81.8	7.3	4.7	6.2	70.8	16.7	12.5	0.0
Wabash	86.0	7.0	4.7	2.3								
Warren	75.7	6.8	4.1	13.5								
Washington	85.1	5.4	4.1	5.4								
Wayne	76.3	7.9	6.6	9.2								
White	72.4	10.3	6.9	10.3								
Whiteside	79.6	7.3	2.2	10.9								
Will	74.6	9.9	2.8	12.7	76.7	10.3	3.0	9.9	73.3	12.7	1.8	12.1
Williamson	76.9	10.3	3.6	9.3								
Winnebago	73.0	14.7	4.3	8.0	73.2	14.5	4.1	8.2	71.4	18.2	5.2	5.2
Woodford	73.0	12.5	3.3	11.2								

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Section III.

County-specific Cancer Incidence Rate, Illinois, 1999-2003

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	295,142	486.4	484.6	488.1	150,332	580.9	577.9	583.9	144,810	425.5	423.3	427.7
Oral Cavity and Pharynx	6,481	10.6	10.4	10.9	4,407	16.1	15.7	16.6	2,074	6.1	5.9	6.4
Esophagus	3,352	5.5	5.4	5.7	2,561	9.8	9.4	10.2	791	2.3	2.1	2.4
Stomach	4,719	7.8	7.5	8.0	2,827	11.1	10.7	11.6	1,892	5.3	5.0	5.5
Colon and Rectum	35,671	58.7	58.1	59.4	17,960	71.1	70.1	72.2	17,711	49.8	49.1	50.6
Liver	2,752	4.5	4.4	4.7	1,870	7.0	6.7	7.4	882	2.5	2.4	2.7
Pancreas	7,375	12.2	11.9	12.5	3,627	14.2	13.7	14.7	3,748	10.5	10.2	10.9
Lung and Bronchus	43,860	72.9	72.2	73.5	24,553	96.1	94.9	97.4	19,307	56.6	55.8	57.4
Bones and Joints	527	0.8	0.8	0.9	287	1.0	0.9	1.1	240	0.7	0.6	0.8
Melanoma of the Skin	7,729	12.6	12.3	12.9	4,388	16.2	15.7	16.7	3,341	10.1	9.8	10.5
Breast (invasive)	43,678	71.6	71.0	72.3	378	1.5	1.3	1.6	43,300	129.7	128.5	131.0
Cervix	-	-	-	-	-	-	-	-	3,274	10.1	9.8	10.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8,340	25.0	24.5	25.6
Ovary	-	-	-	-	-	-	-	-	4,522	13.4	13.0	13.8
Prostate	-	-	-	-	42,679	165.6	164.0	167.1	-	-	-	-
Testis	-	-	-	-	1,591	5.0	4.8	5.3	-	-	-	-
Urinary Bladder	13,683	22.6	22.3	23.0	9,982	40.2	39.4	41.0	3,701	10.5	10.1	10.8
Kidney and Renal Pelvis	8,562	14.1	13.8	14.4	5,165	19.4	18.9	19.9	3,397	10.0	9.7	10.4
Brain and Other Nervous System	3,861	6.3	6.1	6.5	2,077	7.4	7.1	7.7	1,784	5.4	5.2	5.7
Hodgkin's Disease	1,767	2.8	2.7	3.0	970	3.2	3.0	3.4	797	2.5	2.3	2.7
Non-Hodgkin's Lymphomas	11,699	19.2	18.9	19.6	6,123	23.2	22.7	23.8	5,576	16.2	15.7	16.6
Multiple Myeloma	3,680	6.1	5.9	6.3	1,863	7.3	7.0	7.6	1,817	5.2	5.0	5.4
Leukemias	8,038	13.2	12.9	13.4	4,464	17.2	16.7	17.7	3,574	10.3	10.0	10.6
All Other Sites	27,302	44.7	44.2	45.2	12,560	48.1	47.2	48.9	14,742	43.1	42.4	43.9
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	9,494	29.1	28.5	29.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Adams County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,053	483.1	462.0	505.1	1,114	599.3	564.5	635.9	939	404.7	378.1	432.9
Oral Cavity and Pharynx	63	15.5	11.8	20.0	45	25.0	18.2	33.7	18	7.6	4.4	12.7
Esophagus	29	7.0	4.6	10.2	23	12.5	7.9	19.1	6	2.2	0.8	5.5
Stomach	24	5.8	3.7	8.9	14	7.5	4.1	12.8	10	4.7	2.2	9.3
Colon and Rectum	248	55.2	48.4	62.9	119	64.3	53.2	77.3	129	48.3	39.9	58.3
Liver	13	3.0	1.6	5.4	8	4.2	1.8	8.6	5	2.0	0.6	5.5
Pancreas	43	9.2	6.6	12.6	14	7.5	4.1	12.9	29	10.6	7.0	16.0
Lung and Bronchus	333	77.6	69.3	86.6	189	100.0	86.2	115.6	144	62.2	52.1	73.9
Bones and Joints	3	0.9	0.2	2.7	3	1.8	0.4	5.5	0	0.0	0.0	2.6
Melanoma of the Skin	53	13.9	10.3	18.3	35	19.4	13.5	27.3	18	9.6	5.6	15.5
Breast (invasive)	252	62.6	54.9	71.1	0	0.0	0.0	2.6	252	115.1	100.8	131.1
Cervix	-	-	-	-	-	-	-	-	18	10.6	6.2	17.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	48	21.9	16.0	29.5
Ovary	-	-	-	-	-	-	-	-	27	10.7	6.9	16.3
Prostate	-	-	-	-	323	169.9	151.8	189.8	-	-	-	-
Testis	-	-	-	-	8	5.1	2.2	10.1	-	-	-	-
Urinary Bladder	101	21.9	17.8	26.8	74	39.1	30.6	49.3	27	9.7	6.3	14.8
Kidney and Renal Pelvis	54	13.5	10.0	17.8	31	17.8	12.0	25.5	23	9.7	6.0	15.2
Brain and Other Nervous System	23	5.9	3.7	9.1	9	5.4	2.5	10.5	14	6.1	3.3	10.8
Hodgkin's Disease	14	3.8	2.0	6.5	9	5.2	2.4	10.1	5	2.8	0.9	6.8
Non-Hodgkin's Lymphomas	85	20.2	16.0	25.2	43	23.8	17.2	32.4	42	17.9	12.6	24.9
Multiple Myeloma	39	8.8	6.2	12.3	26	14.2	9.3	21.1	13	5.0	2.6	9.2
Leukemias	67	16.1	12.4	20.6	41	22.5	16.1	30.8	26	10.6	6.8	16.3
All Other Sites	185	43.1	37.0	50.1	100	54.1	44.0	66.1	85	37.5	29.6	47.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	61	31.5	23.9	40.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Alexander County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	283	492.2	435.9	554.6	153	624.2	529.0	732.4	130	405.6	337.0	487.0
Oral Cavity and Pharynx	6	9.6	3.5	23.0	6	25.4	9.3	56.4	0	0.0	0.0	20.9
Esophagus	2	3.2	0.4	14.1	1	4.0	0.1	24.7	1	3.3	0.1	25.7
Stomach	3	4.7	1.0	16.2	1	4.0	0.1	24.7	2	4.7	0.5	26.8
Colon and Rectum	43	73.6	53.0	100.6	20	82.0	50.0	127.8	23	66.5	41.3	105.5
Liver	1	1.7	0.0	11.9	0	0.0	0.0	17.7	1	2.9	0.1	24.8
Pancreas	6	10.4	3.8	24.3	4	15.7	4.3	42.1	2	6.6	0.8	30.4
Lung and Bronchus	64	110.8	85.1	142.7	42	170.1	122.5	231.1	22	65.1	40.4	103.6
Bones and Joints	0	0.0	0.0	9.3	0	0.0	0.0	17.7	0	0.0	0.0	20.9
Melanoma of the Skin	2	3.4	0.4	14.6	2	8.3	1.0	31.7	0	0.0	0.0	20.9
Breast (invasive)	39	70.7	50.1	97.8	2	7.5	0.9	29.8	37	122.2	85.3	173.0
Cervix	-	-	-	-	-	-	-	-	2	6.0	0.6	29.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	38.3	19.7	71.7
Ovary	-	-	-	-	-	-	-	-	2	6.9	0.8	31.1
Prostate	-	-	-	-	45	183.2	133.6	246.2	-	-	-	-
Testis	-	-	-	-	2	8.8	1.1	32.8	-	-	-	-
Urinary Bladder	7	12.0	4.8	26.3	4	16.4	4.4	43.5	3	7.7	1.5	30.8
Kidney and Renal Pelvis	6	10.5	3.8	24.6	3	12.3	2.5	37.4	3	9.2	1.8	33.7
Brain and Other Nervous System	3	6.3	1.3	19.4	3	12.2	2.5	37.3	0	0.0	0.0	20.9
Hodgkin's Disease	2	4.0	0.5	15.9	0	0.0	0.0	17.7	2	7.8	0.9	33.1
Non-Hodgkin's Lymphomas	5	8.8	2.8	22.1	1	3.8	0.1	24.0	4	13.2	3.5	39.4
Multiple Myeloma	3	4.9	1.0	16.6	1	4.0	0.1	24.7	2	6.2	0.8	29.6
Leukemias	5	8.0	2.5	20.9	4	16.7	4.5	44.0	1	1.9	0.0	23.0
All Other Sites	23	42.1	26.5	64.6	12	49.7	25.6	88.0	11	36.9	17.5	71.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	4	13.5	3.6	40.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Bond County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	511	523.9	479.3	572.1	283	653.4	578.6	736.2	228	456.9	397.9	523.4
Oral Cavity and Pharynx	7	7.7	3.1	16.6	7	14.3	5.7	31.8	0	0.0	0.0	12.0
Esophagus	3	3.1	0.6	10.2	3	6.4	1.3	21.2	0	0.0	0.0	12.0
Stomach	8	8.5	3.7	17.6	5	11.6	3.7	29.1	3	6.5	1.3	21.9
Colon and Rectum	67	67.4	52.2	86.3	34	79.4	54.7	112.4	33	62.0	42.2	89.7
Liver	3	2.7	0.6	9.5	0	0.0	0.0	11.7	3	4.2	0.9	17.4
Pancreas	17	16.4	9.5	27.2	13	33.6	17.7	58.8	4	6.3	1.6	20.6
Lung and Bronchus	91	93.0	74.8	114.8	60	137.4	104.5	178.5	31	58.8	39.6	85.9
Bones and Joints	2	2.6	0.3	9.8	2	4.7	0.6	19.2	0	0.0	0.0	12.0
Melanoma of the Skin	12	12.8	6.6	23.1	8	16.1	6.9	34.0	4	7.9	2.0	23.4
Breast (invasive)	64	67.4	51.9	86.7	0	0.0	0.0	11.7	64	137.6	105.3	177.9
Cervix	-	-	-	-	-	-	-	-	4	10.3	2.8	27.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	20.9	9.8	40.8
Ovary	-	-	-	-	-	-	-	-	4	7.6	1.9	23.0
Prostate	-	-	-	-	71	165.6	128.9	210.4	-	-	-	-
Testis	-	-	-	-	1	2.0	0.1	14.8	-	-	-	-
Urinary Bladder	27	27.3	18.0	40.5	18	41.7	24.6	67.6	9	16.5	7.4	34.3
Kidney and Renal Pelvis	21	21.5	13.3	33.7	13	29.0	15.4	51.4	8	16.5	7.0	35.2
Brain and Other Nervous System	2	2.1	0.3	8.8	1	2.1	0.1	15.0	1	1.7	0.0	14.4
Hodgkin's Disease	4	4.1	1.1	11.7	1	2.5	0.1	15.8	3	6.7	1.3	22.3
Non-Hodgkin's Lymphomas	19	19.5	11.8	31.3	8	17.0	7.3	35.5	11	21.2	10.5	40.6
Multiple Myeloma	7	7.1	2.8	15.6	3	6.7	1.4	21.9	4	7.6	2.0	22.9
Leukemias	22	22.3	13.9	34.6	12	30.1	15.4	53.9	10	21.9	10.1	42.8
All Other Sites	45	46.1	33.5	62.4	23	53.3	33.5	81.7	22	42.8	26.2	67.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	6	12.6	4.5	30.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Boone County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	910	462.0	432.3	493.2	481	558.6	508.2	613.4	429	404.4	366.9	444.8
Oral Cavity and Pharynx	23	11.2	7.1	17.0	17	17.1	9.9	29.1	6	5.7	2.1	12.6
Esophagus	9	4.6	2.1	8.8	8	9.9	4.0	21.3	1	1.0	0.0	5.8
Stomach	11	5.6	2.8	10.2	10	12.0	5.6	23.8	1	0.9	0.0	5.4
Colon and Rectum	124	64.3	53.5	76.8	77	95.4	74.6	120.9	47	43.6	32.0	58.2
Liver	7	3.4	1.3	7.1	4	3.7	1.0	12.0	3	2.9	0.6	8.7
Pancreas	17	8.7	5.0	14.0	8	10.1	4.1	21.6	9	8.2	3.7	15.8
Lung and Bronchus	128	67.2	56.0	80.0	73	86.7	67.6	110.5	55	52.5	39.5	68.5
Bones and Joints	2	1.0	0.1	3.9	0	0.0	0.0	7.2	2	1.9	0.2	7.1
Melanoma of the Skin	23	11.3	7.1	17.1	15	16.7	9.2	29.3	8	7.5	3.3	15.0
Breast (invasive)	138	67.9	57.0	80.3	2	2.2	0.2	10.3	136	127.3	106.8	150.8
Cervix	-	-	-	-	-	-	-	-	9	8.2	3.8	15.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	30	28.5	19.2	40.9
Ovary	-	-	-	-	-	-	-	-	11	10.7	5.4	19.3
Prostate	-	-	-	-	114	132.0	108.3	160.2	-	-	-	-
Testis	-	-	-	-	7	6.4	2.6	15.5	-	-	-	-
Urinary Bladder	46	24.2	17.7	32.4	35	45.3	31.1	64.6	11	10.8	5.4	19.5
Kidney and Renal Pelvis	32	16.0	10.9	22.7	24	28.0	17.6	43.3	8	7.3	3.2	14.7
Brain and Other Nervous System	6	2.7	1.0	6.1	4	3.4	0.9	11.5	2	1.9	0.2	7.2
Hodgkin's Disease	9	4.3	2.0	8.4	3	3.3	0.6	11.9	6	5.8	2.1	12.8
Non-Hodgkin's Lymphomas	44	22.0	16.0	29.7	22	22.4	13.9	35.6	22	20.6	12.9	31.4
Multiple Myeloma	14	7.0	3.8	11.9	5	5.3	1.7	14.6	9	8.5	3.9	16.3
Leukemias	24	12.0	7.7	18.0	13	13.4	7.1	24.8	11	10.6	5.3	19.1
All Other Sites	82	42.0	33.4	52.3	40	45.3	32.0	63.5	42	39.7	28.6	53.8
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	31	29.9	20.3	42.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Brown County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	134	388.3	324.6	463.8	74	473.3	369.0	602.5	60	341.2	256.4	453.1
Oral Cavity and Pharynx	5	12.6	4.0	36.3	4	23.4	5.7	71.8	1	3.0	0.1	47.2
Esophagus	1	3.5	0.1	25.1	1	5.9	0.1	46.3	0	0.0	0.0	44.3
Stomach	2	4.3	0.5	25.0	2	8.5	0.8	49.2	0	0.0	0.0	44.3
Colon and Rectum	21	62.5	38.5	99.8	12	81.7	41.5	149.9	9	48.6	21.8	106.9
Liver	2	5.3	0.6	26.9	1	6.2	0.2	47.0	1	3.0	0.1	47.2
Pancreas	4	11.8	3.2	36.0	2	14.2	1.7	59.7	2	9.9	1.1	56.6
Lung and Bronchus	25	77.1	49.8	117.5	19	128.2	76.6	206.9	6	35.1	12.9	90.2
Bones and Joints	0	0.0	0.0	19.8	0	0.0	0.0	37.9	0	0.0	0.0	44.3
Melanoma of the Skin	1	2.2	0.1	22.5	0	0.0	0.0	37.9	1	3.0	0.1	47.2
Breast (invasive)	19	56.8	34.0	93.0	0	0.0	0.0	37.9	19	131.5	77.4	216.4
Cervix	-	-	-	-	-	-	-	-	1	5.7	0.1	51.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	12.3	1.2	61.9
Ovary	-	-	-	-	-	-	-	-	1	3.0	0.1	47.2
Prostate	-	-	-	-	15	101.5	56.5	174.0	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	37.9	-	-	-	-
Urinary Bladder	5	13.2	4.2	37.4	4	31.3	8.4	85.8	1	3.9	0.1	48.5
Kidney and Renal Pelvis	3	7.4	1.5	29.5	1	4.1	0.1	42.8	2	6.9	0.8	51.5
Brain and Other Nervous System	0	0.0	0.0	19.8	0	0.0	0.0	37.9	0	0.0	0.0	44.3
Hodgkin's Disease	2	5.9	0.7	28.1	0	0.0	0.0	37.9	2	17.2	2.1	71.1
Non-Hodgkin's Lymphomas	6	18.0	6.5	44.7	5	27.4	8.3	75.9	1	5.7	0.1	51.6
Multiple Myeloma	1	2.4	0.1	22.8	0	0.0	0.0	37.9	1	3.9	0.1	48.5
Leukemias	4	10.7	2.8	34.1	4	20.3	5.1	65.6	0	0.0	0.0	44.3
All Other Sites	14	39.2	21.2	70.7	4	20.5	5.3	65.7	10	48.4	22.6	105.0
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	0	0.0	0.0	44.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Bureau County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,163	511.0	481.5	542.2	600	610.6	562.5	662.2	563	452.5	414.0	494.3
Oral Cavity and Pharynx	15	7.5	4.2	12.7	12	12.4	6.4	22.4	3	3.0	0.6	10.0
Esophagus	9	4.3	2.0	8.7	8	8.2	3.5	17.0	1	0.8	0.0	6.6
Stomach	29	11.7	7.8	17.3	18	18.3	10.8	29.6	11	7.3	3.5	14.9
Colon and Rectum	163	67.2	57.1	78.9	82	83.4	66.2	104.1	81	53.7	42.1	68.6
Liver	9	4.1	1.8	8.3	5	5.2	1.7	12.9	4	3.9	1.0	11.2
Pancreas	37	14.8	10.3	21.0	15	15.0	8.4	25.6	22	13.9	8.5	22.8
Lung and Bronchus	188	80.5	69.3	93.4	107	106.8	87.5	129.7	81	62.6	49.3	79.3
Bones and Joints	1	0.6	0.0	3.6	0	0.0	0.0	5.3	1	1.2	0.0	7.4
Melanoma of the Skin	33	17.0	11.6	24.2	19	19.7	11.8	31.4	14	14.5	7.7	25.5
Breast (invasive)	154	71.0	60.0	83.7	0	0.0	0.0	5.3	154	131.3	110.6	155.4
Cervix	-	-	-	-	-	-	-	-	14	14.0	7.4	24.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	29	26.3	17.5	38.9
Ovary	-	-	-	-	-	-	-	-	11	9.4	4.6	18.2
Prostate	-	-	-	-	147	146.5	123.7	172.8	-	-	-	-
Testis	-	-	-	-	6	7.6	2.8	16.8	-	-	-	-
Urinary Bladder	56	22.7	17.0	30.0	40	40.6	28.9	55.9	16	10.2	5.7	18.3
Kidney and Renal Pelvis	34	15.6	10.8	22.3	20	20.3	12.4	32.1	14	11.9	6.4	21.2
Brain and Other Nervous System	11	5.6	2.7	10.6	9	10.1	4.6	19.7	2	1.9	0.2	8.4
Hodgkin's Disease	8	4.9	2.1	9.9	1	1.0	0.0	6.9	7	8.9	3.5	18.9
Non-Hodgkin's Lymphomas	44	19.4	14.0	26.5	24	24.6	15.8	37.3	20	16.4	9.8	26.7
Multiple Myeloma	8	3.1	1.3	6.8	5	4.8	1.6	12.3	3	1.7	0.4	7.5
Leukemias	36	15.1	10.5	21.6	24	25.0	16.0	37.9	12	9.2	4.4	17.9
All Other Sites	121	54.0	44.5	65.1	58	61.2	46.3	79.7	63	50.3	38.0	66.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	23	19.8	12.3	31.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Calhoun County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	158	462.7	391.8	546.7	82	492.8	391.0	620.4	76	450.7	350.8	579.5
Oral Cavity and Pharynx	3	7.3	1.5	31.7	2	13.7	1.7	62.7	1	5.5	0.1	55.6
Esophagus	0	0.0	0.0	23.0	0	0.0	0.0	43.2	0	0.0	0.0	49.0
Stomach	0	0.0	0.0	23.0	0	0.0	0.0	43.2	0	0.0	0.0	49.0
Colon and Rectum	20	55.4	33.5	92.1	10	61.0	29.0	123.5	10	51.4	23.9	113.1
Liver	2	4.8	0.6	28.6	1	6.9	0.2	53.1	1	4.3	0.1	53.7
Pancreas	4	10.8	2.9	36.6	1	5.6	0.1	50.3	3	15.7	3.2	68.0
Lung and Bronchus	35	96.3	66.7	139.9	23	135.0	85.3	212.7	12	63.8	31.8	129.3
Bones and Joints	1	2.6	0.1	26.0	1	5.2	0.1	49.7	0	0.0	0.0	49.0
Melanoma of the Skin	0	0.0	0.0	23.0	0	0.0	0.0	43.2	0	0.0	0.0	49.0
Breast (invasive)	19	61.0	36.0	101.4	0	0.0	0.0	43.2	19	119.5	69.7	202.1
Cervix	-	-	-	-	-	-	-	-	1	7.9	0.2	60.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	27.8	7.1	87.4
Ovary	-	-	-	-	-	-	-	-	3	17.2	3.5	70.6
Prostate	-	-	-	-	27	159.4	104.7	241.6	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	43.2	-	-	-	-
Urinary Bladder	4	12.2	3.2	39.3	3	19.3	3.8	70.2	1	5.0	0.1	54.7
Kidney and Renal Pelvis	4	14.1	3.7	42.8	2	16.0	1.9	67.4	2	10.6	1.2	61.9
Brain and Other Nervous System	0	0.0	0.0	23.0	0	0.0	0.0	43.2	0	0.0	0.0	49.0
Hodgkin's Disease	0	0.0	0.0	23.0	0	0.0	0.0	43.2	0	0.0	0.0	49.0
Non-Hodgkin's Lymphomas	4	14.0	3.6	42.8	0	0.0	0.0	43.2	4	27.7	7.0	87.5
Multiple Myeloma	2	5.5	0.7	29.9	1	5.6	0.1	50.3	1	5.5	0.1	55.6
Leukemias	3	10.7	2.1	38.1	1	8.2	0.2	56.2	2	12.9	1.4	66.3
All Other Sites	22	66.6	41.1	107.2	10	56.9	27.1	117.1	12	75.8	37.4	148.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	5	25.9	7.5	82.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Carroll County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	562	502.3	460.8	547.3	281	540.8	478.9	610.0	281	479.8	423.2	543.9
Oral Cavity and Pharynx	19	19.3	11.4	31.5	12	25.7	13.1	47.0	7	13.1	4.9	31.3
Esophagus	6	5.7	2.0	14.1	5	10.3	3.3	26.8	1	1.5	0.0	15.0
Stomach	7	6.3	2.5	14.8	4	8.3	2.2	24.1	3	5.2	1.1	19.9
Colon and Rectum	68	56.1	43.4	72.5	34	64.3	44.4	92.0	34	49.0	33.5	72.5
Liver	2	1.8	0.2	8.7	2	3.6	0.4	17.0	0	0.0	0.0	13.2
Pancreas	14	12.0	6.4	21.9	5	9.2	3.0	24.7	9	14.1	6.0	31.6
Lung and Bronchus	96	83.4	67.3	103.1	56	107.8	81.3	141.9	40	64.3	45.6	91.0
Bones and Joints	1	0.7	0.0	7.0	1	2.1	0.1	15.1	0	0.0	0.0	13.2
Melanoma of the Skin	19	18.8	11.1	30.8	10	19.6	9.4	38.6	9	19.9	8.7	41.1
Breast (invasive)	77	71.2	55.9	90.4	0	0.0	0.0	12.0	77	134.2	105.0	171.4
Cervix	-	-	-	-	-	-	-	-	4	8.6	2.1	25.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	38.7	23.4	62.8
Ovary	-	-	-	-	-	-	-	-	11	19.5	9.6	38.6
Prostate	-	-	-	-	82	153.0	121.6	191.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.0	-	-	-	-
Urinary Bladder	25	20.3	13.1	31.5	18	33.6	19.9	55.5	7	10.0	3.9	25.6
Kidney and Renal Pelvis	18	16.0	9.4	26.8	12	23.0	11.8	42.8	6	10.2	3.6	26.6
Brain and Other Nervous System	6	4.8	1.8	12.5	2	3.5	0.4	16.7	4	5.5	1.5	19.9
Hodgkin's Disease	2	3.2	0.4	11.8	2	6.1	0.7	22.6	0	0.0	0.0	13.2
Non-Hodgkin's Lymphomas	22	20.7	12.8	32.9	8	16.8	7.1	35.7	14	24.4	13.0	44.8
Multiple Myeloma	4	3.3	0.9	10.5	4	7.1	1.9	21.7	0	0.0	0.0	13.2
Leukemias	11	9.0	4.5	17.8	7	13.1	5.3	29.8	4	6.6	1.8	21.8
All Other Sites	48	45.0	32.8	61.1	17	33.6	19.4	56.1	31	55.0	36.6	81.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	7	12.8	4.9	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Cass County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	410	511.6	462.9	564.4	211	601.0	522.3	688.5	199	452.2	389.9	522.8
Oral Cavity and Pharynx	8	10.9	4.7	22.0	6	17.7	6.5	39.2	2	4.5	0.5	19.4
Esophagus	6	8.5	3.1	19.0	5	14.7	4.8	35.0	1	3.0	0.1	18.0
Stomach	0	0.0	0.0	6.0	0	0.0	0.0	11.9	0	0.0	0.0	12.6
Colon and Rectum	53	62.1	46.4	81.9	28	80.9	53.7	117.5	25	48.3	31.0	74.1
Liver	3	3.4	0.7	11.1	0	0.0	0.0	11.9	3	5.6	1.1	20.4
Pancreas	8	9.5	4.1	19.6	2	5.2	0.6	20.3	6	12.9	4.7	30.8
Lung and Bronchus	66	80.5	62.2	103.0	39	109.8	77.9	150.7	27	55.5	36.3	83.2
Bones and Joints	2	3.1	0.4	11.4	0	0.0	0.0	11.9	2	6.5	0.8	23.8
Melanoma of the Skin	16	20.6	11.7	34.1	11	31.9	15.9	57.7	5	12.2	3.9	30.6
Breast (invasive)	59	74.9	56.9	97.4	0	0.0	0.0	11.9	59	139.5	105.2	182.5
Cervix	-	-	-	-	-	-	-	-	5	11.7	3.7	29.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	26.1	12.4	49.6
Ovary	-	-	-	-	-	-	-	-	2	3.8	0.4	18.0
Prostate	-	-	-	-	58	163.1	123.7	211.6	-	-	-	-
Testis	-	-	-	-	1	3.0	0.1	17.3	-	-	-	-
Urinary Bladder	27	32.9	21.6	48.6	23	66.0	41.8	99.7	4	7.7	2.1	23.3
Kidney and Renal Pelvis	9	12.0	5.4	23.3	2	6.3	0.8	22.9	7	17.6	6.9	38.4
Brain and Other Nervous System	5	7.0	2.2	16.8	3	8.6	1.8	26.0	2	6.3	0.8	23.4
Hodgkin's Disease	5	7.2	2.3	17.1	4	11.4	3.1	30.0	1	2.7	0.1	17.1
Non-Hodgkin's Lymphomas	14	17.1	9.3	29.4	7	19.6	7.9	41.3	7	15.4	6.0	34.4
Multiple Myeloma	1	1.5	0.0	8.6	1	2.8	0.1	16.8	0	0.0	0.0	12.6
Leukemias	16	20.4	11.6	33.8	7	20.2	8.1	42.3	9	20.3	8.9	41.4
All Other Sites	36	45.6	31.8	63.8	14	39.8	21.7	67.5	22	52.6	32.4	82.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	14	34.4	18.4	59.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,502	485.7	469.7	502.1	1,783	571.9	545.4	599.6	1,719	426.7	406.6	447.6
Oral Cavity and Pharynx	78	10.7	8.5	13.4	51	15.8	11.7	21.0	27	6.4	4.2	9.5
Esophagus	34	4.7	3.3	6.6	22	7.7	4.8	11.9	12	2.5	1.3	4.5
Stomach	49	6.8	5.0	9.0	35	11.3	7.8	15.9	14	2.9	1.6	5.0
Colon and Rectum	364	50.5	45.5	56.0	179	59.1	50.7	68.7	185	43.9	37.7	50.8
Liver	37	5.2	3.6	7.2	24	7.9	5.0	12.0	13	3.2	1.7	5.6
Pancreas	74	10.4	8.2	13.1	40	13.0	9.3	18.0	34	8.5	5.8	11.9
Lung and Bronchus	495	70.2	64.2	76.7	261	84.9	74.9	96.1	234	59.7	52.2	67.9
Bones and Joints	4	0.5	0.1	1.4	3	0.9	0.2	2.9	1	0.2	0.0	1.3
Melanoma of the Skin	120	15.7	13.0	18.8	65	19.5	15.0	25.2	55	13.1	9.8	17.3
Breast (invasive)	533	73.9	67.7	80.5	3	0.9	0.2	3.0	530	135.6	124.2	147.7
Cervix	-	-	-	-	-	-	-	-	28	6.6	4.4	9.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	105	26.9	21.9	32.6
Ovary	-	-	-	-	-	-	-	-	51	12.4	9.2	16.5
Prostate	-	-	-	-	560	181.5	166.6	197.4	-	-	-	-
Testis	-	-	-	-	18	3.6	2.0	6.2	-	-	-	-
Urinary Bladder	118	16.7	13.8	20.0	87	30.2	24.1	37.5	31	7.8	5.3	11.2
Kidney and Renal Pelvis	78	11.0	8.7	13.7	48	15.3	11.2	20.5	30	7.6	5.1	10.9
Brain and Other Nervous System	40	5.5	3.9	7.5	23	6.8	4.3	10.5	17	4.5	2.6	7.2
Hodgkin's Disease	24	2.7	1.7	4.1	11	2.6	1.2	5.1	13	2.6	1.4	4.7
Non-Hodgkin's Lymphomas	157	21.6	18.4	25.3	92	29.3	23.5	36.2	65	16.3	12.6	20.8
Multiple Myeloma	45	6.3	4.6	8.4	23	7.6	4.8	11.7	22	5.4	3.4	8.2
Leukemias	129	17.4	14.5	20.7	66	20.1	15.5	26.0	63	15.2	11.6	19.5
All Other Sites	361	49.1	44.1	54.5	172	53.9	46.0	62.9	189	45.4	39.1	52.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	145	37.7	31.8	44.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Christian County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,168	538.3	507.4	570.7	633	677.3	625.4	732.7	535	442.9	404.5	484.7
Oral Cavity and Pharynx	23	11.3	7.1	17.3	15	16.0	9.0	26.9	8	7.2	3.0	15.5
Esophagus	16	7.0	3.9	11.8	12	12.8	6.6	22.9	4	2.5	0.6	8.5
Stomach	11	5.0	2.5	9.5	7	7.3	2.9	15.6	4	2.6	0.7	8.8
Colon and Rectum	172	76.4	65.2	89.2	93	101.3	81.7	124.5	79	59.0	46.1	75.2
Liver	9	4.1	1.9	8.3	7	7.5	3.0	16.1	2	1.3	0.2	7.1
Pancreas	31	14.2	9.6	20.6	18	18.4	10.9	29.7	13	9.5	4.9	17.9
Lung and Bronchus	243	110.3	96.8	125.5	145	154.3	130.1	182.0	98	78.1	63.0	96.5
Bones and Joints	2	1.0	0.1	4.2	1	1.1	0.0	6.8	1	1.2	0.0	7.4
Melanoma of the Skin	29	14.1	9.4	20.6	14	15.0	8.2	25.7	15	14.5	7.8	25.1
Breast (invasive)	154	72.5	61.3	85.3	1	1.0	0.0	6.6	153	133.9	112.7	158.6
Cervix	-	-	-	-	-	-	-	-	6	5.7	2.0	13.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	31	25.8	17.4	37.9
Ovary	-	-	-	-	-	-	-	-	12	10.7	5.3	20.2
Prostate	-	-	-	-	165	173.8	148.3	202.9	-	-	-	-
Testis	-	-	-	-	4	4.6	1.2	12.2	-	-	-	-
Urinary Bladder	43	18.6	13.4	25.5	36	38.4	26.9	53.6	7	4.8	1.8	11.9
Kidney and Renal Pelvis	24	11.4	7.2	17.4	15	16.6	9.3	27.7	9	7.8	3.3	16.3
Brain and Other Nervous System	18	9.9	5.8	16.0	10	11.5	5.5	21.5	8	8.3	3.4	17.4
Hodgkin's Disease	3	1.8	0.4	5.6	3	3.4	0.7	10.5	0	0.0	0.0	5.4
Non-Hodgkin's Lymphomas	44	20.3	14.6	27.7	19	20.9	12.5	33.0	25	19.5	12.3	30.4
Multiple Myeloma	9	3.7	1.7	7.6	5	5.3	1.7	13.0	4	2.3	0.6	8.2
Leukemias	35	16.7	11.6	23.7	20	22.6	13.8	35.2	15	14.1	7.6	24.5
All Other Sites	84	38.6	30.7	48.3	43	45.6	32.9	61.8	41	34.1	24.0	47.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	36	34.2	23.7	48.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Clark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	515	483.1	441.6	528.0	272	579.3	512.2	653.9	243	415.9	363.4	475.4
Oral Cavity and Pharynx	14	12.7	6.9	22.7	9	19.4	8.8	38.7	5	7.8	2.3	22.1
Esophagus	4	4.0	1.1	11.6	4	9.0	2.4	25.0	0	0.0	0.0	11.4
Stomach	6	5.5	2.0	13.4	4	8.6	2.3	24.3	2	3.9	0.5	17.1
Colon and Rectum	66	60.4	46.5	77.9	34	72.1	49.8	102.3	32	51.6	34.7	75.8
Liver	0	0.0	0.0	5.8	0	0.0	0.0	11.6	0	0.0	0.0	11.4
Pancreas	16	14.2	8.1	24.3	9	18.7	8.5	37.5	7	10.0	3.8	24.5
Lung and Bronchus	73	68.0	53.1	86.5	48	101.2	74.5	135.8	25	42.2	27.1	64.9
Bones and Joints	1	1.2	0.0	7.9	1	2.3	0.1	15.4	0	0.0	0.0	11.4
Melanoma of the Skin	13	13.4	7.1	24.0	2	3.8	0.5	17.2	11	22.4	11.0	42.2
Breast (invasive)	69	66.1	51.1	84.8	0	0.0	0.0	11.6	69	121.2	93.2	156.6
Cervix	-	-	-	-	-	-	-	-	5	8.8	2.6	23.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	27.6	15.7	47.3
Ovary	-	-	-	-	-	-	-	-	8	13.2	5.4	29.4
Prostate	-	-	-	-	68	144.0	111.7	184.0	-	-	-	-
Testis	-	-	-	-	2	5.4	0.6	20.8	-	-	-	-
Urinary Bladder	31	27.1	18.4	39.6	26	53.7	35.0	80.5	5	6.9	2.2	20.4
Kidney and Renal Pelvis	19	18.4	11.0	29.8	12	26.4	13.6	47.8	7	11.1	4.3	26.3
Brain and Other Nervous System	6	6.2	2.2	14.7	4	9.5	2.5	26.1	2	3.5	0.4	16.3
Hodgkin's Disease	2	2.6	0.3	10.1	0	0.0	0.0	11.6	2	5.4	0.7	20.5
Non-Hodgkin's Lymphomas	18	17.9	10.4	29.4	9	19.7	9.0	39.3	9	15.3	6.6	32.5
Multiple Myeloma	8	7.3	3.1	15.8	5	10.8	3.5	27.3	3	4.0	0.8	16.6
Leukemias	21	19.5	11.9	31.0	12	25.6	13.2	46.6	9	14.5	6.4	30.9
All Other Sites	49	47.6	35.0	64.0	23	49.1	31.0	75.4	26	46.8	30.1	71.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	14	30.0	16.2	52.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Clay County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	450	480.5	435.9	529.0	245	604.5	530.9	686.5	205	397.8	342.1	461.6
Oral Cavity and Pharynx	11	13.3	6.6	24.7	9	23.2	10.6	45.5	2	3.9	0.5	18.3
Esophagus	4	5.1	1.4	14.2	4	10.8	2.9	29.1	0	0.0	0.0	13.0
Stomach	4	4.3	1.1	12.6	4	9.7	2.6	27.0	0	0.0	0.0	13.0
Colon and Rectum	76	79.4	62.0	100.8	43	106.3	76.8	144.6	33	60.5	40.6	89.0
Liver	3	3.2	0.6	11.0	3	7.6	1.5	24.1	0	0.0	0.0	13.0
Pancreas	10	9.9	4.6	19.7	6	14.6	5.3	33.7	4	5.7	1.4	20.3
Lung and Bronchus	68	69.6	53.8	89.4	42	101.1	72.8	138.0	26	49.3	31.6	75.6
Bones and Joints	1	1.7	0.0	9.4	1	3.3	0.1	18.6	0	0.0	0.0	13.0
Melanoma of the Skin	12	13.7	7.0	25.1	10	25.4	12.1	48.2	2	4.2	0.5	19.2
Breast (invasive)	63	68.5	52.2	89.0	1	2.8	0.1	17.3	62	122.1	92.1	160.5
Cervix	-	-	-	-	-	-	-	-	6	16.8	5.8	38.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	23.4	11.6	44.6
Ovary	-	-	-	-	-	-	-	-	4	6.6	1.7	21.7
Prostate	-	-	-	-	64	152.9	117.7	196.5	-	-	-	-
Testis	-	-	-	-	1	2.8	0.1	17.3	-	-	-	-
Urinary Bladder	21	21.7	13.2	34.5	17	42.2	24.5	69.0	4	6.3	1.6	21.1
Kidney and Renal Pelvis	12	15.2	7.8	27.4	6	15.9	5.8	36.0	6	14.8	5.3	34.7
Brain and Other Nervous System	6	6.9	2.4	16.4	3	8.2	1.7	25.4	3	5.7	1.0	21.4
Hodgkin's Disease	2	3.1	0.4	11.7	0	0.0	0.0	12.3	2	6.3	0.8	23.7
Non-Hodgkin's Lymphomas	18	19.8	11.5	32.5	7	18.1	7.2	38.8	11	21.3	10.2	41.8
Multiple Myeloma	5	4.5	1.4	12.3	1	2.5	0.1	16.5	4	5.7	1.4	20.3
Leukemias	6	5.1	1.8	13.1	3	6.9	1.4	22.7	3	4.8	0.9	19.3
All Other Sites	41	44.4	31.5	61.6	20	50.1	30.6	78.8	21	40.3	23.9	65.8
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	12	23.9	12.1	45.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Clinton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	857	440.4	411.3	471.2	472	552.0	502.9	605.1	385	364.0	327.9	403.5
Oral Cavity and Pharynx	17	8.9	5.2	14.6	10	11.1	5.3	21.5	7	6.5	2.6	14.5
Esophagus	12	6.4	3.3	11.5	10	11.6	5.5	22.2	2	1.9	0.2	8.0
Stomach	11	5.6	2.8	10.4	9	10.5	4.7	20.9	2	1.6	0.2	7.4
Colon and Rectum	131	66.9	55.9	79.6	67	79.2	61.2	101.4	64	58.8	45.0	76.0
Liver	7	3.6	1.5	7.9	3	3.1	0.6	10.6	4	3.1	0.8	9.4
Pancreas	18	9.3	5.5	15.0	11	13.0	6.4	24.1	7	6.2	2.5	13.8
Lung and Bronchus	135	68.2	57.1	81.0	81	94.9	75.2	118.8	54	50.8	38.0	67.2
Bones and Joints	0	0.0	0.0	2.6	0	0.0	0.0	6.1	0	0.0	0.0	5.1
Melanoma of the Skin	25	13.1	8.5	19.7	13	14.4	7.6	25.5	12	11.8	6.0	21.6
Breast (invasive)	100	52.3	42.5	63.9	0	0.0	0.0	6.1	100	98.1	79.5	120.2
Cervix	-	-	-	-	-	-	-	-	7	7.7	3.0	16.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	16.8	9.7	27.6
Ovary	-	-	-	-	-	-	-	-	11	11.0	5.4	20.5
Prostate	-	-	-	-	129	151.2	126.0	180.5	-	-	-	-
Testis	-	-	-	-	2	2.1	0.3	9.2	-	-	-	-
Urinary Bladder	40	19.8	14.1	27.2	35	42.0	29.2	59.3	5	4.5	1.4	11.7
Kidney and Renal Pelvis	20	10.7	6.5	16.9	13	15.2	8.0	26.8	7	7.3	2.9	15.9
Brain and Other Nervous System	10	5.2	2.5	9.9	4	4.5	1.2	12.6	6	6.2	2.2	14.3
Hodgkin's Disease	4	2.3	0.6	6.1	3	3.2	0.7	10.8	1	1.3	0.0	7.5
Non-Hodgkin's Lymphomas	30	15.6	10.5	22.6	17	19.6	11.4	32.2	13	11.3	6.0	20.4
Multiple Myeloma	11	5.7	2.8	10.5	7	8.6	3.4	18.6	4	3.9	1.1	10.9
Leukemias	27	13.6	9.0	20.2	14	17.2	9.3	29.6	13	11.6	6.1	20.9
All Other Sites	93	48.1	38.8	59.2	44	50.6	36.7	68.7	49	43.5	32.0	58.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	13	13.1	6.9	23.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Coles County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,323	506.4	479.3	534.8	676	602.2	557.5	649.8	647	445.0	410.5	482.0
Oral Cavity and Pharynx	30	11.7	7.9	16.9	20	18.3	11.1	28.7	10	7.3	3.5	14.1
Esophagus	19	7.2	4.3	11.5	18	16.3	9.6	26.2	1	0.8	0.0	5.2
Stomach	10	3.6	1.7	7.0	7	6.4	2.6	13.7	3	1.7	0.3	6.3
Colon and Rectum	166	61.9	52.8	72.4	78	70.5	55.7	88.4	88	56.1	44.7	70.1
Liver	4	1.5	0.4	4.1	4	3.6	1.0	9.7	0	0.0	0.0	4.1
Pancreas	17	6.3	3.6	10.3	6	5.7	2.1	12.8	11	7.0	3.4	13.4
Lung and Bronchus	238	90.4	79.2	102.9	128	113.5	94.6	135.3	110	74.2	60.7	90.2
Bones and Joints	0	0.0	0.0	2.0	0	0.0	0.0	4.2	0	0.0	0.0	4.1
Melanoma of the Skin	27	10.9	7.1	16.1	17	15.1	8.8	24.7	10	7.3	3.4	14.3
Breast (invasive)	195	76.4	65.9	88.1	4	3.4	0.9	9.4	191	135.9	116.8	157.5
Cervix	-	-	-	-	-	-	-	-	9	7.3	3.3	14.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	29.7	21.1	41.2
Ovary	-	-	-	-	-	-	-	-	25	17.4	11.1	26.5
Prostate	-	-	-	-	185	162.0	139.4	187.4	-	-	-	-
Testis	-	-	-	-	9	7.9	3.5	15.6	-	-	-	-
Urinary Bladder	80	29.2	23.1	36.6	61	54.9	41.9	70.8	19	11.6	6.9	19.2
Kidney and Renal Pelvis	28	10.8	7.2	15.9	16	14.3	8.1	23.6	12	8.7	4.4	16.0
Brain and Other Nervous System	9	3.6	1.6	7.1	2	1.2	0.1	5.9	7	5.7	2.2	12.4
Hodgkin's Disease	6	2.2	0.8	5.3	3	2.7	0.6	8.5	3	1.5	0.3	6.1
Non-Hodgkin's Lymphomas	58	22.5	17.1	29.4	31	28.1	19.1	40.3	27	17.1	11.1	25.7
Multiple Myeloma	21	7.6	4.7	11.9	11	10.0	5.0	18.2	10	5.9	2.8	12.0
Leukemias	47	17.8	13.1	24.0	31	28.2	19.1	40.4	16	11.1	6.2	18.9
All Other Sites	100	39.0	31.7	47.7	45	40.0	29.2	54.0	55	38.8	29.0	51.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	40	28.3	20.1	39.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	121,691	479.9	477.2	482.6	61,217	577.5	572.8	582.1	60,474	418.3	415.0	421.7
Oral Cavity and Pharynx	2,753	10.8	10.4	11.2	1,896	16.9	16.1	17.7	857	6.0	5.6	6.4
Esophagus	1,470	5.8	5.5	6.1	1,091	10.3	9.6	10.9	379	2.6	2.3	2.9
Stomach	2,473	9.8	9.4	10.2	1,450	14.0	13.3	14.7	1,023	6.8	6.4	7.2
Colon and Rectum	14,606	57.8	56.9	58.8	7,292	70.6	69.0	72.3	7,314	48.9	47.8	50.1
Liver	1,428	5.7	5.4	6.0	960	8.8	8.2	9.4	468	3.2	2.9	3.5
Pancreas	3,306	13.1	12.7	13.6	1,543	14.8	14.1	15.6	1,763	11.7	11.2	12.3
Lung and Bronchus	17,539	69.8	68.7	70.8	9,604	91.7	89.9	93.6	7,935	54.6	53.4	55.8
Bones and Joints	228	0.9	0.8	1.0	121	1.0	0.8	1.2	107	0.8	0.6	0.9
Melanoma of the Skin	2,397	9.3	8.9	9.7	1,351	12.2	11.6	12.9	1,046	7.4	6.9	7.8
Breast (invasive)	18,113	71.2	70.2	72.2	164	1.5	1.3	1.8	17,949	126.6	124.8	128.5
Cervix	-	-	-	-	-	-	-	-	1,558	11.2	10.7	11.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3,514	24.8	23.9	25.6
Ovary	-	-	-	-	-	-	-	-	1,911	13.4	12.8	14.0
Prostate	-	-	-	-	17,724	168.5	166.0	171.1	-	-	-	-
Testis	-	-	-	-	632	4.6	4.2	5.0	-	-	-	-
Urinary Bladder	5,363	21.3	20.7	21.9	3,816	37.8	36.6	39.0	1,547	10.3	9.8	10.9
Kidney and Renal Pelvis	3,376	13.3	12.9	13.8	2,029	18.7	17.9	19.5	1,347	9.4	8.9	9.9
Brain and Other Nervous System	1,474	5.7	5.4	6.0	793	6.8	6.4	7.4	681	4.8	4.4	5.2
Hodgkin's Disease	723	2.7	2.5	2.9	413	3.2	2.9	3.6	310	2.2	2.0	2.5
Non-Hodgkin's Lymphomas	4,654	18.3	17.7	18.8	2,428	22.3	21.4	23.2	2,226	15.2	14.6	15.9
Multiple Myeloma	1,661	6.6	6.3	6.9	811	7.7	7.2	8.3	850	5.8	5.4	6.2
Leukemias	3,182	12.4	12.0	12.9	1,706	15.9	15.1	16.7	1,476	10.0	9.5	10.6
All Other Sites	11,606	45.4	44.6	46.2	5,393	50.1	48.7	51.4	6,213	42.7	41.7	43.8
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	3,947	28.4	27.5	29.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Crawford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	616	499.0	460.0	541.0	323	586.9	524.5	656.0	293	449.1	397.3	506.9
Oral Cavity and Pharynx	11	8.7	4.4	16.8	8	14.6	6.3	31.0	3	4.4	0.9	15.7
Esophagus	2	1.6	0.2	7.3	2	3.7	0.4	16.4	0	0.0	0.0	9.7
Stomach	7	5.2	2.1	12.1	2	3.8	0.5	16.7	5	6.2	2.0	17.8
Colon and Rectum	92	71.9	57.8	89.1	38	70.3	49.7	98.2	54	74.3	55.1	99.6
Liver	5	3.4	1.1	9.6	3	6.0	1.2	20.0	2	2.0	0.2	12.1
Pancreas	10	7.8	3.7	15.5	6	11.1	4.1	26.5	4	5.6	1.4	17.4
Lung and Bronchus	78	61.5	48.5	77.7	48	87.5	64.5	117.7	30	42.8	28.6	63.5
Bones and Joints	1	1.1	0.0	6.9	0	0.0	0.0	11.1	1	2.2	0.1	13.5
Melanoma of the Skin	13	11.5	6.1	20.7	7	12.7	5.1	28.6	6	10.4	3.7	24.8
Breast (invasive)	79	66.4	52.5	83.7	0	0.0	0.0	11.1	79	126.0	99.0	159.3
Cervix	-	-	-	-	-	-	-	-	9	20.5	9.3	39.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	27.9	16.1	46.6
Ovary	-	-	-	-	-	-	-	-	9	14.4	6.4	29.7
Prostate	-	-	-	-	112	201.2	165.6	243.8	-	-	-	-
Testis	-	-	-	-	2	3.7	0.5	16.5	-	-	-	-
Urinary Bladder	38	30.5	21.5	42.8	29	51.6	34.5	76.0	9	13.1	5.7	27.7
Kidney and Renal Pelvis	19	16.2	9.7	26.3	10	18.8	9.0	36.6	9	14.5	6.3	30.1
Brain and Other Nervous System	4	3.0	0.8	9.2	2	3.5	0.4	16.1	2	2.3	0.3	12.6
Hodgkin's Disease	4	3.6	1.0	10.4	3	5.4	1.1	18.8	1	1.5	0.0	11.8
Non-Hodgkin's Lymphomas	22	17.7	11.1	27.8	9	16.7	7.6	33.9	13	20.1	10.5	36.5
Multiple Myeloma	10	7.7	3.7	15.4	6	10.9	4.0	26.2	4	6.0	1.6	18.0
Leukemias	16	12.7	7.2	21.8	7	12.8	5.1	28.7	9	13.4	6.0	27.9
All Other Sites	56	46.4	34.9	61.2	29	52.5	35.1	77.3	27	41.6	26.8	63.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	12	21.1	10.8	38.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Cumberland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	310	477.0	424.9	534.5	162	580.4	493.8	679.6	148	415.9	349.5	493.4
Oral Cavity and Pharynx	7	12.6	5.0	26.8	4	14.6	4.0	40.6	3	10.2	2.0	33.0
Esophagus	2	3.0	0.3	12.9	1	3.2	0.1	23.4	1	3.7	0.1	23.4
Stomach	2	2.4	0.3	11.6	1	5.1	0.1	28.3	1	1.9	0.0	19.4
Colon and Rectum	43	62.5	45.0	85.4	20	70.0	42.6	110.8	23	54.9	33.9	87.2
Liver	2	3.3	0.4	13.3	0	0.0	0.0	18.8	2	6.6	0.8	27.4
Pancreas	3	4.3	0.9	14.6	2	7.0	0.9	29.5	1	1.9	0.0	19.4
Lung and Bronchus	48	74.7	55.0	100.0	35	123.5	86.0	174.1	13	35.4	18.8	64.0
Bones and Joints	1	1.6	0.0	10.7	1	3.3	0.1	23.8	0	0.0	0.0	17.2
Melanoma of the Skin	5	8.7	2.8	21.3	2	6.9	0.8	29.2	3	10.3	2.1	33.0
Breast (invasive)	43	68.7	49.6	93.7	2	6.6	0.8	28.6	41	122.2	86.9	169.2
Cervix	-	-	-	-	-	-	-	-	1	2.9	0.1	21.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	23.1	10.2	48.4
Ovary	-	-	-	-	-	-	-	-	5	14.9	4.5	39.2
Prostate	-	-	-	-	50	178.9	132.4	238.4	-	-	-	-
Testis	-	-	-	-	2	7.3	0.9	30.0	-	-	-	-
Urinary Bladder	22	34.1	21.2	52.9	15	55.8	31.0	94.6	7	20.9	8.2	46.8
Kidney and Renal Pelvis	8	12.5	5.3	25.9	4	14.1	3.8	39.7	4	10.6	2.8	32.1
Brain and Other Nervous System	4	6.8	1.8	18.6	0	0.0	0.0	18.8	4	12.8	3.4	36.4
Hodgkin's Disease	2	2.9	0.3	12.5	2	6.4	0.8	28.2	0	0.0	0.0	17.2
Non-Hodgkin's Lymphomas	11	15.8	7.8	29.9	4	13.2	3.6	37.9	7	17.3	6.5	41.0
Multiple Myeloma	4	6.3	1.7	17.6	2	6.4	0.8	28.2	2	5.4	0.6	24.8
Leukemias	8	11.7	5.0	24.6	1	3.2	0.1	23.5	7	17.1	6.6	40.4
All Other Sites	28	43.9	29.0	64.8	14	54.9	29.6	94.7	14	44.0	23.5	77.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	6	18.1	6.5	43.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

DeKalb County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,726	479.9	457.4	503.3	844	546.4	509.7	585.2	882	440.9	411.9	471.4
Oral Cavity and Pharynx	41	11.6	8.3	15.8	26	16.3	10.6	24.2	15	7.7	4.3	12.9
Esophagus	24	6.9	4.4	10.2	19	12.0	7.2	19.2	5	2.4	0.8	5.8
Stomach	27	7.5	4.9	11.0	13	8.6	4.5	15.0	14	6.9	3.7	11.7
Colon and Rectum	196	54.8	47.3	63.1	87	57.8	46.2	71.6	109	52.5	43.0	63.5
Liver	17	4.7	2.7	7.6	11	6.3	3.1	11.9	6	3.0	1.1	6.6
Pancreas	43	12.3	8.9	16.7	21	13.2	8.2	20.6	22	10.9	6.8	16.7
Lung and Bronchus	224	63.5	55.5	72.5	119	79.6	65.9	95.6	105	53.4	43.6	64.8
Bones and Joints	6	1.2	0.4	2.9	4	1.7	0.4	5.6	2	0.7	0.1	3.2
Melanoma of the Skin	54	14.5	10.9	19.1	30	18.5	12.4	26.9	24	12.2	7.8	18.4
Breast (invasive)	282	78.2	69.3	87.9	2	1.1	0.1	4.8	280	143.7	127.2	161.8
Cervix	-	-	-	-	-	-	-	-	22	11.1	6.9	16.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	49	26.1	19.3	34.5
Ovary	-	-	-	-	-	-	-	-	28	14.5	9.6	21.0
Prostate	-	-	-	-	261	175.0	154.3	197.9	-	-	-	-
Testis	-	-	-	-	7	3.2	1.2	7.4	-	-	-	-
Urinary Bladder	73	20.5	16.1	25.9	50	34.1	25.2	45.2	23	10.9	6.8	16.5
Kidney and Renal Pelvis	46	12.9	9.4	17.2	24	14.1	9.0	21.5	22	10.9	6.8	16.7
Brain and Other Nervous System	25	6.7	4.3	9.9	13	6.9	3.6	12.4	12	6.2	3.2	11.0
Hodgkin's Disease	7	1.4	0.5	3.1	5	2.1	0.6	6.0	2	0.6	0.1	3.0
Non-Hodgkin's Lymphomas	64	17.3	13.3	22.2	38	22.9	16.1	31.9	26	11.7	7.5	17.4
Multiple Myeloma	23	6.1	3.9	9.2	11	7.4	3.6	13.7	12	4.9	2.5	8.9
Leukemias	63	16.9	12.9	21.7	35	21.4	14.8	30.3	28	13.1	8.6	19.1
All Other Sites	144	39.1	32.9	46.1	68	44.0	34.1	56.2	76	37.7	29.6	47.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	64	34.1	26.3	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

DeWitt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	468	472.5	430.3	518.1	249	575.1	505.5	652.8	219	406.0	352.5	466.5
Oral Cavity and Pharynx	9	9.6	4.4	19.0	7	16.0	6.4	34.8	2	3.1	0.3	14.9
Esophagus	2	2.0	0.2	8.3	2	4.7	0.6	19.2	0	0.0	0.0	10.5
Stomach	7	6.8	2.7	14.9	4	9.9	2.6	27.2	3	5.3	1.1	18.1
Colon and Rectum	55	54.8	41.2	72.0	30	69.4	46.7	100.5	25	42.3	27.1	64.8
Liver	1	1.0	0.0	6.9	1	2.2	0.1	15.4	0	0.0	0.0	10.5
Pancreas	10	10.8	5.1	20.5	5	11.8	3.8	29.5	5	9.8	2.9	25.3
Lung and Bronchus	83	80.6	64.1	100.5	57	130.9	99.0	171.1	26	44.7	29.0	67.4
Bones and Joints	0	0.0	0.0	5.2	0	0.0	0.0	12.0	0	0.0	0.0	10.5
Melanoma of the Skin	14	14.7	8.0	25.4	9	20.6	9.4	40.9	5	9.1	2.9	23.7
Breast (invasive)	78	81.0	63.9	101.8	0	0.0	0.0	12.0	78	149.8	117.5	189.4
Cervix	-	-	-	-	-	-	-	-	4	10.1	2.7	26.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	20.9	10.6	38.9
Ovary	-	-	-	-	-	-	-	-	7	11.7	4.6	26.8
Prostate	-	-	-	-	67	154.6	119.5	197.8	-	-	-	-
Testis	-	-	-	-	1	2.6	0.1	16.3	-	-	-	-
Urinary Bladder	14	13.3	7.3	23.2	13	29.0	15.4	51.3	1	1.5	0.0	12.7
Kidney and Renal Pelvis	13	13.2	7.0	23.3	4	8.7	2.4	24.8	9	17.0	7.6	34.4
Brain and Other Nervous System	8	9.1	3.9	18.4	4	10.1	2.7	27.4	4	8.2	2.2	22.9
Hodgkin's Disease	2	2.3	0.3	9.0	0	0.0	0.0	12.0	2	4.6	0.5	18.2
Non-Hodgkin's Lymphomas	15	15.6	8.7	26.3	10	23.7	11.2	45.3	5	9.0	2.9	23.4
Multiple Myeloma	8	8.2	3.5	16.9	3	6.5	1.3	21.6	5	10.3	3.3	26.0
Leukemias	10	10.8	5.1	20.5	6	14.1	5.2	32.5	4	7.8	2.0	22.3
All Other Sites	48	48.8	35.8	65.4	26	60.5	39.4	90.2	22	40.8	24.9	64.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	15	29.7	16.4	50.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Douglas County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	549	474.8	435.6	517.0	279	553.7	490.3	623.9	270	422.3	371.9	478.4
Oral Cavity and Pharynx	11	9.8	4.9	18.3	8	15.6	6.7	32.3	3	4.8	0.9	16.5
Esophagus	3	2.4	0.5	8.0	3	5.9	1.2	19.1	0	0.0	0.0	9.0
Stomach	9	7.5	3.4	15.1	6	11.8	4.3	27.4	3	4.1	0.8	14.7
Colon and Rectum	78	65.0	51.3	81.7	39	76.9	54.6	106.3	39	54.1	38.1	75.9
Liver	6	5.3	1.9	12.3	5	10.0	3.2	24.9	1	1.4	0.0	10.9
Pancreas	12	9.5	4.9	17.5	6	12.6	4.6	28.8	6	7.5	2.7	19.1
Lung and Bronchus	79	66.8	52.8	83.9	48	95.7	70.4	128.0	31	44.7	30.2	65.3
Bones and Joints	1	1.1	0.0	6.6	0	0.0	0.0	10.2	1	2.3	0.1	13.2
Melanoma of the Skin	12	10.8	5.5	19.5	5	9.6	3.1	24.1	7	12.2	4.7	26.8
Breast (invasive)	92	80.4	64.7	99.2	0	0.0	0.0	10.2	92	146.0	117.0	180.9
Cervix	-	-	-	-	-	-	-	-	7	14.1	5.6	30.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	33.2	20.0	52.9
Ovary	-	-	-	-	-	-	-	-	11	19.0	9.2	35.8
Prostate	-	-	-	-	74	143.2	112.3	180.9	-	-	-	-
Testis	-	-	-	-	2	5.1	0.6	18.9	-	-	-	-
Urinary Bladder	22	18.2	11.4	28.3	21	41.0	25.3	64.1	1	2.1	0.1	12.5
Kidney and Renal Pelvis	11	9.9	4.9	18.4	9	18.1	8.2	35.7	2	3.0	0.4	13.4
Brain and Other Nervous System	7	6.2	2.5	13.6	4	8.1	2.2	22.4	3	5.1	1.0	16.6
Hodgkin's Disease	4	4.4	1.2	11.6	2	4.2	0.5	16.9	2	4.7	0.6	17.2
Non-Hodgkin's Lymphomas	14	12.1	6.6	21.0	8	17.3	7.4	35.5	6	10.3	3.7	24.0
Multiple Myeloma	10	8.0	3.8	15.5	4	8.5	2.2	23.2	6	7.9	2.8	19.7
Leukemias	14	12.4	6.7	21.5	9	18.2	8.2	36.0	5	8.9	2.7	22.4
All Other Sites	50	44.0	32.5	58.6	26	52.0	33.9	77.5	24	36.9	23.2	57.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	19	32.3	19.3	51.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	19,259	475.0	468.2	481.8	9,401	549.7	538.3	561.4	9,858	430.4	421.9	439.1
Oral Cavity and Pharynx	382	9.3	8.3	10.3	238	12.8	11.2	14.7	144	6.4	5.4	7.5
Esophagus	216	5.4	4.7	6.2	167	9.8	8.3	11.5	49	2.2	1.6	2.9
Stomach	308	7.8	6.9	8.7	182	11.0	9.4	12.8	126	5.3	4.4	6.4
Colon and Rectum	2,069	52.4	50.2	54.7	1,038	63.1	59.2	67.3	1,031	45.2	42.4	48.1
Liver	181	4.6	3.9	5.3	130	7.7	6.4	9.2	51	2.3	1.7	3.1
Pancreas	477	12.2	11.1	13.4	255	15.4	13.5	17.5	222	9.9	8.6	11.3
Lung and Bronchus	2,393	61.8	59.3	64.4	1,229	76.4	72.0	80.9	1,164	52.8	49.8	56.0
Bones and Joints	47	1.1	0.8	1.4	23	1.0	0.6	1.6	24	1.1	0.7	1.7
Melanoma of the Skin	583	13.5	12.4	14.7	333	17.5	15.6	19.6	250	10.7	9.4	12.1
Breast (invasive)	3,280	76.8	74.1	79.5	23	1.4	0.9	2.2	3,257	140.1	135.3	145.1
Cervix	-	-	-	-	-	-	-	-	161	6.9	5.8	8.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	615	27.0	24.9	29.2
Ovary	-	-	-	-	-	-	-	-	303	13.2	11.7	14.8
Prostate	-	-	-	-	2,746	160.3	154.2	166.6	-	-	-	-
Testis	-	-	-	-	128	5.4	4.5	6.5	-	-	-	-
Urinary Bladder	929	24.0	22.5	25.6	687	43.4	40.1	46.9	242	10.6	9.3	12.1
Kidney and Renal Pelvis	575	14.1	13.0	15.3	373	20.5	18.4	22.8	202	9.0	7.8	10.4
Brain and Other Nervous System	318	7.5	6.7	8.3	191	9.8	8.4	11.4	127	5.6	4.7	6.7
Hodgkin's Disease	158	3.5	3.0	4.1	77	3.6	2.8	4.6	81	3.6	2.8	4.4
Non-Hodgkin's Lymphomas	780	19.3	18.0	20.8	435	24.7	22.3	27.2	345	15.2	13.6	16.9
Multiple Myeloma	209	5.3	4.6	6.0	105	5.9	4.8	7.3	104	4.6	3.8	5.6
Leukemias	493	12.1	11.1	13.3	264	15.4	13.6	17.6	229	10.0	8.7	11.4
All Other Sites	1,908	46.0	44.0	48.2	777	44.6	41.4	48.0	1,131	48.7	45.9	51.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	822	35.4	33.0	37.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Edgar County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	529	426.4	390.3	465.6	281	537.4	476.3	604.8	248	359.1	313.6	410.6
Oral Cavity and Pharynx	14	10.8	5.8	19.1	11	20.9	10.4	38.4	3	3.0	0.6	13.5
Esophagus	10	6.9	3.3	14.0	8	15.2	6.6	31.1	2	1.7	0.2	11.8
Stomach	6	5.0	1.8	11.8	5	9.8	3.2	24.1	1	1.0	0.0	11.0
Colon and Rectum	57	43.7	32.9	57.5	26	50.0	32.7	74.1	31	40.9	27.2	61.0
Liver	2	1.8	0.2	7.4	1	2.0	0.0	12.5	1	1.2	0.0	11.4
Pancreas	13	9.7	5.1	17.7	6	11.6	4.3	26.4	7	8.6	3.3	21.3
Lung and Bronchus	96	76.4	61.8	94.2	56	105.7	79.8	138.0	40	56.5	39.7	79.8
Bones and Joints	1	1.0	0.0	6.4	1	2.0	0.0	12.5	0	0.0	0.0	9.9
Melanoma of the Skin	10	9.1	4.3	17.5	8	15.4	6.6	31.5	2	4.6	0.5	17.5
Breast (invasive)	73	60.7	47.4	77.2	1	2.0	0.0	12.5	72	109.7	85.0	140.7
Cervix	-	-	-	-	-	-	-	-	6	12.2	4.4	28.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	24.5	13.4	42.7
Ovary	-	-	-	-	-	-	-	-	7	8.7	3.2	21.7
Prostate	-	-	-	-	72	136.4	106.7	172.6	-	-	-	-
Testis	-	-	-	-	5	11.0	3.5	26.2	-	-	-	-
Urinary Bladder	29	21.7	14.5	32.1	22	42.0	26.3	64.6	7	8.0	3.1	20.1
Kidney and Renal Pelvis	19	14.2	8.5	23.2	13	24.6	13.1	43.2	6	6.3	2.2	17.7
Brain and Other Nervous System	4	3.8	1.0	10.5	3	6.1	1.2	18.8	1	1.2	0.0	11.4
Hodgkin's Disease	2	2.0	0.2	8.0	0	0.0	0.0	9.2	2	4.2	0.5	16.7
Non-Hodgkin's Lymphomas	18	14.6	8.6	23.9	9	17.1	7.8	33.6	9	13.2	5.8	27.8
Multiple Myeloma	4	2.8	0.7	8.7	1	1.9	0.0	12.3	3	3.0	0.5	13.7
Leukemias	12	9.2	4.7	17.1	9	17.1	7.8	33.6	3	4.4	0.7	16.5
All Other Sites	54	45.7	34.1	60.5	24	46.6	29.8	70.2	30	46.1	30.4	68.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	21	35.2	21.5	55.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Edwards County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	208	462.8	400.9	533.2	108	537.5	440.4	652.3	100	409.9	330.0	507.3
Oral Cavity and Pharynx	3	6.0	1.2	21.7	1	5.5	0.1	35.5	2	6.6	0.7	36.5
Esophagus	2	4.0	0.5	18.8	2	9.2	1.1	40.2	0	0.0	0.0	28.1
Stomach	4	9.0	2.4	26.3	2	9.6	1.2	41.1	2	7.7	0.9	38.4
Colon and Rectum	29	67.7	44.9	99.7	14	76.0	41.3	130.9	15	54.2	29.6	97.9
Liver	2	4.9	0.6	20.8	2	10.4	1.2	42.8	0	0.0	0.0	28.1
Pancreas	3	5.7	1.2	21.2	0	0.0	0.0	26.5	3	9.0	1.8	39.2
Lung and Bronchus	42	90.5	65.0	124.8	31	153.2	103.9	221.0	11	39.6	19.4	79.3
Bones and Joints	0	0.0	0.0	13.3	0	0.0	0.0	26.5	0	0.0	0.0	28.1
Melanoma of the Skin	4	8.2	2.2	24.8	3	15.1	3.1	49.2	1	3.5	0.1	32.5
Breast (invasive)	38	90.7	63.6	127.1	0	0.0	0.0	26.5	38	170.0	118.2	240.8
Cervix	-	-	-	-	-	-	-	-	1	5.0	0.1	35.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	17.6	5.6	50.9
Ovary	-	-	-	-	-	-	-	-	6	27.0	9.3	66.6
Prostate	-	-	-	-	27	130.5	85.9	193.6	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	26.5	-	-	-	-
Urinary Bladder	8	18.1	7.6	38.8	7	38.0	15.2	81.8	1	2.5	0.1	30.8
Kidney and Renal Pelvis	4	9.2	2.5	26.7	2	10.1	1.2	42.0	2	9.5	1.1	42.2
Brain and Other Nervous System	0	0.0	0.0	13.3	0	0.0	0.0	26.5	0	0.0	0.0	28.1
Hodgkin's Disease	1	3.1	0.1	18.6	0	0.0	0.0	26.5	1	6.1	0.2	38.5
Non-Hodgkin's Lymphomas	3	7.1	1.4	23.8	1	5.7	0.1	36.2	2	7.4	0.9	37.8
Multiple Myeloma	0	0.0	0.0	13.3	0	0.0	0.0	26.5	0	0.0	0.0	28.1
Leukemias	13	26.7	14.0	48.8	9	42.4	19.3	85.2	4	16.0	3.9	50.6
All Other Sites	13	28.9	15.0	52.3	7	31.8	12.8	70.9	6	28.1	9.4	69.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	5	20.6	6.6	56.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Effingham County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	916	503.8	471.6	537.8	530	672.9	616.7	733.1	386	381.6	343.7	422.9
Oral Cavity and Pharynx	11	6.1	3.0	11.1	4	5.2	1.4	13.6	7	6.8	2.6	15.0
Esophagus	8	4.2	1.8	8.6	5	6.8	2.2	16.0	3	3.1	0.6	9.8
Stomach	7	3.9	1.6	8.2	6	7.9	2.9	17.4	1	1.2	0.0	7.1
Colon and Rectum	126	66.9	55.7	79.9	63	80.5	61.8	103.3	63	56.7	43.2	73.5
Liver	4	2.1	0.6	5.6	2	2.6	0.3	9.7	2	1.5	0.2	7.1
Pancreas	27	14.5	9.5	21.3	15	18.7	10.4	31.1	12	9.7	4.9	18.0
Lung and Bronchus	139	76.3	64.1	90.2	88	112.2	90.0	138.5	51	48.7	36.1	64.8
Bones and Joints	0	0.0	0.0	2.5	0	0.0	0.0	5.3	0	0.0	0.0	5.0
Melanoma of the Skin	25	14.5	9.4	21.6	16	19.8	11.3	32.5	9	9.5	4.3	18.8
Breast (invasive)	129	72.0	60.1	85.8	0	0.0	0.0	5.3	129	133.7	111.2	159.7
Cervix	-	-	-	-	-	-	-	-	6	6.8	2.5	15.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	16.6	9.4	27.7
Ovary	-	-	-	-	-	-	-	-	1	1.1	0.0	6.8
Prostate	-	-	-	-	176	221.4	189.8	256.9	-	-	-	-
Testis	-	-	-	-	6	7.2	2.6	16.2	-	-	-	-
Urinary Bladder	49	26.1	19.3	34.8	43	55.7	40.3	75.3	6	5.2	1.8	12.6
Kidney and Renal Pelvis	24	12.8	8.2	19.3	15	19.4	10.8	32.3	9	8.6	3.8	17.3
Brain and Other Nervous System	11	6.7	3.3	12.0	6	7.3	2.7	16.4	5	6.1	2.0	14.5
Hodgkin's Disease	4	2.3	0.6	6.1	2	2.6	0.3	9.8	2	2.4	0.3	9.2
Non-Hodgkin's Lymphomas	34	18.3	12.7	25.8	23	29.5	18.7	44.6	11	9.8	4.8	18.5
Multiple Myeloma	14	7.6	4.1	12.9	11	13.9	6.9	25.1	3	2.5	0.5	8.6
Leukemias	30	16.5	11.1	23.9	18	23.2	13.7	36.9	12	12.0	6.1	21.7
All Other Sites	69	38.8	30.1	49.2	31	39.1	26.5	55.8	38	39.7	27.9	55.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	27	29.7	19.5	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Fayette County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	490	387.4	353.6	423.9	274	493.9	436.9	556.7	216	315.1	273.2	362.7
Oral Cavity and Pharynx	7	5.9	2.3	12.7	5	8.6	2.8	21.3	2	2.8	0.3	12.8
Esophagus	3	2.6	0.5	8.4	3	5.1	1.0	16.1	0	0.0	0.0	8.8
Stomach	4	3.2	0.9	9.0	4	7.3	2.0	19.7	0	0.0	0.0	8.8
Colon and Rectum	75	58.1	45.6	73.4	34	62.3	43.0	87.8	41	57.4	40.7	79.8
Liver	1	0.8	0.0	5.5	0	0.0	0.0	8.4	1	1.3	0.0	10.7
Pancreas	12	8.8	4.5	16.2	3	5.4	1.1	16.9	9	11.0	4.9	23.4
Lung and Bronchus	81	64.2	50.9	80.3	54	98.1	73.6	128.8	27	37.8	24.6	57.0
Bones and Joints	0	0.0	0.0	4.2	0	0.0	0.0	8.4	0	0.0	0.0	8.8
Melanoma of the Skin	9	7.6	3.4	15.0	5	8.7	2.8	21.4	4	6.7	1.8	19.0
Breast (invasive)	61	49.6	37.8	64.2	2	3.4	0.4	13.8	59	89.8	67.9	117.6
Cervix	-	-	-	-	-	-	-	-	6	9.6	3.4	22.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	15.0	7.1	29.5
Ovary	-	-	-	-	-	-	-	-	11	15.9	7.7	30.6
Prostate	-	-	-	-	84	149.6	119.3	186.0	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	8.4	-	-	-	-
Urinary Bladder	28	20.7	13.7	30.6	21	38.4	23.7	59.5	7	7.7	3.0	18.8
Kidney and Renal Pelvis	12	9.4	4.8	17.1	9	16.5	7.5	32.1	3	3.7	0.7	13.9
Brain and Other Nervous System	7	5.9	2.4	12.9	5	8.8	2.9	21.7	2	3.1	0.3	13.7
Hodgkin's Disease	1	0.9	0.0	5.8	0	0.0	0.0	8.4	1	2.3	0.1	13.1
Non-Hodgkin's Lymphomas	22	17.4	10.8	27.0	12	21.5	11.1	38.4	10	14.3	6.6	28.5
Multiple Myeloma	7	5.1	2.0	11.3	5	8.5	2.8	21.1	2	2.4	0.3	12.0
Leukemias	16	12.2	6.9	20.6	10	18.7	8.9	35.1	6	8.7	3.1	21.3
All Other Sites	33	26.6	18.2	38.0	18	32.7	19.4	52.5	15	25.6	14.0	44.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	15	22.8	12.6	39.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Ford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	438	471.1	426.7	519.7	212	538.8	468.3	618.5	226	439.3	380.4	506.7
Oral Cavity and Pharynx	10	11.3	5.4	22.1	7	17.4	7.0	38.7	3	6.8	1.4	23.4
Esophagus	3	2.7	0.5	10.4	1	2.4	0.1	17.7	2	2.7	0.3	16.9
Stomach	3	2.7	0.6	10.4	2	5.4	0.7	22.4	1	1.2	0.0	15.0
Colon and Rectum	80	76.7	60.4	97.3	37	93.3	65.6	130.7	43	69.3	48.9	98.1
Liver	3	2.7	0.5	10.4	1	2.7	0.1	18.5	2	2.1	0.3	15.9
Pancreas	7	7.2	2.8	16.5	5	12.0	3.9	31.2	2	3.3	0.4	17.9
Lung and Bronchus	66	71.1	54.7	91.9	36	91.2	63.8	128.3	30	58.6	38.8	87.3
Bones and Joints	1	1.6	0.0	9.6	0	0.0	0.0	14.2	1	3.1	0.1	19.0
Melanoma of the Skin	10	12.4	5.8	24.1	7	19.0	7.6	41.5	3	7.1	1.4	24.2
Breast (invasive)	69	78.1	60.2	100.5	1	2.3	0.1	17.6	68	139.4	106.2	181.5
Cervix	-	-	-	-	-	-	-	-	2	2.1	0.3	15.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	23.3	11.2	45.5
Ovary	-	-	-	-	-	-	-	-	3	5.7	1.1	21.6
Prostate	-	-	-	-	59	147.9	112.4	192.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	14.2	-	-	-	-
Urinary Bladder	19	18.1	10.7	30.0	16	39.0	22.2	65.8	3	3.4	0.7	17.5
Kidney and Renal Pelvis	10	11.8	5.5	23.2	6	16.9	6.2	39.0	4	7.5	2.0	23.8
Brain and Other Nervous System	8	11.0	4.7	22.6	3	8.6	1.8	27.4	5	13.3	4.2	33.7
Hodgkin's Disease	3	4.6	0.9	14.3	2	6.1	0.7	24.2	1	3.5	0.1	20.1
Non-Hodgkin's Lymphomas	17	18.6	10.7	31.3	9	22.6	10.3	45.5	8	16.5	6.9	36.4
Multiple Myeloma	8	7.7	3.2	17.1	4	10.2	2.8	29.2	4	6.6	1.6	22.6
Leukemias	14	16.8	9.0	29.5	4	11.3	3.0	31.3	10	21.1	9.7	42.5
All Other Sites	32	36.4	24.5	52.9	12	30.4	15.6	55.5	20	42.6	25.2	69.7
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	12	26.3	13.1	49.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Franklin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,360	528.2	500.0	557.8	716	646.7	599.9	696.5	644	451.0	415.3	489.5
Oral Cavity and Pharynx	35	14.2	9.8	20.2	27	25.7	16.8	37.9	8	5.3	2.2	11.8
Esophagus	24	9.3	5.9	14.2	17	15.6	9.1	25.7	7	4.4	1.7	10.6
Stomach	12	4.5	2.3	8.3	6	5.3	1.9	12.4	6	4.1	1.4	10.4
Colon and Rectum	203	76.0	65.7	87.8	95	87.0	70.3	106.9	108	69.9	56.7	85.9
Liver	8	3.1	1.3	6.6	6	5.3	1.9	12.3	2	1.3	0.2	6.5
Pancreas	25	9.4	6.1	14.3	10	8.7	4.2	16.7	15	9.4	5.2	16.7
Lung and Bronchus	252	97.2	85.4	110.4	157	140.0	118.8	164.2	95	65.4	52.5	81.3
Bones and Joints	0	0.0	0.0	2.3	0	0.0	0.0	4.6	0	0.0	0.0	4.7
Melanoma of the Skin	29	12.4	8.2	18.2	15	14.0	7.8	23.7	14	11.4	6.0	20.4
Breast (invasive)	153	60.5	51.1	71.3	0	0.0	0.0	4.6	153	110.0	92.6	130.2
Cervix	-	-	-	-	-	-	-	-	10	9.5	4.5	18.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	29.8	21.1	41.5
Ovary	-	-	-	-	-	-	-	-	18	13.2	7.6	22.1
Prostate	-	-	-	-	183	160.6	138.1	186.2	-	-	-	-
Testis	-	-	-	-	4	4.6	1.3	12.0	-	-	-	-
Urinary Bladder	64	23.2	17.8	30.0	39	34.9	24.8	48.3	25	15.8	10.1	24.5
Kidney and Renal Pelvis	39	15.6	11.0	21.7	26	23.5	15.3	34.9	13	9.0	4.7	16.6
Brain and Other Nervous System	16	7.2	4.1	12.1	7	7.2	2.9	15.3	9	7.6	3.3	15.5
Hodgkin's Disease	4	2.3	0.6	5.9	3	3.4	0.7	10.1	1	1.2	0.0	6.8
Non-Hodgkin's Lymphomas	71	28.0	21.8	35.8	33	30.3	20.8	43.2	38	26.4	18.3	37.4
Multiple Myeloma	21	7.6	4.7	12.2	17	14.9	8.7	24.5	4	3.1	0.8	9.2
Leukemias	31	12.6	8.4	18.4	18	17.1	10.1	27.7	13	9.2	4.5	17.4
All Other Sites	118	46.0	37.9	55.5	53	48.5	36.2	63.9	65	45.1	34.2	58.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	26	20.1	13.0	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Fulton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,181	475.5	448.3	504.2	643	582.1	537.9	629.4	538	408.8	373.4	447.3
Oral Cavity and Pharynx	16	6.5	3.7	11.2	9	8.3	3.8	16.5	7	5.0	1.8	12.3
Esophagus	11	4.1	2.0	8.0	9	7.9	3.6	15.9	2	1.3	0.1	7.1
Stomach	8	3.0	1.3	6.6	7	6.4	2.5	13.9	1	0.4	0.0	5.9
Colon and Rectum	147	57.0	48.0	67.5	79	71.3	56.5	89.5	68	47.7	36.7	62.0
Liver	11	4.7	2.3	8.9	5	4.7	1.5	11.8	6	4.4	1.5	11.3
Pancreas	23	8.3	5.2	13.0	11	9.9	4.9	18.4	12	6.6	3.4	13.4
Lung and Bronchus	206	82.3	71.3	94.8	126	114.0	94.9	136.3	80	56.4	44.4	71.6
Bones and Joints	0	0.0	0.0	2.6	0	0.0	0.0	4.9	0	0.0	0.0	5.4
Melanoma of the Skin	33	14.3	9.8	20.5	22	19.9	12.4	30.7	11	11.6	5.7	21.7
Breast (invasive)	151	64.1	54.1	75.7	4	3.6	1.0	10.2	147	118.0	99.0	140.4
Cervix	-	-	-	-	-	-	-	-	9	9.1	4.0	18.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	26.8	18.1	39.1
Ovary	-	-	-	-	-	-	-	-	16	13.3	7.4	22.9
Prostate	-	-	-	-	177	159.2	136.5	185.0	-	-	-	-
Testis	-	-	-	-	3	3.0	0.6	9.4	-	-	-	-
Urinary Bladder	69	26.1	20.3	33.6	55	48.8	36.7	64.1	14	9.8	5.1	18.1
Kidney and Renal Pelvis	38	15.5	10.9	21.8	24	22.1	14.1	33.5	14	10.5	5.5	19.3
Brain and Other Nervous System	9	4.1	1.8	8.3	3	2.7	0.6	9.0	6	5.5	1.9	13.5
Hodgkin's Disease	6	2.9	1.0	6.7	3	3.1	0.6	9.8	3	1.9	0.4	7.9
Non-Hodgkin's Lymphomas	49	20.1	14.8	27.2	25	23.4	15.1	35.2	24	16.4	10.3	26.1
Multiple Myeloma	13	4.6	2.4	8.5	9	8.0	3.7	16.1	4	2.6	0.7	8.9
Leukemias	32	12.8	8.6	18.6	17	15.6	9.1	25.6	15	11.3	6.0	20.5
All Other Sites	122	49.4	40.9	59.6	55	50.3	37.8	66.0	67	50.1	38.2	65.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	15	13.9	7.7	24.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Gallatin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	213	509.9	441.8	587.4	113	612.3	502.5	742.2	100	436.2	351.5	540.8
Oral Cavity and Pharynx	4	8.9	2.3	27.7	3	15.4	3.1	52.7	1	4.6	0.1	39.4
Esophagus	1	2.6	0.1	19.2	0	0.0	0.0	30.2	1	4.4	0.1	39.0
Stomach	2	3.8	0.4	20.3	0	0.0	0.0	30.2	2	6.6	0.7	41.2
Colon and Rectum	33	84.2	57.2	121.8	10	54.2	25.5	105.7	23	108.2	66.8	172.1
Liver	2	5.0	0.6	22.7	2	10.6	1.2	46.2	0	0.0	0.0	33.3
Pancreas	10	21.4	10.1	43.5	6	30.7	11.1	73.4	4	15.6	4.0	53.4
Lung and Bronchus	35	78.1	54.2	111.9	20	104.2	63.1	166.5	15	61.2	33.9	110.7
Bones and Joints	0	0.0	0.0	15.5	0	0.0	0.0	30.2	0	0.0	0.0	33.3
Melanoma of the Skin	8	24.4	10.2	50.8	3	20.1	3.9	62.8	5	27.9	8.5	73.9
Breast (invasive)	17	39.3	22.5	66.6	1	4.5	0.1	36.4	16	67.9	37.7	120.5
Cervix	-	-	-	-	-	-	-	-	2	10.4	1.3	48.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	21.8	6.8	62.4
Ovary	-	-	-	-	-	-	-	-	1	6.5	0.2	43.8
Prostate	-	-	-	-	28	144.0	95.3	213.3	-	-	-	-
Testis	-	-	-	-	1	8.1	0.2	45.3	-	-	-	-
Urinary Bladder	12	26.1	13.2	49.9	7	40.0	15.9	87.7	5	19.9	6.3	59.0
Kidney and Renal Pelvis	11	25.1	12.3	48.8	7	35.9	14.0	80.9	4	15.4	4.0	53.0
Brain and Other Nervous System	2	7.7	0.9	28.7	1	8.2	0.2	45.6	1	7.8	0.2	46.9
Hodgkin's Disease	1	3.7	0.1	21.9	1	7.7	0.2	44.2	0	0.0	0.0	33.3
Non-Hodgkin's Lymphomas	8	20.2	8.6	43.3	6	31.7	11.3	75.7	2	9.5	1.1	46.3
Multiple Myeloma	1	2.1	0.1	18.3	1	4.2	0.1	35.8	0	0.0	0.0	33.3
Leukemias	7	17.7	6.7	40.8	5	30.4	9.6	75.8	2	7.3	0.8	42.3
All Other Sites	22	52.4	32.3	83.0	11	62.5	30.6	117.4	11	41.2	19.9	85.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	6	33.0	11.6	80.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Greene County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	464	509.4	463.2	559.6	245	614.3	539.4	697.7	219	435.9	377.6	502.1
Oral Cavity and Pharynx	7	7.7	3.0	17.1	5	11.8	3.8	29.6	2	5.1	0.6	20.7
Esophagus	4	4.3	1.1	12.5	3	7.9	1.6	24.7	1	2.1	0.1	15.7
Stomach	3	2.8	0.6	10.1	3	7.4	1.5	23.7	0	0.0	0.0	12.6
Colon and Rectum	68	72.8	56.2	93.4	36	90.1	63.0	126.1	32	60.1	40.3	88.3
Liver	4	5.4	1.4	14.6	3	8.0	1.6	25.2	1	3.1	0.1	18.1
Pancreas	12	15.0	7.7	27.1	7	19.3	7.7	40.9	5	10.6	3.4	27.7
Lung and Bronchus	85	90.0	71.6	112.5	52	129.5	96.6	171.2	33	59.1	40.0	86.4
Bones and Joints	1	1.5	0.0	8.9	0	0.0	0.0	12.3	1	2.9	0.1	17.8
Melanoma of the Skin	13	14.8	7.8	26.4	7	17.8	7.1	38.3	6	11.8	4.1	29.2
Breast (invasive)	55	63.5	47.5	83.8	0	0.0	0.0	12.3	55	117.2	87.1	155.8
Cervix	-	-	-	-	-	-	-	-	6	18.0	6.5	40.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	20.3	10.1	39.5
Ovary	-	-	-	-	-	-	-	-	8	19.2	8.0	40.4
Prostate	-	-	-	-	66	162.3	125.4	207.8	-	-	-	-
Testis	-	-	-	-	1	2.6	0.1	16.5	-	-	-	-
Urinary Bladder	23	22.6	14.2	35.2	13	30.8	16.3	54.4	10	16.7	7.8	34.5
Kidney and Renal Pelvis	13	14.5	7.6	26.0	5	12.6	4.1	31.2	8	17.0	7.0	36.7
Brain and Other Nervous System	8	8.5	3.6	18.3	3	8.9	1.8	26.9	5	7.9	2.5	23.0
Hodgkin's Disease	2	2.6	0.3	10.4	1	3.0	0.1	17.6	1	2.1	0.1	15.7
Non-Hodgkin's Lymphomas	17	19.6	11.3	32.3	11	27.7	13.7	51.1	6	12.4	4.5	29.9
Multiple Myeloma	2	2.0	0.2	9.1	2	4.6	0.6	19.4	0	0.0	0.0	12.6
Leukemias	17	20.1	11.5	33.2	11	29.6	14.7	54.3	6	10.5	3.7	26.8
All Other Sites	38	39.6	27.8	55.5	16	40.5	23.1	67.2	22	39.9	24.3	63.9
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	11	24.9	12.2	46.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Grundy County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,015	532.9	500.5	566.8	500	593.6	542.2	649.1	515	494.6	452.5	539.9
Oral Cavity and Pharynx	36	18.7	13.1	25.9	23	25.2	15.9	38.7	13	12.3	6.5	21.6
Esophagus	12	6.3	3.2	11.1	10	13.0	6.1	24.5	2	1.7	0.2	7.1
Stomach	9	4.7	2.1	9.0	3	3.9	0.8	12.2	6	5.3	1.9	12.4
Colon and Rectum	130	68.6	57.3	81.5	65	80.1	61.6	102.8	65	60.1	46.3	77.2
Liver	8	4.4	1.9	8.7	6	7.1	2.6	16.3	2	2.2	0.3	8.3
Pancreas	20	10.7	6.5	16.5	15	17.0	9.5	29.0	5	4.7	1.5	11.5
Lung and Bronchus	134	70.9	59.4	84.0	79	94.8	74.8	118.9	55	51.5	38.7	67.5
Bones and Joints	0	0.0	0.0	2.1	0	0.0	0.0	6.0	0	0.0	0.0	4.5
Melanoma of the Skin	34	17.6	12.2	24.7	16	16.8	9.6	28.3	18	17.7	10.5	28.5
Breast (invasive)	164	85.0	72.5	99.2	1	1.2	0.0	8.0	163	160.1	136.3	187.0
Cervix	-	-	-	-	-	-	-	-	12	12.1	6.3	21.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	24	24.0	15.4	36.1
Ovary	-	-	-	-	-	-	-	-	18	17.6	10.4	28.2
Prostate	-	-	-	-	131	159.1	132.8	189.6	-	-	-	-
Testis	-	-	-	-	7	7.4	3.0	16.3	-	-	-	-
Urinary Bladder	49	25.5	18.9	33.8	33	40.1	27.5	57.1	16	14.5	8.2	24.1
Kidney and Renal Pelvis	25	13.2	8.6	19.6	14	15.9	8.7	27.6	11	10.4	5.1	19.0
Brain and Other Nervous System	15	7.8	4.3	12.9	6	6.7	2.4	15.8	9	9.0	4.1	17.5
Hodgkin's Disease	6	3.0	1.1	6.7	5	4.9	1.6	12.9	1	0.9	0.0	6.0
Non-Hodgkin's Lymphomas	40	20.9	14.9	28.6	19	22.6	13.6	36.2	21	20.0	12.3	31.1
Multiple Myeloma	9	4.7	2.2	9.1	5	5.5	1.8	13.9	4	3.6	1.0	10.1
Leukemias	48	25.5	18.8	33.8	31	35.6	24.1	51.3	17	16.3	9.4	26.6
All Other Sites	84	43.4	34.6	53.8	31	36.8	24.9	53.1	53	50.5	37.7	66.6
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	28	28.1	18.6	40.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Hamilton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	257	434.4	381.6	493.9	150	584.4	493.9	689.3	107	336.0	272.2	414.2
Oral Cavity and Pharynx	7	11.9	4.7	27.5	5	20.3	6.5	51.9	2	5.9	0.7	31.7
Esophagus	2	3.0	0.4	15.2	2	6.9	0.8	32.3	0	0.0	0.0	24.3
Stomach	2	2.9	0.3	14.9	1	3.4	0.1	27.3	1	1.7	0.0	25.9
Colon and Rectum	40	62.0	44.1	87.0	22	82.5	51.6	128.8	18	51.5	29.7	89.4
Liver	1	1.6	0.0	13.5	1	3.4	0.1	27.3	0	0.0	0.0	24.3
Pancreas	3	4.3	0.9	16.9	2	8.1	1.0	34.7	1	2.2	0.1	26.6
Lung and Bronchus	48	78.8	57.8	106.8	33	125.6	86.3	180.0	15	42.7	23.5	78.1
Bones and Joints	1	1.6	0.0	13.4	0	0.0	0.0	22.5	1	2.7	0.1	27.5
Melanoma of the Skin	7	14.1	5.4	31.4	5	20.8	6.6	53.3	2	6.9	0.7	34.3
Breast (invasive)	34	61.0	41.7	87.8	0	0.0	0.0	22.5	34	113.4	76.7	165.8
Cervix	-	-	-	-	-	-	-	-	2	10.0	1.2	40.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	11.6	2.2	41.0
Ovary	-	-	-	-	-	-	-	-	4	10.3	2.7	36.9
Prostate	-	-	-	-	41	159.9	114.5	220.5	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	22.5	-	-	-	-
Urinary Bladder	11	20.0	9.7	38.5	9	36.7	16.5	73.8	2	7.1	0.8	34.3
Kidney and Renal Pelvis	6	10.9	3.9	26.4	4	16.6	4.5	47.0	2	7.3	0.9	34.6
Brain and Other Nervous System	1	1.8	0.0	13.7	1	3.8	0.1	28.1	0	0.0	0.0	24.3
Hodgkin's Disease	0	0.0	0.0	11.2	0	0.0	0.0	22.5	0	0.0	0.0	24.3
Non-Hodgkin's Lymphomas	9	16.7	7.4	34.5	5	21.5	6.7	54.6	4	10.7	2.8	37.7
Multiple Myeloma	3	4.7	0.9	17.5	2	7.5	0.9	33.4	1	3.2	0.1	28.4
Leukemias	7	10.5	4.1	25.2	5	19.7	6.4	50.7	2	3.8	0.5	28.3
All Other Sites	25	46.0	29.3	70.5	12	47.7	24.4	87.6	13	45.1	23.0	84.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	4	14.9	4.0	45.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Hancock County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	631	479.6	442.2	519.8	354	617.1	554.2	686.1	277	385.8	339.7	438.0
Oral Cavity and Pharynx	16	12.7	7.2	21.7	13	23.7	12.6	42.0	3	3.6	0.7	14.8
Esophagus	3	2.6	0.5	8.9	3	5.6	1.1	18.3	0	0.0	0.0	10.4
Stomach	7	5.3	2.1	12.2	6	10.6	3.9	24.8	1	0.8	0.0	11.2
Colon and Rectum	84	61.0	48.5	76.5	44	75.8	55.0	103.0	40	48.7	34.1	69.7
Liver	3	2.2	0.5	8.1	0	0.0	0.0	9.7	3	4.0	0.8	15.7
Pancreas	14	10.4	5.6	18.6	9	15.6	7.1	31.4	5	6.5	2.0	19.1
Lung and Bronchus	92	69.3	55.7	86.0	60	104.2	79.4	135.4	32	45.3	30.6	66.7
Bones and Joints	0	0.0	0.0	5.0	0	0.0	0.0	9.7	0	0.0	0.0	10.4
Melanoma of the Skin	18	14.5	8.5	23.9	9	15.5	7.1	31.2	9	14.6	6.5	30.4
Breast (invasive)	81	63.9	50.5	80.4	2	4.2	0.5	16.6	79	113.6	89.2	144.4
Cervix	-	-	-	-	-	-	-	-	4	8.0	2.1	22.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	22.2	12.5	39.0
Ovary	-	-	-	-	-	-	-	-	10	13.1	6.0	27.5
Prostate	-	-	-	-	109	186.8	153.3	226.6	-	-	-	-
Testis	-	-	-	-	4	8.6	2.3	23.2	-	-	-	-
Urinary Bladder	36	26.5	18.5	37.7	29	50.3	33.6	73.6	7	8.7	3.4	21.5
Kidney and Renal Pelvis	21	16.2	9.9	25.9	12	21.8	11.2	39.5	9	13.0	5.6	27.9
Brain and Other Nervous System	7	5.5	2.2	12.5	4	7.1	1.9	20.0	3	3.9	0.8	15.4
Hodgkin's Disease	2	2.0	0.2	8.3	1	1.7	0.0	12.3	1	2.5	0.1	15.0
Non-Hodgkin's Lymphomas	22	16.3	10.1	25.7	9	15.6	7.1	31.3	13	16.0	8.2	30.8
Multiple Myeloma	7	4.8	1.9	11.3	5	8.7	2.8	22.2	2	1.8	0.2	12.4
Leukemias	24	18.8	11.9	29.1	10	17.3	8.3	33.5	14	20.1	10.6	36.9
All Other Sites	51	40.5	29.9	54.4	25	44.1	28.5	66.5	26	39.6	25.0	61.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	9	16.1	7.2	32.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Hardin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	168	519.6	443.0	609.1	98	669.7	542.3	824.5	70	394.6	305.1	512.4
Oral Cavity and Pharynx	6	17.7	6.5	45.3	5	29.8	9.7	84.0	1	5.1	0.1	54.7
Esophagus	0	0.0	0.0	22.0	0	0.0	0.0	44.8	0	0.0	0.0	48.8
Stomach	2	5.8	0.7	29.6	1	6.1	0.2	52.9	1	5.3	0.1	55.0
Colon and Rectum	28	86.7	57.4	130.2	18	128.6	75.9	212.0	10	57.4	27.3	121.5
Liver	5	18.1	5.4	48.2	2	20.2	2.3	78.7	3	17.2	3.4	70.7
Pancreas	3	8.7	1.8	33.5	0	0.0	0.0	44.8	3	15.6	3.2	67.6
Lung and Bronchus	35	104.9	72.8	150.7	19	126.7	76.0	207.5	16	83.5	47.6	151.0
Bones and Joints	0	0.0	0.0	22.0	0	0.0	0.0	44.8	0	0.0	0.0	48.8
Melanoma of the Skin	5	18.6	5.9	48.7	4	28.3	7.6	84.8	1	9.2	0.2	63.3
Breast (invasive)	13	41.0	21.6	75.5	0	0.0	0.0	44.8	13	77.0	40.3	146.8
Cervix	-	-	-	-	-	-	-	-	2	14.3	1.5	69.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	8.8	1.1	58.5
Ovary	-	-	-	-	-	-	-	-	3	17.6	3.5	71.2
Prostate	-	-	-	-	24	159.0	101.6	245.8	-	-	-	-
Testis	-	-	-	-	1	9.0	0.2	59.4	-	-	-	-
Urinary Bladder	7	22.2	8.7	52.1	5	37.9	12.2	98.7	2	10.2	1.2	60.9
Kidney and Renal Pelvis	5	15.2	4.9	42.2	4	24.9	6.8	78.2	1	5.5	0.1	55.4
Brain and Other Nervous System	1	2.9	0.1	25.8	1	6.8	0.2	54.3	0	0.0	0.0	48.8
Hodgkin's Disease	1	4.7	0.1	30.0	1	9.2	0.2	59.9	0	0.0	0.0	48.8
Non-Hodgkin's Lymphomas	6	20.4	7.2	50.5	3	19.4	4.0	71.3	3	22.9	3.5	84.3
Multiple Myeloma	0	0.0	0.0	22.0	0	0.0	0.0	44.8	0	0.0	0.0	48.8
Leukemias	3	8.8	1.8	33.6	1	6.0	0.2	52.7	2	10.2	1.2	60.8
All Other Sites	16	46.0	26.3	80.2	9	57.9	26.3	121.5	7	34.6	13.8	90.7
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	1	6.2	0.2	56.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Henderson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	240	455.1	398.9	519.5	119	503.5	415.5	608.9	121	432.9	357.8	524.6
Oral Cavity and Pharynx	4	7.4	2.0	24.2	3	11.0	2.2	43.1	1	3.6	0.1	33.7
Esophagus	3	5.1	1.0	20.8	2	6.6	0.8	37.0	1	2.5	0.1	31.8
Stomach	1	1.8	0.0	16.7	1	3.7	0.1	33.5	0	0.0	0.0	29.1
Colon and Rectum	33	61.4	42.2	89.6	17	69.2	40.0	117.9	16	53.0	29.9	95.3
Liver	2	3.8	0.5	19.4	2	8.5	1.0	40.7	0	0.0	0.0	29.1
Pancreas	2	3.6	0.4	19.1	0	0.0	0.0	28.8	2	6.3	0.8	36.8
Lung and Bronchus	46	84.0	61.5	115.3	28	117.2	77.1	176.1	18	61.0	36.1	104.7
Bones and Joints	0	0.0	0.0	14.5	0	0.0	0.0	28.8	0	0.0	0.0	29.1
Melanoma of the Skin	5	9.8	3.1	27.5	5	19.3	6.2	54.4	0	0.0	0.0	29.1
Breast (invasive)	40	78.4	55.7	110.2	0	0.0	0.0	28.8	40	150.8	106.8	212.9
Cervix	-	-	-	-	-	-	-	-	4	18.5	5.0	55.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	28.1	12.0	65.1
Ovary	-	-	-	-	-	-	-	-	6	21.3	7.7	56.4
Prostate	-	-	-	-	34	145.3	99.8	209.5	-	-	-	-
Testis	-	-	-	-	2	10.7	1.3	45.2	-	-	-	-
Urinary Bladder	7	13.5	5.4	32.2	6	25.4	9.2	63.4	1	3.1	0.1	32.7
Kidney and Renal Pelvis	7	13.2	5.3	31.7	4	15.3	4.1	49.1	3	10.1	2.1	41.8
Brain and Other Nervous System	2	4.9	0.5	21.8	0	0.0	0.0	28.8	2	9.7	1.1	43.7
Hodgkin's Disease	1	2.2	0.1	17.5	1	4.3	0.1	34.7	0	0.0	0.0	29.1
Non-Hodgkin's Lymphomas	11	21.8	10.8	42.9	6	29.7	10.8	70.9	5	17.7	5.6	52.0
Multiple Myeloma	4	6.9	1.9	23.2	2	9.5	1.1	42.9	2	6.5	0.8	37.1
Leukemias	7	13.5	5.4	32.2	3	13.4	2.7	47.7	4	13.7	3.6	46.7
All Other Sites	11	20.8	10.4	41.3	3	14.3	2.8	49.6	8	26.9	11.6	62.9
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	7	23.9	9.5	59.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Henry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,513	490.4	465.7	516.2	802	594.3	553.7	637.4	711	421.0	389.7	454.5
Oral Cavity and Pharynx	42	13.9	10.0	19.1	27	19.7	12.9	29.1	15	8.5	4.6	15.0
Esophagus	18	5.7	3.4	9.3	17	12.3	7.1	20.1	1	0.3	0.0	4.2
Stomach	23	7.2	4.5	11.1	16	11.4	6.5	19.1	7	3.4	1.3	8.3
Colon and Rectum	188	58.0	50.0	67.3	89	66.9	53.7	82.7	99	51.4	41.4	63.6
Liver	7	2.3	0.9	5.1	2	1.4	0.2	5.9	5	3.0	1.0	8.0
Pancreas	33	10.5	7.2	15.0	12	8.8	4.5	15.8	21	11.5	7.0	18.5
Lung and Bronchus	212	67.0	58.2	76.9	136	100.1	83.9	118.8	76	44.0	34.5	55.9
Bones and Joints	3	1.2	0.2	3.7	3	2.2	0.5	7.1	0	0.0	0.0	3.8
Melanoma of the Skin	69	23.6	18.3	30.1	41	30.5	21.9	41.8	28	18.9	12.4	28.0
Breast (invasive)	202	68.1	59.0	78.5	2	1.6	0.2	6.4	200	127.0	109.7	146.8
Cervix	-	-	-	-	-	-	-	-	15	11.6	6.4	19.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	49	29.0	21.3	39.2
Ovary	-	-	-	-	-	-	-	-	33	19.1	13.0	27.7
Prostate	-	-	-	-	215	155.2	135.1	177.8	-	-	-	-
Testis	-	-	-	-	4	3.5	0.9	9.4	-	-	-	-
Urinary Bladder	82	25.9	20.5	32.4	60	45.8	34.9	59.4	22	12.4	7.6	19.7
Kidney and Renal Pelvis	50	16.5	12.3	22.1	29	21.3	14.2	31.0	21	12.4	7.6	19.8
Brain and Other Nervous System	20	7.1	4.3	11.3	14	11.0	6.0	18.8	6	3.7	1.3	8.9
Hodgkin's Disease	9	3.9	1.7	7.5	7	5.9	2.4	12.5	2	1.9	0.2	7.2
Non-Hodgkin's Lymphomas	68	21.5	16.7	27.6	32	24.0	16.4	34.3	36	19.2	13.3	27.5
Multiple Myeloma	14	4.2	2.3	7.4	7	5.2	2.1	11.3	7	3.4	1.3	8.2
Leukemias	37	12.0	8.4	16.8	23	17.4	11.0	26.5	14	8.0	4.3	14.3
All Other Sites	120	39.0	32.2	47.0	66	50.0	38.6	63.9	54	32.3	24.0	43.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	36	22.9	15.9	32.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Iroquois County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	967	477.1	447.0	509.1	531	587.4	538.2	640.5	436	398.3	360.1	440.4
Oral Cavity and Pharynx	16	8.4	4.8	14.3	12	13.2	6.8	24.3	4	3.9	1.0	12.2
Esophagus	12	6.2	3.2	11.5	10	11.2	5.4	21.8	2	2.0	0.2	9.4
Stomach	10	4.6	2.2	9.3	5	5.8	1.9	14.7	5	3.9	1.2	11.7
Colon and Rectum	154	71.5	60.5	84.3	80	88.3	70.0	110.9	74	58.0	45.1	74.7
Liver	4	1.9	0.5	5.8	2	2.1	0.3	9.5	2	1.9	0.2	9.3
Pancreas	24	11.5	7.3	17.8	12	13.6	7.0	24.9	12	9.3	4.7	18.4
Lung and Bronchus	147	72.4	61.1	85.7	85	93.3	74.4	116.2	62	57.1	43.5	74.9
Bones and Joints	2	1.0	0.1	4.6	0	0.0	0.0	6.4	2	2.0	0.2	9.4
Melanoma of the Skin	28	15.4	10.1	22.9	16	18.8	10.7	31.5	12	13.8	6.8	25.8
Breast (invasive)	114	58.1	47.7	70.5	2	2.3	0.3	9.9	112	105.1	85.8	128.4
Cervix	-	-	-	-	-	-	-	-	12	11.9	6.0	22.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	21	17.5	10.6	28.8
Ovary	-	-	-	-	-	-	-	-	16	15.0	8.5	26.0
Prostate	-	-	-	-	145	157.1	132.5	185.8	-	-	-	-
Testis	-	-	-	-	4	4.9	1.3	13.8	-	-	-	-
Urinary Bladder	54	25.8	19.3	34.3	41	44.8	32.1	61.8	13	10.8	5.6	20.5
Kidney and Renal Pelvis	21	10.8	6.6	17.1	14	15.8	8.6	27.6	7	7.0	2.7	16.3
Brain and Other Nervous System	10	5.0	2.4	10.0	4	4.6	1.2	13.3	6	5.0	1.8	13.2
Hodgkin's Disease	4	2.3	0.6	6.6	2	2.7	0.3	10.7	2	1.9	0.2	9.3
Non-Hodgkin's Lymphomas	37	19.0	13.3	26.8	25	28.4	18.3	42.9	12	11.2	5.6	21.5
Multiple Myeloma	14	6.5	3.6	11.7	10	10.7	5.1	21.0	4	2.7	0.7	10.1
Leukemias	37	18.2	12.7	25.9	25	28.4	18.3	43.0	12	11.4	5.5	22.1
All Other Sites	81	43.1	33.9	54.4	37	41.1	28.9	57.7	44	47.1	33.4	65.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	21	19.8	12.1	32.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Jackson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,195	472.9	446.3	500.8	639	588.5	543.4	636.6	556	394.6	361.8	429.8
Oral Cavity and Pharynx	28	11.0	7.2	16.1	21	18.3	11.2	28.6	7	4.8	1.9	10.5
Esophagus	12	4.6	2.3	8.2	8	7.9	3.4	15.8	4	2.6	0.7	7.4
Stomach	13	5.1	2.7	9.0	8	7.4	3.2	15.0	5	3.3	1.1	8.5
Colon and Rectum	169	66.4	56.8	77.4	85	78.2	62.4	97.1	84	55.1	43.7	68.9
Liver	9	3.6	1.7	7.0	7	6.7	2.7	14.1	2	1.5	0.2	6.0
Pancreas	30	11.9	8.0	17.1	16	14.9	8.5	24.7	14	9.3	5.1	16.2
Lung and Bronchus	163	65.6	55.9	76.6	102	95.2	77.6	115.9	61	44.2	33.7	57.3
Bones and Joints	2	0.9	0.1	3.3	0	0.0	0.0	4.2	2	1.7	0.2	6.6
Melanoma of the Skin	23	9.5	6.0	14.4	16	13.9	7.9	23.0	7	5.4	2.1	11.6
Breast (invasive)	175	70.4	60.3	81.8	0	0.0	0.0	4.2	175	130.7	111.8	152.1
Cervix	-	-	-	-	-	-	-	-	16	12.7	7.2	21.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	28	19.4	12.8	28.7
Ovary	-	-	-	-	-	-	-	-	13	9.5	5.0	16.8
Prostate	-	-	-	-	178	167.1	143.3	193.8	-	-	-	-
Testis	-	-	-	-	7	4.2	1.5	10.1	-	-	-	-
Urinary Bladder	64	25.2	19.4	32.4	46	42.8	31.3	57.4	18	12.6	7.4	20.5
Kidney and Renal Pelvis	36	14.7	10.3	20.4	18	15.7	9.3	25.3	18	13.4	7.9	21.6
Brain and Other Nervous System	19	7.6	4.6	12.1	11	10.3	5.1	18.8	8	5.7	2.4	11.9
Hodgkin's Disease	7	2.4	0.9	5.3	4	2.6	0.6	8.1	3	2.1	0.4	6.8
Non-Hodgkin's Lymphomas	43	17.1	12.3	23.2	27	23.8	15.6	35.2	16	11.4	6.5	19.1
Multiple Myeloma	18	7.1	4.2	11.4	9	8.8	4.0	17.0	9	6.5	2.9	12.9
Leukemias	28	10.9	7.2	15.9	17	16.1	9.4	26.2	11	7.0	3.4	13.3
All Other Sites	114	43.2	35.6	52.2	59	54.7	41.5	71.1	55	35.8	26.7	47.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	27	20.2	13.3	29.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Jasper County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	316	520.9	464.4	583.4	174	644.9	552.5	750.0	142	425.8	356.7	507.6
Oral Cavity and Pharynx	5	8.8	2.8	22.4	4	15.1	4.1	41.7	1	2.2	0.1	23.5
Esophagus	0	0.0	0.0	9.5	0	0.0	0.0	18.9	0	0.0	0.0	21.0
Stomach	5	8.2	2.6	21.2	5	18.3	5.9	45.9	0	0.0	0.0	21.0
Colon and Rectum	48	76.6	56.3	103.3	25	92.6	59.9	138.8	23	65.7	41.1	104.1
Liver	5	7.3	2.4	19.7	3	10.6	2.2	34.8	2	4.0	0.5	25.6
Pancreas	8	13.9	6.0	29.0	3	11.2	2.3	36.2	5	15.2	4.9	41.6
Lung and Bronchus	63	100.9	77.3	130.7	37	137.6	96.9	191.8	26	72.2	46.5	111.4
Bones and Joints	0	0.0	0.0	9.5	0	0.0	0.0	18.9	0	0.0	0.0	21.0
Melanoma of the Skin	7	12.9	5.2	28.1	6	22.2	8.1	51.3	1	3.8	0.1	26.9
Breast (invasive)	33	55.8	38.2	79.9	0	0.0	0.0	18.9	33	103.9	70.7	150.9
Cervix	-	-	-	-	-	-	-	-	3	11.1	2.0	38.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	21.3	8.4	49.7
Ovary	-	-	-	-	-	-	-	-	4	14.3	3.9	41.6
Prostate	-	-	-	-	50	183.8	136.4	244.4	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	18.9	-	-	-	-
Urinary Bladder	17	27.4	15.8	45.7	13	48.6	25.9	85.6	4	12.7	3.1	39.4
Kidney and Renal Pelvis	11	18.7	9.2	35.2	6	22.8	8.3	52.3	5	16.0	5.0	43.2
Brain and Other Nervous System	4	7.0	1.9	20.0	2	7.7	0.9	31.0	2	7.0	0.8	31.3
Hodgkin's Disease	4	7.6	2.0	21.1	1	4.8	0.1	27.7	3	10.1	2.1	35.4
Non-Hodgkin's Lymphomas	9	15.0	6.8	30.3	4	14.7	4.0	41.0	5	15.4	4.8	42.2
Multiple Myeloma	3	4.6	0.9	16.1	1	3.5	0.1	24.3	2	5.4	0.6	28.1
Leukemias	8	12.9	5.5	27.5	4	14.7	4.0	41.0	4	10.9	2.8	35.6
All Other Sites	22	35.6	22.2	55.7	10	36.6	17.5	70.0	12	34.5	17.4	66.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	7	22.1	8.8	51.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Jefferson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,133	489.2	460.9	518.9	619	607.0	560.0	657.1	514	408.1	372.6	446.6
Oral Cavity and Pharynx	28	12.4	8.2	18.3	20	19.2	11.7	30.1	8	6.2	2.6	13.2
Esophagus	4	1.7	0.5	4.8	4	3.7	1.0	10.1	0	0.0	0.0	4.7
Stomach	15	6.2	3.5	10.6	9	9.4	4.3	18.1	6	4.3	1.5	10.5
Colon and Rectum	161	66.2	56.3	77.5	86	84.8	67.8	105.0	75	50.8	39.7	64.9
Liver	15	6.8	3.8	11.5	10	9.7	4.6	18.2	5	4.8	1.5	11.9
Pancreas	24	9.7	6.2	14.8	14	13.9	7.6	23.7	10	6.7	3.1	13.5
Lung and Bronchus	176	75.3	64.6	87.6	112	109.8	90.4	132.4	64	49.7	38.1	64.4
Bones and Joints	0	0.0	0.0	2.2	0	0.0	0.0	4.4	0	0.0	0.0	4.7
Melanoma of the Skin	37	16.3	11.4	22.7	25	24.7	15.9	36.7	12	9.9	4.9	18.4
Breast (invasive)	171	75.4	64.4	87.8	0	0.0	0.0	4.4	171	142.3	121.3	166.4
Cervix	-	-	-	-	-	-	-	-	14	14.0	7.6	24.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	26	22.8	14.9	34.2
Ovary	-	-	-	-	-	-	-	-	11	9.2	4.5	17.4
Prostate	-	-	-	-	167	163.7	139.8	190.8	-	-	-	-
Testis	-	-	-	-	6	5.7	2.1	12.8	-	-	-	-
Urinary Bladder	30	12.5	8.4	18.2	26	26.0	17.0	38.4	4	2.8	0.7	8.6
Kidney and Renal Pelvis	35	16.0	11.1	22.5	25	24.4	15.8	36.4	10	8.5	4.0	16.5
Brain and Other Nervous System	8	3.7	1.6	7.6	4	4.0	1.1	10.6	4	3.6	0.9	10.2
Hodgkin's Disease	3	1.5	0.3	4.7	2	1.8	0.2	7.2	1	1.2	0.0	6.8
Non-Hodgkin's Lymphomas	44	19.0	13.8	25.8	24	23.5	15.0	35.3	20	15.2	9.1	24.6
Multiple Myeloma	18	7.6	4.5	12.3	11	10.8	5.4	19.7	7	5.0	2.0	11.6
Leukemias	31	13.2	8.9	19.1	19	18.9	11.3	29.8	12	8.8	4.4	16.5
All Other Sites	109	47.6	39.0	57.7	55	53.2	40.0	69.6	54	42.2	31.3	56.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	22	18.4	11.4	28.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Jersey County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	525	434.8	398.3	474.2	265	488.7	431.2	552.7	260	397.7	350.2	450.9
Oral Cavity and Pharynx	14	12.0	6.5	20.7	12	21.2	10.9	38.6	2	3.0	0.3	13.7
Esophagus	3	2.4	0.5	8.0	3	6.0	1.2	19.1	0	0.0	0.0	9.1
Stomach	4	3.3	0.9	9.3	3	5.9	1.2	18.8	1	1.4	0.0	10.9
Colon and Rectum	69	55.9	43.4	71.3	41	75.5	54.0	103.8	28	40.3	26.6	60.1
Liver	2	1.7	0.2	7.2	2	3.9	0.5	15.9	0	0.0	0.0	9.1
Pancreas	11	9.2	4.6	17.2	4	7.6	2.0	21.2	7	9.4	3.7	21.7
Lung and Bronchus	78	63.2	50.0	79.4	44	81.5	59.0	110.7	34	49.9	34.4	71.3
Bones and Joints	1	0.8	0.0	5.8	1	1.7	0.0	12.2	0	0.0	0.0	9.1
Melanoma of the Skin	17	14.9	8.7	24.5	8	14.0	6.1	29.4	9	14.5	6.5	29.4
Breast (invasive)	80	67.4	53.4	84.4	1	1.8	0.0	12.5	79	126.5	100.0	159.1
Cervix	-	-	-	-	-	-	-	-	3	3.9	0.7	14.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	24.2	13.5	41.5
Ovary	-	-	-	-	-	-	-	-	11	16.9	8.4	32.1
Prostate	-	-	-	-	73	132.3	103.4	167.6	-	-	-	-
Testis	-	-	-	-	4	7.3	2.0	20.5	-	-	-	-
Urinary Bladder	34	28.0	19.3	39.6	26	48.5	31.6	72.4	8	11.8	5.1	25.2
Kidney and Renal Pelvis	16	13.9	7.9	23.1	9	16.4	7.4	32.6	7	11.5	4.5	25.6
Brain and Other Nervous System	6	5.3	1.9	12.1	1	1.6	0.0	12.1	5	8.9	2.9	22.2
Hodgkin's Disease	2	1.9	0.2	7.7	1	2.3	0.1	13.7	1	1.3	0.0	10.8
Non-Hodgkin's Lymphomas	25	20.6	13.3	31.1	8	15.9	6.8	32.7	17	25.7	14.8	42.9
Multiple Myeloma	6	5.0	1.8	11.7	3	5.2	1.1	17.4	3	4.3	0.9	15.2
Leukemias	12	9.9	5.1	18.0	6	11.2	4.1	26.0	6	8.7	3.1	21.1
All Other Sites	39	32.2	22.9	44.6	15	28.9	16.0	49.0	24	35.5	22.6	54.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	8	13.3	5.7	27.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Jo Daviess County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	766	507.0	471.3	545.3	406	574.1	518.9	634.5	360	455.6	408.4	508.2
Oral Cavity and Pharynx	25	16.3	10.5	25.0	16	22.3	12.7	38.1	9	10.5	4.8	23.0
Esophagus	11	7.0	3.5	13.6	8	11.2	4.8	24.1	3	3.1	0.6	13.3
Stomach	8	5.0	2.2	11.1	5	8.2	2.6	20.8	3	3.1	0.6	13.3
Colon and Rectum	100	64.7	52.5	79.5	42	58.4	41.9	80.5	58	66.4	50.2	88.3
Liver	7	4.6	1.8	10.6	6	9.0	3.3	21.5	1	0.9	0.0	10.5
Pancreas	16	10.2	5.8	17.6	7	9.6	3.9	21.9	9	10.4	4.7	22.8
Lung and Bronchus	95	61.0	49.3	75.4	53	76.4	56.9	101.5	42	52.2	37.4	72.9
Bones and Joints	1	0.8	0.0	5.6	1	1.5	0.0	10.9	0	0.0	0.0	9.5
Melanoma of the Skin	22	14.2	8.9	22.5	14	19.6	10.7	34.6	8	9.3	4.0	21.4
Breast (invasive)	108	74.9	61.2	91.4	3	3.8	0.8	14.0	105	140.1	113.9	172.1
Cervix	-	-	-	-	-	-	-	-	9	16.2	7.3	32.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	23.2	13.6	39.2
Ovary	-	-	-	-	-	-	-	-	14	17.2	9.3	31.6
Prostate	-	-	-	-	118	158.5	131.1	191.2	-	-	-	-
Testis	-	-	-	-	4	7.7	2.1	20.8	-	-	-	-
Urinary Bladder	47	29.4	21.6	39.9	38	53.9	38.0	75.6	9	10.5	4.8	22.8
Kidney and Renal Pelvis	22	14.7	9.1	23.2	12	16.4	8.4	30.4	10	13.1	6.1	26.9
Brain and Other Nervous System	14	11.3	6.0	19.8	9	14.1	6.3	28.5	5	8.6	2.7	22.3
Hodgkin's Disease	2	1.6	0.2	6.9	0	0.0	0.0	8.7	2	3.0	0.3	14.2
Non-Hodgkin's Lymphomas	30	20.5	13.7	30.2	16	24.6	13.9	41.5	14	17.9	9.5	32.9
Multiple Myeloma	6	3.7	1.4	9.4	2	2.7	0.3	12.5	4	4.3	1.2	14.8
Leukemias	26	17.7	11.4	27.0	17	26.4	15.2	43.8	9	10.8	4.7	23.7
All Other Sites	63	41.9	32.1	54.5	35	49.7	34.4	70.6	28	34.8	22.9	52.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	14	19.1	10.3	34.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Johnson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	371	534.6	481.3	593.1	200	603.9	521.7	696.9	171	499.7	426.2	584.7
Oral Cavity and Pharynx	8	12.2	5.2	25.7	7	18.9	7.5	42.5	1	2.6	0.1	21.9
Esophagus	8	11.2	4.8	24.0	8	21.7	9.3	46.0	0	0.0	0.0	18.4
Stomach	3	4.1	0.8	14.3	3	8.7	1.7	29.3	0	0.0	0.0	18.4
Colon and Rectum	40	58.1	41.5	80.4	17	53.7	30.9	88.6	23	62.0	39.2	97.0
Liver	0	0.0	0.0	8.6	0	0.0	0.0	16.2	0	0.0	0.0	18.4
Pancreas	6	8.6	3.2	20.7	3	10.2	2.1	32.3	3	8.2	1.7	29.7
Lung and Bronchus	56	80.9	61.0	106.3	39	122.8	86.8	170.3	17	45.0	26.2	76.2
Bones and Joints	0	0.0	0.0	8.6	0	0.0	0.0	16.2	0	0.0	0.0	18.4
Melanoma of the Skin	17	24.5	14.2	40.8	12	33.0	16.9	60.9	5	14.7	4.6	39.4
Breast (invasive)	57	80.2	60.7	105.3	2	6.3	0.7	26.1	55	155.8	116.9	206.4
Cervix	-	-	-	-	-	-	-	-	4	16.0	4.2	43.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	22.9	8.9	51.3
Ovary	-	-	-	-	-	-	-	-	9	26.9	12.1	55.2
Prostate	-	-	-	-	51	156.0	115.6	207.6	-	-	-	-
Testis	-	-	-	-	2	4.4	0.5	22.0	-	-	-	-
Urinary Bladder	22	31.1	19.4	48.6	15	46.9	25.8	80.2	7	18.1	7.3	42.4
Kidney and Renal Pelvis	7	10.0	4.0	22.4	4	10.6	2.9	31.3	3	9.0	1.8	31.3
Brain and Other Nervous System	5	7.4	2.4	19.1	3	7.2	1.4	26.3	2	6.8	0.8	28.9
Hodgkin's Disease	1	1.3	0.0	10.3	0	0.0	0.0	16.2	1	4.2	0.1	25.7
Non-Hodgkin's Lymphomas	15	22.1	12.3	37.9	9	27.7	12.6	55.2	6	16.8	6.1	41.5
Multiple Myeloma	8	11.4	4.9	24.3	7	19.5	7.7	43.6	1	2.9	0.1	22.6
Leukemias	11	18.0	8.9	33.5	6	22.0	7.9	49.5	5	16.0	4.9	41.6
All Other Sites	34	48.6	33.6	69.4	12	34.3	17.4	63.1	22	71.9	44.3	112.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	6	18.4	6.7	44.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,699	477.6	466.8	488.6	3,841	555.8	537.5	574.7	3,858	426.0	412.5	439.9
Oral Cavity and Pharynx	185	11.1	9.5	12.9	111	14.0	11.4	17.2	74	8.4	6.6	10.7
Esophagus	76	4.9	3.9	6.2	54	8.0	5.9	10.8	22	2.7	1.7	4.1
Stomach	108	6.8	5.5	8.2	61	8.6	6.5	11.3	47	5.2	3.8	7.0
Colon and Rectum	877	57.1	53.3	61.1	444	68.5	62.0	75.6	433	48.6	44.1	53.5
Liver	60	3.8	2.9	4.9	45	6.8	4.9	9.4	15	1.6	0.9	2.7
Pancreas	163	10.6	9.0	12.4	87	13.0	10.3	16.3	76	8.6	6.7	10.8
Lung and Bronchus	1,029	68.6	64.4	73.0	573	89.6	82.1	97.7	456	54.2	49.3	59.4
Bones and Joints	20	1.0	0.6	1.6	15	1.4	0.7	2.6	5	0.5	0.2	1.3
Melanoma of the Skin	224	12.0	10.5	13.8	120	13.8	11.4	16.9	104	10.6	8.7	12.9
Breast (invasive)	1,216	72.3	68.2	76.6	12	1.9	0.9	3.6	1,204	131.8	124.4	139.6
Cervix	-	-	-	-	-	-	-	-	97	9.6	7.8	11.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	232	25.8	22.6	29.5
Ovary	-	-	-	-	-	-	-	-	123	13.3	11.1	16.0
Prostate	-	-	-	-	1,111	164.1	154.2	174.6	-	-	-	-
Testis	-	-	-	-	63	5.6	4.3	7.5	-	-	-	-
Urinary Bladder	339	22.8	20.4	25.4	239	37.5	32.8	42.9	100	11.4	9.3	14.0
Kidney and Renal Pelvis	220	13.4	11.6	15.3	136	18.7	15.5	22.4	84	9.3	7.4	11.5
Brain and Other Nervous System	107	5.8	4.7	7.1	50	6.0	4.4	8.3	57	5.9	4.5	7.8
Hodgkin's Disease	58	2.9	2.2	3.8	27	2.7	1.7	4.3	31	3.0	2.1	4.4
Non-Hodgkin's Lymphomas	316	18.9	16.9	21.2	178	24.1	20.5	28.4	138	15.1	12.6	17.9
Multiple Myeloma	93	6.1	4.9	7.5	50	7.4	5.4	10.1	43	4.9	3.5	6.6
Leukemias	248	14.9	13.1	16.9	140	19.4	16.1	23.3	108	11.5	9.4	14.0
All Other Sites	734	43.9	40.7	47.3	325	44.5	39.6	50.1	409	44.0	39.8	48.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	277	30.4	26.8	34.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,846	533.9	514.5	554.0	1,488	638.0	605.7	671.9	1,358	463.5	439.0	489.1
Oral Cavity and Pharynx	75	14.1	11.1	17.7	52	22.1	16.4	29.4	23	7.6	4.8	11.6
Esophagus	33	6.2	4.2	8.7	26	10.6	6.9	15.9	7	2.3	0.9	4.9
Stomach	56	10.5	7.9	13.7	42	18.8	13.5	25.8	14	4.4	2.4	7.6
Colon and Rectum	325	60.6	54.2	67.6	172	75.2	64.3	87.8	153	49.1	41.5	57.7
Liver	22	4.1	2.6	6.3	10	4.0	1.9	7.8	12	4.1	2.1	7.3
Pancreas	54	10.1	7.6	13.3	30	13.2	8.9	19.3	24	7.7	4.9	11.7
Lung and Bronchus	484	90.1	82.3	98.5	271	115.6	102.1	130.5	213	71.5	62.1	81.9
Bones and Joints	2	0.4	0.0	1.4	1	0.5	0.0	3.2	1	0.3	0.0	2.1
Melanoma of the Skin	66	12.6	9.7	16.1	30	13.1	8.8	19.1	36	13.1	9.1	18.2
Breast (invasive)	383	72.4	65.3	80.1	3	1.3	0.3	4.3	380	133.2	120.1	147.5
Cervix	-	-	-	-	-	-	-	-	37	13.9	9.8	19.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	63	21.7	16.7	28.0
Ovary	-	-	-	-	-	-	-	-	49	16.8	12.4	22.3
Prostate	-	-	-	-	409	175.6	158.9	193.9	-	-	-	-
Testis	-	-	-	-	13	5.3	2.8	9.5	-	-	-	-
Urinary Bladder	144	26.8	22.6	31.6	97	42.8	34.6	52.7	47	15.4	11.3	20.6
Kidney and Renal Pelvis	90	17.0	13.6	20.9	56	23.2	17.5	30.5	34	11.9	8.2	16.7
Brain and Other Nervous System	40	7.6	5.4	10.3	21	8.5	5.3	13.5	19	6.8	4.1	10.7
Hodgkin's Disease	11	2.1	1.1	3.8	7	2.8	1.1	6.3	4	1.6	0.4	4.1
Non-Hodgkin's Lymphomas	114	21.3	17.6	25.7	58	24.7	18.7	32.3	56	18.4	13.9	24.1
Multiple Myeloma	34	6.4	4.4	9.0	16	7.2	4.0	12.0	18	5.9	3.5	9.6
Leukemias	75	14.1	11.1	17.7	44	17.9	13.0	24.4	31	10.3	7.0	14.8
All Other Sites	267	50.4	44.5	56.8	130	55.7	46.4	66.6	137	47.5	39.8	56.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	74	26.4	20.7	33.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kendall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,200	503.4	474.7	533.4	601	573.2	526.0	624.2	599	456.2	420.0	494.9
Oral Cavity and Pharynx	24	9.8	6.2	14.9	18	15.7	9.1	26.6	6	4.8	1.7	10.9
Esophagus	15	6.3	3.5	10.6	7	6.2	2.4	14.7	8	6.5	2.8	13.2
Stomach	22	9.8	6.1	15.1	17	18.6	10.5	31.4	5	3.7	1.2	9.1
Colon and Rectum	140	62.8	52.7	74.4	72	74.6	57.6	95.8	68	54.6	42.3	69.6
Liver	9	3.2	1.4	6.4	7	5.1	2.0	12.9	2	1.3	0.2	5.6
Pancreas	25	10.9	7.0	16.3	11	10.4	5.0	20.4	14	11.2	6.1	19.1
Lung and Bronchus	156	70.8	60.0	83.2	96	97.0	77.9	120.2	60	49.5	37.7	64.0
Bones and Joints	5	2.0	0.6	4.9	4	3.6	0.9	11.3	1	0.7	0.0	4.6
Melanoma of the Skin	41	14.6	10.4	20.2	20	15.2	9.2	25.3	21	14.1	8.7	22.1
Breast (invasive)	201	79.8	69.0	92.1	2	1.4	0.2	8.0	199	148.6	128.5	171.2
Cervix	-	-	-	-	-	-	-	-	8	5.4	2.3	11.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	31	23.6	16.0	33.9
Ovary	-	-	-	-	-	-	-	-	22	17.9	11.2	27.4
Prostate	-	-	-	-	153	147.0	123.6	174.4	-	-	-	-
Testis	-	-	-	-	8	5.4	2.3	13.0	-	-	-	-
Urinary Bladder	57	25.4	19.2	33.1	52	52.3	38.5	70.2	5	4.1	1.3	9.8
Kidney and Renal Pelvis	39	17.1	12.1	23.6	21	20.9	12.6	33.5	18	14.2	8.4	22.9
Brain and Other Nervous System	24	8.9	5.6	13.5	7	5.8	2.1	14.4	17	12.0	7.0	19.8
Hodgkin's Disease	10	3.3	1.6	6.4	5	3.2	1.0	10.1	5	3.4	1.1	8.6
Non-Hodgkin's Lymphomas	49	20.5	15.1	27.4	26	23.9	15.2	36.9	23	17.9	11.3	27.2
Multiple Myeloma	14	6.5	3.5	11.1	9	10.1	4.4	20.7	5	4.4	1.4	10.5
Leukemias	28	10.9	7.1	16.0	14	12.4	6.3	23.1	14	10.2	5.5	17.6
All Other Sites	119	46.5	38.4	56.1	52	44.4	32.6	60.1	67	48.1	37.1	61.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	72	54.0	42.2	68.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Knox County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,702	488.6	465.3	512.9	836	546.5	510.0	585.2	866	451.3	420.5	484.2
Oral Cavity and Pharynx	42	12.2	8.7	16.7	27	17.4	11.4	25.6	15	7.4	4.1	13.2
Esophagus	20	5.6	3.4	9.0	17	10.8	6.3	17.7	3	1.3	0.2	5.1
Stomach	15	4.2	2.3	7.3	12	7.9	4.1	14.1	3	1.5	0.2	5.7
Colon and Rectum	212	57.7	50.1	66.4	94	62.3	50.3	76.6	118	53.5	43.9	65.0
Liver	14	4.3	2.3	7.5	9	6.0	2.8	11.9	5	2.7	0.8	7.4
Pancreas	47	13.1	9.6	17.7	21	14.2	8.8	22.0	26	12.9	8.3	19.6
Lung and Bronchus	310	86.6	77.2	97.1	168	109.3	93.4	127.4	142	69.9	58.7	83.3
Bones and Joints	3	0.9	0.2	3.1	3	2.0	0.4	6.3	0	0.0	0.0	3.4
Melanoma of the Skin	58	17.6	13.3	23.1	35	23.4	16.3	32.9	23	13.9	8.6	21.8
Breast (invasive)	235	68.9	60.2	78.6	1	0.7	0.0	4.3	234	126.9	110.6	145.4
Cervix	-	-	-	-	-	-	-	-	23	15.5	9.6	23.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	22.2	15.7	31.0
Ovary	-	-	-	-	-	-	-	-	19	11.3	6.7	18.3
Prostate	-	-	-	-	186	119.1	102.6	137.8	-	-	-	-
Testis	-	-	-	-	2	1.5	0.2	5.7	-	-	-	-
Urinary Bladder	98	26.8	21.7	32.9	76	49.8	39.2	62.6	22	10.1	6.2	16.3
Kidney and Renal Pelvis	55	15.9	12.0	21.0	35	22.8	15.8	32.0	20	9.9	5.9	16.2
Brain and Other Nervous System	21	6.9	4.2	10.8	12	7.8	4.0	14.1	9	6.1	2.7	12.2
Hodgkin's Disease	7	2.5	1.0	5.4	5	3.6	1.1	8.7	2	1.4	0.1	5.6
Non-Hodgkin's Lymphomas	78	23.5	18.5	29.6	35	23.0	16.0	32.4	43	23.8	17.0	32.9
Multiple Myeloma	14	4.2	2.3	7.3	5	3.6	1.2	8.7	9	4.3	1.9	9.1
Leukemias	41	12.1	8.6	16.8	26	17.6	11.5	26.2	15	7.1	3.8	12.8
All Other Sites	162	46.7	39.7	54.8	67	43.8	33.9	56.0	95	49.8	39.7	62.0
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	37	21.5	15.0	30.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	13,007	493.6	485.0	502.3	6,408	553.9	539.7	568.4	6,599	454.4	443.4	465.6
Oral Cavity and Pharynx	290	10.5	9.3	11.8	186	14.8	12.6	17.3	104	7.1	5.8	8.6
Esophagus	123	4.8	4.0	5.8	93	8.3	6.6	10.3	30	2.1	1.4	3.1
Stomach	183	7.3	6.3	8.5	104	9.4	7.6	11.6	79	5.6	4.4	7.0
Colon and Rectum	1,406	56.4	53.4	59.4	731	66.9	61.8	72.2	675	48.4	44.8	52.3
Liver	102	3.9	3.2	4.8	77	6.5	5.0	8.3	25	1.8	1.2	2.7
Pancreas	321	13.0	11.6	14.5	164	15.2	12.9	17.9	157	11.5	9.7	13.4
Lung and Bronchus	1,697	68.5	65.2	71.9	861	79.4	74.0	85.2	836	60.8	56.8	65.1
Bones and Joints	24	0.7	0.5	1.1	14	1.0	0.5	1.9	10	0.6	0.3	1.2
Melanoma of the Skin	473	16.6	15.1	18.2	272	21.3	18.7	24.3	201	13.1	11.3	15.0
Breast (invasive)	2,156	76.9	73.7	80.3	15	1.3	0.7	2.3	2,141	143.3	137.2	149.6
Cervix	-	-	-	-	-	-	-	-	144	9.1	7.6	10.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	348	23.6	21.1	26.2
Ovary	-	-	-	-	-	-	-	-	223	15.0	13.1	17.2
Prostate	-	-	-	-	1,888	163.5	155.9	171.4	-	-	-	-
Testis	-	-	-	-	91	5.3	4.3	6.7	-	-	-	-
Urinary Bladder	599	23.9	22.0	25.9	436	39.9	36.1	44.1	163	11.7	9.9	13.6
Kidney and Renal Pelvis	371	13.9	12.5	15.4	223	18.3	15.8	21.1	148	10.3	8.7	12.1
Brain and Other Nervous System	187	6.5	5.6	7.5	93	6.8	5.5	8.6	94	6.3	5.0	7.7
Hodgkin's Disease	89	2.8	2.2	3.4	48	3.0	2.2	4.1	41	2.6	1.9	3.6
Non-Hodgkin's Lymphomas	592	22.5	20.7	24.4	314	26.3	23.3	29.6	278	19.6	17.3	22.1
Multiple Myeloma	118	4.6	3.8	5.6	60	4.9	3.7	6.5	58	4.3	3.2	5.5
Leukemias	388	14.5	13.1	16.1	228	18.9	16.3	21.8	160	11.2	9.5	13.1
All Other Sites	1,194	44.7	42.2	47.4	510	43.0	39.2	47.2	684	46.5	43.1	50.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	582	38.5	35.4	41.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

LaSalle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,383	508.7	491.5	526.4	1,770	604.8	576.8	633.7	1,613	445.3	423.1	468.5
Oral Cavity and Pharynx	65	10.0	7.7	12.9	45	15.7	11.4	21.1	20	5.2	3.1	8.5
Esophagus	50	7.5	5.5	10.0	41	13.9	10.0	18.9	9	2.3	1.0	4.7
Stomach	47	6.5	4.8	8.8	32	10.8	7.4	15.4	15	3.1	1.7	5.6
Colon and Rectum	448	64.3	58.5	70.7	246	83.8	73.7	95.1	202	48.7	41.9	56.4
Liver	30	4.7	3.2	6.8	20	7.0	4.3	10.9	10	2.7	1.3	5.4
Pancreas	75	11.2	8.8	14.1	37	12.8	9.0	17.7	38	9.8	6.8	13.8
Lung and Bronchus	597	89.1	82.0	96.7	340	114.4	102.6	127.3	257	69.8	61.3	79.2
Bones and Joints	7	1.2	0.5	2.6	6	2.1	0.8	4.7	1	0.4	0.0	2.3
Melanoma of the Skin	88	14.0	11.1	17.3	45	15.7	11.4	21.1	43	13.2	9.4	18.1
Breast (invasive)	477	74.8	68.2	82.0	5	1.7	0.5	4.0	472	139.3	126.7	152.9
Cervix	-	-	-	-	-	-	-	-	30	10.2	6.9	14.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	75	20.7	16.2	26.3
Ovary	-	-	-	-	-	-	-	-	54	15.6	11.7	20.7
Prostate	-	-	-	-	420	142.1	128.8	156.5	-	-	-	-
Testis	-	-	-	-	20	7.4	4.5	11.6	-	-	-	-
Urinary Bladder	163	23.1	19.7	27.1	106	36.8	30.1	44.6	57	14.0	10.5	18.5
Kidney and Renal Pelvis	119	18.0	14.8	21.6	79	27.0	21.4	33.8	40	9.7	6.8	13.7
Brain and Other Nervous System	48	8.0	5.9	10.7	23	8.1	5.2	12.3	25	7.8	5.0	11.8
Hodgkin's Disease	21	3.6	2.2	5.6	12	4.2	2.2	7.4	9	3.2	1.4	6.3
Non-Hodgkin's Lymphomas	137	20.2	16.9	24.0	74	25.2	19.8	31.8	63	16.9	12.8	22.0
Multiple Myeloma	26	3.6	2.3	5.4	14	4.8	2.6	8.1	12	2.3	1.2	4.6
Leukemias	96	14.6	11.8	17.9	57	20.0	15.1	26.0	39	10.8	7.5	15.1
All Other Sites	290	44.1	39.1	49.6	148	51.2	43.2	60.2	142	39.6	33.1	47.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	56	17.8	13.4	23.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Lawrence County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	482	459.5	418.2	504.6	235	517.8	453.4	590.1	247	431.9	376.2	495.5
Oral Cavity and Pharynx	6	6.6	2.3	15.8	4	8.9	2.4	25.2	2	5.8	0.7	23.2
Esophagus	6	6.7	2.4	16.0	6	14.2	5.2	32.8	0	0.0	0.0	13.8
Stomach	5	4.6	1.4	12.8	4	8.8	2.4	25.1	1	2.5	0.1	17.5
Colon and Rectum	66	58.8	45.0	76.6	34	75.6	52.2	107.2	32	46.3	30.5	70.6
Liver	5	4.6	1.4	12.7	3	6.3	1.3	21.3	2	3.7	0.3	19.5
Pancreas	12	10.0	4.9	19.5	3	6.6	1.3	22.0	9	12.4	5.1	29.6
Lung and Bronchus	85	78.8	62.7	98.9	52	112.5	83.9	149.2	33	56.7	38.5	83.5
Bones and Joints	3	3.2	0.6	11.3	2	5.3	0.6	20.8	1	0.8	0.0	14.5
Melanoma of the Skin	15	15.0	8.2	26.2	6	13.4	4.9	31.4	9	16.2	6.9	35.4
Breast (invasive)	62	62.8	47.7	82.0	1	1.9	0.0	14.8	61	115.0	86.6	151.9
Cervix	-	-	-	-	-	-	-	-	6	11.4	3.7	29.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	26.8	15.2	47.6
Ovary	-	-	-	-	-	-	-	-	8	16.5	6.9	36.4
Prostate	-	-	-	-	58	123.9	94.0	161.8	-	-	-	-
Testis	-	-	-	-	1	2.7	0.1	16.6	-	-	-	-
Urinary Bladder	22	20.2	12.5	32.2	15	33.3	18.5	56.7	7	10.0	3.7	26.3
Kidney and Renal Pelvis	17	17.1	9.8	28.9	5	12.0	3.9	29.9	12	20.8	10.4	40.8
Brain and Other Nervous System	3	3.0	0.6	10.6	2	4.2	0.5	18.3	1	2.5	0.1	17.5
Hodgkin's Disease	3	3.7	0.7	12.2	1	2.8	0.1	17.0	2	4.7	0.4	21.1
Non-Hodgkin's Lymphomas	29	28.9	19.1	43.1	14	31.9	17.4	55.4	15	27.3	14.6	49.6
Multiple Myeloma	4	2.8	0.7	10.0	1	2.1	0.1	15.3	3	3.4	0.6	17.7
Leukemias	9	8.4	3.7	17.7	8	17.3	7.5	36.3	1	2.6	0.1	17.8
All Other Sites	40	40.7	28.8	56.9	15	33.8	18.9	57.6	25	46.6	29.1	73.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	8	11.9	4.6	29.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Lee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,020	506.4	475.7	538.8	540	592.8	543.6	645.8	480	445.3	405.7	488.4
Oral Cavity and Pharynx	25	12.5	8.1	18.9	18	19.2	11.4	31.2	7	6.1	2.4	14.0
Esophagus	16	7.8	4.4	13.1	13	14.4	7.6	25.4	3	2.3	0.4	8.8
Stomach	12	6.1	3.2	11.1	9	9.7	4.4	19.3	3	2.9	0.6	10.0
Colon and Rectum	132	64.2	53.7	76.5	60	66.9	51.0	86.8	72	61.4	47.8	78.6
Liver	11	5.4	2.7	10.2	5	5.4	1.7	13.5	6	5.3	1.9	13.1
Pancreas	23	11.0	7.0	17.0	10	10.5	5.0	20.2	13	10.6	5.5	19.6
Lung and Bronchus	151	75.6	64.0	89.0	88	95.6	76.6	118.4	63	60.4	46.3	78.3
Bones and Joints	4	2.1	0.6	6.0	3	3.2	0.7	10.5	1	0.6	0.0	6.4
Melanoma of the Skin	34	17.6	12.2	25.0	23	24.6	15.6	37.7	11	11.8	5.9	22.0
Breast (invasive)	131	65.3	54.6	77.9	1	1.1	0.0	7.3	130	123.6	103.0	147.9
Cervix	-	-	-	-	-	-	-	-	11	11.6	5.7	21.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	26	25.5	16.6	38.3
Ovary	-	-	-	-	-	-	-	-	17	15.2	8.7	25.6
Prostate	-	-	-	-	164	181.2	154.4	211.8	-	-	-	-
Testis	-	-	-	-	5	5.2	1.7	13.2	-	-	-	-
Urinary Bladder	48	23.1	17.0	31.0	35	39.5	27.4	55.6	13	10.5	5.5	19.5
Kidney and Renal Pelvis	22	10.7	6.7	16.7	13	14.3	7.6	25.2	9	7.8	3.5	16.2
Brain and Other Nervous System	13	6.7	3.6	11.9	8	8.5	3.7	17.7	5	4.8	1.5	12.5
Hodgkin's Disease	2	1.1	0.1	4.6	0	0.0	0.0	5.6	2	2.3	0.3	9.5
Non-Hodgkin's Lymphomas	35	17.6	12.3	24.9	16	17.5	10.0	29.2	19	18.0	10.8	29.1
Multiple Myeloma	14	7.1	3.8	12.3	4	4.1	1.1	11.7	10	9.4	4.4	18.5
Leukemias	34	16.9	11.7	24.1	21	23.0	14.2	35.8	13	11.2	5.8	20.5
All Other Sites	90	45.0	36.1	55.7	44	48.8	35.4	66.2	46	44.2	32.1	60.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	19	19.0	11.4	30.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Livingston County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,094	489.0	460.2	519.3	547	564.2	517.9	613.7	547	442.1	404.8	482.4
Oral Cavity and Pharynx	13	5.9	3.1	10.4	7	7.2	2.9	15.0	6	5.2	1.9	12.2
Esophagus	12	5.1	2.6	9.3	7	7.0	2.8	14.8	5	3.0	0.9	8.6
Stomach	18	7.8	4.6	12.6	13	13.2	7.0	22.8	5	3.0	0.9	8.7
Colon and Rectum	142	59.4	49.9	70.4	69	71.2	55.4	90.3	73	51.4	39.9	65.8
Liver	1	0.5	0.0	3.0	1	1.0	0.0	6.1	0	0.0	0.0	4.6
Pancreas	21	9.0	5.6	14.0	11	11.3	5.6	20.4	10	7.0	3.3	14.1
Lung and Bronchus	152	68.8	58.3	80.9	88	90.9	72.9	112.2	64	52.2	40.0	67.5
Bones and Joints	3	1.3	0.3	4.1	2	2.0	0.2	7.6	1	0.4	0.0	5.1
Melanoma of the Skin	32	14.8	10.1	21.1	18	18.5	11.0	29.5	14	11.8	6.3	20.9
Breast (invasive)	161	73.2	62.2	85.6	2	2.1	0.2	7.7	159	134.0	113.5	157.7
Cervix	-	-	-	-	-	-	-	-	10	9.9	4.7	18.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	28.4	19.3	40.8
Ovary	-	-	-	-	-	-	-	-	14	11.1	6.0	19.5
Prostate	-	-	-	-	161	166.3	141.6	194.2	-	-	-	-
Testis	-	-	-	-	7	7.3	2.9	15.2	-	-	-	-
Urinary Bladder	58	25.1	19.0	32.7	39	40.8	29.0	56.0	19	14.3	8.4	23.4
Kidney and Renal Pelvis	23	10.9	6.9	16.5	10	10.2	4.9	18.9	13	11.8	6.3	20.9
Brain and Other Nervous System	14	6.7	3.6	11.3	6	6.1	2.2	13.5	8	6.5	2.8	13.7
Hodgkin's Disease	9	4.5	2.1	8.8	5	5.3	1.7	12.6	4	3.9	1.1	10.7
Non-Hodgkin's Lymphomas	45	19.4	14.1	26.3	22	22.8	14.3	34.7	23	16.9	10.5	26.5
Multiple Myeloma	17	7.1	4.1	11.6	9	9.2	4.2	17.8	8	5.7	2.4	12.5
Leukemias	42	18.4	13.2	25.2	23	23.8	15.1	35.9	19	13.8	8.1	22.6
All Other Sites	107	49.3	40.3	59.8	47	47.9	35.2	63.9	60	51.7	39.1	67.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	27	24.7	16.2	36.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Logan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	882	508.2	474.9	543.5	467	629.0	573.1	689.2	415	428.3	386.9	473.8
Oral Cavity and Pharynx	19	11.3	6.8	18.1	13	17.2	9.1	30.0	6	6.0	2.1	14.6
Esophagus	11	5.3	2.6	10.3	6	7.9	2.9	18.0	5	3.4	1.1	10.5
Stomach	11	6.2	3.1	11.8	7	9.7	3.9	20.7	4	4.7	1.3	13.4
Colon and Rectum	125	68.6	56.9	82.2	72	97.1	76.0	122.8	53	46.9	34.7	63.1
Liver	11	5.8	2.9	11.1	6	8.0	2.9	18.3	5	3.6	1.1	11.0
Pancreas	28	15.6	10.3	23.1	10	13.4	6.4	25.3	18	16.6	9.7	28.0
Lung and Bronchus	130	74.7	62.3	89.1	80	108.7	86.2	135.8	50	51.0	37.7	68.5
Bones and Joints	2	1.3	0.2	5.1	0	0.0	0.0	6.3	2	2.4	0.3	10.1
Melanoma of the Skin	30	17.7	11.9	25.8	19	25.7	15.4	40.6	11	12.1	5.9	23.1
Breast (invasive)	120	71.2	58.9	85.6	1	1.4	0.0	8.6	119	131.4	108.4	158.7
Cervix	-	-	-	-	-	-	-	-	11	13.7	6.8	25.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	18.0	10.3	30.2
Ovary	-	-	-	-	-	-	-	-	9	7.2	3.2	15.8
Prostate	-	-	-	-	112	152.4	125.4	183.8	-	-	-	-
Testis	-	-	-	-	6	7.4	2.7	17.2	-	-	-	-
Urinary Bladder	47	26.4	19.4	35.6	30	40.3	27.2	58.1	17	16.4	9.4	27.7
Kidney and Renal Pelvis	25	15.0	9.7	22.6	15	19.8	11.1	33.3	10	10.7	5.0	21.1
Brain and Other Nervous System	13	8.4	4.4	14.7	11	14.6	7.3	26.8	2	2.1	0.2	9.4
Hodgkin's Disease	4	2.5	0.7	6.9	3	4.0	0.8	12.6	1	1.2	0.0	8.4
Non-Hodgkin's Lymphomas	38	23.3	16.4	32.3	16	21.3	12.2	35.2	22	26.7	16.6	41.4
Multiple Myeloma	11	6.1	3.0	11.4	4	5.4	1.5	14.6	7	7.2	2.8	16.3
Leukemias	15	8.8	4.9	15.1	7	9.8	3.9	20.8	8	8.7	3.6	18.7
All Other Sites	87	49.7	39.7	61.8	49	64.8	47.9	86.3	38	38.2	26.6	53.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	25	27.9	17.9	42.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

McDonough County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	784	465.6	432.9	500.4	395	549.3	496.2	607.2	389	416.5	374.2	463.1
Oral Cavity and Pharynx	24	15.3	9.7	23.4	18	25.9	15.3	42.0	6	7.1	2.5	17.4
Esophagus	8	4.7	2.0	10.0	6	8.3	3.1	19.4	2	2.2	0.3	10.4
Stomach	4	2.3	0.6	6.9	4	5.4	1.5	15.3	0	0.0	0.0	7.3
Colon and Rectum	111	62.1	50.9	75.5	45	62.1	45.3	84.0	66	63.5	48.5	83.0
Liver	6	3.8	1.3	9.0	3	4.1	0.8	13.5	3	3.4	0.6	12.3
Pancreas	19	10.7	6.4	17.5	11	15.4	7.7	28.6	8	6.7	2.8	15.8
Lung and Bronchus	122	70.7	58.6	85.0	67	92.4	71.6	118.2	55	56.0	41.7	74.7
Bones and Joints	0	0.0	0.0	3.6	0	0.0	0.0	7.4	0	0.0	0.0	7.3
Melanoma of the Skin	34	21.6	14.8	30.9	21	29.0	17.8	45.4	13	15.8	8.2	28.8
Breast (invasive)	105	63.9	52.1	78.0	4	5.5	1.5	15.5	101	113.0	91.3	139.3
Cervix	-	-	-	-	-	-	-	-	5	6.1	1.8	16.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	22	25.6	15.8	40.3
Ovary	-	-	-	-	-	-	-	-	14	15.4	8.2	27.7
Prostate	-	-	-	-	96	131.7	106.7	161.7	-	-	-	-
Testis	-	-	-	-	4	5.6	1.4	15.9	-	-	-	-
Urinary Bladder	37	21.2	14.8	30.0	31	43.6	29.6	62.8	6	5.7	2.0	14.9
Kidney and Renal Pelvis	31	20.0	13.5	29.1	15	21.8	12.1	37.0	16	18.2	10.0	31.5
Brain and Other Nervous System	11	7.9	3.9	14.8	5	7.8	2.5	19.3	6	8.2	2.8	19.4
Hodgkin's Disease	6	4.7	1.7	10.8	3	4.9	1.0	15.3	3	4.6	0.8	14.8
Non-Hodgkin's Lymphomas	42	25.1	17.9	34.6	25	35.4	22.8	53.2	17	18.2	10.2	31.3
Multiple Myeloma	13	7.1	3.7	12.9	8	11.0	4.7	22.9	5	4.8	1.5	13.6
Leukemias	21	12.0	7.2	19.3	10	13.4	6.2	26.1	11	11.1	5.1	22.5
All Other Sites	49	27.9	20.5	37.6	19	26.0	15.5	41.8	30	30.9	20.4	46.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	14	18.5	9.9	32.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

McHenry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,256	499.5	485.8	513.5	2,698	593.6	570.1	617.9	2,558	436.9	419.9	454.5
Oral Cavity and Pharynx	121	10.9	9.0	13.1	89	17.3	13.7	21.7	32	5.4	3.7	7.7
Esophagus	52	5.3	3.9	7.0	45	10.9	7.8	15.0	7	1.2	0.5	2.6
Stomach	79	8.0	6.3	10.0	50	11.6	8.4	15.7	29	5.0	3.3	7.3
Colon and Rectum	605	60.7	55.9	65.8	328	74.6	66.3	83.8	277	49.1	43.4	55.3
Liver	40	4.1	2.9	5.6	22	4.8	2.9	7.7	18	3.5	2.1	5.6
Pancreas	118	11.8	9.8	14.2	61	14.0	10.6	18.4	57	10.1	7.6	13.2
Lung and Bronchus	715	72.5	67.2	78.1	382	89.1	80.0	99.2	333	61.2	54.7	68.2
Bones and Joints	7	0.5	0.2	1.1	4	0.5	0.1	2.1	3	0.5	0.1	1.5
Melanoma of the Skin	218	18.5	16.1	21.3	125	23.3	19.2	28.4	93	14.8	11.9	18.2
Breast (invasive)	780	68.5	63.7	73.7	8	1.5	0.6	3.4	772	127.6	118.6	137.1
Cervix	-	-	-	-	-	-	-	-	59	9.0	6.8	11.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	156	26.7	22.6	31.4
Ovary	-	-	-	-	-	-	-	-	83	13.6	10.8	17.0
Prostate	-	-	-	-	724	162.5	150.3	175.6	-	-	-	-
Testis	-	-	-	-	56	8.3	6.3	11.3	-	-	-	-
Urinary Bladder	260	26.2	23.1	29.7	193	46.4	39.8	54.1	67	12.3	9.5	15.7
Kidney and Renal Pelvis	162	15.5	13.2	18.2	102	21.7	17.5	26.8	60	10.6	8.0	13.7
Brain and Other Nervous System	96	7.8	6.3	9.6	59	9.9	7.4	13.3	37	6.0	4.2	8.3
Hodgkin's Disease	30	2.4	1.6	3.5	14	2.1	1.1	4.0	16	2.6	1.5	4.3
Non-Hodgkin's Lymphomas	229	21.8	19.0	24.9	125	26.4	21.7	32.0	104	18.1	14.7	22.0
Multiple Myeloma	58	5.8	4.4	7.6	29	6.5	4.2	9.7	29	5.4	3.6	7.8
Leukemias	137	12.5	10.4	14.8	81	17.1	13.3	21.8	56	9.0	6.8	11.8
All Other Sites	471	44.3	40.3	48.6	201	45.1	38.7	52.4	270	45.3	40.0	51.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	169	27.1	23.1	31.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

McLean County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,032	485.5	468.3	503.2	1,536	577.0	547.9	607.3	1,496	424.8	403.3	447.1
Oral Cavity and Pharynx	60	9.2	7.0	12.0	46	16.4	11.9	22.3	14	3.6	2.0	6.3
Esophagus	46	7.5	5.5	10.0	35	12.4	8.6	17.7	11	2.9	1.4	5.4
Stomach	31	5.0	3.4	7.1	18	6.7	3.9	11.0	13	3.8	2.0	6.6
Colon and Rectum	358	57.9	52.1	64.3	188	71.9	61.9	83.4	170	46.4	39.6	54.0
Liver	15	2.5	1.4	4.1	13	5.6	3.0	9.8	2	0.4	0.0	1.8
Pancreas	47	7.7	5.6	10.2	29	11.4	7.6	16.6	18	4.9	2.9	7.8
Lung and Bronchus	391	64.9	58.6	71.7	212	82.6	71.7	94.9	179	53.3	45.7	61.7
Bones and Joints	7	1.0	0.4	2.1	4	1.0	0.3	3.4	3	0.8	0.2	2.5
Melanoma of the Skin	141	21.3	17.9	25.2	80	28.0	22.1	35.3	61	16.7	12.7	21.5
Breast (invasive)	489	77.5	70.8	84.8	3	1.4	0.3	4.4	486	140.3	128.0	153.5
Cervix	-	-	-	-	-	-	-	-	26	7.6	5.0	11.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	100	29.8	24.2	36.3
Ovary	-	-	-	-	-	-	-	-	39	10.6	7.5	14.6
Prostate	-	-	-	-	419	162.5	147.1	179.2	-	-	-	-
Testis	-	-	-	-	32	8.4	5.7	12.4	-	-	-	-
Urinary Bladder	152	24.9	21.1	29.2	104	40.9	33.3	49.9	48	13.5	9.9	17.9
Kidney and Renal Pelvis	76	12.2	9.6	15.3	46	16.4	11.9	22.2	30	8.8	5.9	12.6
Brain and Other Nervous System	62	9.3	7.1	12.0	33	10.8	7.3	15.6	29	8.0	5.3	11.7
Hodgkin's Disease	20	2.7	1.6	4.2	9	2.8	1.2	5.9	11	2.7	1.3	5.0
Non-Hodgkin's Lymphomas	135	21.4	17.9	25.4	69	25.3	19.5	32.4	66	18.9	14.6	24.2
Multiple Myeloma	38	6.2	4.3	8.5	20	7.4	4.5	11.8	18	5.1	3.0	8.2
Leukemias	82	12.9	10.3	16.1	49	17.7	13.0	23.9	33	9.3	6.4	13.1
All Other Sites	266	41.2	36.4	46.6	127	47.3	39.3	56.7	139	37.5	31.4	44.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	95	27.7	22.4	33.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,646	555.4	537.4	573.9	2,024	714.0	683.0	746.2	1,622	446.5	424.7	469.4
Oral Cavity and Pharynx	90	13.9	11.2	17.2	65	22.8	17.5	29.3	25	7.4	4.8	11.2
Esophagus	42	6.4	4.6	8.7	36	12.4	8.7	17.5	6	1.5	0.6	3.7
Stomach	36	5.3	3.7	7.5	29	10.6	7.1	15.5	7	1.8	0.7	4.0
Colon and Rectum	426	63.1	57.3	69.5	219	78.0	67.9	89.3	207	52.6	45.6	60.7
Liver	24	3.9	2.5	5.9	19	6.7	4.0	10.7	5	1.5	0.5	3.8
Pancreas	73	11.0	8.6	13.9	38	13.3	9.4	18.5	35	9.1	6.3	13.0
Lung and Bronchus	601	89.9	82.8	97.4	349	121.6	109.1	135.3	252	66.6	58.6	75.6
Bones and Joints	2	0.3	0.0	1.3	1	0.3	0.0	2.3	1	0.4	0.0	2.2
Melanoma of the Skin	92	14.4	11.6	17.7	52	18.2	13.6	24.1	40	11.5	8.2	15.9
Breast (invasive)	493	76.4	69.8	83.6	13	4.6	2.4	8.2	480	135.4	123.4	148.4
Cervix	-	-	-	-	-	-	-	-	35	11.9	8.2	16.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	73	21.2	16.6	26.9
Ovary	-	-	-	-	-	-	-	-	50	13.7	10.1	18.3
Prostate	-	-	-	-	668	232.4	215.0	251.0	-	-	-	-
Testis	-	-	-	-	23	9.3	5.9	14.1	-	-	-	-
Urinary Bladder	161	24.0	20.4	28.1	118	42.0	34.7	50.5	43	11.0	7.9	15.1
Kidney and Renal Pelvis	109	16.7	13.7	20.2	60	21.3	16.2	27.6	49	13.1	9.6	17.7
Brain and Other Nervous System	45	7.1	5.2	9.6	30	10.6	7.1	15.4	15	4.3	2.4	7.4
Hodgkin's Disease	17	2.9	1.7	4.8	11	3.9	1.9	7.3	6	1.9	0.7	4.4
Non-Hodgkin's Lymphomas	156	23.7	20.1	27.8	74	26.9	21.0	34.0	82	22.1	17.5	27.7
Multiple Myeloma	43	6.4	4.6	8.8	24	8.4	5.4	12.8	19	4.9	2.9	7.9
Leukemias	93	14.6	11.7	18.0	52	19.2	14.3	25.4	41	11.3	8.0	15.7
All Other Sites	294	46.1	40.9	51.8	143	51.5	43.4	61.0	151	43.3	36.5	51.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	122	35.1	29.1	42.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Macoupin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,515	498.9	473.7	525.3	792	591.7	551.1	634.8	723	432.5	400.3	467.1
Oral Cavity and Pharynx	26	8.7	5.7	13.1	19	14.0	8.4	22.4	7	4.2	1.6	9.8
Esophagus	13	4.3	2.3	7.7	12	8.9	4.6	16.0	1	0.4	0.0	4.4
Stomach	20	6.2	3.7	9.9	11	8.1	4.0	15.0	9	5.0	2.1	10.7
Colon and Rectum	228	71.5	62.4	81.8	120	89.0	73.8	106.8	108	55.8	45.3	68.5
Liver	8	2.5	1.0	5.3	5	3.8	1.2	9.4	3	1.6	0.3	6.1
Pancreas	35	11.0	7.6	15.6	18	13.0	7.7	21.0	17	9.7	5.6	16.4
Lung and Bronchus	252	82.4	72.4	93.5	148	109.6	92.6	129.1	104	62.7	50.9	76.9
Bones and Joints	1	0.3	0.0	2.2	0	0.0	0.0	3.7	1	0.4	0.0	4.4
Melanoma of the Skin	57	20.8	15.6	27.2	28	21.4	14.2	31.4	29	21.7	14.4	31.8
Breast (invasive)	194	64.3	55.4	74.4	4	2.9	0.8	8.1	190	115.8	99.4	134.7
Cervix	-	-	-	-	-	-	-	-	14	11.9	6.5	20.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	35	21.5	14.8	30.7
Ovary	-	-	-	-	-	-	-	-	23	13.1	8.2	20.5
Prostate	-	-	-	-	206	151.8	131.7	174.4	-	-	-	-
Testis	-	-	-	-	6	5.6	2.0	12.3	-	-	-	-
Urinary Bladder	76	24.2	19.0	30.6	60	44.8	34.2	58.1	16	8.9	5.0	15.4
Kidney and Renal Pelvis	48	15.9	11.7	21.3	32	23.9	16.3	34.1	16	8.9	5.0	15.5
Brain and Other Nervous System	21	7.8	4.8	12.3	7	5.4	2.2	11.6	14	10.1	5.3	17.8
Hodgkin's Disease	8	3.3	1.4	6.8	5	4.3	1.4	10.5	3	2.2	0.4	7.4
Non-Hodgkin's Lymphomas	55	17.7	13.2	23.4	27	21.0	13.8	31.0	28	15.1	9.9	22.9
Multiple Myeloma	20	6.0	3.6	9.6	6	4.6	1.7	10.4	14	7.1	3.7	13.0
Leukemias	53	17.3	12.8	23.0	25	19.4	12.5	29.0	28	16.3	10.6	24.8
All Other Sites	116	39.4	32.4	47.6	53	40.1	30.0	52.9	63	40.1	30.5	52.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	43	29.0	20.8	39.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,973	492.6	481.0	504.3	3,595	591.9	572.6	611.9	3,378	427.1	412.6	442.0
Oral Cavity and Pharynx	130	9.2	7.7	11.0	86	13.7	11.0	17.1	44	5.4	3.9	7.4
Esophagus	68	4.8	3.7	6.1	57	9.4	7.1	12.4	11	1.3	0.6	2.4
Stomach	85	5.9	4.7	7.3	38	6.3	4.5	8.8	47	5.6	4.1	7.5
Colon and Rectum	901	62.7	58.7	67.0	461	77.9	70.9	85.5	440	52.6	47.7	57.9
Liver	48	3.4	2.5	4.5	34	5.6	3.9	7.9	14	1.7	0.9	2.9
Pancreas	164	11.5	9.8	13.4	70	11.4	8.8	14.5	94	11.4	9.2	14.1
Lung and Bronchus	1,205	84.4	79.7	89.3	673	111.5	103.2	120.5	532	66.4	60.8	72.4
Bones and Joints	10	0.8	0.4	1.4	4	0.6	0.2	1.8	6	0.9	0.3	2.0
Melanoma of the Skin	201	14.6	12.7	16.8	111	18.1	14.9	21.9	90	12.4	9.9	15.3
Breast (invasive)	921	65.7	61.5	70.1	6	1.0	0.4	2.4	915	118.2	110.6	126.3
Cervix	-	-	-	-	-	-	-	-	58	8.3	6.3	10.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	186	24.0	20.6	27.7
Ovary	-	-	-	-	-	-	-	-	115	14.8	12.2	17.8
Prostate	-	-	-	-	1,041	167.5	157.4	178.1	-	-	-	-
Testis	-	-	-	-	25	4.0	2.6	6.1	-	-	-	-
Urinary Bladder	317	22.0	19.7	24.6	241	40.7	35.7	46.4	76	9.0	7.1	11.4
Kidney and Renal Pelvis	216	15.3	13.3	17.5	122	20.4	16.9	24.5	94	12.0	9.7	14.8
Brain and Other Nervous System	88	6.5	5.2	8.0	48	7.7	5.7	10.3	40	5.5	3.9	7.6
Hodgkin's Disease	47	3.5	2.6	4.7	25	3.9	2.5	5.9	22	3.1	2.0	4.8
Non-Hodgkin's Lymphomas	267	18.8	16.6	21.2	132	22.3	18.6	26.6	135	16.6	13.9	19.8
Multiple Myeloma	83	5.8	4.6	7.2	44	7.4	5.4	10.1	39	4.7	3.4	6.6
Leukemias	181	12.8	11.0	14.8	89	15.1	12.1	18.7	92	11.4	9.1	14.1
All Other Sites	616	44.0	40.6	47.6	288	47.4	42.0	53.3	328	41.8	37.3	46.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	198	26.5	22.9	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Marion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,402	553.5	524.5	583.9	753	695.3	646.4	747.2	649	461.1	425.1	499.8
Oral Cavity and Pharynx	36	14.6	10.2	20.5	24	21.8	13.9	32.8	12	9.2	4.6	17.0
Esophagus	13	4.8	2.5	8.6	8	7.2	3.1	14.7	5	2.9	0.9	8.2
Stomach	20	7.6	4.6	12.2	10	9.3	4.4	17.5	10	6.5	3.0	13.2
Colon and Rectum	171	63.1	53.9	73.8	79	74.1	58.6	92.6	92	56.7	45.2	70.8
Liver	12	4.3	2.2	8.0	8	7.8	3.4	15.8	4	2.3	0.6	7.4
Pancreas	30	10.8	7.3	15.9	14	13.3	7.3	22.7	16	9.8	5.4	17.1
Lung and Bronchus	241	94.3	82.7	107.3	133	122.5	102.5	145.5	108	74.9	61.1	91.3
Bones and Joints	2	0.7	0.1	3.2	0	0.0	0.0	4.3	2	1.2	0.1	6.0
Melanoma of the Skin	46	20.0	14.6	27.0	29	27.1	18.1	39.3	17	14.8	8.4	24.5
Breast (invasive)	171	70.5	60.2	82.3	4	3.6	1.0	9.8	167	126.0	107.1	147.7
Cervix	-	-	-	-	-	-	-	-	17	14.7	8.4	24.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	38	28.1	19.7	39.5
Ovary	-	-	-	-	-	-	-	-	16	12.5	7.1	21.0
Prostate	-	-	-	-	243	221.1	194.2	251.1	-	-	-	-
Testis	-	-	-	-	7	7.5	3.0	15.7	-	-	-	-
Urinary Bladder	74	27.9	21.8	35.4	52	48.1	35.9	63.4	22	13.4	8.2	21.5
Kidney and Renal Pelvis	35	14.4	10.0	20.3	22	20.4	12.8	31.3	13	9.7	5.1	17.4
Brain and Other Nervous System	19	8.0	4.8	12.8	8	7.4	3.2	15.0	11	8.3	4.0	15.8
Hodgkin's Disease	3	1.5	0.3	4.6	2	2.1	0.3	7.9	1	1.0	0.0	6.0
Non-Hodgkin's Lymphomas	56	22.8	17.2	29.9	38	35.3	24.9	48.8	18	13.5	7.9	22.1
Multiple Myeloma	18	7.3	4.3	11.8	11	10.3	5.1	18.9	7	4.8	1.9	11.0
Leukemias	31	12.7	8.6	18.3	16	14.9	8.5	24.6	15	10.8	5.9	18.8
All Other Sites	103	40.7	33.1	49.7	45	41.6	30.4	56.1	58	40.1	30.1	52.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	28	22.1	14.5	32.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Marshall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	434	495.5	449.1	546.5	231	586.1	512.6	669.0	203	439.7	378.7	510.4
Oral Cavity and Pharynx	2	2.7	0.3	11.9	1	2.9	0.1	19.8	1	2.6	0.1	20.0
Esophagus	6	6.8	2.4	17.0	5	12.5	4.0	32.8	1	1.1	0.0	17.4
Stomach	2	2.3	0.3	11.1	2	5.2	0.6	23.0	0	0.0	0.0	16.3
Colon and Rectum	55	59.2	44.4	78.8	29	74.5	49.8	109.5	26	50.0	32.1	78.1
Liver	3	3.7	0.8	13.2	3	7.7	1.6	26.5	0	0.0	0.0	16.3
Pancreas	12	12.6	6.5	24.2	4	9.9	2.7	29.3	8	15.5	6.5	36.2
Lung and Bronchus	57	61.3	46.3	81.1	37	92.1	64.8	129.4	20	40.9	24.6	68.0
Bones and Joints	0	0.0	0.0	7.9	0	0.0	0.0	15.3	0	0.0	0.0	16.3
Melanoma of the Skin	14	17.3	9.3	31.0	11	30.4	15.1	57.1	3	6.4	1.3	24.8
Breast (invasive)	62	71.6	54.6	93.5	0	0.0	0.0	15.3	62	133.5	101.2	175.7
Cervix	-	-	-	-	-	-	-	-	4	11.5	2.8	34.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	21	48.0	29.2	77.7
Ovary	-	-	-	-	-	-	-	-	4	10.2	2.5	31.0
Prostate	-	-	-	-	61	149.9	114.6	194.9	-	-	-	-
Testis	-	-	-	-	1	3.9	0.1	22.3	-	-	-	-
Urinary Bladder	28	30.4	20.0	45.8	22	55.2	34.6	86.3	6	13.4	4.5	34.9
Kidney and Renal Pelvis	16	20.3	11.5	34.6	12	31.2	15.9	57.5	4	10.3	2.8	30.7
Brain and Other Nervous System	6	8.6	3.0	20.5	4	10.0	2.7	29.4	2	7.9	1.0	29.8
Hodgkin's Disease	0	0.0	0.0	7.9	0	0.0	0.0	15.3	0	0.0	0.0	16.3
Non-Hodgkin's Lymphomas	28	32.6	21.5	48.9	17	43.9	25.5	73.0	11	25.0	12.2	49.4
Multiple Myeloma	2	1.9	0.2	10.4	1	2.9	0.1	19.7	1	2.2	0.1	19.2
Leukemias	10	12.1	5.6	24.3	4	11.0	2.9	31.7	6	13.0	4.5	33.8
All Other Sites	40	46.5	32.9	65.2	17	42.8	24.9	71.4	23	48.2	29.4	77.9
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	8	20.0	8.5	43.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Mason County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	545	542.8	497.6	591.6	305	662.9	590.2	743.2	240	447.9	391.1	512.0
Oral Cavity and Pharynx	12	12.5	6.4	22.8	8	17.0	7.3	35.4	4	8.2	2.1	23.8
Esophagus	6	5.8	2.1	13.9	3	6.3	1.3	20.8	3	5.2	1.0	18.8
Stomach	3	3.1	0.6	10.5	3	7.0	1.4	22.5	0	0.0	0.0	11.6
Colon and Rectum	72	68.8	53.7	87.6	43	93.3	67.4	127.2	29	47.3	31.3	70.9
Liver	4	4.4	1.2	12.5	3	7.3	1.5	23.0	1	1.4	0.0	13.4
Pancreas	12	10.8	5.6	20.1	6	13.2	4.8	30.6	6	9.1	3.3	23.6
Lung and Bronchus	100	98.1	79.7	120.2	65	140.3	108.2	180.2	35	63.9	44.3	91.2
Bones and Joints	0	0.0	0.0	5.8	0	0.0	0.0	11.5	0	0.0	0.0	11.6
Melanoma of the Skin	15	15.0	8.3	25.9	11	24.1	12.0	44.8	4	6.5	1.6	20.8
Breast (invasive)	74	74.9	58.6	95.0	1	2.2	0.1	15.1	73	137.4	106.8	175.6
Cervix	-	-	-	-	-	-	-	-	5	11.7	3.7	29.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	26.9	14.2	48.2
Ovary	-	-	-	-	-	-	-	-	8	14.9	6.3	32.1
Prostate	-	-	-	-	75	160.6	126.2	202.8	-	-	-	-
Testis	-	-	-	-	3	8.8	1.8	26.2	-	-	-	-
Urinary Bladder	23	22.0	13.9	34.0	19	41.0	24.7	65.6	4	6.8	1.8	21.1
Kidney and Renal Pelvis	18	18.0	10.6	29.4	16	34.9	19.9	58.3	2	3.4	0.4	16.4
Brain and Other Nervous System	7	7.6	3.0	16.7	5	11.5	3.7	28.6	2	3.7	0.4	16.9
Hodgkin's Disease	2	2.4	0.3	9.8	0	0.0	0.0	11.5	2	4.8	0.5	19.4
Non-Hodgkin's Lymphomas	21	20.3	12.5	32.0	11	22.9	11.4	42.9	10	17.3	8.1	35.0
Multiple Myeloma	5	4.2	1.4	11.5	3	6.4	1.3	21.0	2	2.2	0.3	14.2
Leukemias	16	17.4	9.8	29.3	9	19.4	8.8	38.7	7	16.1	6.1	35.5
All Other Sites	51	54.6	40.4	72.9	21	46.7	28.8	72.9	30	61.0	40.3	89.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	16	29.8	16.7	51.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Massac County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	454	475.3	431.9	522.3	248	606.8	533.3	688.3	206	393.8	340.0	455.1
Oral Cavity and Pharynx	11	12.7	6.3	23.4	8	20.2	8.7	40.9	3	4.9	0.9	18.4
Esophagus	2	2.0	0.2	8.7	2	4.3	0.5	18.0	0	0.0	0.0	11.7
Stomach	5	5.0	1.6	12.9	4	10.3	2.8	27.4	1	1.3	0.0	13.4
Colon and Rectum	54	54.8	40.9	72.5	28	69.7	46.2	101.7	26	48.1	30.9	73.3
Liver	1	0.9	0.0	6.9	1	2.3	0.1	14.9	0	0.0	0.0	11.7
Pancreas	16	17.1	9.7	28.7	10	24.6	11.8	46.4	6	12.8	4.5	30.4
Lung and Bronchus	86	88.4	70.6	110.0	53	125.6	94.0	165.3	33	62.3	42.5	90.0
Bones and Joints	1	1.5	0.0	8.4	0	0.0	0.0	11.3	1	2.9	0.1	17.0
Melanoma of the Skin	20	23.4	14.2	36.9	14	35.3	19.2	60.2	6	14.3	5.1	32.9
Breast (invasive)	62	67.1	51.3	86.9	0	0.0	0.0	11.3	62	122.5	93.1	159.8
Cervix	-	-	-	-	-	-	-	-	5	9.2	2.9	24.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	14.9	6.3	32.2
Ovary	-	-	-	-	-	-	-	-	7	15.5	5.8	34.7
Prostate	-	-	-	-	65	156.9	121.0	200.9	-	-	-	-
Testis	-	-	-	-	2	5.8	0.7	21.3	-	-	-	-
Urinary Bladder	17	16.7	9.7	27.7	12	28.7	14.8	51.3	5	8.7	2.7	23.7
Kidney and Renal Pelvis	14	15.0	8.1	26.0	7	17.4	7.0	37.0	7	13.2	5.0	30.3
Brain and Other Nervous System	8	8.4	3.5	17.6	4	11.0	3.0	28.9	4	5.9	1.6	19.4
Hodgkin's Disease	2	2.2	0.3	8.9	2	4.8	0.6	18.9	0	0.0	0.0	11.7
Non-Hodgkin's Lymphomas	16	16.1	9.1	27.1	4	9.6	2.6	26.0	12	19.5	9.8	37.4
Multiple Myeloma	5	4.7	1.5	12.2	3	7.5	1.5	23.2	2	2.6	0.3	14.9
Leukemias	14	14.6	7.8	25.5	9	22.3	10.1	43.4	5	10.2	3.0	26.9
All Other Sites	33	35.3	24.1	50.5	20	50.6	30.8	79.2	13	25.0	12.9	45.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	5	12.0	3.8	29.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Menard County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	305	451.7	402.0	506.8	158	530.4	449.8	622.9	147	394.1	331.9	466.9
Oral Cavity and Pharynx	3	4.3	0.9	14.9	3	10.4	2.1	33.8	0	0.0	0.0	17.2
Esophagus	0	0.0	0.0	8.8	0	0.0	0.0	17.8	0	0.0	0.0	17.2
Stomach	3	3.9	0.8	14.2	1	3.0	0.1	22.3	2	3.5	0.4	21.2
Colon and Rectum	40	60.1	42.7	83.3	18	60.4	35.4	98.3	22	59.8	37.2	94.2
Liver	1	1.3	0.0	10.7	1	3.9	0.1	24.5	0	0.0	0.0	17.2
Pancreas	6	8.7	3.2	20.9	5	16.7	5.3	42.3	1	2.0	0.1	19.8
Lung and Bronchus	46	67.0	48.9	90.8	30	100.8	67.6	146.6	16	41.1	23.3	70.8
Bones and Joints	1	1.8	0.0	11.7	0	0.0	0.0	17.8	1	3.5	0.1	23.0
Melanoma of the Skin	14	20.1	10.9	35.4	9	29.9	13.5	59.8	5	11.7	3.7	33.0
Breast (invasive)	56	80.6	60.8	106.1	0	0.0	0.0	17.8	56	150.3	113.0	198.5
Cervix	-	-	-	-	-	-	-	-	1	2.8	0.1	21.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	26.8	12.8	53.3
Ovary	-	-	-	-	-	-	-	-	2	5.8	0.7	25.7
Prostate	-	-	-	-	40	131.3	93.3	181.7	-	-	-	-
Testis	-	-	-	-	5	17.4	5.5	43.8	-	-	-	-
Urinary Bladder	15	23.2	12.9	39.8	9	30.7	13.9	61.1	6	16.3	5.9	39.9
Kidney and Renal Pelvis	9	14.1	6.3	28.6	5	18.5	5.8	45.9	4	10.4	2.7	31.8
Brain and Other Nervous System	3	4.8	1.0	15.9	3	9.8	2.0	32.4	0	0.0	0.0	17.2
Hodgkin's Disease	3	5.0	1.0	16.4	1	4.0	0.1	24.6	2	5.7	0.7	25.6
Non-Hodgkin's Lymphomas	12	17.8	9.1	32.8	6	19.3	7.0	45.5	6	15.4	5.2	39.1
Multiple Myeloma	3	5.2	1.1	16.6	2	8.3	1.0	31.5	1	3.3	0.1	22.4
Leukemias	5	7.9	2.5	20.2	4	12.6	3.4	36.2	1	3.0	0.1	21.7
All Other Sites	27	39.6	26.0	59.1	16	53.5	30.3	89.6	11	32.5	16.2	61.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	13	36.3	19.2	65.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Mercer County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	491	475.9	434.5	521.0	258	544.8	480.1	617.0	233	424.1	370.2	485.1
Oral Cavity and Pharynx	9	8.8	4.0	17.9	8	17.6	7.6	36.4	1	1.7	0.0	14.4
Esophagus	6	5.6	2.0	13.5	5	10.4	3.4	26.4	1	1.3	0.0	13.6
Stomach	4	3.7	1.0	11.1	1	1.9	0.0	14.1	3	5.1	1.0	19.0
Colon and Rectum	58	54.8	41.5	71.7	34	70.3	48.6	99.8	24	39.2	25.0	61.2
Liver	1	0.9	0.0	7.1	0	0.0	0.0	11.3	1	1.7	0.0	14.4
Pancreas	9	8.6	3.9	17.6	4	8.6	2.3	24.1	5	8.4	2.7	23.3
Lung and Bronchus	70	66.3	51.6	84.7	35	74.5	51.8	105.0	35	59.8	41.4	85.9
Bones and Joints	0	0.0	0.0	5.8	0	0.0	0.0	11.3	0	0.0	0.0	12.1
Melanoma of the Skin	22	24.1	15.0	37.4	11	23.9	11.9	44.4	11	25.3	12.4	47.3
Breast (invasive)	78	75.8	59.8	95.5	2	4.3	0.5	18.0	76	138.8	108.9	176.3
Cervix	-	-	-	-	-	-	-	-	7	17.1	6.8	36.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	30.7	17.5	52.1
Ovary	-	-	-	-	-	-	-	-	6	12.0	4.1	29.2
Prostate	-	-	-	-	75	154.3	121.2	194.9	-	-	-	-
Testis	-	-	-	-	4	8.6	2.3	24.0	-	-	-	-
Urinary Bladder	26	24.2	15.8	36.5	21	44.8	27.7	70.1	5	8.9	2.8	24.2
Kidney and Renal Pelvis	12	12.1	6.2	22.2	9	19.0	8.7	37.9	3	6.6	1.2	22.3
Brain and Other Nervous System	5	4.4	1.4	11.8	4	8.6	2.3	24.1	1	1.3	0.0	13.6
Hodgkin's Disease	1	1.1	0.0	7.7	1	2.2	0.1	14.8	0	0.0	0.0	12.1
Non-Hodgkin's Lymphomas	16	15.7	9.0	26.6	7	15.8	6.3	34.1	9	16.5	7.5	34.4
Multiple Myeloma	5	4.9	1.6	12.8	3	6.5	1.3	21.1	2	3.6	0.4	17.0
Leukemias	10	9.3	4.4	18.4	7	14.5	5.8	32.0	3	4.4	0.9	17.7
All Other Sites	51	50.0	37.1	66.7	27	59.0	38.7	87.3	24	41.8	26.5	65.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	11	21.0	10.4	40.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Monroe County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	721	487.5	452.5	524.7	387	597.6	538.7	662.2	334	406.2	363.3	453.5
Oral Cavity and Pharynx	17	11.5	6.7	18.6	11	17.4	8.5	32.9	6	6.8	2.4	16.5
Esophagus	7	4.8	1.9	10.1	4	5.7	1.5	16.9	3	3.1	0.6	11.1
Stomach	5	3.4	1.1	8.3	4	7.2	1.9	20.1	1	0.8	0.0	7.7
Colon and Rectum	99	66.3	53.9	80.9	42	64.4	46.2	88.6	57	64.3	48.5	84.6
Liver	4	2.7	0.7	7.3	4	5.9	1.6	17.4	0	0.0	0.0	6.7
Pancreas	19	12.8	7.7	20.3	10	15.3	7.2	30.1	9	10.9	4.9	21.9
Lung and Bronchus	88	59.9	48.0	74.0	48	77.3	56.6	104.0	40	49.7	35.4	68.5
Bones and Joints	0	0.0	0.0	3.1	0	0.0	0.0	9.0	0	0.0	0.0	6.7
Melanoma of the Skin	25	17.1	11.0	25.5	13	17.9	9.5	32.6	12	15.7	8.0	28.5
Breast (invasive)	100	67.0	54.5	81.7	0	0.0	0.0	9.0	100	126.3	102.5	154.5
Cervix	-	-	-	-	-	-	-	-	5	6.3	2.0	16.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	21.4	12.4	35.2
Ovary	-	-	-	-	-	-	-	-	8	9.1	3.9	19.4
Prostate	-	-	-	-	124	186.4	154.8	223.8	-	-	-	-
Testis	-	-	-	-	1	1.4	0.0	10.9	-	-	-	-
Urinary Bladder	45	30.2	22.0	40.7	37	59.2	41.3	83.2	8	9.4	4.0	19.8
Kidney and Renal Pelvis	25	17.1	11.0	25.5	14	21.9	11.8	38.4	11	13.2	6.5	24.8
Brain and Other Nervous System	13	9.0	4.8	15.6	6	9.1	3.3	21.7	7	9.4	3.7	20.4
Hodgkin's Disease	5	3.4	1.1	8.4	5	6.9	2.2	18.5	0	0.0	0.0	6.7
Non-Hodgkin's Lymphomas	30	20.5	13.8	29.5	18	27.8	16.3	45.7	12	15.1	7.8	27.4
Multiple Myeloma	8	5.5	2.4	11.1	7	11.8	4.6	26.1	1	1.4	0.0	9.1
Leukemias	18	12.3	7.3	19.7	8	12.3	5.3	26.1	10	11.7	5.5	23.0
All Other Sites	58	39.0	29.6	50.7	31	49.7	33.5	72.2	27	31.5	20.6	47.0
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	23	30.0	19.0	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Montgomery County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	973	524.4	491.4	559.3	498	619.2	565.9	676.5	475	468.9	425.7	516.1
Oral Cavity and Pharynx	21	11.9	7.3	18.7	15	18.7	10.4	31.4	6	5.6	2.0	14.3
Esophagus	15	8.0	4.5	13.9	12	15.1	7.8	27.0	3	2.0	0.4	9.1
Stomach	15	8.0	4.4	13.8	11	13.6	6.8	25.0	4	3.3	0.8	11.3
Colon and Rectum	139	71.7	60.1	85.3	69	86.0	66.9	109.4	70	60.9	46.9	79.0
Liver	6	3.3	1.2	7.9	4	5.1	1.4	13.8	2	2.0	0.2	9.7
Pancreas	31	16.6	11.2	24.1	14	17.4	9.5	29.9	17	14.5	8.3	25.1
Lung and Bronchus	165	86.7	73.8	101.7	104	129.9	106.1	157.8	61	57.0	43.1	75.1
Bones and Joints	1	0.7	0.0	4.3	1	1.2	0.0	7.9	0	0.0	0.0	6.7
Melanoma of the Skin	38	21.9	15.5	30.6	15	18.8	10.5	31.7	23	25.8	16.0	40.3
Breast (invasive)	117	65.4	54.0	79.0	0	0.0	0.0	5.9	117	122.5	100.6	148.8
Cervix	-	-	-	-	-	-	-	-	9	11.5	5.1	22.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	28	29.5	19.4	44.2
Ovary	-	-	-	-	-	-	-	-	15	17.1	9.4	29.6
Prostate	-	-	-	-	108	132.8	108.9	160.8	-	-	-	-
Testis	-	-	-	-	3	3.6	0.7	11.5	-	-	-	-
Urinary Bladder	45	22.8	16.5	31.2	34	42.3	29.3	59.7	11	9.7	4.7	19.5
Kidney and Renal Pelvis	23	13.4	8.5	20.6	16	19.8	11.3	32.7	7	8.0	3.1	18.0
Brain and Other Nervous System	14	8.5	4.5	14.7	9	11.0	5.0	21.6	5	5.1	1.5	14.1
Hodgkin's Disease	5	3.4	1.1	8.4	2	2.6	0.3	10.1	3	4.9	1.0	14.7
Non-Hodgkin's Lymphomas	41	21.7	15.5	30.1	17	21.2	12.3	34.5	24	21.0	13.0	33.5
Multiple Myeloma	10	5.4	2.6	10.6	6	7.6	2.8	17.2	4	3.0	0.8	10.5
Leukemias	31	16.1	10.8	23.5	15	19.0	10.6	32.0	16	13.3	7.4	23.8
All Other Sites	93	50.0	40.1	61.8	43	53.5	38.7	72.6	50	52.0	38.0	70.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	20	21.5	12.9	34.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Morgan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,002	474.5	445.3	505.3	502	548.8	501.7	599.4	500	431.2	393.2	472.6
Oral Cavity and Pharynx	17	8.3	4.8	13.7	13	13.8	7.4	24.2	4	3.5	0.9	10.2
Esophagus	17	8.2	4.7	13.4	13	13.8	7.3	24.1	4	3.3	0.9	9.8
Stomach	8	3.9	1.7	8.1	6	6.9	2.5	15.4	2	2.0	0.2	8.4
Colon and Rectum	132	60.1	50.2	71.7	66	73.5	56.8	93.9	66	51.1	39.1	66.4
Liver	6	2.8	1.0	6.6	4	4.6	1.2	12.2	2	1.1	0.1	6.6
Pancreas	30	13.5	9.1	19.7	13	13.8	7.3	24.1	17	12.4	7.0	21.4
Lung and Bronchus	184	86.4	74.3	100.1	109	117.9	96.8	142.6	75	64.5	50.5	81.8
Bones and Joints	2	1.1	0.1	4.3	0	0.0	0.0	5.1	2	2.2	0.3	8.8
Melanoma of the Skin	28	14.3	9.4	20.9	12	13.0	6.7	23.3	16	16.1	9.0	27.1
Breast (invasive)	144	69.9	58.9	82.7	1	1.0	0.0	6.7	143	129.0	108.3	153.2
Cervix	-	-	-	-	-	-	-	-	6	6.3	2.3	14.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	34	28.4	19.5	40.8
Ovary	-	-	-	-	-	-	-	-	12	11.1	5.7	20.4
Prostate	-	-	-	-	118	127.8	105.7	153.5	-	-	-	-
Testis	-	-	-	-	5	5.6	1.8	13.7	-	-	-	-
Urinary Bladder	54	24.3	18.2	32.1	41	45.9	32.9	62.7	13	9.7	5.1	18.0
Kidney and Renal Pelvis	25	12.3	8.0	18.6	17	18.1	10.5	29.5	8	6.9	2.9	14.8
Brain and Other Nervous System	15	7.9	4.4	13.3	10	11.0	5.3	20.8	5	4.8	1.4	12.4
Hodgkin's Disease	3	1.6	0.3	5.1	1	1.1	0.0	7.0	2	1.7	0.2	7.7
Non-Hodgkin's Lymphomas	34	15.4	10.7	22.0	14	15.5	8.4	26.5	20	16.2	9.7	26.3
Multiple Myeloma	9	4.4	2.0	8.7	5	5.3	1.7	13.1	4	3.7	1.0	10.6
Leukemias	18	8.7	5.1	14.2	8	8.8	3.8	17.9	10	8.7	4.1	17.3
All Other Sites	101	48.3	39.3	59.1	46	51.2	37.4	68.7	55	48.6	36.1	64.6
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	31	29.3	19.8	42.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Moultrie County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	419	458.1	414.3	505.9	210	539.7	469.0	619.3	209	416.4	358.8	482.3
Oral Cavity and Pharynx	11	12.4	6.0	23.8	5	13.5	4.4	33.4	6	10.9	3.4	28.7
Esophagus	3	3.4	0.7	11.5	3	7.4	1.5	24.5	0	0.0	0.0	13.2
Stomach	4	4.4	1.1	13.2	2	5.0	0.6	21.0	2	4.3	0.3	20.1
Colon and Rectum	56	57.4	43.1	76.0	28	72.5	48.2	106.3	28	50.5	32.8	76.8
Liver	3	3.2	0.6	11.3	3	7.6	1.6	24.9	0	0.0	0.0	13.2
Pancreas	15	17.9	9.9	30.8	9	23.7	10.8	47.0	6	13.1	4.5	32.1
Lung and Bronchus	67	73.5	56.8	94.6	33	84.4	58.1	120.2	34	66.2	45.3	95.8
Bones and Joints	0	0.0	0.0	6.7	0	0.0	0.0	13.4	0	0.0	0.0	13.2
Melanoma of the Skin	19	21.7	12.8	35.4	10	26.0	12.4	49.6	9	20.5	8.8	42.5
Breast (invasive)	67	75.2	57.9	96.9	0	0.0	0.0	13.4	67	137.5	105.1	178.6
Cervix	-	-	-	-	-	-	-	-	1	3.2	0.1	19.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	11.6	3.9	29.5
Ovary	-	-	-	-	-	-	-	-	4	7.1	1.9	22.9
Prostate	-	-	-	-	62	156.6	120.0	202.3	-	-	-	-
Testis	-	-	-	-	1	2.8	0.1	17.9	-	-	-	-
Urinary Bladder	15	15.4	8.5	26.9	14	35.5	19.4	61.4	1	1.0	0.0	14.2
Kidney and Renal Pelvis	15	17.4	9.6	30.0	10	26.5	12.7	50.6	5	11.6	3.7	30.0
Brain and Other Nervous System	4	5.3	1.4	14.7	1	2.4	0.1	17.0	3	8.1	1.6	26.1
Hodgkin's Disease	1	1.1	0.0	8.3	0	0.0	0.0	13.4	1	2.0	0.1	16.0
Non-Hodgkin's Lymphomas	11	11.6	5.6	22.4	6	16.5	6.0	37.9	5	7.2	2.2	22.4
Multiple Myeloma	10	9.9	4.7	20.0	7	18.0	7.2	39.2	3	4.3	0.8	18.7
Leukemias	8	9.1	3.8	19.5	2	5.0	0.6	21.1	6	11.9	3.9	30.5
All Other Sites	36	39.2	27.1	55.8	14	36.2	19.8	62.6	22	45.3	27.3	72.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	11	28.2	13.9	52.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Ogle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,298	472.0	446.6	498.6	668	536.1	495.9	579.0	630	429.8	396.6	465.4
Oral Cavity and Pharynx	36	13.0	9.1	18.2	30	23.7	15.9	34.3	6	4.3	1.6	9.9
Esophagus	20	7.2	4.4	11.4	17	13.4	7.8	22.0	3	1.9	0.4	6.5
Stomach	14	5.1	2.8	8.7	7	5.7	2.2	12.4	7	4.8	1.9	10.4
Colon and Rectum	153	54.5	46.2	64.0	83	67.4	53.6	84.1	70	43.4	33.7	55.4
Liver	17	6.1	3.5	10.0	16	12.9	7.3	21.4	1	0.5	0.0	4.2
Pancreas	28	10.0	6.6	14.6	13	10.5	5.5	18.4	15	9.3	5.2	16.1
Lung and Bronchus	193	69.6	60.1	80.3	109	87.9	72.1	106.5	84	56.4	44.9	70.3
Bones and Joints	3	1.1	0.2	3.5	1	0.8	0.0	5.2	2	1.6	0.2	6.2
Melanoma of the Skin	43	15.9	11.5	21.6	23	17.6	11.2	27.0	20	13.9	8.5	22.0
Breast (invasive)	170	62.1	53.1	72.3	2	1.9	0.2	7.2	168	117.5	100.3	137.2
Cervix	-	-	-	-	-	-	-	-	17	12.9	7.5	21.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	27.6	19.7	38.1
Ovary	-	-	-	-	-	-	-	-	23	16.5	10.4	25.2
Prostate	-	-	-	-	163	129.9	110.6	152.0	-	-	-	-
Testis	-	-	-	-	7	5.8	2.3	12.4	-	-	-	-
Urinary Bladder	61	22.1	16.9	28.6	43	35.9	25.9	48.8	18	12.5	7.4	20.2
Kidney and Renal Pelvis	44	15.8	11.5	21.4	24	18.6	11.9	28.3	20	13.7	8.3	21.6
Brain and Other Nervous System	21	7.8	4.8	12.1	9	6.9	3.2	13.8	12	8.5	4.4	15.3
Hodgkin's Disease	11	4.4	2.2	7.9	7	5.5	2.2	12.0	4	3.0	0.8	8.2
Non-Hodgkin's Lymphomas	58	21.4	16.2	27.8	32	24.8	16.9	35.5	26	17.6	11.4	26.3
Multiple Myeloma	20	7.2	4.4	11.3	6	4.7	1.7	10.9	14	9.3	5.0	16.1
Leukemias	51	18.8	14.0	24.9	35	28.5	19.8	40.1	16	10.9	6.2	18.3
All Other Sites	105	38.3	31.3	46.5	41	33.7	24.1	46.3	64	43.7	33.6	56.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	36	25.4	17.8	35.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,175	522.9	508.7	537.4	2,612	619.9	596.2	644.3	2,563	462.3	444.3	481.0
Oral Cavity and Pharynx	123	12.5	10.4	15.0	80	18.9	15.0	23.6	43	7.6	5.5	10.4
Esophagus	49	4.8	3.6	6.4	36	8.8	6.1	12.3	13	2.1	1.1	3.9
Stomach	68	6.6	5.2	8.5	41	9.8	7.0	13.4	27	4.1	2.6	6.1
Colon and Rectum	599	59.0	54.3	64.0	280	67.4	59.7	75.9	319	52.6	46.9	59.0
Liver	37	3.7	2.6	5.2	28	6.4	4.3	9.4	9	1.4	0.7	2.9
Pancreas	127	12.5	10.4	15.0	56	13.6	10.2	17.7	71	11.9	9.2	15.2
Lung and Bronchus	846	85.1	79.5	91.1	486	115.9	105.8	126.8	360	64.7	58.1	71.9
Bones and Joints	8	0.8	0.4	1.7	6	1.3	0.5	3.1	2	0.4	0.0	1.5
Melanoma of the Skin	163	17.1	14.5	20.0	83	19.6	15.6	24.4	80	15.4	12.2	19.4
Breast (invasive)	772	79.4	73.9	85.3	7	1.6	0.7	3.5	765	143.6	133.4	154.3
Cervix	-	-	-	-	-	-	-	-	52	10.9	8.1	14.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	137	25.3	21.2	30.1
Ovary	-	-	-	-	-	-	-	-	76	13.3	10.4	16.8
Prostate	-	-	-	-	770	181.6	168.9	195.0	-	-	-	-
Testis	-	-	-	-	23	5.5	3.5	8.3	-	-	-	-
Urinary Bladder	260	25.6	22.5	28.9	187	44.7	38.5	51.7	73	12.0	9.3	15.2
Kidney and Renal Pelvis	177	17.9	15.3	20.8	102	23.7	19.3	28.9	75	13.4	10.5	17.0
Brain and Other Nervous System	67	6.9	5.3	8.8	40	9.1	6.5	12.5	27	5.0	3.3	7.4
Hodgkin's Disease	30	3.2	2.2	4.7	18	4.1	2.4	6.6	12	2.5	1.3	4.4
Non-Hodgkin's Lymphomas	211	21.2	18.4	24.3	108	25.6	20.9	31.0	103	18.1	14.7	22.2
Multiple Myeloma	45	4.4	3.2	6.0	20	4.8	2.9	7.5	25	4.2	2.7	6.3
Leukemias	126	12.3	10.2	14.7	69	16.6	12.9	21.2	57	9.4	7.0	12.3
All Other Sites	409	42.1	38.1	46.5	172	40.9	35.0	47.6	237	44.5	38.9	50.8
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	163	31.3	26.6	36.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Perry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	589	436.3	401.5	473.7	325	555.8	496.8	620.4	264	364.6	320.4	414.4
Oral Cavity and Pharynx	6	4.7	1.7	11.1	6	10.1	3.7	23.1	0	0.0	0.0	9.1
Esophagus	4	3.2	0.9	9.1	4	6.7	1.8	18.3	0	0.0	0.0	9.1
Stomach	11	7.6	3.8	14.6	8	14.3	6.1	29.1	3	3.7	0.7	14.2
Colon and Rectum	98	72.0	58.4	88.4	51	86.6	64.4	114.7	47	61.3	44.7	83.7
Liver	3	2.2	0.4	7.5	2	3.4	0.4	13.5	1	1.0	0.0	10.3
Pancreas	20	14.1	8.6	22.6	6	10.2	3.7	23.2	14	16.9	9.0	31.0
Lung and Bronchus	88	65.2	52.2	80.9	61	105.2	80.4	135.9	27	37.5	24.5	56.5
Bones and Joints	1	0.6	0.0	5.0	1	2.1	0.1	12.1	0	0.0	0.0	9.1
Melanoma of the Skin	15	10.8	6.0	18.6	7	12.2	4.9	26.0	8	10.7	4.3	24.0
Breast (invasive)	63	48.3	37.0	62.5	0	0.0	0.0	8.2	63	93.4	71.0	121.7
Cervix	-	-	-	-	-	-	-	-	9	14.4	6.3	29.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	17.6	8.7	33.2
Ovary	-	-	-	-	-	-	-	-	14	16.9	8.9	31.0
Prostate	-	-	-	-	99	168.7	137.0	206.1	-	-	-	-
Testis	-	-	-	-	4	5.7	1.5	16.4	-	-	-	-
Urinary Bladder	25	17.9	11.6	27.2	14	23.7	12.9	40.7	11	12.5	6.1	25.1
Kidney and Renal Pelvis	21	15.7	9.7	24.7	12	20.4	10.5	36.6	9	11.6	5.3	24.5
Brain and Other Nervous System	8	5.8	2.5	12.4	3	4.7	1.0	15.3	5	5.4	1.7	16.0
Hodgkin's Disease	4	3.2	0.9	8.9	3	5.1	1.0	16.0	1	2.1	0.1	12.7
Non-Hodgkin's Lymphomas	16	11.3	6.4	19.2	9	15.8	7.2	30.8	7	9.3	3.5	21.9
Multiple Myeloma	10	7.5	3.6	14.6	5	8.6	2.8	21.2	5	7.6	2.4	19.8
Leukemias	14	9.9	5.4	17.4	9	16.3	7.4	31.7	5	6.8	2.1	18.5
All Other Sites	45	34.8	25.3	47.2	21	36.1	22.3	56.0	24	36.1	22.5	56.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	8	13.5	5.7	28.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Piatt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	460	467.7	425.6	513.5	250	568.1	499.3	645.0	210	387.5	335.5	447.2
Oral Cavity and Pharynx	8	7.9	3.4	17.0	4	9.9	2.6	27.7	4	6.9	1.9	22.1
Esophagus	7	7.0	2.8	15.9	7	15.4	6.2	34.3	0	0.0	0.0	13.1
Stomach	7	7.6	3.1	17.0	4	9.0	2.4	25.7	3	6.8	1.4	23.1
Colon and Rectum	75	74.7	58.7	94.6	44	98.6	71.5	134.3	31	52.8	35.6	78.2
Liver	2	2.1	0.3	9.3	2	4.3	0.5	19.0	0	0.0	0.0	13.1
Pancreas	14	13.6	7.4	24.1	6	12.6	4.6	30.3	8	11.0	4.7	26.7
Lung and Bronchus	67	66.9	51.9	86.0	41	95.4	68.1	131.5	26	48.8	31.7	74.3
Bones and Joints	0	0.0	0.0	6.3	0	0.0	0.0	12.6	0	0.0	0.0	13.1
Melanoma of the Skin	17	19.3	11.1	32.0	9	19.2	8.8	39.0	8	19.1	7.9	40.5
Breast (invasive)	68	70.9	54.9	90.9	1	2.2	0.1	15.8	67	128.9	99.3	166.5
Cervix	-	-	-	-	-	-	-	-	1	1.2	0.0	14.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	22.7	11.9	42.4
Ovary	-	-	-	-	-	-	-	-	7	13.1	5.1	30.7
Prostate	-	-	-	-	72	161.3	126.0	204.8	-	-	-	-
Testis	-	-	-	-	1	2.3	0.1	16.2	-	-	-	-
Urinary Bladder	12	12.0	6.2	22.2	10	23.2	11.0	44.9	2	3.6	0.4	17.8
Kidney and Renal Pelvis	9	8.8	4.0	18.1	7	15.8	6.3	35.0	2	3.2	0.4	17.1
Brain and Other Nervous System	5	5.8	1.8	14.9	2	5.6	0.6	22.0	3	7.6	1.5	24.8
Hodgkin's Disease	2	2.4	0.3	10.2	1	3.2	0.1	18.6	1	1.2	0.0	14.3
Non-Hodgkin's Lymphomas	17	16.9	9.8	28.3	9	20.4	9.3	40.9	8	13.4	5.7	30.6
Multiple Myeloma	10	9.6	4.6	19.0	5	11.2	3.6	28.8	5	7.3	2.3	22.3
Leukemias	12	12.4	6.3	22.9	4	10.8	2.9	29.5	8	14.3	6.0	32.3
All Other Sites	34	35.3	24.3	50.4	21	47.5	29.3	74.5	13	25.8	13.4	47.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	13	24.9	13.2	45.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Pike County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	548	468.1	428.7	510.9	299	577.4	513.4	648.2	249	392.1	342.2	448.9
Oral Cavity and Pharynx	12	10.7	5.4	19.9	9	17.6	8.0	35.2	3	4.7	0.9	18.2
Esophagus	7	6.3	2.5	14.2	7	13.8	5.5	30.2	0	0.0	0.0	11.6
Stomach	7	5.5	2.1	13.0	3	6.0	1.2	19.7	4	4.9	1.2	17.9
Colon and Rectum	80	64.8	51.0	81.9	48	92.3	67.9	123.8	32	43.4	29.1	64.9
Liver	4	3.1	0.8	9.6	3	5.6	1.1	18.7	1	1.3	0.0	13.3
Pancreas	12	9.5	4.8	18.0	7	13.0	5.2	28.8	5	8.0	2.6	22.3
Lung and Bronchus	93	76.1	61.2	94.4	55	103.1	77.6	135.6	38	55.3	38.5	79.4
Bones and Joints	1	1.2	0.0	7.5	0	0.0	0.0	10.5	1	2.4	0.1	15.6
Melanoma of the Skin	9	9.5	4.2	19.1	5	9.8	3.2	24.7	4	10.6	2.8	28.3
Breast (invasive)	61	57.2	43.4	74.7	2	3.7	0.4	15.9	59	105.8	79.4	139.8
Cervix	-	-	-	-	-	-	-	-	7	16.7	6.6	36.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	31.0	18.4	51.4
Ovary	-	-	-	-	-	-	-	-	9	15.3	6.6	32.5
Prostate	-	-	-	-	69	131.7	102.4	168.0	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	10.5	-	-	-	-
Urinary Bladder	27	22.7	14.9	34.2	18	35.1	20.8	57.0	9	11.7	5.2	26.3
Kidney and Renal Pelvis	16	13.1	7.4	22.6	9	18.0	8.2	35.8	7	8.9	3.4	22.8
Brain and Other Nervous System	3	3.0	0.6	10.0	1	2.3	0.1	14.4	2	3.7	0.4	16.8
Hodgkin's Disease	3	3.4	0.6	11.0	2	5.5	0.7	20.1	1	1.0	0.0	12.7
Non-Hodgkin's Lymphomas	33	28.5	19.4	41.2	16	32.5	18.5	54.2	17	24.4	13.5	43.0
Multiple Myeloma	8	6.7	2.8	14.7	0	0.0	0.0	10.5	8	12.0	4.8	27.9
Leukemias	15	11.7	6.4	20.7	12	22.6	11.7	41.3	3	2.6	0.5	14.4
All Other Sites	53	44.2	32.7	59.2	33	64.8	44.3	92.5	20	28.3	16.7	47.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	12	20.8	10.7	39.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Pope County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	76	263.5	206.7	337.4	40	299.6	212.2	422.5	36	229.5	158.9	338.0
Oral Cavity and Pharynx	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Esophagus	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Stomach	1	3.4	0.1	34.3	0	0.0	0.0	57.3	1	6.7	0.2	71.5
Colon and Rectum	11	35.7	17.8	74.2	5	43.8	14.1	117.6	6	34.6	12.5	104.3
Liver	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Pancreas	3	12.8	2.6	47.5	2	18.8	2.3	84.5	1	5.7	0.1	69.9
Lung and Bronchus	16	53.3	30.3	96.0	12	83.8	42.6	164.1	4	23.3	6.1	90.8
Bones and Joints	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Melanoma of the Skin	2	6.4	0.8	37.9	1	5.5	0.1	63.4	1	7.1	0.2	72.2
Breast (invasive)	13	47.0	24.7	89.6	0	0.0	0.0	57.3	13	91.7	48.0	178.2
Cervix	-	-	-	-	-	-	-	-	1	6.5	0.2	71.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	0	0.0	0.0	63.7
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	63.7
Prostate	-	-	-	-	12	83.7	42.7	163.7	-	-	-	-
Testis	-	-	-	-	1	11.1	0.3	74.9	-	-	-	-
Urinary Bladder	4	14.6	3.9	48.9	4	28.7	7.6	94.8	0	0.0	0.0	63.7
Kidney and Renal Pelvis	1	5.3	0.1	38.1	0	0.0	0.0	57.3	1	10.1	0.3	78.2
Brain and Other Nervous System	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Hodgkin's Disease	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Non-Hodgkin's Lymphomas	5	17.0	5.3	51.7	2	14.9	1.6	77.3	3	15.5	2.7	81.2
Multiple Myeloma	0	0.0	0.0	30.2	0	0.0	0.0	57.3	0	0.0	0.0	63.7
Leukemias	2	6.2	0.7	37.5	0	0.0	0.0	57.3	2	9.5	1.1	73.5
All Other Sites	4	14.4	3.8	48.6	1	9.4	0.2	71.0	3	18.8	3.9	85.8
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	0	0.0	0.0	63.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Pulaski County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	194	431.2	371.7	499.4	109	581.5	476.6	706.2	85	332.6	262.6	419.3
Oral Cavity and Pharynx	3	6.4	1.3	23.1	1	5.1	0.1	37.9	2	6.7	0.7	35.3
Esophagus	2	5.3	0.6	22.2	2	10.9	1.3	46.8	0	0.0	0.0	26.4
Stomach	7	15.1	6.0	34.8	2	9.9	1.2	44.7	5	18.2	5.6	51.3
Colon and Rectum	24	51.6	32.8	79.9	15	83.5	46.5	142.6	9	34.1	14.7	72.9
Liver	2	4.3	0.5	20.1	2	9.9	1.2	44.6	0	0.0	0.0	26.4
Pancreas	6	14.6	5.2	35.0	2	11.7	1.3	48.7	4	17.6	4.6	51.8
Lung and Bronchus	35	74.7	51.8	106.7	25	130.9	84.3	198.3	10	35.3	16.3	73.1
Bones and Joints	0	0.0	0.0	14.1	0	0.0	0.0	30.3	0	0.0	0.0	26.4
Melanoma of the Skin	3	8.0	1.5	26.4	3	19.7	4.1	61.5	0	0.0	0.0	26.4
Breast (invasive)	18	39.4	23.1	65.4	0	0.0	0.0	30.3	18	68.2	39.3	115.2
Cervix	-	-	-	-	-	-	-	-	6	35.7	13.1	80.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	23.3	7.2	60.4
Ovary	-	-	-	-	-	-	-	-	5	20.8	6.1	56.4
Prostate	-	-	-	-	33	172.2	118.1	246.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	30.3	-	-	-	-
Urinary Bladder	9	18.2	8.3	38.2	7	35.8	14.3	80.3	2	6.9	0.8	35.4
Kidney and Renal Pelvis	10	22.7	10.7	45.0	6	32.2	11.6	76.4	4	13.9	3.7	44.8
Brain and Other Nervous System	2	4.3	0.5	20.2	1	5.2	0.1	38.0	1	3.6	0.1	31.2
Hodgkin's Disease	0	0.0	0.0	14.1	0	0.0	0.0	30.3	0	0.0	0.0	26.4
Non-Hodgkin's Lymphomas	5	10.5	3.3	28.7	1	5.8	0.1	39.5	4	12.3	3.3	41.8
Multiple Myeloma	2	4.9	0.6	21.5	1	6.2	0.2	40.5	1	3.6	0.1	31.2
Leukemias	5	10.1	3.3	27.8	2	11.7	1.4	48.6	3	9.9	1.9	39.3
All Other Sites	12	27.5	14.0	51.1	6	30.8	11.3	73.7	6	22.5	7.7	57.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	2	9.0	1.0	39.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Putnam County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	193	517.0	446.1	598.2	108	633.4	518.3	769.8	85	436.7	347.0	548.1
Oral Cavity and Pharynx	3	7.5	1.5	27.0	2	10.2	1.2	46.4	1	3.6	0.1	39.5
Esophagus	2	5.0	0.6	23.5	1	5.9	0.1	41.1	1	4.1	0.1	40.5
Stomach	3	7.7	1.6	27.4	2	11.0	1.3	48.1	1	5.7	0.1	43.7
Colon and Rectum	21	54.0	33.4	85.8	13	80.7	42.4	142.9	8	37.1	15.8	83.8
Liver	0	0.0	0.0	16.7	0	0.0	0.0	31.9	0	0.0	0.0	35.5
Pancreas	7	17.6	7.1	40.5	2	11.4	1.4	49.1	5	22.5	7.2	64.7
Lung and Bronchus	36	96.2	67.3	135.9	20	109.0	66.5	173.5	16	86.3	49.0	148.0
Bones and Joints	0	0.0	0.0	16.7	0	0.0	0.0	31.9	0	0.0	0.0	35.5
Melanoma of the Skin	9	25.1	11.4	51.0	2	11.5	1.4	49.2	7	36.1	14.1	84.5
Breast (invasive)	25	69.0	44.4	104.9	0	0.0	0.0	31.9	25	134.0	85.9	205.7
Cervix	-	-	-	-	-	-	-	-	2	12.5	1.5	54.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	14.8	3.0	55.5
Ovary	-	-	-	-	-	-	-	-	2	8.6	1.0	46.4
Prostate	-	-	-	-	28	158.7	105.0	234.5	-	-	-	-
Testis	-	-	-	-	2	16.7	2.0	61.1	-	-	-	-
Urinary Bladder	14	36.6	20.0	64.8	12	68.7	35.2	125.6	2	10.5	1.3	50.0
Kidney and Renal Pelvis	5	12.5	4.1	33.8	2	11.8	1.4	49.9	3	12.5	2.5	51.1
Brain and Other Nervous System	1	3.1	0.1	21.6	1	5.8	0.1	40.9	0	0.0	0.0	35.5
Hodgkin's Disease	2	7.1	0.8	28.4	1	5.1	0.1	39.2	1	9.6	0.2	53.6
Non-Hodgkin's Lymphomas	4	11.1	3.0	32.5	3	17.3	3.6	57.5	1	5.7	0.1	43.7
Multiple Myeloma	3	8.7	1.7	29.6	2	13.5	1.6	53.8	1	5.1	0.1	42.5
Leukemias	5	12.6	4.1	33.9	3	17.7	3.6	58.3	2	9.6	1.2	48.2
All Other Sites	16	44.8	25.3	76.0	12	78.4	40.0	141.5	4	18.6	5.0	60.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	8	41.4	17.7	90.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Randolph County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	922	476.3	445.8	508.7	502	592.2	541.4	646.9	420	394.9	356.5	437.1
Oral Cavity and Pharynx	11	6.3	3.1	11.5	9	9.9	4.5	19.4	2	2.2	0.2	9.5
Esophagus	6	3.0	1.1	7.1	2	2.1	0.3	8.8	4	3.2	0.8	10.2
Stomach	4	2.0	0.5	5.7	1	1.4	0.0	8.0	3	3.0	0.6	10.3
Colon and Rectum	115	57.3	47.2	69.2	62	73.8	56.5	95.0	53	43.7	32.3	58.9
Liver	9	4.7	2.1	9.4	6	6.8	2.5	15.6	3	3.1	0.5	10.7
Pancreas	24	12.1	7.7	18.5	10	11.9	5.7	22.4	14	12.3	6.6	22.1
Lung and Bronchus	139	72.3	60.7	85.7	79	94.0	74.4	117.5	60	56.3	42.7	73.8
Bones and Joints	1	0.6	0.0	3.9	1	1.1	0.0	7.4	0	0.0	0.0	5.9
Melanoma of the Skin	26	13.6	8.8	20.3	14	15.4	8.4	26.5	12	12.0	5.9	22.5
Breast (invasive)	112	58.6	48.1	70.9	1	1.4	0.0	8.0	111	112.6	91.9	137.3
Cervix	-	-	-	-	-	-	-	-	10	12.6	5.9	24.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	15.6	9.0	26.2
Ovary	-	-	-	-	-	-	-	-	12	11.9	5.9	22.3
Prostate	-	-	-	-	163	194.1	165.4	226.7	-	-	-	-
Testis	-	-	-	-	9	8.7	4.0	17.5	-	-	-	-
Urinary Bladder	45	22.3	16.2	30.3	31	37.7	25.6	53.9	14	12.1	6.5	21.8
Kidney and Renal Pelvis	29	15.6	10.4	22.8	16	18.9	10.8	31.2	13	11.8	6.0	21.8
Brain and Other Nervous System	11	5.8	2.9	10.9	6	6.7	2.5	15.4	5	4.1	1.2	11.7
Hodgkin's Disease	3	1.7	0.3	5.4	1	1.0	0.0	7.1	2	2.8	0.3	10.6
Non-Hodgkin's Lymphomas	35	18.0	12.5	25.5	18	20.7	12.3	33.3	17	14.2	8.1	24.3
Multiple Myeloma	11	5.4	2.7	10.2	7	8.5	3.4	18.0	4	3.3	0.8	10.5
Leukemias	34	17.7	12.2	25.2	17	20.2	11.7	32.9	17	16.1	9.1	27.2
All Other Sites	95	48.7	39.3	60.0	49	58.0	42.9	77.2	46	42.1	30.4	57.8
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	17	18.4	10.5	30.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Richland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	479	473.6	431.4	519.4	276	620.2	548.7	699.3	203	369.7	318.5	428.2
Oral Cavity and Pharynx	5	4.8	1.5	12.5	3	6.8	1.4	21.8	2	2.8	0.3	14.8
Esophagus	7	7.7	3.0	16.8	4	9.5	2.6	25.9	3	7.1	1.4	22.5
Stomach	2	2.4	0.3	9.7	2	5.0	0.6	19.5	0	0.0	0.0	11.2
Colon and Rectum	68	65.2	50.4	83.7	39	89.1	63.2	123.1	29	46.8	30.7	70.2
Liver	2	1.9	0.2	8.3	1	2.0	0.0	14.2	1	1.5	0.0	13.2
Pancreas	14	13.7	7.4	24.1	11	24.4	12.1	45.3	3	4.6	0.7	17.8
Lung and Bronchus	76	72.7	57.1	92.0	50	112.3	83.2	149.3	26	44.7	28.8	68.1
Bones and Joints	0	0.0	0.0	5.6	0	0.0	0.0	11.3	0	0.0	0.0	11.2
Melanoma of the Skin	19	20.6	12.3	33.1	14	32.4	17.7	55.7	5	13.4	4.3	31.9
Breast (invasive)	61	62.7	47.7	81.5	0	0.0	0.0	11.3	61	115.1	87.1	150.4
Cervix	-	-	-	-	-	-	-	-	5	10.4	3.2	26.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	24.1	12.5	43.8
Ovary	-	-	-	-	-	-	-	-	8	14.2	5.8	31.1
Prostate	-	-	-	-	79	172.3	136.2	216.0	-	-	-	-
Testis	-	-	-	-	2	6.1	0.7	22.1	-	-	-	-
Urinary Bladder	25	23.0	14.8	35.1	23	51.1	32.4	78.1	2	2.3	0.3	14.0
Kidney and Renal Pelvis	8	7.8	3.3	16.6	4	9.5	2.6	25.9	4	5.7	1.5	18.7
Brain and Other Nervous System	8	8.2	3.5	17.2	6	13.7	5.0	31.5	2	3.0	0.4	15.2
Hodgkin's Disease	2	2.5	0.3	9.7	0	0.0	0.0	11.3	2	4.9	0.5	19.3
Non-Hodgkin's Lymphomas	17	17.2	9.9	28.7	8	18.5	7.9	38.1	9	15.8	7.0	33.0
Multiple Myeloma	6	5.7	2.1	13.7	3	6.1	1.3	20.4	3	5.6	1.1	19.5
Leukemias	21	20.5	12.5	32.5	10	22.2	10.5	42.4	11	19.3	9.0	38.0
All Other Sites	31	32.2	21.7	46.7	17	39.2	22.8	64.1	14	28.5	15.0	50.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	8	16.0	6.8	33.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,236	498.3	483.3	513.6	2,236	602.1	577.3	627.8	2,000	426.7	407.8	446.3
Oral Cavity and Pharynx	87	10.4	8.3	12.9	57	15.0	11.3	19.5	30	6.4	4.3	9.3
Esophagus	59	6.9	5.2	9.0	46	12.2	8.9	16.4	13	2.5	1.3	4.5
Stomach	42	4.8	3.4	6.5	20	5.6	3.4	8.7	22	4.2	2.6	6.6
Colon and Rectum	456	52.3	47.6	57.4	227	61.3	53.5	69.9	229	44.7	39.0	51.1
Liver	36	4.2	2.9	5.9	22	5.8	3.6	8.9	14	2.8	1.5	5.0
Pancreas	98	11.2	9.1	13.7	57	15.2	11.5	19.9	41	7.6	5.4	10.5
Lung and Bronchus	653	75.7	70.0	81.8	357	95.9	86.2	106.5	296	60.7	53.9	68.3
Bones and Joints	6	0.8	0.3	1.7	4	1.1	0.3	2.9	2	0.5	0.1	1.9
Melanoma of the Skin	151	18.9	16.0	22.3	92	25.1	20.2	30.8	59	14.2	10.8	18.6
Breast (invasive)	590	70.9	65.3	76.9	4	1.1	0.3	3.0	586	130.3	119.8	141.6
Cervix	-	-	-	-	-	-	-	-	60	15.2	11.6	19.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	122	26.6	22.1	32.0
Ovary	-	-	-	-	-	-	-	-	63	13.4	10.2	17.4
Prostate	-	-	-	-	692	183.7	170.2	198.0	-	-	-	-
Testis	-	-	-	-	16	4.5	2.6	7.4	-	-	-	-
Urinary Bladder	228	25.9	22.7	29.6	177	49.3	42.2	57.2	51	10.2	7.6	13.6
Kidney and Renal Pelvis	122	14.3	11.9	17.1	79	21.2	16.8	26.5	43	8.6	6.2	11.9
Brain and Other Nervous System	42	5.3	3.8	7.3	23	6.1	3.9	9.3	19	4.6	2.7	7.4
Hodgkin's Disease	21	2.8	1.7	4.3	13	3.6	1.9	6.3	8	2.0	0.8	4.1
Non-Hodgkin's Lymphomas	162	18.9	16.1	22.1	78	20.9	16.5	26.3	84	17.3	13.7	21.7
Multiple Myeloma	37	4.4	3.1	6.1	21	5.5	3.4	8.5	16	3.3	1.9	5.6
Leukemias	81	9.4	7.4	11.7	50	13.9	10.3	18.5	31	6.0	4.0	8.8
All Other Sites	412	48.6	44.0	53.6	201	55.3	47.8	63.6	211	45.4	39.3	52.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	125	28.2	23.4	33.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,802	528.1	515.6	540.8	3,469	639.1	617.8	661.0	3,333	454.6	439.1	470.5
Oral Cavity and Pharynx	148	11.5	9.7	13.5	98	17.7	14.4	21.8	50	7.1	5.3	9.4
Esophagus	73	5.7	4.5	7.2	52	9.4	7.0	12.4	21	2.8	1.7	4.4
Stomach	78	6.0	4.8	7.5	49	9.1	6.7	12.2	29	3.9	2.6	5.6
Colon and Rectum	884	67.9	63.5	72.6	424	80.4	72.9	88.7	460	59.9	54.5	65.7
Liver	61	4.7	3.6	6.1	45	8.0	5.8	10.9	16	2.2	1.2	3.6
Pancreas	188	14.4	12.4	16.6	100	18.8	15.3	23.0	88	11.1	8.9	13.7
Lung and Bronchus	1,158	89.7	84.6	95.1	678	126.0	116.6	136.0	480	64.6	58.9	70.8
Bones and Joints	16	1.2	0.7	2.0	9	1.5	0.7	3.0	7	1.0	0.4	2.0
Melanoma of the Skin	172	13.5	11.5	15.7	91	16.3	13.1	20.2	81	11.6	9.2	14.5
Breast (invasive)	972	75.8	71.1	80.7	7	1.3	0.5	2.9	965	135.1	126.7	144.0
Cervix	-	-	-	-	-	-	-	-	66	9.7	7.5	12.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	172	24.0	20.5	27.9
Ovary	-	-	-	-	-	-	-	-	93	12.7	10.2	15.6
Prostate	-	-	-	-	932	170.2	159.4	181.7	-	-	-	-
Testis	-	-	-	-	21	3.5	2.2	5.5	-	-	-	-
Urinary Bladder	308	23.7	21.1	26.5	241	45.6	40.0	51.9	67	8.7	6.7	11.1
Kidney and Renal Pelvis	249	19.3	17.0	21.9	154	27.8	23.6	32.7	95	12.8	10.3	15.7
Brain and Other Nervous System	79	6.2	4.9	7.7	43	7.4	5.3	10.1	36	4.9	3.4	6.8
Hodgkin's Disease	28	2.2	1.5	3.2	18	3.2	1.9	5.2	10	1.5	0.7	2.8
Non-Hodgkin's Lymphomas	245	19.1	16.8	21.7	128	22.8	19.0	27.3	117	15.8	13.1	19.0
Multiple Myeloma	99	7.6	6.2	9.3	39	7.1	5.1	9.9	60	8.0	6.1	10.3
Leukemias	174	13.4	11.4	15.5	94	17.5	14.1	21.5	80	10.7	8.4	13.3
All Other Sites	586	45.5	41.9	49.3	246	45.2	39.7	51.4	340	46.4	41.6	51.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	179	25.3	21.7	29.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Saline County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	850	476.7	444.6	510.9	458	624.6	568.5	685.3	392	381.2	342.6	424.0
Oral Cavity and Pharynx	18	9.5	5.6	15.8	9	12.0	5.5	23.9	9	6.9	3.0	15.8
Esophagus	6	3.9	1.4	9.1	5	6.8	2.2	17.2	1	1.3	0.0	9.0
Stomach	15	7.7	4.3	13.6	10	13.3	6.4	25.7	5	3.2	1.0	10.8
Colon and Rectum	138	75.0	62.8	89.4	64	86.9	66.8	111.7	74	67.3	52.2	86.7
Liver	7	4.2	1.7	9.5	4	5.7	1.5	15.7	3	3.0	0.6	11.1
Pancreas	13	7.5	3.9	13.6	8	11.2	4.8	23.1	5	4.3	1.4	12.7
Lung and Bronchus	194	107.9	93.1	124.9	118	160.1	132.5	192.6	76	76.2	59.7	96.9
Bones and Joints	0	0.0	0.0	3.5	0	0.0	0.0	7.2	0	0.0	0.0	7.0
Melanoma of the Skin	31	18.8	12.6	27.5	22	31.3	19.5	48.4	9	10.1	4.3	21.3
Breast (invasive)	90	52.1	41.6	64.8	1	1.2	0.0	8.9	89	91.9	72.9	115.2
Cervix	-	-	-	-	-	-	-	-	9	12.6	5.5	25.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	22	22.3	13.8	35.4
Ovary	-	-	-	-	-	-	-	-	9	8.3	3.6	18.0
Prostate	-	-	-	-	103	138.4	113.0	168.7	-	-	-	-
Testis	-	-	-	-	2	3.5	0.4	13.1	-	-	-	-
Urinary Bladder	32	17.3	11.7	25.1	23	31.7	20.1	48.5	9	8.4	3.6	18.3
Kidney and Renal Pelvis	17	10.5	6.1	17.5	10	13.3	6.4	25.6	7	8.9	3.5	19.7
Brain and Other Nervous System	3	2.3	0.5	7.1	3	4.6	0.9	14.3	0	0.0	0.0	7.0
Hodgkin's Disease	3	2.0	0.4	6.7	2	3.2	0.4	12.5	1	0.7	0.0	7.8
Non-Hodgkin's Lymphomas	41	21.3	15.2	29.7	18	25.0	14.8	40.5	23	18.2	11.3	29.5
Multiple Myeloma	9	5.0	2.2	10.3	8	10.6	4.6	22.1	1	0.7	0.0	7.8
Leukemias	22	11.4	7.0	18.1	13	17.6	9.4	31.2	9	7.5	3.1	17.0
All Other Sites	66	36.6	28.2	47.4	35	48.0	33.4	67.7	31	29.6	19.6	44.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	8	8.3	3.5	18.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,042	497.8	484.1	511.8	2,500	590.3	567.1	614.2	2,542	441.5	424.3	459.3
Oral Cavity and Pharynx	118	11.7	9.7	14.0	75	16.9	13.2	21.3	43	7.9	5.7	10.7
Esophagus	59	5.8	4.4	7.5	44	10.2	7.4	13.8	15	2.3	1.3	4.0
Stomach	48	4.7	3.5	6.3	29	6.9	4.6	10.1	19	3.2	1.9	5.2
Colon and Rectum	606	59.2	54.5	64.1	288	69.2	61.4	77.9	318	51.7	46.1	57.9
Liver	32	3.1	2.1	4.4	26	6.1	3.9	9.1	6	1.0	0.3	2.2
Pancreas	118	11.4	9.5	13.7	60	14.5	11.0	18.9	58	9.4	7.1	12.2
Lung and Bronchus	781	77.3	71.9	82.9	444	105.3	95.6	115.7	337	58.4	52.3	65.1
Bones and Joints	6	0.6	0.2	1.4	3	0.7	0.1	2.2	3	0.6	0.1	1.8
Melanoma of the Skin	164	16.3	13.9	19.0	91	21.7	17.4	26.8	73	13.5	10.5	17.0
Breast (invasive)	831	81.9	76.4	87.7	15	3.4	1.9	5.8	816	144.5	134.6	154.9
Cervix	-	-	-	-	-	-	-	-	32	6.0	4.1	8.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	123	21.6	17.9	25.8
Ovary	-	-	-	-	-	-	-	-	77	13.2	10.4	16.6
Prostate	-	-	-	-	676	159.1	147.3	171.8	-	-	-	-
Testis	-	-	-	-	29	6.3	4.2	9.2	-	-	-	-
Urinary Bladder	203	19.8	17.2	22.8	155	38.1	32.3	44.8	48	7.8	5.7	10.5
Kidney and Renal Pelvis	175	17.3	14.8	20.1	100	23.1	18.8	28.3	75	13.1	10.2	16.5
Brain and Other Nervous System	64	6.5	5.0	8.3	28	6.1	4.1	9.0	36	6.7	4.7	9.4
Hodgkin's Disease	41	4.3	3.1	5.9	20	4.6	2.8	7.3	21	4.4	2.7	6.8
Non-Hodgkin's Lymphomas	173	17.0	14.5	19.7	88	20.4	16.3	25.3	85	14.3	11.4	17.8
Multiple Myeloma	40	3.9	2.8	5.4	19	4.7	2.8	7.5	21	3.5	2.2	5.5
Leukemias	129	13.1	10.9	15.5	75	17.6	13.8	22.2	54	9.6	7.2	12.7
All Other Sites	517	51.1	46.8	55.7	235	55.2	48.3	62.9	282	49.0	43.4	55.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	219	39.5	34.4	45.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Schuyler County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	206	423.0	366.1	488.5	113	522.4	429.8	632.8	93	356.9	285.4	446.5
Oral Cavity and Pharynx	4	8.2	2.1	26.0	3	15.7	3.2	52.0	1	3.2	0.1	34.5
Esophagus	2	4.0	0.5	20.2	1	4.3	0.1	34.5	1	3.4	0.1	34.9
Stomach	0	0.0	0.0	14.8	0	0.0	0.0	28.5	0	0.0	0.0	30.9
Colon and Rectum	28	59.2	38.9	89.1	10	45.4	21.7	89.7	18	70.7	40.7	121.3
Liver	1	2.2	0.1	17.9	1	4.5	0.1	34.9	0	0.0	0.0	30.9
Pancreas	7	14.1	5.5	33.5	2	9.5	1.1	42.4	5	15.8	4.8	50.5
Lung and Bronchus	36	74.4	51.8	106.5	26	119.4	77.6	180.4	10	35.5	16.5	76.0
Bones and Joints	1	1.9	0.0	17.3	0	0.0	0.0	28.5	1	3.4	0.1	34.9
Melanoma of the Skin	3	6.3	1.3	23.4	1	4.8	0.1	35.6	2	8.7	1.1	42.7
Breast (invasive)	29	61.7	40.9	92.2	1	4.3	0.1	34.5	28	113.0	73.7	172.3
Cervix	-	-	-	-	-	-	-	-	3	15.8	3.2	54.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	4.4	0.1	36.8
Ovary	-	-	-	-	-	-	-	-	1	3.4	0.1	34.9
Prostate	-	-	-	-	24	108.5	69.4	166.7	-	-	-	-
Testis	-	-	-	-	1	4.3	0.1	34.5	-	-	-	-
Urinary Bladder	10	17.5	8.3	36.9	8	36.0	15.4	77.5	2	5.5	0.6	37.1
Kidney and Renal Pelvis	7	13.5	5.3	32.5	3	14.0	2.8	48.6	4	13.6	3.5	48.1
Brain and Other Nervous System	3	6.9	1.4	24.5	3	14.7	3.0	49.8	0	0.0	0.0	30.9
Hodgkin's Disease	1	3.5	0.1	21.0	1	7.2	0.2	41.6	0	0.0	0.0	30.9
Non-Hodgkin's Lymphomas	13	27.5	14.4	51.0	10	49.6	23.7	96.5	3	9.3	1.8	42.2
Multiple Myeloma	2	3.1	0.4	18.5	2	8.8	1.0	41.0	0	0.0	0.0	30.9
Leukemias	7	13.9	5.5	33.1	5	21.2	6.8	57.5	2	7.2	0.9	39.9
All Other Sites	22	44.4	27.7	70.8	11	50.2	25.0	95.8	11	44.0	21.5	88.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	0	0.0	0.0	30.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Scott County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	151	443.9	375.2	523.6	70	470.1	365.8	598.8	81	446.0	351.6	562.1
Oral Cavity and Pharynx	2	5.7	0.7	25.7	2	12.2	1.5	54.2	0	0.0	0.0	33.4
Esophagus	3	8.8	1.8	30.1	3	19.5	4.0	65.4	0	0.0	0.0	33.4
Stomach	2	6.4	0.8	27.1	1	5.8	0.1	44.7	1	7.6	0.2	46.6
Colon and Rectum	25	73.0	47.0	110.7	9	61.1	27.8	122.0	16	84.4	47.6	144.6
Liver	1	2.7	0.1	21.2	1	5.7	0.1	44.5	0	0.0	0.0	33.4
Pancreas	1	3.1	0.1	22.0	0	0.0	0.0	36.4	1	5.3	0.1	41.1
Lung and Bronchus	20	55.7	33.8	89.4	13	91.5	48.6	161.5	7	33.2	12.7	78.9
Bones and Joints	0	0.0	0.0	17.3	0	0.0	0.0	36.4	0	0.0	0.0	33.4
Melanoma of the Skin	3	9.3	1.8	31.4	2	15.5	1.9	61.3	1	7.6	0.2	46.6
Breast (invasive)	18	51.3	30.2	84.6	0	0.0	0.0	36.4	18	93.7	54.4	156.4
Cervix	-	-	-	-	-	-	-	-	2	13.5	1.6	54.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	45.6	19.5	96.8
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	33.4
Prostate	-	-	-	-	19	121.7	73.0	196.1	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	36.4	-	-	-	-
Urinary Bladder	3	8.2	1.7	28.9	1	6.6	0.2	46.6	2	9.5	1.1	46.4
Kidney and Renal Pelvis	5	15.8	5.1	40.2	3	19.0	3.9	64.3	2	12.1	1.5	51.6
Brain and Other Nervous System	2	6.7	0.8	27.8	1	7.3	0.2	48.3	1	7.1	0.2	45.3
Hodgkin's Disease	1	3.6	0.1	23.3	1	7.8	0.2	49.5	0	0.0	0.0	33.4
Non-Hodgkin's Lymphomas	9	27.6	12.4	55.9	1	7.2	0.2	48.0	8	44.6	18.4	96.4
Multiple Myeloma	4	12.5	3.4	35.7	4	27.6	7.5	77.4	0	0.0	0.0	33.4
Leukemias	4	10.3	2.7	31.6	4	29.3	7.9	80.9	0	0.0	0.0	33.4
All Other Sites	19	58.4	35.0	94.2	5	32.1	10.4	82.5	14	81.7	43.9	143.8
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	4	25.2	6.7	70.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Shelby County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	638	432.0	398.7	467.9	372	559.0	503.3	619.9	266	342.4	301.1	389.0
Oral Cavity and Pharynx	6	4.9	1.8	11.4	5	8.0	2.6	20.0	1	1.8	0.0	11.9
Esophagus	7	4.3	1.7	10.1	5	7.4	2.4	19.0	2	2.3	0.3	12.0
Stomach	4	2.4	0.6	7.5	3	5.0	1.0	15.9	1	1.3	0.0	10.8
Colon and Rectum	95	63.1	50.9	78.0	44	65.9	47.8	89.6	51	61.3	45.2	83.0
Liver	4	3.0	0.8	8.7	3	4.9	1.0	15.7	1	1.3	0.0	10.8
Pancreas	11	7.4	3.7	14.2	7	11.0	4.4	23.9	4	5.4	1.4	16.4
Lung and Bronchus	109	71.8	58.8	87.4	74	109.9	86.2	139.1	35	42.1	29.1	60.7
Bones and Joints	2	1.8	0.2	7.1	0	0.0	0.0	8.2	2	3.6	0.4	14.7
Melanoma of the Skin	16	10.9	6.2	18.7	10	15.3	7.3	29.5	6	8.5	3.0	20.8
Breast (invasive)	71	50.7	39.4	64.8	0	0.0	0.0	8.2	71	95.2	73.6	122.4
Cervix	-	-	-	-	-	-	-	-	6	9.9	3.4	23.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	22.1	12.7	37.6
Ovary	-	-	-	-	-	-	-	-	8	9.9	4.2	22.2
Prostate	-	-	-	-	107	156.1	127.9	189.7	-	-	-	-
Testis	-	-	-	-	2	3.7	0.4	14.3	-	-	-	-
Urinary Bladder	48	31.5	23.1	42.6	36	55.5	38.8	77.9	12	14.0	6.8	27.5
Kidney and Renal Pelvis	20	12.9	7.8	20.8	11	16.6	8.3	31.1	9	11.2	5.0	24.0
Brain and Other Nervous System	10	7.2	3.4	14.2	4	6.5	1.7	18.1	6	8.3	3.0	20.4
Hodgkin's Disease	4	3.5	0.9	9.7	3	5.1	1.0	16.3	1	1.9	0.0	12.1
Non-Hodgkin's Lymphomas	17	11.6	6.7	19.4	11	16.6	8.2	31.0	6	8.0	2.9	19.9
Multiple Myeloma	16	10.3	5.9	17.7	10	14.6	7.0	28.3	6	6.3	2.3	17.1
Leukemias	11	6.9	3.4	13.5	8	12.0	5.2	25.0	3	3.2	0.6	13.0
All Other Sites	47	33.5	24.5	45.4	29	45.0	30.0	65.7	18	24.6	14.2	41.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	23	31.4	19.7	49.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Stark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	197	472.4	406.8	547.6	107	583.7	477.5	710.3	90	409.0	323.7	514.5
Oral Cavity and Pharynx	1	1.7	0.0	17.8	0	0.0	0.0	31.7	1	2.8	0.1	35.2
Esophagus	2	3.7	0.4	20.5	1	5.6	0.1	40.1	1	4.0	0.1	37.3
Stomach	1	2.7	0.1	19.7	1	5.3	0.1	39.6	0	0.0	0.0	32.3
Colon and Rectum	36	81.5	56.7	116.4	23	120.5	76.2	186.3	13	51.2	26.1	98.4
Liver	1	2.2	0.1	18.7	1	5.0	0.1	38.9	0	0.0	0.0	32.3
Pancreas	5	8.7	2.8	26.6	2	9.7	1.2	45.4	3	6.9	1.4	39.5
Lung and Bronchus	30	68.0	45.5	100.8	18	98.4	58.1	160.9	12	49.5	24.8	96.7
Bones and Joints	0	0.0	0.0	15.7	0	0.0	0.0	31.7	0	0.0	0.0	32.3
Melanoma of the Skin	6	19.4	7.0	44.6	3	17.8	3.5	59.0	3	21.4	4.4	66.2
Breast (invasive)	22	57.9	35.7	91.1	0	0.0	0.0	31.7	22	113.6	69.1	180.7
Cervix	-	-	-	-	-	-	-	-	1	7.4	0.2	45.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	24.7	7.9	66.3
Ovary	-	-	-	-	-	-	-	-	2	7.0	0.8	40.8
Prostate	-	-	-	-	17	89.3	51.9	148.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	31.7	-	-	-	-
Urinary Bladder	15	33.8	18.5	59.9	12	65.3	33.6	119.9	3	15.2	3.1	53.8
Kidney and Renal Pelvis	12	28.3	14.4	53.3	8	43.5	18.6	92.1	4	15.8	4.0	53.1
Brain and Other Nervous System	3	7.5	1.4	26.8	2	12.4	1.5	51.1	1	5.5	0.1	40.5
Hodgkin's Disease	0	0.0	0.0	15.7	0	0.0	0.0	31.7	0	0.0	0.0	32.3
Non-Hodgkin's Lymphomas	11	27.5	13.3	53.3	6	35.5	12.8	83.3	5	21.6	5.9	63.0
Multiple Myeloma	1	2.2	0.1	18.7	0	0.0	0.0	31.7	1	4.0	0.1	37.3
Leukemias	9	23.7	10.3	49.1	6	36.7	13.2	85.5	3	12.5	2.1	49.8
All Other Sites	17	42.1	24.0	71.2	7	38.6	15.4	85.9	10	45.9	20.2	95.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	4	19.3	5.1	59.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Stephenson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,311	444.7	420.7	469.9	673	525.6	486.5	567.3	638	393.9	363.0	427.1
Oral Cavity and Pharynx	20	7.4	4.5	11.6	9	7.3	3.3	14.4	11	7.1	3.5	13.5
Esophagus	17	5.8	3.4	9.6	14	10.7	5.8	18.4	3	2.2	0.4	7.1
Stomach	18	6.1	3.6	9.9	14	10.9	6.0	18.8	4	2.4	0.6	7.2
Colon and Rectum	161	52.1	44.3	61.1	81	63.8	50.6	79.7	80	43.8	34.4	55.5
Liver	8	2.7	1.2	5.7	5	3.8	1.2	9.4	3	1.7	0.4	6.2
Pancreas	49	15.5	11.4	20.8	31	24.5	16.6	35.2	18	9.3	5.4	15.7
Lung and Bronchus	185	62.6	53.9	72.6	109	83.8	68.8	101.5	76	46.2	36.2	58.6
Bones and Joints	0	0.0	0.0	1.9	0	0.0	0.0	3.8	0	0.0	0.0	3.8
Melanoma of the Skin	21	7.4	4.6	11.6	15	11.7	6.5	19.8	6	4.1	1.5	9.7
Breast (invasive)	172	60.4	51.6	70.5	0	0.0	0.0	3.8	172	111.3	94.8	130.1
Cervix	-	-	-	-	-	-	-	-	14	11.1	6.0	19.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	49	31.6	23.3	42.5
Ovary	-	-	-	-	-	-	-	-	23	16.0	10.0	24.6
Prostate	-	-	-	-	179	136.9	117.5	158.8	-	-	-	-
Testis	-	-	-	-	9	7.7	3.5	15.0	-	-	-	-
Urinary Bladder	48	15.3	11.3	20.6	36	28.1	19.7	39.3	12	6.1	3.1	11.7
Kidney and Renal Pelvis	47	16.0	11.7	21.5	23	17.9	11.3	27.2	24	14.2	9.0	21.9
Brain and Other Nervous System	20	8.0	4.8	12.6	12	10.3	5.3	18.3	8	6.1	2.6	12.7
Hodgkin's Disease	6	2.2	0.8	5.2	5	4.5	1.4	10.7	1	0.5	0.0	4.5
Non-Hodgkin's Lymphomas	70	23.6	18.3	30.1	34	27.1	18.7	38.3	36	21.1	14.6	30.1
Multiple Myeloma	21	6.9	4.2	10.9	14	11.4	6.2	19.5	7	4.1	1.6	9.3
Leukemias	30	10.3	6.9	15.0	18	14.4	8.5	23.2	12	6.7	3.4	12.7
All Other Sites	144	48.5	40.8	57.4	65	50.8	39.2	65.2	79	48.3	37.9	61.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	27	17.9	11.7	26.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Tazewell County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,824	521.7	505.3	538.6	2,023	624.5	597.4	652.7	1,801	453.4	432.5	475.3
Oral Cavity and Pharynx	62	8.5	6.5	11.0	45	13.6	9.9	18.4	17	4.0	2.3	6.7
Esophagus	36	4.9	3.4	6.9	30	9.1	6.1	13.1	6	1.5	0.5	3.4
Stomach	42	5.7	4.1	7.8	24	7.1	4.5	10.8	18	4.2	2.5	6.9
Colon and Rectum	433	57.9	52.5	63.6	211	67.7	58.8	77.7	222	51.0	44.4	58.4
Liver	36	4.9	3.4	6.8	29	8.9	5.9	13.0	7	1.8	0.7	3.8
Pancreas	74	9.9	7.8	12.5	38	11.7	8.3	16.3	36	8.3	5.8	11.7
Lung and Bronchus	599	80.7	74.3	87.5	335	104.1	93.2	116.1	264	64.8	57.2	73.3
Bones and Joints	7	1.0	0.4	2.2	4	1.2	0.3	3.4	3	0.8	0.2	2.6
Melanoma of the Skin	144	20.3	17.1	24.0	80	23.9	18.9	29.9	64	17.6	13.5	22.6
Breast (invasive)	502	69.4	63.5	75.9	0	0.0	0.0	1.6	502	129.8	118.6	142.0
Cervix	-	-	-	-	-	-	-	-	23	6.9	4.4	10.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	118	30.2	25.0	36.4
Ovary	-	-	-	-	-	-	-	-	49	12.1	8.9	16.2
Prostate	-	-	-	-	610	185.2	170.7	200.8	-	-	-	-
Testis	-	-	-	-	14	4.6	2.5	7.9	-	-	-	-
Urinary Bladder	202	27.2	23.6	31.3	143	44.8	37.7	53.0	59	13.9	10.5	18.2
Kidney and Renal Pelvis	138	18.9	15.8	22.4	83	24.9	19.8	31.1	55	13.9	10.4	18.2
Brain and Other Nervous System	63	8.9	6.8	11.5	40	12.1	8.6	16.7	23	6.1	3.8	9.3
Hodgkin's Disease	22	3.4	2.1	5.1	14	4.4	2.4	7.5	8	2.5	1.1	5.0
Non-Hodgkin's Lymphomas	166	22.9	19.5	26.7	85	26.4	21.1	32.9	81	20.6	16.3	25.8
Multiple Myeloma	40	5.3	3.8	7.3	25	8.5	5.4	12.7	15	3.6	2.0	6.1
Leukemias	117	16.1	13.3	19.3	64	20.5	15.8	26.4	53	12.6	9.4	16.8
All Other Sites	327	45.7	40.8	50.9	149	45.9	38.8	54.1	178	47.3	40.5	55.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	106	27.8	22.7	33.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Union County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	513	443.3	405.2	484.7	272	532.3	470.5	601.0	241	379.2	331.0	433.8
Oral Cavity and Pharynx	16	15.1	8.6	25.5	9	18.2	8.3	36.3	7	13.0	5.1	29.1
Esophagus	3	2.6	0.5	9.1	2	4.1	0.5	17.0	1	1.7	0.0	13.0
Stomach	7	6.3	2.5	14.2	4	8.0	2.1	22.7	3	4.7	1.0	17.0
Colon and Rectum	70	57.5	44.6	73.7	33	63.5	43.6	90.8	37	51.4	35.4	74.3
Liver	2	1.7	0.2	7.8	2	3.5	0.4	15.8	0	0.0	0.0	10.6
Pancreas	12	9.8	5.0	18.5	8	16.0	6.9	33.3	4	6.0	1.5	18.9
Lung and Bronchus	89	74.7	59.9	92.9	52	98.5	73.4	130.6	37	55.6	38.7	79.3
Bones and Joints	1	0.9	0.0	6.8	1	2.1	0.1	14.1	0	0.0	0.0	10.6
Melanoma of the Skin	11	8.8	4.3	17.1	8	15.5	6.7	32.5	3	4.9	0.9	17.8
Breast (invasive)	71	63.2	49.1	80.6	0	0.0	0.0	10.8	71	117.8	91.3	151.0
Cervix	-	-	-	-	-	-	-	-	4	7.2	1.9	21.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	22.5	12.4	40.0
Ovary	-	-	-	-	-	-	-	-	5	9.6	2.9	24.9
Prostate	-	-	-	-	60	116.6	88.9	151.5	-	-	-	-
Testis	-	-	-	-	3	7.9	1.6	23.8	-	-	-	-
Urinary Bladder	30	25.0	16.7	36.7	21	40.9	25.2	64.1	9	11.2	4.7	25.4
Kidney and Renal Pelvis	10	8.4	4.0	16.7	8	15.7	6.8	32.9	2	2.5	0.3	13.8
Brain and Other Nervous System	11	11.0	5.4	20.6	7	14.6	5.8	31.8	4	8.3	2.2	23.3
Hodgkin's Disease	2	2.0	0.2	8.4	1	2.3	0.1	14.5	1	1.6	0.0	12.8
Non-Hodgkin's Lymphomas	34	28.3	19.5	40.5	23	44.2	28.0	68.0	11	16.3	8.0	32.0
Multiple Myeloma	2	2.0	0.2	8.4	1	2.1	0.1	14.1	1	1.7	0.0	13.1
Leukemias	11	10.7	5.2	20.2	5	10.6	3.4	26.6	6	10.8	3.8	26.2
All Other Sites	44	40.0	28.8	54.7	24	48.0	30.6	73.1	20	32.4	19.1	53.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	8	13.8	5.9	29.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,479	500.4	480.8	520.7	1,278	588.1	556.1	621.7	1,201	446.8	421.3	473.7
Oral Cavity and Pharynx	54	11.4	8.5	15.0	42	19.6	14.1	26.7	12	4.4	2.3	8.2
Esophagus	27	5.2	3.4	7.7	22	10.5	6.5	16.2	5	1.7	0.5	4.4
Stomach	38	7.4	5.3	10.4	26	11.7	7.6	17.4	12	4.2	2.1	7.9
Colon and Rectum	326	63.5	56.7	70.9	170	79.7	68.0	92.9	156	51.9	44.0	61.2
Liver	15	3.0	1.7	5.1	11	5.0	2.5	9.2	4	1.5	0.4	4.2
Pancreas	65	12.6	9.7	16.2	33	15.4	10.5	21.8	32	10.8	7.3	15.7
Lung and Bronchus	462	91.3	83.1	100.1	268	121.6	107.4	137.3	194	69.0	59.5	79.8
Bones and Joints	4	1.0	0.3	2.6	2	1.0	0.1	3.9	2	1.0	0.1	3.7
Melanoma of the Skin	67	14.3	11.0	18.3	48	22.0	16.2	29.5	19	8.3	5.0	13.3
Breast (invasive)	361	75.7	68.0	84.0	0	0.0	0.0	2.3	361	140.7	126.3	156.5
Cervix	-	-	-	-	-	-	-	-	19	8.3	4.9	13.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	66	26.2	20.1	33.8
Ovary	-	-	-	-	-	-	-	-	32	11.3	7.7	16.3
Prostate	-	-	-	-	320	144.7	129.2	161.7	-	-	-	-
Testis	-	-	-	-	7	3.4	1.4	7.3	-	-	-	-
Urinary Bladder	124	24.6	20.4	29.4	91	42.6	34.2	52.6	33	11.8	8.0	17.0
Kidney and Renal Pelvis	62	13.0	9.9	16.8	35	16.6	11.5	23.3	27	10.2	6.7	15.3
Brain and Other Nervous System	25	5.7	3.7	8.5	14	7.0	3.8	12.1	11	5.1	2.5	9.4
Hodgkin's Disease	11	2.6	1.3	4.8	4	1.8	0.5	5.0	7	3.6	1.4	7.5
Non-Hodgkin's Lymphomas	87	17.6	14.1	21.8	40	18.4	13.1	25.4	47	16.7	12.2	22.7
Multiple Myeloma	30	5.9	4.0	8.6	13	6.1	3.2	10.7	17	5.9	3.4	9.9
Leukemias	86	17.5	14.0	21.8	43	19.9	14.4	27.1	43	15.9	11.4	21.8
All Other Sites	191	39.4	34.0	45.5	89	41.3	33.1	51.1	102	38.3	31.0	47.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	79	31.9	25.2	40.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Wabash County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	396	511.7	461.9	566.1	214	636.0	553.4	728.6	182	431.5	369.1	503.2
Oral Cavity and Pharynx	6	7.9	2.9	18.7	4	11.8	3.2	32.8	2	5.4	0.6	23.1
Esophagus	7	9.5	3.7	21.0	7	21.5	8.5	46.4	0	0.0	0.0	14.9
Stomach	2	2.7	0.3	11.5	2	5.8	0.7	24.1	0	0.0	0.0	14.9
Colon and Rectum	58	70.0	53.0	91.8	35	103.7	72.2	145.8	23	46.5	28.9	74.0
Liver	3	3.4	0.7	12.2	2	6.0	0.7	24.5	1	1.3	0.0	16.3
Pancreas	10	12.4	5.9	24.3	6	18.2	6.7	41.7	4	7.6	2.1	24.8
Lung and Bronchus	75	95.9	75.3	121.3	46	135.1	98.8	181.8	29	66.8	44.4	99.1
Bones and Joints	0	0.0	0.0	7.4	0	0.0	0.0	15.0	0	0.0	0.0	14.9
Melanoma of the Skin	18	22.4	13.2	36.8	12	34.7	17.9	62.6	6	12.3	4.2	31.7
Breast (invasive)	61	83.6	63.7	108.6	1	2.9	0.1	19.6	60	153.2	115.9	200.4
Cervix	-	-	-	-	-	-	-	-	6	17.5	6.2	40.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	22.1	9.4	46.2
Ovary	-	-	-	-	-	-	-	-	5	14.3	4.5	36.2
Prostate	-	-	-	-	43	126.5	91.5	172.0	-	-	-	-
Testis	-	-	-	-	2	8.2	1.0	29.4	-	-	-	-
Urinary Bladder	16	20.5	11.6	34.6	11	32.6	16.3	60.3	5	11.1	3.3	30.4
Kidney and Renal Pelvis	12	15.4	7.9	28.2	7	20.7	8.3	44.9	5	12.0	3.8	31.7
Brain and Other Nervous System	7	10.9	4.3	23.4	5	15.8	5.1	38.9	2	5.3	0.6	22.9
Hodgkin's Disease	0	0.0	0.0	7.4	0	0.0	0.0	15.0	0	0.0	0.0	14.9
Non-Hodgkin's Lymphomas	14	17.3	9.4	30.5	7	20.9	8.4	45.1	7	14.8	5.7	35.0
Multiple Myeloma	4	5.2	1.4	15.0	2	5.9	0.7	24.3	2	4.8	0.6	21.9
Leukemias	8	11.2	4.8	23.3	5	15.4	5.0	38.0	3	6.9	1.4	24.8
All Other Sites	31	38.2	25.9	55.5	17	50.3	29.3	82.3	14	29.5	15.7	53.5
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	9	22.4	10.1	45.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Warren County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	595	529.6	487.4	575.1	302	621.0	552.5	696.6	293	477.6	422.6	539.0
Oral Cavity and Pharynx	10	8.7	4.1	17.0	5	10.0	3.2	25.1	5	6.9	2.2	19.7
Esophagus	6	5.4	2.0	12.8	4	8.0	2.2	22.3	2	3.7	0.4	15.9
Stomach	7	5.8	2.3	13.1	4	9.2	2.5	24.8	3	5.2	1.1	18.0
Colon and Rectum	71	60.4	47.0	77.1	33	68.0	46.7	96.8	38	54.0	37.5	77.2
Liver	3	2.5	0.5	8.7	0	0.0	0.0	10.5	3	4.4	0.9	16.4
Pancreas	15	12.5	6.9	21.6	6	11.9	4.4	27.6	9	13.0	5.8	27.8
Lung and Bronchus	102	89.0	72.5	108.9	63	126.2	96.9	162.7	39	61.9	43.6	86.9
Bones and Joints	0	0.0	0.0	5.2	0	0.0	0.0	10.5	0	0.0	0.0	10.5
Melanoma of the Skin	29	27.8	18.4	40.8	17	35.7	20.6	58.5	12	22.5	11.3	41.6
Breast (invasive)	76	69.0	54.2	87.2	1	2.6	0.1	15.3	75	125.1	97.7	159.3
Cervix	-	-	-	-	-	-	-	-	4	8.6	2.3	23.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	32.2	19.3	52.4
Ovary	-	-	-	-	-	-	-	-	10	16.5	7.7	33.0
Prostate	-	-	-	-	74	147.9	116.0	186.9	-	-	-	-
Testis	-	-	-	-	6	12.9	4.6	29.7	-	-	-	-
Urinary Bladder	33	27.5	18.8	39.6	26	56.7	36.9	84.2	7	9.9	3.9	23.6
Kidney and Renal Pelvis	18	16.9	9.9	27.5	9	18.2	8.3	36.1	9	16.1	7.3	32.7
Brain and Other Nervous System	8	8.2	3.5	17.1	4	8.9	2.4	24.1	4	7.8	2.0	22.4
Hodgkin's Disease	3	2.5	0.5	8.7	3	6.3	1.2	20.3	0	0.0	0.0	10.5
Non-Hodgkin's Lymphomas	30	26.2	17.6	38.3	16	33.4	19.0	55.6	14	20.9	11.2	37.9
Multiple Myeloma	9	7.7	3.5	15.8	4	8.0	2.2	22.3	5	7.2	2.2	20.3
Leukemias	12	10.3	5.3	19.2	7	15.8	6.3	33.8	5	9.4	2.9	24.4
All Other Sites	49	47.1	34.6	63.2	20	41.5	25.2	65.5	29	52.3	34.3	77.7
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	7	11.9	4.6	27.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Washington County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	493	534.8	488.0	585.5	262	626.8	553.0	708.9	231	477.0	415.5	546.5
Oral Cavity and Pharynx	10	12.1	5.8	23.2	7	17.3	6.9	37.5	3	7.4	1.5	24.0
Esophagus	2	2.3	0.3	9.6	2	4.8	0.6	19.9	0	0.0	0.0	12.6
Stomach	5	4.8	1.6	12.9	2	4.5	0.5	19.3	3	4.4	0.9	18.2
Colon and Rectum	73	73.2	57.2	93.2	39	94.1	66.8	130.1	34	60.8	41.6	88.2
Liver	5	5.8	1.8	14.8	4	10.4	2.8	28.3	1	2.0	0.0	15.4
Pancreas	15	16.1	9.0	27.7	10	23.4	11.2	45.0	5	10.9	3.5	28.2
Lung and Bronchus	66	70.7	54.6	91.0	40	94.2	67.2	129.9	26	52.3	33.9	79.2
Bones and Joints	0	0.0	0.0	6.3	0	0.0	0.0	12.6	0	0.0	0.0	12.6
Melanoma of the Skin	25	28.4	18.3	43.0	16	38.4	21.9	64.0	9	21.5	9.7	43.1
Breast (invasive)	63	73.0	55.9	94.4	0	0.0	0.0	12.6	63	142.1	108.4	184.4
Cervix	-	-	-	-	-	-	-	-	7	16.5	6.5	36.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	22.2	11.2	42.2
Ovary	-	-	-	-	-	-	-	-	7	12.8	4.9	30.2
Prostate	-	-	-	-	74	174.8	137.1	220.9	-	-	-	-
Testis	-	-	-	-	2	5.9	0.7	22.5	-	-	-	-
Urinary Bladder	25	25.9	16.7	39.4	17	40.8	23.7	67.0	8	14.6	6.0	32.5
Kidney and Renal Pelvis	13	13.9	7.3	25.0	8	19.7	8.5	40.6	5	8.7	2.7	24.4
Brain and Other Nervous System	6	7.9	2.9	18.0	4	10.3	2.8	28.2	2	5.3	0.6	21.1
Hodgkin's Disease	2	2.2	0.3	9.6	2	4.5	0.5	19.4	0	0.0	0.0	12.6
Non-Hodgkin's Lymphomas	22	23.0	14.3	36.0	10	23.6	11.3	45.4	12	23.2	11.7	43.8
Multiple Myeloma	3	3.3	0.7	11.1	1	2.6	0.1	16.9	2	4.8	0.6	19.9
Leukemias	19	20.0	11.9	32.4	9	21.1	9.6	42.1	10	18.2	8.4	37.0
All Other Sites	37	42.4	29.6	59.5	15	36.4	20.3	61.8	22	49.2	30.1	77.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	16	35.8	20.2	60.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Wayne County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	504	437.8	399.6	479.3	255	523.7	460.9	593.4	249	386.8	337.9	442.3
Oral Cavity and Pharynx	8	7.7	3.2	16.3	7	14.9	5.9	32.1	1	1.2	0.0	12.6
Esophagus	0	0.0	0.0	5.3	0	0.0	0.0	10.4	0	0.0	0.0	11.2
Stomach	4	3.1	0.8	9.5	1	1.9	0.0	13.3	3	4.0	0.8	16.3
Colon and Rectum	71	58.0	45.1	74.2	37	75.9	53.3	105.9	34	44.7	30.5	65.8
Liver	2	2.1	0.3	8.7	1	2.1	0.1	13.8	1	2.2	0.1	14.9
Pancreas	9	7.3	3.3	15.2	4	7.7	2.1	21.7	5	6.7	2.1	19.9
Lung and Bronchus	88	74.9	59.8	93.2	53	106.7	79.8	140.9	35	52.0	36.0	75.1
Bones and Joints	1	0.9	0.0	6.6	0	0.0	0.0	10.4	1	1.6	0.0	13.3
Melanoma of the Skin	8	7.1	3.0	15.2	3	6.8	1.4	21.1	5	7.9	2.5	21.9
Breast (invasive)	84	75.9	60.2	95.1	0	0.0	0.0	10.4	84	138.6	109.3	175.0
Cervix	-	-	-	-	-	-	-	-	3	7.6	1.6	23.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	18.2	9.1	35.1
Ovary	-	-	-	-	-	-	-	-	4	5.2	1.4	17.8
Prostate	-	-	-	-	76	152.6	120.1	192.2	-	-	-	-
Testis	-	-	-	-	2	5.2	0.6	19.4	-	-	-	-
Urinary Bladder	25	19.9	12.8	30.5	18	36.4	21.5	59.0	7	8.9	3.4	22.6
Kidney and Renal Pelvis	14	13.2	7.1	23.2	7	13.7	5.5	30.0	7	12.8	4.9	29.3
Brain and Other Nervous System	6	6.1	2.1	14.4	3	6.7	1.4	21.0	3	5.2	0.8	19.4
Hodgkin's Disease	2	2.4	0.3	9.3	1	2.1	0.1	13.8	1	2.8	0.1	16.3
Non-Hodgkin's Lymphomas	22	19.1	11.8	30.0	9	19.9	9.0	39.1	13	19.7	10.4	36.6
Multiple Myeloma	4	2.7	0.7	8.8	1	1.9	0.0	13.3	3	2.9	0.6	14.4
Leukemias	14	11.2	6.0	20.0	11	22.0	11.0	41.0	3	3.3	0.6	15.2
All Other Sites	45	43.6	31.4	59.5	21	47.1	29.0	73.1	24	41.4	25.4	65.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	9	14.2	6.2	30.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

White County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	515	472.3	431.2	517.2	262	539.2	475.4	610.9	253	429.4	374.8	492.0
Oral Cavity and Pharynx	6	5.1	1.8	13.3	3	6.2	1.3	22.1	3	4.0	0.8	18.8
Esophagus	7	6.9	2.7	15.9	4	8.1	2.2	24.7	3	5.8	1.1	22.2
Stomach	4	3.0	0.8	10.4	2	4.0	0.5	19.0	2	2.6	0.3	16.9
Colon and Rectum	86	74.5	59.3	93.7	48	97.2	71.6	131.3	38	55.8	38.4	81.7
Liver	1	0.6	0.0	7.2	0	0.0	0.0	13.5	1	0.8	0.0	14.7
Pancreas	16	14.1	7.9	24.7	9	18.9	8.6	39.1	7	10.0	3.9	26.3
Lung and Bronchus	104	94.5	77.0	116.0	60	120.6	92.0	157.6	44	76.8	55.2	106.9
Bones and Joints	1	0.9	0.0	7.8	0	0.0	0.0	13.5	1	1.6	0.0	16.0
Melanoma of the Skin	10	11.2	5.2	22.0	5	11.3	3.6	29.5	5	10.8	3.2	29.6
Breast (invasive)	70	70.2	54.2	90.4	2	4.0	0.5	18.9	68	128.4	98.2	167.3
Cervix	-	-	-	-	-	-	-	-	7	15.5	6.0	35.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	16.3	7.8	34.5
Ovary	-	-	-	-	-	-	-	-	7	12.6	4.5	31.3
Prostate	-	-	-	-	58	117.0	88.8	153.7	-	-	-	-
Testis	-	-	-	-	1	3.2	0.1	19.1	-	-	-	-
Urinary Bladder	28	23.8	15.7	36.2	19	38.8	23.3	63.4	9	13.1	5.7	30.5
Kidney and Renal Pelvis	8	6.9	2.9	15.7	4	8.2	2.2	24.9	4	5.8	1.3	21.6
Brain and Other Nervous System	8	8.1	3.3	18.0	5	11.7	3.7	30.5	3	5.2	0.8	21.5
Hodgkin's Disease	1	0.7	0.0	7.5	1	2.0	0.0	16.2	0	0.0	0.0	14.0
Non-Hodgkin's Lymphomas	15	13.8	7.7	24.5	12	25.0	12.9	46.7	3	4.2	0.8	19.0
Multiple Myeloma	10	8.2	3.8	17.2	5	9.9	3.2	27.0	5	7.2	2.1	23.3
Leukemias	13	11.7	6.0	22.0	4	8.5	2.3	25.4	9	15.3	6.5	34.3
All Other Sites	43	40.8	29.0	56.9	20	44.4	26.9	71.3	23	37.5	22.6	61.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	6	9.8	3.5	26.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Whiteside County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,724	477.1	454.7	500.5	903	565.7	529.3	604.1	821	417.9	389.0	448.5
Oral Cavity and Pharynx	41	11.5	8.3	15.8	28	17.6	11.7	25.7	13	6.0	3.1	11.0
Esophagus	21	5.9	3.7	9.3	20	12.3	7.5	19.3	1	0.5	0.0	3.6
Stomach	27	7.3	4.8	10.8	15	10.0	5.6	16.7	12	6.0	3.1	11.1
Colon and Rectum	182	48.4	41.6	56.2	91	57.4	46.1	70.6	91	40.0	32.0	49.8
Liver	15	4.3	2.4	7.3	9	5.6	2.6	11.0	6	3.0	1.1	7.3
Pancreas	31	8.3	5.6	12.0	18	11.1	6.6	17.8	13	6.1	3.2	11.0
Lung and Bronchus	260	70.5	62.2	79.8	159	98.4	83.7	115.2	101	49.4	40.1	60.6
Bones and Joints	2	0.6	0.1	2.4	1	0.6	0.0	3.9	1	0.7	0.0	4.2
Melanoma of the Skin	67	20.4	15.8	26.1	33	20.8	14.3	29.4	34	20.3	13.9	28.8
Breast (invasive)	234	65.6	57.4	74.8	0	0.0	0.0	2.9	234	120.6	105.3	137.8
Cervix	-	-	-	-	-	-	-	-	27	17.9	11.7	26.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	66	34.2	26.3	44.0
Ovary	-	-	-	-	-	-	-	-	35	18.6	12.9	26.4
Prostate	-	-	-	-	274	170.3	150.7	191.9	-	-	-	-
Testis	-	-	-	-	8	5.8	2.5	11.6	-	-	-	-
Urinary Bladder	80	21.2	16.8	26.6	61	38.3	29.2	49.4	19	9.2	5.5	14.9
Kidney and Renal Pelvis	41	11.6	8.3	15.9	25	15.5	10.0	23.1	16	8.0	4.5	13.7
Brain and Other Nervous System	25	7.4	4.8	11.1	9	5.8	2.7	11.3	16	8.5	4.8	14.3
Hodgkin's Disease	6	2.0	0.7	4.4	3	2.0	0.4	6.1	3	2.0	0.4	6.2
Non-Hodgkin's Lymphomas	73	20.8	16.2	26.3	39	24.2	17.2	33.3	34	18.1	12.4	25.9
Multiple Myeloma	23	6.1	3.9	9.4	14	9.0	4.9	15.4	9	4.2	1.9	8.6
Leukemias	38	10.2	7.2	14.3	16	10.6	6.0	17.4	22	10.8	6.6	17.1
All Other Sites	148	40.6	34.3	47.9	80	50.3	39.9	62.8	68	33.7	26.0	43.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	33	18.6	12.7	26.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	10,195	495.4	485.6	505.3	5,296	598.4	581.5	615.7	4,899	425.9	413.9	438.1
Oral Cavity and Pharynx	232	10.6	9.3	12.1	159	15.6	13.1	18.5	73	6.4	5.0	8.0
Esophagus	107	5.4	4.4	6.5	82	9.0	7.1	11.5	25	2.4	1.5	3.5
Stomach	149	7.6	6.4	8.9	95	11.2	9.0	14.0	54	4.8	3.6	6.2
Colon and Rectum	1,118	57.5	54.1	61.0	604	72.1	66.2	78.6	514	46.6	42.7	50.9
Liver	91	4.2	3.4	5.2	63	6.1	4.6	8.1	28	2.5	1.7	3.7
Pancreas	237	12.3	10.7	14.0	127	14.5	12.0	17.5	110	10.2	8.4	12.3
Lung and Bronchus	1,466	75.1	71.3	79.1	811	96.0	89.2	103.2	655	60.5	55.9	65.4
Bones and Joints	24	0.9	0.6	1.4	15	1.2	0.6	2.2	9	0.7	0.3	1.4
Melanoma of the Skin	274	11.9	10.5	13.5	153	15.5	13.0	18.6	121	9.6	8.0	11.6
Breast (invasive)	1,532	69.7	66.2	73.4	8	0.8	0.3	1.9	1,524	129.2	122.7	135.9
Cervix	-	-	-	-	-	-	-	-	112	8.5	7.0	10.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	310	26.8	23.9	30.0
Ovary	-	-	-	-	-	-	-	-	155	13.3	11.3	15.6
Prostate	-	-	-	-	1,501	170.7	161.8	180.1	-	-	-	-
Testis	-	-	-	-	70	4.9	3.9	6.5	-	-	-	-
Urinary Bladder	487	25.3	23.1	27.7	359	43.9	39.2	49.0	128	11.7	9.8	14.0
Kidney and Renal Pelvis	345	16.3	14.6	18.2	221	23.0	19.9	26.6	124	10.8	9.0	12.9
Brain and Other Nervous System	154	6.6	5.6	7.8	81	7.6	6.0	9.8	73	5.9	4.6	7.5
Hodgkin's Disease	82	3.3	2.6	4.1	45	3.8	2.7	5.3	37	2.9	2.0	4.0
Non-Hodgkin's Lymphomas	390	19.4	17.4	21.4	210	23.2	20.0	26.9	180	16.2	13.9	18.8
Multiple Myeloma	119	6.0	5.0	7.3	70	8.0	6.2	10.4	49	4.5	3.3	5.9
Leukemias	296	14.6	13.0	16.4	185	22.1	18.8	25.9	111	9.7	8.0	11.8
All Other Sites	944	44.6	41.7	47.6	437	49.1	44.3	54.3	507	42.7	39.0	46.6
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	370	30.7	27.6	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Williamson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,851	488.5	466.4	511.6	990	606.2	568.8	645.6	861	410.4	382.6	440.0
Oral Cavity and Pharynx	42	11.3	8.1	15.5	31	19.1	12.9	27.4	11	5.4	2.7	10.3
Esophagus	21	5.6	3.4	8.7	19	11.6	7.0	18.4	2	0.8	0.1	4.1
Stomach	20	5.0	3.0	7.9	10	6.0	2.9	11.4	10	4.2	2.0	8.6
Colon and Rectum	216	54.8	47.7	62.8	102	63.8	51.9	77.7	114	48.4	39.7	58.9
Liver	15	4.0	2.2	6.9	9	5.2	2.4	10.3	6	3.0	1.1	7.3
Pancreas	34	8.6	5.9	12.2	15	9.4	5.2	15.8	19	8.1	4.8	13.3
Lung and Bronchus	309	79.6	71.0	89.2	187	113.5	97.7	131.3	122	55.4	45.9	66.8
Bones and Joints	5	1.6	0.5	4.0	2	1.2	0.1	4.9	3	2.1	0.4	6.4
Melanoma of the Skin	41	11.4	8.2	15.7	28	17.0	11.3	24.8	13	7.3	3.9	13.0
Breast (invasive)	247	65.5	57.5	74.4	2	1.2	0.1	4.8	245	116.9	102.3	133.3
Cervix	-	-	-	-	-	-	-	-	19	11.3	6.7	18.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	44	21.8	15.7	29.8
Ovary	-	-	-	-	-	-	-	-	18	8.7	5.0	14.3
Prostate	-	-	-	-	281	169.7	150.4	191.1	-	-	-	-
Testis	-	-	-	-	8	5.2	2.2	10.5	-	-	-	-
Urinary Bladder	105	26.8	21.9	32.6	77	49.3	38.8	61.9	28	12.0	7.8	18.1
Kidney and Renal Pelvis	57	15.8	11.9	20.6	30	17.8	12.0	25.7	27	14.1	9.2	21.1
Brain and Other Nervous System	24	6.9	4.4	10.5	10	6.3	3.0	12.0	14	7.3	3.9	12.9
Hodgkin's Disease	8	2.6	1.1	5.2	4	2.6	0.7	7.0	4	2.5	0.7	6.8
Non-Hodgkin's Lymphomas	70	18.4	14.3	23.5	44	27.0	19.6	36.5	26	12.3	8.0	18.7
Multiple Myeloma	29	7.4	5.0	10.9	13	7.8	4.1	13.7	16	6.6	3.7	11.6
Leukemias	52	14.8	11.0	19.6	29	18.3	12.2	26.6	23	12.8	8.0	19.7
All Other Sites	186	50.5	43.5	58.6	89	54.4	43.6	67.2	97	49.3	39.7	60.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	35	18.8	13.0	26.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,975	488.2	476.8	499.8	3,459	559.4	540.7	578.7	3,516	443.5	428.9	458.6
Oral Cavity and Pharynx	161	11.3	9.6	13.2	108	16.8	13.8	20.5	53	6.7	5.0	8.8
Esophagus	81	5.6	4.5	7.0	62	10.0	7.6	12.9	19	2.3	1.4	3.6
Stomach	111	7.7	6.3	9.3	65	10.6	8.2	13.7	46	5.4	3.9	7.2
Colon and Rectum	820	57.4	53.5	61.4	419	68.1	61.6	75.1	401	48.6	43.9	53.7
Liver	37	2.6	1.8	3.6	23	3.7	2.3	5.7	14	1.7	0.9	2.9
Pancreas	187	13.1	11.3	15.1	108	17.6	14.4	21.4	79	9.4	7.4	11.8
Lung and Bronchus	1,132	79.3	74.7	84.0	652	105.7	97.7	114.3	480	60.2	54.9	65.9
Bones and Joints	9	0.6	0.3	1.2	2	0.3	0.0	1.3	7	0.9	0.4	2.0
Melanoma of the Skin	192	13.6	11.7	15.6	118	18.7	15.4	22.5	74	9.7	7.6	12.3
Breast (invasive)	1,107	77.4	72.9	82.1	7	1.2	0.5	2.7	1,100	141.6	133.3	150.3
Cervix	-	-	-	-	-	-	-	-	69	9.3	7.2	11.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	218	27.8	24.2	31.8
Ovary	-	-	-	-	-	-	-	-	125	15.9	13.2	19.0
Prostate	-	-	-	-	837	135.0	126.0	144.7	-	-	-	-
Testis	-	-	-	-	40	5.9	4.2	8.1	-	-	-	-
Urinary Bladder	325	22.7	20.3	25.3	245	40.8	35.8	46.4	80	9.7	7.7	12.2
Kidney and Renal Pelvis	178	12.4	10.6	14.4	103	16.3	13.3	19.9	75	9.1	7.2	11.5
Brain and Other Nervous System	111	7.8	6.4	9.4	58	8.9	6.7	11.6	53	7.0	5.2	9.2
Hodgkin's Disease	35	2.6	1.8	3.6	18	2.7	1.6	4.4	17	2.4	1.4	3.9
Non-Hodgkin's Lymphomas	288	20.2	17.9	22.6	142	22.9	19.2	27.1	146	18.1	15.3	21.4
Multiple Myeloma	95	6.6	5.4	8.1	36	5.8	4.0	8.1	59	7.4	5.6	9.5
Leukemias	196	13.7	11.8	15.8	120	19.9	16.4	23.9	76	9.6	7.5	12.0
All Other Sites	621	43.5	40.1	47.0	296	48.5	43.1	54.5	325	40.7	36.4	45.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	325	42.9	38.3	47.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Woodford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	930	463.7	434.0	495.2	492	565.8	516.6	618.6	438	402.0	364.1	443.5
Oral Cavity and Pharynx	10	4.9	2.3	9.6	5	5.9	1.9	14.4	5	3.5	1.1	10.3
Esophagus	9	4.3	1.9	8.7	8	8.9	3.8	18.3	1	0.5	0.0	6.3
Stomach	11	5.0	2.5	9.6	6	6.8	2.5	15.5	5	4.1	1.2	11.5
Colon and Rectum	113	54.5	44.8	66.0	58	67.3	51.0	87.5	55	45.5	33.9	60.8
Liver	6	2.8	1.0	6.8	2	2.0	0.2	8.5	4	3.0	0.8	9.9
Pancreas	17	8.4	4.9	13.9	11	12.4	6.1	22.8	6	5.0	1.8	12.7
Lung and Bronchus	103	51.0	41.5	62.2	57	67.1	50.8	87.4	46	41.2	29.9	56.2
Bones and Joints	4	2.3	0.6	6.4	3	3.6	0.7	11.2	1	0.9	0.0	7.0
Melanoma of the Skin	32	16.6	11.3	23.9	18	20.7	12.2	33.3	14	14.0	7.5	24.8
Breast (invasive)	137	68.4	57.3	81.3	1	1.1	0.0	7.3	136	128.0	106.9	152.8
Cervix	-	-	-	-	-	-	-	-	8	9.3	4.0	19.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	27	25.2	16.4	37.9
Ovary	-	-	-	-	-	-	-	-	14	13.8	7.4	24.3
Prostate	-	-	-	-	152	172.6	146.1	202.9	-	-	-	-
Testis	-	-	-	-	5	5.8	1.9	14.3	-	-	-	-
Urinary Bladder	53	25.1	18.7	33.3	41	48.3	34.6	66.0	12	8.9	4.4	17.5
Kidney and Renal Pelvis	35	17.6	12.2	24.9	21	23.5	14.5	36.6	14	14.2	7.8	24.9
Brain and Other Nervous System	12	6.3	3.2	11.5	5	6.2	2.0	15.0	7	7.1	2.8	15.8
Hodgkin's Disease	11	6.6	3.2	12.1	5	6.2	2.0	14.9	6	6.9	2.5	16.0
Non-Hodgkin's Lymphomas	38	19.4	13.7	27.0	22	25.2	15.8	38.8	16	15.2	8.6	25.9
Multiple Myeloma	10	4.5	2.1	8.9	7	7.9	3.1	16.9	3	2.5	0.5	9.3
Leukemias	30	14.5	9.7	21.1	21	23.2	14.3	36.1	9	6.9	3.0	15.1
All Other Sites	93	46.9	37.7	57.9	44	50.9	37.0	68.9	49	46.3	33.8	62.6
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	27	27.3	17.9	40.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	248,198	480.2	478.3	482.0	125,692	565.1	562.0	568.3	122,506	426.6	424.2	429.1
Oral Cavity and Pharynx	5,325	10.4	10.1	10.6	3,584	15.5	15.0	16.0	1,741	6.1	5.8	6.4
Esophagus	2,741	5.3	5.1	5.5	2,127	9.5	9.1	9.9	614	2.0	1.9	2.2
Stomach	3,628	6.9	6.7	7.2	2,193	10.1	9.6	10.5	1,435	4.6	4.4	4.9
Colon and Rectum	30,069	57.4	56.8	58.1	15,268	70.0	68.9	71.2	14,801	48.2	47.4	49.0
Liver	2,079	4.0	3.8	4.2	1,417	6.3	5.9	6.6	662	2.2	2.0	2.4
Pancreas	6,119	11.7	11.4	12.0	3,028	13.8	13.3	14.3	3,091	10.0	9.7	10.4
Lung and Bronchus	37,139	72.0	71.2	72.7	20,639	93.8	92.5	95.1	16,500	56.8	56.0	57.7
Bones and Joints	450	0.9	0.8	1.0	247	1.0	0.9	1.2	203	0.8	0.7	0.9
Melanoma of the Skin	7,147	13.9	13.6	14.3	4,081	17.7	17.2	18.3	3,066	11.3	10.9	11.7
Breast (invasive)	36,889	71.5	70.8	72.3	309	1.4	1.2	1.6	36,580	130.9	129.6	132.3
Cervix	-	-	-	-	-	-	-	-	2,383	9.1	8.7	9.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7,210	25.8	25.3	26.5
Ovary	-	-	-	-	-	-	-	-	3,941	14.0	13.5	14.4
Prostate	-	-	-	-	33,900	152.4	150.7	154.0	-	-	-	-
Testis	-	-	-	-	1,463	5.7	5.4	6.0	-	-	-	-
Urinary Bladder	12,508	24.0	23.6	24.4	9,218	42.7	41.8	43.6	3,290	10.9	10.5	11.3
Kidney and Renal Pelvis	7,245	14.1	13.8	14.4	4,363	19.2	18.6	19.8	2,882	10.1	9.7	10.4
Brain and Other Nervous System	3,457	6.8	6.6	7.0	1,858	7.9	7.5	8.2	1,599	5.9	5.6	6.2
Hodgkin's Disease	1,484	2.9	2.8	3.1	812	3.3	3.1	3.5	672	2.6	2.4	2.8
Non-Hodgkin's Lymphomas	10,377	20.0	19.6	20.4	5,410	24.1	23.4	24.7	4,967	16.9	16.5	17.4
Multiple Myeloma	2,738	5.2	5.1	5.5	1,433	6.5	6.2	6.9	1,305	4.3	4.1	4.5
Leukemias	6,978	13.5	13.1	13.8	3,881	17.6	17.0	18.1	3,097	10.6	10.2	11.0
All Other Sites	22,928	44.2	43.6	44.8	10,461	46.9	46.0	47.8	12,467	43.5	42.7	44.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	8,058	29.8	29.2	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,114	483.3	466.4	500.7	1,577	563.0	535.3	591.8	1,537	430.1	408.6	452.5
Oral Cavity and Pharynx	69	10.6	8.3	13.5	45	15.5	11.3	21.0	24	6.4	4.1	9.8
Esophagus	30	4.5	3.0	6.5	20	7.7	4.7	12.0	10	2.2	1.0	4.3
Stomach	39	5.9	4.2	8.2	28	10.0	6.6	14.6	11	2.5	1.3	4.9
Colon and Rectum	315	48.2	43.0	53.9	160	58.6	49.8	68.7	155	40.1	33.9	47.2
Liver	27	4.2	2.8	6.1	19	6.9	4.1	11.0	8	2.1	0.9	4.5
Pancreas	64	10.0	7.7	12.9	37	13.2	9.3	18.4	27	7.5	4.9	11.1
Lung and Bronchus	433	68.1	61.9	74.9	227	81.8	71.4	93.3	206	58.7	50.9	67.5
Bones and Joints	4	0.6	0.2	1.7	3	1.1	0.2	3.3	1	0.2	0.0	1.8
Melanoma of the Skin	119	17.9	14.8	21.5	65	21.9	16.8	28.1	54	15.2	11.4	20.1
Breast (invasive)	489	76.4	69.8	83.5	2	0.7	0.1	2.8	487	140.9	128.6	154.2
Cervix	-	-	-	-	-	-	-	-	20	5.4	3.3	8.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	96	27.7	22.4	34.0
Ovary	-	-	-	-	-	-	-	-	47	13.0	9.5	17.5
Prostate	-	-	-	-	498	178.3	162.9	194.9	-	-	-	-
Testis	-	-	-	-	15	4.0	2.2	7.0	-	-	-	-
Urinary Bladder	110	17.1	14.1	20.7	80	30.3	24.0	37.9	30	8.4	5.6	12.2
Kidney and Renal Pelvis	67	10.5	8.2	13.4	41	14.7	10.5	20.1	26	7.3	4.8	10.9
Brain and Other Nervous System	39	6.2	4.4	8.5	22	7.4	4.6	11.5	17	5.3	3.1	8.6
Hodgkin's Disease	22	2.9	1.8	4.5	11	3.0	1.4	5.8	11	2.7	1.3	5.1
Non-Hodgkin's Lymphomas	147	22.6	19.1	26.7	89	31.6	25.3	39.1	58	16.2	12.2	21.1
Multiple Myeloma	36	5.5	3.9	7.7	16	6.0	3.4	9.9	20	5.5	3.3	8.6
Leukemias	111	17.1	14.0	20.7	54	19.1	14.3	25.1	57	15.6	11.7	20.4
All Other Sites	317	48.7	43.5	54.5	145	51.2	43.1	60.5	172	47.1	40.2	54.9
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	136	40.1	33.7	47.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	86,938	470.8	467.6	473.9	43,290	552.7	547.5	558.0	43,648	421.6	417.6	425.6
Oral Cavity and Pharynx	1,867	10.3	9.8	10.7	1,254	15.5	14.6	16.3	613	6.0	5.5	6.5
Esophagus	979	5.3	5.0	5.7	737	9.4	8.8	10.2	242	2.2	1.9	2.5
Stomach	1,631	8.7	8.3	9.1	959	12.5	11.7	13.3	672	6.0	5.6	6.5
Colon and Rectum	10,282	54.7	53.7	55.8	5,230	68.0	66.2	69.9	5,052	45.2	44.0	46.5
Liver	909	4.9	4.6	5.3	618	7.7	7.1	8.4	291	2.7	2.4	3.0
Pancreas	2,325	12.4	11.9	12.9	1,089	14.1	13.3	15.0	1,236	11.0	10.4	11.6
Lung and Bronchus	12,309	66.7	65.5	67.9	6,583	85.1	83.1	87.2	5,726	54.1	52.6	55.5
Bones and Joints	172	0.9	0.8	1.1	91	1.1	0.9	1.3	81	0.8	0.7	1.1
Melanoma of the Skin	2,164	11.8	11.3	12.3	1,236	15.2	14.4	16.1	928	9.5	8.9	10.1
Breast (invasive)	12,960	70.9	69.7	72.1	108	1.4	1.1	1.7	12,852	128.8	126.6	131.1
Cervix	-	-	-	-	-	-	-	-	872	9.3	8.6	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2,668	26.8	25.8	27.8
Ovary	-	-	-	-	-	-	-	-	1,482	14.9	14.1	15.6
Prostate	-	-	-	-	11,619	149.2	146.5	151.9	-	-	-	-
Testis	-	-	-	-	556	5.7	5.3	6.2	-	-	-	-
Urinary Bladder	4,551	24.4	23.7	25.1	3,308	43.4	41.9	44.9	1,243	11.3	10.7	12.0
Kidney and Renal Pelvis	2,427	13.2	12.7	13.8	1,463	18.4	17.5	19.4	964	9.4	8.8	10.0
Brain and Other Nervous System	1,188	6.5	6.1	6.9	635	7.6	7.0	8.3	553	5.6	5.1	6.1
Hodgkin's Disease	524	2.8	2.6	3.1	297	3.3	2.9	3.7	227	2.4	2.1	2.8
Non-Hodgkin's Lymphomas	3,700	19.9	19.3	20.6	1,912	24.0	22.9	25.1	1,788	16.8	16.1	17.7
Multiple Myeloma	940	5.0	4.7	5.4	488	6.3	5.7	6.9	452	4.1	3.8	4.5
Leukemias	2,453	13.2	12.7	13.7	1,310	16.6	15.8	17.6	1,143	10.8	10.2	11.5
All Other Sites	8,360	45.0	44.0	46.0	3,797	48.1	46.6	49.7	4,563	43.9	42.6	45.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	2,907	30.4	29.3	31.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,806	479.9	472.8	487.1	8,703	555.5	543.6	567.6	9,103	435.2	426.3	444.4
Oral Cavity and Pharynx	352	9.4	8.4	10.4	220	13.0	11.3	15.0	132	6.4	5.4	7.6
Esophagus	204	5.6	4.8	6.4	158	10.1	8.5	11.9	46	2.2	1.6	3.0
Stomach	268	7.3	6.5	8.3	162	10.6	9.0	12.4	106	4.8	4.0	5.9
Colon and Rectum	1,918	52.6	50.3	55.0	963	64.1	60.0	68.4	955	45.0	42.1	48.0
Liver	147	4.1	3.4	4.8	109	7.0	5.7	8.6	38	1.9	1.3	2.6
Pancreas	453	12.5	11.4	13.7	241	15.8	13.8	18.0	212	10.1	8.8	11.6
Lung and Bronchus	2,272	63.4	60.8	66.1	1,165	78.1	73.6	82.9	1,107	54.4	51.2	57.7
Bones and Joints	43	1.1	0.8	1.5	22	1.1	0.7	1.8	21	1.1	0.7	1.7
Melanoma of the Skin	538	13.8	12.7	15.1	303	17.6	15.6	19.8	235	11.3	9.9	12.8
Breast (invasive)	3,015	77.9	75.1	80.7	22	1.5	0.9	2.3	2,993	142.0	137.0	147.3
Cervix	-	-	-	-	-	-	-	-	144	6.9	5.8	8.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	574	27.7	25.4	30.0
Ovary	-	-	-	-	-	-	-	-	280	13.4	11.8	15.1
Prostate	-	-	-	-	2,497	158.4	152.1	164.9	-	-	-	-
Testis	-	-	-	-	116	5.7	4.7	6.9	-	-	-	-
Urinary Bladder	885	24.7	23.1	26.4	660	45.0	41.5	48.7	225	10.7	9.3	12.2
Kidney and Renal Pelvis	537	14.4	13.2	15.7	351	21.2	19.0	23.7	186	9.1	7.8	10.5
Brain and Other Nervous System	303	7.9	7.0	8.9	183	10.5	9.0	12.2	120	5.9	4.9	7.1
Hodgkin's Disease	147	3.8	3.2	4.4	72	3.8	3.0	4.9	75	3.8	3.0	4.7
Non-Hodgkin's Lymphomas	728	19.7	18.3	21.2	404	25.2	22.7	27.9	324	15.5	13.8	17.3
Multiple Myeloma	189	5.2	4.5	6.0	95	5.9	4.8	7.3	94	4.5	3.6	5.5
Leukemias	441	11.9	10.8	13.1	238	15.4	13.5	17.6	203	9.7	8.4	11.2
All Other Sites	1,755	46.6	44.4	48.8	722	45.5	42.1	49.1	1,033	49.1	46.2	52.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	729	34.9	32.4	37.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,071	465.9	454.9	477.0	3,529	541.8	523.3	560.9	3,542	415.7	401.9	429.8
Oral Cavity and Pharynx	164	10.5	8.9	12.3	94	12.6	10.1	15.8	70	8.5	6.6	10.8
Esophagus	73	5.0	3.9	6.3	51	8.0	5.9	10.8	22	2.8	1.7	4.3
Stomach	97	6.5	5.2	7.9	55	8.3	6.2	11.1	42	4.9	3.6	6.7
Colon and Rectum	815	55.8	52.0	59.9	416	67.8	61.1	75.0	399	46.9	42.4	51.9
Liver	50	3.3	2.5	4.4	38	6.2	4.3	8.7	12	1.3	0.7	2.4
Pancreas	146	10.1	8.5	11.9	80	12.7	10.0	16.1	66	7.8	6.0	9.9
Lung and Bronchus	958	67.4	63.1	71.9	531	87.8	80.2	96.0	427	53.5	48.5	58.9
Bones and Joints	17	0.9	0.5	1.5	14	1.4	0.8	2.7	3	0.4	0.1	1.2
Melanoma of the Skin	198	11.4	9.8	13.1	106	13.1	10.7	16.2	92	10.1	8.1	12.4
Breast (invasive)	1,124	71.2	67.0	75.5	12	2.0	1.0	3.7	1,112	129.8	122.2	137.7
Cervix	-	-	-	-	-	-	-	-	86	9.3	7.5	11.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	203	24.2	21.0	27.8
Ovary	-	-	-	-	-	-	-	-	109	12.7	10.4	15.4
Prostate	-	-	-	-	1,007	157.1	147.2	167.6	-	-	-	-
Testis	-	-	-	-	56	5.5	4.1	7.4	-	-	-	-
Urinary Bladder	320	22.7	20.2	25.3	229	37.9	33.0	43.4	91	10.9	8.7	13.4
Kidney and Renal Pelvis	206	13.3	11.5	15.3	125	18.3	15.1	22.1	81	9.5	7.5	11.9
Brain and Other Nervous System	100	5.9	4.7	7.2	48	6.2	4.5	8.5	52	5.9	4.4	7.8
Hodgkin's Disease	51	2.8	2.1	3.7	23	2.5	1.6	4.1	28	3.0	2.0	4.4
Non-Hodgkin's Lymphomas	299	19.1	16.9	21.4	172	24.6	20.9	29.0	127	14.7	12.2	17.6
Multiple Myeloma	83	5.7	4.5	7.1	44	6.9	5.0	9.5	39	4.6	3.2	6.3
Leukemias	234	14.9	13.0	17.0	131	19.3	16.0	23.3	103	11.5	9.4	14.1
All Other Sites	675	43.0	39.8	46.4	297	43.4	38.4	49.0	378	43.3	39.0	48.0
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	248	29.1	25.6	33.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,461	520.3	499.9	541.4	1,276	615.4	581.7	650.7	1,185	457.8	431.8	485.2
Oral Cavity and Pharynx	66	14.0	10.8	17.9	44	21.2	15.4	29.0	22	8.2	5.1	12.7
Esophagus	25	5.3	3.4	7.9	21	9.7	6.0	15.2	4	1.4	0.4	3.9
Stomach	43	9.0	6.5	12.2	37	18.6	13.0	26.1	6	2.0	0.7	4.8
Colon and Rectum	291	60.6	53.8	68.0	154	75.4	63.9	88.8	137	48.9	40.9	58.1
Liver	19	4.0	2.4	6.3	8	3.6	1.5	7.6	11	4.3	2.1	7.9
Pancreas	45	9.5	6.9	12.7	25	12.4	8.0	18.8	20	7.3	4.4	11.5
Lung and Bronchus	434	90.4	82.1	99.4	242	115.5	101.3	131.4	192	72.1	62.2	83.4
Bones and Joints	2	0.4	0.0	1.6	1	0.5	0.0	3.4	1	0.4	0.0	2.5
Melanoma of the Skin	59	12.9	9.8	16.6	26	12.9	8.3	19.3	33	13.9	9.5	19.8
Breast (invasive)	326	69.7	62.3	77.7	3	1.4	0.3	4.8	323	128.6	114.8	143.7
Cervix	-	-	-	-	-	-	-	-	31	13.6	9.2	19.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	56	22.1	16.6	28.9
Ovary	-	-	-	-	-	-	-	-	41	15.7	11.2	21.6
Prostate	-	-	-	-	323	154.7	138.2	173.0	-	-	-	-
Testis	-	-	-	-	12	5.8	3.0	10.6	-	-	-	-
Urinary Bladder	140	29.1	24.5	34.4	95	46.8	37.7	57.6	45	16.6	12.0	22.4
Kidney and Renal Pelvis	76	16.3	12.9	20.5	47	22.1	16.2	29.8	29	11.7	7.8	17.0
Brain and Other Nervous System	36	7.9	5.6	11.1	18	8.4	5.0	13.7	18	7.6	4.5	12.2
Hodgkin's Disease	8	1.8	0.8	3.7	6	2.8	1.0	6.6	2	1.0	0.1	3.6
Non-Hodgkin's Lymphomas	106	22.4	18.3	27.1	55	26.5	19.9	34.9	51	19.0	14.0	25.2
Multiple Myeloma	27	5.7	3.8	8.4	9	4.7	2.1	9.4	18	6.7	3.9	10.8
Leukemias	63	13.4	10.3	17.3	36	16.8	11.7	23.6	27	10.1	6.6	14.9
All Other Sites	232	49.7	43.5	56.6	114	55.5	45.7	67.1	118	46.9	38.7	56.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	66	27.0	20.8	34.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,748	489.5	480.5	498.6	5,729	541.1	526.6	556.0	6,019	457.6	446.0	469.4
Oral Cavity and Pharynx	256	10.2	9.0	11.6	165	14.4	12.2	17.1	91	6.9	5.5	8.5
Esophagus	114	4.9	4.0	5.9	88	8.4	6.7	10.5	26	2.1	1.3	3.0
Stomach	153	6.7	5.7	7.9	86	8.6	6.8	10.8	67	5.2	4.0	6.6
Colon and Rectum	1,265	55.4	52.3	58.6	661	66.2	61.0	71.8	604	47.2	43.5	51.2
Liver	86	3.7	3.0	4.6	64	6.0	4.6	7.9	22	1.8	1.1	2.7
Pancreas	287	12.6	11.2	14.2	150	15.2	12.8	18.1	137	10.9	9.1	12.9
Lung and Bronchus	1,567	68.9	65.5	72.5	789	79.0	73.4	85.0	778	62.0	57.7	66.5
Bones and Joints	19	0.7	0.4	1.0	12	0.8	0.4	1.7	7	0.5	0.2	1.0
Melanoma of the Skin	437	17.0	15.5	18.8	248	21.6	18.9	24.7	189	13.8	11.9	15.9
Breast (invasive)	1,973	77.7	74.3	81.3	15	1.4	0.8	2.4	1,958	145.4	138.9	152.0
Cervix	-	-	-	-	-	-	-	-	120	8.6	7.1	10.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	325	24.4	21.8	27.2
Ovary	-	-	-	-	-	-	-	-	202	15.0	13.0	17.3
Prostate	-	-	-	-	1,603	150.3	142.8	158.2	-	-	-	-
Testis	-	-	-	-	83	5.6	4.4	7.0	-	-	-	-
Urinary Bladder	578	25.1	23.1	27.3	422	41.8	37.8	46.3	156	12.2	10.4	14.3
Kidney and Renal Pelvis	329	13.6	12.2	15.2	195	17.7	15.2	20.6	134	10.3	8.6	12.2
Brain and Other Nervous System	180	7.0	6.0	8.1	91	7.3	5.9	9.2	89	6.7	5.3	8.2
Hodgkin's Disease	80	2.8	2.2	3.6	42	2.9	2.1	4.1	38	2.8	2.0	3.8
Non-Hodgkin's Lymphomas	550	22.9	21.0	24.9	287	26.3	23.2	29.8	263	20.4	18.0	23.0
Multiple Myeloma	103	4.5	3.6	5.4	53	4.8	3.6	6.5	50	4.0	3.0	5.3
Leukemias	351	14.5	13.0	16.1	206	18.8	16.2	21.8	145	11.2	9.4	13.2
All Other Sites	1,087	44.9	42.3	47.8	469	43.7	39.7	48.2	618	46.5	42.9	50.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	535	39.3	36.0	42.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,300	552.3	533.4	571.7	1,803	693.3	661.4	726.4	1,497	456.5	433.0	481.1
Oral Cavity and Pharynx	81	13.7	10.9	17.2	58	22.2	16.8	28.9	23	7.5	4.7	11.7
Esophagus	39	6.5	4.6	9.1	33	12.5	8.6	17.8	6	1.7	0.6	4.2
Stomach	28	4.5	3.0	6.6	24	9.6	6.1	14.5	4	1.1	0.3	3.4
Colon and Rectum	386	62.2	56.1	68.9	194	74.9	64.6	86.5	192	53.4	46.0	62.0
Liver	17	3.0	1.8	5.0	12	4.5	2.3	8.1	5	1.8	0.5	4.6
Pancreas	69	11.3	8.8	14.5	35	13.3	9.3	18.8	34	9.7	6.7	14.0
Lung and Bronchus	550	89.7	82.3	97.6	311	117.8	105.0	131.8	239	69.2	60.6	78.9
Bones and Joints	1	0.2	0.0	1.2	1	0.4	0.0	2.5	0	0.0	0.0	2.0
Melanoma of the Skin	90	15.7	12.6	19.5	50	19.3	14.3	25.7	40	13.0	9.2	18.1
Breast (invasive)	449	76.7	69.7	84.3	12	4.7	2.4	8.5	437	136.4	123.7	150.4
Cervix	-	-	-	-	-	-	-	-	30	11.6	7.7	16.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	65	21.2	16.3	27.4
Ovary	-	-	-	-	-	-	-	-	45	13.7	9.9	18.8
Prostate	-	-	-	-	578	218.0	200.5	236.8	-	-	-	-
Testis	-	-	-	-	23	10.9	6.9	16.5	-	-	-	-
Urinary Bladder	152	24.7	20.9	29.1	114	43.7	36.0	52.8	38	10.6	7.5	15.1
Kidney and Renal Pelvis	97	16.4	13.3	20.2	53	20.7	15.4	27.3	44	13.2	9.5	18.1
Brain and Other Nervous System	43	7.8	5.6	10.6	29	11.3	7.6	16.5	14	4.6	2.5	8.2
Hodgkin's Disease	16	3.3	1.9	5.4	10	4.2	2.0	8.0	6	2.3	0.8	5.4
Non-Hodgkin's Lymphomas	148	24.5	20.7	28.9	70	27.5	21.4	35.0	78	22.9	18.0	29.1
Multiple Myeloma	35	5.6	3.9	8.0	19	7.2	4.3	11.4	16	4.4	2.5	7.6
Leukemias	89	15.8	12.6	19.7	49	20.1	14.8	26.8	40	12.7	8.9	17.8
All Other Sites	269	46.9	41.4	53.0	128	50.4	42.0	60.2	141	45.5	38.0	54.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	115	37.2	30.6	45.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,542	487.1	475.3	499.1	3,355	580.3	560.7	600.6	3,187	426.1	411.2	441.4
Oral Cavity and Pharynx	126	9.5	7.9	11.3	83	14.0	11.1	17.5	43	5.6	4.1	7.7
Esophagus	64	4.7	3.7	6.1	54	9.4	7.1	12.4	10	1.2	0.6	2.4
Stomach	80	5.9	4.6	7.3	38	6.6	4.7	9.2	42	5.3	3.8	7.2
Colon and Rectum	858	62.7	58.6	67.1	440	78.0	70.8	85.8	418	52.5	47.5	58.0
Liver	45	3.3	2.4	4.5	32	5.5	3.8	7.9	13	1.7	0.9	3.0
Pancreas	155	11.4	9.6	13.3	65	11.0	8.5	14.1	90	11.4	9.2	14.2
Lung and Bronchus	1,135	83.5	78.7	88.5	633	109.9	101.5	119.0	502	65.9	60.2	72.1
Bones and Joints	9	0.7	0.3	1.4	3	0.5	0.1	1.7	6	1.0	0.4	2.2
Melanoma of the Skin	185	14.3	12.3	16.6	101	17.4	14.2	21.3	84	12.5	9.9	15.6
Breast (invasive)	888	66.9	62.5	71.5	6	1.1	0.4	2.5	882	120.7	112.7	129.1
Cervix	-	-	-	-	-	-	-	-	48	7.4	5.5	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	167	22.7	19.3	26.5
Ovary	-	-	-	-	-	-	-	-	107	14.6	11.9	17.8
Prostate	-	-	-	-	930	157.1	147.1	167.6	-	-	-	-
Testis	-	-	-	-	25	4.4	2.8	6.5	-	-	-	-
Urinary Bladder	310	22.7	20.2	25.4	235	41.5	36.3	47.3	75	9.4	7.3	11.9
Kidney and Renal Pelvis	205	15.3	13.3	17.6	118	20.7	17.1	25.0	87	11.8	9.4	14.7
Brain and Other Nervous System	82	6.5	5.1	8.1	45	7.7	5.6	10.4	37	5.5	3.8	7.6
Hodgkin's Disease	44	3.6	2.6	4.9	24	4.1	2.6	6.2	20	3.1	1.9	4.9
Non-Hodgkin's Lymphomas	251	18.6	16.3	21.0	123	21.6	17.9	25.9	128	16.5	13.7	19.7
Multiple Myeloma	74	5.4	4.3	6.8	41	7.3	5.2	10.0	33	4.2	2.9	6.1
Leukemias	177	13.3	11.4	15.5	87	15.5	12.4	19.2	90	12.0	9.6	14.9
All Other Sites	577	43.5	40.0	47.3	272	47.1	41.6	53.2	305	41.1	36.6	46.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	184	26.1	22.4	30.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,550	511.0	496.2	526.3	2,279	598.9	574.5	624.2	2,271	458.1	438.9	478.0
Oral Cavity and Pharynx	100	11.4	9.2	13.9	65	17.3	13.3	22.2	35	6.7	4.6	9.6
Esophagus	42	4.5	3.2	6.2	33	8.9	6.1	12.6	9	1.5	0.7	3.2
Stomach	58	6.2	4.7	8.1	35	9.1	6.3	12.7	23	3.8	2.3	6.1
Colon and Rectum	545	58.8	54.0	64.1	259	68.8	60.6	77.8	286	51.3	45.4	58.0
Liver	31	3.4	2.3	5.0	23	5.9	3.7	9.0	8	1.3	0.6	3.0
Pancreas	109	11.8	9.6	14.3	46	12.3	9.0	16.5	63	11.6	8.8	15.1
Lung and Bronchus	742	82.3	76.5	88.6	419	110.3	99.9	121.5	323	64.3	57.4	72.0
Bones and Joints	7	0.9	0.3	1.9	5	1.3	0.4	3.3	2	0.4	0.0	1.8
Melanoma of the Skin	155	18.6	15.8	21.9	79	21.1	16.7	26.4	76	16.9	13.3	21.4
Breast (invasive)	685	78.9	73.0	85.1	5	1.3	0.4	3.1	680	143.3	132.5	154.8
Cervix	-	-	-	-	-	-	-	-	42	10.6	7.6	14.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	128	26.7	22.2	32.1
Ovary	-	-	-	-	-	-	-	-	63	12.1	9.2	15.8
Prostate	-	-	-	-	654	169.2	156.5	182.8	-	-	-	-
Testis	-	-	-	-	23	6.8	4.3	10.2	-	-	-	-
Urinary Bladder	234	25.1	22.0	28.7	172	45.0	38.5	52.3	62	11.1	8.5	14.5
Kidney and Renal Pelvis	153	17.3	14.6	20.3	88	22.8	18.3	28.2	65	13.1	10.0	17.0
Brain and Other Nervous System	62	7.3	5.6	9.4	36	9.3	6.5	13.0	26	5.5	3.6	8.4
Hodgkin's Disease	25	3.2	2.1	4.8	16	4.3	2.5	7.1	9	2.3	1.0	4.5
Non-Hodgkin's Lymphomas	197	22.0	19.0	25.4	100	26.2	21.3	32.0	97	18.9	15.3	23.4
Multiple Myeloma	37	4.0	2.8	5.6	16	4.3	2.4	7.0	21	3.7	2.3	6.0
Leukemias	107	11.6	9.4	14.1	59	16.0	12.2	20.7	48	8.6	6.2	11.7
All Other Sites	351	40.8	36.6	45.4	146	38.8	32.7	45.7	205	44.2	38.2	51.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	148	32.1	27.1	37.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,836	477.6	462.5	493.1	1,980	564.3	539.6	589.9	1,856	419.1	399.8	439.3
Oral Cavity and Pharynx	79	10.1	8.0	12.7	53	14.9	11.1	19.6	26	6.0	3.8	9.0
Esophagus	56	6.9	5.2	9.1	43	12.1	8.7	16.4	13	2.6	1.4	4.9
Stomach	38	4.5	3.2	6.3	17	4.9	2.9	8.0	21	4.2	2.5	6.7
Colon and Rectum	412	49.5	44.8	54.6	203	57.6	49.9	66.2	209	42.4	36.7	48.9
Liver	35	4.3	3.0	6.1	21	5.8	3.6	9.0	14	3.0	1.6	5.3
Pancreas	90	10.7	8.6	13.3	51	14.4	10.7	19.0	39	7.6	5.3	10.7
Lung and Bronchus	618	75.4	69.5	81.7	338	95.9	85.9	106.8	280	60.3	53.3	68.0
Bones and Joints	6	0.8	0.3	1.9	4	1.2	0.3	3.1	2	0.5	0.1	2.1
Melanoma of the Skin	136	18.4	15.4	21.9	82	24.2	19.2	30.1	54	14.1	10.5	18.7
Breast (invasive)	547	69.9	64.1	76.2	3	0.9	0.2	2.7	544	128.7	117.9	140.4
Cervix	-	-	-	-	-	-	-	-	54	15.1	11.2	19.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	116	26.8	22.1	32.4
Ovary	-	-	-	-	-	-	-	-	60	13.4	10.2	17.6
Prostate	-	-	-	-	559	156.3	143.5	169.9	-	-	-	-
Testis	-	-	-	-	16	5.1	2.9	8.3	-	-	-	-
Urinary Bladder	207	24.6	21.4	28.3	162	47.5	40.4	55.5	45	9.4	6.8	12.9
Kidney and Renal Pelvis	111	13.7	11.3	16.6	71	20.2	15.7	25.6	40	8.5	6.0	11.9
Brain and Other Nervous System	39	5.4	3.8	7.5	22	6.4	4.0	9.8	17	4.6	2.6	7.6
Hodgkin's Disease	21	3.0	1.8	4.7	13	3.9	2.1	6.9	8	2.1	0.9	4.5
Non-Hodgkin's Lymphomas	147	18.1	15.2	21.3	69	19.7	15.3	25.0	78	16.7	13.2	21.2
Multiple Myeloma	31	3.8	2.6	5.5	17	4.6	2.7	7.6	14	3.0	1.6	5.3
Leukemias	76	9.3	7.3	11.7	47	13.9	10.2	18.6	29	5.9	3.9	8.8
All Other Sites	382	47.9	43.2	53.1	189	55.0	47.4	63.6	193	44.2	38.0	51.3
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	112	27.1	22.2	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,142	516.8	502.7	531.2	2,654	619.7	596.2	644.0	2,488	448.2	430.4	466.6
Oral Cavity and Pharynx	117	11.8	9.7	14.2	78	17.9	14.1	22.4	39	7.5	5.3	10.4
Esophagus	54	5.4	4.1	7.1	39	9.0	6.4	12.5	15	2.7	1.5	4.6
Stomach	44	4.4	3.2	5.9	29	6.8	4.5	9.9	15	2.6	1.5	4.5
Colon and Rectum	684	67.0	62.1	72.3	341	81.6	73.1	90.9	343	57.7	51.6	64.4
Liver	39	4.0	2.8	5.5	27	6.2	4.1	9.2	12	2.3	1.2	4.2
Pancreas	139	13.6	11.4	16.1	76	17.9	14.1	22.5	63	10.1	7.7	13.1
Lung and Bronchus	869	86.3	80.6	92.3	507	118.9	108.7	129.9	362	63.7	57.2	70.8
Bones and Joints	14	1.5	0.8	2.6	7	1.6	0.6	3.5	7	1.4	0.5	3.1
Melanoma of the Skin	158	16.5	14.1	19.4	84	19.5	15.5	24.3	74	14.6	11.4	18.5
Breast (invasive)	709	71.8	66.6	77.4	6	1.5	0.5	3.4	703	130.5	120.9	140.7
Cervix	-	-	-	-	-	-	-	-	38	7.8	5.5	10.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	123	23.1	19.1	27.7
Ovary	-	-	-	-	-	-	-	-	81	14.7	11.6	18.4
Prostate	-	-	-	-	650	150.4	139.0	162.6	-	-	-	-
Testis	-	-	-	-	19	4.3	2.6	6.9	-	-	-	-
Urinary Bladder	271	26.5	23.5	30.0	214	50.4	43.8	57.7	57	9.4	7.1	12.4
Kidney and Renal Pelvis	194	19.4	16.8	22.4	123	28.4	23.6	34.0	71	12.5	9.7	15.9
Brain and Other Nervous System	66	6.9	5.3	8.8	38	8.6	6.1	12.0	28	4.9	3.2	7.3
Hodgkin's Disease	24	2.6	1.7	4.0	15	3.5	2.0	6.0	9	2.0	0.9	3.9
Non-Hodgkin's Lymphomas	206	21.0	18.2	24.1	110	25.4	20.8	30.7	96	17.1	13.8	21.0
Multiple Myeloma	66	6.5	5.0	8.3	29	6.7	4.5	9.8	37	6.3	4.4	8.8
Leukemias	134	13.5	11.3	16.0	75	17.5	13.7	22.1	59	10.7	8.1	14.0
All Other Sites	443	44.8	40.7	49.2	187	43.8	37.7	50.7	256	46.7	41.1	53.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	140	26.6	22.4	31.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,685	495.8	481.6	510.3	2,326	586.0	562.2	610.6	2,359	441.0	423.1	459.5
Oral Cavity and Pharynx	109	11.6	9.5	14.1	69	16.6	12.9	21.2	40	7.9	5.6	10.9
Esophagus	54	5.7	4.3	7.5	40	9.9	7.1	13.7	14	2.3	1.2	4.1
Stomach	42	4.4	3.2	6.0	26	6.5	4.2	9.7	16	2.9	1.6	4.9
Colon and Rectum	572	59.4	54.7	64.6	271	69.5	61.4	78.4	301	52.1	46.2	58.5
Liver	26	2.7	1.8	4.0	22	5.6	3.5	8.7	4	0.7	0.2	2.0
Pancreas	110	11.3	9.3	13.7	55	14.2	10.6	18.6	55	9.4	7.0	12.4
Lung and Bronchus	724	76.3	70.9	82.2	409	103.0	93.2	113.6	315	58.3	52.0	65.3
Bones and Joints	4	0.5	0.1	1.3	2	0.5	0.1	2.1	2	0.5	0.1	1.8
Melanoma of the Skin	138	15.0	12.6	17.7	83	21.2	16.8	26.4	55	11.3	8.5	14.8
Breast (invasive)	779	82.6	76.9	88.7	14	3.4	1.9	5.9	765	146.5	136.2	157.5
Cervix	-	-	-	-	-	-	-	-	28	5.8	3.8	8.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	117	22.1	18.3	26.7
Ovary	-	-	-	-	-	-	-	-	73	13.4	10.5	17.1
Prostate	-	-	-	-	628	157.1	145.0	170.1	-	-	-	-
Testis	-	-	-	-	29	7.1	4.7	10.3	-	-	-	-
Urinary Bladder	193	20.0	17.3	23.1	148	38.5	32.5	45.3	45	7.8	5.7	10.6
Kidney and Renal Pelvis	162	17.3	14.7	20.2	93	23.1	18.6	28.5	69	13.0	10.1	16.6
Brain and Other Nervous System	60	6.6	5.1	8.6	27	6.4	4.2	9.5	33	6.7	4.6	9.6
Hodgkin's Disease	38	4.5	3.2	6.3	19	4.9	2.9	7.7	19	4.6	2.8	7.2
Non-Hodgkin's Lymphomas	160	16.7	14.2	19.6	80	19.9	15.8	24.9	80	14.3	11.3	18.0
Multiple Myeloma	38	4.0	2.8	5.5	18	4.8	2.8	7.7	20	3.5	2.2	5.7
Leukemias	123	13.6	11.3	16.3	73	18.7	14.6	23.6	50	9.8	7.2	13.2
All Other Sites	478	50.7	46.2	55.5	220	55.2	48.1	63.1	258	48.1	42.3	54.6
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	212	41.3	35.9	47.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,266	491.5	471.2	512.5	1,157	571.2	538.5	605.5	1,109	442.7	416.3	470.6
Oral Cavity and Pharynx	52	11.9	8.8	15.7	41	20.8	14.9	28.5	11	4.4	2.1	8.3
Esophagus	22	4.4	2.8	6.9	19	9.7	5.8	15.5	3	1.0	0.2	3.8
Stomach	33	6.8	4.7	9.7	23	11.0	6.9	16.8	10	3.6	1.7	7.3
Colon and Rectum	294	60.9	54.1	68.4	146	72.9	61.5	86.1	148	52.3	44.1	62.0
Liver	14	3.0	1.6	5.2	11	5.3	2.7	9.9	3	1.1	0.2	3.9
Pancreas	59	12.2	9.3	16.0	31	15.4	10.4	22.2	28	10.1	6.6	15.1
Lung and Bronchus	433	91.3	82.8	100.4	253	122.4	107.7	138.8	180	68.2	58.4	79.4
Bones and Joints	4	1.1	0.3	3.0	2	1.2	0.1	4.5	2	1.1	0.1	4.2
Melanoma of the Skin	66	15.2	11.7	19.5	47	23.2	17.0	31.1	19	9.1	5.4	14.6
Breast (invasive)	331	75.1	67.1	83.8	0	0.0	0.0	2.5	331	139.4	124.4	155.9
Cervix	-	-	-	-	-	-	-	-	18	8.7	5.0	14.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	63	27.0	20.6	35.1
Ovary	-	-	-	-	-	-	-	-	31	11.7	7.9	17.0
Prostate	-	-	-	-	275	132.5	117.2	149.4	-	-	-	-
Testis	-	-	-	-	7	4.0	1.6	8.5	-	-	-	-
Urinary Bladder	112	23.7	19.4	28.6	83	41.5	33.0	51.8	29	10.9	7.2	16.1
Kidney and Renal Pelvis	58	13.2	10.0	17.2	33	16.8	11.5	23.9	25	10.3	6.6	15.7
Brain and Other Nervous System	22	5.6	3.4	8.6	12	6.7	3.4	11.9	10	5.2	2.4	9.8
Hodgkin's Disease	11	3.0	1.5	5.5	4	2.0	0.5	5.5	7	4.1	1.6	8.6
Non-Hodgkin's Lymphomas	82	17.6	14.0	22.1	38	19.1	13.4	26.4	44	16.3	11.7	22.3
Multiple Myeloma	23	4.8	3.1	7.4	9	4.7	2.1	9.2	14	5.1	2.8	9.1
Leukemias	79	17.5	13.8	22.0	40	20.1	14.3	27.7	39	15.5	10.8	21.7
All Other Sites	177	39.4	33.8	45.9	83	41.8	33.2	52.1	94	37.8	30.3	46.8
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	75	32.6	25.5	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	9,046	488.2	478.0	498.5	4,634	579.1	561.7	596.9	4,412	428.0	415.4	441.0
Oral Cavity and Pharynx	215	10.9	9.5	12.6	150	16.4	13.7	19.5	65	6.3	4.9	8.1
Esophagus	99	5.5	4.5	6.7	78	9.5	7.4	12.1	21	2.2	1.4	3.4
Stomach	125	7.1	5.9	8.5	82	10.8	8.5	13.7	43	4.2	3.1	5.7
Colon and Rectum	992	56.4	52.9	60.0	539	71.1	64.9	77.8	453	45.2	41.1	49.6
Liver	78	4.1	3.2	5.1	54	6.0	4.4	8.1	24	2.4	1.5	3.5
Pancreas	214	12.2	10.6	14.0	110	13.8	11.2	16.9	104	10.6	8.6	12.8
Lung and Bronchus	1,331	75.4	71.3	79.6	727	95.3	88.3	102.9	604	61.6	56.8	66.8
Bones and Joints	24	1.1	0.7	1.6	15	1.3	0.7	2.5	9	0.8	0.4	1.6
Melanoma of the Skin	254	12.5	11.0	14.2	146	16.5	13.8	19.8	108	9.9	8.1	11.9
Breast (invasive)	1,390	70.7	66.9	74.6	5	0.6	0.2	1.6	1,385	131.7	124.8	138.9
Cervix	-	-	-	-	-	-	-	-	93	8.1	6.5	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	293	28.4	25.2	31.9
Ovary	-	-	-	-	-	-	-	-	143	13.8	11.6	16.3
Prostate	-	-	-	-	1,218	152.3	143.5	161.5	-	-	-	-
Testis	-	-	-	-	67	5.5	4.3	7.2	-	-	-	-
Urinary Bladder	447	25.6	23.2	28.1	333	44.8	39.9	50.3	114	11.5	9.5	13.8
Kidney and Renal Pelvis	304	16.0	14.3	18.0	193	22.3	19.2	26.0	111	10.8	8.9	13.0
Brain and Other Nervous System	139	6.8	5.7	8.1	73	7.8	6.0	10.1	66	6.1	4.7	7.8
Hodgkin's Disease	67	3.1	2.4	3.9	38	3.6	2.5	5.3	29	2.5	1.7	3.7
Non-Hodgkin's Lymphomas	363	20.0	17.9	22.2	196	23.9	20.5	27.8	167	16.6	14.2	19.4
Multiple Myeloma	94	5.4	4.3	6.6	59	7.5	5.7	9.9	35	3.6	2.5	5.0
Leukemias	265	14.6	12.8	16.5	168	22.3	18.8	26.2	97	9.5	7.7	11.6
All Other Sites	831	43.7	40.7	46.9	383	47.8	42.9	53.3	448	42.3	38.4	46.4
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	327	30.5	27.3	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,359	482.8	471.0	494.9	3,137	549.1	529.9	568.9	3,222	442.7	427.4	458.5
Oral Cavity and Pharynx	144	11.0	9.3	12.9	96	16.4	13.2	20.1	48	6.6	4.8	8.8
Esophagus	70	5.2	4.1	6.7	56	9.7	7.3	12.7	14	1.7	0.9	3.0
Stomach	95	7.1	5.7	8.7	52	9.3	6.9	12.3	43	5.3	3.8	7.3
Colon and Rectum	739	55.7	51.8	59.9	378	66.5	59.9	73.6	361	46.9	42.1	52.1
Liver	32	2.4	1.6	3.4	19	3.4	2.0	5.4	13	1.7	0.9	3.1
Pancreas	168	12.6	10.8	14.7	97	17.0	13.8	20.9	71	9.1	7.1	11.6
Lung and Bronchus	1,046	79.0	74.3	84.0	601	105.0	96.7	113.8	445	60.4	54.8	66.3
Bones and Joints	9	0.7	0.3	1.4	2	0.3	0.0	1.4	7	1.1	0.4	2.3
Melanoma of the Skin	181	14.0	12.1	16.3	114	19.6	16.2	23.7	67	9.8	7.6	12.6
Breast (invasive)	1,023	78.0	73.3	82.9	7	1.3	0.5	2.9	1,016	143.2	134.5	152.4
Cervix	-	-	-	-	-	-	-	-	58	8.8	6.6	11.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	201	28.0	24.3	32.3
Ovary	-	-	-	-	-	-	-	-	119	16.6	13.8	20.0
Prostate	-	-	-	-	747	129.8	120.6	139.6	-	-	-	-
Testis	-	-	-	-	38	6.3	4.5	8.8	-	-	-	-
Urinary Bladder	312	23.4	20.9	26.2	235	42.0	36.7	47.8	77	10.1	7.9	12.7
Kidney and Renal Pelvis	160	12.0	10.2	14.1	90	15.5	12.4	19.1	70	9.2	7.1	11.7
Brain and Other Nervous System	104	8.1	6.6	9.9	57	9.7	7.3	12.6	47	6.9	5.0	9.2
Hodgkin's Disease	29	2.4	1.6	3.5	14	2.4	1.3	4.2	15	2.5	1.4	4.2
Non-Hodgkin's Lymphomas	262	19.8	17.5	22.4	131	23.0	19.2	27.4	131	17.4	14.5	20.8
Multiple Myeloma	80	6.0	4.8	7.5	30	5.2	3.5	7.5	50	6.7	4.9	8.9
Leukemias	181	13.8	11.9	16.0	111	20.1	16.5	24.3	70	9.6	7.5	12.2
All Other Sites	561	42.7	39.3	46.5	262	46.7	41.2	52.9	299	41.1	36.5	46.2
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	301	43.9	39.1	49.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	37,165	513.2	507.9	518.5	19,125	657.9	648.1	667.7	18,040	420.3	414.1	426.5
Oral Cavity and Pharynx	939	12.0	11.2	12.8	694	20.7	19.2	22.4	245	5.5	4.8	6.3
Esophagus	552	7.6	7.0	8.3	395	13.2	11.9	14.7	157	3.7	3.2	4.4
Stomach	845	12.4	11.6	13.3	490	17.7	16.1	19.4	355	8.8	7.9	9.8
Colon and Rectum	4,639	66.9	65.0	68.9	2,180	78.6	75.2	82.2	2,459	59.3	57.0	61.7
Liver	488	6.7	6.1	7.4	318	10.4	9.3	11.7	170	4.1	3.5	4.7
Pancreas	1,101	16.0	15.1	17.0	520	18.3	16.7	20.1	581	14.3	13.1	15.5
Lung and Bronchus	6,101	85.8	83.6	88.0	3,530	122.3	118.1	126.6	2,571	61.3	59.0	63.8
Bones and Joints	57	0.7	0.5	0.9	29	0.8	0.5	1.2	28	0.6	0.4	0.8
Melanoma of the Skin	74	1.0	0.8	1.3	31	1.0	0.6	1.4	43	1.0	0.7	1.4
Breast (invasive)	5,414	71.6	69.7	73.6	58	2.0	1.5	2.7	5,356	121.7	118.5	125.1
Cervix	-	-	-	-	-	-	-	-	748	16.2	15.1	17.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	829	19.4	18.1	20.8
Ovary	-	-	-	-	-	-	-	-	424	9.7	8.8	10.7
Prostate	-	-	-	-	6,393	226.5	220.8	232.4	-	-	-	-
Testis	-	-	-	-	55	1.2	0.9	1.7	-	-	-	-
Urinary Bladder	817	12.3	11.5	13.2	489	18.9	17.2	20.8	328	8.2	7.4	9.2
Kidney and Renal Pelvis	1,120	15.0	14.2	16.0	670	21.6	19.9	23.4	450	10.4	9.5	11.5
Brain and Other Nervous System	298	3.6	3.2	4.1	164	4.7	3.9	5.6	134	2.9	2.4	3.4
Hodgkin's Disease	209	2.3	2.0	2.6	113	2.6	2.2	3.3	96	1.9	1.6	2.4
Non-Hodgkin's Lymphomas	962	12.4	11.7	13.3	510	15.2	13.8	16.6	452	10.4	9.4	11.4
Multiple Myeloma	838	11.9	11.1	12.8	377	13.2	11.8	14.7	461	11.0	10.0	12.1
Leukemias	780	10.5	9.7	11.3	408	13.4	12.0	14.9	372	8.5	7.7	9.4
All Other Sites	3,482	47.0	45.4	48.7	1,701	55.5	52.8	58.4	1,781	41.2	39.3	43.1
Breast <i>in situ</i> (not in total)	-	-	-	-	-	-	-	-	991	22.4	21.0	23.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	302	543.8	482.0	612.4	164	723.0	606.7	864.3	138	423.4	354.3	502.9
Oral Cavity and Pharynx	8	12.6	5.2	27.8	5	21.0	6.5	70.9	3	6.3	1.2	23.3
Esophagus	3	6.2	1.3	19.9	2	9.8	1.1	58.0	1	3.8	0.1	21.4
Stomach	9	19.8	8.8	39.1	6	25.8	9.2	76.9	3	10.9	2.3	32.5
Colon and Rectum	36	67.1	46.4	95.1	16	60.9	33.8	118.2	20	66.4	40.3	103.8
Liver	7	14.2	5.6	31.2	3	20.5	2.9	78.1	4	13.4	3.6	35.7
Pancreas	9	16.5	7.3	33.8	2	9.8	1.1	58.0	7	21.1	8.2	45.6
Lung and Bronchus	58	110.4	83.2	144.7	31	132.1	87.2	205.1	27	91.8	60.2	134.7
Bones and Joints	0	0.0	0.0	10.4	0	0.0	0.0	46.1	0	0.0	0.0	14.3
Melanoma of the Skin	0	0.0	0.0	10.4	0	0.0	0.0	46.1	0	0.0	0.0	14.3
Breast (invasive)	32	50.2	33.8	73.4	1	3.8	0.1	50.1	31	86.4	58.2	124.9
Cervix	-	-	-	-	-	-	-	-	6	15.8	5.7	37.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	14.8	4.0	38.3
Ovary	-	-	-	-	-	-	-	-	3	7.6	1.3	26.0
Prostate	-	-	-	-	51	241.0	175.2	334.0	-	-	-	-
Testis	-	-	-	-	2	2.5	0.3	47.9	-	-	-	-
Urinary Bladder	7	13.3	5.2	29.6	6	33.9	10.3	93.5	1	2.6	0.1	18.2
Kidney and Renal Pelvis	9	17.5	7.9	35.0	5	22.6	7.1	73.2	4	14.0	3.8	36.8
Brain and Other Nervous System	0	0.0	0.0	10.4	0	0.0	0.0	46.1	0	0.0	0.0	14.3
Hodgkin's Disease	1	1.3	0.0	12.0	0	0.0	0.0	46.1	1	2.4	0.1	17.9
Non-Hodgkin's Lymphomas	7	9.7	3.7	23.5	2	3.9	0.4	49.5	5	14.6	4.6	36.5
Multiple Myeloma	9	16.4	7.2	33.6	7	30.4	10.8	84.4	2	6.6	0.8	25.3
Leukemias	12	17.5	8.8	33.7	6	23.2	7.8	73.4	6	14.1	5.2	34.0
All Other Sites	29	50.3	33.0	74.9	19	81.8	44.9	149.4	10	30.7	14.5	58.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	7	22.3	8.8	47.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	29,571	510.5	504.6	516.4	15,140	657.4	646.6	668.4	14,431	416.9	410.1	423.8
Oral Cavity and Pharynx	765	12.4	11.5	13.3	571	22.0	20.2	23.9	194	5.5	4.7	6.3
Esophagus	463	7.9	7.2	8.7	337	14.2	12.7	15.9	126	3.7	3.1	4.4
Stomach	683	12.4	11.5	13.4	396	17.9	16.1	19.9	287	8.7	7.8	9.8
Colon and Rectum	3,737	67.0	64.8	69.2	1,749	79.5	75.7	83.5	1,988	58.9	56.4	61.6
Liver	399	6.9	6.2	7.6	254	10.6	9.3	12.1	145	4.3	3.6	5.0
Pancreas	897	16.2	15.1	17.3	412	18.2	16.4	20.1	485	14.6	13.3	16.0
Lung and Bronchus	4,822	83.9	81.6	86.4	2,765	120.1	115.6	124.9	2,057	60.1	57.6	62.8
Bones and Joints	44	0.7	0.5	0.9	22	0.8	0.5	1.3	22	0.6	0.4	0.9
Melanoma of the Skin	65	1.1	0.9	1.4	25	1.0	0.7	1.6	40	1.2	0.8	1.6
Breast (invasive)	4,345	72.8	70.6	75.0	49	2.2	1.6	3.0	4,296	121.7	118.1	125.4
Cervix	-	-	-	-	-	-	-	-	607	16.7	15.4	18.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	674	19.4	18.0	20.9
Ovary	-	-	-	-	-	-	-	-	342	9.8	8.7	10.9
Prostate	-	-	-	-	5,045	224.2	217.8	230.7	-	-	-	-
Testis	-	-	-	-	40	1.3	0.9	1.8	-	-	-	-
Urinary Bladder	656	12.3	11.4	13.3	384	18.8	16.8	20.9	272	8.4	7.4	9.5
Kidney and Renal Pelvis	837	14.1	13.2	15.1	497	20.5	18.6	22.5	340	9.8	8.8	10.9
Brain and Other Nervous System	227	3.6	3.1	4.1	128	4.8	3.9	5.8	99	2.7	2.2	3.3
Hodgkin's Disease	155	2.3	1.9	2.7	87	2.8	2.2	3.6	68	1.8	1.4	2.3
Non-Hodgkin's Lymphomas	757	12.5	11.6	13.4	402	15.6	14.0	17.3	355	10.2	9.1	11.3
Multiple Myeloma	656	11.6	10.7	12.6	289	12.7	11.3	14.4	367	10.8	9.8	12.0
Leukemias	607	10.2	9.4	11.1	319	13.2	11.7	14.9	288	8.2	7.3	9.3
All Other Sites	2,748	46.8	45.0	48.6	1,369	57.1	54.0	60.4	1,379	39.8	37.7	42.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	789	22.1	20.5	23.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	352	525.4	456.9	604.1	160	574.6	462.0	719.1	192	478.5	396.4	577.3
Oral Cavity and Pharynx	8	7.1	2.9	25.3	7	13.3	5.1	69.2	1	1.1	0.0	29.1
Esophagus	3	4.2	0.7	22.8	1	4.3	0.1	62.1	2	4.4	0.4	33.0
Stomach	7	15.6	4.7	41.2	3	10.7	2.0	68.5	4	16.2	2.8	54.2
Colon and Rectum	47	82.8	56.0	121.4	18	63.7	30.7	136.5	29	95.2	58.5	151.2
Liver	7	12.5	3.8	35.3	3	7.9	1.3	65.0	4	14.5	2.8	50.0
Pancreas	7	8.1	2.5	27.6	5	14.8	3.1	74.0	2	3.0	0.3	31.0
Lung and Bronchus	44	85.7	57.8	125.6	22	89.3	48.3	168.6	22	78.1	45.0	131.1
Bones and Joints	1	0.5	0.0	18.5	0	0.0	0.0	57.8	1	1.0	0.0	29.0
Melanoma of the Skin	0	0.0	0.0	18.2	0	0.0	0.0	57.8	0	0.0	0.0	28.2
Breast (invasive)	68	77.0	54.0	110.8	0	0.0	0.0	57.8	68	136.1	98.0	190.8
Cervix	-	-	-	-	-	-	-	-	6	13.6	3.6	45.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	13.7	2.6	48.1
Ovary	-	-	-	-	-	-	-	-	4	16.9	3.7	53.5
Prostate	-	-	-	-	58	243.4	168.9	353.1	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	57.8	-	-	-	-
Urinary Bladder	7	8.4	2.6	28.0	5	15.3	3.3	74.6	2	2.8	0.3	30.7
Kidney and Renal Pelvis	15	18.7	9.0	40.8	8	19.4	6.1	78.2	7	18.2	6.1	51.6
Brain and Other Nervous System	4	2.3	0.6	20.0	3	3.6	0.7	60.3	1	1.3	0.0	29.3
Hodgkin's Disease	2	1.2	0.1	19.1	1	1.2	0.0	58.6	1	1.1	0.0	29.1
Non-Hodgkin's Lymphomas	8	12.2	3.7	34.7	6	18.6	3.9	80.1	2	7.0	0.4	39.1
Multiple Myeloma	6	9.4	2.0	31.7	3	5.6	1.0	62.2	3	11.0	1.2	45.9
Leukemias	7	10.4	2.9	32.1	4	14.1	1.6	75.9	3	8.2	1.1	39.3
All Other Sites	37	39.0	24.0	65.4	13	49.5	18.9	122.7	24	35.1	21.2	67.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	20	41.9	23.6	78.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	339	559.8	493.7	634.2	168	652.1	537.1	795.0	171	497.9	418.2	590.9
Oral Cavity and Pharynx	10	15.1	6.7	33.3	9	31.9	13.0	87.4	1	1.8	0.0	23.0
Esophagus	2	3.8	0.4	19.3	2	8.9	0.8	61.2	0	0.0	0.0	21.1
Stomach	8	12.2	4.4	30.3	5	11.6	3.3	61.6	3	11.4	2.1	38.9
Colon and Rectum	37	69.5	46.8	101.4	16	59.0	31.0	120.9	21	74.4	44.1	120.3
Liver	5	8.7	2.5	25.6	3	13.3	2.2	66.5	2	5.3	0.6	28.0
Pancreas	13	23.5	11.5	45.4	5	15.9	4.0	68.4	8	28.0	11.3	60.9
Lung and Bronchus	61	119.0	87.8	159.5	36	168.5	107.3	262.4	25	89.1	55.2	138.3
Bones and Joints	2	1.0	0.1	14.5	1	1.0	0.0	51.2	1	1.0	0.0	21.9
Melanoma of the Skin	0	0.0	0.0	13.7	0	0.0	0.0	50.6	0	0.0	0.0	21.1
Breast (invasive)	43	57.6	39.6	84.1	0	0.0	0.0	50.6	43	103.7	72.6	147.9
Cervix	-	-	-	-	-	-	-	-	7	14.1	4.6	39.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	36.4	17.8	70.2
Ovary	-	-	-	-	-	-	-	-	7	21.0	7.1	51.6
Prostate	-	-	-	-	48	179.3	123.3	265.5	-	-	-	-
Testis	-	-	-	-	1	1.5	0.0	51.7	-	-	-	-
Urinary Bladder	9	19.5	8.2	41.4	3	13.3	2.2	66.5	6	23.0	7.8	55.2
Kidney and Renal Pelvis	8	14.4	5.5	33.7	6	28.2	8.0	87.7	2	5.1	0.6	27.5
Brain and Other Nervous System	5	4.2	1.1	18.4	2	5.2	0.3	55.7	3	4.0	0.8	25.1
Hodgkin's Disease	5	3.9	1.3	17.6	3	5.0	1.0	54.5	2	3.1	0.4	24.2
Non-Hodgkin's Lymphomas	6	6.1	2.0	20.7	4	8.0	2.1	57.4	2	4.2	0.3	26.4
Multiple Myeloma	8	15.3	5.9	34.9	5	20.5	5.3	75.6	3	10.9	2.0	37.6
Leukemias	6	12.1	3.7	31.5	4	21.6	4.1	80.6	2	6.3	0.5	30.7
All Other Sites	35	55.6	36.5	83.5	15	59.7	28.0	126.7	20	55.1	31.6	93.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	14	36.2	18.8	68.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	347	621.9	557.0	693.1	185	781.7	670.0	910.2	162	506.7	430.8	593.5
Oral Cavity and Pharynx	8	13.6	5.7	28.8	7	27.3	10.6	64.5	1	2.9	0.1	20.3
Esophagus	8	14.2	6.1	29.6	5	20.1	6.4	55.1	3	9.5	2.0	30.4
Stomach	11	22.1	10.9	40.9	3	13.1	2.5	46.6	8	27.7	11.9	56.4
Colon and Rectum	32	61.1	41.5	87.7	17	75.8	43.3	127.7	15	50.1	27.8	84.5
Liver	2	3.2	0.4	14.3	2	6.7	0.8	36.0	0	0.0	0.0	15.8
Pancreas	9	18.2	8.2	35.9	5	21.0	6.6	56.8	4	15.1	4.1	39.9
Lung and Bronchus	49	86.2	63.5	115.5	28	116.3	76.2	174.9	21	65.3	40.3	101.8
Bones and Joints	0	0.0	0.0	9.6	0	0.0	0.0	27.6	0	0.0	0.0	15.8
Melanoma of the Skin	1	1.8	0.0	12.4	0	0.0	0.0	27.6	1	3.2	0.1	21.1
Breast (invasive)	53	88.2	65.8	117.0	0	0.0	0.0	27.6	53	160.5	120.0	212.0
Cervix	-	-	-	-	-	-	-	-	5	13.0	4.2	34.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	23.2	9.3	49.7
Ovary	-	-	-	-	-	-	-	-	7	20.4	7.9	45.4
Prostate	-	-	-	-	72	324.3	252.0	414.5	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	30.9	-	-	-	-
Urinary Bladder	4	6.9	1.9	19.6	2	7.8	0.9	38.2	2	6.2	0.7	25.4
Kidney and Renal Pelvis	14	25.3	13.6	44.0	9	37.9	17.1	78.9	5	15.5	4.9	38.8
Brain and Other Nervous System	4	5.7	1.5	17.7	3	8.7	1.6	38.6	1	3.0	0.1	20.6
Hodgkin's Disease	3	5.0	1.0	16.9	1	4.1	0.1	33.2	2	5.9	0.7	24.8
Non-Hodgkin's Lymphomas	8	14.1	5.9	29.7	3	9.5	1.9	39.5	5	16.9	5.3	41.7
Multiple Myeloma	7	13.3	5.3	28.8	7	30.9	12.2	70.5	0	0.0	0.0	15.8
Leukemias	8	13.8	5.8	29.0	5	18.6	6.0	52.3	3	10.0	2.0	31.7
All Other Sites	34	58.2	39.9	83.1	15	56.7	31.4	100.8	19	58.2	34.7	93.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	5	14.6	4.6	37.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	670	493.5	454.7	535.3	335	572.1	506.2	647.0	335	436.1	388.9	488.2
Oral Cavity and Pharynx	25	17.7	11.1	27.7	16	26.4	14.0	50.1	9	11.2	4.9	23.0
Esophagus	8	6.2	2.5	13.7	5	12.4	3.5	34.7	3	3.0	0.6	11.4
Stomach	12	11.0	5.5	20.3	7	17.4	6.1	41.8	5	8.0	2.5	19.6
Colon and Rectum	83	64.8	51.0	81.9	36	62.1	41.4	93.3	47	67.1	48.8	90.5
Liver	6	3.8	1.3	10.1	4	6.1	1.4	24.2	2	2.0	0.2	10.1
Pancreas	19	16.4	9.6	26.8	9	16.1	6.4	37.8	10	16.2	7.7	30.7
Lung and Bronchus	107	88.6	71.8	108.6	59	115.4	85.0	156.2	48	69.9	51.1	94.0
Bones and Joints	4	3.1	0.7	9.4	2	5.5	0.4	26.0	2	2.6	0.3	11.2
Melanoma of the Skin	1	0.4	0.0	5.4	1	0.8	0.0	17.3	0	0.0	0.0	7.4
Breast (invasive)	102	69.2	55.6	85.8	0	0.0	0.0	16.6	102	124.5	100.8	153.1
Cervix	-	-	-	-	-	-	-	-	11	12.4	6.0	24.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	9.8	4.1	21.0
Ovary	-	-	-	-	-	-	-	-	7	8.6	3.3	19.6
Prostate	-	-	-	-	122	211.6	173.3	259.0	-	-	-	-
Testis	-	-	-	-	1	0.9	0.0	17.4	-	-	-	-
Urinary Bladder	7	6.0	2.3	13.7	3	4.7	0.9	22.2	4	6.2	1.6	17.1
Kidney and Renal Pelvis	25	15.3	9.7	24.3	14	18.6	10.0	38.3	11	12.1	5.8	23.9
Brain and Other Nervous System	5	2.6	0.6	8.5	1	1.2	0.0	17.7	4	3.7	0.7	12.7
Hodgkin's Disease	6	2.9	0.9	8.5	4	4.6	1.0	21.7	2	1.4	0.2	9.0
Non-Hodgkin's Lymphomas	23	15.6	9.6	25.0	16	23.1	12.4	44.6	7	9.3	3.5	20.9
Multiple Myeloma	14	8.9	4.8	16.5	6	8.1	2.8	25.9	8	9.8	4.2	20.9
Leukemias	20	13.4	7.8	22.5	9	11.1	4.6	29.6	11	14.4	6.9	27.6
All Other Sites	54	37.6	27.6	50.8	20	26.0	15.6	46.9	34	43.9	29.8	63.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	17	19.7	11.1	33.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	318	551.8	491.5	618.3	204	906.6	778.8	1059.0	114	322.3	265.1	389.4
Oral Cavity and Pharynx	9	12.9	5.8	26.7	7	24.1	9.6	73.0	2	4.0	0.5	19.5
Esophagus	3	4.7	1.0	16.0	3	10.7	2.1	57.8	0	0.0	0.0	14.1
Stomach	8	15.4	6.5	31.7	5	24.7	7.6	77.4	3	8.8	1.8	27.8
Colon and Rectum	35	64.7	44.7	91.4	22	104.9	62.5	177.4	13	39.8	21.1	69.4
Liver	6	10.0	3.6	23.7	6	24.4	8.5	75.0	0	0.0	0.0	14.1
Pancreas	4	7.3	1.9	20.3	3	14.7	2.9	64.4	1	2.5	0.1	17.9
Lung and Bronchus	51	90.5	67.1	120.4	38	164.0	114.6	240.7	13	39.7	21.0	69.4
Bones and Joints	1	0.8	0.0	10.1	0	0.0	0.0	46.5	1	1.6	0.0	16.0
Melanoma of the Skin	0	0.0	0.0	9.2	0	0.0	0.0	46.5	0	0.0	0.0	14.1
Breast (invasive)	39	61.6	43.5	86.0	1	3.6	0.1	50.1	38	105.9	74.6	147.3
Cervix	-	-	-	-	-	-	-	-	4	9.4	2.6	27.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	23.8	10.2	48.6
Ovary	-	-	-	-	-	-	-	-	5	14.5	4.7	35.8
Prostate	-	-	-	-	82	356.7	281.4	457.3	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	46.5	-	-	-	-
Urinary Bladder	7	14.5	5.7	30.9	4	25.7	5.4	84.8	3	10.0	2.0	30.4
Kidney and Renal Pelvis	12	21.3	10.7	38.9	7	28.8	11.2	80.5	5	14.5	4.5	36.3
Brain and Other Nervous System	2	4.0	0.4	16.0	1	12.6	0.3	70.3	1	2.9	0.1	18.7
Hodgkin's Disease	1	1.4	0.0	11.3	1	3.2	0.1	49.5	0	0.0	0.0	14.1
Non-Hodgkin's Lymphomas	7	10.5	4.2	23.7	3	10.9	2.2	58.2	4	10.3	2.8	29.3
Multiple Myeloma	8	13.4	5.7	28.2	5	25.7	5.8	83.6	3	9.0	1.8	28.1
Leukemias	3	4.1	0.6	15.5	2	8.6	0.6	57.4	1	1.6	0.0	16.0
All Other Sites	23	39.3	24.6	60.8	14	63.3	33.4	124.3	9	24.1	10.8	48.1
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	5	14.9	4.8	36.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	318	486.8	434.2	544.4	164	629.3	533.7	740.3	154	390.6	330.7	458.7
Oral Cavity and Pharynx	4	6.3	1.7	16.9	3	10.9	2.2	39.9	1	2.2	0.1	14.4
Esophagus	2	2.6	0.3	11.0	1	2.8	0.1	28.2	1	2.4	0.1	15.1
Stomach	5	8.2	2.7	19.7	0	0.0	0.0	24.9	5	12.9	4.1	30.9
Colon and Rectum	39	61.9	43.9	85.2	18	65.6	38.7	109.1	21	56.0	34.6	86.2
Liver	2	3.3	0.4	12.5	1	3.3	0.1	29.2	1	2.9	0.1	16.4
Pancreas	6	9.6	3.5	21.5	4	18.2	4.6	52.3	2	5.2	0.6	19.7
Lung and Bronchus	67	104.4	80.7	133.3	39	151.0	105.8	212.8	28	74.9	49.7	108.8
Bones and Joints	0	0.0	0.0	7.0	0	0.0	0.0	24.9	0	0.0	0.0	10.8
Melanoma of the Skin	2	2.6	0.3	11.0	1	2.8	0.1	28.2	1	2.4	0.1	15.1
Breast (invasive)	22	30.9	19.2	47.7	0	0.0	0.0	24.9	22	53.7	33.5	82.3
Cervix	-	-	-	-	-	-	-	-	8	19.0	8.1	38.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	31.6	16.2	55.8
Ovary	-	-	-	-	-	-	-	-	6	15.3	5.5	34.3
Prostate	-	-	-	-	67	250.0	192.7	322.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	24.9	-	-	-	-
Urinary Bladder	2	3.7	0.4	13.5	1	4.7	0.1	32.2	1	2.7	0.1	15.7
Kidney and Renal Pelvis	10	15.4	7.3	29.0	3	10.9	2.1	40.0	7	17.6	7.0	37.2
Brain and Other Nervous System	5	6.7	2.0	17.2	2	7.4	0.8	35.5	3	6.1	1.2	20.3
Hodgkin's Disease	3	3.5	0.7	12.1	1	3.0	0.1	28.7	2	3.9	0.4	16.7
Non-Hodgkin's Lymphomas	13	19.6	10.4	34.4	7	35.4	13.5	77.6	6	15.0	5.4	33.7
Multiple Myeloma	9	15.3	7.0	29.4	3	11.5	2.4	40.9	6	17.1	6.3	37.4
Leukemias	2	3.3	0.4	12.6	1	6.7	0.2	37.6	1	2.2	0.1	14.4
All Other Sites	32	45.4	30.7	65.4	12	45.1	22.1	86.2	20	47.3	28.5	74.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	11	28.2	13.9	51.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	518	595.6	543.8	651.7	269	756.2	664.1	859.7	249	487.5	427.3	554.4
Oral Cavity and Pharynx	14	14.1	7.6	25.3	9	21.3	9.3	46.8	5	9.0	2.9	23.1
Esophagus	6	6.3	2.2	15.5	3	5.6	1.2	25.3	3	6.4	1.3	20.3
Stomach	8	11.0	4.6	22.7	4	12.4	2.9	37.6	4	9.9	2.7	25.8
Colon and Rectum	51	63.7	47.0	85.0	20	57.5	34.2	93.8	31	67.7	45.7	97.3
Liver	6	6.0	2.1	14.9	5	12.4	3.7	35.6	1	1.6	0.0	12.4
Pancreas	17	20.1	11.5	33.4	10	25.1	11.4	52.5	7	15.6	6.2	33.2
Lung and Bronchus	98	117.2	94.7	144.0	61	173.2	131.0	227.5	37	78.2	54.8	109.0
Bones and Joints	1	0.8	0.0	7.5	1	1.8	0.0	20.7	0	0.0	0.0	10.0
Melanoma of the Skin	0	0.0	0.0	6.5	0	0.0	0.0	18.8	0	0.0	0.0	10.0
Breast (invasive)	78	78.1	61.2	99.2	2	5.4	0.5	26.5	76	135.0	105.7	170.9
Cervix	-	-	-	-	-	-	-	-	7	11.7	4.6	26.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	18.0	8.0	35.8
Ovary	-	-	-	-	-	-	-	-	10	20.7	9.7	39.6
Prostate	-	-	-	-	93	281.3	224.8	349.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	18.8	-	-	-	-
Urinary Bladder	11	12.4	6.0	23.6	6	14.9	5.1	38.9	5	10.5	3.4	25.9
Kidney and Renal Pelvis	23	26.6	16.6	41.3	13	33.6	17.2	63.2	10	20.7	9.6	39.7
Brain and Other Nervous System	5	4.9	1.6	13.3	4	9.0	2.4	30.3	1	1.4	0.0	12.0
Hodgkin's Disease	2	1.8	0.2	9.0	0	0.0	0.0	18.8	2	3.3	0.4	14.8
Non-Hodgkin's Lymphomas	9	9.8	4.3	20.3	4	12.3	3.1	36.7	5	8.6	2.6	22.7
Multiple Myeloma	8	10.2	4.3	21.2	4	13.8	3.6	39.4	4	8.2	2.2	22.6
Leukemias	12	13.9	6.8	25.9	7	18.4	6.7	44.4	5	10.5	3.2	26.3
All Other Sites	50	53.7	39.3	72.6	23	58.1	35.5	93.2	27	50.3	32.7	75.2
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	14	25.0	13.5	43.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	178	462.4	394.7	540.6	101	605.5	480.8	762.5	77	365.2	287.4	459.9
Oral Cavity and Pharynx	4	10.7	2.7	32.6	2	18.5	1.3	85.5	2	8.5	1.0	37.1
Esophagus	3	8.1	1.7	28.3	3	17.8	3.7	76.2	0	0.0	0.0	24.7
Stomach	1	4.3	0.1	24.7	1	14.5	0.4	81.6	0	0.0	0.0	24.7
Colon and Rectum	22	56.5	34.9	89.6	12	68.2	31.6	143.1	10	48.2	23.0	92.2
Liver	1	3.1	0.1	21.8	1	7.8	0.2	65.0	0	0.0	0.0	24.7
Pancreas	4	8.1	2.2	27.2	4	15.7	4.2	70.9	0	0.0	0.0	24.7
Lung and Bronchus	27	68.0	44.6	102.6	14	75.9	40.9	146.9	13	61.1	32.4	108.0
Bones and Joints	0	0.0	0.0	17.0	0	0.0	0.0	54.5	0	0.0	0.0	24.7
Melanoma of the Skin	0	0.0	0.0	17.0	0	0.0	0.0	54.5	0	0.0	0.0	24.7
Breast (invasive)	22	55.7	34.4	88.4	0	0.0	0.0	54.5	22	102.9	64.2	159.3
Cervix	-	-	-	-	-	-	-	-	3	13.4	2.7	44.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	12.6	2.6	42.9
Ovary	-	-	-	-	-	-	-	-	2	8.9	1.1	38.1
Prostate	-	-	-	-	39	238.6	163.7	347.5	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	54.5	-	-	-	-
Urinary Bladder	7	18.9	7.3	43.4	3	12.7	2.6	68.0	4	20.8	5.6	56.6
Kidney and Renal Pelvis	9	26.0	11.3	53.6	6	38.2	11.2	107.8	3	16.6	3.3	51.4
Brain and Other Nervous System	0	0.0	0.0	17.0	0	0.0	0.0	54.5	0	0.0	0.0	24.7
Hodgkin's Disease	0	0.0	0.0	17.0	0	0.0	0.0	54.5	0	0.0	0.0	24.7
Non-Hodgkin's Lymphomas	5	9.9	3.2	29.6	3	11.4	2.2	66.2	2	8.5	1.0	37.3
Multiple Myeloma	5	12.8	4.1	34.6	3	18.1	3.5	77.2	2	9.1	1.1	38.5
Leukemias	4	10.2	2.1	32.5	2	10.4	0.9	67.4	2	8.7	0.7	39.3
All Other Sites	17	50.0	28.2	84.4	8	57.8	20.8	137.2	9	45.8	20.7	90.4
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	3	13.6	2.8	45.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,546	550.7	523.4	579.2	753	677.8	628.9	730.2	793	469.5	437.2	503.6
Oral Cavity and Pharynx	31	10.5	7.1	15.2	20	16.4	10.0	26.8	11	6.3	3.1	11.6
Esophagus	19	6.8	4.1	10.8	13	10.9	5.7	20.0	6	3.6	1.3	8.1
Stomach	30	11.2	7.5	16.1	18	17.2	10.0	28.6	12	7.6	3.9	13.4
Colon and Rectum	187	68.9	59.3	79.7	76	69.6	54.5	88.4	111	67.5	55.5	81.5
Liver	22	7.9	4.9	12.1	18	15.8	9.2	26.4	4	2.3	0.6	6.2
Pancreas	46	17.6	12.8	23.6	23	23.4	14.5	36.3	23	14.0	8.8	21.2
Lung and Bronchus	284	102.8	91.1	115.6	170	153.6	130.8	179.9	114	68.5	56.5	82.5
Bones and Joints	2	0.6	0.1	2.6	2	1.4	0.2	7.6	0	0.0	0.0	2.6
Melanoma of the Skin	4	1.3	0.4	3.7	3	2.2	0.5	8.7	1	0.6	0.0	3.6
Breast (invasive)	246	84.4	74.1	95.9	1	0.8	0.0	6.9	245	143.0	125.5	162.2
Cervix	-	-	-	-	-	-	-	-	27	15.1	9.9	22.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	47	28.6	20.9	38.2
Ovary	-	-	-	-	-	-	-	-	10	5.8	2.8	10.8
Prostate	-	-	-	-	249	226.3	198.5	257.7	-	-	-	-
Testis	-	-	-	-	1	0.6	0.0	6.6	-	-	-	-
Urinary Bladder	32	11.6	7.9	16.6	22	22.5	13.7	35.5	10	6.1	2.9	11.4
Kidney and Renal Pelvis	53	18.3	13.7	24.2	30	24.2	16.3	35.9	23	13.7	8.6	20.7
Brain and Other Nervous System	11	3.5	1.7	6.6	4	3.2	0.8	10.3	7	3.9	1.5	8.3
Hodgkin's Disease	3	0.9	0.2	2.9	2	1.5	0.2	7.8	1	0.5	0.0	3.3
Non-Hodgkin's Lymphomas	36	12.3	8.5	17.2	17	13.0	7.5	22.4	19	11.4	6.8	18.0
Multiple Myeloma	33	12.2	8.4	17.3	10	9.7	4.6	19.1	23	13.7	8.7	20.8
Leukemias	40	13.9	9.9	19.2	19	17.4	10.0	28.9	21	12.1	7.4	18.7
All Other Sites	133	46.5	38.9	55.4	55	47.9	35.7	63.8	78	45.4	35.8	56.9
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	36	21.7	15.2	30.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	291	497.1	439.8	560.6	149	640.9	535.3	766.0	142	404.0	339.0	478.4
Oral Cavity and Pharynx	9	12.7	5.7	26.4	6	20.4	7.3	57.2	3	6.7	1.4	22.9
Esophagus	4	6.5	1.7	18.6	4	14.2	3.9	49.7	0	0.0	0.0	13.1
Stomach	6	12.2	4.4	27.8	3	19.2	3.4	63.1	3	10.0	2.1	29.7
Colon and Rectum	31	55.9	37.5	81.0	16	72.3	39.5	127.5	15	44.4	24.6	74.5
Liver	3	5.0	1.0	16.9	2	6.7	0.8	40.1	1	2.9	0.1	18.0
Pancreas	8	14.2	5.9	29.8	5	29.0	8.7	75.7	3	7.5	1.5	24.5
Lung and Bronchus	56	101.1	75.7	133.0	34	155.0	104.4	227.0	22	67.0	41.7	102.7
Bones and Joints	2	2.7	0.3	13.1	1	2.2	0.1	34.2	1	3.1	0.1	18.5
Melanoma of the Skin	0	0.0	0.0	9.3	0	0.0	0.0	32.1	0	0.0	0.0	13.1
Breast (invasive)	44	75.2	54.0	103.0	1	2.5	0.1	34.6	43	124.0	89.3	168.6
Cervix	-	-	-	-	-	-	-	-	4	10.6	2.7	29.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	12.1	3.3	32.1
Ovary	-	-	-	-	-	-	-	-	4	11.3	3.0	30.8
Prostate	-	-	-	-	40	174.4	121.9	247.4	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	32.1	-	-	-	-
Urinary Bladder	8	15.5	6.5	31.9	6	27.3	9.3	69.9	2	6.9	0.8	25.1
Kidney and Renal Pelvis	12	21.0	10.6	38.3	7	26.0	10.0	65.5	5	15.8	5.1	37.8
Brain and Other Nervous System	4	3.9	0.9	14.2	1	2.1	0.1	34.1	3	5.6	1.0	21.1
Hodgkin's Disease	3	3.5	0.7	13.9	1	2.5	0.1	34.7	2	4.3	0.5	19.4
Non-Hodgkin's Lymphomas	10	13.2	6.1	27.0	7	22.3	8.2	60.1	3	6.9	1.3	23.4
Multiple Myeloma	2	3.0	0.4	13.6	1	3.2	0.1	35.7	1	2.8	0.1	17.9
Leukemias	4	6.6	1.5	19.6	1	2.5	0.1	34.7	3	8.4	1.5	27.0
All Other Sites	33	54.3	36.8	78.4	13	59.1	30.0	111.0	20	53.7	32.4	85.0
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	7	17.9	7.1	39.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	164	556.7	474.4	649.6	89	693.3	554.5	862.3	75	463.5	364.1	582.5
Oral Cavity and Pharynx	2	6.7	0.8	25.1	1	6.9	0.2	56.5	1	6.4	0.2	36.9
Esophagus	5	17.5	5.7	41.1	3	22.1	4.5	78.0	2	11.6	1.4	44.9
Stomach	3	10.1	2.1	30.3	2	13.8	1.7	66.0	1	6.9	0.2	38.2
Colon and Rectum	28	98.1	65.2	142.0	21	173.6	106.0	274.5	7	44.4	17.7	92.6
Liver	1	3.4	0.1	19.8	0	0.0	0.0	46.9	1	6.5	0.2	37.1
Pancreas	5	18.0	5.8	42.1	2	16.3	2.0	71.0	3	19.3	4.0	57.3
Lung and Bronchus	28	95.5	63.4	138.6	15	117.3	64.7	203.4	13	82.0	43.6	141.2
Bones and Joints	0	0.0	0.0	13.5	0	0.0	0.0	46.9	0	0.0	0.0	25.3
Melanoma of the Skin	0	0.0	0.0	13.5	0	0.0	0.0	46.9	0	0.0	0.0	25.3
Breast (invasive)	24	81.7	52.2	122.2	0	0.0	0.0	46.9	24	149.4	95.5	223.5
Cervix	-	-	-	-	-	-	-	-	0	0.0	0.0	25.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	6.5	0.2	37.1
Ovary	-	-	-	-	-	-	-	-	1	6.1	0.2	36.0
Prostate	-	-	-	-	24	183.1	117.0	280.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	46.9	-	-	-	-
Urinary Bladder	6	20.2	7.4	44.6	5	42.0	12.7	109.2	1	6.4	0.2	36.9
Kidney and Renal Pelvis	3	10.7	2.2	31.4	1	8.5	0.2	60.0	2	12.5	1.5	46.6
Brain and Other Nervous System	2	6.2	0.7	24.0	2	12.3	1.3	63.6	0	0.0	0.0	25.3
Hodgkin's Disease	0	0.0	0.0	13.5	0	0.0	0.0	46.9	0	0.0	0.0	25.3
Non-Hodgkin's Lymphomas	3	8.8	1.8	27.5	0	0.0	0.0	46.9	3	18.9	3.9	56.5
Multiple Myeloma	7	23.4	9.3	48.8	4	30.2	8.2	89.5	3	17.0	3.5	52.5
Leukemias	7	21.3	8.3	45.6	3	23.3	4.8	80.4	4	19.9	5.1	55.9
All Other Sites	14	45.3	24.6	76.9	6	43.8	15.8	107.5	8	49.9	21.5	99.5
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	4	25.8	7.0	66.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	782	496.7	459.1	537.2	440	658.8	589.4	736.5	342	378.3	336.4	424.8
Oral Cavity and Pharynx	14	8.2	4.0	15.9	7	7.1	2.5	23.0	7	8.3	3.0	19.3
Esophagus	6	4.5	1.5	11.5	3	3.6	0.7	19.0	3	4.7	0.9	14.8
Stomach	16	9.7	5.2	17.6	10	15.8	6.5	36.2	6	5.6	1.9	14.9
Colon and Rectum	106	72.8	58.3	90.6	54	92.4	65.2	129.4	52	61.6	45.0	83.1
Liver	9	5.3	2.1	12.0	5	3.9	1.2	18.8	4	5.8	1.5	16.1
Pancreas	18	13.1	7.4	22.3	13	23.3	10.8	46.8	5	6.6	2.0	17.1
Lung and Bronchus	112	77.0	62.4	94.6	69	105.6	79.5	140.6	43	54.6	38.8	75.4
Bones and Joints	0	0.0	0.0	4.9	0	0.0	0.0	15.0	0	0.0	0.0	7.3
Melanoma of the Skin	0	0.0	0.0	4.9	0	0.0	0.0	15.0	0	0.0	0.0	7.3
Breast (invasive)	104	59.2	47.1	74.2	3	6.0	0.7	24.4	101	102.9	82.3	128.0
Cervix	-	-	-	-	-	-	-	-	16	14.0	7.5	25.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	5.0	1.6	14.1
Ovary	-	-	-	-	-	-	-	-	8	8.2	3.2	18.8
Prostate	-	-	-	-	165	238.9	200.2	285.8	-	-	-	-
Testis	-	-	-	-	2	1.1	0.1	15.9	-	-	-	-
Urinary Bladder	21	15.6	9.3	25.3	15	23.3	12.3	44.4	6	8.6	3.0	20.2
Kidney and Renal Pelvis	34	21.3	14.2	31.7	22	33.5	19.0	58.1	12	13.0	6.4	25.0
Brain and Other Nervous System	9	4.8	1.9	11.3	4	4.9	0.9	21.3	5	4.7	1.3	13.9
Hodgkin's Disease	8	3.3	1.3	8.7	4	2.7	0.7	17.4	4	3.8	1.0	12.3
Non-Hodgkin's Lymphomas	18	10.2	5.5	18.2	9	12.8	3.9	33.6	9	9.7	4.2	20.6
Multiple Myeloma	21	13.4	7.9	22.3	8	12.5	4.3	31.9	13	14.8	7.6	27.4
Leukemias	18	11.1	6.0	19.6	9	13.0	4.7	32.5	9	9.9	4.1	21.3
All Other Sites	72	45.2	34.4	59.1	38	58.4	38.8	87.5	34	36.4	24.4	53.3
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	26	29.7	18.8	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1999-2003

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	477	509.1	462.6	559.9	252	638.5	557.7	732.1	225	413.9	359.9	474.8
Oral Cavity and Pharynx	10	9.9	4.5	20.7	7	14.1	5.5	40.1	3	5.9	1.1	19.9
Esophagus	10	10.4	4.8	21.3	5	13.7	4.0	41.9	5	8.5	2.7	22.7
Stomach	12	13.5	6.8	25.6	10	28.4	12.4	61.5	2	3.2	0.4	15.2
Colon and Rectum	54	61.2	45.5	81.7	30	76.0	50.1	116.5	24	49.5	31.4	75.5
Liver	3	3.0	0.6	11.3	3	6.7	1.3	31.5	0	0.0	0.0	10.7
Pancreas	17	21.4	12.1	36.0	10	27.2	12.6	58.5	7	15.9	6.2	34.4
Lung and Bronchus	76	88.6	69.2	112.6	44	120.2	86.2	168.4	32	64.2	43.5	92.6
Bones and Joints	0	0.0	0.0	7.4	0	0.0	0.0	23.7	0	0.0	0.0	10.7
Melanoma of the Skin	1	0.9	0.0	8.6	1	2.2	0.1	26.2	0	0.0	0.0	10.7
Breast (invasive)	73	69.3	53.9	89.1	0	0.0	0.0	23.7	73	124.7	97.2	159.1
Cervix	-	-	-	-	-	-	-	-	9	13.4	6.0	28.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	21.3	10.5	40.2
Ovary	-	-	-	-	-	-	-	-	4	9.7	2.6	25.9
Prostate	-	-	-	-	77	206.4	160.0	266.8	-	-	-	-
Testis	-	-	-	-	1	1.4	0.0	25.0	-	-	-	-
Urinary Bladder	10	11.2	5.3	22.5	8	20.0	8.4	48.6	2	4.2	0.5	17.3
Kidney and Renal Pelvis	15	14.8	8.0	26.6	11	24.4	11.8	53.3	4	6.6	1.6	20.3
Brain and Other Nervous System	3	2.2	0.4	10.1	0	0.0	0.0	23.7	3	4.1	0.8	16.2
Hodgkin's Disease	5	3.4	1.1	11.3	3	4.4	0.9	28.0	2	2.5	0.3	13.9
Non-Hodgkin's Lymphomas	21	20.4	12.5	33.2	7	14.7	5.8	41.1	14	24.9	13.3	44.1
Multiple Myeloma	9	9.5	4.3	20.1	4	9.8	2.6	35.6	5	9.4	2.9	24.5
Leukemias	10	10.1	4.7	20.8	6	13.7	4.8	40.4	4	7.1	1.8	21.1
All Other Sites	46	46.8	33.6	64.7	25	55.1	35.1	89.8	21	38.5	23.2	61.6
Breast <i>in situ</i> (not in total)		-	-	-	-	-	-	-	18	33.2	19.3	54.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2005

APPENDIX A

Population Denominators Used for Rate Calculations in Illinois,

1999 – 2003

Population Counts are a Five-year Total, 1999-2003						
Illinois	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	453,626	348,925	85,319	435,930	333,721	83,757
1-4	1,790,814	1,372,597	342,681	1,715,411	1,306,234	333,289
5-9	2,336,169	1,773,549	472,403	2,227,510	1,683,169	455,258
10-14	2,341,023	1,791,673	460,748	2,235,474	1,703,325	448,106
15-19	2,293,530	1,783,969	412,334	2,156,686	1,661,591	405,600
20-24	2,233,910	1,764,422	356,804	2,113,476	1,628,738	377,708
25-29	2,225,360	1,770,328	320,902	2,163,801	1,660,523	365,285
30-34	2,346,764	1,891,519	323,448	2,310,445	1,800,109	375,067
35-39	2,425,778	1,985,338	330,322	2,434,688	1,936,232	387,593
40-44	2,459,361	2,032,156	330,854	2,504,133	2,006,202	396,570
45-49	2,211,156	1,843,803	279,286	2,280,041	1,836,281	346,360
50-54	1,906,430	1,599,561	228,974	1,998,118	1,621,657	291,131
55-59	1,462,610	1,234,391	169,945	1,570,022	1,289,975	217,102
60-64	1,135,787	955,563	137,016	1,263,092	1,036,392	181,241
65-69	912,047	773,465	110,696	1,084,832	899,401	153,252
70-74	791,901	689,774	83,954	1,034,460	883,814	125,934
75-79	640,566	567,290	60,565	937,241	821,728	97,592
80-84	402,793	363,036	32,691	711,925	639,214	61,816
85+	282,354	255,276	22,864	722,162	655,820	58,146
Total	30,651,979	24,796,635	4,561,806	31,899,447	25,404,126	5,160,807
Adams	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,081	1,936	135	1,986	1,859	122
1-4	8,526	7,940	549	8,214	7,634	542
5-9	11,497	10,813	627	11,062	10,312	682
10-14	12,341	11,648	645	12,490	11,714	677
15-19	12,622	11,835	702	12,561	11,838	638
20-24	10,925	10,223	606	10,629	10,128	436
25-29	9,265	8,765	430	9,094	8,676	329
30-34	10,014	9,545	408	10,407	9,968	362
35-39	11,467	10,920	473	12,131	11,724	320
40-44	12,559	12,067	442	12,572	12,144	350
45-49	11,593	11,187	323	11,992	11,689	225
50-54	10,613	10,303	237	11,062	10,722	234
55-59	8,356	8,102	186	9,277	9,026	178
60-64	6,937	6,790	97	7,712	7,515	147
65-69	6,166	6,036	106	7,436	7,262	138
70-74	6,160	6,056	87	7,749	7,592	133
75-79	5,665	5,579	75	7,459	7,382	65
80-84	3,743	3,695	40	5,801	5,728	66
85+	2,730	2,696	29	6,958	6,857	91
Total	163,260	156,136	6,197	176,592	169,770	5,735
Alexander	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	302	151	150	341	153	187
1-4	1,155	589	560	1,282	593	681
5-9	1,653	833	814	1,485	748	734
10-14	1,874	1,100	768	1,732	911	814
15-19	1,858	1,076	778	1,583	931	649
20-24	1,444	886	546	1,374	775	595
25-29	1,479	809	649	1,325	754	555
30-34	1,631	994	627	1,317	793	511
35-39	1,773	1,085	680	1,425	879	531
40-44	1,778	1,185	591	1,692	1,127	553
45-49	1,732	1,162	566	1,662	1,087	561
50-54	1,486	1,012	456	1,538	1,068	442
55-59	1,160	908	248	1,200	877	310
60-64	1,060	825	224	1,169	880	284
65-69	908	676	215	1,188	865	315
70-74	785	648	137	1,086	858	228
75-79	603	490	110	971	802	167
80-84	442	348	93	759	614	143
85+	377	305	72	797	596	201
Total	23,500	15,082	8,284	23,926	15,311	8,461

Bond	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	500	479	16	424	396	25
1-4	1,994	1,928	51	1,862	1,762	95
5-9	2,763	2,630	119	2,500	2,365	110
10-14	2,720	2,581	126	2,643	2,496	114
15-19	3,381	3,179	192	3,351	3,168	142
20-24	4,101	3,449	575	3,452	3,346	78
25-29	3,829	2,635	1,138	2,156	2,084	57
30-34	4,035	3,073	939	2,248	2,177	48
35-39	4,038	3,310	689	2,696	2,624	64
40-44	3,948	3,388	525	2,966	2,849	101
45-49	3,523	3,173	324	2,921	2,835	64
50-54	3,092	2,867	207	2,549	2,463	48
55-59	2,257	2,100	147	2,006	1,952	43
60-64	1,824	1,756	60	1,889	1,833	50
65-69	1,633	1,574	58	1,703	1,653	44
70-74	1,415	1,374	41	1,653	1,622	24
75-79	1,220	1,191	26	1,555	1,508	46
80-84	727	716	10	1,178	1,150	28
85+	488	473	15	1,289	1,255	30
Total	47,488	41,876	5,258	41,041	39,538	1,211
Boone	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,556	1,525	23	1,497	1,454	29
1-4	6,458	6,203	182	6,198	5,958	159
5-9	9,334	8,970	247	8,738	8,440	209
10-14	9,681	9,403	170	9,033	8,791	144
15-19	8,368	8,175	102	7,830	7,626	114
20-24	6,786	6,583	102	6,394	6,152	140
25-29	6,678	6,460	127	6,374	6,168	119
30-34	8,159	7,947	112	7,870	7,623	127
35-39	8,954	8,736	133	8,952	8,727	104
40-44	8,746	8,552	85	8,732	8,568	59
45-49	7,722	7,615	43	7,399	7,257	73
50-54	6,639	6,523	71	6,578	6,467	44
55-59	5,874	5,787	32	5,459	5,387	36
60-64	4,255	4,210	23	4,258	4,217	28
65-69	3,237	3,221	1	3,459	3,439	3
70-74	2,619	2,592	12	3,101	3,076	2
75-79	1,994	1,987	2	2,683	2,671	7
80-84	1,207	1,199	5	2,090	2,084	1
85+	794	789	4	1,985	1,983	2
Total	109,061	106,477	1,476	108,630	106,088	1,400
Brown	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	142	142	0	115	114	0
1-4	538	537	1	544	541	0
5-9	835	835	0	787	784	3
10-14	924	919	1	819	806	8
15-19	1,294	1,046	245	886	883	2
20-24	2,801	1,469	1,325	679	670	8
25-29	2,727	1,364	1,357	618	614	0
30-34	2,561	1,382	1,179	747	738	0
35-39	2,570	1,518	1,052	842	826	0
40-44	1,992	1,375	617	891	888	0
45-49	1,433	1,058	375	899	897	0
50-54	1,064	956	108	743	740	0
55-59	686	655	28	715	715	0
60-64	657	641	16	642	642	0
65-69	552	545	6	570	570	0
70-74	393	393	0	560	560	0
75-79	379	379	0	475	475	0
80-84	291	291	0	457	457	0
85+	182	182	0	517	517	0
Total	22,021	15,687	6,310	12,506	12,437	21

Bureau	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,040	1,015	19	983	957	15
1-4	4,393	4,241	114	3,973	3,876	62
5-9	5,833	5,691	112	5,737	5,596	99
10-14	6,256	6,133	83	6,317	6,191	75
15-19	6,810	6,681	62	6,248	6,121	49
20-24	4,980	4,886	44	4,574	4,516	24
25-29	4,491	4,410	46	4,383	4,321	18
30-34	5,188	5,146	14	5,331	5,243	14
35-39	6,289	6,208	38	6,045	5,969	14
40-44	6,744	6,674	24	6,803	6,747	7
45-49	6,533	6,473	14	6,611	6,540	3
50-54	6,022	5,965	12	5,932	5,857	7
55-59	4,779	4,739	7	4,994	4,931	0
60-64	4,058	4,024	3	4,406	4,371	0
65-69	3,398	3,394	2	3,788	3,761	5
70-74	3,164	3,160	0	3,814	3,793	0
75-79	2,806	2,798	0	4,046	4,039	1
80-84	1,927	1,923	0	3,317	3,313	4
85+	1,271	1,270	0	3,605	3,585	15
Total	85,982	84,831	594	90,907	89,727	412
Calhoun	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	118	117	0	104	104	0
1-4	530	527	0	517	516	1
5-9	725	725	0	794	791	3
10-14	869	869	0	836	836	0
15-19	943	943	0	816	809	0
20-24	736	732	0	654	653	0
25-29	695	688	3	562	562	0
30-34	745	745	0	748	744	0
35-39	951	941	7	902	899	0
40-44	1,026	1,016	5	910	894	0
45-49	876	870	0	835	828	0
50-54	816	812	0	795	790	0
55-59	795	791	0	778	769	0
60-64	739	734	0	705	702	0
65-69	656	656	0	685	685	0
70-74	572	572	0	578	578	0
75-79	463	463	0	520	520	0
80-84	290	290	0	411	411	0
85+	226	226	0	461	458	0
Total	12,771	12,717	15	12,611	12,549	4
Carroll	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	490	478	9	391	386	5
1-4	1,909	1,851	33	1,667	1,623	32
5-9	2,619	2,550	51	2,462	2,410	24
10-14	3,169	3,086	46	2,863	2,814	22
15-19	2,973	2,922	24	2,921	2,855	42
20-24	2,051	2,010	32	1,916	1,887	12
25-29	2,145	2,103	34	1,809	1,779	17
30-34	2,263	2,233	23	2,211	2,171	14
35-39	2,830	2,774	32	2,839	2,800	11
40-44	3,117	3,079	32	3,233	3,186	12
45-49	3,103	3,075	13	3,027	2,976	12
50-54	2,758	2,734	20	2,736	2,707	14
55-59	2,383	2,361	14	2,413	2,404	7
60-64	2,147	2,140	7	2,129	2,113	0
65-69	1,957	1,949	2	2,194	2,176	11
70-74	1,888	1,878	8	2,090	2,072	16
75-79	1,426	1,412	14	1,924	1,894	27
80-84	953	952	1	1,423	1,415	6
85+	745	741	4	1,471	1,471	0
Total	40,926	40,328	399	41,719	41,139	284

Cass	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	479	473	5	404	403	0
1-4	1,906	1,883	21	1,788	1,760	18
5-9	2,405	2,371	33	2,229	2,197	11
10-14	2,497	2,474	16	2,276	2,252	10
15-19	2,612	2,568	32	2,131	2,114	11
20-24	2,320	2,269	37	1,995	1,961	23
25-29	2,255	2,231	19	1,960	1,935	16
30-34	2,196	2,172	11	2,297	2,276	6
35-39	2,608	2,565	26	2,439	2,413	6
40-44	2,546	2,520	15	2,511	2,491	6
45-49	2,580	2,559	7	2,368	2,339	0
50-54	2,103	2,093	2	2,108	2,104	2
55-59	1,781	1,776	2	1,801	1,794	4
60-64	1,540	1,538	2	1,659	1,659	0
65-69	1,304	1,296	4	1,472	1,464	5
70-74	1,010	1,010	0	1,453	1,448	5
75-79	1,019	1,019	0	1,338	1,336	2
80-84	574	574	0	1,084	1,084	0
85+	488	488	0	1,099	1,099	0
Total	34,223	33,879	232	34,412	34,129	125
Champaign	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	5,674	4,118	1,132	5,496	4,012	1,098
1-4	21,755	15,889	4,449	20,833	15,455	3,979
5-9	26,652	19,705	5,595	25,168	18,753	5,163
10-14	27,441	21,079	5,251	25,491	19,666	4,742
15-19	49,845	38,603	5,815	43,636	34,469	6,095
20-24	74,856	58,744	6,253	64,790	50,488	7,636
25-29	41,201	31,031	4,182	37,532	27,368	4,735
30-34	33,170	25,251	3,583	30,307	23,054	3,578
35-39	28,517	23,087	3,159	28,979	23,608	3,245
40-44	29,421	25,073	3,006	30,401	25,654	3,411
45-49	27,632	24,017	2,671	29,119	24,944	3,073
50-54	23,536	20,714	2,031	24,113	20,718	2,448
55-59	16,449	14,597	1,277	17,755	15,611	1,523
60-64	12,870	11,346	1,106	14,324	12,536	1,317
65-69	11,172	10,053	822	12,769	11,310	1,104
70-74	9,771	8,932	673	11,735	10,693	840
75-79	7,333	6,791	450	10,654	9,834	695
80-84	4,777	4,518	210	8,291	7,759	491
85+	3,498	3,334	124	8,535	8,045	425
Total	455,570	366,882	51,789	449,928	363,977	55,598
Christian	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,018	1,006	7	944	930	7
1-4	4,404	4,311	64	3,919	3,852	39
5-9	5,852	5,738	68	5,575	5,491	45
10-14	6,438	6,310	58	6,122	6,029	51
15-19	6,189	5,866	268	5,549	5,462	42
20-24	5,319	4,892	375	4,648	4,603	19
25-29	5,281	4,875	380	4,849	4,792	15
30-34	6,048	5,535	475	5,134	5,088	9
35-39	7,272	6,441	773	5,987	5,909	10
40-44	7,536	6,852	648	6,592	6,535	12
45-49	6,804	6,428	330	6,104	6,070	7
50-54	5,509	5,260	229	5,515	5,472	8
55-59	4,623	4,548	60	4,731	4,697	5
60-64	4,019	3,970	21	4,295	4,271	7
65-69	3,526	3,480	24	3,911	3,872	23
70-74	3,021	2,998	16	3,932	3,915	6
75-79	2,451	2,440	4	3,619	3,607	8
80-84	1,541	1,536	3	3,153	3,149	2
85+	1,238	1,232	6	3,676	3,668	8
Total	88,089	83,718	3,809	88,255	87,412	323

Clark	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	439	438	0	447	444	3
1-4	1,897	1,871	25	2,097	2,077	20
5-9	3,069	3,020	34	2,804	2,752	41
10-14	3,313	3,262	30	2,865	2,827	23
15-19	3,078	3,043	12	2,716	2,698	9
20-24	2,448	2,421	21	2,324	2,316	6
25-29	2,144	2,100	33	2,214	2,195	14
30-34	2,572	2,550	13	2,596	2,580	4
35-39	3,139	3,108	14	3,045	3,022	1
40-44	3,268	3,261	2	3,227	3,203	3
45-49	3,112	3,096	8	2,971	2,951	4
50-54	2,587	2,582	0	2,716	2,701	0
55-59	2,247	2,247	0	2,514	2,509	0
60-64	2,023	2,023	0	1,981	1,973	0
65-69	1,466	1,462	0	1,973	1,967	0
70-74	1,570	1,570	0	2,036	2,031	0
75-79	1,411	1,408	0	1,840	1,840	0
80-84	857	853	0	1,521	1,520	0
85+	670	670	0	1,706	1,699	0
Total	41,310	40,985	192	43,593	43,305	128
Clay	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	472	461	3	430	420	6
1-4	1,784	1,756	9	1,663	1,631	9
5-9	2,457	2,405	14	2,205	2,152	20
10-14	2,524	2,512	4	2,468	2,429	24
15-19	2,333	2,311	3	2,474	2,444	4
20-24	2,102	2,079	0	2,114	2,109	0
25-29	1,934	1,914	6	1,929	1,910	0
30-34	2,161	2,135	5	2,014	1,976	0
35-39	2,428	2,397	6	2,495	2,473	4
40-44	2,753	2,704	12	2,561	2,528	0
45-49	2,536	2,512	4	2,566	2,547	0
50-54	2,322	2,310	2	2,212	2,208	0
55-59	1,792	1,783	0	1,977	1,963	0
60-64	1,662	1,656	1	1,874	1,855	4
65-69	1,419	1,419	0	1,639	1,629	0
70-74	1,389	1,384	0	1,783	1,775	0
75-79	1,062	1,059	0	1,723	1,721	0
80-84	817	813	0	1,490	1,490	0
85+	671	671	0	1,820	1,813	3
Total	34,618	34,281	69	37,437	37,073	74
Clinton	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	920	904	11	1,020	994	15
1-4	4,289	4,202	63	4,173	4,061	66
5-9	6,111	5,919	133	5,868	5,751	90
10-14	6,573	6,433	93	6,240	6,096	127
15-19	7,107	6,710	345	5,827	5,743	70
20-24	7,367	6,219	1,106	5,049	4,966	63
25-29	6,384	5,252	1,103	4,644	4,539	66
30-34	6,803	5,755	993	5,454	5,355	33
35-39	7,919	6,950	930	6,772	6,683	45
40-44	8,033	7,334	661	7,108	6,981	72
45-49	6,961	6,497	438	6,128	6,049	42
50-54	5,266	5,068	182	4,970	4,878	56
55-59	4,121	4,038	67	4,207	4,151	22
60-64	3,556	3,509	40	3,795	3,742	25
65-69	3,150	3,121	25	3,479	3,437	31
70-74	3,074	3,054	18	3,696	3,665	20
75-79	2,238	2,221	11	3,304	3,273	24
80-84	1,311	1,305	5	2,330	2,304	24
85+	942	932	7	2,396	2,377	10
Total	92,125	85,423	6,231	86,460	85,045	901

Coles	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,502	1,429	65	1,374	1,296	60
1-4	5,732	5,438	244	5,528	5,206	232
5-9	7,027	6,731	236	6,589	6,237	269
10-14	7,338	7,126	146	6,951	6,678	212
15-19	11,061	10,477	468	12,793	12,009	633
20-24	20,471	19,175	991	23,317	22,053	894
25-29	9,589	9,063	356	8,495	8,031	286
30-34	7,142	6,901	147	6,850	6,614	129
35-39	7,147	6,955	123	7,750	7,551	110
40-44	8,588	8,373	127	8,785	8,566	117
45-49	8,429	8,229	118	8,625	8,416	106
50-54	7,214	7,058	102	7,502	7,346	71
55-59	5,702	5,582	74	5,875	5,792	31
60-64	4,563	4,481	43	5,127	5,054	37
65-69	4,119	4,082	11	4,644	4,571	35
70-74	3,632	3,606	12	4,855	4,811	24
75-79	2,967	2,926	34	4,561	4,508	41
80-84	1,902	1,882	14	3,524	3,499	19
85+	1,392	1,385	4	3,673	3,648	20
Total	125,517	120,899	3,315	136,818	131,886	3,326
Cook	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	206,353	134,194	61,027	198,779	128,601	59,788
1-4	787,940	503,317	242,362	758,087	479,031	237,460
5-9	1,010,567	619,577	340,888	965,967	588,027	329,051
10-14	980,079	596,255	334,597	941,581	567,955	326,729
15-19	921,874	582,649	285,579	883,653	542,325	290,337
20-24	941,712	642,905	234,997	921,889	589,638	268,880
25-29	1,067,623	771,520	212,663	1,069,375	712,119	271,223
30-34	1,091,778	789,738	220,712	1,082,907	718,729	283,451
35-39	1,036,747	739,526	231,733	1,042,518	684,469	295,224
40-44	1,006,805	710,171	239,634	1,048,968	683,009	307,333
45-49	888,724	630,849	205,217	952,922	625,616	269,391
50-54	769,158	549,325	172,566	848,423	565,763	230,765
55-59	587,329	419,308	132,552	669,056	453,804	175,777
60-64	466,405	328,618	110,286	551,933	372,189	150,027
65-69	376,278	267,863	90,024	469,947	321,915	126,677
70-74	323,383	242,426	68,477	441,884	321,306	103,837
75-79	263,596	205,178	49,441	398,189	305,024	80,593
80-84	164,085	132,133	26,823	294,558	236,003	50,724
85+	113,981	92,430	18,552	288,099	235,304	46,939
Total	13,004,417	8,957,982	3,278,130	13,828,735	9,130,827	3,904,206
Crawford	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	461	451	8	538	522	9
1-4	2,268	2,193	57	2,122	2,061	40
5-9	3,160	3,054	89	2,760	2,690	60
10-14	3,578	3,492	30	3,292	3,227	47
15-19	3,828	3,546	219	3,307	3,250	38
20-24	3,992	3,177	793	2,681	2,641	19
25-29	3,670	2,638	1,000	2,506	2,482	16
30-34	3,905	3,137	760	2,848	2,802	11
35-39	4,250	3,569	668	3,444	3,399	8
40-44	4,461	4,010	426	3,653	3,587	32
45-49	3,942	3,679	237	3,474	3,406	26
50-54	3,219	3,089	120	3,176	3,156	4
55-59	2,619	2,592	20	2,658	2,638	7
60-64	2,306	2,282	12	2,531	2,525	0
65-69	2,054	2,033	11	2,263	2,246	1
70-74	1,795	1,784	5	2,422	2,414	4
75-79	1,462	1,448	4	1,958	1,955	3
80-84	904	895	5	1,607	1,607	0
85+	743	735	5	1,702	1,702	0
Total	52,617	47,804	4,469	48,942	48,310	325

Cumberland	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	324	322	1	297	294	2
1-4	1,363	1,351	12	1,385	1,350	20
5-9	1,926	1,919	2	1,919	1,899	10
10-14	2,220	2,212	0	2,152	2,141	4
15-19	2,212	2,201	4	2,121	2,111	6
20-24	1,711	1,687	20	1,505	1,499	0
25-29	1,548	1,527	19	1,478	1,470	2
30-34	1,843	1,837	1	1,794	1,784	2
35-39	2,042	2,042	0	1,986	1,976	0
40-44	2,079	2,073	0	2,211	2,198	1
45-49	2,114	2,111	0	1,883	1,872	3
50-54	1,750	1,735	7	1,700	1,692	0
55-59	1,510	1,505	1	1,464	1,463	0
60-64	1,172	1,167	0	1,269	1,267	0
65-69	977	973	0	1,165	1,158	0
70-74	903	903	0	1,161	1,156	0
75-79	731	731	0	1,109	1,104	0
80-84	565	565	0	937	936	0
85+	305	305	0	946	946	0
Total	27,295	27,166	67	28,482	28,316	50
DeKalb	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,865	2,590	214	2,752	2,508	195
1-4	11,557	10,392	920	10,866	9,823	781
5-9	14,521	13,407	843	13,924	12,847	782
10-14	14,822	13,990	567	14,611	13,785	535
15-19	22,031	19,535	1,620	23,400	19,591	2,940
20-24	34,653	29,852	2,666	34,282	28,339	4,049
25-29	19,357	17,205	1,101	16,665	14,612	1,210
30-34	15,162	14,107	559	14,416	13,355	524
35-39	15,288	14,519	385	15,417	14,615	435
40-44	15,845	15,152	354	15,761	15,064	350
45-49	13,966	13,402	345	13,529	13,011	301
50-54	11,751	11,364	218	11,237	10,868	206
55-59	8,815	8,608	107	8,650	8,409	96
60-64	6,474	6,293	62	6,792	6,624	72
65-69	5,196	5,072	54	6,063	5,923	65
70-74	4,506	4,443	35	5,774	5,679	68
75-79	3,820	3,786	18	5,437	5,372	44
80-84	2,546	2,533	10	4,356	4,328	10
85+	1,832	1,819	9	4,549	4,504	30
Total	225,007	208,069	10,087	228,481	209,257	12,693
DeWitt	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	487	481	3	508	505	2
1-4	1,942	1,887	27	2,209	2,182	20
5-9	2,803	2,746	47	2,841	2,804	25
10-14	2,984	2,928	42	2,831	2,791	25
15-19	3,082	3,022	50	2,605	2,585	12
20-24	2,388	2,314	60	2,325	2,308	6
25-29	2,448	2,377	57	2,323	2,303	10
30-34	2,761	2,715	37	2,546	2,519	8
35-39	3,178	3,147	18	2,994	2,968	14
40-44	3,449	3,423	18	3,276	3,251	9
45-49	3,225	3,202	18	3,136	3,115	5
50-54	2,691	2,666	6	2,556	2,541	0
55-59	2,175	2,157	8	2,453	2,426	8
60-64	1,946	1,928	4	2,098	2,091	4
65-69	1,568	1,561	5	1,743	1,738	1
70-74	1,397	1,390	5	1,701	1,700	0
75-79	1,091	1,088	0	1,744	1,742	0
80-84	835	830	4	1,352	1,348	4
85+	478	471	1	1,420	1,415	5
Total	40,928	40,333	410	42,661	42,332	158

Douglas	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	723	719	3	689	683	0
1-4	2,791	2,758	24	2,715	2,674	12
5-9	3,368	3,314	40	3,437	3,363	59
10-14	3,938	3,893	32	3,828	3,782	23
15-19	3,942	3,915	9	3,633	3,607	9
20-24	2,927	2,868	25	2,901	2,880	5
25-29	2,861	2,794	33	2,657	2,634	0
30-34	2,798	2,753	20	2,956	2,931	6
35-39	3,618	3,566	28	3,446	3,413	11
40-44	3,936	3,908	20	3,905	3,889	0
45-49	3,746	3,717	14	3,512	3,475	12
50-54	2,914	2,887	4	3,059	3,025	7
55-59	2,460	2,437	9	2,408	2,401	4
60-64	2,065	2,042	19	2,491	2,481	0
65-69	1,879	1,874	4	2,299	2,294	0
70-74	1,717	1,717	0	2,098	2,096	0
75-79	1,336	1,333	0	1,970	1,968	0
80-84	890	889	0	1,539	1,535	4
85+	563	563	0	1,594	1,592	0
Total	48,472	47,947	284	51,137	50,723	152
DuPage	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	32,686	27,976	1,402	31,748	27,109	1,473
1-4	133,489	114,487	6,079	127,870	108,865	5,906
5-9	175,217	151,379	8,279	166,185	143,552	7,546
10-14	175,597	152,160	7,686	165,403	143,495	7,460
15-19	161,983	140,642	6,417	149,319	128,946	6,448
20-24	141,690	122,501	5,544	126,824	107,502	5,793
25-29	152,659	128,795	6,436	148,056	121,683	7,328
30-34	175,315	148,697	7,165	173,858	145,086	7,876
35-39	191,739	167,614	6,596	196,932	170,814	7,714
40-44	199,223	177,154	6,017	205,712	181,511	7,202
45-49	179,474	159,293	4,745	186,376	163,984	5,659
50-54	154,414	136,221	3,728	160,064	140,871	4,439
55-59	116,589	103,129	2,387	120,291	107,346	2,466
60-64	80,672	71,886	1,442	83,855	75,401	1,316
65-69	57,700	52,632	790	65,045	59,674	921
70-74	47,523	44,569	413	61,032	57,212	607
75-79	37,956	35,913	275	55,498	52,747	450
80-84	23,459	22,444	129	43,878	42,264	233
85+	16,171	15,557	99	43,665	42,457	248
Total	2,253,566	1,973,049	75,629	2,311,611	2,020,519	81,085
Edgar	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	555	550	4	565	556	4
1-4	2,209	2,182	19	2,133	2,103	17
5-9	2,951	2,927	11	3,142	3,089	30
10-14	3,413	3,390	18	3,401	3,366	26
15-19	3,612	3,511	90	3,222	3,206	11
20-24	3,193	2,845	329	2,833	2,808	8
25-29	3,043	2,672	366	2,543	2,510	14
30-34	3,042	2,816	218	2,648	2,606	16
35-39	3,487	3,192	273	3,289	3,245	21
40-44	4,067	3,865	185	3,732	3,714	4
45-49	3,667	3,589	76	3,427	3,417	4
50-54	3,223	3,151	64	3,131	3,104	6
55-59	2,585	2,580	5	2,684	2,658	8
60-64	2,160	2,150	8	2,450	2,436	7
65-69	1,825	1,815	6	2,193	2,173	6
70-74	1,654	1,650	1	2,450	2,438	2
75-79	1,451	1,448	3	2,224	2,216	5
80-84	904	892	5	1,788	1,783	4
85+	795	782	8	2,128	2,121	7
Total	47,836	46,007	1,689	49,983	49,549	200

Edwards	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	200	198	0	201	199	0
1-4	770	764	1	782	775	3
5-9	1,048	1,033	5	1,074	1,066	1
10-14	1,154	1,144	0	1,131	1,103	3
15-19	1,183	1,175	0	1,033	1,016	1
20-24	1,035	1,033	0	1,034	1,024	3
25-29	924	921	3	948	937	4
30-34	1,027	1,020	1	1,002	982	1
35-39	1,173	1,165	0	1,060	1,058	0
40-44	1,344	1,343	1	1,331	1,324	0
45-49	1,256	1,251	5	1,317	1,306	0
50-54	1,146	1,143	0	1,163	1,163	0
55-59	946	945	0	973	973	0
60-64	861	861	0	953	953	0
65-69	737	728	9	895	891	0
70-74	582	581	1	819	815	0
75-79	585	580	5	774	774	0
80-84	408	408	0	709	709	0
85+	291	291	0	604	604	0
Total	16,670	16,584	31	17,803	17,672	16
Effingham	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,158	1,147	2	1,084	1,071	6
1-4	5,117	5,045	31	4,455	4,399	35
5-9	7,064	6,968	44	6,093	6,023	27
10-14	7,250	7,175	17	6,918	6,824	36
15-19	6,997	6,937	26	6,345	6,298	3
20-24	5,083	5,036	25	5,116	5,089	7
25-29	5,136	5,081	33	4,976	4,933	13
30-34	5,374	5,309	39	5,197	5,129	14
35-39	6,397	6,306	38	6,384	6,332	5
40-44	7,080	7,018	28	6,969	6,907	1
45-49	6,148	6,099	11	5,878	5,833	0
50-54	5,252	5,217	9	5,173	5,143	4
55-59	3,920	3,891	5	4,106	4,087	0
60-64	3,378	3,366	3	3,681	3,672	0
65-69	2,797	2,784	8	3,217	3,214	0
70-74	2,467	2,457	0	3,261	3,256	0
75-79	2,017	2,013	0	3,017	3,015	0
80-84	1,298	1,298	0	2,220	2,220	0
85+	1,073	1,069	0	2,620	2,620	0
Total	85,006	84,216	319	86,710	86,065	151
Fayette	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	609	608	1	593	589	2
1-4	2,573	2,559	14	2,636	2,607	8
5-9	3,353	3,345	8	3,300	3,281	7
10-14	3,742	3,734	8	3,727	3,716	8
15-19	4,058	3,747	302	3,626	3,601	11
20-24	4,393	3,374	1,017	2,862	2,848	11
25-29	4,227	3,121	1,093	2,809	2,796	2
30-34	4,275	3,331	926	2,967	2,953	4
35-39	4,760	3,995	759	3,572	3,551	6
40-44	4,839	4,213	613	3,747	3,730	3
45-49	4,138	3,872	258	3,628	3,616	4
50-54	3,330	3,231	84	3,016	3,001	0
55-59	2,659	2,610	45	2,893	2,883	1
60-64	2,359	2,326	25	2,512	2,498	0
65-69	2,117	2,111	4	2,360	2,355	0
70-74	1,865	1,860	5	2,210	2,210	0
75-79	1,416	1,414	2	2,022	2,021	0
80-84	980	980	0	1,733	1,730	0
85+	712	708	0	1,691	1,691	0
Total	56,405	51,139	5,164	51,904	51,677	67

Ford	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	458	455	2	422	418	2
1-4	1,901	1,852	23	1,701	1,666	21
5-9	2,463	2,443	17	2,290	2,251	34
10-14	2,761	2,750	8	2,633	2,613	11
15-19	2,613	2,587	18	2,451	2,440	4
20-24	1,732	1,706	25	1,898	1,886	7
25-29	1,863	1,832	26	1,737	1,709	9
30-34	1,954	1,915	22	2,025	1,998	7
35-39	2,356	2,338	17	2,634	2,622	5
40-44	2,872	2,846	22	2,893	2,886	4
45-49	2,504	2,494	2	2,520	2,498	6
50-54	2,186	2,178	4	2,028	2,018	0
55-59	1,740	1,727	4	1,789	1,766	4
60-64	1,428	1,420	2	1,722	1,714	6
65-69	1,463	1,458	5	1,509	1,504	0
70-74	1,337	1,335	2	1,807	1,790	2
75-79	1,006	1,002	4	1,730	1,722	2
80-84	858	858	0	1,466	1,466	0
85+	574	574	0	1,679	1,677	0
Total	34,069	33,770	203	36,934	36,644	124
Franklin	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,124	1,118	4	1,100	1,097	1
1-4	4,506	4,476	17	4,359	4,318	13
5-9	6,203	6,171	17	5,746	5,712	19
10-14	6,792	6,749	1	6,459	6,401	23
15-19	6,295	6,244	20	6,316	6,296	6
20-24	5,881	5,830	29	5,691	5,653	10
25-29	5,569	5,509	25	5,470	5,422	9
30-34	5,984	5,937	28	6,059	6,027	6
35-39	6,446	6,402	22	6,680	6,646	2
40-44	7,128	7,079	20	7,247	7,215	3
45-49	6,738	6,701	12	6,907	6,872	6
50-54	6,561	6,519	21	6,515	6,480	0
55-59	5,480	5,443	8	5,989	5,957	1
60-64	4,906	4,883	6	5,198	5,174	8
65-69	4,068	4,055	0	4,583	4,567	0
70-74	3,452	3,444	0	4,740	4,732	7
75-79	3,154	3,147	0	4,663	4,640	11
80-84	2,020	2,012	3	3,803	3,795	0
85+	1,401	1,399	2	4,076	4,068	0
Total	93,708	93,118	235	101,601	101,072	125
Fulton	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,044	1,032	10	938	925	9
1-4	4,256	4,187	52	4,031	3,977	33
5-9	5,808	5,702	66	5,465	5,360	75
10-14	6,281	6,188	36	5,881	5,769	62
15-19	6,643	6,339	279	5,546	5,449	46
20-24	7,234	6,024	1,202	5,034	5,002	18
25-29	6,998	5,498	1,473	4,755	4,692	35
30-34	7,465	6,039	1,374	5,243	5,188	17
35-39	7,477	6,459	988	6,216	6,172	11
40-44	7,576	6,939	587	6,677	6,625	7
45-49	7,034	6,662	339	6,647	6,603	5
50-54	6,147	5,926	192	5,924	5,889	13
55-59	4,928	4,852	56	5,122	5,092	5
60-64	4,333	4,290	17	4,730	4,699	4
65-69	3,791	3,758	18	4,316	4,272	26
70-74	3,455	3,440	9	4,509	4,486	13
75-79	3,131	3,115	10	4,394	4,378	16
80-84	2,217	2,207	4	3,419	3,407	8
85+	1,710	1,703	2	3,551	3,532	14
Total	97,528	90,360	6,714	92,398	91,517	417

Gallatin		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	178	175	3	166	166	0	
1-4	708	692	14	612	612	0	
5-9	1,002	998	1	947	939	4	
10-14	1,084	1,062	0	957	942	8	
15-19	1,051	1,045	3	988	968	0	
20-24	949	945	1	940	931	0	
25-29	840	835	0	919	919	0	
30-34	868	865	0	907	893	5	
35-39	999	995	0	1,130	1,123	0	
40-44	1,157	1,141	8	1,055	1,054	0	
45-49	960	953	0	1,107	1,104	0	
50-54	1,021	1,015	4	1,207	1,205	2	
55-59	1,155	1,147	0	1,106	1,106	0	
60-64	897	895	2	912	910	2	
65-69	767	761	6	796	791	5	
70-74	647	641	6	696	694	0	
75-79	438	434	4	617	613	4	
80-84	304	304	0	614	605	9	
85+	306	306	0	678	676	2	
Total	15,331	15,209	52	16,354	16,251	41	
Greene		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	414	406	2	404	403	0	
1-4	1,802	1,777	10	1,795	1,785	6	
5-9	2,497	2,464	14	2,433	2,410	11	
10-14	2,744	2,717	8	2,726	2,710	10	
15-19	3,104	2,907	194	2,504	2,484	5	
20-24	2,594	2,394	200	2,056	2,042	7	
25-29	2,071	1,992	79	1,928	1,918	5	
30-34	2,206	2,146	53	2,141	2,139	0	
35-39	2,582	2,572	3	2,536	2,509	1	
40-44	2,755	2,740	2	2,761	2,753	0	
45-49	2,574	2,561	4	2,668	2,656	0	
50-54	2,089	2,080	3	2,132	2,122	0	
55-59	1,784	1,774	8	1,994	1,991	0	
60-64	1,602	1,600	0	1,826	1,815	0	
65-69	1,416	1,414	0	1,625	1,624	0	
70-74	1,378	1,372	0	1,801	1,801	0	
75-79	1,182	1,180	0	1,467	1,464	0	
80-84	806	804	0	1,197	1,195	0	
85+	560	550	0	1,438	1,436	0	
Total	36,160	35,450	580	37,432	37,257	45	
Grundy		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	1,289	1,275	7	1,138	1,124	3	
1-4	5,067	4,960	42	4,818	4,739	35	
5-9	6,793	6,681	54	6,706	6,615	35	
10-14	7,430	7,342	24	7,264	7,165	30	
15-19	7,311	7,240	22	6,874	6,813	14	
20-24	6,371	6,257	44	5,702	5,622	20	
25-29	6,150	6,058	42	5,729	5,653	28	
30-34	6,729	6,634	48	6,651	6,579	19	
35-39	7,502	7,430	34	7,592	7,522	10	
40-44	8,395	8,310	39	8,200	8,129	9	
45-49	7,594	7,539	9	7,274	7,208	13	
50-54	6,385	6,330	14	5,929	5,888	2	
55-59	4,885	4,846	7	4,789	4,761	1	
60-64	3,832	3,812	2	3,828	3,813	4	
65-69	2,754	2,744	0	3,136	3,114	4	
70-74	2,362	2,350	0	3,180	3,176	3	
75-79	2,152	2,149	2	2,882	2,877	3	
80-84	1,437	1,435	2	2,060	2,049	6	
85+	954	950	4	2,303	2,291	3	
Total	95,392	94,342	396	96,055	95,138	242	

Hamilton		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	244	242	2	210	209	0	
1-4	994	984	10	942	923	16	
5-9	1,439	1,427	9	1,315	1,300	15	
10-14	1,340	1,316	12	1,468	1,456	8	
15-19	1,575	1,557	7	1,459	1,428	27	
20-24	1,165	1,161	0	1,255	1,247	8	
25-29	1,056	1,051	0	1,072	1,069	0	
30-34	1,213	1,202	5	1,180	1,164	12	
35-39	1,413	1,388	15	1,350	1,335	8	
40-44	1,557	1,521	32	1,579	1,566	7	
45-49	1,485	1,464	13	1,511	1,496	0	
50-54	1,499	1,487	5	1,422	1,415	2	
55-59	1,201	1,196	1	1,173	1,165	2	
60-64	1,035	1,030	4	1,224	1,214	4	
65-69	911	906	5	1,043	1,035	8	
70-74	934	932	0	993	993	0	
75-79	689	683	0	1,002	1,002	0	
80-84	505	505	0	826	826	0	
85+	359	359	0	931	931	0	
Total	20,614	20,411	120	21,955	21,774	117	
Hancock		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	527	524	0	541	531	9	
1-4	2,221	2,170	28	2,172	2,137	20	
5-9	3,294	3,246	24	3,205	3,186	11	
10-14	3,726	3,686	20	3,475	3,443	11	
15-19	3,802	3,775	22	3,372	3,349	14	
20-24	2,606	2,572	27	2,611	2,594	9	
25-29	2,454	2,420	27	2,285	2,275	2	
30-34	2,874	2,837	27	2,847	2,840	0	
35-39	3,252	3,216	26	3,436	3,413	2	
40-44	3,712	3,668	25	3,910	3,894	5	
45-49	3,939	3,919	9	3,786	3,771	1	
50-54	3,501	3,491	2	3,418	3,398	5	
55-59	2,711	2,695	3	2,933	2,922	3	
60-64	2,274	2,273	0	2,514	2,505	0	
65-69	2,132	2,126	0	2,323	2,315	0	
70-74	1,865	1,854	5	2,354	2,342	0	
75-79	1,589	1,584	0	2,271	2,271	0	
80-84	1,072	1,070	0	1,761	1,761	0	
85+	785	785	0	2,006	2,006	0	
Total	48,336	47,911	245	51,220	50,953	92	
Hardin		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	114	111	0	121	121	0	
1-4	504	484	9	525	521	0	
5-9	597	577	7	619	606	10	
10-14	661	652	7	635	616	8	
15-19	832	811	21	751	741	5	
20-24	722	685	37	680	677	0	
25-29	723	627	92	488	485	0	
30-34	791	650	134	657	652	0	
35-39	905	778	123	765	759	0	
40-44	968	879	85	886	878	7	
45-49	867	837	19	952	939	1	
50-54	908	888	19	891	884	4	
55-59	830	821	5	786	786	0	
60-64	645	645	0	670	666	0	
65-69	564	564	0	621	620	1	
70-74	489	489	0	604	604	0	
75-79	399	399	0	529	529	0	
80-84	222	222	0	383	383	0	
85+	204	204	0	352	343	8	
Total	11,945	11,323	558	11,915	11,810	44	

Henderson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	177	176	1	175	175	0
1-4	875	870	5	908	886	22
5-9	1,185	1,171	13	1,281	1,275	6
10-14	1,327	1,311	16	1,365	1,351	13
15-19	1,447	1,415	31	1,352	1,344	8
20-24	1,239	1,212	23	1,126	1,122	4
25-29	1,062	1,048	12	945	940	2
30-34	1,068	1,067	0	1,081	1,075	3
35-39	1,352	1,352	0	1,486	1,485	0
40-44	1,726	1,722	0	1,654	1,651	0
45-49	1,710	1,710	0	1,482	1,470	4
50-54	1,464	1,460	4	1,401	1,399	0
55-59	1,412	1,412	0	1,337	1,337	0
60-64	1,167	1,167	0	1,186	1,184	0
65-69	952	952	0	1,051	1,049	0
70-74	862	862	0	927	927	0
75-79	550	550	0	751	751	0
80-84	329	329	0	582	582	0
85+	267	267	0	610	610	0
Total	20,171	20,053	105	20,700	20,613	62
Henry	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,462	1,425	33	1,378	1,335	36
1-4	6,101	5,862	215	5,783	5,543	210
5-9	8,661	8,352	270	8,087	7,786	272
10-14	10,047	9,821	183	9,172	8,904	228
15-19	9,812	9,611	165	8,951	8,684	217
20-24	7,634	7,447	168	6,699	6,538	129
25-29	6,441	6,285	114	6,237	6,090	95
30-34	7,167	7,016	117	7,466	7,313	109
35-39	8,596	8,464	120	9,108	8,988	81
40-44	9,876	9,742	93	10,180	10,038	87
45-49	9,737	9,621	84	9,597	9,457	81
50-54	9,142	9,064	61	8,823	8,728	74
55-59	7,388	7,331	37	7,381	7,298	51
60-64	5,760	5,697	52	5,904	5,863	31
65-69	4,752	4,698	47	5,584	5,546	27
70-74	4,311	4,265	39	5,381	5,319	45
75-79	3,562	3,553	9	4,941	4,909	26
80-84	2,353	2,336	17	4,306	4,263	39
85+	1,785	1,770	15	4,464	4,423	41
Total	124,587	122,360	1,839	129,442	127,025	1,879
Iroquois	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	900	884	12	880	862	12
1-4	3,862	3,737	93	3,544	3,437	60
5-9	5,343	5,146	146	4,975	4,873	76
10-14	6,151	5,965	141	5,499	5,416	45
15-19	6,154	5,954	173	5,356	5,274	45
20-24	4,242	4,161	62	3,665	3,619	20
25-29	3,888	3,811	44	3,653	3,589	23
30-34	4,105	4,052	41	4,383	4,302	35
35-39	5,300	5,225	50	5,594	5,527	32
40-44	5,986	5,878	59	5,916	5,871	6
45-49	5,645	5,610	18	5,546	5,517	7
50-54	4,997	4,943	22	5,062	5,004	25
55-59	4,214	4,169	25	4,691	4,653	15
60-64	3,847	3,794	29	3,794	3,746	26
65-69	3,116	3,081	17	3,610	3,576	16
70-74	2,972	2,947	21	3,594	3,563	21
75-79	2,549	2,546	2	3,556	3,528	19
80-84	1,830	1,812	15	2,712	2,691	15
85+	1,183	1,173	9	2,981	2,975	6
Total	76,284	74,888	979	79,011	78,023	504

Jackson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,693	1,197	435	1,532	1,125	350
1-4	6,154	4,416	1,508	5,800	4,281	1,271
5-9	7,554	5,656	1,596	7,310	5,630	1,394
10-14	7,874	6,252	1,392	7,646	5,936	1,475
15-19	16,048	12,513	3,074	13,519	10,350	2,902
20-24	28,331	23,636	3,455	23,542	18,108	4,319
25-29	16,428	13,030	1,874	12,756	9,530	1,956
30-34	9,778	7,975	1,188	8,629	6,844	1,133
35-39	8,282	7,119	816	8,284	6,845	1,105
40-44	8,525	7,366	894	8,698	7,477	914
45-49	8,581	7,489	858	8,397	7,308	829
50-54	7,755	7,030	582	7,800	6,934	683
55-59	5,943	5,442	398	5,995	5,449	455
60-64	4,356	4,070	230	4,860	4,494	313
65-69	3,983	3,700	218	4,475	4,069	341
70-74	3,372	3,125	200	4,378	4,039	269
75-79	2,592	2,428	146	4,016	3,784	214
80-84	1,856	1,720	115	3,182	2,984	194
85+	1,352	1,264	81	3,524	3,241	278
Total	150,457	125,428	19,060	144,343	118,428	20,395
Jasper	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	293	293	0	243	243	0
1-4	1,108	1,105	1	1,155	1,151	4
5-9	1,619	1,604	8	1,610	1,593	13
10-14	2,035	2,016	11	1,933	1,921	4
15-19	2,200	2,193	0	1,929	1,922	3
20-24	1,669	1,650	15	1,498	1,496	0
25-29	1,343	1,326	12	1,291	1,284	0
30-34	1,383	1,371	4	1,406	1,400	0
35-39	1,898	1,889	8	1,807	1,807	0
40-44	2,062	2,056	0	1,923	1,919	0
45-49	1,830	1,826	0	1,899	1,883	0
50-54	1,656	1,656	0	1,645	1,640	0
55-59	1,284	1,284	0	1,269	1,269	0
60-64	1,064	1,064	0	1,206	1,205	0
65-69	971	971	0	992	984	0
70-74	826	826	0	1,092	1,088	0
75-79	780	780	0	997	997	0
80-84	484	484	0	809	809	0
85+	415	415	0	854	854	0
Total	24,920	24,809	59	25,558	25,465	24
Jefferson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,184	1,028	146	1,093	982	99
1-4	4,796	4,200	553	4,476	3,952	473
5-9	6,447	5,733	648	6,608	5,732	820
10-14	7,400	6,659	692	7,186	6,357	773
15-19	7,588	6,632	903	6,394	5,849	497
20-24	7,519	6,143	1,319	5,622	5,221	341
25-29	7,030	5,677	1,296	5,461	5,038	366
30-34	7,527	6,209	1,261	6,081	5,578	423
35-39	8,172	6,916	1,162	6,626	6,133	423
40-44	8,216	7,188	987	7,238	6,809	357
45-49	7,616	7,046	516	7,303	6,897	316
50-54	6,866	6,500	306	6,357	6,047	256
55-59	5,417	5,149	242	5,185	4,983	164
60-64	4,333	4,132	178	4,495	4,328	155
65-69	3,413	3,268	131	3,992	3,828	152
70-74	3,063	2,938	125	3,999	3,859	132
75-79	2,795	2,714	72	3,862	3,742	111
80-84	1,814	1,763	48	3,240	3,126	108
85+	1,299	1,247	44	3,111	3,030	75
Total	102,495	91,142	10,629	98,329	91,491	6,041

Jersey	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	570	562	4	563	558	3
1-4	2,507	2,483	17	2,556	2,515	23
5-9	3,434	3,384	30	3,628	3,596	19
10-14	4,270	4,177	64	3,762	3,744	6
15-19	4,923	4,659	208	4,394	4,333	42
20-24	3,934	3,818	82	3,907	3,785	85
25-29	2,829	2,780	30	2,769	2,749	6
30-34	3,081	3,055	8	3,492	3,471	2
35-39	3,962	3,925	8	4,199	4,158	19
40-44	4,620	4,596	13	4,464	4,423	19
45-49	4,021	4,012	4	3,937	3,915	7
50-54	3,516	3,508	7	3,359	3,336	1
55-59	2,840	2,823	4	2,935	2,929	0
60-64	2,381	2,380	1	2,543	2,540	3
65-69	2,074	2,068	4	2,293	2,291	2
70-74	1,744	1,744	0	2,039	2,030	4
75-79	1,273	1,271	0	1,990	1,981	0
80-84	830	824	0	1,412	1,408	1
85+	591	591	0	1,531	1,528	3
Total	53,400	52,660	484	55,773	55,290	245
JoDavies	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	589	584	0	545	536	4
1-4	2,568	2,529	32	2,320	2,301	10
5-9	3,621	3,579	35	3,232	3,210	20
10-14	4,021	4,003	11	3,584	3,569	11
15-19	3,972	3,956	14	3,387	3,365	12
20-24	3,092	3,033	26	2,570	2,555	5
25-29	2,872	2,814	22	2,766	2,741	14
30-34	3,310	3,260	18	3,066	3,039	8
35-39	3,837	3,806	19	3,592	3,564	16
40-44	4,323	4,291	31	4,205	4,181	6
45-49	4,159	4,141	8	4,237	4,224	0
50-54	4,183	4,161	12	4,042	4,025	4
55-59	3,472	3,463	4	3,637	3,629	2
60-64	3,129	3,127	0	3,365	3,348	6
65-69	2,815	2,808	0	2,732	2,727	0
70-74	2,415	2,415	0	2,683	2,683	0
75-79	1,943	1,943	0	2,317	2,311	0
80-84	1,150	1,150	0	1,754	1,752	0
85+	786	786	0	1,711	1,708	0
Total	56,257	55,849	232	55,745	55,468	118
Johnson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	340	339	0	337	331	3
1-4	1,259	1,247	6	1,155	1,141	4
5-9	1,672	1,652	12	1,452	1,434	17
10-14	1,766	1,737	15	1,635	1,628	4
15-19	2,406	1,960	431	1,683	1,644	30
20-24	4,149	2,363	1,759	1,480	1,420	49
25-29	4,064	2,277	1,785	1,510	1,460	43
30-34	3,867	2,241	1,613	1,692	1,642	42
35-39	3,699	2,398	1,286	1,720	1,700	5
40-44	3,257	2,265	987	1,975	1,961	4
45-49	2,373	1,984	378	1,847	1,837	1
50-54	2,156	1,976	170	1,787	1,778	4
55-59	1,816	1,739	74	1,655	1,654	1
60-64	1,651	1,621	30	1,515	1,512	3
65-69	1,276	1,260	12	1,365	1,355	0
70-74	1,086	1,069	2	1,095	1,095	0
75-79	731	731	0	1,007	1,005	2
80-84	493	493	0	733	730	2
85+	358	353	1	605	605	0
Total	38,419	29,705	8,561	26,248	25,932	214

Kane	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	19,550	17,627	1,371	18,467	16,499	1,426
1-4	75,235	67,086	5,945	71,401	63,578	5,508
5-9	93,271	83,011	7,745	89,063	78,780	7,523
10-14	87,736	77,469	7,678	83,642	74,527	6,777
15-19	84,246	73,838	8,128	74,148	66,018	5,966
20-24	76,601	69,572	4,618	68,373	60,859	5,310
25-29	79,053	71,858	4,401	73,564	65,539	5,155
30-34	86,938	79,238	4,456	82,791	74,476	5,016
35-39	89,088	81,956	4,509	87,032	79,290	4,847
40-44	88,809	82,103	4,213	85,394	78,522	4,512
45-49	75,968	70,206	3,754	75,560	69,539	4,010
50-54	64,915	60,308	3,020	64,292	59,330	3,305
55-59	46,968	43,719	2,098	47,390	43,925	2,258
60-64	32,777	30,603	1,368	33,063	30,721	1,521
65-69	23,817	22,494	808	26,390	24,834	1,080
70-74	18,533	17,782	484	23,127	22,066	683
75-79	14,488	13,908	387	20,425	19,647	520
80-84	8,937	8,694	168	15,807	15,365	312
85+	5,872	5,705	113	17,145	16,715	312
Total	1,072,802	977,177	65,264	1,057,074	960,230	66,041
Kankakee	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,398	2,398	2,398	2,398	2,398	2,398
1-4	2,398	2,398	2,398	2,398	2,398	2,398
5-9	2,398	2,398	2,398	2,398	2,398	2,398
10-14	2,398	2,398	2,398	2,398	2,398	2,398
15-19	2,398	2,398	2,398	2,398	2,398	2,398
20-24	2,398	2,398	2,398	2,398	2,398	2,398
25-29	2,398	2,398	2,398	2,398	2,398	2,398
30-34	2,398	2,398	2,398	2,398	2,398	2,398
35-39	2,398	2,398	2,398	2,398	2,398	2,398
40-44	2,398	2,398	2,398	2,398	2,398	2,398
45-49	2,398	2,398	2,398	2,398	2,398	2,398
50-54	2,398	2,398	2,398	2,398	2,398	2,398
55-59	2,398	2,398	2,398	2,398	2,398	2,398
60-64	2,398	2,398	2,398	2,398	2,398	2,398
65-69	2,398	2,398	2,398	2,398	2,398	2,398
70-74	2,398	2,398	2,398	2,398	2,398	2,398
75-79	2,398	2,398	2,398	2,398	2,398	2,398
80-84	2,398	2,398	2,398	2,398	2,398	2,398
85+	2,398	2,398	2,398	2,398	2,398	2,398
Total	2,398	2,398	2,398	2,398	2,398	2,398
Kendall	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,346	2,256	53	2,160	2,090	42
1-4	9,295	8,849	296	8,973	8,536	244
5-9	12,354	11,833	353	11,673	11,148	310
10-14	12,394	11,903	308	11,451	11,014	286
15-19	10,902	10,552	189	10,500	10,167	195
20-24	9,171	8,805	232	8,697	8,346	192
25-29	9,778	9,301	237	9,722	9,319	206
30-34	11,676	11,195	267	12,122	11,644	228
35-39	13,057	12,640	251	13,125	12,665	231
40-44	12,447	12,076	222	12,783	12,431	179
45-49	10,777	10,489	172	10,740	10,435	168
50-54	9,245	9,006	127	9,409	9,169	114
55-59	7,485	7,327	80	7,144	6,989	72
60-64	5,334	5,250	56	5,187	5,110	37
65-69	3,547	3,503	18	3,741	3,682	23
70-74	2,736	2,712	10	3,270	3,225	23
75-79	2,011	1,994	8	3,056	3,020	21
80-84	1,372	1,365	0	2,206	2,187	4
85+	903	900	3	2,187	2,168	11
Total	146,830	141,956	2,882	148,146	143,345	2,586

Knox	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,556	1,385	158	1,494	1,353	136
1-4	6,646	5,898	714	6,172	5,495	623
5-9	8,683	7,709	902	7,851	6,979	811
10-14	9,130	8,172	894	8,392	7,673	653
15-19	9,747	8,829	773	9,128	8,243	622
20-24	10,500	8,532	1,685	8,923	8,070	534
25-29	9,080	7,253	1,777	7,292	6,769	459
30-34	8,891	7,431	1,406	7,832	7,386	380
35-39	9,839	8,391	1,346	8,861	8,362	410
40-44	10,380	9,131	1,146	9,768	9,343	324
45-49	10,389	9,561	761	10,151	9,732	342
50-54	9,533	9,016	458	9,345	9,024	246
55-59	7,616	7,335	225	7,840	7,588	217
60-64	6,290	6,030	226	6,669	6,485	155
65-69	5,660	5,448	193	6,558	6,335	180
70-74	4,823	4,656	150	6,325	6,158	140
75-79	4,259	4,166	80	5,747	5,573	154
80-84	2,672	2,632	24	4,907	4,785	117
85+	2,112	2,075	33	5,326	5,218	99
Total	137,806	123,650	12,951	138,581	130,571	6,602
Lake	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	26,373	22,829	2,248	25,205	21,752	2,199
1-4	108,811	93,760	9,611	103,597	88,594	9,278
5-9	143,659	123,880	12,958	135,537	115,952	12,511
10-14	137,711	118,608	12,568	131,167	113,261	11,743
15-19	137,501	117,032	13,325	114,869	97,666	11,315
20-24	112,638	95,810	10,722	90,990	76,336	9,646
25-29	101,241	86,696	8,286	97,059	81,622	8,973
30-34	120,254	104,290	8,783	121,129	103,003	9,335
35-39	139,923	123,123	9,089	143,866	125,113	10,127
40-44	144,404	128,777	8,838	146,822	129,775	9,276
45-49	127,403	114,053	7,233	128,776	114,267	7,665
50-54	106,293	96,140	5,363	105,409	94,467	5,674
55-59	78,364	71,398	3,517	78,193	70,671	3,839
60-64	54,300	49,231	2,663	54,941	49,609	2,934
65-69	39,585	35,901	2,155	43,813	39,347	2,651
70-74	33,217	30,792	1,466	40,537	37,083	2,000
75-79	24,791	23,248	970	33,111	30,771	1,410
80-84	14,514	13,796	432	23,273	21,857	893
85+	9,310	8,805	345	22,657	21,433	917
Total	1,660,292	1,458,169	120,572	1,640,951	1,432,579	122,386
LaSalle	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	3,462	3,362	69	3,324	3,235	59
1-4	14,244	13,752	361	13,958	13,437	384
5-9	18,718	18,067	464	18,546	17,879	421
10-14	20,765	20,192	367	20,154	19,672	249
15-19	20,553	19,829	510	19,149	18,765	215
20-24	18,375	16,989	1,213	15,401	15,125	165
25-29	16,265	14,987	1,120	14,404	14,096	123
30-34	17,930	16,769	978	16,978	16,603	159
35-39	21,298	20,265	852	20,726	20,364	130
40-44	23,030	22,361	542	22,336	21,988	142
45-49	21,052	20,594	315	19,764	19,477	94
50-54	17,845	17,573	151	17,159	16,926	64
55-59	13,560	13,347	82	14,350	14,144	52
60-64	11,805	11,681	46	12,813	12,700	39
65-69	10,067	9,981	45	11,345	11,251	44
70-74	9,662	9,595	44	11,854	11,787	40
75-79	8,036	8,001	20	11,450	11,412	19
80-84	5,795	5,777	14	9,109	9,089	11
85+	3,841	3,831	9	9,868	9,835	11
Total	276,303	266,953	7,202	282,688	277,785	2,421

Lawrence	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	424	417	7	370	367	2
1-4	1,725	1,703	22	1,605	1,580	25
5-9	2,392	2,354	37	2,184	2,132	50
10-14	2,662	2,596	60	2,497	2,436	55
15-19	2,562	2,461	96	2,626	2,575	40
20-24	2,456	2,238	214	2,248	2,215	30
25-29	2,357	2,129	216	2,076	2,032	42
30-34	2,647	2,462	178	2,175	2,131	40
35-39	2,736	2,574	156	2,633	2,579	47
40-44	3,100	2,981	118	3,051	3,001	44
45-49	2,978	2,888	87	2,804	2,781	22
50-54	2,420	2,368	52	2,546	2,527	14
55-59	1,836	1,814	14	2,085	2,065	15
60-64	1,751	1,742	7	2,110	2,078	27
65-69	1,643	1,622	20	1,885	1,851	23
70-74	1,530	1,523	7	1,955	1,944	9
75-79	1,278	1,275	3	1,916	1,899	17
80-84	834	820	14	1,497	1,485	12
85+	806	798	8	1,986	1,974	6
Total	38,137	36,765	1,316	40,249	39,652	520
Lee	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	904	877	19	890	857	21
1-4	3,870	3,679	153	3,911	3,725	128
5-9	6,003	5,802	141	5,467	5,264	155
10-14	7,095	6,858	192	6,429	6,225	158
15-19	6,516	6,238	222	6,074	5,869	147
20-24	5,693	4,942	697	4,857	4,561	242
25-29	5,663	4,678	931	4,431	4,064	308
30-34	6,481	5,576	850	5,664	5,248	371
35-39	8,168	7,124	987	6,806	6,440	315
40-44	8,301	7,400	835	7,238	6,945	246
45-49	7,435	6,732	640	6,593	6,393	134
50-54	6,057	5,709	303	5,693	5,561	71
55-59	4,588	4,437	133	4,433	4,358	42
60-64	3,804	3,666	112	3,946	3,854	55
65-69	3,330	3,234	77	3,592	3,532	42
70-74	3,039	2,970	69	3,323	3,276	38
75-79	2,270	2,228	40	3,055	3,031	21
80-84	1,443	1,424	17	2,585	2,569	15
85+	1,111	1,101	10	2,621	2,593	13
Total	91,771	84,675	6,428	87,608	84,365	2,522
Livingston	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,279	1,169	101	1,161	1,088	70
1-4	4,977	4,761	195	4,601	4,401	171
5-9	6,524	6,334	134	6,382	6,218	126
10-14	7,372	7,168	156	7,161	7,038	105
15-19	7,480	7,064	399	7,027	6,818	177
20-24	6,783	5,610	1,142	5,308	4,939	323
25-29	6,517	5,173	1,287	5,507	4,787	686
30-34	6,613	5,617	938	6,602	5,752	812
35-39	7,458	6,583	828	7,730	6,975	703
40-44	8,173	7,637	513	7,949	7,402	498
45-49	7,496	7,104	363	7,180	6,935	208
50-54	6,356	6,154	178	6,092	5,975	75
55-59	4,616	4,515	70	4,961	4,917	26
60-64	3,885	3,836	39	4,318	4,271	26
65-69	3,289	3,244	34	3,878	3,856	1
70-74	3,063	3,048	13	3,991	3,979	4
75-79	2,531	2,522	5	3,514	3,512	2
80-84	1,825	1,824	1	3,063	3,061	0
85+	1,350	1,344	5	3,558	3,554	0
Total	97,587	90,707	6,401	99,983	95,478	4,013

Logan	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	806	786	12	801	780	13
1-4	3,359	3,250	84	3,271	3,159	85
5-9	4,601	4,459	115	4,410	4,211	147
10-14	4,990	4,855	104	4,798	4,634	136
15-19	6,622	6,129	428	6,010	5,776	207
20-24	7,063	5,558	1,424	5,176	4,851	258
25-29	5,504	4,085	1,354	4,629	4,024	534
30-34	5,733	4,523	1,152	4,901	4,213	603
35-39	6,029	5,009	951	5,634	4,949	631
40-44	6,311	5,614	647	6,200	5,762	404
45-49	5,649	5,270	339	5,526	5,251	222
50-54	4,957	4,684	246	4,603	4,488	80
55-59	3,789	3,730	48	3,893	3,836	44
60-64	3,069	3,033	21	3,376	3,333	10
65-69	2,497	2,475	13	3,129	3,108	8
70-74	2,148	2,130	6	3,038	2,997	38
75-79	1,982	1,968	13	2,944	2,922	13
80-84	1,355	1,341	10	2,471	2,450	17
85+	1,082	1,068	13	2,564	2,532	29
Total	77,546	69,967	6,980	77,374	73,276	3,479
McDonough	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	716	660	44	769	703	51
1-4	2,757	2,525	186	2,960	2,690	196
5-9	3,854	3,594	196	3,688	3,427	201
10-14	4,381	4,155	164	4,015	3,779	158
15-19	8,779	8,115	504	9,960	9,087	733
20-24	16,068	14,596	953	15,043	13,498	1,009
25-29	6,271	5,488	390	5,092	4,288	374
30-34	4,017	3,626	153	3,669	3,413	111
35-39	4,201	3,983	105	4,223	4,014	78
40-44	4,495	4,297	88	4,773	4,624	75
45-49	4,614	4,449	102	4,856	4,679	106
50-54	4,533	4,405	66	4,543	4,457	42
55-59	3,617	3,541	50	3,530	3,446	39
60-64	2,920	2,864	25	3,084	3,021	34
65-69	2,433	2,368	24	3,005	2,947	21
70-74	2,394	2,364	8	2,923	2,877	30
75-79	1,882	1,849	9	2,917	2,901	4
80-84	1,306	1,302	0	2,387	2,376	10
85+	1,089	1,080	5	2,620	2,609	3
Total	80,327	75,261	3,072	84,057	78,836	3,275
McHenry	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	10,210	9,860	117	9,972	9,625	88
1-4	43,757	42,029	672	40,891	39,208	588
5-9	59,390	57,235	841	56,216	54,065	824
10-14	59,453	57,684	663	56,016	54,307	544
15-19	50,428	48,983	471	45,810	44,499	352
20-24	38,901	37,535	507	34,907	33,703	335
25-29	39,739	37,976	525	38,487	36,798	415
30-34	52,595	50,521	515	54,216	52,104	429
35-39	63,336	61,536	536	63,949	62,072	418
40-44	64,187	62,617	478	63,819	62,228	349
45-49	53,875	52,619	334	51,420	50,213	281
50-54	43,510	42,492	256	42,411	41,510	163
55-59	32,279	31,662	106	31,326	30,766	85
60-64	21,437	21,072	43	21,307	20,917	52
65-69	15,355	15,147	19	16,966	16,647	19
70-74	12,448	12,287	20	15,132	14,946	25
75-79	9,463	9,336	13	13,155	12,952	16
80-84	5,398	5,360	0	9,658	9,547	15
85+	3,869	3,846	9	9,739	9,645	18
Total	679,630	659,797	6,125	675,397	655,752	5,016

McLean	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	5,135	4,389	552	4,876	4,134	518
1-4	20,066	17,020	2,432	19,199	16,313	2,262
5-9	25,932	22,366	2,952	24,704	21,289	2,748
10-14	25,374	22,274	2,562	24,307	21,452	2,337
15-19	32,487	29,180	2,711	38,098	34,111	3,267
20-24	46,043	41,885	3,049	50,203	44,937	3,941
25-29	30,315	26,363	2,052	28,943	25,022	2,373
30-34	26,763	23,341	2,049	26,814	23,668	1,992
35-39	27,572	24,923	1,791	28,237	25,431	1,958
40-44	27,433	25,121	1,657	28,713	26,302	1,801
45-49	24,966	23,138	1,312	26,323	24,642	1,189
50-54	21,568	20,235	899	22,074	20,936	753
55-59	15,405	14,707	387	15,792	15,121	429
60-64	11,323	10,935	230	11,924	11,496	289
65-69	8,858	8,592	175	10,529	10,174	237
70-74	7,748	7,553	135	10,331	10,072	181
75-79	6,154	6,016	111	9,029	8,813	175
80-84	3,931	3,858	54	7,026	6,898	104
85+	2,775	2,727	24	7,603	7,475	106
Total	369,848	334,623	25,134	394,725	358,286	26,660
Macon	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	3,714	2,775	905	3,622	2,609	980
1-4	14,451	10,681	3,603	14,575	10,693	3,738
5-9	19,722	14,873	4,628	18,721	13,826	4,658
10-14	20,449	15,922	4,325	19,879	15,125	4,566
15-19	20,632	16,783	3,663	20,392	16,570	3,619
20-24	18,462	15,437	2,819	20,401	16,674	3,471
25-29	15,370	12,809	2,365	16,233	12,856	3,096
30-34	15,861	13,443	2,183	16,951	13,729	3,010
35-39	17,943	15,407	2,344	19,698	16,033	3,432
40-44	20,895	18,152	2,533	22,124	18,632	3,265
45-49	21,089	18,539	2,353	22,472	19,333	2,881
50-54	19,650	17,521	1,973	20,473	17,907	2,353
55-59	15,181	13,661	1,436	15,969	14,142	1,697
60-64	11,920	10,791	1,079	13,321	11,982	1,285
65-69	10,358	9,531	796	12,113	10,973	1,109
70-74	9,309	8,653	632	12,303	11,262	1,012
75-79	7,667	7,213	446	11,185	10,456	715
80-84	4,695	4,433	260	8,085	7,606	467
85+	3,080	2,946	123	8,284	7,758	499
Total	270,448	229,570	38,466	296,801	248,166	45,853
Macoupin	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,468	1,444	20	1,315	1,294	16
1-4	5,780	5,672	92	5,306	5,192	95
5-9	8,130	7,938	176	7,436	7,312	103
10-14	9,256	9,065	143	8,688	8,517	124
15-19	9,627	9,372	199	8,995	8,809	124
20-24	7,584	7,383	142	7,516	7,396	71
25-29	6,373	6,274	75	6,394	6,303	68
30-34	7,070	6,981	66	7,412	7,312	64
35-39	8,429	8,305	104	9,004	8,909	52
40-44	9,505	9,376	88	9,577	9,495	34
45-49	9,142	9,004	80	9,100	8,997	64
50-54	8,015	7,933	42	7,904	7,828	30
55-59	6,331	6,273	23	6,465	6,393	38
60-64	5,346	5,315	19	5,555	5,509	30
65-69	4,816	4,788	20	5,502	5,466	27
70-74	4,627	4,606	21	5,317	5,282	27
75-79	3,481	3,440	38	5,058	5,016	34
80-84	2,496	2,477	4	4,194	4,169	22
85+	1,962	1,948	10	4,938	4,884	50
Total	119,438	117,594	1,362	125,676	124,083	1,073

Madison		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	8,521	7,432	979	7,794	6,796	892	
1-4	34,146	29,632	4,082	31,283	27,297	3,540	
5-9	44,956	38,969	5,464	42,342	36,667	5,181	
10-14	48,136	42,226	5,320	45,815	40,040	5,247	
15-19	46,763	41,786	4,458	46,926	41,140	5,311	
20-24	41,747	37,724	3,323	47,155	41,167	5,271	
25-29	40,066	36,288	3,106	41,497	36,777	4,079	
30-34	43,011	39,358	3,193	43,756	39,464	3,746	
35-39	47,792	44,442	2,822	49,616	45,421	3,624	
40-44	52,365	48,954	2,942	52,936	48,787	3,576	
45-49	47,830	44,882	2,591	49,117	45,341	3,216	
50-54	40,468	38,071	2,065	42,989	39,949	2,564	
55-59	32,442	30,695	1,470	34,130	31,925	1,830	
60-64	26,355	25,047	1,127	28,820	27,226	1,378	
65-69	21,878	20,850	925	26,038	24,749	1,168	
70-74	20,091	19,220	785	26,224	25,006	1,085	
75-79	16,066	15,446	579	23,614	22,644	918	
80-84	9,378	9,077	274	17,215	16,510	661	
85+	6,406	6,156	230	17,416	16,663	708	
Total	628,417	576,255	45,735	674,683	613,569	53,995	
Marion		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	1,347	1,219	120	1,362	1,233	121	
1-4	5,205	4,712	441	5,189	4,729	409	
5-9	7,447	6,824	560	6,861	6,294	490	
10-14	7,980	7,431	471	7,149	6,621	452	
15-19	7,648	7,142	404	7,099	6,669	334	
20-24	6,130	5,821	234	6,031	5,689	278	
25-29	5,638	5,370	230	5,565	5,280	238	
30-34	6,052	5,719	271	6,091	5,800	245	
35-39	6,914	6,627	231	7,405	7,026	299	
40-44	7,678	7,386	231	8,147	7,796	289	
45-49	7,145	6,877	190	7,355	7,028	236	
50-54	6,626	6,347	215	6,931	6,697	170	
55-59	5,372	5,200	119	5,882	5,658	176	
60-64	4,664	4,492	145	5,288	5,109	161	
65-69	3,900	3,789	102	4,388	4,216	157	
70-74	3,483	3,379	97	4,448	4,312	132	
75-79	2,864	2,802	55	4,322	4,166	147	
80-84	1,912	1,868	39	3,597	3,503	92	
85+	1,521	1,462	52	4,133	4,002	128	
Total	99,526	94,467	4,207	107,243	101,828	4,554	
Marshall		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	334	331	2	312	309	3	
1-4	1,460	1,424	33	1,336	1,299	25	
5-9	2,299	2,234	53	2,139	2,083	36	
10-14	2,267	2,214	31	2,216	2,175	33	
15-19	2,026	2,000	17	2,224	2,214	3	
20-24	1,941	1,908	19	1,534	1,519	3	
25-29	1,708	1,683	17	1,546	1,543	3	
30-34	1,960	1,939	7	1,793	1,787	2	
35-39	2,093	2,089	0	2,121	2,112	4	
40-44	2,585	2,577	0	2,488	2,458	4	
45-49	2,497	2,478	12	2,495	2,470	9	
50-54	2,266	2,258	7	2,368	2,348	4	
55-59	1,959	1,950	8	1,898	1,884	3	
60-64	1,604	1,602	2	1,684	1,679	0	
65-69	1,406	1,404	2	1,559	1,541	0	
70-74	1,350	1,340	0	1,458	1,451	0	
75-79	1,140	1,140	0	1,501	1,499	0	
80-84	719	719	0	1,169	1,169	0	
85+	544	544	0	1,374	1,374	0	
Total	32,158	31,834	210	33,215	32,914	132	

Mason	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	444	436	2	441	438	0
1-4	1,886	1,866	8	1,752	1,728	3
5-9	2,674	2,657	10	2,523	2,489	5
10-14	3,040	3,029	1	2,815	2,791	8
15-19	2,778	2,756	5	2,725	2,711	2
20-24	2,281	2,255	19	2,274	2,265	2
25-29	2,202	2,171	23	2,118	2,105	0
30-34	2,335	2,288	25	2,264	2,249	0
35-39	2,794	2,773	12	2,850	2,819	9
40-44	3,126	3,108	0	3,113	3,108	1
45-49	2,938	2,926	0	2,809	2,790	0
50-54	2,676	2,668	0	2,714	2,702	0
55-59	2,161	2,158	0	2,386	2,366	0
60-64	2,048	2,045	0	2,043	2,031	0
65-69	1,658	1,658	0	1,826	1,823	0
70-74	1,428	1,422	0	1,789	1,773	0
75-79	1,336	1,334	0	1,631	1,626	0
80-84	862	862	0	1,280	1,280	0
85+	584	584	0	1,397	1,397	0
Total	39,251	38,996	105	40,750	40,491	30
Massac	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	493	447	45	476	444	32
1-4	1,842	1,674	165	1,907	1,729	169
5-9	2,495	2,300	191	2,343	2,108	226
10-14	2,461	2,232	216	2,371	2,224	145
15-19	2,564	2,348	202	2,268	2,064	187
20-24	2,176	2,007	158	2,277	2,097	166
25-29	2,208	2,075	123	2,342	2,220	110
30-34	2,430	2,297	123	2,290	2,178	100
35-39	2,657	2,494	153	2,715	2,524	178
40-44	2,862	2,611	231	2,978	2,775	179
45-49	2,683	2,489	187	2,767	2,602	147
50-54	2,336	2,201	130	2,322	2,204	114
55-59	2,081	2,003	69	2,274	2,169	90
60-64	1,792	1,716	69	1,997	1,914	72
65-69	1,486	1,394	84	1,820	1,701	118
70-74	1,309	1,269	37	1,736	1,652	81
75-79	1,194	1,144	49	1,759	1,686	73
80-84	699	676	23	1,331	1,266	65
85+	546	536	10	1,485	1,404	78
Total	36,314	33,913	2,265	39,458	36,961	2,330
Menard	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	343	341	0	300	298	2
1-4	1,504	1,493	8	1,315	1,285	21
5-9	2,281	2,251	15	2,184	2,151	19
10-14	2,699	2,660	23	2,374	2,349	7
15-19	2,425	2,399	15	2,301	2,290	11
20-24	1,673	1,653	20	1,508	1,501	0
25-29	1,339	1,314	24	1,381	1,362	2
30-34	1,931	1,887	27	2,014	2,001	3
35-39	2,489	2,460	27	2,811	2,780	5
40-44	2,735	2,702	31	2,788	2,768	5
45-49	2,388	2,374	11	2,531	2,521	3
50-54	2,355	2,347	4	2,198	2,185	0
55-59	1,641	1,641	0	1,864	1,848	2
60-64	1,421	1,416	0	1,527	1,522	2
65-69	1,218	1,216	0	1,180	1,180	0
70-74	909	908	1	965	965	0
75-79	654	651	3	903	903	0
80-84	452	451	0	871	871	0
85+	367	367	0	897	897	0
Total	30,824	30,531	209	31,912	31,677	82

Mercer	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	460	454	6	482	482	0
1-4	2,023	1,995	19	1,838	1,816	16
5-9	2,761	2,707	35	2,564	2,548	10
10-14	3,166	3,128	33	3,186	3,156	13
15-19	3,276	3,239	29	3,005	2,996	3
20-24	2,403	2,370	31	2,167	2,150	14
25-29	2,120	2,088	30	1,975	1,955	4
30-34	2,318	2,294	24	2,542	2,534	3
35-39	2,896	2,875	18	3,334	3,304	4
40-44	3,377	3,356	17	3,314	3,280	11
45-49	3,335	3,324	8	3,147	3,133	2
50-54	3,131	3,127	2	3,007	2,994	0
55-59	2,551	2,534	10	2,610	2,606	4
60-64	2,113	2,098	6	2,242	2,239	0
65-69	1,728	1,726	2	1,805	1,799	3
70-74	1,441	1,438	3	1,642	1,641	1
75-79	1,168	1,168	0	1,635	1,634	0
80-84	759	758	1	1,373	1,370	2
85+	677	674	3	1,235	1,230	5
Total	41,703	41,353	277	43,103	42,867	95
Monroe	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	881	877	2	779	777	0
1-4	3,698	3,664	11	3,555	3,527	10
5-9	5,036	4,989	13	4,825	4,752	28
10-14	5,803	5,747	8	5,151	5,090	26
15-19	5,351	5,311	4	5,089	5,031	17
20-24	4,262	4,222	14	3,673	3,645	9
25-29	3,854	3,818	15	3,815	3,789	12
30-34	4,478	4,456	10	4,946	4,908	8
35-39	5,668	5,630	9	6,134	6,102	3
40-44	6,655	6,622	3	6,809	6,771	4
45-49	6,005	5,982	0	5,450	5,422	2
50-54	4,589	4,580	0	4,258	4,232	0
55-59	3,367	3,353	0	3,373	3,350	0
60-64	2,738	2,728	0	2,991	2,975	0
65-69	2,408	2,407	0	2,883	2,872	0
70-74	2,184	2,181	0	2,570	2,561	0
75-79	1,604	1,601	0	2,129	2,126	0
80-84	899	895	0	1,712	1,707	0
85+	637	637	0	1,867	1,858	0
Total	70,117	69,700	89	72,009	71,495	119
Montgomery	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	858	848	5	763	755	5
1-4	3,565	3,498	42	3,321	3,267	33
5-9	4,948	4,879	53	4,761	4,675	39
10-14	5,517	5,465	34	5,200	5,129	49
15-19	5,592	5,348	223	4,981	4,882	50
20-24	5,609	4,471	1,135	3,934	3,901	16
25-29	5,733	4,714	979	3,718	3,689	13
30-34	6,154	5,104	1,018	4,298	4,269	10
35-39	6,410	5,571	807	5,225	5,189	9
40-44	6,670	6,023	620	5,535	5,514	8
45-49	5,931	5,520	399	5,182	5,126	3
50-54	4,838	4,681	140	4,508	4,472	9
55-59	3,495	3,433	46	3,689	3,654	8
60-64	3,230	3,189	24	3,423	3,396	5
65-69	2,688	2,660	22	3,216	3,203	6
70-74	2,641	2,633	7	3,399	3,392	3
75-79	2,261	2,246	15	3,266	3,251	8
80-84	1,476	1,475	0	2,663	2,656	5
85+	1,203	1,203	0	3,002	2,982	15
Total	78,819	72,961	5,569	74,084	73,402	294

Morgan	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,051	953	92	980	908	60
1-4	4,038	3,713	289	3,925	3,646	247
5-9	5,622	5,207	370	5,180	4,734	395
10-14	6,191	5,738	426	5,840	5,374	406
15-19	7,681	6,852	772	7,518	7,032	425
20-24	7,348	6,290	978	6,298	5,956	278
25-29	5,734	4,757	920	4,540	4,318	154
30-34	5,871	5,013	820	5,152	4,902	205
35-39	6,854	6,059	744	6,214	5,962	199
40-44	7,232	6,646	550	6,771	6,462	262
45-49	6,681	6,199	453	6,410	6,183	159
50-54	6,025	5,778	205	6,113	5,960	112
55-59	4,892	4,740	102	5,044	4,891	131
60-64	3,894	3,809	70	4,268	4,184	75
65-69	3,199	3,119	69	3,811	3,698	105
70-74	2,869	2,821	39	3,704	3,631	69
75-79	2,375	2,330	41	3,541	3,476	60
80-84	1,589	1,549	40	2,910	2,847	55
85+	1,181	1,161	20	3,144	3,087	53
Total	90,327	82,734	7,000	91,363	87,251	3,450
Moultrie	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	483	483	0	433	429	2
1-4	2,017	1,992	20	1,649	1,621	22
5-9	2,507	2,473	32	2,400	2,389	7
10-14	2,580	2,577	2	2,633	2,609	14
15-19	2,613	2,611	0	2,582	2,561	14
20-24	2,133	2,106	18	1,990	1,985	1
25-29	1,943	1,930	12	1,994	1,978	5
30-34	1,958	1,953	1	1,979	1,968	6
35-39	2,448	2,431	12	2,457	2,445	2
40-44	2,647	2,635	11	2,849	2,837	7
45-49	2,592	2,581	8	2,651	2,643	1
50-54	2,267	2,260	5	2,229	2,227	0
55-59	1,835	1,828	4	1,884	1,877	2
60-64	1,634	1,628	3	1,656	1,649	2
65-69	1,438	1,435	1	1,567	1,566	0
70-74	1,271	1,269	0	1,604	1,604	0
75-79	1,016	1,016	0	1,574	1,573	0
80-84	686	686	0	1,291	1,291	0
85+	594	594	0	1,596	1,594	0
Total	34,662	34,488	129	37,018	36,846	85
Ogle	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,447	1,413	21	1,484	1,445	23
1-4	6,532	6,320	148	6,226	6,041	101
5-9	9,613	9,392	153	9,253	9,014	142
10-14	10,821	10,645	84	10,841	10,627	99
15-19	10,363	10,210	105	9,185	9,017	67
20-24	7,348	7,151	129	6,753	6,617	63
25-29	6,807	6,615	88	6,898	6,761	55
30-34	8,240	8,091	80	8,417	8,294	37
35-39	9,785	9,634	75	10,245	10,114	41
40-44	11,248	11,114	64	10,920	10,841	24
45-49	10,140	10,038	42	9,499	9,399	30
50-54	8,361	8,272	26	8,354	8,268	17
55-59	7,042	6,990	7	6,957	6,906	9
60-64	5,643	5,584	12	5,638	5,597	3
65-69	4,387	4,350	7	4,845	4,827	0
70-74	3,951	3,933	9	4,557	4,542	0
75-79	3,090	3,081	4	3,909	3,907	0
80-84	2,110	2,102	0	3,187	3,187	0
85+	1,407	1,407	0	3,371	3,361	0
Total	128,335	126,342	1,054	130,539	128,765	711

Peoria		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	6,576	4,525	1,880	6,465	4,413	1,884	
1-4	26,283	18,212	7,362	24,600	16,859	7,075	
5-9	33,380	22,691	10,010	31,579	21,625	9,281	
10-14	32,517	22,894	9,020	31,117	21,751	8,764	
15-19	33,555	25,582	7,386	33,289	24,981	7,758	
20-24	32,405	25,935	5,601	33,469	25,887	6,717	
25-29	29,709	23,232	4,818	30,571	23,538	5,853	
30-34	29,636	23,693	4,661	30,289	23,608	5,661	
35-39	30,079	24,683	4,492	30,718	24,428	5,381	
40-44	31,763	26,780	4,343	34,611	28,627	5,396	
45-49	32,527	27,858	4,109	34,312	28,824	4,982	
50-54	28,979	25,262	3,257	31,582	27,116	3,852	
55-59	23,149	20,507	2,231	24,791	21,670	2,715	
60-64	17,812	15,926	1,629	19,462	17,246	1,925	
65-69	14,594	13,207	1,202	17,495	15,828	1,482	
70-74	13,589	12,531	907	17,356	15,716	1,485	
75-79	11,075	10,279	743	16,568	15,394	1,102	
80-84	7,171	6,729	412	12,923	12,131	716	
85+	5,064	4,731	305	13,278	12,649	571	
Total	439,863	355,257	74,368	474,475	382,291	82,600	
Perry		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	622	590	24	568	537	25	
1-4	2,573	2,396	144	2,278	2,127	126	
5-9	3,346	3,148	168	3,311	3,156	135	
10-14	3,979	3,801	146	3,576	3,451	97	
15-19	4,393	3,787	580	3,512	3,380	93	
20-24	5,617	3,909	1,693	3,219	3,093	102	
25-29	4,938	3,440	1,473	2,978	2,883	62	
30-34	4,734	3,346	1,375	2,881	2,797	63	
35-39	5,165	3,977	1,166	3,615	3,486	111	
40-44	4,925	3,997	902	3,884	3,794	59	
45-49	4,580	4,103	450	3,913	3,823	69	
50-54	3,581	3,396	173	3,513	3,426	51	
55-59	2,966	2,860	64	3,010	2,954	33	
60-64	2,459	2,386	45	2,550	2,512	18	
65-69	2,156	2,113	38	2,366	2,311	39	
70-74	1,838	1,809	29	2,384	2,357	24	
75-79	1,561	1,536	25	2,345	2,308	28	
80-84	996	975	11	1,797	1,765	29	
85+	730	726	4	2,022	1,985	34	
Total	61,159	52,295	8,510	53,722	52,145	1,198	
Piatt		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	425	425	0	390	387	2	
1-4	1,959	1,916	29	1,910	1,882	25	
5-9	2,959	2,916	33	2,655	2,619	32	
10-14	3,021	2,988	28	2,826	2,798	21	
15-19	3,002	2,990	10	2,808	2,803	3	
20-24	2,086	2,055	24	2,020	2,002	15	
25-29	1,930	1,905	17	1,985	1,958	3	
30-34	2,194	2,172	11	2,332	2,308	7	
35-39	2,944	2,928	4	3,157	3,148	1	
40-44	3,552	3,540	7	3,670	3,668	0	
45-49	3,351	3,343	6	3,304	3,292	5	
50-54	2,887	2,887	0	2,731	2,730	1	
55-59	2,394	2,394	0	2,374	2,371	3	
60-64	1,942	1,942	0	2,074	2,074	0	
65-69	1,604	1,604	0	1,840	1,832	4	
70-74	1,463	1,459	4	1,596	1,595	0	
75-79	1,082	1,082	0	1,596	1,596	0	
80-84	727	727	0	1,187	1,187	0	
85+	453	453	0	1,336	1,336	0	
Total	39,975	39,726	173	41,791	41,586	122	

Pike	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	487	486	1	452	452	0
1-4	2,090	2,068	13	1,840	1,827	8
5-9	2,813	2,797	12	2,692	2,673	6
10-14	3,026	3,014	2	3,016	3,004	3
15-19	3,242	3,193	33	2,819	2,809	8
20-24	2,823	2,403	401	2,110	2,107	3
25-29	2,641	2,378	241	2,079	2,068	1
30-34	2,585	2,479	98	2,514	2,501	3
35-39	2,933	2,688	234	2,736	2,729	0
40-44	3,117	2,954	150	3,107	3,089	0
45-49	3,291	3,205	83	3,058	3,039	0
50-54	2,820	2,788	29	2,689	2,681	0
55-59	2,113	2,109	0	2,461	2,453	0
60-64	2,053	2,043	0	2,113	2,109	0
65-69	1,740	1,740	0	2,022	2,017	4
70-74	1,546	1,546	0	1,920	1,916	0
75-79	1,533	1,528	5	2,016	2,016	0
80-84	1,003	1,002	0	1,785	1,781	0
85+	932	920	0	1,925	1,925	0
Total	42,788	41,341	1,302	43,354	43,196	36
Pope	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	89	89	0	80	80	0
1-4	419	412	7	368	366	2
5-9	570	562	4	547	539	4
10-14	627	621	2	654	642	9
15-19	1,275	815	421	785	692	82
20-24	879	651	208	572	534	31
25-29	521	501	20	451	444	1
30-34	569	543	21	554	548	0
35-39	708	678	23	772	755	3
40-44	740	711	23	812	797	9
45-49	766	756	4	788	776	0
50-54	764	763	0	788	778	2
55-59	704	701	1	682	660	14
60-64	685	672	7	690	679	8
65-69	623	621	0	539	526	1
70-74	450	442	0	475	475	0
75-79	357	351	5	414	414	0
80-84	197	197	0	311	311	0
85+	162	158	4	414	404	10
Total	11,105	10,244	750	10,696	10,420	176
Pulaski	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	221	113	106	261	157	104
1-4	896	522	373	910	531	377
5-9	1,226	701	521	1,388	739	649
10-14	1,456	828	619	1,544	899	643
15-19	1,494	958	527	1,387	794	591
20-24	1,108	714	336	1,079	766	312
25-29	939	649	246	930	626	283
30-34	864	630	188	994	658	334
35-39	1,164	836	295	1,271	853	407
40-44	1,348	978	349	1,387	878	505
45-49	1,407	1,033	366	1,203	845	351
50-54	1,081	802	279	1,048	785	256
55-59	780	584	192	902	649	252
60-64	752	557	191	926	649	277
65-69	670	495	171	797	545	247
70-74	693	500	193	872	637	235
75-79	567	463	104	823	586	237
80-84	341	250	91	582	440	141
85+	235	152	83	641	446	192
Total	17,242	11,765	5,230	18,945	12,483	6,393

Putnam	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	172	168	0	164	160	0
1-4	711	694	7	638	616	11
5-9	1,026	999	16	954	915	27
10-14	1,129	1,094	25	1,194	1,157	29
15-19	1,115	1,092	16	1,049	1,038	4
20-24	769	761	5	807	805	0
25-29	756	740	12	671	661	0
30-34	850	831	10	892	878	5
35-39	1,061	1,048	6	1,166	1,158	3
40-44	1,267	1,258	5	1,299	1,291	3
45-49	1,238	1,228	6	1,055	1,054	1
50-54	1,090	1,085	4	1,053	1,049	0
55-59	951	940	8	965	965	0
60-64	766	764	1	805	805	0
65-69	655	648	4	604	599	4
70-74	572	568	4	617	614	0
75-79	456	456	0	607	607	0
80-84	303	303	0	434	434	0
85+	189	189	0	435	435	0
Total	15,076	14,866	129	15,409	15,241	87
Randolph	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	969	925	40	884	820	62
1-4	3,828	3,582	235	3,445	3,178	249
5-9	4,876	4,562	292	4,869	4,555	292
10-14	5,459	5,181	255	5,407	5,142	236
15-19	6,362	5,679	654	5,105	4,825	245
20-24	8,019	5,416	2,566	4,382	4,174	181
25-29	7,582	4,969	2,541	4,078	3,899	157
30-34	7,184	5,224	1,937	4,508	4,350	139
35-39	7,952	6,108	1,796	5,311	5,090	195
40-44	7,713	6,281	1,400	5,768	5,646	98
45-49	7,127	6,251	851	5,643	5,490	115
50-54	5,413	5,053	348	4,945	4,810	119
55-59	4,230	4,026	194	4,192	4,085	87
60-64	3,488	3,401	80	3,522	3,462	55
65-69	2,934	2,860	61	3,276	3,237	32
70-74	2,546	2,494	51	3,489	3,429	57
75-79	2,261	2,211	49	3,238	3,172	58
80-84	1,492	1,473	19	2,713	2,684	27
85+	1,132	1,113	15	3,041	3,006	31
Total	90,567	76,809	13,384	77,816	75,054	2,435
Richland	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	477	467	7	457	452	1
1-4	1,976	1,928	24	1,921	1,882	26
5-9	2,619	2,542	40	2,416	2,367	29
10-14	2,957	2,929	11	2,747	2,700	37
15-19	2,954	2,915	20	2,805	2,788	7
20-24	2,533	2,436	61	2,418	2,405	3
25-29	2,114	2,050	28	2,131	2,115	6
30-34	2,369	2,360	0	2,371	2,338	2
35-39	2,745	2,709	12	2,762	2,737	2
40-44	3,045	3,018	19	3,306	3,290	0
45-49	2,839	2,824	8	2,829	2,800	0
50-54	2,397	2,369	8	2,464	2,443	0
55-59	1,978	1,966	0	2,258	2,240	0
60-64	1,973	1,963	0	2,113	2,105	0
65-69	1,742	1,721	0	2,016	2,001	0
70-74	1,508	1,501	0	1,816	1,804	0
75-79	1,226	1,222	0	1,757	1,754	0
80-84	692	692	0	1,335	1,331	0
85+	706	706	0	1,544	1,538	3
Total	38,850	38,318	238	41,466	41,090	116

Rock Island	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	4,948	4,173	678	4,760	3,939	714
1-4	19,517	16,376	2,658	18,890	15,708	2,716
5-9	24,189	20,313	3,355	23,278	19,528	3,295
10-14	25,485	22,005	3,123	24,509	21,053	3,112
15-19	27,003	23,921	2,727	26,187	23,243	2,477
20-24	26,005	23,137	2,476	26,988	23,980	2,480
25-29	23,036	19,952	2,451	22,448	19,679	2,057
30-34	23,366	20,309	2,424	22,725	20,306	1,819
35-39	25,716	22,719	2,423	25,097	22,845	1,815
40-44	27,949	25,553	2,026	28,538	26,294	1,878
45-49	28,083	25,927	1,817	27,942	25,854	1,744
50-54	24,970	23,130	1,546	25,535	23,595	1,552
55-59	19,815	18,423	1,151	20,887	19,515	1,136
60-64	16,337	15,340	828	17,506	16,428	916
65-69	13,009	12,315	595	15,263	14,421	720
70-74	11,967	11,433	502	15,274	14,563	616
75-79	9,404	9,020	348	14,023	13,465	513
80-84	6,256	6,124	123	11,365	11,041	296
85+	4,541	4,402	105	11,337	11,080	232
Total	361,596	324,572	31,356	382,552	346,537	30,088
St Clair	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	9,052	5,442	3,464	8,769	5,168	3,470
1-4	35,862	21,536	13,716	35,392	20,840	13,925
5-9	49,329	29,280	19,278	47,236	27,458	19,005
10-14	52,860	32,610	19,397	50,801	30,685	19,301
15-19	49,683	31,938	16,974	48,108	30,188	17,094
20-24	41,153	27,760	12,623	42,235	26,990	14,443
25-29	38,519	26,521	11,204	41,489	26,046	14,496
30-34	40,276	28,717	10,981	44,301	28,648	14,678
35-39	47,256	35,361	11,175	50,787	34,662	15,174
40-44	50,625	38,519	11,447	54,216	38,228	14,848
45-49	45,816	34,950	10,351	49,654	34,944	13,640
50-54	38,186	29,067	8,691	40,072	28,448	10,683
55-59	28,179	21,611	6,331	30,246	21,839	7,894
60-64	21,314	16,339	4,770	25,728	18,891	6,422
65-69	19,042	14,832	4,076	24,732	18,495	5,934
70-74	18,047	14,734	3,219	24,542	18,870	5,442
75-79	14,032	11,517	2,453	21,268	17,229	3,920
80-84	8,745	7,307	1,398	15,274	12,706	2,500
85+	5,744	4,728	990	15,849	13,038	2,752
Total	613,720	432,769	172,538	670,699	453,373	205,621
Saline	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	748	703	40	747	697	43
1-4	3,023	2,838	162	2,992	2,798	178
5-9	4,041	3,778	244	3,864	3,640	204
10-14	4,552	4,336	201	4,242	4,059	156
15-19	6,845	5,018	1,761	4,164	3,974	165
20-24	3,809	3,534	253	3,763	3,595	155
25-29	3,325	3,138	169	3,381	3,239	129
30-34	3,756	3,643	95	3,839	3,715	101
35-39	4,278	4,108	154	4,513	4,402	82
40-44	4,670	4,514	133	4,856	4,694	122
45-49	4,471	4,362	101	4,601	4,474	86
50-54	4,238	4,092	130	4,492	4,322	129
55-59	3,575	3,452	120	3,826	3,673	119
60-64	2,938	2,867	61	3,717	3,589	108
65-69	2,866	2,788	66	3,448	3,377	64
70-74	2,408	2,357	44	3,269	3,208	55
75-79	1,940	1,921	18	3,070	2,989	71
80-84	1,325	1,294	28	2,686	2,647	30
85+	990	970	15	2,977	2,933	40
Total	63,798	59,713	3,795	68,447	66,025	2,037

Sangamon	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	6,225	5,010	1,100	6,148	4,890	1,165
1-4	24,991	20,243	4,313	24,427	19,788	4,169
5-9	33,929	27,398	5,894	31,159	25,148	5,448
10-14	34,627	28,932	5,185	32,945	27,280	5,157
15-19	32,224	27,300	4,465	31,504	26,506	4,567
20-24	27,492	23,557	3,376	28,976	24,527	4,031
25-29	28,385	24,692	3,006	31,112	26,430	3,825
30-34	32,260	28,369	3,217	32,953	28,564	3,666
35-39	35,876	31,959	3,254	37,856	33,324	3,865
40-44	37,965	34,148	3,244	40,463	36,258	3,632
45-49	36,436	33,229	2,707	39,111	35,486	3,020
50-54	32,415	30,040	1,978	35,553	32,561	2,508
55-59	23,192	21,535	1,359	26,190	24,145	1,709
60-64	18,594	17,218	1,089	20,823	19,319	1,258
65-69	14,881	13,891	872	17,794	16,568	1,085
70-74	12,961	12,365	532	17,870	16,757	965
75-79	10,474	10,073	373	16,488	15,649	766
80-84	6,726	6,504	205	12,648	12,086	501
85+	4,776	4,542	213	13,312	12,730	539
Total	454,429	401,005	46,382	497,332	438,016	51,876
Schuyler	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	179	178	0	165	165	0
1-4	860	853	0	722	717	0
5-9	1,174	1,170	2	971	964	7
10-14	1,146	1,132	14	1,193	1,179	11
15-19	1,185	1,180	5	1,163	1,160	2
20-24	1,044	1,026	18	824	824	0
25-29	959	953	6	881	879	0
30-34	1,143	1,143	0	974	968	0
35-39	1,120	1,114	5	1,173	1,167	0
40-44	1,404	1,403	1	1,429	1,424	5
45-49	1,396	1,393	3	1,345	1,337	0
50-54	1,253	1,252	0	1,122	1,122	0
55-59	1,026	1,025	0	1,023	1,019	0
60-64	860	860	0	889	888	0
65-69	799	798	1	843	840	3
70-74	702	698	3	942	941	1
75-79	564	564	0	856	856	0
80-84	483	483	0	630	630	0
85+	304	304	0	729	729	0
Total	17,601	17,529	58	17,874	17,809	29
Scott	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	140	140	0	154	154	0
1-4	678	678	0	681	681	0
5-9	990	990	0	905	905	0
10-14	957	956	0	941	936	0
15-19	926	923	0	1,082	1,076	0
20-24	811	811	0	780	777	0
25-29	717	717	0	762	755	5
30-34	806	802	0	784	778	0
35-39	949	949	0	1,043	1,036	0
40-44	1,197	1,197	0	1,077	1,075	0
45-49	970	970	0	1,012	1,007	0
50-54	941	941	0	857	846	0
55-59	671	671	0	758	758	0
60-64	669	668	1	718	716	0
65-69	524	521	3	605	602	0
70-74	561	561	0	614	614	0
75-79	368	368	0	508	504	0
80-84	270	270	0	426	426	0
85+	193	193	0	544	540	0
Total	13,338	13,326	4	14,251	14,186	5

Shelby	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	619	616	0	569	566	3
1-4	2,579	2,548	8	2,512	2,508	3
5-9	3,971	3,940	8	3,712	3,703	1
10-14	4,367	4,342	9	4,111	4,090	6
15-19	4,169	4,126	31	3,927	3,902	18
20-24	3,357	3,315	22	2,954	2,938	12
25-29	2,963	2,948	8	2,751	2,734	3
30-34	3,333	3,320	0	3,167	3,155	2
35-39	4,008	3,990	13	4,117	4,080	8
40-44	4,433	4,409	17	4,293	4,265	8
45-49	4,080	4,070	6	3,954	3,947	0
50-54	3,679	3,673	1	3,731	3,725	0
55-59	3,084	3,076	0	3,217	3,200	4
60-64	2,759	2,752	2	2,825	2,816	0
65-69	2,431	2,422	2	2,875	2,872	1
70-74	2,323	2,312	0	2,406	2,400	3
75-79	1,852	1,848	0	2,360	2,353	0
80-84	1,183	1,176	4	2,038	2,036	0
85+	887	885	1	1,961	1,957	0
Total	56,077	55,768	132	57,480	57,247	72
Stark	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	182	182	0	190	190	0
1-4	761	759	0	788	784	0
5-9	1,060	1,052	5	1,086	1,085	0
10-14	1,115	1,113	0	1,074	1,070	0
15-19	1,163	1,160	0	1,043	1,036	4
20-24	774	767	7	786	780	0
25-29	798	792	6	737	736	0
30-34	895	892	0	954	946	4
35-39	1,037	1,035	0	1,120	1,116	0
40-44	1,196	1,191	0	1,051	1,051	0
45-49	1,118	1,118	0	1,217	1,205	0
50-54	1,030	1,030	0	970	970	0
55-59	910	910	0	904	904	0
60-64	772	772	0	706	706	0
65-69	699	699	0	799	795	4
70-74	508	508	0	755	755	0
75-79	537	537	0	676	672	0
80-84	378	378	0	644	644	0
85+	278	278	0	745	745	0
Total	15,211	15,173	18	16,245	16,190	12
Stephensen	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	1,469	1,224	232	1,503	1,237	248
1-4	5,876	4,814	973	6,167	4,971	1,077
5-9	8,294	7,030	1,154	8,203	6,871	1,232
10-14	9,280	8,149	1,048	8,793	7,568	1,127
15-19	8,851	7,804	950	8,663	7,600	965
20-24	6,555	5,661	767	6,593	5,799	736
25-29	6,210	5,565	550	6,345	5,596	668
30-34	7,605	6,926	602	7,546	6,689	752
35-39	8,917	8,127	699	8,755	7,880	792
40-44	9,487	8,811	603	9,725	8,835	805
45-49	8,905	8,301	545	9,011	8,357	589
50-54	7,688	7,247	374	7,996	7,459	404
55-59	6,393	6,056	297	6,706	6,352	314
60-64	5,236	4,991	225	5,910	5,586	294
65-69	4,658	4,453	194	5,408	5,140	257
70-74	4,267	4,105	155	5,228	5,004	212
75-79	3,684	3,581	99	5,088	4,929	143
80-84	2,151	2,094	52	3,869	3,764	102
85+	1,692	1,652	40	4,357	4,265	90
Total	117,218	106,591	9,559	125,866	113,902	10,807

Tazewell	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	4,012	3,947	31	3,782	3,714	24
1-4	16,068	15,764	158	15,531	15,116	212
5-9	21,798	21,379	222	20,449	19,938	257
10-14	22,651	22,337	159	22,027	21,658	153
15-19	22,687	22,284	142	20,811	20,486	140
20-24	19,663	19,029	435	18,606	18,284	146
25-29	19,720	18,644	791	18,821	18,386	166
30-34	21,627	20,572	788	20,563	20,091	151
35-39	23,714	22,890	573	23,952	23,557	158
40-44	25,348	24,645	514	25,925	25,560	144
45-49	24,507	24,019	311	24,874	24,557	84
50-54	22,649	22,316	190	22,176	21,880	93
55-59	17,446	17,286	82	17,567	17,408	39
60-64	13,663	13,566	21	15,179	15,104	9
65-69	11,963	11,886	27	14,255	14,132	19
70-74	11,329	11,283	23	13,168	13,115	14
75-79	8,352	8,333	4	11,167	11,126	19
80-84	4,929	4,916	11	8,387	8,372	4
85+	3,587	3,582	0	9,083	9,046	15
Total	315,713	308,678	4,482	326,323	321,530	1,847
Union	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	474	468	4	479	469	7
1-4	1,938	1,891	30	1,923	1,884	34
5-9	2,830	2,786	25	2,742	2,696	29
10-14	3,395	3,332	27	3,107	3,072	16
15-19	3,116	3,068	38	3,041	2,994	13
20-24	2,562	2,531	14	2,534	2,509	5
25-29	2,402	2,327	54	2,571	2,529	29
30-34	2,683	2,627	46	2,661	2,591	53
35-39	3,253	3,134	89	3,283	3,231	33
40-44	3,631	3,559	48	3,468	3,409	26
45-49	3,463	3,382	50	3,386	3,316	23
50-54	2,977	2,926	29	3,029	2,987	22
55-59	2,778	2,722	37	2,886	2,854	12
60-64	2,380	2,347	19	2,376	2,353	4
65-69	1,901	1,872	20	2,180	2,163	3
70-74	1,515	1,501	10	1,887	1,874	5
75-79	1,352	1,348	4	1,932	1,929	0
80-84	915	901	14	1,583	1,571	10
85+	700	700	0	1,835	1,826	5
Total	44,265	43,422	558	46,903	46,257	329
Vermilion	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,827	2,341	459	2,743	2,242	477
1-4	11,436	9,444	1,873	10,849	8,885	1,853
5-9	14,668	12,140	2,407	14,287	11,781	2,397
10-14	14,911	12,438	2,309	14,218	12,139	1,981
15-19	14,235	12,236	1,857	13,905	12,033	1,698
20-24	13,823	11,102	2,637	12,197	10,481	1,621
25-29	13,355	10,407	2,837	11,779	10,214	1,460
30-34	13,364	11,112	2,162	12,632	11,133	1,378
35-39	14,750	12,491	2,159	14,213	12,852	1,235
40-44	15,899	13,924	1,834	15,313	13,787	1,354
45-49	14,901	13,289	1,448	14,986	13,546	1,262
50-54	13,379	12,387	856	14,082	12,966	970
55-59	10,965	10,242	623	11,438	10,626	714
60-64	9,386	8,793	500	10,201	9,522	607
65-69	8,060	7,534	495	9,442	8,815	566
70-74	7,323	6,899	404	8,960	8,446	463
75-79	6,071	5,746	317	8,788	8,317	443
80-84	3,641	3,423	210	6,253	5,955	283
85+	2,447	2,318	122	6,089	5,761	319
Total	205,441	178,266	25,509	212,375	189,501	21,081

Wabash	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	345	340	3	343	334	3
1-4	1,463	1,433	24	1,427	1,384	23
5-9	2,122	2,100	22	1,885	1,839	39
10-14	2,327	2,288	31	2,300	2,252	35
15-19	2,431	2,386	23	2,361	2,316	16
20-24	2,288	2,210	42	2,071	1,996	22
25-29	1,717	1,696	15	1,630	1,618	4
30-34	1,743	1,728	9	1,820	1,795	6
35-39	2,191	2,157	11	2,228	2,206	0
40-44	2,622	2,605	7	2,572	2,551	0
45-49	2,563	2,538	10	2,376	2,360	1
50-54	2,226	2,218	2	2,158	2,152	4
55-59	1,525	1,512	9	1,683	1,674	0
60-64	1,441	1,427	9	1,424	1,414	2
65-69	1,181	1,175	6	1,508	1,504	2
70-74	1,052	1,040	8	1,479	1,479	0
75-79	870	870	0	1,380	1,380	0
80-84	624	624	0	1,014	1,014	0
85+	513	513	0	1,176	1,176	0
Total	31,244	30,860	231	32,835	32,444	157
Warren	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	502	479	22	528	507	21
1-4	2,113	2,009	88	2,056	1,986	66
5-9	2,845	2,729	92	2,719	2,612	96
10-14	3,217	3,110	70	3,048	2,945	80
15-19	4,059	3,888	144	4,188	4,037	128
20-24	3,942	3,682	178	3,848	3,649	128
25-29	2,317	2,207	79	2,262	2,199	36
30-34	2,507	2,448	45	2,529	2,503	15
35-39	2,961	2,898	55	2,986	2,951	22
40-44	3,222	3,142	61	3,376	3,294	53
45-49	3,509	3,455	38	3,441	3,391	33
50-54	2,928	2,884	40	3,027	2,987	12
55-59	2,536	2,493	33	2,583	2,543	30
60-64	2,080	2,045	21	2,174	2,126	36
65-69	1,759	1,736	21	1,879	1,853	18
70-74	1,592	1,555	29	2,143	2,108	20
75-79	1,409	1,383	25	1,875	1,855	19
80-84	850	840	10	1,425	1,414	11
85+	586	586	0	1,688	1,671	17
Total	44,934	43,569	1,051	47,775	46,631	841
Washington	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	406	400	2	424	415	2
1-4	1,747	1,713	19	1,634	1,599	23
5-9	2,406	2,392	8	2,483	2,438	27
10-14	3,042	3,015	19	2,806	2,789	7
15-19	3,029	2,938	75	2,818	2,798	15
20-24	2,141	2,122	14	2,030	2,012	8
25-29	1,919	1,894	19	1,888	1,871	9
30-34	2,282	2,266	2	2,268	2,250	0
35-39	2,861	2,828	15	2,815	2,802	2
40-44	3,186	3,160	20	3,099	3,077	6
45-49	3,021	3,015	5	2,775	2,752	3
50-54	2,489	2,480	0	2,300	2,287	0
55-59	1,851	1,843	0	1,997	1,976	0
60-64	1,756	1,745	7	1,867	1,850	6
65-69	1,466	1,466	0	1,474	1,470	4
70-74	1,305	1,305	0	1,624	1,620	4
75-79	1,251	1,243	4	1,494	1,488	0
80-84	800	800	0	1,258	1,256	0
85+	590	585	5	1,269	1,265	4
Total	37,548	37,210	214	38,323	38,015	120

Wayne Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks
00	503	500	0	522	513	2
1-4	1,963	1,931	10	2,083	2,035	17
5-9	2,694	2,651	23	2,495	2,466	12
10-14	3,266	3,225	22	2,686	2,660	6
15-19	3,097	3,049	19	2,690	2,664	11
20-24	2,448	2,415	19	2,558	2,535	1
25-29	2,345	2,302	27	2,118	2,101	4
30-34	2,561	2,514	26	2,461	2,440	7
35-39	2,939	2,883	30	2,888	2,879	0
40-44	3,179	3,137	29	3,118	3,099	4
45-49	2,924	2,916	6	2,913	2,905	0
50-54	2,761	2,742	7	2,797	2,779	4
55-59	2,300	2,285	0	2,534	2,519	0
60-64	2,141	2,129	0	2,334	2,329	0
65-69	1,871	1,863	0	2,222	2,218	0
70-74	1,606	1,601	0	2,024	2,016	0
75-79	1,395	1,395	0	2,030	2,021	3
80-84	935	935	0	1,532	1,530	2
85+	648	648	0	1,814	1,814	0
Total	41,576	41,121	218	43,819	43,523	73
White						
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	411	409	2	385	381	2
1-4	1,633	1,620	1	1,453	1,444	1
5-9	1,982	1,960	5	2,177	2,150	1
10-14	2,332	2,293	20	2,519	2,491	8
15-19	2,559	2,506	39	2,563	2,537	7
20-24	2,083	2,053	19	2,216	2,208	1
25-29	1,922	1,884	30	1,771	1,752	4
30-34	2,166	2,124	26	2,104	2,085	0
35-39	2,541	2,513	17	2,616	2,588	4
40-44	3,026	2,986	28	2,955	2,926	3
45-49	2,823	2,812	3	2,834	2,821	1
50-54	2,438	2,425	1	2,514	2,504	4
55-59	2,132	2,132	0	2,294	2,292	0
60-64	2,061	2,061	0	2,094	2,091	0
65-69	1,643	1,637	0	2,126	2,115	0
70-74	1,599	1,594	0	1,924	1,916	2
75-79	1,430	1,430	0	1,848	1,838	10
80-84	904	896	8	1,591	1,591	0
85+	808	807	0	1,977	1,971	5
Total	36,493	36,142	199	39,961	39,701	53
Whiteside						
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,941	1,883	49	1,799	1,751	40
1-4	7,851	7,571	206	7,562	7,241	270
5-9	10,321	9,945	289	10,030	9,644	276
10-14	11,306	10,927	288	10,512	10,143	262
15-19	11,138	10,731	294	10,091	9,738	246
20-24	9,208	8,869	245	8,600	8,370	176
25-29	8,445	8,178	186	8,089	7,903	118
30-34	9,185	9,023	104	9,177	8,983	108
35-39	10,524	10,289	145	10,597	10,327	159
40-44	11,603	11,340	147	11,620	11,403	127
45-49	11,467	11,294	103	11,581	11,415	49
50-54	10,038	9,868	88	10,221	10,107	45
55-59	8,240	8,110	57	8,292	8,198	28
60-64	6,725	6,655	32	7,188	7,129	26
65-69	5,556	5,505	26	6,675	6,633	22
70-74	5,233	5,208	23	6,721	6,691	14
75-79	4,391	4,379	11	5,873	5,837	22
80-84	2,774	2,746	22	4,827	4,790	24
85+	2,013	2,009	1	4,857	4,853	4
Total	147,959	144,530	2,316	154,312	151,156	2,016

Will	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	21,370	18,111	2,576	20,545	17,388	2,465
1-4	88,590	74,722	11,063	84,006	71,071	10,087
5-9	116,189	97,947	14,678	111,310	93,850	13,827
10-14	113,272	95,270	14,522	107,568	90,074	14,129
15-19	100,721	83,315	14,444	92,646	77,265	12,453
20-24	87,492	72,251	12,609	80,029	66,705	10,849
25-29	88,476	73,881	11,669	86,256	72,449	10,384
30-34	108,023	92,494	11,821	109,048	93,067	11,425
35-39	119,984	104,924	11,387	120,538	105,014	11,496
40-44	116,732	102,539	11,048	115,927	100,588	11,881
45-49	97,759	86,024	8,896	96,510	83,255	10,341
50-54	81,062	71,434	7,365	80,943	70,430	8,240
55-59	60,806	54,323	4,936	59,939	53,108	5,017
60-64	42,030	37,656	3,189	43,054	38,485	3,433
65-69	30,294	27,405	2,181	34,020	30,504	2,662
70-74	24,000	22,118	1,472	30,333	27,706	1,944
75-79	18,391	17,082	993	26,439	24,492	1,483
80-84	10,903	10,278	446	19,429	18,214	951
85+	6,892	6,410	382	18,301	17,379	789
Total	1,332,986	1,148,184	145,677	1,336,841	1,151,044	143,856
Williamson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,840	1,743	77	1,748	1,655	81
1-4	7,274	6,878	318	7,283	6,818	393
5-9	9,439	8,963	403	9,606	9,063	468
10-14	10,409	9,808	499	10,002	9,480	443
15-19	9,971	9,507	350	9,503	9,163	250
20-24	10,058	9,516	456	9,872	9,509	277
25-29	10,147	9,347	679	9,684	9,362	224
30-34	10,653	9,819	729	9,809	9,450	248
35-39	11,355	10,738	512	11,120	10,767	239
40-44	11,655	11,167	371	11,389	11,080	201
45-49	11,004	10,715	198	10,996	10,729	166
50-54	10,229	9,945	205	10,356	10,100	170
55-59	8,685	8,435	181	9,105	8,902	106
60-64	7,203	7,082	71	7,807	7,658	84
65-69	5,984	5,867	88	7,079	6,934	96
70-74	5,202	5,107	65	6,659	6,568	75
75-79	4,329	4,279	42	6,570	6,490	56
80-84	2,860	2,848	12	5,160	5,104	47
85+	1,922	1,912	9	5,153	5,088	41
Total	150,219	143,676	5,265	158,901	153,920	3,665
Winnabago	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	10,053	8,029	1,753	9,636	7,688	1,678
1-4	40,840	32,461	7,245	38,302	30,470	6,633
5-9	52,409	42,007	8,924	50,253	40,169	8,620
10-14	54,057	43,689	8,926	52,097	42,059	8,661
15-19	49,389	40,683	7,307	46,489	38,387	6,902
20-24	43,239	36,651	5,351	43,101	35,443	6,422
25-29	45,730	39,277	5,081	45,265	37,427	6,201
30-34	49,918	43,274	5,140	49,930	42,296	6,048
35-39	53,830	47,736	4,840	54,052	46,551	5,933
40-44	55,608	49,460	4,852	55,507	48,432	5,656
45-49	51,312	46,078	4,096	52,490	46,356	4,929
50-54	44,905	40,301	3,662	47,087	41,931	4,143
55-59	35,543	32,414	2,521	37,730	34,049	3,043
60-64	26,447	24,257	1,735	28,959	26,129	2,395
65-69	21,696	20,050	1,370	24,945	22,862	1,804
70-74	19,324	18,071	1,091	24,785	23,190	1,381
75-79	15,970	15,043	826	22,552	21,308	1,059
80-84	9,797	9,356	379	16,791	16,021	701
85+	6,635	6,361	241	16,200	15,598	534
Total	686,702	595,198	75,340	716,171	616,366	82,743

Woodford	Males			Females			
	Age	All Races	Whites	Blacks	All Races	Whites	Blacks
	00	1,111	1,098	10	1,042	1,029	6
	1-4	4,671	4,581	57	4,518	4,426	59
	5-9	6,429	6,336	70	6,384	6,243	80
	10-14	7,259	7,200	31	6,770	6,687	49
	15-19	7,073	7,001	30	7,066	6,964	58
	20-24	5,863	5,748	62	5,221	5,135	43
	25-29	4,387	4,328	38	4,115	4,056	27
	30-34	4,924	4,874	22	5,281	5,219	6
	35-39	6,181	6,158	6	6,379	6,330	10
	40-44	7,002	6,964	17	7,308	7,268	14
	45-49	7,222	7,203	8	7,321	7,274	6
	50-54	6,326	6,296	3	6,054	6,003	11
	55-59	4,954	4,917	7	4,715	4,696	0
	60-64	3,759	3,730	13	3,535	3,530	4
	65-69	3,010	3,010	0	3,292	3,263	17
	70-74	2,462	2,458	4	3,305	3,301	1
	75-79	2,161	2,161	0	3,076	3,072	0
	80-84	1,594	1,594	0	2,767	2,767	0
	85+	1,285	1,285	0	3,217	3,212	5
	Total	87,673	86,942	378	91,366	90,475	396

Source: Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER* Start Database: Populations – Total U.S. (1969-2003), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released February 2006.

APPENDIX B

Formulas for Rates

Algorithms for Rates

Crude Rate

A crude rate is the number of cases per 100,000 in a given population.

$$cruderate = \frac{count}{population} \times 100,000$$

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, and 1990), an estimate of the U.S. 2000 population, 1991 Canadian population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the i th age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{Aarate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100,000$$

Crude Rate Confidence Intervals

The endpoints of a p % 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv \left(\frac{p}{2}, 2 \times count \right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv \left(1 - \frac{p}{2}, 2 \times (count + 1) \right) \right) \right)}{population} \times 100,000$$

where $ChiInv(p,n)$ is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define $ChiInv(p,0) = 0$.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts (see Johnson and Kotz, 1969, or Fay and Feuer, 1997). When the count is large the 2 methods produce similar results.

Age-Adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^y stdmil_j \right)}$$

$$w_m = \max(w_i)$$

$$v = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v + w_m^2}{2(rate + w_m)} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{2(rate + w_m)^2}{(v + w_m^2)} \right) \right) \times 100,000$$

This method for calculating the confidence interval was developed in Fay and Feuer (1997). The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note

The rate used in the above formulas is not per 100,000 population.

