

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	287,033	482.5	480.8	484.3	144,771	573.5	570.5	576.5	142,262	425.4	423.2	427.6
Oral Cavity and Pharynx	6,374	10.7	10.5	11.0	4,337	16.4	15.9	16.9	2,037	6.2	5.9	6.4
Esophagus	3,260	5.5	5.3	5.7	2,474	9.7	9.3	10.1	786	2.3	2.1	2.5
Stomach	4,739	8.0	7.7	8.2	2,850	11.6	11.1	12.0	1,889	5.4	5.1	5.6
Colon and Rectum	35,704	60.0	59.4	60.7	17,744	72.4	71.3	73.5	17,960	51.3	50.5	52.1
Liver	2,568	4.3	4.2	4.5	1,719	6.7	6.4	7.0	849	2.5	2.3	2.6
Pancreas	7,056	11.9	11.6	12.2	3,392	13.7	13.2	14.2	3,664	10.5	10.1	10.8
Lung and Bronchus	42,980	72.6	71.9	73.3	24,563	98.1	96.9	99.4	18,417	54.8	54.0	55.6
Bones and Joints	525	0.9	0.8	0.9	286	1.0	0.9	1.1	239	0.8	0.7	0.9
Melanoma of the Skin	7,017	11.7	11.4	12.0	3,970	15.0	14.6	15.5	3,047	9.4	9.0	9.7
Breast (invasive)	43,975	74	73.3	74.7	359	1.4	1.3	1.6	43,616	133.4	132.2	134.7
Cervix (invasive)	-	-	-	-	-	-	-	-	3,490	11.0	10.6	11.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8,205	25.1	24.6	25.7
Ovary	-	-	-	-	-	-	-	-	4,573	13.9	13.5	14.3
Prostate	-	-	-	-	40,292	160.5	158.9	162.1	-	-	-	-
Testis	-	-	-	-	1,570	5.0	4.7	5.3	-	-	-	-
Urinary Bladder	13,024	21.9	21.5	22.3	9,472	39.0	38.2	39.8	3,552	10.2	9.9	10.5
Kidney and Renal Pelvis	7,758	13.1	12.8	13.4	4,570	17.6	17.1	18.2	3,188	9.5	9.2	9.9
Brain and Other Nervous System	3,832	6.4	6.2	6.6	2,106	7.7	7.3	8.0	1,726	5.3	5.1	5.6
Hodgkin's Disease	1,736	2.8	2.7	2.9	964	3.2	3.0	3.5	772	2.4	2.2	2.6
Non-Hodgkin's Lymphomas	11,294	18.9	18.6	19.3	5,889	22.8	22.2	23.4	5,405	16.0	15.5	16.4
Multiple Myeloma	3,442	5.8	5.6	6.0	1,733	7.0	6.6	7.3	1,709	5.0	4.8	5.2
Leukemias	7,502	12.5	12.2	12.8	4,143	16.2	15.7	16.8	3,359	9.8	9.5	10.2
All Other Sites	26,117	43.7	43.1	44.2	12,338	48.4	47.6	49.3	13,779	40.9	40.2	41.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8,888	28.0	27.4	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Adams County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,050	483.7	462.6	505.7	1,096	590.5	555.8	626.9	954	410.7	383.9	439.1
Oral Cavity and Pharynx	54	13.5	10.1	17.8	43	24.2	17.4	32.7	11	4.9	2.4	9.4
Esophagus	28	6.6	4.3	9.7	23	12.3	7.8	18.7	5	1.7	0.6	4.8
Stomach	16	3.7	2.1	6.3	9	4.8	2.2	9.4	7	2.8	1.0	6.5
Colon and Rectum	287	64.1	56.7	72.2	136	72.5	60.7	86.0	151	58.2	48.9	69.1
Liver	18	4.2	2.4	6.8	12	6.5	3.4	11.6	6	2.3	0.8	5.8
Pancreas	49	11.3	8.3	15.2	23	12.7	8.1	19.3	26	10.5	6.7	16.0
Lung and Bronchus	340	79.3	70.9	88.4	205	109.3	94.8	125.6	135	58.0	48.4	69.3
Bones and Joints	2	0.6	0.1	2.3	2	1.3	0.2	4.7	0	0.0	0.0	2.5
Melanoma of the Skin	49	12.9	9.5	17.2	30	17.2	11.6	24.7	19	9.9	5.9	15.8
Breast (invasive)	255	63.8	56.1	72.5	1	0.6	0	3.6	254	116.8	102.3	133.0
Cervix (invasive)	-	-	-	-	-	-	-	-	19	10.8	6.4	17.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	52	22.8	16.9	30.4
Ovary	-	-	-	-	-	-	-	-	31	12.6	8.4	18.5
Prostate	-	-	-	-	269	140.8	124.4	158.9	-	-	-	-
Testis	-	-	-	-	9	5.9	2.7	11.3	-	-	-	-
Urinary Bladder	102	22.5	18.2	27.5	80	41.9	33.2	52.3	22	7.9	4.8	12.6
Kidney and Renal Pelvis	56	14.0	10.5	18.3	29	16.6	11.1	24.0	27	11.7	7.6	17.6
Brain and Other Nervous System	27	6.7	4.4	10.0	12	7.0	3.6	12.4	15	6.0	3.3	10.6
Hodgkin's Disease	13	3.8	2.0	6.6	8	4.9	2.1	9.8	5	3.2	1.0	7.5
Non-Hodgkin's Lymphomas	100	24.6	19.9	30.1	48	27.1	19.9	36.1	52	23.0	17.0	30.8
Multiple Myeloma	36	7.9	5.5	11.1	20	10.6	6.5	16.6	16	5.8	3.3	10.1
Leukemias	67	16.2	12.5	20.8	41	22.4	16.0	30.6	26	10.8	6.9	16.5
All Other Sites	171	39.7	33.8	46.4	96	52.1	42.1	63.9	75	30.9	24.0	39.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	64	32.6	25.0	42.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Alexander County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	269	454.8	401.5	514.3	141	560.4	471.3	662.8	128	389.0	322.6	467.8
Oral Cavity and Pharynx	7	11.3	4.5	25.4	5	20.2	6.5	49.7	2	7.1	0.8	30.8
Esophagus	2	3.2	0.4	14.1	1	3.6	0.1	24.9	1	3.3	0.1	24.8
Stomach	3	4.5	0.9	15.8	3	11.6	2.4	37.1	0	0.0	0.0	19.9
Colon and Rectum	46	77.6	56.5	105.1	21	87.2	53.8	135.0	25	73.1	46.6	112.9
Liver	1	1.6	0.0	11.8	0	0.0	0.0	19.2	1	2.9	0.1	23.8
Pancreas	7	11.6	4.6	25.8	5	19.1	6.2	47.5	2	5.2	0.6	27.0
Lung and Bronchus	62	104.7	80.1	135.6	42	163.0	117.3	222.4	20	56.5	34.2	92.1
Bones and Joints	0	0.0	0.0	9.4	0	0.0	0.0	19.2	0	0.0	0.0	19.9
Melanoma of the Skin	2	3.5	0.4	14.9	2	8.7	1.1	33.6	0	0.0	0.0	19.9
Breast (invasive)	31	55.1	37.2	79.6	2	7.3	0.9	30.4	29	94.5	62.5	140.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	5.6	0.7	27.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	37.5	19.2	69.8
Ovary	-	-	-	-	-	-	-	-	4	12.0	3.2	36.5
Prostate	-	-	-	-	41	165.0	118.2	225.8	-	-	-	-
Testis	-	-	-	-	1	4.7	0.1	27.6	-	-	-	-
Urinary Bladder	5	8.5	2.7	21.8	2	7.3	0.9	30.6	3	9.0	1.6	33.0
Kidney and Renal Pelvis	5	8.5	2.7	21.9	2	7.8	0.9	31.7	3	10.4	2.1	35.4
Brain and Other Nervous System	2	3.8	0.4	15.5	1	4.5	0.1	27.1	1	2.9	0.1	23.8
Hodgkin's Disease	1	2.2	0.1	13.4	0	0.0	0.0	19.2	1	4.6	0.1	27.9
Non-Hodgkin's Lymphomas	7	11.4	4.5	25.3	1	3.7	0.1	25.2	6	17.2	6.1	43.2
Multiple Myeloma	3	4.4	0.9	15.6	0	0.0	0.0	19.2	3	7.2	1.4	29.2
Leukemias	3	4.8	0.9	16.5	2	8.1	1.0	32.3	1	1.9	0.0	22.1
All Other Sites	22	37.9	23.5	58.9	10	38.5	18.4	73.3	12	38.1	18.8	72.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	0	0.0	0.0	19.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Bond County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	468	483.4	440.4	529.9	263	600.6	529.5	679.6	205	410.7	354.8	474.5
Oral Cavity and Pharynx	9	9.4	4.3	18.6	6	12.8	4.7	30.2	3	6.0	1.0	21.6
Esophagus	5	5.2	1.7	13.0	5	10.8	3.5	27.6	0	0.0	0.0	12.5
Stomach	5	5.3	1.7	13.2	2	5.4	0.6	21.1	3	6.8	1.4	22.6
Colon and Rectum	67	68.4	53.0	87.5	34	78.0	53.8	110.6	33	63.3	43.2	91.6
Liver	3	3.0	0.6	9.9	0	0.0	0.0	12.1	3	5.3	1.0	19.8
Pancreas	15	15.1	8.4	25.6	10	25.4	12.0	48.3	5	8.7	2.7	24.3
Lung and Bronchus	76	79.0	62.2	99.5	51	111.6	83.0	148.3	25	48.9	31.3	75.0
Bones and Joints	1	1.3	0.0	7.8	1	2.6	0.1	16.4	0	0.0	0.0	12.5
Melanoma of the Skin	10	11.3	5.4	21.4	7	15.4	6.2	33.8	3	7.5	1.5	24.2
Breast (invasive)	50	52.1	38.6	69.3	1	2.2	0.1	15.5	49	101.2	74.2	136.5
Cervix (invasive)	-	-	-	-	-	-	-	-	5	12.6	4.0	31.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	22.2	10.9	42.6
Ovary	-	-	-	-	-	-	-	-	6	13.6	4.9	32.1
Prostate	-	-	-	-	78	183.2	144.4	230.3	-	-	-	-
Testis	-	-	-	-	3	5.6	1.1	20.0	-	-	-	-
Urinary Bladder	23	23.0	14.5	35.2	15	34.3	19.1	58.4	8	13.1	5.5	29.6
Kidney and Renal Pelvis	11	11.5	5.7	21.3	8	18.0	7.7	37.4	3	5.8	1.1	20.8
Brain and Other Nervous System	6	6.4	2.4	14.8	4	8.7	2.4	24.7	2	4.5	0.5	19.4
Hodgkin's Disease	5	5.3	1.7	13.1	2	4.4	0.5	18.8	3	6.6	1.3	22.3
Non-Hodgkin's Lymphomas	18	18.7	11.0	30.2	9	19.6	9.0	39.3	9	17.2	7.7	35.8
Multiple Myeloma	8	7.9	3.4	16.4	3	6.9	1.4	22.6	5	8.1	2.5	23.2
Leukemias	14	14.5	7.9	25.1	5	11.9	3.8	29.9	9	18.5	8.1	38.3
All Other Sites	39	40.1	28.5	55.5	19	43.8	26.2	70.2	20	41.0	24.5	66.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	14.4	5.6	32.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Boone County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	829	447.2	417.2	479.0	421	522.3	471.8	577.6	408	406.6	368.0	448.4
Oral Cavity and Pharynx	28	14.7	9.8	21.4	20	21.3	13.0	35.0	8	8.0	3.5	16.4
Esophagus	5	2.7	0.9	6.4	4	5.3	1.3	16.0	1	1.1	0.0	6.6
Stomach	8	4.3	1.9	8.7	8	9.6	4.1	21.0	0	0.0	0.0	4.7
Colon and Rectum	110	60.4	49.6	72.9	63	80.3	61.1	104.9	47	46.0	33.8	61.7
Liver	7	3.7	1.5	7.7	4	4.7	1.2	14.6	3	3.1	0.6	9.6
Pancreas	20	11.0	6.7	17.1	9	13.7	5.9	27.9	11	11.0	5.5	20.2
Lung and Bronchus	101	56.0	45.5	68.1	64	80.7	61.7	104.9	37	37.5	26.4	52.1
Bones and Joints	0	0.0	0.0	2.3	0	0.0	0.0	8.2	0	0.0	0.0	4.7
Melanoma of the Skin	22	11.4	7.1	17.4	14	15.4	8.4	28.0	8	8.0	3.5	16.3
Breast (invasive)	146	77.5	65.4	91.3	2	2.3	0.3	11.4	144	144.3	121.7	170.3
Cervix (invasive)	-	-	-	-	-	-	-	-	10	9.5	4.5	18.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	33	33.1	22.8	46.9
Ovary	-	-	-	-	-	-	-	-	11	11.0	5.5	20.2
Prostate	-	-	-	-	115	145.8	119.6	177.3	-	-	-	-
Testis	-	-	-	-	4	4.0	1.1	13.2	-	-	-	-
Urinary Bladder	32	17.7	12.1	25.0	25	33.8	21.4	52.0	7	6.9	2.8	14.8
Kidney and Renal Pelvis	25	13.6	8.7	20.1	16	19.4	10.9	33.4	9	8.8	4.0	17.3
Brain and Other Nervous System	4	2.0	0.5	5.3	2	1.7	0.2	10.2	2	2.3	0.3	8.6
Hodgkin's Disease	5	2.5	0.8	6.1	1	1.0	0.0	9.5	4	4.0	1.1	10.8
Non-Hodgkin's Lymphomas	35	18.6	12.9	26.0	17	17.8	10.3	30.7	18	17.9	10.6	28.7
Multiple Myeloma	10	5.4	2.6	10.0	4	5.2	1.4	15.6	6	6.0	2.2	13.6
Leukemias	28	15.0	9.9	21.8	15	17.4	9.6	30.8	13	12.6	6.7	22.1
All Other Sites	70	38.2	29.7	48.3	34	42.8	29.1	62.0	36	35.5	24.9	49.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	32	32.8	22.4	46.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Brown County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	127	370.7	308.1	444.8	66	412.7	316.5	533.4	61	355.9	268.3	471.5
Oral Cavity and Pharynx	4	12.4	3.4	36.6	4	26.8	7.3	76.0	0	0.0	0.0	46.3
Esophagus	0	0.0	0.0	18.9	0	0.0	0.0	36.6	0	0.0	0.0	46.3
Stomach	2	4.3	0.5	24.2	2	8.6	0.8	48.2	0	0.0	0.0	46.3
Colon and Rectum	15	43.3	24.0	75.6	6	40.5	14.8	94.8	9	43.4	18.9	100.8
Liver	1	2.3	0.1	21.9	1	3.1	0.1	39.9	0	0.0	0.0	46.3
Pancreas	3	9.9	2.0	33.4	1	7.1	0.2	47.8	2	14.4	1.7	66.9
Lung and Bronchus	16	48.9	27.8	83.1	9	61.4	28.0	122.6	7	43.1	17.1	103.0
Bones and Joints	0	0.0	0.0	18.9	0	0.0	0.0	36.6	0	0.0	0.0	46.3
Melanoma of the Skin	2	5.4	0.6	26.4	1	7.6	0.2	49.1	1	3.0	0.1	49.1
Breast (invasive)	22	66.1	41.2	104	0	0	0	36.6	22	138.5	85.1	222.6
Cervix (invasive)	-	-	-	-	-	-	-	-	1	5.5	0.1	53.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	8.4	0.2	59.2
Ovary	-	-	-	-	-	-	-	-	1	3.0	0.1	49.1
Prostate	-	-	-	-	18	127.5	75.3	206.4	-	-	-	-
Testis	-	-	-	-	2	5.2	0.6	41.7	-	-	-	-
Urinary Bladder	5	12.9	4.1	36.2	4	30.6	8.2	83.7	1	3.6	0.1	49.9
Kidney and Renal Pelvis	2	5.1	0.6	25.8	1	4.2	0.1	41.7	1	3.0	0.1	49.1
Brain and Other Nervous System	0	0.0	0.0	18.9	0	0.0	0.0	36.6	0	0.0	0.0	46.3
Hodgkin's Disease	2	6.1	0.7	27.8	0	0.0	0.0	36.6	2	17.9	2.2	74.1
Non-Hodgkin's Lymphomas	8	25.8	11.0	54.8	8	46.8	19.6	101.4	0	0.0	0.0	46.3
Multiple Myeloma	1	2.3	0.1	21.8	0	0.0	0.0	36.6	1	3.6	0.1	49.9
Leukemias	5	13.7	4.3	37.7	2	8.7	0.8	48.3	3	17.7	3.2	70.2
All Other Sites	16	45.1	25.5	77.7	7	34.5	13.2	83.0	9	51.0	22.5	112.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	4	26.8	6.7	84.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Bureau County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,090	478.0	449.5	508.2	535	552.1	506.0	601.9	555	442.5	404.6	483.8
Oral Cavity and Pharynx	18	7.9	4.6	13.1	10	10.9	5.2	20.9	8	5.7	2.4	13.5
Esophagus	8	3.9	1.7	8.4	7	7.3	2.9	16.1	1	1.0	0.0	7.6
Stomach	26	10.0	6.5	15.4	18	19.1	11.3	31.1	8	5.0	2.1	12.2
Colon and Rectum	150	63.3	53.5	75.0	68	69.4	53.8	88.8	82	59.6	46.9	75.8
Liver	9	3.7	1.7	7.9	6	5.7	2.1	13.7	3	2.3	0.5	9.1
Pancreas	23	9.4	5.9	14.8	9	9.5	4.3	19.0	14	8.7	4.7	16.7
Lung and Bronchus	184	79.2	68.0	92.1	106	107.2	87.7	130.4	78	59.7	46.7	76.3
Bones and Joints	0	0.0	0.0	2.9	0	0.0	0.0	5.7	0	0.0	0.0	6.0
Melanoma of the Skin	33	17.4	11.9	24.9	19	19.5	11.7	31.3	14	16.0	8.6	28.0
Breast (invasive)	169	76.5	65.2	89.6	1	1.2	0	7.7	168	138.0	117.0	162.5
Cervix (invasive)	-	-	-	-	-	-	-	-	13	13.1	6.9	23.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	29	24.3	16.0	36.4
Ovary	-	-	-	-	-	-	-	-	15	13.6	7.5	24.0
Prostate	-	-	-	-	127	127.0	105.7	151.9	-	-	-	-
Testis	-	-	-	-	9	11.6	5.3	22.4	-	-	-	-
Urinary Bladder	56	23.1	17.4	30.6	36	37.6	26.2	52.9	20	14.1	8.4	23.8
Kidney and Renal Pelvis	21	9.8	6.0	15.6	14	14.5	7.9	25.2	7	5.9	2.3	13.9
Brain and Other Nervous System	17	8.2	4.7	13.7	11	11.5	5.7	21.5	6	5.9	2.0	14.4
Hodgkin's Disease	4	2.4	0.6	6.6	1	0.9	0.0	7.0	3	4.0	0.8	12.4
Non-Hodgkin's Lymphomas	44	19.2	13.9	26.5	21	22.4	13.8	35.0	23	18.6	11.5	29.6
Multiple Myeloma	6	2.6	0.9	6.4	3	2.9	0.6	9.9	3	2.3	0.4	9.1
Leukemias	34	13.8	9.4	20.0	20	21.7	13.2	34.4	14	9.9	5.1	18.9
All Other Sites	95	41.8	33.6	51.9	49	52.1	38.4	69.7	46	34.7	24.9	48.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	14.5	8.1	25.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Calhoun County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	150	430.3	362.8	510.6	73	439.0	342.9	561.3	77	417.4	325.9	536.2
Oral Cavity and Pharynx	4	10.0	2.7	34.9	4	24.7	6.7	76.6	0	0.0	0.0	47.2
Esophagus	0	0.0	0.0	22.6	0	0.0	0.0	43.2	0	0.0	0.0	47.2
Stomach	2	5.2	0.6	29.0	1	6.3	0.2	51.8	1	5.5	0.1	53.9
Colon and Rectum	23	62.6	39.4	100.0	12	69.8	35.6	133.8	11	53.5	26.5	112.7
Liver	2	5.2	0.6	28.9	0	0.0	0.0	43.2	2	9.0	1.1	57.5
Pancreas	5	12.9	4.2	38.7	1	5.2	0.1	49.7	4	19.1	5.2	70.1
Lung and Bronchus	24	67.1	42.7	105.8	12	71.9	36.8	136.9	12	63.7	32.4	127.0
Bones and Joints	1	2.4	0.1	25.4	1	5.2	0.1	49.6	0	0.0	0.0	47.2
Melanoma of the Skin	2	7.2	0.8	33.2	1	8.3	0.2	56.4	1	5.8	0.1	54.5
Breast (invasive)	15	44	24.2	79	0	0	0	43.2	15	81.7	44.2	151.0
Cervix (invasive)	-	-	-	-	-	-	-	-	2	14.2	1.6	67.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	0	0.0	0.0	47.2
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	47.2
Prostate	-	-	-	-	26	152.3	99.0	233.4	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	43.2	-	-	-	-
Urinary Bladder	6	15.2	5.6	41.4	4	24.0	6.5	75.3	2	9.4	1.1	58.2
Kidney and Renal Pelvis	3	10.4	2.1	37.4	2	13.8	1.6	63.3	1	6.4	0.2	55.6
Brain and Other Nervous System	0	0.0	0.0	22.6	0	0.0	0.0	43.2	0	0.0	0.0	47.2
Hodgkin's Disease	0	0.0	0.0	22.6	0	0.0	0.0	43.2	0	0.0	0.0	47.2
Non-Hodgkin's Lymphomas	5	17.9	5.6	47.8	0	0.0	0.0	43.2	5	35.9	11.0	97.5
Multiple Myeloma	2	5.3	0.6	29.2	1	5.2	0.1	49.7	1	5.5	0.1	53.9
Leukemias	4	13.4	3.4	41.3	1	8.7	0.2	57.3	3	16.3	3.0	68.2
All Other Sites	24	70.6	44.6	111.3	7	43.7	17.2	102.1	17	91.4	51.2	163.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	28.1	8.3	84.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Carroll County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	547	495.4	453.9	540.7	279	548.8	485.5	619.9	268	458.6	403.4	521.7
Oral Cavity and Pharynx	23	22.2	13.9	34.9	15	30.9	17.2	53.8	8	14.5	6.0	33.3
Esophagus	7	6.1	2.4	14.8	6	12.1	4.3	29.8	1	1.5	0.0	15.8
Stomach	9	7.5	3.4	16.4	6	12.0	4.3	29.6	3	4.1	0.8	18.9
Colon and Rectum	72	60.9	47.5	78.2	41	76.7	54.8	106.7	31	47.7	31.9	72.0
Liver	2	1.9	0.2	9.3	2	3.7	0.5	18.2	0	0.0	0.0	14.0
Pancreas	14	11.7	6.3	21.7	5	9.3	3.0	25.7	9	12.8	5.4	30.1
Lung and Bronchus	92	83.3	66.9	103.7	55	110.0	82.6	145.6	37	62.5	43.6	89.9
Bones and Joints	0	0.0	0.0	6.8	0	0.0	0.0	13.1	0	0.0	0.0	14.0
Melanoma of the Skin	17	17.2	9.8	29.2	11	23.2	11.5	44.3	6	12.6	4.3	31.8
Breast (invasive)	73	68.3	53.2	87.4	0	0	0	13.1	73	128.8	100.0	165.9
Cervix (invasive)	-	-	-	-	-	-	-	-	3	5.6	0.9	21.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	35.1	20.4	59.1
Ovary	-	-	-	-	-	-	-	-	17	32.0	18.4	55.0
Prostate	-	-	-	-	73	138.1	108.0	176.1	-	-	-	-
Testis	-	-	-	-	1	3.0	0.1	18.5	-	-	-	-
Urinary Bladder	21	17.1	10.5	28.0	13	24.5	13.0	45.1	8	11.1	4.7	27.5
Kidney and Renal Pelvis	14	12.1	6.5	22.2	7	14.0	5.6	32.3	7	10.0	4.0	26.1
Brain and Other Nervous System	5	5.4	1.6	14.6	4	9.2	2.3	27.0	1	1.4	0.0	15.6
Hodgkin's Disease	5	6.7	2.2	16.8	3	8.8	1.8	27.3	2	4.5	0.5	20.5
Non-Hodgkin's Lymphomas	20	19.0	11.5	31.1	9	19.2	8.6	39.4	11	18.0	8.8	36.9
Multiple Myeloma	5	4.1	1.3	12.0	4	7.2	1.9	22.6	1	1.5	0.0	15.7
Leukemias	13	11.3	5.9	21.3	7	13.4	5.3	31.4	6	9.4	3.4	25.9
All Other Sites	43	40.1	28.7	55.7	17	33.4	19.3	56.4	26	45.6	29.0	71.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	22.2	11.2	42.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cass County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	354	437.9	393.1	486.9	190	541.8	467.2	625.6	164	362.5	307.5	426.2
Oral Cavity and Pharynx	11	14.2	7.0	26.2	9	26.1	11.9	50.6	2	4.0	0.5	19.5
Esophagus	2	2.7	0.3	10.7	2	5.9	0.7	22.4	0	0.0	0.0	14.0
Stomach	3	3.4	0.7	11.4	2	5.1	0.6	20.6	1	2.3	0.1	17.3
Colon and Rectum	47	56.5	41.4	75.9	28	81.2	53.9	118.2	19	37.0	21.9	61.5
Liver	3	3.8	0.8	12.1	1	3.2	0.1	18.5	2	3.6	0.4	18.8
Pancreas	7	8.0	3.2	17.5	1	3.0	0.1	17.8	6	11.6	4.2	29.4
Lung and Bronchus	63	75.8	58.2	97.8	45	129.5	94.3	174.3	18	36.8	21.7	61.4
Bones and Joints	2	3.0	0.4	11.3	0	0.0	0.0	12.6	2	6.3	0.8	24.5
Melanoma of the Skin	11	14.6	7.2	26.9	8	24.2	10.4	48.5	3	7.4	1.5	25.0
Breast (invasive)	51	64.1	47.5	85.1	1	3	0.1	17.8	50	115.2	84.6	155.2
Cervix (invasive)	-	-	-	-	-	-	-	-	6	13.0	4.6	32.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	18.2	7.8	39.1
Ovary	-	-	-	-	-	-	-	-	4	7.8	2.1	24.4
Prostate	-	-	-	-	43	119.4	86.3	161.8	-	-	-	-
Testis	-	-	-	-	1	3.2	0.1	18.5	-	-	-	-
Urinary Bladder	21	24.9	15.4	39.0	16	44.3	25.3	73.1	5	9.2	2.9	26.2
Kidney and Renal Pelvis	5	6.7	2.1	16.4	1	3.0	0.1	17.8	4	10.4	2.7	29.6
Brain and Other Nervous System	3	4.2	0.9	13.0	2	5.4	0.7	21.4	1	3.2	0.1	19.4
Hodgkin's Disease	5	6.7	2.2	16.5	4	11.2	3.0	30.0	1	2.8	0.1	18.6
Non-Hodgkin's Lymphomas	11	14.2	7.0	26.1	6	16.7	6.1	37.6	5	12.5	3.8	32.3
Multiple Myeloma	4	5.5	1.5	14.8	3	8.7	1.8	26.6	1	2.3	0.1	17.3
Leukemias	14	18.1	9.8	31.1	8	22.0	9.5	44.5	6	15.5	5.5	36.5
All Other Sites	29	36.5	24.3	53.2	9	26.8	12.2	51.7	20	43.4	26.0	70.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	34.8	18.8	61.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,364	479.6	463.4	496.1	1,672	555.1	528.4	583.0	1,692	432.3	411.8	453.6
Oral Cavity and Pharynx	70	9.9	7.7	12.6	44	14.2	10.3	19.4	26	6.6	4.3	9.7
Esophagus	32	4.6	3.2	6.6	21	7.3	4.5	11.5	11	2.5	1.2	4.5
Stomach	39	5.5	3.9	7.6	25	8.1	5.2	12.3	14	3.2	1.7	5.4
Colon and Rectum	378	54.5	49.1	60.2	194	67.1	57.9	77.6	184	45.4	39.0	52.5
Liver	27	3.8	2.5	5.6	15	5.0	2.8	8.6	12	3.1	1.6	5.5
Pancreas	81	11.6	9.2	14.5	49	17.0	12.5	22.8	32	8.1	5.5	11.5
Lung and Bronchus	490	71.4	65.2	78.1	262	89.1	78.5	100.8	228	59.7	52.2	68.0
Bones and Joints	4	0.5	0.1	1.3	4	1.0	0.3	3.1	0	0.0	0.0	1.1
Melanoma of the Skin	103	13.9	11.3	16.9	54	16.4	12.2	21.7	49	12.2	9.0	16.2
Breast (invasive)	538	76.9	70.5	83.7	4	1.3	0.4	3.7	534	140.1	128.5	152.6
Cervix (invasive)	-	-	-	-	-	-	-	-	38	9.6	6.8	13.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	97	25.7	20.8	31.4
Ovary	-	-	-	-	-	-	-	-	52	13.2	9.8	17.4
Prostate	-	-	-	-	516	173.9	159.1	189.9	-	-	-	-
Testis	-	-	-	-	19	4.1	2.4	6.9	-	-	-	-
Urinary Bladder	119	17.2	14.3	20.6	80	28.3	22.3	35.4	39	9.8	6.9	13.4
Kidney and Renal Pelvis	84	12.0	9.6	14.9	46	15.3	11.1	20.7	38	9.7	6.9	13.4
Brain and Other Nervous System	41	5.5	3.9	7.5	24	7.0	4.4	10.8	17	4.3	2.5	7.0
Hodgkin's Disease	20	2.3	1.3	3.6	8	2.1	0.9	4.7	12	2.4	1.2	4.4
Non-Hodgkin's Lymphomas	142	20.1	16.9	23.7	80	25.3	20.0	31.9	62	15.6	12.0	20.1
Multiple Myeloma	41	5.9	4.2	8.0	23	8.1	5.1	12.4	18	4.5	2.6	7.2
Leukemias	109	14.9	12.2	18.1	54	17.3	12.8	23.0	55	13.8	10.4	18.1
All Other Sites	324	45.1	40.3	50.4	150	47.3	39.9	55.8	174	43.0	36.8	50.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	133	35.7	29.9	42.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Christian County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,080	495.3	465.8	526.5	556	599.0	550.0	651.4	524	428.0	390.4	469.0
Oral Cavity and Pharynx	24	11.6	7.4	17.6	17	17.9	10.4	29.1	7	6.1	2.4	14.2
Esophagus	13	5.8	3.0	10.5	12	13.5	6.9	23.9	1	0.7	0.0	6.6
Stomach	9	4.2	1.9	8.5	5	5.4	1.7	13.1	4	2.5	0.7	8.9
Colon and Rectum	145	62.5	52.6	74.1	66	73.3	56.6	93.7	79	55.1	43.1	70.5
Liver	10	5.0	2.4	9.6	7	7.6	3.0	16.1	3	2.7	0.5	9.6
Pancreas	33	14.9	10.2	21.3	14	14.6	7.9	24.9	19	14.0	8.2	23.5
Lung and Bronchus	225	102.0	89.0	116.6	127	134.6	112.2	160.6	98	79.0	63.7	97.8
Bones and Joints	1	0.4	0.0	3.3	1	1.0	0.0	6.7	0	0.0	0.0	5.7
Melanoma of the Skin	29	13.8	9.2	20.3	12	12.7	6.6	22.8	17	15.4	8.7	26.1
Breast (invasive)	126	59.2	49.1	70.9	1	0.9	0	6.5	125	108.5	89.5	131.1
Cervix (invasive)	-	-	-	-	-	-	-	-	11	10.4	5.1	20.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	29	24.1	15.9	36.0
Ovary	-	-	-	-	-	-	-	-	16	14.1	7.8	24.4
Prostate	-	-	-	-	150	159.3	134.8	187.4	-	-	-	-
Testis	-	-	-	-	4	4.5	1.2	12.0	-	-	-	-
Urinary Bladder	48	20.6	15.1	27.8	37	40.3	28.3	56.0	11	9.0	4.2	17.8
Kidney and Renal Pelvis	35	16.3	11.3	23.1	21	22.8	14.1	35.2	14	10.5	5.6	19.2
Brain and Other Nervous System	13	7.0	3.7	12.3	6	6.7	2.5	15.0	7	7.5	2.9	16.4
Hodgkin's Disease	3	1.8	0.4	5.5	1	1.1	0.0	6.9	2	2.5	0.3	9.8
Non-Hodgkin's Lymphomas	37	17.5	12.2	24.6	13	14.1	7.5	24.5	24	18.5	11.5	29.4
Multiple Myeloma	10	4.3	2.0	8.5	6	6.3	2.3	14.4	4	2.7	0.7	9.1
Leukemias	24	12.1	7.7	18.5	11	12.7	6.3	23.0	13	12.4	6.3	22.7
All Other Sites	85	39.2	31.1	48.9	45	49.7	36.2	66.8	40	32.4	22.7	45.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	38	34.8	24.2	49.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Clark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	489	457.9	417.5	501.9	253	540.8	475.8	613.5	236	401.6	349.9	460.3
Oral Cavity and Pharynx	15	13.9	7.7	24.2	12	25.3	13.0	46.4	3	6.2	1.2	21.0
Esophagus	4	4.0	1.1	11.5	4	8.9	2.4	25.1	0	0.0	0.0	11.8
Stomach	6	5.7	2.0	13.9	3	6.5	1.3	21.9	3	5.9	1.1	20.4
Colon and Rectum	62	55.1	42.0	71.7	31	66.3	45.0	96.0	31	45.7	30.6	68.3
Liver	2	1.5	0.2	7.8	1	1.9	0.0	14.9	1	0.9	0.0	12.8
Pancreas	12	10.4	5.3	19.5	4	7.8	2.1	23.2	8	12.2	5.0	28.0
Lung and Bronchus	75	69.5	54.5	88.3	46	98.6	72.1	133.4	29	47.6	31.5	71.3
Bones and Joints	0	0.0	0.0	5.8	0	0.0	0.0	12.2	0	0.0	0.0	11.8
Melanoma of the Skin	15	15.6	8.6	26.8	4	8.4	2.3	24.2	11	21.9	10.6	41.9
Breast (invasive)	75	72	56.3	91.4	1	2.2	0.1	15.6	74	129.6	100.7	166.0
Cervix (invasive)	-	-	-	-	-	-	-	-	9	18.7	8.2	38.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	16.5	7.4	34.2
Ovary	-	-	-	-	-	-	-	-	10	16.2	7.5	33.4
Prostate	-	-	-	-	57	118.9	90.0	155.9	-	-	-	-
Testis	-	-	-	-	2	6.0	0.7	22.5	-	-	-	-
Urinary Bladder	32	27.5	18.8	40.1	27	55.8	36.7	83.2	5	6.7	2.1	20.5
Kidney and Renal Pelvis	16	15.7	8.9	26.6	10	22.1	10.6	42.7	6	10.4	3.6	26.1
Brain and Other Nervous System	6	5.7	2.0	13.8	4	8.4	2.3	24.3	2	4.1	0.4	18.0
Hodgkin's Disease	2	2.5	0.3	10.0	0	0.0	0.0	12.2	2	5.2	0.6	20.4
Non-Hodgkin's Lymphomas	13	13.2	6.9	23.7	10	21.2	10.1	41.3	3	5.9	1.1	20.8
Multiple Myeloma	3	2.4	0.5	9.1	2	4.1	0.5	18.2	1	1.5	0.0	13.8
Leukemias	23	21.6	13.5	33.6	14	31.0	16.9	54.1	9	13.3	5.8	29.4
All Other Sites	41	40.4	28.7	55.9	21	47.3	29.1	74.1	20	32.9	19.7	54.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	27.0	14.2	48.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Clay County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	444	470.9	426.9	518.8	240	590.7	517.9	672.0	204	390.1	335.3	452.9
Oral Cavity and Pharynx	10	12.5	5.9	23.9	7	18.5	7.4	39.6	3	6.7	1.3	22.9
Esophagus	6	7.1	2.6	16.7	5	13.1	4.2	32.4	1	1.5	0.0	14.6
Stomach	6	5.9	2.1	14.6	4	9.7	2.6	27.1	2	3.0	0.3	16.8
Colon and Rectum	67	68.8	52.8	88.9	33	81.3	55.8	115.8	34	59.9	40.4	87.7
Liver	2	2.5	0.3	10.3	2	5.3	0.6	21.1	0	0.0	0.0	12.7
Pancreas	9	8.2	3.7	17.2	4	8.9	2.4	25.4	5	7.1	2.2	21.6
Lung and Bronchus	66	67.6	52.0	87.2	36	87.4	61.1	122.5	30	56.1	37.3	83.2
Bones and Joints	1	1.6	0.0	9.2	1	3.2	0.1	18.4	0	0.0	0.0	12.7
Melanoma of the Skin	13	14.0	7.3	25.2	11	27.3	13.5	50.5	2	3.7	0.4	17.8
Breast (invasive)	61	66.9	50.6	87.3	0	0	0	12.5	61	122.9	92.3	162.0
Cervix (invasive)	-	-	-	-	-	-	-	-	5	15.8	5.1	37.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	10.9	4.0	27.3
Ovary	-	-	-	-	-	-	-	-	5	9.3	2.8	25.8
Prostate	-	-	-	-	66	155.4	120.1	199.2	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	17.6	-	-	-	-
Urinary Bladder	19	19.0	11.2	31.3	16	39.7	22.6	66.1	3	4.4	0.8	18.3
Kidney and Renal Pelvis	14	16.6	9.0	28.9	7	17.9	7.1	38.5	7	15.9	6.1	35.7
Brain and Other Nervous System	6	8.4	3.0	19.0	5	14.7	4.7	35.2	1	2.9	0.1	17.7
Hodgkin's Disease	1	1.6	0.0	9.2	0	0.0	0.0	12.5	1	3.2	0.1	18.5
Non-Hodgkin's Lymphomas	15	16.8	9.3	29.0	8	20.9	8.9	42.8	7	12.7	4.9	29.9
Multiple Myeloma	7	7.0	2.7	15.9	3	7.1	1.5	23.2	4	6.9	1.7	22.2
Leukemias	12	12.5	6.3	23.3	7	17.2	6.9	37.4	5	10.1	3.0	27.3
All Other Sites	45	47.6	34.4	65.0	24	60.4	38.6	91.4	21	37.4	22.4	61.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	26.9	13.9	49.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Clinton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	882	462.7	432.6	494.6	510	608.0	555.8	664.5	372	353.3	317.6	392.5
Oral Cavity and Pharynx	15	8.0	4.5	13.4	10	11.3	5.4	21.9	5	4.5	1.4	11.8
Esophagus	11	5.8	2.9	10.6	7	8.4	3.3	18.5	4	3.4	0.9	10.1
Stomach	10	5.3	2.5	10.0	7	9.4	3.7	20.3	3	2.8	0.6	9.4
Colon and Rectum	147	76.5	64.6	90.1	82	98.8	78.4	123.7	65	60.5	46.5	78.2
Liver	4	2.2	0.6	5.9	3	3.3	0.7	11.4	1	0.8	0.0	6.4
Pancreas	16	8.6	4.9	14.2	8	10.0	4.2	20.9	8	7.8	3.3	16.3
Lung and Bronchus	156	80.4	68.2	94.3	108	129.4	105.9	157.3	48	44.2	32.4	59.6
Bones and Joints	0	0.0	0.0	2.4	0	0.0	0.0	6.6	0	0.0	0.0	5.3
Melanoma of the Skin	26	13.9	9.1	20.6	16	17.7	10.1	29.9	10	9.6	4.5	18.7
Breast (invasive)	94	50.1	40.5	61.5	0	0	0	6.6	94	92.6	74.5	114.3
Cervix (invasive)	-	-	-	-	-	-	-	-	8	8.0	3.4	16.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	22	21.4	13.3	33.4
Ovary	-	-	-	-	-	-	-	-	12	11.4	5.8	20.9
Prostate	-	-	-	-	125	149.8	124.4	179.6	-	-	-	-
Testis	-	-	-	-	10	10.2	4.9	20.2	-	-	-	-
Urinary Bladder	30	15.0	10.1	21.6	25	29.3	18.8	44.3	5	4.0	1.3	10.7
Kidney and Renal Pelvis	20	10.8	6.6	16.9	13	16.3	8.6	29.0	7	7.0	2.7	15.4
Brain and Other Nervous System	14	7.7	4.2	13.1	10	11.7	5.6	22.8	4	4.2	1.1	11.7
Hodgkin's Disease	3	1.7	0.4	5.2	2	2.3	0.3	10.0	1	1.2	0.0	7.4
Non-Hodgkin's Lymphomas	33	17.9	12.3	25.3	17	20.1	11.6	33.3	16	14.8	8.4	25.1
Multiple Myeloma	6	3.2	1.2	7.2	4	4.6	1.3	13.3	2	1.9	0.2	8.1
Leukemias	30	15.4	10.4	22.2	16	20.0	11.3	33.5	14	12.1	6.5	21.4
All Other Sites	90	47.9	38.4	59.0	47	55.4	40.6	74.7	43	41.1	29.5	56.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	13.2	6.9	23.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Coles County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,264	485.5	458.9	513.3	638	576.2	532.0	623.3	626	429.7	395.9	466.0
Oral Cavity and Pharynx	20	7.8	4.8	12.3	12	11.7	6.0	20.9	8	5.8	2.4	12.1
Esophagus	13	4.9	2.6	8.7	12	11.5	5.9	20.5	1	0.8	0.0	5.1
Stomach	11	3.9	2.0	7.3	7	6.3	2.5	13.6	4	2.2	0.6	6.8
Colon and Rectum	169	63.4	54.2	73.9	76	69.2	54.5	87.1	93	60.3	48.4	74.7
Liver	5	1.9	0.6	4.7	5	4.5	1.5	11.1	0	0.0	0.0	3.9
Pancreas	24	9.0	5.8	13.7	13	12.5	6.6	21.9	11	6.7	3.3	12.9
Lung and Bronchus	221	83.6	72.9	95.6	127	114.1	95.1	136.2	94	62.7	50.5	77.5
Bones and Joints	1	0.3	0.0	2.4	1	1.2	0.0	6.7	0	0.0	0.0	3.9
Melanoma of the Skin	25	10.4	6.7	15.5	14	12.7	6.9	21.8	11	8.7	4.3	16.1
Breast (invasive)	193	75.7	65.4	87.4	4	3.5	0.9	9.6	189	133.7	114.9	155.1
Cervix (invasive)	-	-	-	-	-	-	-	-	10	7.8	3.7	14.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	38	26.8	18.8	37.5
Ovary	-	-	-	-	-	-	-	-	20	14.7	8.9	23.4
Prostate	-	-	-	-	179	159.4	136.8	185.0	-	-	-	-
Testis	-	-	-	-	5	4.8	1.6	11.7	-	-	-	-
Urinary Bladder	71	26.7	20.9	33.9	51	45.8	34.0	60.6	20	12.9	7.8	20.8
Kidney and Renal Pelvis	23	9.1	5.7	13.8	16	14.5	8.2	24.0	7	5.1	2.0	11.3
Brain and Other Nervous System	14	5.4	2.9	9.4	7	5.4	2.0	12.3	7	5.2	2.0	11.4
Hodgkin's Disease	6	2.5	0.9	5.7	4	3.6	1.0	9.8	2	1.6	0.2	6.3
Non-Hodgkin's Lymphomas	62	24.3	18.6	31.4	28	26.1	17.3	38.2	34	23.4	16.0	33.4
Multiple Myeloma	21	7.6	4.7	11.9	10	9.4	4.5	17.8	11	6.8	3.3	13.0
Leukemias	41	15.7	11.2	21.5	23	19.9	12.5	30.5	18	11.8	6.9	19.4
All Other Sites	92	35.7	28.8	44.1	44	40.1	29.1	54.3	48	32.8	24.0	44.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	35	25.0	17.3	35.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	121,195	482.8	480.1	485.6	60,416	577.7	573.0	582.4	60,779	424.4	421.0	427.8
Oral Cavity and Pharynx	2,815	11.2	10.8	11.7	1,884	17.0	16.3	17.8	931	6.6	6.2	7.0
Esophagus	1,502	6.0	5.7	6.3	1,111	10.5	9.9	11.2	391	2.7	2.4	3.0
Stomach	2,566	10.3	9.9	10.7	1,516	14.8	14.1	15.6	1,050	7.0	6.6	7.5
Colon and Rectum	14,777	59.2	58.2	60.2	7,366	72.6	70.9	74.3	7,411	49.9	48.8	51.1
Liver	1,388	5.5	5.3	5.8	938	8.8	8.2	9.4	450	3.1	2.8	3.4
Pancreas	3,181	12.8	12.3	13.2	1,466	14.3	13.6	15.1	1,715	11.5	11.0	12.1
Lung and Bronchus	17,608	70.5	69.5	71.5	9,803	94.3	92.5	96.3	7,805	54.0	52.8	55.2
Bones and Joints	235	0.9	0.8	1.0	117	0.9	0.8	1.1	118	0.9	0.7	1.0
Melanoma of the Skin	2,145	8.4	8.1	8.8	1,192	10.9	10.3	11.6	953	6.8	6.3	7.2
Breast (invasive)	18,605	74.3	73.3	75.4	168	1.6	1.4	1.9	18,437	131.5	129.6	133.5
Cervix (invasive)	-	-	-	-	-	-	-	-	1,701	12.4	11.8	13.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3,491	24.8	24.0	25.7
Ovary	-	-	-	-	-	-	-	-	1,960	13.9	13.3	14.6
Prostate	-	-	-	-	17,184	166.1	163.6	168.7	-	-	-	-
Testis	-	-	-	-	617	4.4	4.1	4.8	-	-	-	-
Urinary Bladder	5,176	20.7	20.2	21.3	3,681	36.8	35.6	38.0	1,495	10.1	9.6	10.6
Kidney and Renal Pelvis	3,180	12.7	12.2	13.1	1,854	17.3	16.5	18.1	1,326	9.3	8.8	9.8
Brain and Other Nervous System	1,511	5.9	5.6	6.2	845	7.4	6.9	7.9	666	4.7	4.4	5.1
Hodgkin's Disease	745	2.8	2.6	3.0	431	3.4	3.0	3.7	314	2.3	2.0	2.5
Non-Hodgkin's Lymphomas	4,704	18.6	18.1	19.2	2,457	22.9	22.0	23.8	2,247	15.5	14.9	16.2
Multiple Myeloma	1,585	6.4	6.0	6.7	773	7.5	7.0	8.0	812	5.6	5.2	6.0
Leukemias	3,058	12.0	11.6	12.4	1,636	15.3	14.6	16.1	1,422	9.7	9.2	10.2
All Other Sites	11,461	45.4	44.5	46.2	5,377	50.6	49.2	52.0	6,084	42.1	41.0	43.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3,766	27.6	26.7	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Crawford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	642	520.0	480.2	562.8	335	616.9	552.3	688.1	307	471.8	418.6	531.1
Oral Cavity and Pharynx	13	10.7	5.6	19.1	10	18.3	8.8	35.3	3	4.3	0.9	15.9
Esophagus	2	1.8	0.2	7.5	2	3.7	0.5	15.6	0	0.0	0.0	10.2
Stomach	6	4.9	1.8	11.8	3	5.8	1.2	18.8	3	3.7	0.8	14.9
Colon and Rectum	89	69.5	55.7	86.3	37	70.6	49.6	98.6	52	70.6	52.1	95.3
Liver	6	4.2	1.5	10.4	3	6.7	1.4	20.6	3	3.0	0.6	13.7
Pancreas	11	8.3	4.1	15.8	6	11.2	4.1	26.2	5	6.8	2.2	19.2
Lung and Bronchus	103	81.4	66.4	99.5	68	122.7	95.2	156.8	35	51.5	35.4	74.2
Bones and Joints	1	1.0	0.0	6.5	0	0.0	0.0	9.9	1	2.1	0.1	13.6
Melanoma of the Skin	15	13.3	7.4	22.7	7	12.2	4.9	27.1	8	14.9	6.2	31.6
Breast (invasive)	86	72.3	57.7	90.1	0	0	0	9.9	86	135.8	107.9	170.1
Cervix (invasive)	-	-	-	-	-	-	-	-	12	24.3	12.3	44.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	33.2	20.0	53.5
Ovary	-	-	-	-	-	-	-	-	9	13.6	6.0	28.7
Prostate	-	-	-	-	109	198.6	162.8	240.9	-	-	-	-
Testis	-	-	-	-	3	5.4	1.1	18.0	-	-	-	-
Urinary Bladder	37	29.3	20.6	41.3	25	45.1	29.1	68.0	12	17.3	8.6	33.2
Kidney and Renal Pelvis	19	17.2	10.3	27.6	10	18.4	8.8	35.4	9	16.0	7.1	32.5
Brain and Other Nervous System	6	4.9	1.8	11.7	4	7.5	2.0	21.0	2	2.8	0.3	13.9
Hodgkin's Disease	2	1.7	0.2	7.4	2	3.5	0.4	15.1	0	0.0	0.0	10.2
Non-Hodgkin's Lymphomas	19	15.3	9.2	24.8	8	15.9	6.8	32.7	11	16.7	8.1	32.6
Multiple Myeloma	11	8.4	4.2	16.1	6	10.2	3.7	24.2	5	7.5	2.4	20.4
Leukemias	13	10.6	5.6	19.0	4	7.6	2.1	21.1	9	13.4	6.1	28.1
All Other Sites	50	40.9	30.3	54.7	28	53.7	35.5	78.9	22	34.4	21.1	54.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	27.6	15.5	46.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cumberland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	309	479.6	427.1	537.6	168	607.7	518.6	709.3	141	394.3	329.7	470.4
Oral Cavity and Pharynx	9	15.5	7.0	30.6	6	22.1	8.1	50.9	3	10.2	2.0	34.2
Esophagus	3	5.2	1.1	16.6	2	7.0	0.8	29.6	1	3.8	0.1	25.0
Stomach	1	1.3	0.0	10.2	1	5.1	0.1	28.5	0	0.0	0.0	18.7
Colon and Rectum	47	70.0	51.3	94.5	22	80.4	50.1	124.3	25	58.9	37.4	92.5
Liver	1	1.7	0.0	11.3	0	0.0	0.0	18.9	1	3.5	0.1	24.1
Pancreas	3	4.2	0.9	14.5	3	10.9	2.2	35.4	0	0.0	0.0	18.7
Lung and Bronchus	47	70.3	51.5	94.7	33	115.8	79.6	165.2	14	34.5	18.7	62.9
Bones and Joints	0	0.0	0.0	8.4	0	0.0	0.0	18.9	0	0.0	0.0	18.7
Melanoma of the Skin	4	6.4	1.7	18.0	2	6.7	0.8	29.0	2	6.3	0.7	28.1
Breast (invasive)	42	68.5	49.2	93.7	3	10.7	2.2	35.1	39	119.2	83.9	167.1
Cervix (invasive)	-	-	-	-	-	-	-	-	3	10.9	2.2	35.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	18.2	7.0	43.2
Ovary	-	-	-	-	-	-	-	-	8	21.1	8.6	47.5
Prostate	-	-	-	-	47	168.4	123.4	226.4	-	-	-	-
Testis	-	-	-	-	1	3.5	0.1	24.3	-	-	-	-
Urinary Bladder	16	24.9	14.1	41.7	14	50.1	27.4	86.7	2	6.5	0.8	28.4
Kidney and Renal Pelvis	9	14.9	6.8	29.5	5	18.0	5.8	45.3	4	11.9	3.2	35.5
Brain and Other Nervous System	3	4.3	0.9	14.8	2	6.9	0.8	29.4	1	2.5	0.1	21.9
Hodgkin's Disease	1	1.2	0.0	10.1	1	3.5	0.1	24.2	0	0.0	0.0	18.7
Non-Hodgkin's Lymphomas	17	25.8	14.9	42.8	4	14.3	3.9	40.0	13	32.9	16.7	62.3
Multiple Myeloma	5	7.8	2.5	19.8	3	12.7	2.6	39.3	2	5.5	0.7	26.2
Leukemias	8	13.4	5.7	27.7	4	14.4	3.9	40.3	4	11.5	3.0	35.0
All Other Sites	27	42.9	28.1	63.6	15	57.2	31.7	97.0	12	36.8	18.7	68.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	9.3	1.8	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DeKalb County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,638	469.7	447.2	493.1	778	520.7	484.4	559.4	860	442.7	413.3	473.8
Oral Cavity and Pharynx	37	10.8	7.6	14.9	26	16.7	10.9	25.0	11	5.7	2.8	10.4
Esophagus	22	6.4	4.0	9.7	17	11.5	6.7	18.8	5	2.4	0.8	6.0
Stomach	20	5.7	3.5	8.9	10	6.5	3.1	12.6	10	4.8	2.2	9.0
Colon and Rectum	194	55.6	48.0	64.1	81	55.6	44.0	69.6	113	55.5	45.6	67.0
Liver	12	3.3	1.7	5.9	7	4.6	1.8	10.0	5	2.2	0.7	5.7
Pancreas	32	9.3	6.4	13.2	12	7.9	4.1	14.3	20	10.2	6.2	16.0
Lung and Bronchus	232	68.2	59.7	77.6	128	87.1	72.6	104.0	104	54.7	44.6	66.5
Bones and Joints	2	0.4	0.0	1.8	1	0.3	0.0	3.8	1	0.5	0.0	3.1
Melanoma of the Skin	42	11.9	8.5	16.1	24	15.1	9.6	23.0	18	9.7	5.7	15.4
Breast (invasive)	284	81.6	72.4	91.7	1	0.6	0	4.4	283	149.5	132.4	168.2
Cervix (invasive)	-	-	-	-	-	-	-	-	22	11.5	7.2	17.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	48	26.3	19.4	35.0
Ovary	-	-	-	-	-	-	-	-	36	19.3	13.5	26.9
Prostate	-	-	-	-	224	153.8	134.2	175.8	-	-	-	-
Testis	-	-	-	-	10	4.8	2.3	9.8	-	-	-	-
Urinary Bladder	77	22.0	17.4	27.6	51	36.3	27.0	48.2	26	12.4	8.1	18.5
Kidney and Renal Pelvis	34	9.6	6.7	13.5	15	9.6	5.3	16.4	19	9.3	5.5	14.8
Brain and Other Nervous System	20	5.5	3.4	8.6	12	6.9	3.5	12.7	8	4.3	1.8	8.6
Hodgkin's Disease	12	2.8	1.4	5.1	7	3.5	1.3	8.2	5	2.0	0.6	5.2
Non-Hodgkin's Lymphomas	59	16.5	12.5	21.3	34	21.0	14.4	30.0	25	12.0	7.7	18.0
Multiple Myeloma	18	5.1	3.0	8.1	12	8.5	4.3	15.3	6	2.8	1.0	6.5
Leukemias	62	17.2	13.2	22.2	37	24.3	17.0	34.1	25	12.2	7.9	18.3
All Other Sites	139	38.9	32.6	46.0	69	46.1	35.7	58.8	70	35.3	27.4	44.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	58	32.2	24.4	41.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DeWitt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	440	450.5	409.1	495.6	237	551.7	483.2	628.5	203	379.4	327.6	438.4
Oral Cavity and Pharynx	13	13.6	7.2	24.1	12	27.2	14.0	49.8	1	1.1	0.0	12.8
Esophagus	2	2.2	0.3	9.1	2	5.0	0.6	20.9	0	0.0	0.0	11.5
Stomach	6	6.2	2.3	14.6	4	10.6	2.8	29.4	2	3.7	0.4	16.8
Colon and Rectum	61	61.2	46.7	79.4	30	73.4	49.2	106.8	31	54.2	36.3	79.7
Liver	1	1.1	0.0	7.3	1	2.3	0.1	16.7	0	0.0	0.0	11.5
Pancreas	6	6.9	2.5	15.8	3	7.1	1.5	23.7	3	6.5	1.3	21.5
Lung and Bronchus	84	83.5	66.5	104.2	63	144.1	110.6	186.2	21	36.9	22.6	59.0
Bones and Joints	0	0.0	0.0	5.6	0	0.0	0.0	13.2	0	0.0	0.0	11.5
Melanoma of the Skin	15	15.9	8.8	27.0	9	20.6	9.4	41.7	6	11.8	4.3	28.3
Breast (invasive)	73	76.1	59.5	96.5	0	0	0	13.2	73	139.9	108.8	178.5
Cervix (invasive)	-	-	-	-	-	-	-	-	4	9.1	2.4	25.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	18.9	9.3	36.7
Ovary	-	-	-	-	-	-	-	-	7	11.7	4.6	27.3
Prostate	-	-	-	-	52	119.6	89.2	158.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	13.2	-	-	-	-
Urinary Bladder	20	20.0	12.1	31.7	15	33.5	18.7	57.6	5	8.6	2.8	23.3
Kidney and Renal Pelvis	16	17.1	9.7	28.5	7	16.5	6.6	36.4	9	18.4	8.3	37.1
Brain and Other Nervous System	6	6.9	2.5	15.8	3	7.3	1.5	24.2	3	6.5	1.3	21.3
Hodgkin's Disease	1	1.3	0.0	7.8	1	2.5	0.1	17.1	0	0.0	0.0	11.5
Non-Hodgkin's Lymphomas	12	12.6	6.5	23.0	6	14.3	5.2	33.8	6	10.1	3.7	25.2
Multiple Myeloma	6	5.8	2.1	13.9	4	8.8	2.4	25.7	2	3.7	0.5	16.9
Leukemias	10	10.4	5.0	20.1	5	11.8	3.8	30.2	5	9.8	3.1	25.4
All Other Sites	34	36.8	25.4	52.2	20	47.2	28.7	75.1	14	28.3	15.0	50.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	22.0	10.8	41.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Douglas County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	523	454.8	416.3	496.3	275	553.4	489.3	624.7	248	395.8	346.8	450.7
Oral Cavity and Pharynx	13	12.0	6.3	21.1	10	20.4	9.7	39.2	3	5.4	1.0	17.5
Esophagus	3	2.4	0.5	8.0	2	4.7	0.5	18.9	1	1.4	0.0	11.1
Stomach	4	3.6	1.0	10.0	2	4.2	0.5	17.4	2	2.3	0.3	12.1
Colon and Rectum	81	68.1	54.0	85.3	40	79.2	56.5	109.5	41	58.8	41.9	81.8
Liver	3	2.4	0.5	8.0	3	5.7	1.2	19.3	0	0.0	0.0	9.1
Pancreas	8	6.4	2.7	13.4	6	13.8	4.9	31.6	2	2.7	0.3	12.8
Lung and Bronchus	78	66.5	52.4	83.6	52	104.6	77.9	138.7	26	40.2	26.0	60.7
Bones and Joints	2	1.6	0.2	7.0	1	1.8	0.0	13.5	1	1.5	0.0	11.3
Melanoma of the Skin	13	11.9	6.3	20.9	6	12.5	4.5	29.3	7	13.0	5.1	28.2
Breast (invasive)	85	75.3	60	93.8	0	0	0	11	85	137.2	108.9	171.7
Cervix (invasive)	-	-	-	-	-	-	-	-	7	15.0	6.0	31.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	26.9	15.1	45.3
Ovary	-	-	-	-	-	-	-	-	13	22.3	11.6	39.8
Prostate	-	-	-	-	74	143.0	112.1	181.1	-	-	-	-
Testis	-	-	-	-	2	4.7	0.6	18.5	-	-	-	-
Urinary Bladder	19	16.0	9.6	25.7	19	38.6	23.1	62.1	0	0.0	0.0	9.1
Kidney and Renal Pelvis	12	10.8	5.5	19.5	9	18.6	8.5	37.0	3	4.5	0.9	15.5
Brain and Other Nervous System	9	7.9	3.6	15.8	5	10.2	3.3	25.7	4	7.0	1.9	19.7
Hodgkin's Disease	2	2.1	0.3	8.1	2	4.3	0.5	17.7	0	0.0	0.0	9.1
Non-Hodgkin's Lymphomas	20	17.5	10.6	27.7	11	23.3	11.5	43.4	9	14.7	6.6	29.8
Multiple Myeloma	7	5.6	2.2	12.4	4	8.5	2.2	24.0	3	4.3	0.9	15.1
Leukemias	9	8.3	3.7	16.4	5	10.5	3.3	26.5	4	7.5	2.0	20.7
All Other Sites	43	37.5	27.1	51.2	22	44.9	28.0	69.6	21	30.9	18.8	49.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	24.2	13.0	42.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	18,524	477.8	470.9	484.8	8,976	553.2	541.4	565.2	9,548	433.8	425.1	442.7
Oral Cavity and Pharynx	357	8.9	8.0	9.9	235	13.0	11.4	14.9	122	5.6	4.6	6.7
Esophagus	189	5.0	4.3	5.8	140	8.6	7.2	10.2	49	2.3	1.7	3.0
Stomach	280	7.5	6.6	8.4	170	10.9	9.3	12.8	110	4.9	4.0	6.0
Colon and Rectum	2,037	54.3	52.0	56.8	1,012	65.8	61.6	70.2	1,025	46.8	43.9	49.8
Liver	169	4.5	3.8	5.2	118	7.3	6.0	8.9	51	2.3	1.7	3.1
Pancreas	438	11.8	10.7	12.9	211	13.3	11.5	15.4	227	10.5	9.2	12.0
Lung and Bronchus	2,307	62.3	59.8	64.9	1,236	80.6	76.1	85.5	1,071	50.6	47.6	53.7
Bones and Joints	38	0.9	0.6	1.2	21	1.0	0.6	1.6	17	0.8	0.5	1.3
Melanoma of the Skin	548	13.2	12.1	14.4	311	17.1	15.2	19.3	237	10.4	9.2	11.9
Breast (invasive)	3,337	82.1	79.3	85	23	1.3	0.8	2.1	3,314	149.1	144.1	154.3
Cervix (invasive)	-	-	-	-	-	-	-	-	172	7.5	6.5	8.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	564	26.0	23.9	28.3
Ovary	-	-	-	-	-	-	-	-	312	14.1	12.6	15.8
Prostate	-	-	-	-	2,628	163.3	156.9	169.8	-	-	-	-
Testis	-	-	-	-	143	6.1	5.2	7.3	-	-	-	-
Urinary Bladder	893	24.1	22.6	25.8	648	42.6	39.3	46.2	245	11.3	9.9	12.8
Kidney and Renal Pelvis	499	12.8	11.7	14.0	315	18.4	16.3	20.7	184	8.4	7.3	9.8
Brain and Other Nervous System	293	7.1	6.3	8.0	157	8.4	7.1	9.9	136	6.2	5.2	7.4
Hodgkin's Disease	149	3.4	2.9	4.0	80	3.9	3.0	4.9	69	3.1	2.4	3.9
Non-Hodgkin's Lymphomas	771	19.7	18.4	21.2	417	24.3	21.9	26.9	354	16.2	14.5	18.0
Multiple Myeloma	189	5.0	4.3	5.8	96	6.0	4.8	7.4	93	4.3	3.5	5.3
Leukemias	481	12.1	11.1	13.3	269	15.7	13.8	17.9	212	9.6	8.3	11.0
All Other Sites	1,730	43.6	41.5	45.7	746	45.6	42.2	49.2	984	43.8	41.0	46.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	816	36.8	34.3	39.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Edgar County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	557	445.8	408.9	485.5	277	531.1	470.3	598.2	280	401.9	354.0	455.7
Oral Cavity and Pharynx	13	11.2	5.9	19.9	8	15.7	6.8	31.8	5	7.5	2.2	20.4
Esophagus	12	8.7	4.5	16.2	9	17.1	7.8	33.6	3	3.0	0.6	13.2
Stomach	6	4.4	1.6	10.7	3	5.8	1.2	18.1	3	3.0	0.6	13.2
Colon and Rectum	67	50.8	39.2	65.4	28	53.5	35.5	78.1	39	50.2	34.9	71.7
Liver	1	1.0	0.0	6.3	1	2.1	0.1	12.7	0	0.0	0.0	9.6
Pancreas	15	11.3	6.3	19.6	5	10.0	3.2	24.3	10	12.4	5.8	25.7
Lung and Bronchus	98	77.6	62.8	95.3	61	115.9	88.6	149.6	37	54.2	37.6	77.1
Bones and Joints	2	2.2	0.3	8.1	1	2.0	0.0	12.4	1	2.2	0.1	13.3
Melanoma of the Skin	17	14.7	8.4	24.2	11	21.6	10.8	39.5	6	11.3	4.1	26.3
Breast (invasive)	79	65.7	51.8	82.6	1	2.1	0.1	12.7	78	117.2	91.7	148.9
Cervix (invasive)	-	-	-	-	-	-	-	-	8	15.4	6.5	31.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	29.7	17.5	48.6
Ovary	-	-	-	-	-	-	-	-	7	10.5	3.9	24.5
Prostate	-	-	-	-	72	136.8	107.0	173.0	-	-	-	-
Testis	-	-	-	-	2	4.0	0.5	15.7	-	-	-	-
Urinary Bladder	28	21.0	13.8	31.2	19	36.8	22.1	58.3	9	10.1	4.5	22.6
Kidney and Renal Pelvis	20	15.5	9.4	24.8	13	25.0	13.3	43.6	7	7.7	3.0	19.3
Brain and Other Nervous System	5	4.4	1.4	11.1	2	4.3	0.5	16.4	3	3.5	0.7	14.2
Hodgkin's Disease	3	2.9	0.6	9.1	0	0.0	0.0	9.1	3	5.8	1.2	18.5
Non-Hodgkin's Lymphomas	14	11.3	6.1	19.8	6	11.4	4.2	26.0	8	10.6	4.4	24.0
Multiple Myeloma	7	5.0	2.0	11.5	3	5.7	1.2	18.0	4	3.8	0.9	14.3
Leukemias	11	8.7	4.3	16.5	9	17.1	7.8	33.5	2	3.5	0.4	15.0
All Other Sites	51	42.0	31.1	56.0	23	44.6	28.2	67.7	28	40.3	26.2	60.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	20.8	10.5	38.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Edwards County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	225	500.4	435.9	573.2	111	557.4	457.8	674.5	114	459.9	375.9	560.7
Oral Cavity and Pharynx	1	1.5	0.0	14.9	0	0.0	0.0	25.9	1	2.4	0.1	29.0
Esophagus	3	6.0	1.2	21.4	2	9.1	1.1	39.5	1	3.8	0.1	31.5
Stomach	3	7.8	1.6	25.1	1	5.4	0.1	34.8	2	9.9	1.1	41.9
Colon and Rectum	35	74.5	51.6	106.2	16	80.3	45.7	133.9	19	64.7	38.5	108.2
Liver	2	5.8	0.7	22.5	2	12.0	1.5	45.8	0	0.0	0.0	26.3
Pancreas	8	16.1	6.8	34.9	3	14.2	2.9	47.0	5	16.8	5.3	48.4
Lung and Bronchus	39	85.2	60.2	118.8	29	143.7	96.0	209.7	10	36.4	17.1	74.5
Bones and Joints	0	0.0	0.0	13.0	0	0.0	0.0	25.9	0	0.0	0.0	26.3
Melanoma of the Skin	5	11.6	3.7	29.9	5	26.5	8.5	65.7	0	0.0	0.0	26.3
Breast (invasive)	41	98.3	70	135.6	0	0	0	25.9	41	181.2	128.1	252.3
Cervix (invasive)	-	-	-	-	-	-	-	-	4	20.7	5.6	57.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	22.3	8.8	55.0
Ovary	-	-	-	-	-	-	-	-	4	19.3	5.0	55.1
Prostate	-	-	-	-	26	128.2	83.5	191.3	-	-	-	-
Testis	-	-	-	-	1	6.5	0.2	37.6	-	-	-	-
Urinary Bladder	6	12.0	4.3	29.7	6	30.5	11.1	70.4	0	0.0	0.0	26.3
Kidney and Renal Pelvis	4	10.3	2.7	28.6	2	12.2	1.4	46.5	2	9.6	1.1	40.9
Brain and Other Nervous System	2	5.3	0.6	21.5	1	4.5	0.1	32.6	1	7.1	0.2	39.7
Hodgkin's Disease	0	0.0	0.0	13.0	0	0.0	0.0	25.9	0	0.0	0.0	26.3
Non-Hodgkin's Lymphomas	6	12.8	4.6	31.0	2	10.6	1.2	42.7	4	13.3	3.6	43.6
Multiple Myeloma	0	0.0	0.0	13.0	0	0.0	0.0	25.9	0	0.0	0.0	26.3
Leukemias	12	24.5	12.4	46.0	9	43.2	19.6	86.5	3	11.5	2.1	42.7
All Other Sites	16	36.0	20.2	61.1	6	30.6	11.2	70.7	10	40.9	18.4	83.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	38.0	16.1	80.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Effingham County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	885	498.4	466.0	532.7	496	646.7	590.9	706.5	389	391.0	352.2	433.3
Oral Cavity and Pharynx	17	9.9	5.7	16.1	10	13.1	6.3	24.5	7	7.6	2.9	16.4
Esophagus	5	2.9	0.9	7.1	5	6.6	2.1	15.8	0	0.0	0.0	5.3
Stomach	8	4.6	2.0	9.3	7	9.2	3.7	19.3	1	1.3	0.0	7.6
Colon and Rectum	127	68.9	57.4	82.3	60	79.2	60.4	102.2	67	61.4	47.2	79.1
Liver	2	1.2	0.1	4.6	1	1.3	0.0	7.7	1	0.9	0.0	6.7
Pancreas	28	15.8	10.5	23.1	14	17.8	9.7	30.2	14	12.9	6.9	22.6
Lung and Bronchus	116	64.5	53.2	77.6	72	94.7	74.0	119.5	44	42.4	30.7	57.7
Bones and Joints	0	0.0	0.0	2.7	0	0.0	0.0	5.5	0	0.0	0.0	5.3
Melanoma of the Skin	24	14.1	9.0	21.2	14	17.9	9.8	30.4	10	11.7	5.6	22.0
Breast (invasive)	117	66.9	55.3	80.5	0	0	0	5.5	117	122.7	101.0	148.1
Cervix (invasive)	-	-	-	-	-	-	-	-	6	6.8	2.5	15.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	21.3	12.9	33.7
Ovary	-	-	-	-	-	-	-	-	10	10.8	5.1	20.6
Prostate	-	-	-	-	166	213.9	182.5	249.3	-	-	-	-
Testis	-	-	-	-	3	4.0	0.8	12.0	-	-	-	-
Urinary Bladder	54	29.3	22.0	38.6	47	62.8	46.1	83.8	7	6.0	2.3	13.7
Kidney and Renal Pelvis	20	11.0	6.7	17.3	11	14.4	7.2	26.1	9	9.1	4.1	18.3
Brain and Other Nervous System	14	8.5	4.6	14.4	6	7.6	2.8	17.0	8	9.2	3.9	18.7
Hodgkin's Disease	4	2.4	0.6	6.3	2	2.5	0.3	9.7	2	2.1	0.3	8.7
Non-Hodgkin's Lymphomas	33	18.1	12.4	25.7	19	25.0	15.0	39.4	14	13.0	7.0	22.9
Multiple Myeloma	9	5.1	2.3	10.0	7	8.8	3.5	18.5	2	1.8	0.2	7.9
Leukemias	32	17.9	12.2	25.6	19	24.9	14.9	39.1	13	12.5	6.6	22.3
All Other Sites	70	39.6	30.8	50.3	33	43.1	29.6	60.8	37	37.5	26.2	52.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	18	20.6	12.1	33.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Fayette County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	534	423.0	387.5	461.1	289	526.3	467.0	591.5	245	360.3	315.0	411.5
Oral Cavity and Pharynx	7	5.6	2.2	12.2	6	10.3	3.8	23.6	1	1.4	0.0	11.5
Esophagus	4	3.2	0.9	8.9	4	7.0	1.9	19.2	0	0.0	0.0	9.6
Stomach	5	4.1	1.3	10.3	3	5.8	1.2	17.7	2	2.3	0.3	12.6
Colon and Rectum	80	62.0	49.0	77.7	41	76.0	54.4	103.9	39	55.9	39.1	79.0
Liver	2	1.6	0.2	6.4	1	1.9	0.0	11.7	1	1.3	0.0	11.4
Pancreas	13	9.4	5.0	16.7	4	7.1	1.9	19.4	9	11.2	5.0	24.2
Lung and Bronchus	88	70.1	56.1	86.8	57	103.5	78.2	134.9	31	43.8	29.4	64.5
Bones and Joints	1	0.9	0.0	5.5	0	0.0	0.0	8.5	1	2.1	0.1	13.3
Melanoma of the Skin	15	13.0	7.2	21.8	9	16.7	7.6	32.6	6	9.3	3.3	22.7
Breast (invasive)	73	60.4	47.2	76.5	1	1.9	0	11.6	72	112.8	87.5	144.4
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.4	2.0	20.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	24.5	14.0	41.5
Ovary	-	-	-	-	-	-	-	-	13	20.0	10.3	36.6
Prostate	-	-	-	-	86	154.3	123.3	191.3	-	-	-	-
Testis	-	-	-	-	2	3.3	0.4	13.7	-	-	-	-
Urinary Bladder	29	21.8	14.5	32.0	24	45.4	29.0	68.3	5	5.1	1.6	15.8
Kidney and Renal Pelvis	11	8.5	4.2	15.8	7	12.9	5.2	27.5	4	4.6	1.2	15.5
Brain and Other Nervous System	7	5.6	2.2	12.2	3	5.0	1.0	16.1	4	6.4	1.6	19.0
Hodgkin's Disease	1	0.6	0.0	5.0	0	0.0	0.0	8.5	1	0.9	0.0	10.6
Non-Hodgkin's Lymphomas	19	14.9	8.9	23.8	12	20.9	10.7	37.5	7	10.3	4.0	23.8
Multiple Myeloma	5	3.8	1.2	9.6	3	5.0	1.0	16.1	2	2.3	0.3	12.6
Leukemias	13	9.9	5.2	17.6	8	15.6	6.7	31.5	5	7.1	2.2	19.5
All Other Sites	39	30.5	21.6	42.2	18	33.8	19.9	54.1	21	31.6	19.2	50.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	13.2	5.5	28.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Ford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	439	472.1	427.5	521.1	226	577.1	503.7	660.1	213	412.8	355.5	478.8
Oral Cavity and Pharynx	11	11.9	5.9	23.3	6	14.5	5.2	35.5	5	10.0	3.2	27.7
Esophagus	4	4.9	1.3	14.6	3	8.3	1.7	27.8	1	1.7	0.0	16.5
Stomach	2	2.0	0.2	10.0	2	5.4	0.7	23.5	0	0.0	0.0	14.4
Colon and Rectum	68	66.6	51.2	86.5	36	90.3	63.0	127.7	32	51.8	34.3	78.4
Liver	3	2.7	0.5	11.0	1	2.8	0.1	19.8	2	2.1	0.2	16.5
Pancreas	13	12.3	6.3	23.5	5	12.2	3.9	32.6	8	12.5	4.7	30.8
Lung and Bronchus	66	69.8	53.6	90.7	39	99.1	70.3	138.1	27	52.0	33.3	80.1
Bones and Joints	0	0.0	0.0	7.5	0	0.0	0.0	15.5	0	0.0	0.0	14.4
Melanoma of the Skin	12	14.2	7.2	26.6	6	16.4	6.0	38.9	6	13.0	4.6	32.4
Breast (invasive)	70	80.2	61.9	103.2	1	2.3	0.1	18.6	69	144.4	110.4	187.7
Cervix (invasive)	-	-	-	-	-	-	-	-	1	0.9	0.0	15.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	17.6	7.7	37.9
Ovary	-	-	-	-	-	-	-	-	2	4.0	0.5	19.8
Prostate	-	-	-	-	66	164.3	126.9	211.6	-	-	-	-
Testis	-	-	-	-	1	4.2	0.1	23.5	-	-	-	-
Urinary Bladder	22	21.9	13.5	35.2	21	52.6	32.4	83.3	1	2.1	0.1	17.3
Kidney and Renal Pelvis	8	9.0	3.8	19.9	7	18.5	7.4	41.5	1	2.1	0.1	17.3
Brain and Other Nervous System	13	17.1	9.0	30.6	6	16.5	6.0	39.1	7	18.8	7.4	41.4
Hodgkin's Disease	3	4.7	1.0	14.8	1	3.4	0.1	21.2	2	6.1	0.7	24.1
Non-Hodgkin's Lymphomas	16	17.4	9.7	30.2	6	14.8	5.4	36.1	10	19.5	8.8	40.6
Multiple Myeloma	9	8.5	3.8	18.6	2	5.3	0.6	23.3	7	11.9	4.5	30.0
Leukemias	9	10.1	4.4	21.3	3	8.5	1.7	28.4	6	10.7	3.5	28.8
All Other Sites	31	35.0	23.3	51.6	14	37.8	20.5	66.2	17	31.6	17.3	55.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	34.9	19.1	61.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Franklin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,369	529.4	501.2	559.1	745	677.6	629.4	728.9	624	429.5	394.8	467.1
Oral Cavity and Pharynx	28	11.7	7.7	17.3	23	22.8	14.4	34.8	5	3.4	1.1	9.3
Esophagus	23	8.7	5.5	13.5	16	14.6	8.3	24.3	7	4.0	1.6	10.0
Stomach	16	5.5	3.1	9.5	6	6.0	2.1	13.5	10	5.6	2.6	12.0
Colon and Rectum	204	76.2	65.9	88.0	91	85.7	68.8	105.8	113	71.3	58.1	87.3
Liver	5	1.9	0.6	5.1	2	2.0	0.2	7.8	3	1.9	0.4	7.2
Pancreas	28	11.2	7.4	16.6	13	12.0	6.3	21.1	15	9.2	5.0	16.6
Lung and Bronchus	247	94.4	82.8	107.4	165	147.1	125.4	171.9	82	54.8	43.2	69.3
Bones and Joints	1	0.6	0.0	3.3	1	1.2	0.0	6.7	0	0.0	0.0	4.7
Melanoma of the Skin	28	12.2	8.0	18.1	15	14.7	8.2	24.7	13	10.6	5.4	19.3
Breast (invasive)	154	61.1	51.6	72	0	0	0	4.6	154	110.4	93.0	130.8
Cervix (invasive)	-	-	-	-	-	-	-	-	17	15.3	8.7	25.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	22.6	15.3	33.1
Ovary	-	-	-	-	-	-	-	-	18	14.7	8.4	24.4
Prostate	-	-	-	-	213	188.0	163.4	215.6	-	-	-	-
Testis	-	-	-	-	8	8.6	3.7	17.3	-	-	-	-
Urinary Bladder	53	19.1	14.2	25.4	45	40.3	29.3	54.5	8	4.4	1.8	10.3
Kidney and Renal Pelvis	36	13.6	9.4	19.2	22	19.3	12.1	29.9	14	9.4	4.9	17.2
Brain and Other Nervous System	23	9.8	6.1	15.1	10	9.5	4.5	18.1	13	10.6	5.4	19.4
Hodgkin's Disease	2	1.1	0.1	4.1	2	2.2	0.3	8.3	0	0.0	0.0	4.7
Non-Hodgkin's Lymphomas	70	27.6	21.4	35.4	30	27.1	18.2	39.3	40	28.3	19.9	39.9
Multiple Myeloma	17	6.1	3.5	10.3	12	10.7	5.5	19.4	5	3.2	0.9	9.3
Leukemias	25	10.0	6.3	15.2	15	14.1	7.8	23.9	10	6.7	2.9	14.0
All Other Sites	121	47.6	39.3	57.4	56	51.7	38.9	67.7	65	43.1	32.7	56.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	29	24.0	15.9	35.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Fulton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,194	481.8	454.3	510.8	630	570.7	526.8	617.6	564	427.6	391.4	466.9
Oral Cavity and Pharynx	19	7.5	4.5	12.3	11	10.1	5.0	18.6	8	5.5	2.2	12.7
Esophagus	14	5.2	2.8	9.4	11	9.7	4.8	18.0	3	1.9	0.4	7.7
Stomach	7	2.6	1.0	6.0	5	4.4	1.4	11.2	2	1.4	0.1	7.3
Colon and Rectum	155	61.0	51.6	72.0	81	73.6	58.4	92.0	74	54.0	41.9	69.5
Liver	7	2.9	1.2	6.6	4	3.7	1.0	10.2	3	2.2	0.4	8.5
Pancreas	27	9.6	6.3	14.5	10	8.9	4.3	17.1	17	9.5	5.5	16.9
Lung and Bronchus	206	81.6	70.7	94.0	121	108.5	90.0	130.2	85	61.0	48.4	76.8
Bones and Joints	1	0.4	0.0	3.1	0	0.0	0.0	4.7	1	0.8	0.0	6.4
Melanoma of the Skin	41	18.4	13.1	25.4	24	22.5	14.4	34.0	17	15.2	8.6	25.6
Breast (invasive)	177	74.3	63.5	86.6	5	4.4	1.4	11.1	172	135.3	115.0	158.9
Cervix (invasive)	-	-	-	-	-	-	-	-	8	7.8	3.2	16.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	30	24.6	16.3	36.4
Ovary	-	-	-	-	-	-	-	-	18	14.3	8.4	23.9
Prostate	-	-	-	-	174	154.8	132.6	180.1	-	-	-	-
Testis	-	-	-	-	2	1.9	0.2	7.8	-	-	-	-
Urinary Bladder	61	23.6	18.0	30.8	52	46.5	34.7	61.6	9	5.9	2.6	13.0
Kidney and Renal Pelvis	36	15.3	10.7	21.7	22	20.5	12.8	31.6	14	10.5	5.5	19.2
Brain and Other Nervous System	10	4.4	2.1	8.6	6	5.7	2.1	13.1	4	3.2	0.8	9.9
Hodgkin's Disease	12	6.0	3.0	10.8	8	8.0	3.4	16.2	4	3.4	0.9	10.3
Non-Hodgkin's Lymphomas	39	15.7	11.1	22.0	22	20.1	12.6	31.0	17	12.1	6.8	20.9
Multiple Myeloma	11	3.7	1.9	7.4	7	6.2	2.5	13.5	4	2.1	0.6	7.8
Leukemias	25	11.4	7.3	17.3	13	12.9	6.8	22.5	12	10.4	5.1	19.7
All Other Sites	114	46.4	38.1	56.3	52	48.3	36.0	63.8	62	46.6	35.2	61.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	10.4	5.1	19.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Gallatin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	208	489.0	423.5	563.8	108	578.1	472.4	703.3	100	427.8	345.7	529.1
Oral Cavity and Pharynx	3	6.7	1.3	24.3	3	15.5	3.1	52.3	0	0.0	0.0	32.5
Esophagus	1	2.3	0.1	18.3	1	5.7	0.1	38.4	0	0.0	0.0	32.5
Stomach	3	6.1	1.2	23.2	0	0.0	0.0	29.3	3	11.1	2.2	46.6
Colon and Rectum	31	70.7	47.5	103.7	10	52.6	24.9	102.3	21	84.8	51.0	140.1
Liver	1	2.2	0.1	18.0	1	4.4	0.1	35.5	0	0.0	0.0	32.5
Pancreas	7	17.7	7.0	39.8	4	18.6	5.1	55.4	3	16.1	3.3	55.7
Lung and Bronchus	43	97.7	70.3	134.7	24	128.5	81.7	196.1	19	80.3	47.9	134.0
Bones and Joints	0	0.0	0.0	15.0	0	0.0	0.0	29.3	0	0.0	0.0	32.5
Melanoma of the Skin	6	18.4	6.6	42.4	3	19.9	4.0	61.4	3	17.2	3.1	59.1
Breast (invasive)	22	50.3	31.3	79.3	1	4.4	0.1	35.5	21	88.9	54.3	144.7
Cervix (invasive)	-	-	-	-	-	-	-	-	1	5.2	0.1	40.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	30.5	12.0	72.9
Ovary	-	-	-	-	-	-	-	-	1	4.4	0.1	38.3
Prostate	-	-	-	-	24	119.8	76.5	183.1	-	-	-	-
Testis	-	-	-	-	2	15.4	1.9	56.3	-	-	-	-
Urinary Bladder	17	37.4	21.6	63.5	10	56.4	26.8	108.3	7	28.2	11.2	69.0
Kidney and Renal Pelvis	5	11.5	3.7	30.8	4	19.0	5.1	56.4	1	4.6	0.1	38.6
Brain and Other Nervous System	1	2.4	0.1	18.4	0	0.0	0.0	29.3	1	4.6	0.1	38.7
Hodgkin's Disease	1	3.3	0.1	20.7	1	6.9	0.2	41.6	0	0.0	0.0	32.5
Non-Hodgkin's Lymphomas	6	15.9	5.6	38.0	5	28.3	8.8	71.8	1	4.2	0.1	38.0
Multiple Myeloma	0	0.0	0.0	15.0	0	0.0	0.0	29.3	0	0.0	0.0	32.5
Leukemias	7	18.1	6.9	41.0	5	29.2	9.2	73.2	2	7.4	0.8	41.8
All Other Sites	19	46.3	27.5	75.5	10	53.3	25.0	103.9	9	40.2	18.0	85.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	28.0	8.7	73.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Greene County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	476	520.5	473.9	571.0	250	626.1	550.1	710.4	226	453.4	393.7	520.9
Oral Cavity and Pharynx	11	12.1	5.9	22.8	7	16.4	6.5	35.5	4	9.0	2.2	26.3
Esophagus	5	5.9	1.9	14.7	4	11.4	3.1	30.1	1	2.0	0.1	15.6
Stomach	6	6.2	2.2	14.9	5	11.9	3.8	29.5	1	1.5	0.0	14.5
Colon and Rectum	78	81.2	63.9	102.4	36	89.8	62.6	125.6	42	76.4	54.1	106.9
Liver	6	7.0	2.5	16.3	4	11.0	2.9	29.2	2	4.6	0.5	19.9
Pancreas	14	16.3	8.8	28.4	10	26.6	12.6	50.1	4	8.4	2.2	24.8
Lung and Bronchus	83	88.9	70.5	111.3	58	143.0	108.3	186.2	25	48.2	30.6	74.4
Bones and Joints	2	3.0	0.4	11.2	0	0.0	0.0	11.8	2	5.9	0.7	22.6
Melanoma of the Skin	12	13.4	6.8	24.5	7	17.3	6.9	37.1	5	10.2	3.1	27.3
Breast (invasive)	61	71.3	54.2	92.6	0	0	0	11.8	61	131.7	99.7	172.3
Cervix (invasive)	-	-	-	-	-	-	-	-	3	9.4	1.9	28.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	31.9	17.9	54.8
Ovary	-	-	-	-	-	-	-	-	7	14.5	5.6	33.1
Prostate	-	-	-	-	56	137.4	103.4	179.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	11.8	-	-	-	-
Urinary Bladder	20	20.3	12.3	32.4	11	25.4	12.6	47.1	9	16.2	7.2	34.4
Kidney and Renal Pelvis	12	12.8	6.5	23.6	7	18.3	7.2	38.9	5	10.9	3.3	28.9
Brain and Other Nervous System	6	7.0	2.5	16.3	3	8.4	1.7	25.5	3	5.2	1.1	19.7
Hodgkin's Disease	2	2.6	0.3	10.2	1	3.0	0.1	17.2	1	2.0	0.1	15.6
Non-Hodgkin's Lymphomas	15	17.1	9.4	29.3	10	26.2	12.4	49.3	5	7.7	2.4	22.7
Multiple Myeloma	4	4.6	1.2	12.9	3	6.9	1.4	22.2	1	3.1	0.1	18.1
Leukemias	16	18.3	10.3	30.7	8	21.2	9.1	43.0	8	14.7	6.1	32.6
All Other Sites	41	43.4	30.9	60.0	20	52.1	31.6	81.7	21	39.8	24.0	64.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	22.4	10.1	44.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Grundy County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	915	498.5	466.7	532.0	473	592.0	539.2	649.2	442	442.3	401.7	486.2
Oral Cavity and Pharynx	33	17.9	12.3	25.2	24	27.4	17.5	41.9	9	9.2	4.2	18.1
Esophagus	10	5.5	2.7	10.3	9	12.1	5.5	23.9	1	0.9	0.0	6.3
Stomach	17	9.3	5.4	15.0	10	13.2	6.3	25.3	7	6.3	2.5	13.9
Colon and Rectum	126	68.7	57.2	81.9	59	74.9	56.8	97.6	67	64.8	50.1	82.9
Liver	5	2.8	0.9	6.6	4	4.7	1.3	13.6	1	1.0	0.0	6.7
Pancreas	19	10.4	6.2	16.3	11	13.2	6.6	24.8	8	7.5	3.2	15.5
Lung and Bronchus	124	67.9	56.5	81.1	79	101.2	79.9	127.1	45	44.4	32.3	60.0
Bones and Joints	0	0.0	0.0	2.3	0	0.0	0.0	6.7	0	0.0	0.0	4.9
Melanoma of the Skin	30	16.1	10.9	23.2	16	17.4	9.9	29.5	14	14.2	7.7	24.5
Breast (invasive)	139	75.5	63.4	89.2	0	0	0	6.7	139	141.6	119.0	167.8
Cervix (invasive)	-	-	-	-	-	-	-	-	10	10.3	4.9	19.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	20.4	12.4	32.1
Ovary	-	-	-	-	-	-	-	-	12	12.1	6.2	21.7
Prostate	-	-	-	-	120	153.6	127.1	184.6	-	-	-	-
Testis	-	-	-	-	8	8.6	3.7	18.5	-	-	-	-
Urinary Bladder	53	28.8	21.5	37.7	36	47.4	33.0	66.5	17	16.1	9.3	26.4
Kidney and Renal Pelvis	18	9.8	5.8	15.7	10	12.0	5.7	23.2	8	8.1	3.4	16.5
Brain and Other Nervous System	16	8.7	5.0	14.3	7	8.8	3.4	19.5	9	9.6	4.4	18.7
Hodgkin's Disease	5	2.7	0.9	6.5	3	3.0	0.6	10.8	2	2.4	0.3	9.1
Non-Hodgkin's Lymphomas	32	17.3	11.8	24.6	18	22.7	13.3	37.0	14	14.2	7.7	24.4
Multiple Myeloma	9	4.9	2.3	9.5	4	4.7	1.3	13.5	5	5.0	1.6	12.3
Leukemias	40	21.6	15.4	29.5	24	29.1	18.6	44.2	16	15.8	9.0	26.3
All Other Sites	69	37.4	29.1	47.4	31	37.9	25.6	54.9	38	38.3	27.0	53.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	26	27.9	18.2	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Hamilton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	252	418.4	367.2	476.4	144	560.3	471.3	664.2	108	328.1	266.1	403.5
Oral Cavity and Pharynx	7	12.2	4.8	28.0	6	25.2	9.2	59.8	1	3.2	0.1	26.2
Esophagus	2	2.9	0.3	14.9	2	7.5	0.9	34.6	0	0.0	0.0	21.9
Stomach	3	4.9	1.0	18.0	2	8.3	1.0	36.3	1	1.7	0.0	23.7
Colon and Rectum	40	60.4	42.8	84.8	23	89.1	56.2	138.2	17	43.6	24.3	77.7
Liver	2	2.8	0.3	14.8	1	3.1	0.1	28.0	1	2.2	0.1	24.4
Pancreas	4	6.9	1.8	20.8	3	12.3	2.5	41.9	1	4.3	0.1	28.8
Lung and Bronchus	44	69.6	50.4	95.8	29	106.9	71.3	158.3	15	41.6	22.9	75.0
Bones and Joints	1	1.5	0.0	13.2	0	0.0	0.0	24.0	1	2.5	0.1	24.9
Melanoma of the Skin	8	16.7	7.0	35.1	5	21.8	6.9	55.9	3	11.3	2.1	39.0
Breast (invasive)	37	67.4	47	95.3	0	0	0	24	37	125.2	86.5	178.6
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	21.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	12.7	2.5	41.6
Ovary	-	-	-	-	-	-	-	-	5	15.9	4.7	44.4
Prostate	-	-	-	-	40	156.0	110.9	216.9	-	-	-	-
Testis	-	-	-	-	1	4.2	0.1	30.3	-	-	-	-
Urinary Bladder	5	9.5	2.9	25.1	3	13.8	2.7	45.1	2	5.4	0.6	28.9
Kidney and Renal Pelvis	8	13.8	5.8	30.1	5	19.7	6.3	51.9	3	10.7	2.1	37.4
Brain and Other Nervous System	1	2.5	0.1	15.5	1	5.4	0.1	33.2	0	0.0	0.0	21.9
Hodgkin's Disease	0	0.0	0.0	11.2	0	0.0	0.0	24.0	0	0.0	0.0	21.9
Non-Hodgkin's Lymphomas	7	10.6	4.2	25.1	4	13.0	3.5	41.3	3	7.2	1.4	30.8
Multiple Myeloma	3	4.6	0.9	17.3	2	7.5	0.9	34.6	1	3.2	0.1	26.2
Leukemias	8	11.6	5.0	26.3	5	18.7	6.0	50.0	3	6.4	1.3	29.3
All Other Sites	23	38.6	24.2	60.5	12	48.1	24.5	89.0	11	31.2	15.3	62.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	19.5	6.0	50.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Hancock County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	625	475.9	438.8	516.1	332	578.0	517.2	645.4	293	401.8	355.3	454.3
Oral Cavity and Pharynx	16	12.7	7.2	21.8	14	24.9	13.6	43.9	2	2.7	0.3	13.9
Esophagus	4	3.5	0.9	10.3	4	7.4	2.0	21.3	0	0.0	0.0	10.2
Stomach	8	5.7	2.4	12.8	7	12.7	5.0	28.4	1	0.8	0.0	11.1
Colon and Rectum	75	53.7	42.2	68.5	30	51.8	34.9	75.8	45	52.9	38.1	73.8
Liver	4	3.2	0.9	9.6	1	1.6	0.0	12.9	3	4.5	0.9	16.5
Pancreas	15	11.4	6.3	20.0	9	15.7	7.2	32.1	6	8.3	2.8	21.5
Lung and Bronchus	100	75.6	61.3	92.9	56	96.5	72.8	127.0	44	60.5	43.5	83.8
Bones and Joints	0	0.0	0.0	5.2	0	0.0	0.0	10.7	0	0.0	0.0	10.2
Melanoma of the Skin	17	13.1	7.5	22.1	10	17.2	8.2	33.9	7	9.8	3.8	23.3
Breast (invasive)	85	65.7	52.2	82.3	0	0	0	10.7	85	118.8	94.0	149.9
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.4	1.9	21.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	20.5	11.1	37.0
Ovary	-	-	-	-	-	-	-	-	10	14.5	6.6	29.8
Prostate	-	-	-	-	97	165.4	134.0	203.4	-	-	-	-
Testis	-	-	-	-	5	11.1	3.6	27.5	-	-	-	-
Urinary Bladder	37	26.8	18.8	38.1	32	55.1	37.6	79.6	5	6.9	2.2	19.3
Kidney and Renal Pelvis	11	9.3	4.6	17.8	4	6.9	1.9	20.4	7	11.5	4.5	26.3
Brain and Other Nervous System	2	1.4	0.2	7.1	1	1.7	0.0	13.2	1	1.4	0.0	12.1
Hodgkin's Disease	1	1.4	0.0	7.9	0	0.0	0.0	10.7	1	2.8	0.1	15.4
Non-Hodgkin's Lymphomas	27	20.6	13.5	31.1	16	27.9	15.9	47.3	11	14.0	6.8	28.2
Multiple Myeloma	8	5.9	2.5	13.1	5	9.2	2.9	23.9	3	3.7	0.7	15.0
Leukemias	21	16.3	9.9	26.1	10	17.4	8.3	34.3	11	14.6	6.9	29.6
All Other Sites	64	49.6	38.0	64.4	31	55.4	37.6	80.5	33	46.2	31.2	67.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	16.8	7.9	33.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Hardin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	146	448.3	377.6	531.4	85	574.6	458.0	717.5	61	351.2	265.8	464.4
Oral Cavity and Pharynx	4	12.2	3.3	37.5	3	19.2	3.9	68.4	1	4.9	0.1	52.5
Esophagus	0	0.0	0.0	20.8	0	0.0	0.0	41.7	0	0.0	0.0	46.9
Stomach	3	8.4	1.7	31.9	2	13.3	1.6	60.7	1	4.8	0.1	52.4
Colon and Rectum	26	79.1	51.4	120.4	16	113.8	64.7	192.3	10	59.5	28.1	123.7
Liver	3	8.9	1.8	32.9	1	7.5	0.2	53.2	2	10.3	1.2	59.5
Pancreas	2	5.7	0.7	28.4	1	7.5	0.2	53.2	1	5.3	0.1	53.3
Lung and Bronchus	34	100.7	69.4	145.3	19	124.0	74.3	202.2	15	80.1	44.5	146.5
Bones and Joints	0	0.0	0.0	20.8	0	0.0	0.0	41.7	0	0.0	0.0	46.9
Melanoma of the Skin	4	14.8	3.9	42.6	3	20.9	4.2	71.9	1	9.1	0.2	61.4
Breast (invasive)	10	33.7	15.9	66.7	0	0	0	41.7	10	64.5	30.2	132.2
Cervix (invasive)	-	-	-	-	-	-	-	-	3	18.9	3.5	72.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	14.0	2.9	63.3
Ovary	-	-	-	-	-	-	-	-	2	12.0	1.4	62.6
Prostate	-	-	-	-	16	107.5	61.2	182.7	-	-	-	-
Testis	-	-	-	-	1	8.6	0.2	55.8	-	-	-	-
Urinary Bladder	6	19.0	6.8	47.1	4	28.4	7.6	82.7	2	10.3	1.2	59.5
Kidney and Renal Pelvis	5	15.3	4.9	41.7	4	25.5	6.9	77.0	1	5.3	0.1	53.3
Brain and Other Nervous System	0	0.0	0.0	20.8	0	0.0	0.0	41.7	0	0.0	0.0	46.9
Hodgkin's Disease	0	0.0	0.0	20.8	0	0.0	0.0	41.7	0	0.0	0.0	46.9
Non-Hodgkin's Lymphomas	4	15.7	4.1	44.3	3	21.4	4.4	73.0	1	12.7	0.3	70.8
Multiple Myeloma	1	2.7	0.1	24.2	1	6.1	0.2	50.2	0	0.0	0.0	46.9
Leukemias	4	11.6	3.2	36.4	2	12.3	1.5	58.7	2	9.8	1.2	58.4
All Other Sites	15	43.2	24.2	76.2	9	58.6	26.6	120.9	6	29.6	10.7	83.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	6.4	0.2	55.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Henderson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	234	448.6	392.4	512.3	128	551.9	458.7	661.3	106	379.6	309.6	465.2
Oral Cavity and Pharynx	4	7.0	1.9	22.0	3	10.7	2.2	39.5	1	3.3	0.1	30.2
Esophagus	2	3.5	0.4	17.4	2	7.2	0.9	34.9	0	0.0	0.0	26.0
Stomach	2	3.8	0.5	18.0	2	8.6	1.0	37.9	0	0.0	0.0	26.0
Colon and Rectum	25	47.0	30.3	72.0	18	74.9	44.0	123.2	7	25.5	9.9	60.5
Liver	2	3.7	0.4	17.9	1	4.9	0.1	33.0	1	3.4	0.1	30.3
Pancreas	5	9.3	3.0	25.4	2	8.4	1.0	37.6	3	9.2	1.9	37.5
Lung and Bronchus	43	80.9	58.4	111.3	25	106.0	68.1	161.0	18	59.1	35.0	100.1
Bones and Joints	0	0.0	0.0	12.8	0	0.0	0.0	25.1	0	0.0	0.0	26.0
Melanoma of the Skin	10	19.9	9.5	39.5	9	38.6	17.4	78.4	1	5.1	0.1	34.2
Breast (invasive)	36	70.5	49.1	100.1	0	0	0	25.1	36	132.3	91.8	189.3
Cervix (invasive)	-	-	-	-	-	-	-	-	2	9.9	1.2	41.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	29.0	12.4	64.4
Ovary	-	-	-	-	-	-	-	-	3	11.2	2.2	41.3
Prostate	-	-	-	-	34	151.6	103.9	216.9	-	-	-	-
Testis	-	-	-	-	3	16.2	3.3	50.7	-	-	-	-
Urinary Bladder	13	24.7	13.1	45.2	10	39.7	18.9	78.8	3	11.5	2.2	42.0
Kidney and Renal Pelvis	7	13.1	5.2	30.4	4	15.3	4.1	46.3	3	9.7	2.0	38.5
Brain and Other Nervous System	3	6.4	1.2	22.1	0	0.0	0.0	25.1	3	12.6	2.4	44.3
Hodgkin's Disease	1	3.0	0.1	18.0	1	6.1	0.2	36.0	0	0.0	0.0	26.0
Non-Hodgkin's Lymphomas	15	29.2	16.3	50.9	7	31.9	12.5	70.8	8	28.5	12.0	63.8
Multiple Myeloma	2	3.5	0.4	17.4	0	0.0	0.0	25.1	2	6.6	0.8	34.6
Leukemias	2	3.8	0.4	18.0	2	8.5	1.0	37.8	0	0.0	0.0	26.0
All Other Sites	12	23.1	11.8	43.4	5	23.3	7.3	59.3	7	23.0	9.2	55.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	21.5	7.8	54.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Henry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,503	493.6	468.8	519.7	796	594.6	553.9	637.8	707	421.3	389.9	455.0
Oral Cavity and Pharynx	41	13.7	9.8	18.9	29	22.3	14.9	32.5	12	6.8	3.4	13.1
Esophagus	20	6.6	4.0	10.5	18	13.2	7.8	21.4	2	1.2	0.1	5.8
Stomach	21	6.8	4.2	10.7	14	10.5	5.7	18.1	7	4.0	1.6	9.4
Colon and Rectum	207	65.1	56.5	74.9	100	74.8	60.8	91.3	107	56.5	46.0	69.3
Liver	10	3.4	1.6	6.6	3	2.2	0.4	7.0	7	4.2	1.6	9.8
Pancreas	28	8.7	5.8	12.9	12	8.7	4.5	15.6	16	8.1	4.5	14.3
Lung and Bronchus	204	65.8	57.0	75.8	133	98.6	82.6	117.2	71	41.8	32.5	53.6
Bones and Joints	2	0.7	0.1	3.0	2	1.5	0.2	6.0	0	0.0	0.0	4.1
Melanoma of the Skin	59	20.5	15.6	26.8	32	23.7	16.2	33.8	27	18.9	12.4	28.2
Breast (invasive)	209	70.4	61.1	80.9	2	1.4	0.2	5.9	207	129.7	112.2	149.7
Cervix (invasive)	-	-	-	-	-	-	-	-	20	14.7	8.8	23.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	55	32.8	24.5	43.6
Ovary	-	-	-	-	-	-	-	-	27	15.6	10.2	23.7
Prostate	-	-	-	-	235	172.1	150.8	196.0	-	-	-	-
Testis	-	-	-	-	7	5.9	2.4	12.6	-	-	-	-
Urinary Bladder	69	22.5	17.5	28.8	49	37.4	27.6	49.8	20	11.9	7.2	19.4
Kidney and Renal Pelvis	38	12.7	9.0	17.8	23	17.0	10.8	25.9	15	8.4	4.6	15.1
Brain and Other Nervous System	20	7.1	4.3	11.3	15	11.8	6.6	19.9	5	2.9	0.9	8.1
Hodgkin's Disease	7	3.3	1.3	7.0	4	3.8	1.0	9.8	3	2.8	0.6	8.7
Non-Hodgkin's Lymphomas	61	19.9	15.2	25.9	32	25.1	17.1	35.8	29	15.2	10.1	23.0
Multiple Myeloma	18	5.5	3.3	9.1	12	9.2	4.7	16.4	6	3.0	1.1	8.0
Leukemias	27	9.1	6.0	13.6	16	11.8	6.7	19.6	11	6.7	3.3	13.1
All Other Sites	118	38.7	32.0	46.7	58	43.5	33.0	56.6	60	36.0	27.2	47.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	32	20.4	13.9	29.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Iroquois County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	936	466.2	436.2	498.0	495	554.8	506.7	607.0	441	403.7	365.3	446.2
Oral Cavity and Pharynx	11	6.4	3.2	12.1	9	11.4	5.2	22.5	2	2.4	0.3	10.8
Esophagus	13	6.5	3.5	12.0	10	11.0	5.3	21.5	3	2.8	0.6	10.9
Stomach	11	5.1	2.5	10.0	7	8.0	3.2	17.7	4	2.9	0.7	10.8
Colon and Rectum	146	68.3	57.5	81.0	79	87.9	69.5	110.5	67	50.5	38.9	66.3
Liver	6	2.8	1.0	7.2	5	5.4	1.7	14.0	1	0.9	0.0	8.4
Pancreas	25	11.5	7.4	17.8	9	10.8	4.9	21.5	16	12.0	6.8	21.9
Lung and Bronchus	144	69.5	58.5	82.5	89	96.7	77.6	119.9	55	48.7	36.5	65.3
Bones and Joints	2	1.0	0.1	4.8	0	0.0	0.0	6.4	2	2.0	0.2	9.9
Melanoma of the Skin	26	14.4	9.3	21.9	14	16.3	8.9	28.4	12	13.8	6.7	26.3
Breast (invasive)	133	68.7	57.3	82.1	3	3.4	0.7	11.4	130	124.0	102.9	149.3
Cervix (invasive)	-	-	-	-	-	-	-	-	8	7.9	3.2	17.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	17.6	10.5	29.5
Ovary	-	-	-	-	-	-	-	-	20	19.7	11.8	32.4
Prostate	-	-	-	-	129	141.1	117.7	168.6	-	-	-	-
Testis	-	-	-	-	5	7.3	2.3	17.5	-	-	-	-
Urinary Bladder	47	22.7	16.6	31.0	33	36.2	24.8	51.8	14	11.8	6.3	22.2
Kidney and Renal Pelvis	21	11.1	6.8	17.6	9	10.2	4.7	20.5	12	12.0	6.0	23.0
Brain and Other Nervous System	13	6.6	3.5	12.1	6	6.9	2.5	16.2	7	5.7	2.3	14.3
Hodgkin's Disease	6	4.3	1.5	9.8	3	4.6	0.9	13.8	3	3.9	0.8	13.1
Non-Hodgkin's Lymphomas	28	15.1	9.9	22.7	18	21.9	12.8	35.5	10	10.3	4.8	21.1
Multiple Myeloma	15	7.0	3.9	12.3	9	9.4	4.3	19.2	6	5.0	1.8	13.5
Leukemias	22	11.1	6.9	17.6	14	16.1	8.7	28.1	8	8.2	3.3	18.6
All Other Sites	85	44.3	35.1	55.6	44	50.4	36.5	68.7	41	41.5	29.0	58.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	19	18.3	10.8	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Jackson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,189	469.6	443.1	497.3	620	577.6	532.6	625.7	569	398.6	365.8	433.7
Oral Cavity and Pharynx	24	9.6	6.1	14.4	15	13.0	7.2	22.2	9	6.7	3.0	13.1
Esophagus	17	6.5	3.7	10.5	10	9.7	4.6	18.4	7	4.0	1.6	9.1
Stomach	14	5.4	2.9	9.2	9	8.2	3.7	16.2	5	2.7	0.9	7.2
Colon and Rectum	151	59.5	50.4	69.9	75	71.4	56.0	90.0	76	49.4	38.7	62.5
Liver	10	3.8	1.8	7.1	4	4.0	1.1	10.9	6	4.1	1.4	9.6
Pancreas	29	11.6	7.7	16.7	15	14.0	7.8	23.7	14	9.2	5.0	15.9
Lung and Bronchus	175	69.7	59.7	80.9	110	102.9	84.4	124.5	65	45.1	34.7	58.0
Bones and Joints	2	0.6	0.1	2.7	2	1.4	0.1	6.8	0	0.0	0.0	3.5
Melanoma of the Skin	25	10.2	6.6	15.2	17	15.2	8.8	24.8	8	5.9	2.5	12.2
Breast (invasive)	184	74.5	64.1	86.2	1	1	0	6.4	183	136.7	117.4	158.6
Cervix (invasive)	-	-	-	-	-	-	-	-	20	15.8	9.6	24.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	36	26.6	18.5	37.3
Ovary	-	-	-	-	-	-	-	-	12	9.2	4.7	16.4
Prostate	-	-	-	-	176	166.0	142.2	192.9	-	-	-	-
Testis	-	-	-	-	6	3.3	1.1	9.1	-	-	-	-
Urinary Bladder	63	24.7	19.0	31.7	44	41.5	30.0	56.2	19	12.7	7.6	20.4
Kidney and Renal Pelvis	28	11.4	7.6	16.6	14	12.9	7.0	22.2	14	10.0	5.4	17.3
Brain and Other Nervous System	23	8.7	5.4	13.3	14	12.6	6.8	21.8	9	5.9	2.6	12.0
Hodgkin's Disease	8	2.5	1.0	5.4	3	2.5	0.5	8.4	5	2.7	0.8	7.4
Non-Hodgkin's Lymphomas	42	16.4	11.8	22.3	25	22.7	14.6	34.3	17	11.7	6.7	19.2
Multiple Myeloma	15	5.8	3.3	9.7	8	7.8	3.3	15.9	7	5.2	2.1	11.2
Leukemias	24	9.3	5.9	13.9	14	13.5	7.3	23.1	10	6.2	2.9	12.2
All Other Sites	105	40.2	32.8	48.9	58	54.0	40.8	70.3	47	28.7	20.8	38.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	39	28.8	20.4	39.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Jasper County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	303	501.9	446.3	563.6	166	615.3	525.1	717.8	137	424.7	354.4	508.6
Oral Cavity and Pharynx	4	7.5	2.0	21.0	3	11.3	2.3	35.5	1	4.0	0.1	29.4
Esophagus	2	2.8	0.3	13.5	2	7.2	0.9	29.2	0	0.0	0.0	23.5
Stomach	6	9.9	3.6	23.7	4	14.7	4.0	40.2	2	6.5	0.7	32.4
Colon and Rectum	46	73.2	53.3	99.5	27	99.4	65.4	146.4	19	55.1	32.5	93.1
Liver	1	1.7	0.0	12.4	1	3.6	0.1	23.7	0	0.0	0.0	23.5
Pancreas	10	16.7	7.9	32.7	3	11.4	2.3	35.8	7	20.4	8.0	50.0
Lung and Bronchus	50	81.7	60.4	109.5	29	108.6	72.7	157.6	21	63.4	38.7	103.5
Bones and Joints	0	0.0	0.0	9.8	0	0.0	0.0	17.8	0	0.0	0.0	23.5
Melanoma of the Skin	8	13.9	5.9	29.3	5	18.8	6.1	46.1	3	8.3	1.5	34.3
Breast (invasive)	34	58.1	40.1	82.9	0	0	0	17.8	34	108.7	74.5	157.9
Cervix (invasive)	-	-	-	-	-	-	-	-	2	9.1	1.1	37.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	19.7	7.0	50.1
Ovary	-	-	-	-	-	-	-	-	5	16.3	5.2	45.4
Prostate	-	-	-	-	55	201.4	151.7	263.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	17.8	-	-	-	-
Urinary Bladder	15	23.8	13.2	41.4	12	44.4	22.9	79.4	3	9.4	1.6	36.6
Kidney and Renal Pelvis	7	11.7	4.7	26.3	1	3.8	0.1	24.2	6	19.8	7.2	50.1
Brain and Other Nervous System	5	9.2	2.9	23.2	3	11.8	2.4	36.5	2	7.3	0.9	33.8
Hodgkin's Disease	2	4.1	0.5	16.5	1	4.7	0.1	26.6	1	3.8	0.1	29.1
Non-Hodgkin's Lymphomas	13	21.5	11.4	38.6	3	10.7	2.2	34.2	10	31.4	14.8	64.5
Multiple Myeloma	4	6.4	1.7	19.0	2	7.2	0.9	29.1	2	6.2	0.7	31.9
Leukemias	6	8.9	3.2	22.0	4	14.1	3.8	38.9	2	4.1	0.5	28.0
All Other Sites	22	36.4	22.6	57.1	11	42.1	21.0	77.1	11	31.1	14.8	63.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2	6.2	0.7	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Jefferson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,049	456.4	429.1	485.3	537	539.5	494.6	587.6	512	404.7	369.4	442.9
Oral Cavity and Pharynx	27	12.3	8.1	18.2	18	17.9	10.6	28.8	9	7.3	3.3	14.9
Esophagus	6	2.7	1.0	6.2	5	4.8	1.6	12.0	1	0.6	0.0	5.5
Stomach	10	3.9	1.9	7.7	4	4.3	1.1	11.5	6	3.7	1.3	9.6
Colon and Rectum	148	61.7	52.1	72.9	74	75.1	58.9	94.7	74	51.3	40.0	65.6
Liver	12	5.5	2.9	10.0	6	5.9	2.2	13.5	6	5.5	2.0	12.9
Pancreas	18	7.8	4.6	12.7	11	11.3	5.6	20.8	7	5.4	2.1	12.2
Lung and Bronchus	152	65.5	55.4	77.0	88	87.9	70.4	108.7	64	49.3	37.7	63.9
Bones and Joints	0	0.0	0.0	2.3	0	0.0	0.0	4.8	0	0.0	0.0	4.8
Melanoma of the Skin	24	10.3	6.6	15.6	15	15.3	8.6	25.8	9	6.7	2.9	14.0
Breast (invasive)	146	64.1	54.1	75.7	1	1.3	0	7.2	145	117.5	98.6	139.4
Cervix (invasive)	-	-	-	-	-	-	-	-	19	18.6	11.1	29.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	28	25.0	16.5	36.9
Ovary	-	-	-	-	-	-	-	-	23	18.7	11.7	29.0
Prostate	-	-	-	-	151	151.7	128.3	178.3	-	-	-	-
Testis	-	-	-	-	3	2.9	0.6	9.3	-	-	-	-
Urinary Bladder	41	17.3	12.4	23.7	32	31.9	21.8	45.4	9	6.1	2.7	12.9
Kidney and Renal Pelvis	32	14.5	9.9	20.7	19	18.6	11.2	29.6	13	11.3	5.9	20.2
Brain and Other Nervous System	12	5.5	2.8	9.9	5	4.9	1.6	12.1	7	5.9	2.3	13.2
Hodgkin's Disease	2	1.1	0.1	4.2	2	1.9	0.2	7.8	0	0.0	0.0	4.8
Non-Hodgkin's Lymphomas	42	18.6	13.4	25.4	21	20.7	12.8	32.2	21	16.8	10.3	26.7
Multiple Myeloma	10	4.2	2.0	8.1	6	5.9	2.2	13.5	4	2.9	0.7	8.8
Leukemias	35	15.5	10.8	21.9	20	20.6	12.6	32.4	15	11.9	6.5	20.6
All Other Sites	108	47.1	38.6	57.1	56	56.3	42.5	73.6	52	40.3	29.8	54.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	17.8	10.9	28.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Jersey County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	478	405.4	369.8	444.0	244	470.5	412.6	535.2	234	361.0	315.6	412.2
Oral Cavity and Pharynx	14	12.2	6.7	21.2	9	17.3	7.9	34.7	5	7.9	2.5	20.5
Esophagus	5	4.0	1.3	10.3	5	10.9	3.4	27.3	0	0.0	0.0	9.2
Stomach	4	3.3	0.9	9.4	4	8.0	2.2	22.5	0	0.0	0.0	9.2
Colon and Rectum	73	60.2	47.2	76.2	43	82.6	59.4	113.0	30	42.1	28.2	62.1
Liver	1	0.8	0.0	5.9	1	2.2	0.1	14.3	0	0.0	0.0	9.2
Pancreas	8	7.2	3.1	14.8	3	6.1	1.3	19.9	5	8.2	2.6	21.1
Lung and Bronchus	75	62.0	48.8	78.3	47	89.8	65.7	121.2	28	42.1	27.8	62.5
Bones and Joints	0	0.0	0.0	4.6	0	0.0	0.0	10.6	0	0.0	0.0	9.2
Melanoma of the Skin	10	8.7	4.2	16.8	6	10.6	3.9	25.4	4	6.2	1.6	18.3
Breast (invasive)	68	58.8	45.6	75.1	1	1.8	0	13.2	67	108.5	83.8	139.4
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.7	2.1	21.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	32.0	19.4	51.1
Ovary	-	-	-	-	-	-	-	-	9	13.8	6.2	28.2
Prostate	-	-	-	-	61	115.7	88.2	150.2	-	-	-	-
Testis	-	-	-	-	5	10.6	3.4	26.2	-	-	-	-
Urinary Bladder	27	22.6	14.9	33.5	18	34.6	20.4	56.5	9	13.4	6.1	27.5
Kidney and Renal Pelvis	14	12.4	6.8	21.4	8	15.7	6.7	32.8	6	10.4	3.8	24.3
Brain and Other Nervous System	9	8.1	3.7	16.1	5	10.3	3.2	25.9	4	7.0	1.9	19.7
Hodgkin's Disease	1	1.1	0.0	6.6	1	2.3	0.1	14.4	0	0.0	0.0	9.2
Non-Hodgkin's Lymphomas	26	22.1	14.4	33.0	9	16.6	7.6	33.6	17	25.1	14.5	42.0
Multiple Myeloma	5	4.4	1.4	11.0	3	6.0	1.2	19.6	2	2.8	0.3	13.1
Leukemias	9	7.3	3.3	14.7	5	10.3	3.2	26.0	4	5.3	1.4	16.5
All Other Sites	30	25.2	17.0	36.6	10	19.0	9.1	36.9	20	28.5	17.2	46.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	19.8	10.2	36.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Jo Daviess County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	749	510.3	473.9	549.3	415	603.2	545.8	666.2	334	436.7	390.0	489.3
Oral Cavity and Pharynx	20	13.8	8.4	22.4	15	22.5	12.4	38.8	5	6.4	2.0	18.9
Esophagus	8	5.1	2.2	11.5	5	7.2	2.2	19.2	3	3.3	0.7	14.7
Stomach	8	5.2	2.3	11.7	7	12.0	4.7	26.3	1	1.2	0.0	12.2
Colon and Rectum	94	63.0	50.8	78.1	47	68.2	49.9	92.4	47	55.7	40.7	77.0
Liver	6	3.9	1.4	10.1	5	7.1	2.3	18.8	1	1.0	0.0	11.9
Pancreas	16	10.8	6.1	18.7	8	11.9	5.1	25.4	8	9.3	4.0	22.3
Lung and Bronchus	93	61.6	49.6	76.4	57	83.5	63.0	109.9	36	46.6	32.5	67.4
Bones and Joints	1	0.8	0.0	6.1	1	1.6	0.0	11.4	0	0.0	0.0	10.8
Melanoma of the Skin	23	16.5	10.4	25.9	17	25.5	14.8	42.5	6	8.5	3.0	22.1
Breast (invasive)	103	72.8	59.3	89.3	1	1.5	0	11.1	102	137.2	111.3	169.3
Cervix (invasive)	-	-	-	-	-	-	-	-	9	17.2	7.8	34.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	20.8	11.8	36.9
Ovary	-	-	-	-	-	-	-	-	13	16.1	8.5	30.8
Prostate	-	-	-	-	132	184.2	153.8	220.1	-	-	-	-
Testis	-	-	-	-	3	6.3	1.3	19.2	-	-	-	-
Urinary Bladder	45	29.0	21.1	39.9	33	47.9	32.7	69.0	12	14.2	7.3	28.4
Kidney and Renal Pelvis	20	13.5	8.2	22.0	10	14.0	6.7	27.8	10	13.1	6.1	27.6
Brain and Other Nervous System	10	7.6	3.6	15.2	4	6.7	1.8	18.9	6	8.8	3.1	22.6
Hodgkin's Disease	3	2.2	0.4	8.0	0	0.0	0.0	8.9	3	4.4	0.8	16.8
Non-Hodgkin's Lymphomas	27	19.1	12.4	28.9	13	19.0	10.0	34.3	14	19.3	10.2	35.7
Multiple Myeloma	9	5.8	2.7	12.4	5	7.0	2.3	18.6	4	4.2	1.2	15.8
Leukemias	20	13.9	8.4	22.6	14	21.0	11.4	37.0	6	7.5	2.6	20.5
All Other Sites	70	49.1	38.1	63.0	38	56.4	39.7	79.0	32	42.0	28.3	62.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	24.7	14.0	42.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Johnson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	366	538.8	484.7	598.3	206	643.7	557.1	741.8	160	467.0	396.2	549.6
Oral Cavity and Pharynx	12	18.5	9.5	33.9	10	28.0	13.3	55.5	2	5.2	0.6	26.2
Esophagus	4	5.6	1.5	16.6	4	10.7	2.9	32.6	0	0.0	0.0	19.4
Stomach	6	8.6	3.2	20.9	4	11.5	3.1	34.1	2	5.5	0.7	26.8
Colon and Rectum	42	62.3	44.9	85.6	17	54.9	31.5	91.1	25	66.1	42.7	101.9
Liver	1	1.6	0.0	11.4	1	3.0	0.1	22.2	0	0.0	0.0	19.4
Pancreas	8	11.7	5.0	24.9	4	12.6	3.4	36.2	4	11.1	3.0	34.5
Lung and Bronchus	65	96.1	74.0	123.8	46	149.8	108.8	203.1	19	52.3	31.3	86.1
Bones and Joints	0	0.0	0.0	8.8	0	0.0	0.0	17.8	0	0.0	0.0	19.4
Melanoma of the Skin	16	24.5	14.0	41.4	9	26.2	11.9	53.6	7	21.7	8.4	49.7
Breast (invasive)	48	69.1	50.9	93	0	0	0	17.8	48	141.7	104.0	191.9
Cervix (invasive)	-	-	-	-	-	-	-	-	4	14.3	3.7	40.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	12.4	3.2	37.3
Ovary	-	-	-	-	-	-	-	-	9	28.5	12.8	58.6
Prostate	-	-	-	-	57	177.0	133.5	232.3	-	-	-	-
Testis	-	-	-	-	3	6.9	1.4	26.8	-	-	-	-
Urinary Bladder	18	26.2	15.5	43.0	13	42.9	22.5	76.5	5	13.2	4.3	36.9
Kidney and Renal Pelvis	9	12.9	5.9	26.4	7	21.1	8.2	47.7	2	5.7	0.7	27.2
Brain and Other Nervous System	6	9.6	3.5	22.7	5	16.4	5.2	41.8	1	2.8	0.1	23.3
Hodgkin's Disease	1	1.3	0.0	10.5	0	0.0	0.0	17.8	1	4.2	0.1	26.6
Non-Hodgkin's Lymphomas	11	16.4	8.2	31.0	6	18.2	6.5	43.6	5	15.5	5.0	41.2
Multiple Myeloma	7	10.3	4.1	23.1	4	11.2	3.0	33.5	3	9.2	1.9	32.5
Leukemias	8	13.1	5.5	27.4	5	18.7	5.8	46.5	3	10.5	1.9	35.5
All Other Sites	27	40.0	26.3	59.7	11	34.6	16.9	65.5	16	47.2	26.6	81.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	19.2	6.9	46.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,000	460.8	449.9	471.9	3,416	531.1	512.6	550.3	3,584	418.6	404.8	432.6
Oral Cavity and Pharynx	165	10.5	9.0	12.3	104	14.7	11.9	18.2	61	7.2	5.5	9.4
Esophagus	70	4.8	3.8	6.1	49	7.9	5.8	10.8	21	2.6	1.6	4.0
Stomach	95	6.3	5.0	7.7	55	8.2	6.1	11.0	40	4.6	3.3	6.3
Colon and Rectum	816	56.4	52.6	60.5	409	68.2	61.5	75.6	407	48.1	43.5	53.1
Liver	56	3.7	2.8	4.9	40	6.1	4.3	8.6	16	1.8	1.0	3.0
Pancreas	129	8.9	7.4	10.6	65	10.2	7.8	13.2	64	7.7	5.9	9.8
Lung and Bronchus	929	64.8	60.6	69.1	520	85.6	78.1	93.7	409	50.4	45.6	55.5
Bones and Joints	18	1.0	0.6	1.6	14	1.5	0.8	2.9	4	0.5	0.1	1.3
Melanoma of the Skin	229	13.3	11.6	15.2	114	14.9	12.2	18.3	115	12.5	10.3	15.0
Breast (invasive)	1,184	75.1	70.8	79.5	7	0.8	0.3	2.1	1,177	137.1	129.3	145.3
Cervix (invasive)	-	-	-	-	-	-	-	-	76	8.1	6.4	10.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	208	24.8	21.5	28.4
Ovary	-	-	-	-	-	-	-	-	125	14.5	12.0	17.3
Prostate	-	-	-	-	967	155.5	145.5	166.1	-	-	-	-
Testis	-	-	-	-	59	5.6	4.2	7.5	-	-	-	-
Urinary Bladder	330	23.1	20.7	25.8	232	39.1	34.1	44.8	98	11.7	9.5	14.3
Kidney and Renal Pelvis	199	12.6	10.9	14.6	128	18.0	14.9	21.8	71	8.3	6.4	10.5
Brain and Other Nervous System	117	6.8	5.6	8.3	62	7.8	5.9	10.4	55	6.1	4.5	7.9
Hodgkin's Disease	50	2.7	2.0	3.5	20	2.2	1.3	3.7	30	3.1	2.1	4.5
Non-Hodgkin's Lymphomas	292	18.8	16.7	21.1	147	21.6	18.0	25.8	145	17.0	14.3	20.0
Multiple Myeloma	69	4.7	3.7	6.0	29	4.5	2.9	6.7	40	4.7	3.4	6.5
Leukemias	203	12.6	10.9	14.6	112	16.5	13.3	20.3	91	10.1	8.1	12.5
All Other Sites	614	39.3	36.2	42.6	283	42.2	37.2	47.9	331	37.7	33.7	42.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	254	29.5	26.0	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,663	506.9	487.8	526.5	1,401	608.1	576.3	641.4	1,262	438.2	414.1	463.3
Oral Cavity and Pharynx	67	12.9	10.0	16.4	46	19.8	14.5	26.8	21	7.2	4.5	11.2
Esophagus	29	5.5	3.7	7.9	22	9.3	5.8	14.6	7	2.2	0.9	4.8
Stomach	54	10.2	7.7	13.3	38	16.4	11.6	22.9	16	5.0	2.9	8.3
Colon and Rectum	335	63.5	56.8	70.7	176	78.0	66.8	90.9	159	52.3	44.5	61.3
Liver	25	4.7	3.1	7.0	14	5.9	3.2	10.3	11	3.7	1.8	6.8
Pancreas	48	9.2	6.8	12.3	27	12.1	7.9	18.1	21	6.6	4.1	10.3
Lung and Bronchus	450	84.9	77.3	93.2	265	114.1	100.6	129.1	185	63.3	54.5	73.3
Bones and Joints	2	0.4	0.0	1.4	1	0.5	0.0	3.2	1	0.3	0.0	2.0
Melanoma of the Skin	51	9.9	7.4	13.0	22	9.4	5.9	14.7	29	10.5	7.0	15.2
Breast (invasive)	356	68.7	61.7	76.2	3	1.3	0.3	4.4	353	126.0	113.2	140.1
Cervix (invasive)	-	-	-	-	-	-	-	-	37	14.2	10.0	19.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	77	27.2	21.4	34.1
Ovary	-	-	-	-	-	-	-	-	36	12.8	8.9	17.8
Prostate	-	-	-	-	373	162.4	146.2	180.2	-	-	-	-
Testis	-	-	-	-	10	4.1	1.9	8.0	-	-	-	-
Urinary Bladder	123	23.2	19.3	27.8	89	39.5	31.6	49.1	34	11.4	7.9	16.0
Kidney and Renal Pelvis	80	15.3	12.1	19.1	45	19.1	13.9	26.0	35	12.1	8.4	17.0
Brain and Other Nervous System	34	6.4	4.4	9.0	18	7.5	4.4	12.2	16	5.5	3.1	9.1
Hodgkin's Disease	11	2.1	1.1	3.8	4	1.6	0.4	4.8	7	2.7	1.1	5.6
Non-Hodgkin's Lymphomas	91	17.4	14.0	21.4	51	22.1	16.4	29.4	40	13.8	9.8	19.0
Multiple Myeloma	36	6.8	4.8	9.5	12	5.2	2.7	9.6	24	8.1	5.2	12.3
Leukemias	81	15.2	12.1	19.0	51	21.5	16.0	28.6	30	10.1	6.8	14.6
All Other Sites	257	48.9	43.1	55.3	134	58.2	48.6	69.3	123	42.9	35.6	51.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	43	15.7	11.3	21.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kendall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,020	480.0	450.4	511.1	508	546.5	497.6	600.0	512	435.5	398.3	475.5
Oral Cavity and Pharynx	17	7.4	4.2	12.2	17	16.3	9.1	28.7	0	0.0	0.0	3.8
Esophagus	13	5.9	3.1	10.4	7	7.2	2.7	17.5	6	5.1	1.9	11.6
Stomach	13	6.7	3.5	11.7	7	9.1	3.5	20.8	6	5.4	1.9	12.0
Colon and Rectum	128	64.6	53.7	77.1	70	82.0	63.0	106.0	58	52.6	39.8	68.2
Liver	6	2.6	0.9	6.0	5	4.2	1.3	13.0	1	1.0	0.0	5.6
Pancreas	23	11.3	7.1	17.2	12	14.0	6.8	26.8	11	9.7	4.8	17.7
Lung and Bronchus	137	67.7	56.7	80.3	82	90.6	71.3	114.7	55	49.8	37.5	65.1
Bones and Joints	1	0.3	0.0	2.6	1	0.7	0.0	8.4	0	0.0	0.0	3.8
Melanoma of the Skin	24	9.7	6.2	14.8	13	12.0	6.0	23.4	11	8.3	4.1	15.3
Breast (invasive)	183	82.3	70.5	95.5	2	1.6	0.2	9.6	181	151.2	129.8	175.4
Cervix (invasive)	-	-	-	-	-	-	-	-	5	3.5	1.1	8.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	27.8	19.0	39.5
Ovary	-	-	-	-	-	-	-	-	23	19.9	12.6	30.3
Prostate	-	-	-	-	133	149.7	124.2	179.8	-	-	-	-
Testis	-	-	-	-	9	7.2	3.2	16.5	-	-	-	-
Urinary Bladder	51	25.8	19.1	34.1	37	43.5	30.2	61.8	14	12.3	6.7	20.9
Kidney and Renal Pelvis	24	11.7	7.5	17.7	12	14.7	7.4	27.5	12	10.0	5.2	17.9
Brain and Other Nervous System	23	9.2	5.7	14.1	12	10.8	5.1	21.8	11	8.4	4.2	15.6
Hodgkin's Disease	8	2.9	1.2	6.2	3	2.1	0.4	10.0	5	3.8	1.2	9.5
Non-Hodgkin's Lymphomas	41	19.1	13.6	26.2	21	21.5	12.9	35.1	20	16.8	10.3	26.4
Multiple Myeloma	8	4.3	1.9	8.7	5	6.5	2.0	17.3	3	3.0	0.6	8.8
Leukemias	27	11.5	7.5	17.2	15	13.5	7.3	24.8	12	9.6	4.9	17.2
All Other Sites	91	40.3	32.2	49.8	45	39.5	28.5	55.1	46	37.4	27.3	50.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	45	36.5	26.5	49.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Knox County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,688	478.8	456.0	502.8	836	547.4	510.8	586.2	852	436.5	406.4	468.7
Oral Cavity and Pharynx	36	10.4	7.2	14.6	22	14.5	9.0	22.2	14	7.0	3.7	12.8
Esophagus	20	5.7	3.4	9.0	16	10.2	5.8	17.0	4	1.8	0.5	6.0
Stomach	26	7.3	4.7	11.0	19	12.7	7.6	20.1	7	3.5	1.3	8.4
Colon and Rectum	239	62.7	54.9	71.5	113	75.3	62.0	90.8	126	53.3	44.1	64.5
Liver	10	2.8	1.3	5.6	8	5.2	2.3	10.7	2	0.6	0.1	4.2
Pancreas	40	11.4	8.1	15.8	18	11.8	7.0	19.0	22	10.5	6.5	16.8
Lung and Bronchus	309	86.5	77.0	97.0	178	115.3	98.9	133.8	131	65.3	54.3	78.4
Bones and Joints	2	0.6	0.1	2.7	2	1.3	0.2	5.3	0	0.0	0.0	3.6
Melanoma of the Skin	57	17.4	13.1	22.9	33	22.2	15.3	31.5	24	14.5	9.0	22.6
Breast (invasive)	251	73	64.1	82.9	1	0.6	0	4.1	250	133.6	116.9	152.4
Cervix (invasive)	-	-	-	-	-	-	-	-	18	12.3	7.2	20.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	42	22.5	16.0	31.3
Ovary	-	-	-	-	-	-	-	-	21	12.3	7.5	19.7
Prostate	-	-	-	-	193	124.1	107.1	143.1	-	-	-	-
Testis	-	-	-	-	3	2.0	0.4	6.4	-	-	-	-
Urinary Bladder	97	27.0	21.9	33.3	72	47.4	37.1	60.0	25	11.9	7.5	18.7
Kidney and Renal Pelvis	48	14.0	10.3	18.9	31	20.3	13.8	29.2	17	9.1	5.2	15.5
Brain and Other Nervous System	20	6.6	4.0	10.5	7	4.6	1.9	10.0	13	8.7	4.5	15.6
Hodgkin's Disease	5	1.8	0.6	4.5	2	1.5	0.2	5.6	3	2.2	0.4	7.0
Non-Hodgkin's Lymphomas	63	17.8	13.7	23.1	25	16.6	10.7	24.8	38	19.3	13.5	27.4
Multiple Myeloma	8	2.4	1.0	5.1	4	2.6	0.7	7.2	4	2.1	0.5	6.5
Leukemias	31	9.0	6.1	13.1	17	11.4	6.6	18.5	14	7.1	3.7	13.1
All Other Sites	149	42.5	35.8	50.2	72	47.8	37.4	60.5	77	38.8	30.2	49.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	48	27.2	19.8	36.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,152	488.3	479.5	497.2	5,894	545.2	530.6	560.1	6,258	453.8	442.6	465.3
Oral Cavity and Pharynx	267	10.2	8.9	11.5	166	13.8	11.7	16.3	101	7.1	5.8	8.6
Esophagus	106	4.3	3.5	5.3	80	7.4	5.8	9.4	26	1.9	1.3	2.9
Stomach	184	7.8	6.7	9.0	112	10.8	8.8	13.3	72	5.3	4.2	6.8
Colon and Rectum	1,352	57.5	54.5	60.8	699	68.4	63.1	74.1	653	49.5	45.8	53.5
Liver	90	3.8	3.0	4.6	65	6.0	4.6	7.9	25	1.9	1.2	2.9
Pancreas	268	11.6	10.2	13.1	131	13.4	11.0	16.1	137	10.6	8.9	12.5
Lung and Bronchus	1,555	66.0	62.7	69.4	790	77.5	72.0	83.5	765	58.3	54.2	62.6
Bones and Joints	23	0.8	0.5	1.2	11	0.8	0.3	1.7	12	0.8	0.4	1.5
Melanoma of the Skin	418	15.4	14.0	17.0	238	20.1	17.5	23.1	180	12.2	10.4	14.1
Breast (invasive)	2,138	81.2	77.7	84.8	14	1.3	0.7	2.3	2,124	150.3	143.9	156.9
Cervix (invasive)	-	-	-	-	-	-	-	-	140	9.1	7.7	10.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	322	23.5	21.0	26.3
Ovary	-	-	-	-	-	-	-	-	198	14.4	12.4	16.5
Prostate	-	-	-	-	1,717	159.8	152.0	167.9	-	-	-	-
Testis	-	-	-	-	92	5.6	4.5	7.0	-	-	-	-
Urinary Bladder	535	22.6	20.7	24.7	390	37.9	34.1	42.2	145	11.0	9.3	13.0
Kidney and Renal Pelvis	328	13.0	11.6	14.6	188	16.7	14.3	19.5	140	10.3	8.6	12.2
Brain and Other Nervous System	210	7.6	6.6	8.7	105	8.1	6.5	10.1	105	7.3	5.9	8.8
Hodgkin's Disease	80	2.6	2.1	3.3	47	3.1	2.2	4.3	33	2.2	1.5	3.2
Non-Hodgkin's Lymphomas	512	20.3	18.6	22.2	267	23.9	20.9	27.3	245	18.0	15.8	20.4
Multiple Myeloma	110	4.6	3.8	5.6	52	4.8	3.5	6.5	58	4.5	3.4	5.8
Leukemias	379	15.0	13.5	16.6	230	20.6	17.9	23.8	149	10.8	9.1	12.7
All Other Sites	1,128	44.5	41.9	47.3	500	45.2	41.1	49.7	628	44.8	41.3	48.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	516	36.1	33.1	39.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

LaSalle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,336	500.9	483.8	518.5	1,751	601.8	573.8	630.9	1,585	434.1	412.2	457.0
Oral Cavity and Pharynx	63	9.8	7.5	12.7	48	16.9	12.5	22.6	15	3.8	2.1	6.8
Esophagus	45	6.6	4.8	8.9	37	12.6	8.9	17.5	8	2.0	0.8	4.4
Stomach	41	5.7	4.1	7.9	28	9.6	6.4	14.1	13	2.9	1.5	5.4
Colon and Rectum	487	68.9	62.9	75.5	248	84.9	74.6	96.3	239	55.2	48.2	63.2
Liver	29	4.5	3.0	6.6	18	6.2	3.7	9.9	11	2.8	1.3	5.5
Pancreas	80	11.7	9.3	14.7	35	12.0	8.4	16.9	45	11.4	8.2	15.8
Lung and Bronchus	575	85.5	78.6	92.9	342	116.1	104.1	129.2	233	63.0	55.0	72.0
Bones and Joints	6	1.0	0.4	2.4	5	1.8	0.6	4.3	1	0.4	0.0	2.4
Melanoma of the Skin	89	14.1	11.2	17.4	59	20.8	15.8	26.9	30	8.8	5.8	13.0
Breast (invasive)	446	70.4	64	77.4	2	0.6	0.1	2.6	444	131.4	119.1	144.8
Cervix (invasive)	-	-	-	-	-	-	-	-	31	11.1	7.5	16.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	89	25.0	19.9	31.2
Ovary	-	-	-	-	-	-	-	-	55	15.9	11.9	21.2
Prostate	-	-	-	-	401	135.8	122.7	149.9	-	-	-	-
Testis	-	-	-	-	17	6.3	3.7	10.2	-	-	-	-
Urinary Bladder	174	24.6	21.1	28.7	119	41.6	34.4	49.9	55	13.1	9.8	17.5
Kidney and Renal Pelvis	83	12.7	10.1	15.9	48	16.8	12.4	22.4	35	9.2	6.3	13.2
Brain and Other Nervous System	47	7.9	5.8	10.6	29	10.1	6.7	14.6	18	6.1	3.6	10.0
Hodgkin's Disease	17	2.9	1.7	4.7	9	3.1	1.4	6.1	8	2.7	1.1	5.6
Non-Hodgkin's Lymphomas	135	20.0	16.7	23.8	83	28.8	22.9	35.8	52	13.3	9.8	18.0
Multiple Myeloma	37	5.3	3.8	7.5	20	6.7	4.1	10.6	17	4.0	2.3	7.0
Leukemias	84	12.4	9.8	15.4	44	15.6	11.3	21.1	40	10.4	7.4	14.7
All Other Sites	305	47.3	42.0	53.0	159	55.6	47.3	65.1	146	41.6	34.9	49.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	53	17.0	12.6	22.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lawrence County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	500	481.4	438.7	527.8	254	561.6	494.0	637.3	246	432.4	376.6	495.7
Oral Cavity and Pharynx	8	9.2	3.9	19.3	5	12.1	3.9	30.5	3	7.3	1.5	23.6
Esophagus	4	4.2	1.1	12.3	4	9.0	2.4	25.8	0	0.0	0.0	12.5
Stomach	3	2.4	0.5	9.3	3	6.0	1.2	21.1	0	0.0	0.0	12.5
Colon and Rectum	59	56.3	42.4	74.3	33	74.8	51.3	107.0	26	41.7	26.4	65.2
Liver	4	4.0	1.0	12.3	2	4.2	0.5	18.8	2	4.6	0.4	20.1
Pancreas	13	11.9	6.1	22.2	4	10.4	2.8	28.5	9	11.5	4.8	27.1
Lung and Bronchus	83	77.0	61.0	96.8	57	122.4	92.5	160.6	26	42.9	27.5	66.4
Bones and Joints	2	1.9	0.2	9.1	1	2.7	0.1	17.3	1	0.8	0.0	13.2
Melanoma of the Skin	10	12.4	5.8	23.8	3	8.1	1.6	25.7	7	16.4	6.3	36.2
Breast (invasive)	74	72	56	92	1	2	0.1	15.5	73	129.7	100.0	167.2
Cervix (invasive)	-	-	-	-	-	-	-	-	11	25.5	12.1	48.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	32.6	18.7	55.2
Ovary	-	-	-	-	-	-	-	-	7	11.1	4.5	26.9
Prostate	-	-	-	-	67	138.9	107.6	178.3	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	17.8	-	-	-	-
Urinary Bladder	18	17.2	10.0	28.9	11	26.0	12.9	48.6	7	9.2	3.4	24.2
Kidney and Renal Pelvis	24	23.3	14.7	36.3	10	23.8	11.3	45.9	14	22.8	11.9	42.3
Brain and Other Nervous System	3	3.2	0.6	10.9	2	4.3	0.5	19.0	1	2.6	0.1	16.7
Hodgkin's Disease	2	2.4	0.2	10.0	0	0.0	0.0	12.7	2	4.5	0.4	19.8
Non-Hodgkin's Lymphomas	29	29.1	19.2	43.3	16	36.9	20.9	62.0	13	22.1	11.2	41.8
Multiple Myeloma	2	1.8	0.2	9.0	1	2.8	0.1	17.5	1	0.8	0.0	13.2
Leukemias	11	10.1	4.8	19.8	9	20.0	9.1	40.5	2	4.0	0.4	18.5
All Other Sites	48	46.9	34.2	63.8	24	54.3	34.6	83.0	24	42.5	26.2	67.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	6.0	1.8	19.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	997	501.3	470.6	533.8	527	591.4	541.7	644.9	470	445.6	405.5	489.1
Oral Cavity and Pharynx	26	13.4	8.7	19.9	19	20.6	12.4	32.8	7	6.3	2.5	14.3
Esophagus	13	6.5	3.5	11.6	10	11.6	5.5	22.0	3	2.3	0.4	8.7
Stomach	14	7.1	3.9	12.4	10	11.4	5.4	21.7	4	4.1	1.1	11.7
Colon and Rectum	138	68.0	57.1	80.7	63	70.5	54.1	90.8	75	65.3	51.1	83.1
Liver	11	5.6	2.8	10.4	6	6.4	2.4	14.8	5	4.6	1.4	12.1
Pancreas	21	10.2	6.3	16.1	8	8.7	3.7	17.8	13	11.5	6.0	21.0
Lung and Bronchus	136	68.4	57.4	81.2	89	99.4	79.7	122.9	47	46.0	33.7	62.1
Bones and Joints	3	1.7	0.3	5.3	3	3.1	0.6	10.2	0	0.0	0.0	5.6
Melanoma of the Skin	31	15.9	10.8	23.0	20	22.0	13.4	34.6	11	11.2	5.5	21.0
Breast (invasive)	135	68.9	57.8	81.9	1	1.1	0	7.3	134	131.3	109.8	156.5
Cervix (invasive)	-	-	-	-	-	-	-	-	10	10.6	5.0	20.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	30	30.3	20.4	44.2
Ovary	-	-	-	-	-	-	-	-	17	13.7	7.8	23.3
Prostate	-	-	-	-	148	167.1	141.1	196.9	-	-	-	-
Testis	-	-	-	-	6	6.5	2.4	15.0	-	-	-	-
Urinary Bladder	52	25.4	18.9	33.7	41	47.6	34.0	65.1	11	8.6	4.2	16.9
Kidney and Renal Pelvis	21	10.5	6.5	16.4	9	10.1	4.6	19.9	12	10.9	5.6	20.3
Brain and Other Nervous System	14	7.6	4.1	13.1	9	9.5	4.3	18.9	5	6.1	1.9	14.9
Hodgkin's Disease	5	2.7	0.9	6.8	2	2.1	0.2	8.6	3	3.2	0.7	10.5
Non-Hodgkin's Lymphomas	41	20.6	14.8	28.3	19	21.7	13.0	34.5	22	20.6	12.8	32.2
Multiple Myeloma	11	5.6	2.8	10.4	5	5.2	1.7	13.1	6	5.4	1.9	13.2
Leukemias	29	14.9	10.0	21.8	16	17.4	9.9	29.0	13	12.0	6.3	21.7
All Other Sites	85	42.8	34.1	53.2	43	49.4	35.6	67.2	42	41.7	29.8	57.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	13.9	7.5	24.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Livingston County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,036	465.8	437.6	495.5	507	524.5	479.8	572.5	529	431.2	394.1	471.5
Oral Cavity and Pharynx	18	8.2	4.8	13.3	10	10.4	5.0	19.4	8	7.1	3.0	15.0
Esophagus	13	5.6	2.9	9.8	9	9.2	4.2	17.7	4	2.4	0.6	8.1
Stomach	13	5.3	2.8	9.4	10	10.1	4.8	18.8	3	1.6	0.3	7.0
Colon and Rectum	114	49.8	40.9	60.1	55	57.3	43.2	74.8	59	44.6	33.6	58.8
Liver	0	0.0	0.0	2.2	0	0.0	0.0	4.3	0	0.0	0.0	5.0
Pancreas	22	9.1	5.6	14.0	7	7.2	2.9	15.1	15	10.2	5.6	18.2
Lung and Bronchus	149	66.9	56.5	78.8	89	91.8	73.7	113.2	60	49.6	37.6	64.9
Bones and Joints	2	1.0	0.1	3.7	2	2.1	0.3	7.9	0	0.0	0.0	5.0
Melanoma of the Skin	33	15.4	10.5	21.8	18	18.4	10.9	29.3	15	11.9	6.5	20.8
Breast (invasive)	160	72.5	61.6	85	1	1.1	0	6.3	159	132.6	112.1	156.3
Cervix (invasive)	-	-	-	-	-	-	-	-	14	13.4	7.3	23.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	36	30.9	21.5	43.6
Ovary	-	-	-	-	-	-	-	-	16	11.3	6.4	19.8
Prostate	-	-	-	-	132	137.3	114.8	163.0	-	-	-	-
Testis	-	-	-	-	11	11.1	5.5	20.1	-	-	-	-
Urinary Bladder	60	26.0	19.8	33.8	42	43.7	31.5	59.3	18	14.1	8.2	23.5
Kidney and Renal Pelvis	24	11.4	7.3	17.2	10	10.6	5.1	19.6	14	11.9	6.4	21.0
Brain and Other Nervous System	11	5.1	2.5	9.4	4	4.2	1.1	11.0	7	5.8	2.3	13.2
Hodgkin's Disease	5	2.4	0.8	5.9	2	2.0	0.2	7.7	3	2.9	0.6	9.4
Non-Hodgkin's Lymphomas	41	17.7	12.7	24.4	24	24.5	15.7	36.7	17	12.7	7.2	21.7
Multiple Myeloma	19	8.1	4.8	13.0	10	10.5	5.1	19.6	9	6.3	2.8	13.6
Leukemias	37	16.2	11.4	22.7	21	21.8	13.5	33.6	16	11.5	6.4	20.2
All Other Sites	106	49.3	40.2	59.8	50	51.3	38.1	67.8	56	50.6	37.9	66.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	27	24.4	16.0	36.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Logan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	820	469.0	437.1	502.9	419	565.9	512.9	623.3	401	411.1	370.4	455.7
Oral Cavity and Pharynx	17	9.9	5.8	16.4	13	17.2	9.1	30.1	4	4.1	1.1	12.1
Esophagus	13	7.4	3.9	13.2	10	13.1	6.3	24.8	3	2.6	0.5	9.9
Stomach	7	3.8	1.5	8.6	5	7.2	2.3	17.4	2	2.1	0.2	9.4
Colon and Rectum	114	61.6	50.7	74.5	63	85.7	65.8	110.2	51	43.3	31.9	58.7
Liver	11	5.7	2.8	10.9	8	10.6	4.6	21.7	3	1.9	0.4	8.6
Pancreas	25	14.6	9.4	22.0	10	13.3	6.4	25.2	15	14.8	8.0	25.9
Lung and Bronchus	134	75.4	63.1	89.8	88	119.2	95.5	147.3	46	44.9	32.6	61.3
Bones and Joints	3	1.8	0.4	6.0	0	0.0	0.0	6.3	3	3.5	0.7	11.6
Melanoma of the Skin	26	14.8	9.6	22.2	14	19.5	10.6	33.2	12	13.3	6.7	24.6
Breast (invasive)	117	69.1	57	83.3	1	1.3	0	8.5	116	127.6	104.8	154.5
Cervix (invasive)	-	-	-	-	-	-	-	-	10	11.9	5.6	22.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	22	24.6	15.3	38.5
Ovary	-	-	-	-	-	-	-	-	14	12.3	6.5	22.5
Prostate	-	-	-	-	100	135.8	110.5	165.7	-	-	-	-
Testis	-	-	-	-	3	3.5	0.7	11.5	-	-	-	-
Urinary Bladder	38	20.5	14.5	28.7	24	32.9	21.1	49.5	14	13.2	7.0	23.8
Kidney and Renal Pelvis	21	12.6	7.8	19.7	9	11.8	5.4	23.2	12	12.6	6.4	23.4
Brain and Other Nervous System	9	5.8	2.6	11.4	6	7.7	2.8	17.7	3	3.7	0.7	12.1
Hodgkin's Disease	4	2.5	0.7	6.9	4	5.3	1.4	14.4	0	0.0	0.0	6.3
Non-Hodgkin's Lymphomas	30	17.9	12.0	26.0	13	16.9	9.0	29.6	17	19.5	11.2	32.4
Multiple Myeloma	13	7.6	4.0	13.5	4	5.5	1.5	14.8	9	10.9	4.9	21.7
Leukemias	12	7.1	3.6	12.9	6	8.1	3.0	18.4	6	6.7	2.3	16.1
All Other Sites	77	44.6	35.1	56.2	38	51.2	36.2	70.8	39	37.7	26.4	53.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	26	28.6	18.4	43.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

McDonough County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	804	475.3	442.4	510.3	389	542.5	489.7	600.0	415	437.8	394.9	485.1
Oral Cavity and Pharynx	26	14.5	9.4	21.9	18	24.8	14.7	40.2	8	7.2	3.0	16.4
Esophagus	8	4.7	2.0	10.1	6	8.6	3.1	19.8	2	2.1	0.3	10.0
Stomach	5	3.1	1.0	8.0	4	5.7	1.5	15.7	1	1.3	0.0	8.9
Colon and Rectum	110	60.9	49.9	74.1	47	64.9	47.6	87.1	63	56.5	42.8	74.3
Liver	3	1.7	0.3	5.8	1	1.3	0.0	9.3	2	1.6	0.2	9.1
Pancreas	18	9.8	5.8	16.3	8	11.2	4.8	23.2	10	8.2	3.8	17.5
Lung and Bronchus	121	70.6	58.5	85.0	69	95.1	74.0	121.1	52	53.9	39.8	72.4
Bones and Joints	1	0.9	0.0	5.1	0	0.0	0.0	7.2	1	1.8	0.0	10.3
Melanoma of the Skin	27	17.0	11.1	25.3	13	18.1	9.6	32.0	14	15.2	8.0	27.3
Breast (invasive)	119	72.7	60	87.6	2	2.8	0.3	11.6	117	130.7	107.2	158.5
Cervix (invasive)	-	-	-	-	-	-	-	-	6	8.2	2.9	19.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	24	28.0	17.7	43.1
Ovary	-	-	-	-	-	-	-	-	18	20.1	11.5	33.7
Prostate	-	-	-	-	103	141.5	115.5	172.4	-	-	-	-
Testis	-	-	-	-	4	6.4	1.7	17.3	-	-	-	-
Urinary Bladder	31	17.6	11.9	25.6	25	35.2	22.8	52.9	6	6.1	2.2	15.3
Kidney and Renal Pelvis	30	19.3	12.9	28.1	13	18.5	9.8	32.6	17	19.6	11.1	33.1
Brain and Other Nervous System	14	10.0	5.4	17.2	8	12.7	5.4	25.9	6	7.1	2.4	17.3
Hodgkin's Disease	4	3.3	0.9	8.7	2	3.1	0.4	12.2	2	3.6	0.4	13.1
Non-Hodgkin's Lymphomas	37	23.0	16.1	32.4	19	26.9	16.2	43.0	18	18.7	10.8	31.5
Multiple Myeloma	9	4.7	2.1	9.8	6	8.1	3.0	18.8	3	2.5	0.5	10.2
Leukemias	22	12.4	7.6	19.7	15	21.7	12.1	36.8	7	6.4	2.3	15.7
All Other Sites	64	36.1	27.6	46.8	26	35.7	23.2	53.4	38	39.1	27.2	55.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	17	21.3	12.2	35.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

McHenry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,874	503.4	489.0	518.0	2,422	580.5	556.3	605.6	2,452	453.6	435.6	472.2
Oral Cavity and Pharynx	114	11.0	9.0	13.3	83	16.9	13.3	21.5	31	5.7	3.8	8.1
Esophagus	56	6.0	4.5	7.8	48	11.8	8.5	16.2	8	1.6	0.7	3.2
Stomach	69	7.5	5.8	9.6	43	10.6	7.5	14.8	26	4.9	3.2	7.3
Colon and Rectum	577	63.2	58.0	68.6	297	75.0	66.3	84.8	280	54.0	47.8	60.8
Liver	43	4.6	3.3	6.3	28	6.7	4.3	10.2	15	3.0	1.7	5.0
Pancreas	108	11.7	9.6	14.2	57	14.3	10.7	18.9	51	9.7	7.2	12.8
Lung and Bronchus	639	69.7	64.3	75.4	348	87.7	78.3	98.1	291	57.2	50.8	64.3
Bones and Joints	10	0.7	0.3	1.4	6	0.9	0.3	2.7	4	0.6	0.2	1.7
Melanoma of the Skin	191	17.7	15.2	20.6	108	21.8	17.6	26.8	83	14.1	11.2	17.7
Breast (invasive)	800	77.4	72	83.1	3	0.7	0.1	2.6	797	144.1	134.1	154.6
Cervix (invasive)	-	-	-	-	-	-	-	-	67	10.8	8.4	13.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	143	27.4	23.1	32.4
Ovary	-	-	-	-	-	-	-	-	72	12.8	10.0	16.3
Prostate	-	-	-	-	623	154.2	141.9	167.5	-	-	-	-
Testis	-	-	-	-	43	6.4	4.6	9.1	-	-	-	-
Urinary Bladder	238	26.1	22.8	29.7	172	44.4	37.7	52.2	66	12.9	10.0	16.5
Kidney and Renal Pelvis	139	14.1	11.8	16.7	92	21.4	17.0	26.9	47	8.6	6.3	11.5
Brain and Other Nervous System	86	7.6	6.0	9.5	50	9.1	6.6	12.5	36	6.4	4.4	8.9
Hodgkin's Disease	33	2.9	2.0	4.2	18	3.0	1.8	5.4	15	2.7	1.5	4.5
Non-Hodgkin's Lymphomas	212	22.2	19.2	25.4	110	25.3	20.5	31.1	102	19.3	15.7	23.5
Multiple Myeloma	57	6.1	4.6	8.0	24	5.9	3.7	9.3	33	6.5	4.4	9.2
Leukemias	123	11.9	9.9	14.4	71	15.9	12.2	20.6	52	9.0	6.7	11.9
All Other Sites	431	44.3	40.1	48.8	198	48.5	41.6	56.5	233	42.3	36.9	48.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	139	24.6	20.7	29.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

McLean County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,842	471.0	453.8	488.8	1,430	557.0	527.9	587.5	1,412	414.6	393.1	437.1
Oral Cavity and Pharynx	55	8.8	6.6	11.5	39	14.7	10.4	20.5	16	4.4	2.5	7.3
Esophagus	38	6.4	4.5	8.8	27	10.5	6.9	15.7	11	2.9	1.4	5.4
Stomach	36	6.1	4.3	8.5	21	9.0	5.5	14.1	15	4.3	2.4	7.1
Colon and Rectum	365	61.2	55.1	67.8	181	73.6	63.1	85.6	184	52.0	44.7	60.2
Liver	13	2.2	1.2	3.8	9	4.0	1.8	7.9	4	1.0	0.3	2.9
Pancreas	49	8.2	6.1	10.9	28	11.3	7.5	16.7	21	5.8	3.5	8.9
Lung and Bronchus	366	62.5	56.2	69.2	201	80.0	69.2	92.2	165	49.7	42.4	58.0
Bones and Joints	6	0.8	0.3	1.9	3	0.7	0.1	3.1	3	0.8	0.2	2.6
Melanoma of the Skin	128	20.2	16.8	24.1	67	25.1	19.3	32.3	61	17.8	13.6	22.9
Breast (invasive)	462	76.4	69.6	83.8	6	2.5	0.9	6	456	137.6	125.2	150.9
Cervix (invasive)	-	-	-	-	-	-	-	-	25	7.5	4.8	11.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	86	26.5	21.2	32.8
Ovary	-	-	-	-	-	-	-	-	33	9.6	6.6	13.5
Prostate	-	-	-	-	367	143.4	128.9	159.2	-	-	-	-
Testis	-	-	-	-	35	9.7	6.6	14.1	-	-	-	-
Urinary Bladder	129	21.8	18.2	25.9	97	40.3	32.6	49.6	32	9.0	6.1	12.9
Kidney and Renal Pelvis	74	12.3	9.7	15.5	43	16.4	11.8	22.5	31	9.2	6.3	13.2
Brain and Other Nervous System	48	7.6	5.6	10.1	29	9.9	6.6	14.7	19	5.6	3.3	8.8
Hodgkin's Disease	24	3.2	2.0	4.9	14	3.9	2.1	7.3	10	2.6	1.2	4.9
Non-Hodgkin's Lymphomas	125	20.5	17.0	24.4	71	27.8	21.5	35.6	54	15.4	11.5	20.2
Multiple Myeloma	37	6.2	4.4	8.6	22	9.2	5.7	14.3	15	4.3	2.4	7.2
Leukemias	80	12.9	10.2	16.1	45	16.2	11.7	22.2	35	10.3	7.1	14.4
All Other Sites	261	42.3	37.3	47.8	125	48.8	40.4	58.6	136	38.5	32.2	45.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	86	26.3	21.1	32.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,527	540.2	522.5	558.5	1,937	689.3	658.7	721.2	1,590	435.7	414.2	458.1
Oral Cavity and Pharynx	74	11.8	9.2	14.9	52	18.4	13.7	24.4	22	6.2	3.9	9.6
Esophagus	32	4.9	3.4	7.0	26	9.1	5.9	13.7	6	1.5	0.5	3.6
Stomach	33	5.0	3.5	7.2	25	8.9	5.7	13.4	8	2.1	0.9	4.4
Colon and Rectum	429	64.3	58.3	70.7	219	78.4	68.2	89.8	210	53.6	46.5	61.6
Liver	17	2.6	1.5	4.3	11	3.9	1.9	7.3	6	1.4	0.5	3.4
Pancreas	76	11.4	9.0	14.4	44	16.1	11.6	21.9	32	8.1	5.5	11.7
Lung and Bronchus	578	87.0	80.0	94.4	343	119.4	107.1	133.1	235	61.3	53.7	69.9
Bones and Joints	5	0.8	0.2	1.9	2	0.7	0.1	3.1	3	0.8	0.2	2.7
Melanoma of the Skin	92	14.6	11.7	17.9	51	18.3	13.6	24.4	41	11.5	8.2	15.8
Breast (invasive)	502	78.8	72	86	10	3.4	1.6	6.7	492	140.1	127.8	153.3
Cervix (invasive)	-	-	-	-	-	-	-	-	29	9.6	6.4	13.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	80	22.8	18.1	28.6
Ovary	-	-	-	-	-	-	-	-	55	15.1	11.3	19.9
Prostate	-	-	-	-	654	230.7	213.2	249.5	-	-	-	-
Testis	-	-	-	-	26	10.0	6.5	14.9	-	-	-	-
Urinary Bladder	161	24.0	20.4	28.0	119	43.4	35.9	52.3	42	10.6	7.6	14.6
Kidney and Renal Pelvis	98	15.2	12.3	18.5	56	19.8	14.9	26.0	42	11.1	8.0	15.3
Brain and Other Nervous System	38	6.0	4.2	8.3	26	9.2	6.0	13.8	12	3.6	1.8	6.5
Hodgkin's Disease	16	2.8	1.6	4.6	10	3.7	1.8	7.2	6	1.8	0.6	4.1
Non-Hodgkin's Lymphomas	144	22.3	18.8	26.3	69	24.8	19.3	31.7	75	20.4	16.0	25.9
Multiple Myeloma	43	6.5	4.7	8.8	19	6.8	4.1	11.0	24	6.2	3.9	9.4
Leukemias	82	12.8	10.1	15.9	47	17.1	12.6	23.1	35	9.9	6.8	14.0
All Other Sites	263	41.3	36.5	46.7	128	47.0	39.1	56.3	135	37.9	31.6	45.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	127	37.1	30.9	44.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Macoupin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,384	458.2	433.9	483.6	708	536.0	497.0	577.4	676	406.9	375.6	440.7
Oral Cavity and Pharynx	20	7.0	4.2	11.1	15	11.3	6.3	19.0	5	3.7	1.2	9.3
Esophagus	13	4.3	2.3	7.8	12	9.0	4.6	16.1	1	0.4	0.0	4.5
Stomach	19	5.5	3.3	9.0	12	8.7	4.5	15.6	7	2.8	1.1	7.5
Colon and Rectum	213	67.3	58.4	77.4	108	81.1	66.5	98.3	105	57.6	46.7	70.9
Liver	5	1.6	0.5	4.1	4	3.0	0.8	8.2	1	0.6	0.0	4.8
Pancreas	36	11.6	8.1	16.4	19	14.2	8.5	22.5	17	9.8	5.6	16.8
Lung and Bronchus	233	76.4	66.8	87.2	128	96.2	80.2	114.8	105	62.6	50.9	76.9
Bones and Joints	0	0.0	0.0	1.8	0	0.0	0.0	3.6	0	0.0	0.0	4.0
Melanoma of the Skin	42	15.6	11.1	21.3	15	11.6	6.5	19.6	27	20.0	13.0	29.9
Breast (invasive)	172	58.5	49.9	68.2	3	2.3	0.5	7.2	169	106.0	90.0	124.4
Cervix (invasive)	-	-	-	-	-	-	-	-	16	13.7	7.8	22.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	35	22.3	15.4	32.0
Ovary	-	-	-	-	-	-	-	-	22	12.7	7.8	20.1
Prostate	-	-	-	-	182	135.3	116.3	156.8	-	-	-	-
Testis	-	-	-	-	10	8.9	4.2	16.5	-	-	-	-
Urinary Bladder	64	20.4	15.7	26.4	47	35.3	25.9	47.3	17	9.9	5.6	16.8
Kidney and Renal Pelvis	40	13.6	9.6	18.8	27	20.9	13.7	30.7	13	7.7	3.9	14.3
Brain and Other Nervous System	22	8.1	5.1	12.6	11	8.9	4.4	16.2	11	7.2	3.5	13.9
Hodgkin's Disease	8	3.4	1.4	6.9	4	3.5	0.9	9.2	4	3.2	0.8	9.0
Non-Hodgkin's Lymphomas	56	17.4	13.1	23.0	25	19.3	12.4	28.8	31	15.6	10.4	23.4
Multiple Myeloma	18	5.5	3.3	9.1	8	6.2	2.7	12.6	10	5.3	2.5	11.0
Leukemias	48	15.5	11.4	21.0	27	21.4	14.1	31.5	21	10.7	6.5	17.6
All Other Sites	110	36.6	30.0	44.5	51	38.9	28.9	51.5	59	35.0	26.3	46.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	35	23.4	16.1	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,777	485.4	473.9	497.1	3,448	577.4	558.1	597.4	3,329	426.8	412.3	441.8
Oral Cavity and Pharynx	138	10.0	8.4	11.9	96	15.8	12.8	19.5	42	5.5	3.9	7.5
Esophagus	61	4.4	3.4	5.7	50	8.3	6.2	11.1	11	1.4	0.7	2.5
Stomach	72	5.1	4.0	6.4	27	4.7	3.1	7.0	45	5.6	4.0	7.6
Colon and Rectum	940	66.3	62.1	70.7	456	78.7	71.5	86.5	484	58.0	52.9	63.5
Liver	38	2.7	1.9	3.7	23	4.0	2.5	6.1	15	1.8	1.0	3.0
Pancreas	159	11.3	9.6	13.2	65	11.0	8.4	14.1	94	11.4	9.2	14.0
Lung and Bronchus	1,213	86.1	81.3	91.1	700	117.8	109.1	127.0	513	64.6	59.1	70.5
Bones and Joints	11	0.8	0.4	1.5	6	1.0	0.4	2.4	5	0.8	0.3	1.9
Melanoma of the Skin	180	13.2	11.4	15.4	102	16.9	13.8	20.7	78	10.7	8.4	13.4
Breast (invasive)	916	66.6	62.4	71.1	4	0.7	0.2	1.9	912	120.9	113.1	129.1
Cervix (invasive)	-	-	-	-	-	-	-	-	68	9.6	7.5	12.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	193	25.1	21.6	29.0
Ovary	-	-	-	-	-	-	-	-	115	15.0	12.4	18.1
Prostate	-	-	-	-	978	160.1	150.2	170.7	-	-	-	-
Testis	-	-	-	-	19	3.2	1.9	5.1	-	-	-	-
Urinary Bladder	303	21.4	19.0	23.9	228	39.0	34.0	44.6	75	9.1	7.1	11.5
Kidney and Renal Pelvis	177	12.7	10.9	14.8	105	17.8	14.5	21.7	72	9.2	7.2	11.7
Brain and Other Nervous System	90	6.6	5.3	8.2	48	7.6	5.6	10.2	42	5.8	4.1	7.9
Hodgkin's Disease	43	3.3	2.4	4.5	21	3.3	2.1	5.3	22	3.3	2.0	5.0
Non-Hodgkin's Lymphomas	244	17.4	15.3	19.8	122	20.6	17.1	24.8	122	15.1	12.5	18.1
Multiple Myeloma	77	5.5	4.3	6.9	40	6.5	4.7	9.0	37	4.6	3.2	6.4
Leukemias	161	11.6	9.9	13.6	79	13.7	10.8	17.2	82	10.2	8.1	12.8
All Other Sites	581	42.0	38.7	45.6	279	46.8	41.4	52.8	302	39.5	35.1	44.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	196	26.6	23.0	30.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Marion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,355	534.7	506.2	564.5	715	665.5	617.4	716.5	640	445.8	410.6	483.6
Oral Cavity and Pharynx	34	14.0	9.7	20.0	21	19.8	12.2	30.6	13	9.9	5.1	17.9
Esophagus	17	6.6	3.9	11.0	10	9.1	4.4	17.2	7	4.7	1.9	10.9
Stomach	15	5.7	3.2	9.8	6	6.0	2.2	13.4	9	6.2	2.8	13.0
Colon and Rectum	174	65.6	56.0	76.5	77	72.4	57.1	90.9	97	60.2	48.3	74.8
Liver	9	3.3	1.5	6.7	5	4.6	1.5	11.3	4	2.4	0.6	7.6
Pancreas	28	10.4	6.8	15.4	18	17.0	10.1	27.3	10	5.6	2.6	11.7
Lung and Bronchus	250	97.4	85.6	110.6	158	145.4	123.6	170.3	92	61.0	48.9	75.8
Bones and Joints	3	1.2	0.2	4.0	1	0.9	0.0	5.9	2	1.2	0.1	6.0
Melanoma of the Skin	27	11.2	7.3	16.6	16	14.7	8.4	24.4	11	8.0	3.8	15.4
Breast (invasive)	196	80.4	69.4	92.9	2	1.9	0.2	7.5	194	144.8	124.5	167.8
Cervix (invasive)	-	-	-	-	-	-	-	-	19	15.3	9.1	24.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	28.0	19.7	39.1
Ovary	-	-	-	-	-	-	-	-	17	12.0	6.9	20.1
Prostate	-	-	-	-	211	193.9	168.6	222.3	-	-	-	-
Testis	-	-	-	-	6	6.4	2.3	14.1	-	-	-	-
Urinary Bladder	74	28.3	22.1	35.9	53	50.2	37.6	66.1	21	13.1	8.0	21.2
Kidney and Renal Pelvis	37	15.6	11.0	21.9	24	22.7	14.5	34.2	13	9.5	5.0	17.2
Brain and Other Nervous System	10	4.1	2.0	8.0	4	3.8	1.0	10.2	6	4.3	1.5	10.6
Hodgkin's Disease	5	2.4	0.8	5.9	3	2.9	0.6	9.1	2	2.1	0.3	8.0
Non-Hodgkin's Lymphomas	57	22.8	17.2	29.9	33	30.9	21.2	43.7	24	15.9	10.0	24.8
Multiple Myeloma	17	6.4	3.7	10.7	10	9.5	4.5	17.8	7	4.0	1.6	9.6
Leukemias	27	11.3	7.4	16.7	17	15.6	9.1	25.5	10	7.4	3.4	14.7
All Other Sites	82	33.1	26.2	41.5	40	37.7	26.9	51.7	42	30.3	21.5	42.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	20	15.6	9.4	24.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Marshall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	438	492.7	446.8	543.2	233	598.0	523.3	682.2	205	430.4	371.0	499.7
Oral Cavity and Pharynx	5	5.3	1.7	15.0	4	9.4	2.6	28.3	1	2.1	0.1	20.6
Esophagus	7	8.0	3.2	18.7	6	15.2	5.5	36.6	1	1.1	0.0	19.0
Stomach	5	5.3	1.7	14.9	4	10.6	2.9	30.6	1	1.8	0.0	20.0
Colon and Rectum	69	72.9	56.5	94.1	29	75.3	50.4	110.6	40	72.7	51.1	104.8
Liver	2	2.4	0.3	11.3	1	2.6	0.1	19.1	1	2.1	0.1	20.6
Pancreas	10	10.9	5.2	22.1	5	13.1	4.2	34.0	5	10.3	3.3	30.9
Lung and Bronchus	62	68.8	52.6	89.8	40	100.5	71.7	139.4	22	48.0	29.7	77.7
Bones and Joints	0	0.0	0.0	7.9	0	0.0	0.0	15.2	0	0.0	0.0	18.0
Melanoma of the Skin	13	16.0	8.4	29.2	12	32.4	16.7	59.3	1	2.7	0.1	21.8
Breast (invasive)	62	73.2	55.8	95.5	1	2.6	0.1	19	61	135.4	102.4	179.1
Cervix (invasive)	-	-	-	-	-	-	-	-	2	4.7	0.4	24.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	32.3	17.7	58.9
Ovary	-	-	-	-	-	-	-	-	3	6.3	1.2	26.1
Prostate	-	-	-	-	56	140.4	105.9	184.7	-	-	-	-
Testis	-	-	-	-	1	3.6	0.1	21.6	-	-	-	-
Urinary Bladder	28	29.2	19.2	44.2	23	58.6	37.1	90.6	5	11.4	3.3	33.6
Kidney and Renal Pelvis	19	23.0	13.7	37.8	12	31.8	16.3	58.4	7	16.0	6.1	39.1
Brain and Other Nervous System	4	5.0	1.3	14.9	3	7.7	1.6	26.4	1	2.7	0.1	21.8
Hodgkin's Disease	0	0.0	0.0	7.9	0	0.0	0.0	15.2	0	0.0	0.0	18.0
Non-Hodgkin's Lymphomas	26	30.9	20.0	47.1	16	42.7	24.4	71.9	10	23.2	10.9	48.3
Multiple Myeloma	3	2.7	0.5	11.2	2	5.8	0.7	24.1	1	1.8	0.0	20.0
Leukemias	10	10.3	4.9	21.2	4	9.8	2.7	29.0	6	9.8	3.5	29.5
All Other Sites	36	42.2	29.2	60.3	14	35.7	19.4	62.8	22	45.9	27.6	75.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	18.1	7.0	42.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Mason County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	572	569.6	523.3	619.5	332	720.2	644.4	803.8	240	448.2	391.5	512.2
Oral Cavity and Pharynx	13	13.3	7.0	23.8	8	16.7	7.2	35.3	5	10.3	3.2	26.7
Esophagus	6	6.1	2.2	14.6	4	8.6	2.3	24.7	2	3.8	0.5	17.3
Stomach	7	6.7	2.7	15.3	6	13.9	5.0	32.4	1	1.6	0.0	14.0
Colon and Rectum	80	77.1	61.0	97.0	50	110.5	81.8	147.5	30	47.2	31.5	70.5
Liver	3	3.3	0.7	10.8	3	6.7	1.4	22.2	0	0.0	0.0	11.8
Pancreas	13	11.9	6.3	21.7	6	12.4	4.5	29.6	7	11.0	4.3	26.3
Lung and Bronchus	99	96.2	78.1	118.0	68	145.1	112.6	185.7	31	56.8	38.4	83.0
Bones and Joints	1	1.2	0.0	7.8	1	2.4	0.1	16.1	0	0.0	0.0	11.8
Melanoma of the Skin	24	24.1	15.3	36.9	14	30.3	16.5	52.9	10	17.3	8.0	35.2
Breast (invasive)	67	68	52.5	87.4	1	2.3	0.1	15.8	66	123.8	94.9	160.4
Cervix (invasive)	-	-	-	-	-	-	-	-	6	13.1	4.7	30.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	27.0	13.8	49.1
Ovary	-	-	-	-	-	-	-	-	7	12.9	5.1	29.6
Prostate	-	-	-	-	78	164.9	130.2	207.6	-	-	-	-
Testis	-	-	-	-	4	12.1	3.3	31.5	-	-	-	-
Urinary Bladder	30	29.1	19.6	42.6	25	53.6	34.6	81.0	5	8.9	2.8	24.2
Kidney and Renal Pelvis	20	19.4	11.8	31.1	15	32.9	18.4	56.3	5	8.7	2.7	23.9
Brain and Other Nervous System	9	9.7	4.4	19.5	6	13.8	5.0	32.1	3	6.3	1.3	21.3
Hodgkin's Disease	3	4.2	0.8	12.8	0	0.0	0.0	12.2	3	8.3	1.6	25.5
Non-Hodgkin's Lymphomas	16	16.0	9.1	27.2	7	15.8	6.3	34.7	9	14.8	6.5	31.8
Multiple Myeloma	6	5.5	2.0	13.5	4	8.3	2.2	24.0	2	3.0	0.3	15.8
Leukemias	13	13.3	7.0	24.0	6	12.5	4.6	29.7	7	14.5	5.5	32.8
All Other Sites	55	57.8	43.3	76.2	26	57.2	37.3	85.6	29	58.8	38.6	87.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	17	30.3	17.4	51.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Massac County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	462	482.7	439.0	530.3	244	595.8	523.0	677.0	218	416.1	360.9	479.0
Oral Cavity and Pharynx	10	12.1	5.7	23.3	9	23.5	10.6	46.1	1	1.7	0.0	14.4
Esophagus	2	2.0	0.2	9.1	2	4.4	0.5	19.1	0	0.0	0.0	12.1
Stomach	4	4.2	1.1	12.2	2	5.7	0.7	21.9	2	3.5	0.4	17.0
Colon and Rectum	66	65.6	50.5	84.6	35	86.7	60.2	122.0	31	54.9	36.7	81.0
Liver	1	1.0	0.0	7.6	1	2.3	0.1	15.9	0	0.0	0.0	12.1
Pancreas	16	16.6	9.3	28.2	7	17.8	7.1	38.4	9	17.3	7.5	36.2
Lung and Bronchus	96	96.1	77.7	118.4	54	127.9	95.9	168.4	42	77.6	55.5	107.5
Bones and Joints	2	2.7	0.3	10.6	1	2.3	0.1	15.9	1	3.3	0.1	18.3
Melanoma of the Skin	16	18.3	10.3	30.8	9	23.0	10.5	45.3	7	14.3	5.4	32.6
Breast (invasive)	60	65.7	49.9	85.7	0	0	0	12.5	60	120.8	91.4	158.3
Cervix (invasive)	-	-	-	-	-	-	-	-	6	13.1	4.6	31.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	16.5	7.1	35.1
Ovary	-	-	-	-	-	-	-	-	2	4.7	0.5	19.6
Prostate	-	-	-	-	66	155.9	120.5	199.9	-	-	-	-
Testis	-	-	-	-	2	5.8	0.7	22.1	-	-	-	-
Urinary Bladder	15	14.3	8.0	24.8	9	21.2	9.7	42.1	6	9.4	3.4	24.5
Kidney and Renal Pelvis	13	14.0	7.4	25.1	5	12.3	4.0	30.8	8	14.2	5.9	31.4
Brain and Other Nervous System	5	5.4	1.7	14.0	4	11.1	3.0	29.8	1	2.7	0.1	16.8
Hodgkin's Disease	3	3.5	0.7	11.4	3	7.5	1.5	24.1	0	0.0	0.0	12.1
Non-Hodgkin's Lymphomas	13	13.7	7.2	24.6	5	12.8	4.1	31.6	8	12.5	5.4	28.4
Multiple Myeloma	6	5.6	2.0	13.8	5	13.0	4.2	32.0	1	1.0	0.0	13.2
Leukemias	10	10.6	5.0	20.8	6	14.8	5.4	34.2	4	8.2	2.1	24.0
All Other Sites	40	44.2	31.3	61.3	19	47.9	28.7	76.4	21	40.3	24.3	64.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	13.6	4.8	32.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Menard County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	310	474.8	423.0	532.2	156	542.3	459.3	637.4	154	434.2	367.1	512.8
Oral Cavity and Pharynx	4	6.0	1.6	17.7	4	14.8	3.9	40.3	0	0.0	0.0	19.2
Esophagus	0	0.0	0.0	9.2	0	0.0	0.0	17.6	0	0.0	0.0	19.2
Stomach	5	7.0	2.2	18.7	2	6.0	0.7	26.5	3	6.4	1.2	27.3
Colon and Rectum	46	71.3	52.0	96.5	17	61.4	35.5	100.5	29	79.6	53.0	118.6
Liver	1	1.5	0.0	11.3	0	0.0	0.0	17.6	1	2.8	0.1	23.0
Pancreas	7	10.3	4.1	23.2	5	16.2	5.1	41.2	2	5.7	0.7	27.0
Lung and Bronchus	46	70.0	51.2	94.9	27	95.3	62.3	141.2	19	53.3	31.9	87.5
Bones and Joints	2	3.1	0.4	13.6	1	4.3	0.1	25.2	1	3.3	0.1	24.1
Melanoma of the Skin	12	18.0	9.3	33.4	6	21.9	7.9	50.3	6	14.8	5.3	38.7
Breast (invasive)	46	69.1	50.5	93.7	1	3	0.1	22	45	125.5	91.1	171.9
Cervix (invasive)	-	-	-	-	-	-	-	-	4	12.1	3.3	36.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	28.5	13.6	57.2
Ovary	-	-	-	-	-	-	-	-	3	8.8	1.8	31.4
Prostate	-	-	-	-	39	129.9	91.9	180.2	-	-	-	-
Testis	-	-	-	-	5	15.7	5.1	40.3	-	-	-	-
Urinary Bladder	15	22.7	12.6	39.1	13	46.1	24.3	81.4	2	4.7	0.5	25.4
Kidney and Renal Pelvis	6	9.7	3.5	23.1	4	12.9	3.4	36.9	2	6.4	0.8	28.5
Brain and Other Nervous System	3	5.0	1.0	16.7	3	10.9	2.3	34.6	0	0.0	0.0	19.2
Hodgkin's Disease	2	4.0	0.4	15.9	1	4.8	0.1	26.6	1	2.8	0.1	23.1
Non-Hodgkin's Lymphomas	16	24.2	13.7	41.2	9	32.7	14.7	64.5	7	19.5	7.1	46.5
Multiple Myeloma	2	3.4	0.4	14.4	1	4.3	0.1	25.3	1	3.1	0.1	23.7
Leukemias	9	13.8	6.3	28.1	6	18.9	6.9	44.5	3	9.1	1.7	32.3
All Other Sites	27	42.7	28.0	63.7	12	43.2	22.0	78.0	15	47.8	26.5	82.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	28.6	13.6	57.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Mercer County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	487	480.0	438.1	525.6	269	585.2	517.1	660.9	218	400.7	348.3	460.7
Oral Cavity and Pharynx	12	12.2	6.3	22.6	11	24.0	11.9	44.7	1	1.9	0.0	15.7
Esophagus	6	5.7	2.1	14.1	5	10.6	3.4	27.1	1	1.4	0.0	14.8
Stomach	6	5.9	2.1	14.3	1	2.0	0.1	14.7	5	9.0	2.9	25.2
Colon and Rectum	62	59.0	45.2	76.7	35	75.5	52.6	106.6	27	43.1	28.3	66.2
Liver	0	0.0	0.0	6.2	0	0.0	0.0	11.8	0	0.0	0.0	13.2
Pancreas	7	6.7	2.7	15.3	3	6.2	1.3	20.9	4	6.7	1.8	22.0
Lung and Bronchus	77	75.7	59.7	95.7	49	106.4	78.7	142.2	28	50.9	33.5	76.8
Bones and Joints	0	0.0	0.0	6.2	0	0.0	0.0	11.8	0	0.0	0.0	13.2
Melanoma of the Skin	23	25.3	15.9	39.0	10	22.8	10.9	43.7	13	29.4	15.5	52.8
Breast (invasive)	68	68.1	52.8	87.3	1	2.4	0.1	15.7	67	127.0	98.0	164.0
Cervix (invasive)	-	-	-	-	-	-	-	-	4	8.9	2.4	26.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	30.4	17.3	52.5
Ovary	-	-	-	-	-	-	-	-	8	15.4	6.5	34.0
Prostate	-	-	-	-	74	158.2	124.1	200.1	-	-	-	-
Testis	-	-	-	-	1	1.9	0.0	14.6	-	-	-	-
Urinary Bladder	21	19.8	12.3	31.6	17	36.7	21.3	60.5	4	6.7	1.7	22.1
Kidney and Renal Pelvis	14	13.8	7.5	24.5	11	23.6	11.8	44.2	3	6.3	1.2	22.5
Brain and Other Nervous System	3	2.6	0.5	9.8	1	2.3	0.1	15.5	2	2.7	0.3	16.3
Hodgkin's Disease	4	4.5	1.2	12.7	3	6.5	1.3	21.4	1	2.3	0.1	16.7
Non-Hodgkin's Lymphomas	16	15.6	8.9	26.6	7	16.3	6.5	35.4	9	14.6	6.6	32.0
Multiple Myeloma	3	3.2	0.6	10.8	2	4.3	0.5	18.3	1	1.6	0.0	15.2
Leukemias	14	13.8	7.5	24.4	10	22.2	10.6	42.7	4	6.7	1.7	22.1
All Other Sites	48	47.8	35.2	64.5	28	63.1	41.8	92.6	20	35.7	21.6	58.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	21.4	10.6	41.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Monroe County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	670	474.3	438.9	512.0	369	600.7	539.9	667.6	301	382.5	339.9	429.9
Oral Cavity and Pharynx	17	12.2	7.1	20.1	12	20.1	10.2	37.2	5	7.1	2.3	18.4
Esophagus	5	3.4	1.1	8.7	4	5.9	1.6	17.9	1	0.9	0.0	9.1
Stomach	2	1.4	0.2	5.9	2	4.5	0.5	17.4	0	0.0	0.0	8.1
Colon and Rectum	106	74.4	60.9	90.5	50	79.2	58.5	106.2	56	65.0	48.8	86.1
Liver	6	4.2	1.6	9.9	4	6.3	1.7	18.7	2	2.4	0.3	11.5
Pancreas	15	10.7	6.0	18.2	8	12.4	5.3	26.6	7	8.9	3.5	20.3
Lung and Bronchus	93	66.1	53.3	81.4	57	97.2	73.1	127.8	36	46.5	32.5	65.8
Bones and Joints	1	0.7	0.0	4.9	0	0.0	0.0	9.7	1	1.3	0.0	10.1
Melanoma of the Skin	21	15.0	9.3	23.5	9	13.6	6.2	28.0	12	15.5	7.9	28.9
Breast (invasive)	94	66.6	53.8	81.9	1	1.5	0	11.8	93	122.0	98.2	150.9
Cervix (invasive)	-	-	-	-	-	-	-	-	5	7.3	2.3	18.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	21.6	12.3	36.7
Ovary	-	-	-	-	-	-	-	-	6	8.0	2.9	19.3
Prostate	-	-	-	-	105	165.1	134.8	201.6	-	-	-	-
Testis	-	-	-	-	3	4.2	0.9	15.5	-	-	-	-
Urinary Bladder	34	23.9	16.5	33.8	29	47.6	31.5	70.4	5	6.2	2.0	16.7
Kidney and Renal Pelvis	17	12.1	7.0	19.9	7	10.9	4.3	24.7	10	12.3	5.9	24.5
Brain and Other Nervous System	11	7.6	3.8	14.2	6	9.9	3.5	24.0	5	6.7	2.1	17.7
Hodgkin's Disease	4	2.9	0.8	8.1	3	4.5	0.9	16.0	1	1.3	0.0	9.9
Non-Hodgkin's Lymphomas	21	14.9	9.2	23.2	15	24.3	13.4	42.1	6	8.0	2.9	19.3
Multiple Myeloma	5	3.4	1.1	8.6	5	11.3	3.5	27.4	0	0.0	0.0	8.1
Leukemias	21	14.8	9.2	23.2	14	23.7	12.8	41.7	7	8.8	3.4	20.3
All Other Sites	62	43.9	33.6	56.7	35	58.6	40.5	83.4	27	32.7	21.4	49.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	16.8	8.6	30.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Montgomery County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	918	490.7	458.9	524.4	470	578.7	527.4	633.9	448	437.7	396.0	483.5
Oral Cavity and Pharynx	22	12.1	7.5	18.8	17	20.7	12.1	33.7	5	4.9	1.6	13.6
Esophagus	13	6.9	3.6	12.4	12	15.2	7.8	27.0	1	0.5	0.0	7.5
Stomach	14	7.6	4.1	13.3	11	13.3	6.6	24.4	3	2.7	0.4	10.8
Colon and Rectum	131	65.1	54.2	77.9	64	78.5	60.5	100.7	67	56.4	43.1	73.9
Liver	9	4.8	2.1	9.7	6	7.3	2.7	16.6	3	2.8	0.5	11.0
Pancreas	29	14.9	9.9	21.9	12	14.9	7.7	26.5	17	13.3	7.7	23.5
Lung and Bronchus	172	90.6	77.4	105.8	110	135.8	111.5	164.1	62	58.3	44.1	76.7
Bones and Joints	1	0.8	0.0	4.4	1	1.3	0.0	7.9	0	0.0	0.0	6.9
Melanoma of the Skin	28	16.7	11.0	24.6	12	14.6	7.5	26.1	16	19.3	10.8	32.9
Breast (invasive)	126	69.4	57.6	83.2	2	2.5	0.3	9.8	124	125.8	103.7	152.1
Cervix (invasive)	-	-	-	-	-	-	-	-	9	11.5	5.2	23.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	23	24.2	14.9	38.1
Ovary	-	-	-	-	-	-	-	-	14	14.5	7.7	26.1
Prostate	-	-	-	-	101	123.0	100.1	149.9	-	-	-	-
Testis	-	-	-	-	2	2.3	0.3	9.4	-	-	-	-
Urinary Bladder	39	20.3	14.3	28.3	28	34.9	23.1	50.9	11	10.0	4.8	20.2
Kidney and Renal Pelvis	20	11.9	7.2	18.8	13	15.8	8.4	27.6	7	8.1	3.1	18.6
Brain and Other Nervous System	13	8.1	4.3	14.2	9	11.0	5.0	21.4	4	5.1	1.3	14.5
Hodgkin's Disease	5	3.2	1.0	7.9	1	1.3	0.0	7.8	4	5.7	1.5	15.6
Non-Hodgkin's Lymphomas	33	17.0	11.6	24.5	14	16.7	9.1	28.5	19	17.4	10.0	29.5
Multiple Myeloma	9	4.6	2.0	9.4	4	5.0	1.4	13.5	5	3.3	1.0	10.9
Leukemias	26	13.7	8.8	20.7	10	13.0	6.2	24.4	16	13.8	7.5	24.8
All Other Sites	79	42.9	33.8	54.1	41	51.6	37.0	70.4	38	40.1	27.8	57.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	15	16.1	8.8	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Morgan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	953	452.0	423.6	482.2	471	522.5	476.2	572.3	482	410.6	373.6	450.8
Oral Cavity and Pharynx	26	13.2	8.6	19.6	22	24.3	15.2	37.2	4	3.4	0.9	10.0
Esophagus	14	6.8	3.7	11.8	12	13.2	6.8	23.4	2	1.6	0.2	7.4
Stomach	12	5.5	2.8	10.0	7	8.1	3.2	17.1	5	4.5	1.4	11.7
Colon and Rectum	143	65.1	54.8	77.1	66	73.8	57.0	94.2	77	59.9	46.9	76.3
Liver	6	2.7	1.0	6.5	4	4.7	1.3	12.4	2	1.7	0.2	7.8
Pancreas	23	10.3	6.5	15.9	10	11.2	5.3	20.9	13	8.8	4.6	16.8
Lung and Bronchus	184	85.9	73.9	99.6	108	119.0	97.6	144.0	76	61.6	48.2	78.2
Bones and Joints	1	0.5	0.0	3.3	0	0.0	0.0	5.0	1	0.9	0.0	6.7
Melanoma of the Skin	19	10.1	6.0	16.0	10	11.0	5.3	20.7	9	9.8	4.4	19.4
Breast (invasive)	121	59.7	49.4	71.7	1	1	0	6.6	120	109.5	90.2	132.1
Cervix (invasive)	-	-	-	-	-	-	-	-	7	7.1	2.8	15.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	37	30.6	21.4	43.3
Ovary	-	-	-	-	-	-	-	-	13	12.7	6.6	22.6
Prostate	-	-	-	-	91	100.7	81.0	124.0	-	-	-	-
Testis	-	-	-	-	8	8.6	3.7	17.4	-	-	-	-
Urinary Bladder	50	22.4	16.6	29.9	33	36.8	25.3	52.0	17	12.1	6.9	20.9
Kidney and Renal Pelvis	26	12.9	8.4	19.3	18	19.3	11.4	31.0	8	6.8	2.9	14.6
Brain and Other Nervous System	13	6.9	3.7	12.1	5	5.5	1.8	13.3	8	8.3	3.5	17.2
Hodgkin's Disease	5	2.4	0.8	6.1	2	2.4	0.3	9.2	3	2.8	0.6	9.5
Non-Hodgkin's Lymphomas	34	16.0	11.0	22.7	13	14.6	7.8	25.4	21	17.3	10.6	27.7
Multiple Myeloma	9	4.4	2.0	8.7	6	6.5	2.4	14.6	3	2.3	0.5	8.4
Leukemias	17	8.4	4.8	13.8	11	12.4	6.2	22.6	6	6.1	2.1	14.3
All Other Sites	94	44.6	36.0	55.0	44	49.6	36.0	66.9	50	42.8	31.4	57.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	33	31.2	21.3	44.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Moultrie County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	432	479.7	434.5	529.1	219	574.2	500.5	656.7	213	431.2	371.9	498.9
Oral Cavity and Pharynx	11	12.8	6.2	24.4	6	16.6	6.1	37.6	5	8.3	2.2	25.4
Esophagus	2	2.2	0.3	9.8	2	5.0	0.6	20.7	0	0.0	0.0	13.7
Stomach	2	2.8	0.3	11.1	1	2.5	0.1	16.9	1	3.1	0.1	19.1
Colon and Rectum	55	56.2	42.0	74.6	26	68.4	44.7	101.6	29	51.3	33.4	78.0
Liver	1	1.4	0.0	8.9	1	2.8	0.1	17.7	0	0.0	0.0	13.7
Pancreas	14	15.6	8.3	27.6	9	23.6	10.8	46.5	5	10.0	2.9	28.0
Lung and Bronchus	71	79.1	61.6	101.0	41	107.2	76.9	146.7	30	60.5	40.3	89.8
Bones and Joints	0	0.0	0.0	6.6	0	0.0	0.0	12.9	0	0.0	0.0	13.7
Melanoma of the Skin	19	23.2	13.8	37.5	11	29.7	14.8	54.6	8	17.6	7.0	38.9
Breast (invasive)	75	86.6	67.6	110	1	2.7	0.1	17.2	74	156.5	121.1	200.8
Cervix (invasive)	-	-	-	-	-	-	-	-	3	9.7	2.0	29.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	23.6	11.8	45.3
Ovary	-	-	-	-	-	-	-	-	7	11.5	4.6	28.5
Prostate	-	-	-	-	69	177.6	138.2	226.1	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.9	-	-	-	-
Urinary Bladder	21	21.2	13.0	33.8	20	52.2	31.9	82.0	1	0.9	0.0	14.6
Kidney and Renal Pelvis	10	11.8	5.6	22.9	6	16.1	5.9	36.7	4	9.0	2.4	26.7
Brain and Other Nervous System	6	8.4	3.0	19.1	4	11.1	3.0	30.0	2	5.6	0.6	23.1
Hodgkin's Disease	2	2.7	0.3	11.0	0	0.0	0.0	12.9	2	5.1	0.6	21.8
Non-Hodgkin's Lymphomas	13	14.2	7.4	25.9	7	19.3	7.7	41.2	6	10.1	3.5	27.0
Multiple Myeloma	7	7.6	3.0	17.3	6	15.7	5.7	35.9	1	1.9	0.0	16.3
Leukemias	8	9.6	3.9	20.4	2	5.0	0.6	20.6	6	14.6	4.9	35.3
All Other Sites	24	24.8	15.6	38.5	7	18.7	7.5	40.1	17	31.6	17.6	55.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	33.4	17.6	59.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Ogle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,256	469.2	443.5	496.1	631	523.5	483.0	566.8	625	434.5	400.8	470.8
Oral Cavity and Pharynx	31	11.6	7.9	16.7	26	21.0	13.7	31.4	5	3.7	1.2	9.5
Esophagus	18	6.7	3.9	10.8	16	13.0	7.4	21.7	2	1.2	0.1	5.9
Stomach	15	5.6	3.1	9.6	8	6.7	2.9	14.1	7	4.9	2.0	11.1
Colon and Rectum	165	60.6	51.7	70.8	78	65.5	51.7	82.4	87	55.8	44.5	69.6
Liver	9	3.4	1.5	6.7	8	6.6	2.8	13.8	1	0.5	0.0	4.8
Pancreas	33	12.2	8.4	17.4	14	11.9	6.5	20.7	19	12.1	7.2	19.8
Lung and Bronchus	189	70.1	60.5	81.1	113	94.8	78.0	114.6	76	52.2	41.1	66.0
Bones and Joints	5	1.8	0.6	4.6	2	1.4	0.2	6.5	3	2.3	0.5	7.6
Melanoma of the Skin	44	16.7	12.1	22.7	22	17.3	10.9	27.0	22	16.2	10.1	25.2
Breast (invasive)	157	59	50.1	69.2	1	1.2	0	6.8	156	110.8	94.0	130.3
Cervix (invasive)	-	-	-	-	-	-	-	-	15	11.6	6.5	19.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	48	34.1	25.1	45.9
Ovary	-	-	-	-	-	-	-	-	25	18.3	11.8	27.8
Prostate	-	-	-	-	148	121.8	102.8	143.7	-	-	-	-
Testis	-	-	-	-	7	6.1	2.4	13.3	-	-	-	-
Urinary Bladder	61	22.6	17.3	29.3	45	37.9	27.6	51.3	16	10.4	5.9	17.8
Kidney and Renal Pelvis	40	15.0	10.7	20.7	22	17.5	10.9	27.2	18	12.8	7.5	21.0
Brain and Other Nervous System	20	7.7	4.7	12.2	8	6.5	2.8	13.6	12	8.9	4.6	16.2
Hodgkin's Disease	7	2.9	1.1	6.2	6	4.9	1.8	11.5	1	0.8	0.0	5.4
Non-Hodgkin's Lymphomas	53	20.0	15.0	26.4	29	23.2	15.5	34.0	24	16.9	10.8	25.9
Multiple Myeloma	16	5.9	3.4	9.9	6	4.9	1.8	11.5	10	6.7	3.2	13.2
Leukemias	45	17.2	12.6	23.4	31	26.3	17.8	38.0	14	10.6	5.7	18.5
All Other Sites	105	39.0	31.9	47.4	41	34.9	24.9	48.0	64	43.8	33.7	56.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	37	27.2	19.2	38.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,987	505.7	491.7	520.0	2,551	612.1	588.5	636.6	2,436	438.7	421.1	456.8
Oral Cavity and Pharynx	127	13.1	10.9	15.6	85	20.3	16.2	25.3	42	7.6	5.4	10.4
Esophagus	56	5.6	4.2	7.3	44	10.7	7.8	14.5	12	2.1	1.1	3.8
Stomach	70	7.0	5.5	8.9	51	12.4	9.2	16.4	19	3.1	1.8	5.0
Colon and Rectum	602	59.1	54.5	64.1	288	71.2	63.1	80.1	314	51.2	45.6	57.4
Liver	37	3.7	2.6	5.1	30	7.0	4.7	10.2	7	1.0	0.4	2.3
Pancreas	120	11.8	9.8	14.1	54	13.6	10.2	17.9	66	10.9	8.4	14.1
Lung and Bronchus	816	82.0	76.4	87.8	477	115.2	105.1	126.2	339	59.8	53.5	66.7
Bones and Joints	8	0.8	0.4	1.7	5	1.1	0.4	2.9	3	0.6	0.1	1.8
Melanoma of the Skin	162	17.0	14.5	19.8	92	21.9	17.6	27.0	70	13.5	10.5	17.2
Breast (invasive)	759	78.5	73	84.4	8	1.9	0.8	3.9	751	140.6	130.6	151.3
Cervix (invasive)	-	-	-	-	-	-	-	-	57	11.9	9.0	15.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	131	24.5	20.4	29.2
Ovary	-	-	-	-	-	-	-	-	73	13.2	10.3	16.8
Prostate	-	-	-	-	721	170.4	158.1	183.5	-	-	-	-
Testis	-	-	-	-	20	4.6	2.8	7.3	-	-	-	-
Urinary Bladder	242	24.0	21.1	27.3	178	43.4	37.3	50.5	64	11.1	8.5	14.3
Kidney and Renal Pelvis	153	15.6	13.2	18.3	88	20.7	16.6	25.7	65	11.6	8.9	14.9
Brain and Other Nervous System	66	6.9	5.4	8.8	39	8.9	6.3	12.3	27	5.1	3.3	7.5
Hodgkin's Disease	25	2.7	1.8	4.0	14	3.2	1.7	5.5	11	2.3	1.2	4.3
Non-Hodgkin's Lymphomas	212	21.3	18.5	24.4	109	26.2	21.5	31.7	103	17.4	14.2	21.3
Multiple Myeloma	48	4.8	3.5	6.4	25	6.0	3.9	9.0	23	3.9	2.4	5.9
Leukemias	102	10.2	8.3	12.4	53	13.0	9.7	17.1	49	8.2	6.0	11.0
All Other Sites	380	39.2	35.3	43.4	170	40.4	34.5	47.1	210	39.1	33.9	45.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	157	30.1	25.5	35.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Perry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	558	414.6	380.5	451.2	286	496.8	440.7	558.8	272	369.0	324.9	418.7
Oral Cavity and Pharynx	8	6.4	2.7	13.3	7	12.3	4.9	26.3	1	1.1	0.0	10.7
Esophagus	4	3.0	0.8	8.7	3	5.3	1.1	16.6	1	1.1	0.0	10.7
Stomach	8	5.2	2.2	11.3	5	9.6	3.1	23.3	3	3.1	0.6	13.3
Colon and Rectum	97	70.7	57.2	86.9	43	76.4	55.2	103.7	54	69.0	51.3	92.4
Liver	1	0.7	0.0	5.2	0	0.0	0.0	8.4	1	1.0	0.0	10.5
Pancreas	14	9.7	5.3	17.1	3	5.0	1.0	16.0	11	12.4	6.0	25.3
Lung and Bronchus	81	62.5	49.5	78.3	51	87.8	65.3	116.2	30	45.3	30.3	66.5
Bones and Joints	2	1.3	0.2	6.1	2	3.9	0.5	15.0	0	0.0	0.0	9.4
Melanoma of the Skin	12	8.6	4.4	15.9	6	10.8	3.9	24.5	6	7.7	2.7	19.8
Breast (invasive)	57	43.6	32.9	57.2	0	0	0	8.4	57	81.4	60.9	108.1
Cervix (invasive)	-	-	-	-	-	-	-	-	9	15.0	6.7	30.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	28.3	16.8	46.4
Ovary	-	-	-	-	-	-	-	-	13	17.0	8.8	31.8
Prostate	-	-	-	-	87	146.9	117.6	181.9	-	-	-	-
Testis	-	-	-	-	2	3.2	0.4	13.2	-	-	-	-
Urinary Bladder	25	17.8	11.5	27.1	15	25.5	14.2	43.0	10	12.1	5.7	25.2
Kidney and Renal Pelvis	20	14.6	8.9	23.3	12	21.0	10.8	37.6	8	9.9	4.2	22.4
Brain and Other Nervous System	10	7.9	3.7	15.3	4	7.3	2.0	19.7	6	7.1	2.5	18.7
Hodgkin's Disease	2	1.5	0.2	6.6	2	3.3	0.4	13.6	0	0.0	0.0	9.4
Non-Hodgkin's Lymphomas	17	12.2	7.1	20.3	9	15.6	7.1	30.6	8	10.7	4.4	23.9
Multiple Myeloma	9	6.4	2.9	13.0	5	9.0	2.9	22.1	4	5.0	1.3	16.1
Leukemias	16	11.0	6.3	18.8	10	19.7	9.4	36.8	6	7.4	2.6	19.3
All Other Sites	45	34.3	24.9	46.6	20	34.4	21.0	54.0	25	34.3	21.7	53.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	9.0	3.5	21.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Piatt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	461	476.2	433.5	522.8	235	549.6	480.9	627.1	226	417.7	364.0	479.2
Oral Cavity and Pharynx	9	9.3	4.3	19.3	6	12.9	4.7	31.6	3	5.8	1.1	21.8
Esophagus	5	5.3	1.7	14.1	4	9.6	2.6	27.9	1	2.2	0.1	17.0
Stomach	4	4.0	1.1	12.3	2	4.7	0.6	20.9	2	3.2	0.4	17.9
Colon and Rectum	68	68.9	53.5	88.5	38	87.4	61.8	122.3	30	50.7	34.0	76.1
Liver	3	3.1	0.6	11.1	2	4.3	0.5	20.1	1	1.9	0.0	16.5
Pancreas	13	13.3	7.1	24.2	8	17.9	7.7	38.5	5	7.8	2.5	23.7
Lung and Bronchus	62	62.7	48.1	81.6	39	93.9	66.4	131.0	23	39.8	25.0	63.6
Bones and Joints	0	0.0	0.0	6.9	0	0.0	0.0	14.1	0	0.0	0.0	13.9
Melanoma of the Skin	22	23.7	14.8	37.1	16	37.2	21.2	63.0	6	11.7	4.2	29.6
Breast (invasive)	75	79	62.1	100.2	0	0	0	14.1	75	147.3	115.5	187.6
Cervix (invasive)	-	-	-	-	-	-	-	-	3	6.8	1.4	23.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	31.9	18.6	54.3
Ovary	-	-	-	-	-	-	-	-	11	20.4	10.1	40.4
Prostate	-	-	-	-	63	144.9	111.0	187.8	-	-	-	-
Testis	-	-	-	-	3	7.7	1.6	25.5	-	-	-	-
Urinary Bladder	13	13.3	7.1	24.3	10	24.4	11.5	47.7	3	5.5	1.1	21.3
Kidney and Renal Pelvis	14	14.0	7.7	25.1	9	21.3	9.7	43.2	5	8.9	2.9	25.5
Brain and Other Nervous System	4	4.2	1.1	12.7	1	3.8	0.1	21.2	3	6.4	1.3	22.9
Hodgkin's Disease	2	2.0	0.2	9.5	1	2.5	0.1	17.9	1	1.3	0.0	15.3
Non-Hodgkin's Lymphomas	15	15.8	8.9	27.6	10	23.4	11.2	45.8	5	9.5	3.0	26.7
Multiple Myeloma	8	8.0	3.4	17.5	4	9.6	2.6	27.8	4	5.9	1.6	21.1
Leukemias	11	11.2	5.6	21.7	3	8.0	1.5	26.6	8	14.2	5.9	32.6
All Other Sites	35	36.9	25.6	52.6	16	36.2	20.7	61.5	19	36.4	21.7	60.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	26.5	14.3	48.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Pike County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	555	475.4	435.6	518.5	301	586.6	521.7	658.0	254	392.8	343.3	449.5
Oral Cavity and Pharynx	11	10.0	4.9	19.2	9	17.6	8.0	34.7	2	3.5	0.3	18.0
Esophagus	9	8.5	3.8	17.4	7	14.3	5.7	30.7	2	4.2	0.5	19.0
Stomach	5	3.9	1.2	10.8	2	3.7	0.4	15.3	3	4.0	0.7	17.7
Colon and Rectum	94	78.4	62.9	97.3	50	97.7	72.3	129.9	44	63.4	45.1	89.3
Liver	3	2.2	0.5	8.5	2	3.7	0.4	15.4	1	1.3	0.0	14.1
Pancreas	20	15.2	9.2	24.9	12	22.6	11.6	40.9	8	10.3	4.2	25.4
Lung and Bronchus	88	75.8	60.6	94.5	52	100.1	74.7	132.4	36	55.9	38.5	81.0
Bones and Joints	1	1.2	0.0	7.4	0	0.0	0.0	9.7	1	2.3	0.1	16.2
Melanoma of the Skin	14	14.1	7.6	24.7	8	17.3	7.4	35.0	6	11.8	4.1	29.2
Breast (invasive)	58	51.2	38.5	67.4	1	1.8	0	12.4	57	92.8	69.2	124.3
Cervix (invasive)	-	-	-	-	-	-	-	-	7	15.3	5.9	34.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	29.6	17.1	50.4
Ovary	-	-	-	-	-	-	-	-	11	19.9	9.7	39.2
Prostate	-	-	-	-	75	142.2	111.7	179.4	-	-	-	-
Testis	-	-	-	-	1	2.3	0.1	13.8	-	-	-	-
Urinary Bladder	27	21.7	14.1	32.8	15	29.5	16.5	49.9	12	14.0	7.1	29.4
Kidney and Renal Pelvis	14	11.4	6.2	20.4	9	17.2	7.8	34.0	5	7.1	2.2	21.5
Brain and Other Nervous System	4	4.4	1.1	12.3	3	7.4	1.5	22.1	1	1.3	0.0	14.1
Hodgkin's Disease	0	0.0	0.0	5.4	0	0.0	0.0	9.7	0	0.0	0.0	12.6
Non-Hodgkin's Lymphomas	28	24.1	15.8	36.0	15	29.9	16.7	50.4	13	18.1	9.1	35.8
Multiple Myeloma	5	4.1	1.2	11.2	0	0.0	0.0	9.7	5	7.3	2.1	22.5
Leukemias	17	15.0	8.6	25.3	13	26.1	13.8	45.8	4	4.4	1.1	17.7
All Other Sites	45	37.7	27.1	51.8	27	53.1	34.8	78.5	18	26.3	15.0	46.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	11.9	4.7	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Pope County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	93	336.5	270.0	420.0	44	329.1	237.0	457.1	49	336.4	245.5	463.1
Oral Cavity and Pharynx	1	3.0	0.1	33.1	1	6.0	0.2	65.5	0	0.0	0.0	60.0
Esophagus	2	6.6	0.8	37.7	2	13.3	1.6	75.0	0	0.0	0.0	60.0
Stomach	2	6.9	0.8	38.3	0	0.0	0.0	58.6	2	13.0	1.6	75.7
Colon and Rectum	15	50.5	28.0	92.5	6	51.2	18.3	128.6	9	56.4	25.5	129.4
Liver	1	3.6	0.1	34.2	1	7.3	0.2	67.9	0	0.0	0.0	60.0
Pancreas	4	15.2	4.0	49.6	1	9.3	0.2	72.0	3	19.7	4.0	84.1
Lung and Bronchus	17	55.8	32.4	98.3	13	86.8	46.0	166.7	4	21.6	5.7	84.8
Bones and Joints	0	0.0	0.0	29.6	0	0.0	0.0	58.6	0	0.0	0.0	60.0
Melanoma of the Skin	2	6.5	0.8	37.5	1	5.6	0.1	64.8	1	7.6	0.2	69.7
Breast (invasive)	14	53.4	28.5	98.4	0	0	0	58.6	14	103.2	54.9	192.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	15.6	1.7	80.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	0	0.0	0.0	60.0
Ovary	-	-	-	-	-	-	-	-	2	18.9	2.0	88.0
Prostate	-	-	-	-	14	100.3	54.0	186.0	-	-	-	-
Testis	-	-	-	-	2	23.3	2.8	95.2	-	-	-	-
Urinary Bladder	2	8.4	1.0	41.1	2	16.6	2.0	81.3	0	0.0	0.0	60.0
Kidney and Renal Pelvis	3	13.6	2.6	49.0	0	0.0	0.0	58.6	3	26.2	5.1	96.4
Brain and Other Nervous System	0	0.0	0.0	29.6	0	0.0	0.0	58.6	0	0.0	0.0	60.0
Hodgkin's Disease	0	0.0	0.0	29.6	0	0.0	0.0	58.6	0	0.0	0.0	60.0
Non-Hodgkin's Lymphomas	2	6.9	0.8	38.4	0	0.0	0.0	58.6	2	11.7	1.2	74.0
Multiple Myeloma	0	0.0	0.0	29.6	0	0.0	0.0	58.6	0	0.0	0.0	60.0
Leukemias	2	6.7	0.8	38.0	0	0.0	0.0	58.6	2	10.4	1.1	71.6
All Other Sites	6	22.9	8.1	59.9	1	9.3	0.2	72.0	5	31.9	9.4	100.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	7.1	0.2	68.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Pulaski County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	204	445.0	384.7	513.6	115	601.3	495.5	725.9	89	333.2	264.1	418.2
Oral Cavity and Pharynx	7	14.9	5.9	33.8	4	19.9	5.4	57.0	3	9.6	1.9	37.4
Esophagus	2	5.0	0.6	20.9	2	10.5	1.2	44.2	0	0.0	0.0	24.8
Stomach	7	14.4	5.7	33.1	2	10.6	1.3	44.3	5	18.4	5.6	50.5
Colon and Rectum	26	55.5	35.8	84.1	13	72.3	38.3	127.3	13	45.4	22.9	85.5
Liver	3	7.4	1.5	24.4	2	9.6	1.2	42.2	1	6.0	0.2	35.5
Pancreas	7	16.5	6.4	36.9	3	17.8	3.6	56.2	4	14.9	3.6	46.2
Lung and Bronchus	42	88.9	63.7	122.8	32	164.8	112.3	236.8	10	35.7	16.5	72.8
Bones and Joints	0	0.0	0.0	13.1	0	0.0	0.0	27.9	0	0.0	0.0	24.8
Melanoma of the Skin	5	14.1	4.5	34.8	5	32.3	10.5	77.6	0	0.0	0.0	24.8
Breast (invasive)	19	41.9	24.9	68.2	0	0	0	27.9	19	72.7	42.3	120.5
Cervix (invasive)	-	-	-	-	-	-	-	-	4	21.3	5.5	58.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	17.7	4.4	51.5
Ovary	-	-	-	-	-	-	-	-	5	21.4	6.3	56.7
Prostate	-	-	-	-	29	143.1	95.5	209.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	27.9	-	-	-	-
Urinary Bladder	8	15.9	6.8	34.6	6	30.2	11.0	71.0	2	6.5	0.8	33.2
Kidney and Renal Pelvis	4	8.9	2.3	26.0	2	11.2	1.3	45.8	2	7.1	0.8	34.6
Brain and Other Nervous System	3	7.2	1.4	24.0	2	11.2	1.3	45.5	1	3.4	0.1	29.3
Hodgkin's Disease	1	3.0	0.1	18.3	0	0.0	0.0	27.9	1	6.0	0.2	35.4
Non-Hodgkin's Lymphomas	8	17.6	7.4	37.7	3	16.7	3.4	53.7	5	15.6	5.0	45.2
Multiple Myeloma	1	3.0	0.1	18.4	1	6.6	0.2	39.4	0	0.0	0.0	24.8
Leukemias	7	14.6	5.8	33.3	4	21.2	5.7	59.4	3	8.6	1.7	35.5
All Other Sites	12	24.2	12.5	45.2	5	23.2	7.5	60.7	7	23.0	9.1	55.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2	9.4	1.0	39.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Putnam County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	186	513.0	441.4	595.3	106	634.9	518.2	775.0	80	427.3	337.3	539.2
Oral Cavity and Pharynx	2	5.3	0.6	25.3	2	10.8	1.3	51.7	0	0.0	0.0	35.2
Esophagus	4	10.4	2.8	31.9	3	16.9	3.5	60.6	1	4.7	0.1	41.4
Stomach	2	5.3	0.6	25.1	1	5.8	0.1	45.1	1	5.5	0.1	43.0
Colon and Rectum	18	47.8	28.3	79.3	10	63.3	29.5	124.8	8	38.3	16.3	85.8
Liver	1	3.2	0.1	22.7	0	0.0	0.0	36.9	1	6.4	0.2	45.1
Pancreas	6	16.2	5.9	39.9	4	23.2	6.3	69.3	2	9.9	1.2	48.5
Lung and Bronchus	32	86.4	59.0	125.3	20	110.5	67.4	178.2	12	65.5	33.5	122.4
Bones and Joints	0	0.0	0.0	17.8	0	0.0	0.0	36.9	0	0.0	0.0	35.2
Melanoma of the Skin	8	23.9	10.3	50.8	4	24.1	6.5	71.0	4	22.5	5.9	67.2
Breast (invasive)	30	85.7	57.6	125.5	0	0	0	36.9	30	168.1	112.8	246.7
Cervix (invasive)	-	-	-	-	-	-	-	-	2	11.1	1.3	51.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	9.7	1.1	48.3
Ovary	-	-	-	-	-	-	-	-	2	10.4	1.2	49.5
Prostate	-	-	-	-	30	176.2	118.4	258.6	-	-	-	-
Testis	-	-	-	-	4	32.2	8.8	86.6	-	-	-	-
Urinary Bladder	9	23.9	10.9	49.7	6	33.1	12.1	81.9	3	14.4	2.9	54.5
Kidney and Renal Pelvis	3	7.7	1.6	28.2	2	12.1	1.5	54.4	1	4.2	0.1	40.5
Brain and Other Nervous System	2	5.7	0.7	26.1	1	5.9	0.2	45.5	1	4.2	0.1	40.5
Hodgkin's Disease	3	9.8	1.9	32.8	2	10.5	1.3	51.1	1	9.5	0.2	53.2
Non-Hodgkin's Lymphomas	3	7.9	1.6	28.7	1	5.4	0.1	44.3	2	9.2	1.1	47.4
Multiple Myeloma	2	6.0	0.7	26.6	1	6.8	0.2	47.6	1	5.2	0.1	42.3
Leukemias	7	18.0	7.2	41.8	6	36.3	13.3	87.5	1	4.2	0.1	40.5
All Other Sites	14	39.0	21.2	69.3	9	61.9	27.5	124.7	5	24.3	7.7	67.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	26.5	8.5	71.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Randolph County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	929	474.4	444.1	506.5	493	583.5	533.0	637.8	436	397.9	359.8	439.6
Oral Cavity and Pharynx	12	6.4	3.3	11.5	8	9.1	3.9	18.6	4	4.2	1.1	12.4
Esophagus	5	2.5	0.8	6.3	2	2.4	0.3	9.3	3	2.5	0.5	9.6
Stomach	9	4.6	2.1	9.2	5	6.1	2.0	14.7	4	3.7	0.9	11.4
Colon and Rectum	114	55.1	45.4	66.7	58	69.9	53.0	90.7	56	43.3	32.3	58.0
Liver	9	4.6	2.1	9.2	7	8.1	3.2	17.2	2	1.7	0.2	8.4
Pancreas	27	13.4	8.8	19.9	13	15.3	8.1	26.6	14	10.8	5.7	20.0
Lung and Bronchus	150	77.9	65.8	91.7	82	97.4	77.4	121.2	68	61.9	47.8	79.9
Bones and Joints	2	1.2	0.1	4.6	1	1.0	0.0	7.0	1	1.3	0.0	8.3
Melanoma of the Skin	25	13.1	8.4	19.7	13	14.6	7.8	25.6	12	11.0	5.4	21.1
Breast (invasive)	109	56.6	46.4	68.7	0	0	0	5.4	109	107.1	87.1	131.0
Cervix (invasive)	-	-	-	-	-	-	-	-	12	15.0	7.6	27.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	24	21.1	13.3	32.9
Ovary	-	-	-	-	-	-	-	-	10	9.5	4.4	19.1
Prostate	-	-	-	-	156	185.8	157.7	217.7	-	-	-	-
Testis	-	-	-	-	6	6.1	2.2	14.1	-	-	-	-
Urinary Bladder	46	23.3	17.0	31.5	34	41.2	28.5	58.0	12	9.9	5.0	19.0
Kidney and Renal Pelvis	25	13.5	8.7	20.3	16	18.3	10.4	30.4	9	7.9	3.5	16.6
Brain and Other Nervous System	10	5.3	2.5	10.2	6	6.7	2.4	15.3	4	3.0	0.7	10.2
Hodgkin's Disease	1	0.6	0.0	3.7	1	0.9	0.0	6.7	0	0.0	0.0	6.1
Non-Hodgkin's Lymphomas	45	23.4	17.0	31.7	25	28.9	18.7	43.1	20	17.7	10.6	28.9
Multiple Myeloma	9	4.4	2.0	8.9	4	4.7	1.3	12.7	5	4.0	1.2	11.5
Leukemias	35	17.7	12.3	25.1	14	17.1	9.3	29.2	21	19.4	11.7	31.4
All Other Sites	88	44.3	35.4	55.0	42	50.0	36.0	68.1	46	42.8	30.8	58.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	10.8	5.1	21.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Richland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	487	487.9	444.8	534.5	262	601.3	530.2	680.0	225	410.3	356.4	471.4
Oral Cavity and Pharynx	9	9.0	4.0	18.1	5	11.9	3.8	29.1	4	6.6	1.8	20.2
Esophagus	7	8.1	3.2	17.4	5	12.9	4.2	30.9	2	5.2	0.6	19.8
Stomach	4	4.4	1.2	12.3	3	7.4	1.5	22.9	1	1.5	0.0	13.2
Colon and Rectum	67	63.9	49.3	82.2	34	78.7	54.3	111.0	33	52.2	35.4	76.3
Liver	1	1.0	0.0	7.0	1	2.0	0.1	14.0	0	0.0	0.0	11.2
Pancreas	15	14.3	7.9	24.7	11	26.2	13.0	48.0	4	6.5	1.6	20.5
Lung and Bronchus	83	81.7	64.8	102.3	49	113.0	83.4	150.6	34	58.7	40.1	84.7
Bones and Joints	0	0.0	0.0	5.5	0	0.0	0.0	11.0	0	0.0	0.0	11.2
Melanoma of the Skin	18	19.4	11.3	31.5	11	25.2	12.5	46.4	7	15.9	6.0	35.0
Breast (invasive)	61	63.9	48.6	83	1	2.9	0.1	16.3	60	114.8	86.8	150.4
Cervix (invasive)	-	-	-	-	-	-	-	-	8	17.0	7.2	35.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	41.6	25.1	66.2
Ovary	-	-	-	-	-	-	-	-	6	10.6	3.6	26.3
Prostate	-	-	-	-	76	167.5	131.8	210.9	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	16.3	-	-	-	-
Urinary Bladder	24	23.0	14.7	35.2	21	47.4	29.3	73.6	3	4.2	0.8	16.8
Kidney and Renal Pelvis	11	11.2	5.5	21.0	5	11.5	3.7	28.3	6	10.2	3.5	25.5
Brain and Other Nervous System	6	6.4	2.3	14.9	5	11.8	3.8	28.9	1	1.4	0.0	12.9
Hodgkin's Disease	1	1.4	0.0	8.1	0	0.0	0.0	11.0	1	2.8	0.1	16.3
Non-Hodgkin's Lymphomas	22	21.3	13.2	33.3	9	20.3	9.2	40.0	13	21.1	10.9	39.1
Multiple Myeloma	5	5.0	1.6	12.8	2	4.7	0.5	18.5	3	5.5	1.0	19.4
Leukemias	10	10.4	4.9	20.1	5	11.7	3.8	28.8	5	10.5	3.3	26.8
All Other Sites	32	32.5	22.1	46.9	18	43.3	25.5	69.5	14	24.1	12.7	43.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	17.6	7.9	35.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,253	501.2	486.2	516.6	2,313	633.9	608.2	660.6	1,940	413.7	395.1	432.9
Oral Cavity and Pharynx	81	9.8	7.8	12.3	62	16.3	12.5	21.0	19	4.0	2.4	6.4
Esophagus	52	6.1	4.5	8.0	40	10.8	7.7	14.9	12	2.5	1.3	4.6
Stomach	35	3.9	2.7	5.5	19	5.5	3.3	8.8	16	2.8	1.6	4.7
Colon and Rectum	478	54.9	50.1	60.1	245	68.5	60.1	77.9	233	45.9	40.1	52.4
Liver	34	4.1	2.8	5.7	20	5.3	3.2	8.4	14	2.9	1.6	5.1
Pancreas	116	13.3	11.0	16.0	62	17.0	13.0	22.0	54	10.2	7.6	13.5
Lung and Bronchus	649	75.0	69.3	81.0	372	101.3	91.2	112.3	277	56.7	50.1	64.0
Bones and Joints	7	0.9	0.4	1.9	4	1.1	0.3	3.0	3	0.7	0.2	2.3
Melanoma of the Skin	156	19.5	16.6	22.9	93	25.6	20.7	31.6	63	15.2	11.6	19.6
Breast (invasive)	565	67.9	62.4	73.7	3	0.8	0.2	2.6	562	123.6	113.4	134.5
Cervix (invasive)	-	-	-	-	-	-	-	-	61	15.4	11.7	19.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	119	26.3	21.7	31.6
Ovary	-	-	-	-	-	-	-	-	59	13.2	10.0	17.2
Prostate	-	-	-	-	738	199.6	185.4	214.7	-	-	-	-
Testis	-	-	-	-	18	5.0	3.0	8.1	-	-	-	-
Urinary Bladder	220	25.2	22.0	28.8	168	47.5	40.5	55.4	52	10.6	7.8	14.0
Kidney and Renal Pelvis	108	12.7	10.4	15.3	67	18.4	14.3	23.6	41	8.3	5.9	11.5
Brain and Other Nervous System	37	4.6	3.3	6.4	23	6.1	3.9	9.3	14	3.4	1.8	5.8
Hodgkin's Disease	25	3.2	2.1	4.8	15	4.1	2.3	7.0	10	2.3	1.1	4.5
Non-Hodgkin's Lymphomas	165	19.4	16.5	22.6	84	23.0	18.3	28.6	81	16.8	13.3	21.1
Multiple Myeloma	44	5.3	3.8	7.1	24	6.4	4.1	9.7	20	4.2	2.5	6.7
Leukemias	77	9.0	7.1	11.3	43	12.1	8.7	16.4	34	6.4	4.4	9.2
All Other Sites	409	48.8	44.1	53.8	213	59.5	51.7	68.3	196	42.3	36.4	48.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	113	25.7	21.1	31.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,638	518.4	506.0	531.1	3,345	620.1	599.1	641.9	3,293	451.7	436.2	467.6
Oral Cavity and Pharynx	138	10.9	9.1	12.8	94	16.6	13.4	20.5	44	6.2	4.5	8.4
Esophagus	76	6.0	4.7	7.5	56	10.3	7.8	13.6	20	2.7	1.6	4.2
Stomach	80	6.2	4.9	7.7	49	9.7	7.2	13.1	31	3.9	2.6	5.6
Colon and Rectum	881	68.2	63.8	72.9	419	80.4	72.8	88.8	462	60.3	54.8	66.1
Liver	46	3.6	2.6	4.8	36	6.4	4.5	9.0	10	1.4	0.7	2.6
Pancreas	152	11.8	10.0	13.9	80	15.1	11.9	18.9	72	9.5	7.4	12.0
Lung and Bronchus	1,118	87.1	82.0	92.4	655	121.9	112.6	131.8	463	63.2	57.5	69.3
Bones and Joints	17	1.3	0.8	2.1	10	1.6	0.8	3.2	7	1.0	0.4	2.1
Melanoma of the Skin	153	12.0	10.2	14.1	92	16.5	13.3	20.4	61	8.7	6.7	11.3
Breast (invasive)	1,002	78.8	74	83.9	5	0.9	0.3	2.3	997	140.4	131.8	149.6
Cervix (invasive)	-	-	-	-	-	-	-	-	70	10.3	8.0	13.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	171	24.1	20.6	28.0
Ovary	-	-	-	-	-	-	-	-	112	15.5	12.7	18.7
Prostate	-	-	-	-	895	164.3	153.6	175.6	-	-	-	-
Testis	-	-	-	-	20	3.3	2.0	5.3	-	-	-	-
Urinary Bladder	295	22.8	20.3	25.6	227	43.4	37.8	49.6	68	8.7	6.7	11.1
Kidney and Renal Pelvis	233	18.3	16.1	20.9	138	25.4	21.3	30.1	95	13.1	10.6	16.1
Brain and Other Nervous System	73	5.7	4.5	7.2	34	5.9	4.1	8.4	39	5.4	3.9	7.5
Hodgkin's Disease	34	2.7	1.9	3.8	22	3.9	2.4	6.1	12	1.8	1.0	3.3
Non-Hodgkin's Lymphomas	231	18.0	15.7	20.4	120	22.0	18.2	26.5	111	14.7	12.1	17.8
Multiple Myeloma	95	7.4	6.0	9.1	45	8.6	6.3	11.8	50	6.7	5.0	8.9
Leukemias	170	13.2	11.3	15.4	93	16.8	13.5	20.8	77	10.4	8.2	13.0
All Other Sites	576	45.0	41.4	48.8	255	47.0	41.4	53.3	321	43.7	39.0	48.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	157	22.3	18.9	26.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Saline County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	869	488.7	456.0	523.4	447	606.6	551.4	666.5	422	413.3	372.8	458.1
Oral Cavity and Pharynx	15	8.5	4.7	14.8	11	14.4	7.2	27.0	4	3.6	0.9	12.0
Esophagus	9	5.5	2.5	11.2	8	11.2	4.8	23.1	1	1.3	0.0	9.2
Stomach	11	5.5	2.7	10.9	6	7.9	2.9	18.4	5	3.6	1.1	11.5
Colon and Rectum	137	73.6	61.6	87.9	61	82.7	63.2	107.0	76	69.3	53.8	89.2
Liver	9	4.8	2.1	10.0	5	7.0	2.3	17.4	4	3.5	0.9	11.7
Pancreas	15	8.7	4.7	15.2	8	11.4	4.8	23.5	7	6.3	2.4	15.7
Lung and Bronchus	197	111.3	96.1	128.8	113	153.4	126.3	185.3	84	83.1	65.8	104.8
Bones and Joints	0	0.0	0.0	3.6	0	0.0	0.0	7.2	0	0.0	0.0	7.2
Melanoma of the Skin	25	14.6	9.3	22.4	18	24.3	14.3	39.5	7	7.1	2.5	17.2
Breast (invasive)	99	60.6	49	74.6	1	1.2	0	8.9	98	109.2	87.8	135.1
Cervix (invasive)	-	-	-	-	-	-	-	-	9	12.5	5.5	25.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	21	21.3	13.0	34.5
Ovary	-	-	-	-	-	-	-	-	8	7.8	3.2	17.7
Prostate	-	-	-	-	80	105.2	83.3	131.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	7.2	-	-	-	-
Urinary Bladder	33	17.4	11.9	25.2	26	34.9	22.8	52.1	7	5.6	2.2	14.3
Kidney and Renal Pelvis	27	16.5	10.8	24.7	21	29.5	18.2	46.1	6	7.3	2.6	17.4
Brain and Other Nervous System	11	6.7	3.3	12.7	9	12.0	5.5	24.0	2	1.5	0.2	9.0
Hodgkin's Disease	3	1.8	0.3	6.4	2	3.3	0.4	12.7	1	0.6	0.0	7.9
Non-Hodgkin's Lymphomas	38	19.9	13.9	28.1	13	18.5	9.8	32.5	25	20.8	13.2	33.0
Multiple Myeloma	15	8.4	4.6	14.8	10	13.7	6.6	26.3	5	4.3	1.2	13.1
Leukemias	23	11.3	7.1	17.9	12	16.3	8.4	29.5	11	8.4	4.0	17.8
All Other Sites	84	45.4	36.0	57.1	43	59.8	43.2	81.5	41	36.1	25.3	51.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	15.3	8.0	27.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,696	470.5	457.1	484.2	2,273	552.0	529.3	575.5	2,423	423.9	407.0	441.4
Oral Cavity and Pharynx	113	11.5	9.5	13.8	73	16.8	13.1	21.3	40	7.4	5.3	10.2
Esophagus	48	4.8	3.5	6.4	33	7.7	5.3	11.0	15	2.4	1.3	4.2
Stomach	45	4.4	3.2	6.0	26	6.4	4.2	9.6	19	3.1	1.8	5.0
Colon and Rectum	588	58.2	53.6	63.1	274	68.0	60.1	76.8	314	51.5	45.9	57.7
Liver	29	2.9	1.9	4.2	23	5.6	3.5	8.6	6	1.0	0.3	2.3
Pancreas	102	10.0	8.2	12.2	45	11.1	8.1	15.1	57	9.1	6.8	11.9
Lung and Bronchus	780	78.1	72.7	83.8	442	108.3	98.3	119.1	338	59.0	52.8	65.8
Bones and Joints	9	1.0	0.4	1.9	6	1.3	0.5	3.1	3	0.7	0.1	2.0
Melanoma of the Skin	108	10.9	8.9	13.2	60	14.3	10.9	18.6	48	8.7	6.4	11.6
Breast (invasive)	806	80.9	75.4	86.7	9	2.1	0.9	4.2	797	142.5	132.7	152.9
Cervix (invasive)	-	-	-	-	-	-	-	-	47	8.9	6.5	11.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	128	22.8	19.0	27.3
Ovary	-	-	-	-	-	-	-	-	78	13.6	10.7	17.1
Prostate	-	-	-	-	574	139.3	128.0	151.4	-	-	-	-
Testis	-	-	-	-	22	4.8	3.0	7.4	-	-	-	-
Urinary Bladder	199	19.8	17.1	22.8	151	38.0	32.1	44.8	48	8.2	6.0	11.0
Kidney and Renal Pelvis	132	13.2	11.1	15.7	78	18.8	14.8	23.7	54	9.5	7.1	12.5
Brain and Other Nervous System	63	6.4	5.0	8.3	30	6.7	4.5	9.8	33	6.0	4.1	8.6
Hodgkin's Disease	38	4.0	2.8	5.5	24	5.5	3.5	8.4	14	2.9	1.6	4.9
Non-Hodgkin's Lymphomas	171	17.1	14.7	19.9	89	21.2	17.0	26.3	82	14.2	11.2	17.7
Multiple Myeloma	45	4.5	3.2	6.0	25	6.2	4.0	9.3	20	3.3	2.0	5.2
Leukemias	122	12.4	10.3	14.8	62	14.6	11.2	19.0	60	10.5	7.9	13.6
All Other Sites	449	45.1	41.0	49.5	227	55.2	48.2	63.1	222	38.8	33.8	44.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	207	38.5	33.4	44.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Schuyler County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	200	405.5	350.1	469.2	112	509.2	418.5	616.9	88	323.4	256.8	408.3
Oral Cavity and Pharynx	5	10.8	3.4	29.0	3	13.4	2.7	45.9	2	9.1	1.0	44.6
Esophagus	2	3.8	0.5	19.0	1	4.0	0.1	32.0	1	3.2	0.1	35.3
Stomach	2	4.1	0.5	19.7	2	8.9	1.1	39.4	0	0.0	0.0	31.6
Colon and Rectum	28	55.0	36.2	83.0	11	49.4	24.5	93.6	17	60.9	34.5	108.1
Liver	1	2.3	0.1	17.3	1	4.7	0.1	33.5	0	0.0	0.0	31.6
Pancreas	8	15.9	6.7	35.3	2	9.9	1.2	41.6	6	18.7	6.6	54.5
Lung and Bronchus	37	76.6	53.6	108.5	25	113.1	73.1	171.3	12	44.2	22.2	87.8
Bones and Joints	2	3.7	0.4	18.8	0	0.0	0.0	26.4	2	6.5	0.8	39.2
Melanoma of the Skin	4	8.4	2.2	25.5	3	13.7	2.8	46.4	1	4.5	0.1	37.7
Breast (invasive)	23	46.5	29.1	73.2	1	4	0.1	32	22	82.0	50.1	134.2
Cervix (invasive)	-	-	-	-	-	-	-	-	4	21.6	5.7	63.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	9.6	1.8	43.4
Ovary	-	-	-	-	-	-	-	-	1	3.2	0.1	35.3
Prostate	-	-	-	-	17	74.5	43.3	124.0	-	-	-	-
Testis	-	-	-	-	2	10.6	1.2	43.5	-	-	-	-
Urinary Bladder	8	13.8	5.9	31.7	8	33.8	14.5	72.6	0	0.0	0.0	31.6
Kidney and Renal Pelvis	8	14.3	6.0	32.5	4	18.2	4.8	52.7	4	11.4	3.0	44.8
Brain and Other Nervous System	3	6.1	1.2	22.3	3	13.7	2.8	46.4	0	0.0	0.0	31.6
Hodgkin's Disease	2	5.1	0.6	22.0	1	6.7	0.2	38.6	1	3.8	0.1	36.3
Non-Hodgkin's Lymphomas	13	27.1	14.2	49.8	9	43.6	19.8	87.3	4	13.3	3.6	47.7
Multiple Myeloma	4	8.5	2.1	26.0	3	15.9	3.1	51.3	1	3.1	0.1	35.0
Leukemias	6	11.8	4.2	29.8	5	21.1	6.8	55.8	1	3.8	0.1	36.3
All Other Sites	17	35.8	20.6	60.5	11	50.2	24.9	94.7	6	24.5	8.7	63.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	4.7	0.1	38.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Scott County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	136	401.0	335.7	477.4	62	415.3	317.5	539.0	74	389.7	302.9	499.0
Oral Cavity and Pharynx	1	3.0	0.1	22.0	0	0.0	0.0	39.8	1	5.5	0.1	43.4
Esophagus	2	5.7	0.7	25.6	2	12.8	1.5	58.2	0	0.0	0.0	35.6
Stomach	2	6.5	0.8	27.5	1	5.8	0.1	47.8	1	7.9	0.2	49.1
Colon and Rectum	21	61.9	38.1	97.6	10	66.9	31.9	130.9	11	54.6	26.6	107.9
Liver	1	2.7	0.1	21.2	1	5.6	0.1	47.4	0	0.0	0.0	35.6
Pancreas	2	6.7	0.8	27.8	1	7.1	0.2	50.7	1	5.1	0.1	42.6
Lung and Bronchus	21	60.1	37.0	95.1	13	90.0	47.8	160.9	8	36.3	15.3	83.0
Bones and Joints	0	0.0	0.0	17.4	0	0.0	0.0	39.8	0	0.0	0.0	35.6
Melanoma of the Skin	3	8.6	1.7	29.9	2	14.9	1.7	63.0	1	6.4	0.2	45.5
Breast (invasive)	13	37	19.5	66.8	0	0	0	39.8	13	64.9	33.5	121.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	10.3	1.1	50.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	60.1	28.0	118.8
Ovary	-	-	-	-	-	-	-	-	2	9.4	1.1	48.1
Prostate	-	-	-	-	10	64.1	30.4	126.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	39.8	-	-	-	-
Urinary Bladder	7	19.4	7.7	44.2	5	29.1	9.4	79.2	2	11.8	1.2	53.6
Kidney and Renal Pelvis	3	9.9	2.0	32.3	2	12.5	1.5	57.7	1	6.4	0.2	45.5
Brain and Other Nervous System	1	2.3	0.1	20.3	0	0.0	0.0	39.8	1	3.0	0.1	38.8
Hodgkin's Disease	1	3.5	0.1	23.2	1	7.8	0.2	52.4	0	0.0	0.0	35.6
Non-Hodgkin's Lymphomas	10	30.5	14.5	59.6	4	26.8	7.2	78.3	6	31.4	11.1	78.8
Multiple Myeloma	2	6.5	0.8	27.4	2	14.5	1.7	61.8	0	0.0	0.0	35.6
Leukemias	6	15.4	5.5	38.4	4	31.7	8.5	87.9	2	6.9	0.8	43.6
All Other Sites	16	49.0	27.8	82.6	4	25.6	6.9	76.0	12	69.7	35.1	130.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	20.3	4.1	66.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Shelby County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	603	415.0	382.1	450.5	339	515.0	461.2	574.0	264	345.5	303.8	392.7
Oral Cavity and Pharynx	11	8.1	4.0	15.4	8	12.8	5.5	26.4	3	4.2	0.8	15.3
Esophagus	7	4.7	1.9	10.8	6	9.5	3.4	21.9	1	1.2	0.0	10.8
Stomach	4	2.4	0.6	7.5	1	1.8	0.0	11.2	3	3.1	0.6	13.1
Colon and Rectum	87	58.1	46.4	72.5	48	72.0	53.0	96.6	39	48.6	34.2	68.8
Liver	3	2.4	0.5	7.9	2	3.5	0.4	13.7	1	1.4	0.0	11.1
Pancreas	12	8.1	4.2	15.1	5	7.6	2.4	19.2	7	8.7	3.5	20.6
Lung and Bronchus	112	74.3	61.0	90.1	69	103.3	80.2	131.8	43	52.3	37.5	72.7
Bones and Joints	2	1.5	0.2	6.6	1	1.4	0.0	10.1	1	1.8	0.0	12.2
Melanoma of the Skin	9	6.2	2.8	12.7	6	8.9	3.2	20.8	3	3.9	0.7	14.8
Breast (invasive)	74	56.7	44.3	71.9	0	0	0	8	74	108.7	84.7	138.7
Cervix (invasive)	-	-	-	-	-	-	-	-	3	4.4	0.8	15.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	26.0	15.7	42.6
Ovary	-	-	-	-	-	-	-	-	7	7.9	3.0	19.5
Prostate	-	-	-	-	102	149.5	121.8	182.5	-	-	-	-
Testis	-	-	-	-	3	5.3	1.1	16.5	-	-	-	-
Urinary Bladder	37	24.7	17.3	35.0	27	43.7	28.7	64.6	10	11.0	5.1	23.5
Kidney and Renal Pelvis	19	12.6	7.5	20.5	9	13.6	6.2	27.2	10	11.9	5.6	24.7
Brain and Other Nervous System	12	9.0	4.6	16.7	6	9.7	3.5	22.3	6	9.1	3.3	22.0
Hodgkin's Disease	1	0.7	0.0	5.3	1	1.3	0.0	10.0	0	0.0	0.0	9.3
Non-Hodgkin's Lymphomas	20	14.1	8.5	22.5	12	17.9	9.2	32.5	8	10.4	4.4	23.1
Multiple Myeloma	8	5.2	2.2	11.3	6	9.3	3.4	21.5	2	2.8	0.3	13.1
Leukemias	13	8.4	4.4	15.3	7	10.6	4.2	23.1	6	7.0	2.4	18.7
All Other Sites	37	27.3	19.0	38.4	20	33.2	20.2	52.3	17	21.3	12.1	36.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	29.4	18.0	47.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Stark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	224	536.2	466.4	616.1	119	649.3	537.0	782.9	105	460.2	370.5	570.6
Oral Cavity and Pharynx	3	6.1	1.2	25.1	1	5.5	0.1	42.4	2	4.9	0.6	39.4
Esophagus	4	8.0	2.1	27.4	3	17.3	3.6	59.4	1	3.7	0.1	38.9
Stomach	1	2.8	0.1	21.3	1	5.5	0.1	42.4	0	0.0	0.0	34.5
Colon and Rectum	31	68.0	45.6	101.2	17	89.8	52.1	151.0	14	54.5	27.8	105.0
Liver	3	7.0	1.3	26.8	3	15.8	3.2	56.5	0	0.0	0.0	34.5
Pancreas	2	4.0	0.5	22.3	1	6.2	0.2	43.9	1	2.1	0.1	36.5
Lung and Bronchus	39	94.8	66.9	133.6	18	102.3	60.4	168.2	21	86.6	52.3	143.3
Bones and Joints	1	2.2	0.1	20.1	0	0.0	0.0	34.4	1	4.1	0.1	39.7
Melanoma of the Skin	7	19.9	7.7	45.5	4	24.1	6.3	69.9	3	16.0	2.7	58.5
Breast (invasive)	27	64.8	42	98.8	0	0	0	34.4	27	120.7	76.9	187.3
Cervix (invasive)	-	-	-	-	-	-	-	-	1	6.0	0.2	43.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	21.1	5.6	63.8
Ovary	-	-	-	-	-	-	-	-	4	23.2	6.0	68.3
Prostate	-	-	-	-	27	143.7	94.4	215.6	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	34.4	-	-	-	-
Urinary Bladder	12	28.1	14.3	53.9	11	58.4	29.0	112.3	1	3.7	0.1	38.9
Kidney and Renal Pelvis	7	16.7	6.6	39.5	4	22.2	5.9	65.8	3	13.1	2.6	51.7
Brain and Other Nervous System	2	4.3	0.5	23.0	1	6.0	0.2	43.5	1	5.7	0.1	42.9
Hodgkin's Disease	1	4.7	0.1	26.0	0	0.0	0.0	34.4	1	9.4	0.2	52.2
Non-Hodgkin's Lymphomas	9	21.6	9.6	46.0	4	21.8	5.9	65.1	5	21.4	6.0	63.7
Multiple Myeloma	2	4.8	0.6	23.8	1	5.3	0.1	42.0	1	3.7	0.1	38.9
Leukemias	9	21.7	9.6	46.5	8	44.7	19.0	96.1	1	3.7	0.1	38.9
All Other Sites	28	67.5	44.3	101.9	15	80.7	45.0	140.3	13	56.6	28.3	109.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	4	16.1	4.1	55.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Stephenson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,233	422.2	398.8	446.9	622	490.3	452.3	530.9	611	380.5	350.1	413.4
Oral Cavity and Pharynx	22	8.2	5.1	12.7	11	9.2	4.6	16.9	11	7.4	3.6	14.2
Esophagus	13	4.2	2.2	7.6	12	9.5	4.9	17.1	1	0.8	0.0	5.2
Stomach	20	6.6	4.0	10.6	16	12.7	7.2	21.1	4	2.5	0.7	7.6
Colon and Rectum	174	57.2	49.0	66.7	88	70.0	56.1	86.7	86	48.6	38.6	61.1
Liver	8	2.8	1.2	6.0	5	3.9	1.3	9.9	3	1.7	0.3	6.3
Pancreas	39	13.0	9.2	18.1	23	18.0	11.4	27.5	16	9.0	5.0	15.8
Lung and Bronchus	158	53.7	45.6	63.1	97	75.5	61.2	92.6	61	38.1	28.9	49.8
Bones and Joints	0	0.0	0.0	2.0	0	0.0	0.0	4.1	0	0.0	0.0	4.0
Melanoma of the Skin	31	11.1	7.5	16.1	20	15.1	9.2	23.9	11	8.2	4.1	15.4
Breast (invasive)	181	64	54.9	74.4	1	0.7	0	5.2	180	116.3	99.4	135.6
Cervix (invasive)	-	-	-	-	-	-	-	-	11	8.8	4.3	16.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	35	23.1	15.9	32.9
Ovary	-	-	-	-	-	-	-	-	16	11.2	6.3	19.0
Prostate	-	-	-	-	141	108.4	91.2	128.3	-	-	-	-
Testis	-	-	-	-	6	5.4	2.0	12.2	-	-	-	-
Urinary Bladder	55	18.1	13.6	23.9	42	33.7	24.2	46.0	13	6.8	3.6	12.7
Kidney and Renal Pelvis	41	14.0	10.1	19.4	18	13.9	8.2	22.5	23	13.6	8.6	21.3
Brain and Other Nervous System	18	6.5	3.8	10.7	8	6.7	2.9	13.7	10	6.1	2.8	12.4
Hodgkin's Disease	9	3.8	1.7	7.4	3	2.5	0.5	7.9	6	4.9	1.8	11.3
Non-Hodgkin's Lymphomas	67	23.4	18.1	30.1	37	29.9	21.0	41.7	30	18.1	12.1	26.7
Multiple Myeloma	21	7.0	4.3	11.0	11	9.2	4.6	17.0	10	5.9	2.8	11.9
Leukemias	29	9.9	6.6	14.6	16	13.1	7.4	21.8	13	7.6	4.0	14.2
All Other Sites	138	46.5	39.0	55.2	67	53.2	41.2	68.0	71	41.9	32.4	53.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	29	19.8	13.1	29.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Tazewell County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,562	495.9	479.7	512.6	1,870	591.0	564.2	618.8	1,692	432.0	411.4	453.4
Oral Cavity and Pharynx	67	9.2	7.2	11.8	43	13.3	9.6	18.2	24	5.8	3.7	8.9
Esophagus	32	4.4	3.0	6.3	25	7.8	5.0	11.8	7	1.8	0.7	3.9
Stomach	51	7.0	5.2	9.3	30	9.2	6.2	13.4	21	4.9	3.0	7.7
Colon and Rectum	421	57.7	52.3	63.5	199	65.9	56.9	76.1	222	52.1	45.4	59.7
Liver	29	4.1	2.7	5.9	24	7.5	4.8	11.4	5	1.2	0.4	3.2
Pancreas	81	11.1	8.8	13.8	44	14.0	10.2	19.1	37	8.7	6.1	12.2
Lung and Bronchus	580	79.4	73.0	86.1	325	103.3	92.2	115.4	255	62.7	55.2	71.1
Bones and Joints	8	1.2	0.5	2.4	5	1.5	0.5	3.9	3	0.8	0.2	2.6
Melanoma of the Skin	115	16.7	13.8	20.1	71	22.1	17.2	28.1	44	12.3	8.9	16.8
Breast (invasive)	466	65.8	59.9	72.1	2	0.6	0.1	2.6	464	121.7	110.7	133.5
Cervix (invasive)	-	-	-	-	-	-	-	-	42	12.3	8.8	16.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	110	29.0	23.8	35.2
Ovary	-	-	-	-	-	-	-	-	49	12.6	9.3	16.8
Prostate	-	-	-	-	510	158.7	145.1	173.4	-	-	-	-
Testis	-	-	-	-	12	3.8	2.0	6.9	-	-	-	-
Urinary Bladder	195	26.8	23.2	30.9	144	45.5	38.3	53.9	51	12.2	9.1	16.3
Kidney and Renal Pelvis	116	16.2	13.4	19.5	72	21.9	17.1	27.9	44	11.2	8.1	15.3
Brain and Other Nervous System	65	9.4	7.2	12.0	38	11.9	8.4	16.5	27	7.4	4.8	11.0
Hodgkin's Disease	25	3.8	2.5	5.7	17	5.3	3.1	8.7	8	2.6	1.1	5.2
Non-Hodgkin's Lymphomas	148	20.8	17.6	24.5	84	26.9	21.4	33.6	64	16.4	12.6	21.2
Multiple Myeloma	36	4.9	3.4	6.9	24	7.7	4.9	11.7	12	2.9	1.5	5.4
Leukemias	90	12.8	10.3	15.8	53	17.5	13.1	23.1	37	9.4	6.5	13.2
All Other Sites	314	44.6	39.8	49.9	148	46.5	39.3	54.9	166	43.9	37.4	51.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	95	25.9	20.9	31.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Union County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	563	485.3	445.4	528.7	300	584.7	520.1	656.5	263	421.4	370.1	479.7
Oral Cavity and Pharynx	10	9.3	4.4	18.4	7	13.8	5.5	30.8	3	5.9	1.2	20.6
Esophagus	2	2.0	0.2	8.7	1	2.2	0.1	15.0	1	1.7	0.0	14.3
Stomach	10	8.7	4.1	17.5	8	16.1	6.9	33.9	2	3.3	0.4	16.4
Colon and Rectum	65	51.9	39.9	67.5	26	50.1	32.7	75.4	39	52.4	36.5	75.4
Liver	2	1.8	0.2	8.3	2	3.6	0.4	16.7	0	0.0	0.0	11.9
Pancreas	15	12.5	6.9	22.0	7	13.5	5.4	30.4	8	12.1	5.1	27.7
Lung and Bronchus	99	83.4	67.7	102.7	65	123.2	95.0	158.8	34	53.3	36.7	77.4
Bones and Joints	0	0.0	0.0	5.9	0	0.0	0.0	11.7	0	0.0	0.0	11.9
Melanoma of the Skin	14	12.4	6.6	22.4	8	15.7	6.8	33.4	6	10.9	3.6	27.6
Breast (invasive)	83	73.5	58.4	92.4	0	0	0	11.7	83	137.7	108.8	173.8
Cervix (invasive)	-	-	-	-	-	-	-	-	5	9.0	2.8	24.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	30.8	18.1	51.6
Ovary	-	-	-	-	-	-	-	-	9	16.0	7.0	33.8
Prostate	-	-	-	-	78	149.3	117.9	188.0	-	-	-	-
Testis	-	-	-	-	4	10.9	3.0	28.9	-	-	-	-
Urinary Bladder	32	25.5	17.4	37.4	23	44.8	28.4	69.2	9	10.3	4.5	24.6
Kidney and Renal Pelvis	13	10.9	5.8	20.2	9	17.7	8.1	35.9	4	6.0	1.5	19.9
Brain and Other Nervous System	14	14.7	7.9	25.8	9	19.3	8.7	38.6	5	11.5	3.6	29.1
Hodgkin's Disease	4	3.9	1.1	11.6	2	4.5	0.5	18.6	2	2.9	0.3	15.6
Non-Hodgkin's Lymphomas	28	23.0	15.2	34.6	20	38.5	23.5	61.6	8	11.2	4.7	26.3
Multiple Myeloma	2	1.7	0.2	8.3	0	0.0	0.0	11.7	2	3.1	0.4	16.1
Leukemias	13	12.1	6.4	22.1	8	16.2	7.0	34.3	5	9.5	2.9	25.5
All Other Sites	43	39.0	28.0	53.8	23	45.4	28.6	70.1	20	33.8	20.1	55.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	15.6	7.0	32.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,508	507.3	487.5	527.8	1,304	599.4	567.0	633.4	1,204	450.1	424.4	477.0
Oral Cavity and Pharynx	53	11.1	8.3	14.7	33	15.1	10.4	21.5	20	7.2	4.4	11.6
Esophagus	31	6.2	4.2	8.9	26	12.2	7.9	18.3	5	1.5	0.5	4.2
Stomach	28	5.5	3.6	8.0	21	9.2	5.7	14.5	7	2.2	0.9	5.2
Colon and Rectum	324	63.7	56.9	71.2	156	73.9	62.6	86.9	168	57.1	48.7	66.9
Liver	12	2.3	1.2	4.2	8	3.6	1.5	7.5	4	1.4	0.4	4.2
Pancreas	66	12.8	9.9	16.4	33	15.2	10.4	21.7	33	11.3	7.7	16.3
Lung and Bronchus	444	88.0	80.0	96.8	281	127.0	112.4	143.2	163	59.4	50.5	69.7
Bones and Joints	4	1.0	0.3	2.6	4	2.0	0.5	5.5	0	0.0	0.0	2.1
Melanoma of the Skin	76	16.5	13.0	20.7	50	23.0	17.0	30.6	26	11.3	7.3	16.9
Breast (invasive)	369	77.7	69.9	86.2	2	0.9	0.1	3.8	367	143.4	128.8	159.4
Cervix (invasive)	-	-	-	-	-	-	-	-	23	9.6	6.0	14.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	73	28.1	21.9	35.7
Ovary	-	-	-	-	-	-	-	-	28	10.0	6.6	14.9
Prostate	-	-	-	-	343	154.9	138.8	172.6	-	-	-	-
Testis	-	-	-	-	10	4.9	2.4	9.4	-	-	-	-
Urinary Bladder	126	25.0	20.8	29.9	92	44.2	35.5	54.6	34	12.6	8.7	18.0
Kidney and Renal Pelvis	67	14.1	10.9	18.0	37	17.3	12.2	24.3	30	11.5	7.7	16.9
Brain and Other Nervous System	21	4.6	2.8	7.1	12	6.0	3.1	10.9	9	3.8	1.7	7.5
Hodgkin's Disease	12	2.9	1.5	5.2	6	2.9	1.1	6.7	6	3.0	1.1	6.7
Non-Hodgkin's Lymphomas	95	19.2	15.5	23.6	46	21.2	15.5	28.7	49	17.5	12.9	23.6
Multiple Myeloma	31	6.1	4.1	8.8	15	7.0	3.9	11.9	16	5.7	3.2	9.7
Leukemias	73	14.9	11.7	18.9	35	15.8	11.0	22.4	38	14.0	9.8	19.6
All Other Sites	199	40.9	35.4	47.1	94	43.2	34.8	53.2	105	39.3	32.0	48.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	72	28.7	22.4	36.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Wabash County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	357	453.7	407.3	504.8	185	552.6	475.7	639.8	172	391.2	333.0	458.4
Oral Cavity and Pharynx	7	9.0	3.6	20.2	4	11.8	3.2	33.1	3	7.4	1.3	25.8
Esophagus	5	6.6	2.1	17.1	4	12.5	3.4	34.5	1	1.7	0.0	16.5
Stomach	3	4.6	0.9	14.6	3	8.9	1.8	29.0	0	0.0	0.0	14.4
Colon and Rectum	51	61.9	45.9	82.8	27	81.9	54.0	121.0	24	48.2	30.2	75.6
Liver	0	0.0	0.0	7.5	0	0.0	0.0	15.6	0	0.0	0.0	14.4
Pancreas	10	12.8	6.1	25.0	6	16.9	6.2	39.7	4	9.0	2.3	27.2
Lung and Bronchus	70	89.0	69.2	113.7	42	124.0	89.3	169.4	28	64.2	42.1	96.0
Bones and Joints	1	1.6	0.0	10.1	0	0.0	0.0	15.6	1	3.1	0.1	19.8
Melanoma of the Skin	13	15.7	8.3	28.4	8	24.2	10.4	49.9	5	9.5	2.9	27.2
Breast (invasive)	59	78.4	59.5	102.4	1	2.8	0.1	19.8	58	141.8	106.7	186.5
Cervix (invasive)	-	-	-	-	-	-	-	-	3	8.2	1.6	27.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	13.4	4.3	34.1
Ovary	-	-	-	-	-	-	-	-	5	13.1	4.1	33.7
Prostate	-	-	-	-	47	140.3	103.1	188.4	-	-	-	-
Testis	-	-	-	-	1	3.8	0.1	22.3	-	-	-	-
Urinary Bladder	15	18.7	10.4	32.3	10	29.8	14.3	57.0	5	10.0	3.0	28.2
Kidney and Renal Pelvis	7	8.1	3.2	18.5	4	11.8	3.2	33.1	3	5.7	1.2	21.9
Brain and Other Nervous System	6	9.2	3.4	21.2	5	15.7	5.0	38.9	1	2.2	0.1	17.5
Hodgkin's Disease	1	1.2	0.0	9.3	0	0.0	0.0	15.6	1	2.2	0.1	17.5
Non-Hodgkin's Lymphomas	10	11.6	5.5	23.1	6	17.7	6.5	41.1	4	8.2	2.0	25.9
Multiple Myeloma	1	1.6	0.0	10.1	0	0.0	0.0	15.6	1	3.1	0.1	19.6
Leukemias	6	7.3	2.7	17.8	3	9.1	1.9	29.4	3	5.4	1.1	21.4
All Other Sites	31	38.5	26.1	55.9	14	41.4	22.6	71.7	17	34.9	20.1	59.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	14.5	5.1	35.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Warren County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	492	433.4	395.5	474.5	236	485.8	425.4	553.2	256	409.4	359.1	466.0
Oral Cavity and Pharynx	9	7.6	3.5	15.5	6	11.8	4.3	27.2	3	4.0	0.8	15.5
Esophagus	2	1.7	0.2	7.5	2	4.0	0.5	16.4	0	0.0	0.0	10.1
Stomach	9	7.6	3.4	15.3	4	8.5	2.3	23.4	5	7.8	2.5	20.9
Colon and Rectum	72	61.4	47.9	78.1	36	75.8	53.0	106.1	36	51.7	35.6	74.4
Liver	3	2.5	0.5	8.6	0	0.0	0.0	10.2	3	4.6	0.9	16.4
Pancreas	10	8.1	3.8	15.9	1	2.1	0.1	13.6	9	12.1	5.3	26.1
Lung and Bronchus	78	66.6	52.6	83.8	42	83.9	60.3	114.5	36	55.2	38.3	78.6
Bones and Joints	0	0.0	0.0	5.0	0	0.0	0.0	10.2	0	0.0	0.0	10.1
Melanoma of the Skin	21	18.6	11.5	29.3	12	24.3	12.5	43.8	9	14.9	6.6	30.8
Breast (invasive)	72	65.9	51.4	83.7	1	2.8	0.1	15.4	71	120.0	93.0	153.6
Cervix (invasive)	-	-	-	-	-	-	-	-	5	10.6	3.4	26.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	32.0	19.0	52.2
Ovary	-	-	-	-	-	-	-	-	7	10.5	4.1	24.5
Prostate	-	-	-	-	58	115.0	87.2	149.8	-	-	-	-
Testis	-	-	-	-	3	6.6	1.3	20.8	-	-	-	-
Urinary Bladder	25	20.2	13.0	30.7	21	46.4	28.5	72.0	4	4.8	1.3	16.2
Kidney and Renal Pelvis	13	11.7	6.2	20.9	5	10.2	3.3	25.4	8	12.6	5.3	27.6
Brain and Other Nervous System	3	2.9	0.6	9.5	1	2.5	0.1	14.7	2	2.8	0.3	13.8
Hodgkin's Disease	2	2.2	0.2	8.6	0	0.0	0.0	10.2	2	4.2	0.4	17.0
Non-Hodgkin's Lymphomas	24	21.5	13.7	32.8	13	27.5	14.6	48.3	11	16.7	8.2	32.5
Multiple Myeloma	6	5.0	1.8	12.0	3	5.9	1.2	19.2	3	4.3	0.8	16.2
Leukemias	5	4.7	1.5	12.0	3	5.6	1.1	18.5	2	4.3	0.5	17.3
All Other Sites	46	42.5	30.9	57.5	25	52.8	34.0	79.1	21	36.3	21.9	58.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	23.6	12.2	42.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Washington County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	509	555.5	507.5	607.6	273	652.2	576.7	736.3	236	491.3	428.4	562.5
Oral Cavity and Pharynx	14	16.7	9.1	29.2	10	24.7	11.8	47.5	4	9.2	2.4	27.2
Esophagus	4	4.4	1.2	12.9	4	9.2	2.5	26.5	0	0.0	0.0	13.7
Stomach	7	7.1	2.8	16.5	3	6.4	1.3	22.3	4	7.6	1.9	24.1
Colon and Rectum	86	85.7	68.4	107.1	47	111.6	81.9	150.2	39	66.1	46.5	94.0
Liver	2	2.5	0.3	10.5	2	5.0	0.6	20.8	0	0.0	0.0	13.7
Pancreas	13	13.9	7.3	25.2	7	16.0	6.4	35.5	6	12.8	4.6	31.6
Lung and Bronchus	58	62.5	47.3	82.1	38	90.5	63.9	126.1	20	39.1	23.6	63.7
Bones and Joints	0	0.0	0.0	6.7	0	0.0	0.0	13.2	0	0.0	0.0	13.7
Melanoma of the Skin	24	28.9	18.3	44.1	15	36.6	20.4	62.4	9	23.4	10.4	46.9
Breast (invasive)	68	80.2	62	102.7	0	0	0	13.2	68	154.5	119.1	198.8
Cervix (invasive)	-	-	-	-	-	-	-	-	6	14.3	5.0	34.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	20.4	9.9	40.6
Ovary	-	-	-	-	-	-	-	-	7	13.3	5.2	31.5
Prostate	-	-	-	-	74	172.2	135.0	218.1	-	-	-	-
Testis	-	-	-	-	3	8.8	1.7	27.3	-	-	-	-
Urinary Bladder	28	28.5	18.8	42.5	16	38.0	21.6	63.8	12	22.6	11.4	43.4
Kidney and Renal Pelvis	11	11.9	5.9	22.8	7	17.6	7.1	38.5	4	6.6	1.8	22.1
Brain and Other Nervous System	3	3.8	0.8	12.4	2	4.8	0.6	20.5	1	2.7	0.1	18.0
Hodgkin's Disease	4	5.2	1.4	14.6	4	10.7	2.8	29.5	0	0.0	0.0	13.7
Non-Hodgkin's Lymphomas	16	18.3	10.4	31.1	9	22.5	10.2	44.8	7	14.4	5.6	33.6
Multiple Myeloma	3	3.1	0.6	11.1	2	4.8	0.6	20.4	1	2.5	0.1	17.6
Leukemias	25	28.6	18.3	43.6	13	32.7	17.3	58.0	12	25.0	12.5	47.4
All Other Sites	42	47.7	34.1	65.8	17	40.2	23.3	66.4	25	56.6	36.0	86.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	16.9	7.1	36.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Wayne County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	494	433.3	395.1	474.9	260	530.1	467.1	600.2	234	377.7	328.4	433.5
Oral Cavity and Pharynx	9	8.6	3.8	17.4	8	17.0	7.2	35.2	1	1.2	0.0	12.1
Esophagus	1	0.7	0.0	6.3	0	0.0	0.0	10.8	1	1.2	0.0	12.1
Stomach	7	6.1	2.3	13.9	3	6.2	1.3	20.3	4	7.0	1.7	21.1
Colon and Rectum	68	56.6	43.7	72.9	33	69.3	47.5	98.7	35	51.5	35.3	74.6
Liver	1	1.2	0.0	7.4	0	0.0	0.0	10.8	1	2.4	0.1	14.7
Pancreas	12	9.7	5.0	18.1	7	13.9	5.5	30.5	5	7.5	2.4	20.8
Lung and Bronchus	89	74.9	59.9	93.2	53	106.0	79.3	140.1	36	53.6	36.9	77.2
Bones and Joints	0	0.0	0.0	5.4	0	0.0	0.0	10.8	0	0.0	0.0	10.8
Melanoma of the Skin	7	6.6	2.6	14.7	2	4.5	0.5	18.2	5	8.0	2.4	22.1
Breast (invasive)	69	65.6	50.7	84.1	0	0	0	10.8	69	121.1	93.0	156.5
Cervix (invasive)	-	-	-	-	-	-	-	-	5	11.6	3.6	28.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	26.9	15.3	45.8
Ovary	-	-	-	-	-	-	-	-	6	8.9	3.2	22.6
Prostate	-	-	-	-	72	142.2	111.1	180.5	-	-	-	-
Testis	-	-	-	-	2	5.2	0.6	19.6	-	-	-	-
Urinary Bladder	26	20.7	13.5	31.5	19	37.0	22.2	59.5	7	8.4	3.2	21.4
Kidney and Renal Pelvis	12	10.6	5.4	19.7	8	15.6	6.7	32.7	4	7.7	1.9	22.3
Brain and Other Nervous System	13	13.3	6.9	23.8	7	15.2	6.0	33.1	6	11.7	3.9	28.2
Hodgkin's Disease	3	3.3	0.6	10.6	1	2.2	0.1	14.3	2	4.4	0.5	18.0
Non-Hodgkin's Lymphomas	19	17.2	10.2	28.0	9	18.7	8.4	37.2	10	15.9	7.4	32.3
Multiple Myeloma	3	2.2	0.5	8.3	1	1.8	0.0	13.5	2	2.1	0.2	13.1
Leukemias	10	8.2	3.9	16.4	7	14.0	5.6	30.8	3	3.4	0.7	14.8
All Other Sites	43	40.3	28.8	55.5	28	61.3	40.5	89.9	15	23.4	12.7	41.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	23.0	11.8	42.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

White County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	502	454.4	414.4	498.3	264	541.9	478.0	613.5	238	401.6	349.0	462.3
Oral Cavity and Pharynx	11	10.2	5.0	20.1	7	15.0	5.9	33.7	4	5.9	1.5	21.5
Esophagus	6	5.6	2.0	14.2	4	8.0	2.2	23.9	2	4.4	0.5	20.6
Stomach	5	4.0	1.3	11.7	3	6.1	1.2	21.4	2	2.5	0.3	17.0
Colon and Rectum	72	63.3	49.2	81.4	42	86.3	62.0	118.8	30	47.5	31.1	72.7
Liver	7	5.7	2.2	14.0	4	8.2	2.2	24.4	3	3.9	0.8	18.9
Pancreas	16	14.1	7.9	24.8	10	20.7	9.9	40.9	6	8.8	3.1	25.1
Lung and Bronchus	97	86.7	70.0	107.3	62	124.9	95.6	162.2	35	60.4	41.4	88.2
Bones and Joints	0	0.0	0.0	6.6	0	0.0	0.0	12.9	0	0.0	0.0	14.3
Melanoma of the Skin	9	11.1	5.0	22.4	3	7.9	1.6	25.2	6	13.8	4.7	34.1
Breast (invasive)	73	70.6	54.7	90.5	1	2	0.1	15.7	72	128.6	98.9	167.0
Cervix (invasive)	-	-	-	-	-	-	-	-	5	8.7	2.4	26.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	23.6	12.8	44.0
Ovary	-	-	-	-	-	-	-	-	4	5.7	1.3	21.5
Prostate	-	-	-	-	62	122.7	94.0	159.4	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.9	-	-	-	-
Urinary Bladder	24	20.0	12.7	31.6	18	37.3	22.1	61.5	6	8.3	3.0	24.3
Kidney and Renal Pelvis	8	6.6	2.8	15.2	5	10.2	3.3	27.1	3	3.2	0.6	17.7
Brain and Other Nervous System	8	7.2	2.8	16.5	4	8.8	2.4	25.6	4	6.7	1.4	23.7
Hodgkin's Disease	2	2.1	0.2	9.8	1	2.0	0.1	15.7	1	2.7	0.1	18.6
Non-Hodgkin's Lymphomas	17	15.3	8.7	26.4	8	17.4	7.4	37.1	9	12.4	5.3	29.7
Multiple Myeloma	9	6.9	3.1	15.3	5	9.7	3.1	26.1	4	5.3	1.4	20.5
Leukemias	15	14.3	7.8	25.5	5	10.7	3.4	28.0	10	19.0	8.7	39.6
All Other Sites	37	36.0	24.9	51.4	20	44.0	26.6	70.5	17	30.1	16.6	53.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	15.0	6.5	33.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Whiteside County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,729	482.7	460.1	506.3	901	573.5	536.5	612.6	828	421.8	392.8	452.6
Oral Cavity and Pharynx	35	10.1	7.0	14.3	28	18.1	12.0	26.5	7	3.0	1.2	7.1
Esophagus	22	6.1	3.8	9.5	19	11.8	7.1	18.8	3	1.3	0.3	4.8
Stomach	27	7.7	5.0	11.4	14	9.4	5.1	16.1	13	6.8	3.6	12.3
Colon and Rectum	197	53.0	45.8	61.2	93	60.3	48.6	74.2	104	47.4	38.5	58.2
Liver	13	3.6	1.9	6.3	7	4.4	1.8	9.5	6	2.5	0.9	6.4
Pancreas	39	10.8	7.6	14.9	19	11.8	7.1	18.9	20	10.2	6.2	16.4
Lung and Bronchus	257	69.8	61.5	79.1	153	97.1	82.3	114.1	104	51.0	41.5	62.4
Bones and Joints	4	1.3	0.3	3.5	3	2.0	0.4	6.2	1	0.7	0.0	4.3
Melanoma of the Skin	68	20.7	16.0	26.4	39	25.3	18.0	34.9	29	17.8	11.8	26.1
Breast (invasive)	255	73.6	64.8	83.4	1	0.7	0	4.2	254	135.3	118.8	153.7
Cervix (invasive)	-	-	-	-	-	-	-	-	20	12.7	7.7	20.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	52	27.2	20.2	36.2
Ovary	-	-	-	-	-	-	-	-	31	15.6	10.5	22.8
Prostate	-	-	-	-	295	184.6	164.0	207.2	-	-	-	-
Testis	-	-	-	-	7	4.8	1.9	10.2	-	-	-	-
Urinary Bladder	69	18.5	14.4	23.6	52	33.1	24.7	43.8	17	7.9	4.5	13.3
Kidney and Renal Pelvis	43	12.0	8.7	16.4	22	14.1	8.8	21.7	21	9.5	5.8	15.3
Brain and Other Nervous System	23	6.7	4.2	10.2	9	5.9	2.7	11.5	14	7.4	4.0	13.2
Hodgkin's Disease	7	2.3	0.9	4.9	5	3.3	1.0	8.0	2	1.3	0.2	5.3
Non-Hodgkin's Lymphomas	75	21.2	16.6	26.8	39	24.7	17.6	34.1	36	18.4	12.7	26.1
Multiple Myeloma	23	6.3	4.0	9.7	12	7.6	3.9	13.6	11	5.0	2.5	9.8
Leukemias	39	10.8	7.6	15.0	20	13.3	8.1	20.9	19	8.9	5.3	14.6
All Other Sites	128	36.0	30.0	43.0	64	41.0	31.5	52.7	64	31.9	24.4	41.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	27	15.3	10.0	22.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,971	475.8	465.9	486.0	4,540	561.6	544.5	579.2	4,431	420.2	407.8	432.8
Oral Cavity and Pharynx	197	9.9	8.6	11.4	135	14.7	12.2	17.8	62	6.0	4.6	7.7
Esophagus	92	5.0	4.0	6.2	69	8.5	6.5	11.1	23	2.3	1.5	3.5
Stomach	150	8.2	6.9	9.6	96	12.4	9.9	15.4	54	5.1	3.8	6.6
Colon and Rectum	1,044	58.4	54.9	62.1	551	72.5	66.2	79.3	493	48.5	44.3	53.0
Liver	75	3.9	3.1	5.0	43	5.0	3.5	7.1	32	3.1	2.1	4.5
Pancreas	231	13.1	11.5	15.0	117	15.1	12.4	18.5	114	11.3	9.3	13.6
Lung and Bronchus	1,335	74.7	70.7	78.8	762	98.8	91.6	106.5	573	57.4	52.8	62.3
Bones and Joints	22	0.9	0.6	1.4	14	1.3	0.7	2.5	8	0.6	0.3	1.3
Melanoma of the Skin	230	11.1	9.6	12.6	128	14.4	11.9	17.5	102	8.9	7.3	10.9
Breast (invasive)	1,437	72.3	68.5	76.2	10	1.2	0.6	2.6	1,427	132.8	126.0	140.0
Cervix (invasive)	-	-	-	-	-	-	-	-	91	7.8	6.3	9.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	263	25.1	22.2	28.4
Ovary	-	-	-	-	-	-	-	-	138	13.0	10.9	15.3
Prostate	-	-	-	-	1,168	144.1	135.6	153.1	-	-	-	-
Testis	-	-	-	-	67	5.3	4.1	7.0	-	-	-	-
Urinary Bladder	412	23.3	21.0	25.7	301	41.2	36.5	46.6	111	10.9	8.9	13.1
Kidney and Renal Pelvis	267	13.8	12.2	15.6	167	19.0	16.1	22.4	100	9.5	7.7	11.6
Brain and Other Nervous System	134	6.1	5.1	7.3	79	7.4	5.8	9.6	55	4.8	3.6	6.3
Hodgkin's Disease	70	3.1	2.4	3.9	38	3.3	2.3	4.9	32	2.7	1.8	3.8
Non-Hodgkin's Lymphomas	330	17.4	15.5	19.4	182	21.4	18.2	25.1	148	14.3	12.1	16.8
Multiple Myeloma	100	5.5	4.5	6.7	55	7.1	5.2	9.5	45	4.4	3.2	5.9
Leukemias	255	13.5	11.8	15.3	139	17.5	14.5	21.1	116	10.9	9.0	13.1
All Other Sites	863	44.5	41.5	47.7	419	51.4	46.3	57.0	444	40.7	37.0	44.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	324	29.5	26.4	33.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Williamson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,810	482.9	460.8	506.0	1,002	625.9	587.5	666.5	808	384.4	357.6	413.1
Oral Cavity and Pharynx	39	10.5	7.4	14.5	33	20.2	13.9	28.8	6	3.0	1.1	7.3
Esophagus	23	6.3	4.0	9.7	20	12.3	7.5	19.5	3	1.3	0.3	4.8
Stomach	22	5.5	3.4	8.6	10	6.2	3.0	11.8	12	4.8	2.4	9.1
Colon and Rectum	225	57.1	49.9	65.3	103	65.7	53.6	80.1	122	51.8	42.8	62.6
Liver	11	2.9	1.4	5.4	6	3.5	1.3	8.3	5	2.4	0.7	6.4
Pancreas	37	9.8	6.9	13.7	20	12.3	7.5	19.5	17	7.1	4.0	12.1
Lung and Bronchus	321	83.8	74.9	93.7	214	132.0	114.8	151.3	107	49.3	40.2	60.2
Bones and Joints	4	1.4	0.4	3.7	1	0.7	0.0	4.5	3	2.2	0.4	6.5
Melanoma of the Skin	41	11.3	8.1	15.5	30	18.9	12.8	27.4	11	5.6	2.7	10.7
Breast (invasive)	242	65.5	57.4	74.5	4	2.5	0.7	6.9	238	114.7	100.2	131.1
Cervix (invasive)	-	-	-	-	-	-	-	-	26	15.4	10.0	23.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	39	18.8	13.3	26.4
Ovary	-	-	-	-	-	-	-	-	21	11.1	6.8	17.6
Prostate	-	-	-	-	272	167.4	147.9	188.9	-	-	-	-
Testis	-	-	-	-	9	6.2	2.8	12.1	-	-	-	-
Urinary Bladder	99	25.8	21.0	31.7	74	47.5	37.2	60.0	25	11.4	7.2	17.6
Kidney and Renal Pelvis	53	14.2	10.6	18.8	27	16.6	10.9	24.6	26	12.5	8.1	19.0
Brain and Other Nervous System	25	7.4	4.8	11.1	11	7.0	3.5	13.0	14	7.6	4.1	13.2
Hodgkin's Disease	9	3.0	1.3	5.7	3	1.9	0.4	6.2	6	4.0	1.4	9.0
Non-Hodgkin's Lymphomas	66	17.9	13.8	23.0	39	24.9	17.7	34.4	27	12.6	8.2	19.0
Multiple Myeloma	26	6.9	4.5	10.3	14	8.8	4.8	15.2	12	4.7	2.4	9.1
Leukemias	41	11.8	8.5	16.3	26	17.0	11.0	25.3	15	8.3	4.6	14.3
All Other Sites	159	42.9	36.5	50.4	86	54.3	43.3	67.4	73	35.8	27.7	45.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	31	16.8	11.3	24.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,752	483.4	471.9	495.1	3,297	549.0	530.2	568.4	3,455	446.0	431.1	461.2
Oral Cavity and Pharynx	145	10.4	8.8	12.3	102	16.6	13.5	20.3	43	5.6	4.1	7.6
Esophagus	80	5.7	4.5	7.1	59	9.5	7.2	12.3	21	2.7	1.7	4.2
Stomach	119	8.5	7.1	10.2	71	12.0	9.3	15.3	48	5.7	4.2	7.6
Colon and Rectum	813	58.1	54.2	62.3	406	68.3	61.7	75.5	407	49.8	45.1	55.0
Liver	42	3.0	2.2	4.1	26	4.3	2.8	6.5	16	2.0	1.2	3.4
Pancreas	187	13.4	11.5	15.4	117	20.0	16.5	24.2	70	8.5	6.6	10.8
Lung and Bronchus	1,073	76.7	72.2	81.4	614	102.8	94.8	111.5	459	58.8	53.5	64.5
Bones and Joints	10	0.7	0.4	1.4	5	0.8	0.3	2.1	5	0.7	0.2	1.7
Melanoma of the Skin	164	11.8	10.0	13.7	105	16.6	13.6	20.3	59	8.0	6.1	10.4
Breast (invasive)	1,153	82.7	78	87.6	3	0.6	0.1	1.8	1,150	151.2	142.5	160.3
Cervix (invasive)	-	-	-	-	-	-	-	-	75	10.4	8.2	13.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	225	29.6	25.9	33.8
Ovary	-	-	-	-	-	-	-	-	120	15.7	13.0	18.8
Prostate	-	-	-	-	777	128.8	119.8	138.4	-	-	-	-
Testis	-	-	-	-	36	5.3	3.7	7.6	-	-	-	-
Urinary Bladder	312	22.3	19.9	25.0	233	39.8	34.8	45.5	79	9.9	7.8	12.4
Kidney and Renal Pelvis	186	13.3	11.5	15.4	119	19.4	16.0	23.4	67	8.7	6.7	11.1
Brain and Other Nervous System	89	6.3	5.1	7.8	47	7.3	5.4	9.9	42	5.6	4.0	7.6
Hodgkin's Disease	33	2.4	1.7	3.4	19	3.0	1.8	4.8	14	2.1	1.1	3.5
Non-Hodgkin's Lymphomas	258	18.4	16.3	20.8	125	20.7	17.2	24.8	133	16.8	14.0	20.0
Multiple Myeloma	78	5.6	4.4	7.0	33	5.5	3.7	7.8	45	5.8	4.2	7.8
Leukemias	194	13.9	12.0	16.0	121	20.9	17.3	25.1	73	9.2	7.2	11.7
All Other Sites	583	41.7	38.4	45.3	279	46.8	41.3	52.8	304	39.1	34.8	43.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	294	39.6	35.2	44.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Woodford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	889	455.1	425.3	486.6	467	553.0	503.8	606.0	422	397.8	359.7	439.5
Oral Cavity and Pharynx	11	5.7	2.8	10.6	5	6.0	2.0	14.7	6	4.7	1.7	11.9
Esophagus	6	3.1	1.1	7.2	6	6.9	2.5	15.7	0	0.0	0.0	5.6
Stomach	12	5.6	2.9	10.4	7	8.3	3.3	17.7	5	3.6	1.0	10.5
Colon and Rectum	112	55.6	45.7	67.3	62	73.3	56.1	94.4	50	42.4	31.1	57.2
Liver	2	0.9	0.1	4.0	1	1.0	0.0	7.1	1	0.5	0.0	6.1
Pancreas	18	8.8	5.2	14.4	11	12.8	6.4	23.5	7	5.7	2.2	13.5
Lung and Bronchus	112	57.2	47.0	69.2	68	81.4	63.2	103.6	44	41.7	30.1	57.1
Bones and Joints	4	2.6	0.7	7.0	3	3.7	0.7	11.4	1	1.5	0.0	8.5
Melanoma of the Skin	36	19.4	13.5	27.2	17	19.8	11.5	32.2	19	19.4	11.6	31.3
Breast (invasive)	133	68.9	57.6	82	0	0	0	5.5	133	129.3	107.8	154.5
Cervix (invasive)	-	-	-	-	-	-	-	-	9	10.5	4.8	20.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	25	22.4	14.3	34.4
Ovary	-	-	-	-	-	-	-	-	17	16.4	9.4	27.4
Prostate	-	-	-	-	138	162.7	136.7	192.7	-	-	-	-
Testis	-	-	-	-	1	1.2	0.0	7.6	-	-	-	-
Urinary Bladder	50	24.5	18.1	32.8	39	46.6	33.1	64.1	11	8.1	3.9	16.3
Kidney and Renal Pelvis	32	15.9	10.8	22.9	20	23.3	14.2	36.6	12	12.1	6.2	22.1
Brain and Other Nervous System	13	7.3	3.9	12.9	5	6.0	1.9	14.6	8	9.2	3.9	18.9
Hodgkin's Disease	8	5.0	2.1	10.1	4	5.1	1.3	13.5	4	4.8	1.3	13.0
Non-Hodgkin's Lymphomas	36	19.4	13.6	27.2	20	24.1	14.7	37.7	16	16.5	9.4	27.7
Multiple Myeloma	12	5.7	2.9	10.4	6	7.1	2.6	16.1	6	5.3	1.9	12.9
Leukemias	26	13.1	8.5	19.6	20	22.9	14.0	35.9	6	4.0	1.4	10.7
All Other Sites	76	38.5	30.2	48.7	34	40.8	28.2	57.4	42	39.7	28.1	55.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	23.1	14.3	36.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	242,295	475.7	473.8	477.6	121,506	557.6	554.5	560.8	120,789	425.7	423.2	428.1
Oral Cavity and Pharynx	5,170	10.3	10.0	10.6	3,487	15.5	14.9	16.0	1,683	6.0	5.7	6.3
Esophagus	2,585	5.1	4.9	5.3	1,995	9.1	8.7	9.5	590	2.0	1.8	2.1
Stomach	3,622	7.0	6.8	7.3	2,204	10.3	9.9	10.8	1,418	4.6	4.4	4.8
Colon and Rectum	30,366	58.9	58.2	59.5	15,195	71.5	70.3	72.6	15,171	49.9	49.1	50.7
Liver	1,929	3.8	3.6	4.0	1,291	5.9	5.5	6.2	638	2.2	2.0	2.3
Pancreas	5,938	11.5	11.2	11.8	2,879	13.4	12.9	13.9	3,059	10.1	9.7	10.4
Lung and Bronchus	36,380	71.3	70.6	72.1	20,567	94.9	93.6	96.2	15,813	54.9	54.1	55.8
Bones and Joints	446	0.9	0.8	1.0	242	1.0	0.9	1.1	204	0.8	0.7	0.9
Melanoma of the Skin	6,551	13.0	12.7	13.3	3,719	16.5	15.9	17.0	2,832	10.6	10.2	11.0
Breast (invasive)	37,333	73.9	73.2	74.7	289	1.3	1.2	1.5	37,044	134.6	133.2	136.0
Cervix (invasive)	-	-	-	-	-	-	-	-	2,565	9.8	9.5	10.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7,142	26.0	25.4	26.6
Ovary	-	-	-	-	-	-	-	-	4,017	14.5	14.0	15.0
Prostate	-	-	-	-	32,472	149.2	147.5	150.8	-	-	-	-
Testis	-	-	-	-	1,452	5.7	5.4	6.0	-	-	-	-
Urinary Bladder	11,864	23.1	22.7	23.5	8,720	41.1	40.2	42.0	3,144	10.5	10.1	10.9
Kidney and Renal Pelvis	6,628	13.1	12.8	13.4	3,927	17.7	17.1	18.3	2,701	9.5	9.2	9.9
Brain and Other Nervous System	3,424	6.8	6.6	7.0	1,869	8.1	7.7	8.5	1,555	5.8	5.5	6.1
Hodgkin's Disease	1,440	2.9	2.7	3.0	791	3.2	3.0	3.5	649	2.5	2.3	2.7
Non-Hodgkin's Lymphomas	10,008	19.6	19.2	20.0	5,195	23.5	22.9	24.2	4,813	16.6	16.2	17.1
Multiple Myeloma	2,558	5.0	4.8	5.2	1,340	6.3	5.9	6.6	1,218	4.1	3.9	4.3
Leukemias	6,539	12.8	12.5	13.1	3,620	16.6	16.1	17.2	2,919	10.0	9.7	10.4
All Other Sites	21,866	42.8	42.3	43.4	10,252	47.0	46.0	47.9	11,614	40.7	40.0	41.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7,551	28.5	27.9	29.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,986	474.4	457.5	491.8	1,488	547.3	519.5	576.3	1,498	429.8	408.1	452.4
Oral Cavity and Pharynx	61	9.7	7.4	12.4	38	13.6	9.6	19.0	23	6.5	4.1	10.0
Esophagus	28	4.4	2.9	6.4	18	6.9	4.0	11.1	10	2.4	1.1	4.6
Stomach	35	5.5	3.8	7.7	23	8.3	5.2	12.7	12	3.0	1.5	5.5
Colon and Rectum	334	52.8	47.3	58.8	177	67.5	57.8	78.4	157	42.2	35.8	49.5
Liver	19	3.0	1.8	4.8	12	4.5	2.3	8.2	7	2.0	0.8	4.4
Pancreas	73	11.6	9.1	14.6	47	17.9	13.1	24.0	26	7.3	4.8	10.9
Lung and Bronchus	441	71.0	64.5	77.9	234	87.6	76.7	99.9	207	60.2	52.2	69.1
Bones and Joints	4	0.6	0.2	1.7	4	1.2	0.3	3.6	0	0.0	0.0	1.4
Melanoma of the Skin	102	15.8	12.8	19.2	54	18.3	13.7	24.3	48	13.9	10.2	18.7
Breast (invasive)	475	76.2	69.5	83.4	2	0.8	0.1	3.1	473	139.7	127.3	153.0
Cervix (invasive)	-	-	-	-	-	-	-	-	30	8.9	6.0	12.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	87	25.9	20.7	32.1
Ovary	-	-	-	-	-	-	-	-	48	13.9	10.2	18.6
Prostate	-	-	-	-	453	168.3	153.1	184.8	-	-	-	-
Testis	-	-	-	-	18	4.9	2.8	8.1	-	-	-	-
Urinary Bladder	111	17.6	14.5	21.2	75	28.8	22.6	36.3	36	9.9	6.9	13.9
Kidney and Renal Pelvis	71	11.3	8.8	14.3	40	14.9	10.6	20.5	31	8.8	5.9	12.6
Brain and Other Nervous System	40	6.2	4.4	8.4	24	7.9	5.0	12.1	16	4.7	2.7	7.8
Hodgkin's Disease	18	2.4	1.4	4.0	8	2.5	1.0	5.3	10	2.4	1.1	4.7
Non-Hodgkin's Lymphomas	132	20.9	17.4	24.8	77	27.3	21.5	34.4	55	15.3	11.5	20.1
Multiple Myeloma	32	5.1	3.5	7.2	16	6.4	3.6	10.6	16	4.4	2.5	7.3
Leukemias	88	13.7	11.0	17.0	40	14.6	10.3	20.2	48	13.8	10.2	18.5
All Other Sites	286	45.0	39.9	50.6	128	45.2	37.6	54.0	158	44.5	37.7	52.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	116	35.2	29.0	42.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	87,270	472.5	469.3	475.6	42,943	550.7	545.4	556.0	44,327	427.5	423.5	431.6
Oral Cavity and Pharynx	1,890	10.5	10.0	10.9	1,233	15.3	14.5	16.2	657	6.4	5.9	6.9
Esophagus	953	5.2	4.9	5.5	718	9.2	8.5	9.9	235	2.1	1.9	2.4
Stomach	1,680	9.0	8.5	9.4	991	12.9	12.1	13.8	689	6.1	5.6	6.6
Colon and Rectum	10,619	56.6	55.5	57.7	5,380	70.6	68.7	72.5	5,239	46.8	45.5	48.1
Liver	876	4.8	4.4	5.1	599	7.6	7.0	8.3	277	2.6	2.3	2.9
Pancreas	2,310	12.3	11.8	12.8	1,079	14.1	13.3	15.0	1,231	11.0	10.4	11.6
Lung and Bronchus	12,427	67.1	65.9	68.3	6,701	86.4	84.4	88.5	5,726	53.8	52.4	55.2
Bones and Joints	174	1.0	0.8	1.1	83	0.9	0.8	1.2	91	1.0	0.8	1.2
Melanoma of the Skin	1,947	10.6	10.1	11.1	1,093	13.5	12.7	14.4	854	8.7	8.2	9.4
Breast (invasive)	13,506	74.3	73.1	75.6	113	1.5	1.2	1.8	13,393	134.1	131.8	136.4
Cervix (invasive)	-	-	-	-	-	-	-	-	983	10.5	9.8	11.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2,694	27.0	26.0	28.1
Ovary	-	-	-	-	-	-	-	-	1,535	15.4	14.6	16.2
Prostate	-	-	-	-	11,387	146.9	144.2	149.6	-	-	-	-
Testis	-	-	-	-	548	5.5	5.1	6.0	-	-	-	-
Urinary Bladder	4,388	23.5	22.8	24.2	3,184	41.9	40.4	43.4	1,204	11.0	10.4	11.7
Kidney and Renal Pelvis	2,363	12.9	12.4	13.4	1,404	17.8	16.9	18.8	959	9.2	8.6	9.8
Brain and Other Nervous System	1,225	6.7	6.4	7.1	676	8.2	7.6	8.9	549	5.6	5.1	6.1
Hodgkin's Disease	528	2.8	2.6	3.1	302	3.3	3.0	3.7	226	2.4	2.1	2.7
Non-Hodgkin's Lymphomas	3,753	20.2	19.6	20.9	1,933	24.5	23.4	25.6	1,820	17.3	16.5	18.1
Multiple Myeloma	887	4.8	4.5	5.1	473	6.2	5.6	6.8	414	3.8	3.4	4.2
Leukemias	2,359	12.7	12.2	13.2	1,254	16.0	15.1	16.9	1,105	10.4	9.8	11.0
All Other Sites	8,238	44.4	43.5	45.4	3,792	48.4	46.8	50.0	4,446	42.4	41.2	43.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2,809	29.5	28.4	30.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,134	478.6	471.4	485.9	8,292	553.0	540.8	565.4	8,842	435.8	426.7	445.0
Oral Cavity and Pharynx	328	8.9	8.0	10.0	219	13.2	11.5	15.2	109	5.4	4.4	6.5
Esophagus	181	5.2	4.4	6.0	133	8.8	7.4	10.5	48	2.4	1.8	3.2
Stomach	245	7.0	6.2	8.0	153	10.6	8.9	12.5	92	4.4	3.5	5.4
Colon and Rectum	1,914	54.8	52.3	57.3	949	66.7	62.4	71.3	965	47.0	44.1	50.1
Liver	140	4.0	3.4	4.7	99	6.7	5.4	8.2	41	2.0	1.4	2.8
Pancreas	420	12.0	10.9	13.3	203	13.7	11.8	15.9	217	10.7	9.3	12.2
Lung and Bronchus	2,194	63.5	60.8	66.2	1,170	81.9	77.2	86.9	1,024	51.9	48.7	55.2
Bones and Joints	35	0.9	0.6	1.3	18	0.9	0.6	1.6	17	0.9	0.5	1.4
Melanoma of the Skin	496	13.1	12.0	14.4	278	16.8	14.8	19.0	218	10.7	9.3	12.2
Breast (invasive)	3,061	82.3	79.4	85.3	20	1.3	0.8	2.1	3,041	149.4	144.1	154.9
Cervix (invasive)	-	-	-	-	-	-	-	-	153	7.5	6.3	8.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	526	26.4	24.1	28.7
Ovary	-	-	-	-	-	-	-	-	297	14.6	13.0	16.4
Prostate	-	-	-	-	2,371	158.6	152.2	165.3	-	-	-	-
Testis	-	-	-	-	129	6.3	5.2	7.5	-	-	-	-
Urinary Bladder	848	24.5	22.9	26.2	620	43.7	40.2	47.4	228	11.2	9.7	12.7
Kidney and Renal Pelvis	471	13.1	11.9	14.3	299	18.9	16.8	21.3	172	8.5	7.3	10.0
Brain and Other Nervous System	273	7.3	6.5	8.3	148	8.7	7.3	10.3	125	6.3	5.2	7.5
Hodgkin's Disease	137	3.5	3.0	4.2	73	3.9	3.1	5.1	64	3.2	2.5	4.2
Non-Hodgkin's Lymphomas	718	19.9	18.5	21.4	388	24.6	22.1	27.3	330	16.2	14.5	18.1
Multiple Myeloma	171	4.9	4.2	5.7	90	6.1	4.9	7.6	81	4.0	3.1	4.9
Leukemias	432	11.9	10.8	13.1	239	15.3	13.4	17.6	193	9.4	8.1	10.9
All Other Sites	1,594	43.7	41.5	45.9	693	46.2	42.7	49.9	901	43.7	40.9	46.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	717	35.6	33.1	38.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,352	442.6	431.6	453.7	3,102	509.6	491.1	528.8	3,250	402.6	388.8	416.9
Oral Cavity and Pharynx	141	9.6	8.0	11.3	88	13.3	10.5	16.8	53	6.7	5.0	8.7
Esophagus	66	4.8	3.7	6.1	45	7.7	5.5	10.6	21	2.7	1.7	4.2
Stomach	85	5.9	4.7	7.4	52	8.3	6.1	11.2	33	4.1	2.8	5.8
Colon and Rectum	751	54.5	50.6	58.6	380	66.9	60.1	74.4	371	45.9	41.3	50.9
Liver	44	3.1	2.2	4.2	31	4.9	3.3	7.3	13	1.5	0.8	2.7
Pancreas	116	8.4	6.9	10.1	60	9.9	7.5	13.0	56	7.0	5.2	9.1
Lung and Bronchus	857	62.9	58.7	67.3	470	81.7	74.2	89.8	387	50.2	45.3	55.5
Bones and Joints	16	1.0	0.5	1.6	13	1.5	0.8	2.9	3	0.4	0.1	1.2
Melanoma of the Skin	198	12.3	10.6	14.1	102	14.2	11.4	17.6	96	11.2	9.0	13.7
Breast (invasive)	1,088	73.3	68.9	77.8	7	0.9	0.4	2.2	1,081	134.0	126.1	142.4
Cervix (invasive)	-	-	-	-	-	-	-	-	67	7.8	6.0	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	179	22.7	19.5	26.4
Ovary	-	-	-	-	-	-	-	-	111	13.7	11.3	16.6
Prostate	-	-	-	-	877	148.3	138.3	158.9	-	-	-	-
Testis	-	-	-	-	55	5.7	4.3	7.7	-	-	-	-
Urinary Bladder	293	21.6	19.2	24.3	210	37.4	32.4	43.2	83	10.4	8.2	12.9
Kidney and Renal Pelvis	185	12.5	10.7	14.5	119	17.9	14.7	21.8	66	8.1	6.3	10.4
Brain and Other Nervous System	106	6.7	5.5	8.1	57	7.7	5.7	10.3	49	5.9	4.3	7.8
Hodgkin's Disease	44	2.5	1.8	3.5	18	2.1	1.2	3.7	26	3.0	1.9	4.4
Non-Hodgkin's Lymphomas	269	18.3	16.2	20.7	137	21.2	17.6	25.5	132	16.3	13.6	19.4
Multiple Myeloma	61	4.4	3.3	5.6	25	4.2	2.6	6.4	36	4.5	3.1	6.2
Leukemias	185	12.3	10.5	14.2	102	16.0	12.8	19.9	83	9.8	7.8	12.2
All Other Sites	558	37.8	34.7	41.2	254	39.9	34.9	45.6	304	36.7	32.7	41.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	225	27.9	24.4	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,316	495.4	475.4	516.1	1,210	588.5	555.5	623.2	1,106	433.7	408.2	460.5
Oral Cavity and Pharynx	56	12.2	9.2	15.9	37	18.1	12.7	25.3	19	7.3	4.3	11.6
Esophagus	23	4.9	3.1	7.4	19	9.1	5.5	14.7	4	1.3	0.3	3.7
Stomach	46	9.7	7.1	13.0	35	16.9	11.8	24.0	11	3.7	1.8	6.9
Colon and Rectum	300	63.2	56.2	70.8	161	79.3	67.4	93.0	139	50.9	42.7	60.3
Liver	20	4.2	2.6	6.5	10	4.7	2.2	9.1	10	3.7	1.8	7.2
Pancreas	41	8.8	6.3	11.9	23	11.6	7.3	17.8	18	6.2	3.7	10.1
Lung and Bronchus	399	84.3	76.2	93.1	230	110.8	96.9	126.5	169	65.1	55.5	75.9
Bones and Joints	2	0.4	0.0	1.5	1	0.5	0.0	3.5	1	0.4	0.0	2.4
Melanoma of the Skin	48	10.7	7.9	14.2	21	10.3	6.3	16.1	27	11.4	7.4	16.8
Breast (invasive)	303	66	58.7	73.9	3	1.5	0.3	4.9	300	121.3	107.8	136.1
Cervix (invasive)	-	-	-	-	-	-	-	-	28	12.7	8.4	18.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	72	28.8	22.5	36.5
Ovary	-	-	-	-	-	-	-	-	33	13.5	9.2	19.1
Prostate	-	-	-	-	296	143.5	127.4	161.2	-	-	-	-
Testis	-	-	-	-	9	4.3	2.0	8.7	-	-	-	-
Urinary Bladder	121	25.6	21.2	30.6	88	43.6	34.9	54.2	33	12.5	8.5	17.7
Kidney and Renal Pelvis	72	15.6	12.2	19.7	39	18.8	13.3	26.1	33	13.1	9.0	18.6
Brain and Other Nervous System	31	6.8	4.6	9.7	15	7.2	4.0	12.3	16	6.5	3.6	10.7
Hodgkin's Disease	8	1.8	0.8	3.6	4	1.9	0.5	5.4	4	1.9	0.5	4.9
Non-Hodgkin's Lymphomas	81	17.5	13.9	21.8	46	22.5	16.4	30.4	35	13.7	9.5	19.3
Multiple Myeloma	30	6.4	4.3	9.2	8	4.0	1.7	8.4	22	8.4	5.2	13.0
Leukemias	74	15.6	12.3	19.7	47	22.3	16.4	30.1	27	10.1	6.6	15.0
All Other Sites	223	47.8	41.7	54.6	118	57.7	47.7	69.5	105	41.5	33.8	50.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	40	16.6	11.8	22.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,101	486.8	477.6	496.1	5,329	536.3	521.4	551.7	5,772	459.2	447.3	471.3
Oral Cavity and Pharynx	235	9.8	8.6	11.2	144	13.2	11.0	15.8	91	7.0	5.7	8.7
Esophagus	99	4.4	3.6	5.4	75	7.4	5.8	9.5	24	2.0	1.3	3.0
Stomach	159	7.4	6.3	8.7	98	10.5	8.4	13.0	61	4.9	3.8	6.4
Colon and Rectum	1,211	56.0	52.9	59.3	628	67.1	61.7	73.0	583	48.0	44.2	52.1
Liver	79	3.6	2.9	4.6	55	5.7	4.2	7.6	24	2.0	1.3	3.0
Pancreas	239	11.2	9.8	12.8	121	13.4	11.0	16.3	118	9.9	8.2	11.9
Lung and Bronchus	1,444	66.5	63.1	70.0	731	77.5	71.8	83.6	713	59.2	54.9	63.7
Bones and Joints	20	0.7	0.4	1.2	10	0.7	0.3	1.5	10	0.8	0.4	1.4
Melanoma of the Skin	392	16.0	14.4	17.7	219	20.3	17.6	23.5	173	13.0	11.1	15.2
Breast (invasive)	1,998	83.1	79.4	86.9	13	1.3	0.7	2.4	1,985	154.6	147.8	161.6
Cervix (invasive)	-	-	-	-	-	-	-	-	119	8.7	7.2	10.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	307	24.6	21.9	27.6
Ovary	-	-	-	-	-	-	-	-	181	14.3	12.3	16.6
Prostate	-	-	-	-	1,479	149.2	141.5	157.4	-	-	-	-
Testis	-	-	-	-	86	5.9	4.7	7.5	-	-	-	-
Urinary Bladder	520	23.8	21.8	26.0	383	40.2	36.1	44.7	137	11.3	9.5	13.4
Kidney and Renal Pelvis	300	13.1	11.6	14.7	172	16.8	14.2	19.7	128	10.4	8.6	12.4
Brain and Other Nervous System	201	8.1	7.0	9.3	103	8.7	7.0	10.8	98	7.6	6.2	9.3
Hodgkin's Disease	74	2.7	2.1	3.5	43	3.1	2.2	4.4	31	2.4	1.6	3.5
Non-Hodgkin's Lymphomas	479	20.8	19.0	22.8	252	24.6	21.5	28.1	227	18.3	16.0	20.9
Multiple Myeloma	97	4.4	3.6	5.4	47	4.6	3.4	6.4	50	4.2	3.1	5.5
Leukemias	351	15.2	13.6	16.9	217	21.3	18.4	24.6	134	10.7	9.0	12.7
All Other Sites	1,031	44.6	41.9	47.4	453	44.9	40.6	49.6	578	45.3	41.7	49.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	478	36.9	33.7	40.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,237	542.6	523.9	561.8	1,751	677.5	645.9	710.5	1,486	448.8	425.7	473.0
Oral Cavity and Pharynx	65	11.4	8.8	14.7	45	17.6	12.8	23.8	20	6.1	3.7	9.9
Esophagus	29	4.8	3.2	7.1	23	8.8	5.6	13.6	6	1.6	0.6	4.1
Stomach	26	4.3	2.8	6.4	23	8.8	5.6	13.6	3	0.7	0.1	2.7
Colon and Rectum	406	66.0	59.7	72.9	205	79.1	68.5	91.0	201	56.0	48.3	64.7
Liver	12	2.0	1.0	3.6	7	2.6	1.1	5.8	5	1.3	0.4	3.6
Pancreas	71	11.6	9.1	14.8	40	15.9	11.3	22.0	31	8.6	5.8	12.6
Lung and Bronchus	524	85.7	78.5	93.5	308	116.7	103.9	130.8	216	61.1	53.1	70.2
Bones and Joints	4	0.6	0.2	1.9	2	0.8	0.1	3.3	2	0.5	0.1	2.5
Melanoma of the Skin	92	16.2	13.0	20.0	51	20.2	15.0	26.8	41	12.9	9.1	17.8
Breast (invasive)	469	81	73.8	88.8	9	3.4	1.6	6.9	460	145.1	131.9	159.5
Cervix (invasive)	-	-	-	-	-	-	-	-	24	9.1	5.7	13.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	76	24.1	18.9	30.5
Ovary	-	-	-	-	-	-	-	-	53	16.1	12.0	21.4
Prostate	-	-	-	-	576	219.9	202.2	239.0	-	-	-	-
Testis	-	-	-	-	26	11.7	7.6	17.3	-	-	-	-
Urinary Bladder	155	25.0	21.2	29.4	115	45.1	37.1	54.4	40	11.0	7.8	15.4
Kidney and Renal Pelvis	91	15.6	12.5	19.2	50	19.4	14.4	25.9	41	12.1	8.6	16.9
Brain and Other Nervous System	37	6.5	4.6	9.1	25	9.5	6.1	14.4	12	4.1	2.1	7.5
Hodgkin's Disease	14	2.9	1.6	4.9	9	4.0	1.8	7.8	5	1.7	0.5	4.3
Non-Hodgkin's Lymphomas	135	22.9	19.2	27.2	64	25.2	19.3	32.5	71	21.2	16.4	27.2
Multiple Myeloma	35	5.7	3.9	8.0	14	5.3	2.9	9.3	21	5.7	3.5	9.2
Leukemias	77	13.4	10.5	16.8	43	16.9	12.2	23.0	34	11.0	7.5	15.8
All Other Sites	240	41.7	36.5	47.5	116	46.7	38.5	56.4	124	38.9	32.1	46.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	119	39.0	32.2	47.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,398	482.8	471.0	494.8	3,250	571.2	551.5	591.5	3,148	426.8	411.8	442.3
Oral Cavity and Pharynx	134	10.3	8.6	12.2	92	16.0	12.9	19.8	42	5.8	4.1	7.9
Esophagus	55	4.2	3.2	5.5	46	8.1	5.9	10.9	9	1.1	0.5	2.3
Stomach	63	4.7	3.6	6.1	25	4.6	2.9	6.9	38	5.0	3.5	7.0
Colon and Rectum	893	66.1	61.8	70.6	433	78.4	71.1	86.4	460	57.9	52.6	63.6
Liver	34	2.5	1.8	3.6	21	3.8	2.3	6.0	13	1.6	0.8	2.9
Pancreas	152	11.4	9.6	13.3	63	11.1	8.5	14.3	89	11.3	9.0	14.0
Lung and Bronchus	1,147	85.5	80.6	90.6	659	116.2	107.4	125.6	488	64.7	59.0	70.8
Bones and Joints	8	0.6	0.3	1.3	5	0.9	0.3	2.3	3	0.5	0.1	1.6
Melanoma of the Skin	175	13.7	11.7	15.9	99	17.3	14.1	21.3	76	11.2	8.8	14.2
Breast (invasive)	873	67	62.7	71.7	4	0.7	0.2	2	869	122.0	113.9	130.6
Cervix (invasive)	-	-	-	-	-	-	-	-	58	8.8	6.7	11.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	180	24.7	21.2	28.7
Ovary	-	-	-	-	-	-	-	-	112	15.6	12.8	18.9
Prostate	-	-	-	-	904	155.2	145.1	165.8	-	-	-	-
Testis	-	-	-	-	18	3.3	1.9	5.3	-	-	-	-
Urinary Bladder	293	21.7	19.3	24.4	221	39.4	34.3	45.1	72	9.2	7.2	11.7
Kidney and Renal Pelvis	169	12.8	10.9	14.9	103	18.3	14.9	22.4	66	8.8	6.8	11.3
Brain and Other Nervous System	87	6.9	5.5	8.5	47	7.9	5.8	10.7	40	5.9	4.2	8.2
Hodgkin's Disease	40	3.4	2.4	4.7	19	3.3	2.0	5.3	21	3.5	2.1	5.4
Non-Hodgkin's Lymphomas	228	17.2	15.0	19.6	112	19.8	16.2	23.9	116	15.1	12.4	18.2
Multiple Myeloma	70	5.3	4.1	6.7	37	6.3	4.4	8.8	33	4.3	3.0	6.2
Leukemias	159	12.1	10.3	14.2	77	14.0	11.0	17.7	82	10.8	8.6	13.6
All Other Sites	546	41.7	38.3	45.4	265	46.8	41.2	52.9	281	38.9	34.4	43.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	185	26.7	22.9	30.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,429	496.3	481.7	511.3	2,260	597.1	572.6	622.5	2,169	434.8	416.2	454.2
Oral Cavity and Pharynx	106	12.1	9.9	14.7	69	18.5	14.3	23.5	37	7.4	5.2	10.4
Esophagus	42	4.5	3.3	6.2	36	9.7	6.8	13.5	6	1.0	0.4	2.6
Stomach	64	7.0	5.4	9.0	47	12.4	9.1	16.7	17	3.0	1.7	5.2
Colon and Rectum	542	57.8	53.0	63.0	268	72.4	63.9	81.7	274	48.1	42.4	54.5
Liver	34	3.6	2.5	5.2	27	6.9	4.5	10.2	7	1.1	0.4	2.7
Pancreas	105	11.2	9.2	13.7	48	13.2	9.7	17.6	57	10.3	7.7	13.6
Lung and Bronchus	728	80.1	74.4	86.2	424	112.3	101.8	123.7	304	58.7	52.2	65.9
Bones and Joints	7	0.8	0.3	1.8	4	1.0	0.3	2.9	3	0.7	0.1	2.2
Melanoma of the Skin	161	19.2	16.3	22.4	92	24.5	19.7	30.2	69	15.4	11.9	19.7
Breast (invasive)	698	80.4	74.5	86.7	7	1.8	0.7	3.9	691	144.7	133.9	156.3
Cervix (invasive)	-	-	-	-	-	-	-	-	50	12.3	9.1	16.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	117	24.5	20.2	29.6
Ovary	-	-	-	-	-	-	-	-	60	12.1	9.1	15.8
Prostate	-	-	-	-	628	162.2	149.7	175.6	-	-	-	-
Testis	-	-	-	-	20	5.7	3.5	8.9	-	-	-	-
Urinary Bladder	211	22.8	19.8	26.2	158	42.1	35.8	49.4	53	10.0	7.5	13.4
Kidney and Renal Pelvis	133	15.1	12.6	17.9	77	20.0	15.8	25.1	56	11.2	8.4	14.9
Brain and Other Nervous System	61	7.4	5.6	9.5	35	9.2	6.4	12.9	26	5.5	3.6	8.4
Hodgkin's Disease	22	2.9	1.8	4.5	13	3.5	1.9	6.2	9	2.4	1.1	4.6
Non-Hodgkin's Lymphomas	197	21.9	18.9	25.3	101	26.9	21.9	32.8	96	18.1	14.6	22.4
Multiple Myeloma	36	3.9	2.7	5.5	19	5.0	3.0	7.9	17	3.0	1.7	5.1
Leukemias	87	9.6	7.7	12.0	47	12.9	9.4	17.3	40	7.4	5.2	10.3
All Other Sites	320	36.8	32.9	41.2	140	36.9	31.1	43.7	180	37.9	32.5	44.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	148	32.1	27.0	37.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,928	488.5	473.3	504.2	2,105	608.0	582.1	634.8	1,823	410.8	391.7	430.8
Oral Cavity and Pharynx	77	10.0	7.9	12.6	59	16.6	12.6	21.5	18	4.0	2.3	6.5
Esophagus	47	5.8	4.3	7.8	36	10.3	7.2	14.4	11	2.5	1.2	4.7
Stomach	31	3.6	2.4	5.2	16	4.9	2.8	8.2	15	2.6	1.5	4.7
Colon and Rectum	449	54.0	49.1	59.3	230	67.4	58.9	76.8	219	45.0	39.2	51.7
Liver	34	4.3	3.0	6.1	20	5.6	3.4	8.9	14	3.1	1.6	5.4
Pancreas	102	12.1	9.9	14.8	53	15.3	11.4	20.2	49	9.5	7.0	12.8
Lung and Bronchus	607	73.5	67.8	79.7	346	99.1	88.9	110.3	261	55.9	49.2	63.4
Bones and Joints	7	1.0	0.4	2.1	4	1.2	0.3	3.2	3	0.8	0.2	2.6
Melanoma of the Skin	144	19.3	16.3	22.9	83	24.5	19.5	30.5	61	16.1	12.2	20.8
Breast (invasive)	529	67.3	61.6	73.4	3	0.8	0.2	2.7	526	122.5	112.0	133.8
Cervix (invasive)	-	-	-	-	-	-	-	-	55	15.0	11.3	19.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	117	27.4	22.6	33.1
Ovary	-	-	-	-	-	-	-	-	55	13.0	9.7	17.2
Prostate	-	-	-	-	639	181.3	167.5	196.2	-	-	-	-
Testis	-	-	-	-	18	5.6	3.3	8.9	-	-	-	-
Urinary Bladder	202	24.2	21.0	27.9	160	47.4	40.3	55.5	42	8.9	6.4	12.3
Kidney and Renal Pelvis	101	12.4	10.1	15.2	62	17.9	13.7	23.1	39	8.4	5.9	11.7
Brain and Other Nervous System	36	4.9	3.4	6.8	23	6.5	4.1	10.0	13	3.4	1.8	6.1
Hodgkin's Disease	24	3.3	2.1	5.0	14	4.2	2.3	7.2	10	2.5	1.2	4.9
Non-Hodgkin's Lymphomas	156	19.3	16.4	22.7	77	22.2	17.5	27.9	79	17.3	13.6	21.8
Multiple Myeloma	37	4.6	3.2	6.4	19	5.4	3.2	8.6	18	3.9	2.3	6.4
Leukemias	74	9.2	7.2	11.7	42	12.5	9.0	17.1	32	6.4	4.3	9.3
All Other Sites	387	49.0	44.2	54.2	201	59.2	51.3	68.2	186	42.8	36.7	49.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	106	25.9	21.1	31.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,084	510.3	496.3	524.6	2,583	604.1	580.8	628.2	2,501	448.6	430.9	467.0
Oral Cavity and Pharynx	107	10.9	8.9	13.2	75	16.9	13.3	21.3	32	5.9	4.0	8.5
Esophagus	54	5.3	4.0	7.0	40	9.4	6.7	13.0	14	2.3	1.2	4.0
Stomach	45	4.4	3.2	6.0	29	7.2	4.8	10.5	16	2.5	1.4	4.3
Colon and Rectum	693	67.8	62.9	73.1	342	81.9	73.3	91.3	351	58.4	52.3	65.1
Liver	28	2.8	1.9	4.2	23	5.2	3.3	8.0	5	1.0	0.3	2.5
Pancreas	106	10.4	8.5	12.6	58	13.7	10.3	17.9	48	8.1	5.9	10.9
Lung and Bronchus	844	83.6	78.1	89.5	482	112.1	102.2	122.8	362	64.4	57.8	71.6
Bones and Joints	15	1.6	0.9	2.7	9	2.0	0.9	4.1	6	1.2	0.4	2.8
Melanoma of the Skin	140	14.6	12.3	17.3	86	19.7	15.7	24.5	54	10.7	8.0	14.0
Breast (invasive)	758	77	71.6	82.8	3	0.7	0.1	2.3	755	139.9	130.0	150.6
Cervix (invasive)	-	-	-	-	-	-	-	-	33	6.7	4.6	9.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	128	23.9	19.9	28.6
Ovary	-	-	-	-	-	-	-	-	93	17.0	13.7	21.1
Prostate	-	-	-	-	652	151.4	139.9	163.7	-	-	-	-
Testis	-	-	-	-	18	4.0	2.4	6.5	-	-	-	-
Urinary Bladder	259	25.4	22.4	28.8	200	47.2	40.8	54.4	59	9.6	7.3	12.6
Kidney and Renal Pelvis	178	18.0	15.4	20.9	107	25.1	20.5	30.5	71	12.7	9.9	16.2
Brain and Other Nervous System	62	6.5	5.0	8.3	29	6.6	4.4	9.6	33	6.1	4.2	8.7
Hodgkin's Disease	29	3.2	2.1	4.6	18	4.4	2.6	7.1	11	2.4	1.2	4.5
Non-Hodgkin's Lymphomas	192	19.4	16.7	22.3	103	24.4	19.9	29.8	89	15.4	12.3	19.1
Multiple Myeloma	65	6.3	4.9	8.1	33	7.8	5.4	11.2	32	5.3	3.6	7.6
Leukemias	136	13.9	11.7	16.5	78	18.2	14.3	22.8	58	10.6	8.0	13.9
All Other Sites	449	45.1	41.0	49.5	198	46.4	40.1	53.6	251	44.5	39.1	50.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	126	23.8	19.8	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,360	466.9	453.1	481.0	2,101	542.8	519.7	566.9	2,259	424.0	406.4	442.2
Oral Cavity and Pharynx	102	11.2	9.1	13.6	66	16.3	12.6	20.9	36	7.2	5.0	10.1
Esophagus	43	4.6	3.3	6.2	29	7.2	4.8	10.6	14	2.4	1.3	4.3
Stomach	37	3.9	2.7	5.4	24	6.2	4.0	9.4	13	2.2	1.1	3.9
Colon and Rectum	548	57.5	52.8	62.6	253	66.6	58.5	75.5	295	51.2	45.4	57.6
Liver	24	2.5	1.6	3.8	18	4.8	2.8	7.8	6	1.0	0.4	2.5
Pancreas	99	10.3	8.4	12.6	43	11.3	8.1	15.4	56	9.4	7.1	12.4
Lung and Bronchus	720	76.6	71.1	82.5	402	104.2	94.2	115.2	318	59.3	52.9	66.4
Bones and Joints	7	0.9	0.4	1.9	5	1.2	0.4	3.1	2	0.6	0.1	2.0
Melanoma of the Skin	100	10.9	8.8	13.3	57	14.7	11.1	19.2	43	8.4	6.1	11.5
Breast (invasive)	755	81.3	75.6	87.4	7	1.7	0.7	3.8	748	144.1	133.9	155.1
Cervix (invasive)	-	-	-	-	-	-	-	-	40	8.3	5.9	11.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	121	23.2	19.2	27.9
Ovary	-	-	-	-	-	-	-	-	71	13.3	10.3	16.9
Prostate	-	-	-	-	536	137.5	126.0	149.9	-	-	-	-
Testis	-	-	-	-	22	5.3	3.3	8.3	-	-	-	-
Urinary Bladder	191	20.1	17.4	23.3	145	38.7	32.6	45.7	46	8.4	6.1	11.3
Kidney and Renal Pelvis	118	12.6	10.5	15.2	68	17.6	13.6	22.5	50	9.5	7.0	12.7
Brain and Other Nervous System	60	6.7	5.1	8.7	28	6.9	4.5	10.1	32	6.4	4.3	9.2
Hodgkin's Disease	36	4.3	3.0	5.9	23	5.8	3.7	9.0	13	3.1	1.6	5.3
Non-Hodgkin's Lymphomas	158	16.8	14.3	19.7	83	21.2	16.8	26.4	75	13.6	10.7	17.2
Multiple Myeloma	40	4.2	3.0	5.8	22	5.7	3.5	8.8	18	3.1	1.8	5.2
Leukemias	118	13.0	10.8	15.7	60	15.5	11.8	20.1	58	10.9	8.2	14.3
All Other Sites	414	44.5	40.3	49.1	210	54.5	47.3	62.6	204	38.3	33.1	44.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	194	39.1	33.8	45.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,277	494.4	474.1	515.4	1,165	574.7	541.8	609.3	1,112	445.7	419.2	473.7
Oral Cavity and Pharynx	49	11.0	8.1	14.7	32	15.8	10.8	22.7	17	6.3	3.6	10.7
Esophagus	29	6.2	4.1	9.1	25	12.6	8.1	19.1	4	1.3	0.4	4.3
Stomach	24	4.9	3.1	7.5	17	8.0	4.6	13.2	7	2.4	0.9	5.6
Colon and Rectum	293	61.5	54.6	69.2	136	68.5	57.3	81.5	157	56.8	48.1	67.0
Liver	11	2.3	1.1	4.3	8	3.8	1.7	8.1	3	1.0	0.2	3.8
Pancreas	60	12.4	9.4	16.1	31	15.2	10.3	22.1	29	10.5	7.0	15.6
Lung and Bronchus	406	85.6	77.4	94.5	263	126.7	111.7	143.5	143	55.4	46.5	65.8
Bones and Joints	4	1.2	0.3	3.1	4	2.3	0.6	6.3	0	0.0	0.0	2.5
Melanoma of the Skin	71	16.8	13.1	21.4	46	22.9	16.8	31.0	25	12.0	7.7	18.1
Breast (invasive)	341	77.3	69.3	86.2	2	0.9	0.1	4	339	142.2	127.1	158.8
Cervix (invasive)	-	-	-	-	-	-	-	-	22	10.0	6.2	15.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	72	30.0	23.3	38.3
Ovary	-	-	-	-	-	-	-	-	28	10.7	7.0	16.0
Prostate	-	-	-	-	290	139.6	123.8	157.0	-	-	-	-
Testis	-	-	-	-	10	5.8	2.8	11.0	-	-	-	-
Urinary Bladder	111	23.6	19.4	28.6	80	41.4	32.7	52.0	31	12.3	8.3	17.9
Kidney and Renal Pelvis	64	14.5	11.1	18.7	35	17.6	12.2	24.9	29	12.1	8.0	17.9
Brain and Other Nervous System	17	4.0	2.3	6.6	9	5.0	2.2	9.9	8	3.7	1.5	7.8
Hodgkin's Disease	10	2.7	1.3	5.2	4	2.1	0.6	5.9	6	3.4	1.2	7.7
Non-Hodgkin's Lymphomas	90	19.4	15.6	24.1	44	21.9	15.9	29.8	46	17.4	12.7	23.8
Multiple Myeloma	24	5.0	3.2	7.7	11	5.7	2.8	10.5	13	4.8	2.5	8.8
Leukemias	67	14.8	11.5	19.0	33	16.2	11.1	23.2	34	13.6	9.3	19.5
All Other Sites	184	40.9	35.1	47.5	85	42.4	33.8	52.9	99	39.9	32.2	49.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	67	28.9	22.2	37.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,025	470.4	460.1	481.0	4,022	549.1	531.4	567.3	4,003	421.1	408.0	434.4
Oral Cavity and Pharynx	178	10.0	8.6	11.6	121	14.8	12.2	18.1	57	6.1	4.6	7.9
Esophagus	85	5.1	4.1	6.3	66	8.9	6.8	11.7	19	2.1	1.3	3.3
Stomach	122	7.3	6.1	8.8	80	11.3	8.9	14.4	42	4.4	3.1	5.9
Colon and Rectum	935	57.4	53.8	61.3	493	71.3	64.8	78.3	442	47.6	43.2	52.2
Liver	64	3.7	2.9	4.8	39	5.2	3.6	7.4	25	2.7	1.8	4.0
Pancreas	205	12.7	11.0	14.6	100	14.2	11.4	17.6	105	11.3	9.2	13.7
Lung and Bronchus	1,227	75.3	71.1	79.6	693	98.6	91.2	106.7	534	58.7	53.8	63.9
Bones and Joints	22	1.1	0.7	1.6	14	1.4	0.8	2.8	8	0.8	0.3	1.5
Melanoma of the Skin	213	11.5	10.0	13.2	120	15.0	12.3	18.3	93	9.3	7.5	11.4
Breast (invasive)	1,298	72.6	68.7	76.8	10	1.3	0.6	2.8	1,288	133.9	126.7	141.5
Cervix (invasive)	-	-	-	-	-	-	-	-	71	6.9	5.4	8.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	245	26.0	22.8	29.5
Ovary	-	-	-	-	-	-	-	-	129	13.5	11.2	16.0
Prostate	-	-	-	-	984	133.9	125.4	143.0	-	-	-	-
Testis	-	-	-	-	64	5.9	4.5	7.8	-	-	-	-
Urinary Bladder	377	23.3	21.0	25.8	274	41.0	36.1	46.6	103	11.0	9.0	13.4
Kidney and Renal Pelvis	239	13.7	12.0	15.6	151	18.9	15.9	22.5	88	9.3	7.4	11.4
Brain and Other Nervous System	115	6.0	4.9	7.2	65	7.0	5.3	9.2	50	5.0	3.7	6.6
Hodgkin's Disease	60	3.0	2.3	3.9	33	3.2	2.2	4.9	27	2.5	1.7	3.7
Non-Hodgkin's Lymphomas	302	17.6	15.7	19.8	165	21.6	18.2	25.5	137	14.6	12.2	17.3
Multiple Myeloma	83	5.1	4.0	6.3	48	6.8	5.0	9.4	35	3.8	2.6	5.3
Leukemias	237	13.8	12.1	15.7	131	18.2	15.0	21.9	106	11.0	9.0	13.3
All Other Sites	770	44.2	41.1	47.5	371	50.5	45.2	56.3	399	40.9	36.9	45.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	266	27.3	24.1	30.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,186	478.6	466.7	490.7	2,989	536.4	517.2	556.3	3,197	448.2	432.7	464.3
Oral Cavity and Pharynx	127	9.9	8.2	11.8	87	15.5	12.4	19.2	40	5.6	4.0	7.8
Esophagus	66	5.1	3.9	6.5	52	9.0	6.7	11.9	14	1.9	1.0	3.3
Stomach	103	7.9	6.4	9.6	58	10.6	8.0	13.9	45	5.6	4.1	7.6
Colon and Rectum	740	56.7	52.7	61.0	371	67.1	60.3	74.4	369	48.4	43.5	53.7
Liver	38	2.9	2.1	4.0	23	4.1	2.6	6.3	15	2.1	1.2	3.6
Pancreas	170	13.0	11.1	15.1	103	18.9	15.4	23.1	67	8.7	6.8	11.2
Lung and Bronchus	987	75.8	71.2	80.7	562	100.9	92.6	109.8	425	58.7	53.2	64.6
Bones and Joints	10	0.8	0.4	1.6	5	0.9	0.3	2.3	5	0.8	0.3	2.0
Melanoma of the Skin	158	12.5	10.6	14.6	99	17.0	13.8	20.9	59	9.0	6.8	11.7
Breast (invasive)	1,074	83.7	78.7	88.9	3	0.6	0.1	1.9	1,071	153.4	144.3	163.0
Cervix (invasive)	-	-	-	-	-	-	-	-	66	10.3	7.9	13.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	204	29.4	25.4	33.8
Ovary	-	-	-	-	-	-	-	-	115	16.4	13.5	19.8
Prostate	-	-	-	-	702	124.6	115.5	134.3	-	-	-	-
Testis	-	-	-	-	34	5.7	3.9	8.1	-	-	-	-
Urinary Bladder	296	22.7	20.2	25.5	221	40.5	35.3	46.4	75	10.1	7.9	12.8
Kidney and Renal Pelvis	160	12.4	10.6	14.5	99	17.7	14.3	21.7	61	8.5	6.5	11.1
Brain and Other Nervous System	83	6.6	5.2	8.2	46	7.9	5.8	10.7	37	5.5	3.9	7.7
Hodgkin's Disease	30	2.6	1.7	3.7	16	2.8	1.6	4.8	14	2.5	1.3	4.2
Non-Hodgkin's Lymphomas	238	18.3	16.1	20.9	115	20.6	17.0	24.9	123	16.8	13.9	20.1
Multiple Myeloma	69	5.3	4.1	6.8	29	5.2	3.5	7.6	40	5.5	3.9	7.6
Leukemias	186	14.5	12.5	16.8	117	21.9	18.0	26.4	69	9.4	7.3	12.0
All Other Sites	530	41.1	37.7	44.8	247	45.0	39.5	51.1	283	39.7	35.1	44.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	280	41.6	36.8	46.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

All Illinois Counties

**Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001**

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	36,139	517.2	511.8	522.7	18,680	667.6	657.5	677.8	17,459	421.5	415.2	427.9
Oral Cavity and Pharynx	976	12.9	12.1	13.8	713	22.1	20.5	23.9	263	6.1	5.4	6.9
Esophagus	619	8.8	8.1	9.6	441	15.3	13.8	16.9	178	4.3	3.7	5.0
Stomach	883	13.5	12.6	14.5	504	19.3	17.6	21.2	379	9.8	8.8	10.8
Colon and Rectum	4,448	67.0	65.0	69.0	2,081	77.9	74.4	81.6	2,367	59.7	57.3	62.2
Liver	476	6.8	6.2	7.5	310	10.6	9.4	12.0	166	4.2	3.5	4.9
Pancreas	975	14.7	13.7	15.6	441	15.9	14.4	17.6	534	13.6	12.4	14.8
Lung and Bronchus	6,011	87.1	84.9	89.4	3,613	129.9	125.5	134.5	2,398	58.9	56.5	61.3
Bones and Joints	60	0.7	0.5	0.9	33	0.9	0.6	1.4	27	0.6	0.4	0.8
Melanoma of the Skin	65	0.9	0.7	1.2	29	0.9	0.6	1.4	36	0.9	0.6	1.2
Breast (invasive)	5,276	73	70.8	74.9	59	2.1	1.6	2.8	5,217	123.4	120.1	126.8
Cervix (invasive)	-	-	-	-	-	-	-	-	785	17.4	16.2	18.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	804	19.5	18.2	20.9
Ovary	-	-	-	-	-	-	-	-	419	9.9	9.0	10.9
Prostate	-	-	-	-	6,122	229.0	223.0	235.1	-	-	-	-
Testis	-	-	-	-	54	1.2	0.9	1.7	-	-	-	-
Urinary Bladder	781	12.2	11.4	13.1	474	18.8	17.1	20.7	307	8.0	7.1	9.0
Kidney and Renal Pelvis	965	13.3	12.5	14.2	541	17.6	16.1	19.3	424	10.2	9.2	11.2
Brain and Other Nervous System	296	3.6	3.2	4.1	170	4.7	4.0	5.6	126	2.8	2.3	3.3
Hodgkin's Disease	222	2.4	2.1	2.8	130	3.1	2.6	3.8	92	1.9	1.5	2.3
Non-Hodgkin's Lymphomas	949	12.6	11.8	13.4	515	15.5	14.1	17.0	434	10.2	9.3	11.3
Multiple Myeloma	796	11.7	10.9	12.6	345	12.4	11.1	13.9	451	11.2	10.2	12.3
Leukemias	745	10.2	9.4	10.9	392	13.0	11.7	14.5	353	8.2	7.4	9.2
All Other Sites	3,412	47.7	46.1	49.4	1,713	57.2	54.4	60.2	1,699	40.8	38.9	42.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	873	20.5	19.2	21.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	282	526.1	464.1	595.1	142	631.7	523.5	767.4	140	451.3	378.0	535.7
Oral Cavity and Pharynx	6	9.2	3.2	23.7	3	11.6	2.4	64.0	3	7.0	1.3	25.8
Esophagus	4	8.6	2.3	24.0	3	15.1	3.0	69.7	1	3.8	0.1	22.7
Stomach	4	9.9	2.6	26.9	2	8.7	1.0	61.4	2	7.7	0.9	29.0
Colon and Rectum	29	56.7	37.3	83.9	12	48.4	24.3	108.0	17	58.5	33.6	95.6
Liver	6	11.3	4.0	27.3	2	7.0	0.8	58.9	4	14.0	3.8	37.6
Pancreas	7	15.1	5.8	33.4	1	3.9	0.1	55.8	6	21.0	7.5	47.7
Lung and Bronchus	45	86.9	62.8	118.4	24	107.0	66.1	180.3	21	72.8	44.8	112.9
Bones and Joints	0	0.0	0.0	11.2	0	0.0	0.0	52.0	0	0.0	0.0	15.8
Melanoma of the Skin	0	0.0	0.0	11.2	0	0.0	0.0	52.0	0	0.0	0.0	15.8
Breast (invasive)	44	72.6	52.1	100.3	1	3.9	0.1	55.8	43	127.2	91.4	174.1
Cervix (invasive)	-	-	-	-	-	-	-	-	6	17.4	6.0	41.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	16.9	5.4	41.7
Ovary	-	-	-	-	-	-	-	-	2	5.3	0.5	24.3
Prostate	-	-	-	-	52	244.4	179.1	339.3	-	-	-	-
Testis	-	-	-	-	1	1.2	0.0	52.8	-	-	-	-
Urinary Bladder	7	15.7	6.1	34.3	4	23.2	5.4	82.5	3	10.9	2.2	33.5
Kidney and Renal Pelvis	10	18.4	8.8	36.2	4	15.0	4.1	67.8	6	20.7	7.5	46.7
Brain and Other Nervous System	0	0.0	0.0	11.2	0	0.0	0.0	52.0	0	0.0	0.0	15.8
Hodgkin's Disease	1	1.8	0.0	13.8	0	0.0	0.0	52.0	1	3.4	0.1	21.6
Non-Hodgkin's Lymphomas	6	8.8	3.0	23.2	2	3.4	0.4	54.6	4	13.2	3.5	36.2
Multiple Myeloma	9	16.5	7.2	34.2	7	32.5	11.2	92.7	2	6.2	0.8	25.6
Leukemias	14	22.8	11.7	41.9	9	36.0	15.2	94.0	5	12.8	3.8	34.4
All Other Sites	24	46.1	28.7	71.4	15	70.4	34.0	143.0	9	32.4	14.7	62.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	39.2	20.1	70.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	29,077	517.4	511.4	523.5	14,924	669.1	657.9	680.5	14,153	421.8	414.8	428.9
Oral Cavity and Pharynx	799	13.3	12.4	14.3	578	23.1	21.2	25.2	221	6.4	5.6	7.3
Esophagus	517	9.1	8.3	9.9	374	16.2	14.6	18.1	143	4.3	3.6	5.0
Stomach	730	13.8	12.8	14.9	422	20.1	18.2	22.3	308	9.7	8.7	10.9
Colon and Rectum	3,608	67.0	64.8	69.2	1,696	79.0	75.1	83.1	1,912	59.0	56.4	61.8
Liver	401	7.2	6.5	7.9	261	11.4	10.0	13.0	140	4.3	3.6	5.1
Pancreas	792	14.6	13.6	15.7	347	15.4	13.8	17.3	445	13.8	12.5	15.2
Lung and Bronchus	4,784	85.5	83.0	88.0	2,844	127.6	122.7	132.6	1,940	58.2	55.6	60.8
Bones and Joints	48	0.7	0.5	1.0	27	1.0	0.6	1.5	21	0.6	0.3	0.9
Melanoma of the Skin	51	0.9	0.7	1.2	21	0.9	0.5	1.5	30	0.9	0.6	1.3
Breast (invasive)	4,312	75	72.6	77.1	50	2.2	1.6	3.1	4,262	125.0	121.2	128.8
Cervix (invasive)	-	-	-	-	-	-	-	-	640	17.9	16.5	19.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	648	19.3	17.8	20.8
Ovary	-	-	-	-	-	-	-	-	344	10.1	9.1	11.2
Prostate	-	-	-	-	4,899	228.7	222.1	235.5	-	-	-	-
Testis	-	-	-	-	40	1.2	0.9	1.8	-	-	-	-
Urinary Bladder	618	11.9	11.0	12.9	368	18.1	16.2	20.3	250	8.0	7.0	9.1
Kidney and Renal Pelvis	719	12.4	11.5	13.4	396	16.4	14.8	18.2	323	9.6	8.6	10.7
Brain and Other Nervous System	227	3.6	3.1	4.1	130	4.7	3.9	5.7	97	2.7	2.2	3.4
Hodgkin's Disease	175	2.5	2.2	3.0	103	3.3	2.7	4.1	72	1.9	1.5	2.4
Non-Hodgkin's Lymphomas	758	12.7	11.8	13.6	414	16.1	14.5	17.9	344	10.0	9.0	11.2
Multiple Myeloma	639	11.6	10.7	12.6	265	11.8	10.4	13.5	374	11.4	10.3	12.6
Leukemias	584	10.0	9.2	10.9	311	13.1	11.6	14.8	273	7.9	7.0	8.9
All Other Sites	2,744	48.1	46.3	50.0	1,378	58.5	55.3	61.9	1,366	40.7	38.6	43.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	707	20.5	19.0	22.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	309	592.2	511.3	685.7	134	666.5	527.9	849.4	175	539.1	443.7	654.9
Oral Cavity and Pharynx	3	2.4	0.5	23.9	3	5.1	1.0	84.1	0	0.0	0.0	34.8
Esophagus	1	2.4	0.1	24.8	1	5.3	0.1	85.6	0	0.0	0.0	34.8
Stomach	9	24.1	9.0	56.3	4	17.5	4.2	97.8	5	25.0	6.1	73.2
Colon and Rectum	34	75.1	47.0	117.8	13	74.4	31.8	174.5	21	77.7	42.9	136.6
Liver	5	13.6	3.5	41.4	0	0.0	0.0	80.6	5	22.6	5.9	67.3
Pancreas	4	7.0	1.4	30.5	2	4.5	0.5	83.8	2	8.6	0.8	46.6
Lung and Bronchus	46	100.2	67.7	146.9	24	112.6	63.5	213.9	22	83.0	46.8	143.2
Bones and Joints	0	0.0	0.0	21.9	0	0.0	0.0	80.6	0	0.0	0.0	34.8
Melanoma of the Skin	2	4.7	0.2	29.0	0	0.0	0.0	80.6	2	7.7	0.4	46.3
Breast (invasive)	64	81	57.2	118.5	0	0	0	80.6	64	146.5	105.0	208.3
Cervix (invasive)	-	-	-	-	-	-	-	-	7	18.9	5.4	59.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	26.4	7.8	72.5
Ovary	-	-	-	-	-	-	-	-	3	19.9	4.1	64.8
Prostate	-	-	-	-	50	279.5	188.8	419.1	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	80.6	-	-	-	-
Urinary Bladder	8	12.6	4.6	36.9	7	25.7	8.2	106.8	1	1.7	0.0	36.3
Kidney and Renal Pelvis	15	26.6	12.3	56.3	8	38.0	10.2	128.8	7	19.8	6.9	58.6
Brain and Other Nervous System	3	5.1	0.5	28.5	1	1.5	0.0	81.6	2	7.6	0.5	45.5
Hodgkin's Disease	1	3.6	0.1	27.3	1	8.8	0.2	91.0	0	0.0	0.0	34.8
Non-Hodgkin's Lymphomas	6	11.0	2.5	37.3	3	13.9	1.0	97.5	3	9.3	0.9	47.8
Multiple Myeloma	4	8.7	2.0	32.9	1	5.3	0.1	85.6	3	11.4	1.8	49.9
Leukemias	10	19.1	7.4	46.9	5	27.6	5.7	114.9	5	14.8	3.9	53.1
All Other Sites	27	40.4	22.4	72.9	11	46.6	17.2	135.7	16	38.0	17.4	83.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	47.0	24.4	93.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	323	557.3	490.2	633.0	159	654.8	539.5	799.4	164	485.2	405.7	578.4
Oral Cavity and Pharynx	9	15.1	6.3	34.5	8	29.7	10.9	89.0	1	3.4	0.1	26.9
Esophagus	2	4.1	0.4	20.5	2	9.6	0.8	66.0	0	0.0	0.0	22.1
Stomach	7	14.7	5.0	36.0	3	7.3	1.4	60.8	4	17.7	4.5	49.6
Colon and Rectum	39	80.8	54.9	116.6	16	68.6	36.4	137.0	23	85.9	51.7	136.5
Liver	6	11.9	3.9	31.0	5	23.5	6.4	83.1	1	3.4	0.1	26.9
Pancreas	8	15.1	6.1	34.7	3	12.6	1.9	69.2	5	17.0	5.3	46.0
Lung and Bronchus	58	113.7	83.4	153.3	40	186.6	124.7	282.0	18	62.0	34.7	105.4
Bones and Joints	1	0.6	0.0	14.9	1	1.0	0.0	55.2	0	0.0	0.0	22.1
Melanoma of the Skin	0	0.0	0.0	14.5	0	0.0	0.0	54.5	0	0.0	0.0	22.1
Breast (invasive)	49	72	50.3	102.6	0	0	0	54.5	49	127.4	91.0	177.7
Cervix (invasive)	-	-	-	-	-	-	-	-	5	8.1	2.6	30.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	27.8	12.4	59.2
Ovary	-	-	-	-	-	-	-	-	7	19.3	6.6	49.0
Prostate	-	-	-	-	45	184.3	126.6	274.4	-	-	-	-
Testis	-	-	-	-	1	1.5	0.0	55.5	-	-	-	-
Urinary Bladder	9	16.9	6.9	37.7	3	9.1	1.6	63.3	6	21.3	7.3	52.6
Kidney and Renal Pelvis	8	11.6	5.0	28.5	5	14.7	4.7	68.6	3	8.8	1.8	33.6
Brain and Other Nervous System	6	5.6	1.7	20.7	2	5.5	0.3	60.0	4	6.3	1.7	28.7
Hodgkin's Disease	2	1.5	0.2	15.8	0	0.0	0.0	54.5	2	2.7	0.3	24.7
Non-Hodgkin's Lymphomas	7	10.2	3.6	27.5	5	11.1	3.5	64.2	2	8.3	1.0	34.9
Multiple Myeloma	6	11.3	3.5	30.3	4	11.7	2.9	65.9	2	9.4	1.0	37.8
Leukemias	13	20.2	9.3	41.4	7	31.1	9.4	94.6	6	13.5	4.2	39.7
All Other Sites	25	41.8	24.8	68.7	9	46.9	16.8	118.1	16	42.7	22.1	79.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	22.5	8.3	53.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	324	598.3	533.7	669.4	181	781.5	668.5	911.8	143	462.0	388.4	546.6
Oral Cavity and Pharynx	9	14.5	6.4	30.0	8	30.8	12.9	69.2	1	1.8	0.0	17.8
Esophagus	6	11.2	4.1	26.2	3	13.0	2.6	46.4	3	9.8	2.0	31.0
Stomach	7	14.1	5.6	30.6	2	9.3	1.1	41.6	5	17.2	5.5	42.0
Colon and Rectum	35	72.1	49.8	101.6	15	73.1	39.9	126.6	20	71.0	43.1	111.0
Liver	4	6.8	1.8	19.7	4	14.8	4.0	47.5	0	0.0	0.0	15.5
Pancreas	7	14.4	5.6	31.2	4	17.0	4.3	52.1	3	11.7	2.4	34.9
Lung and Bronchus	50	92.4	68.3	123.4	34	141.9	97.1	205.1	16	54.1	30.8	89.3
Bones and Joints	0	0.0	0.0	9.8	0	0.0	0.0	28.0	0	0.0	0.0	15.5
Melanoma of the Skin	1	1.8	0.0	12.7	0	0.0	0.0	28.0	1	3.3	0.1	21.1
Breast (invasive)	47	79.1	57.9	106.9	0	0	0	28	47	144.5	105.9	194.0
Cervix (invasive)	-	-	-	-	-	-	-	-	8	22.2	9.5	46.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	16.0	5.2	39.5
Ovary	-	-	-	-	-	-	-	-	3	10.9	2.2	33.4
Prostate	-	-	-	-	72	329.4	255.6	421.4	-	-	-	-
Testis	-	-	-	-	1	3.1	0.1	31.7	-	-	-	-
Urinary Bladder	2	4.2	0.5	16.7	1	3.8	0.1	33.1	1	4.2	0.1	23.4
Kidney and Renal Pelvis	8	14.9	6.4	31.1	6	24.0	8.7	60.3	2	7.6	0.9	28.4
Brain and Other Nervous System	3	4.9	0.9	17.2	3	10.8	1.9	43.1	0	0.0	0.0	15.5
Hodgkin's Disease	3	4.0	0.7	15.4	0	0.0	0.0	28.0	3	7.6	1.4	26.7
Non-Hodgkin's Lymphomas	10	17.7	8.3	34.4	5	17.7	5.7	51.0	5	17.1	5.4	41.8
Multiple Myeloma	6	11.6	4.2	26.8	4	18.5	5.0	54.5	2	6.3	0.8	25.5
Leukemias	4	7.1	1.9	20.2	3	11.6	2.4	43.6	1	3.3	0.1	21.1
All Other Sites	33	57.8	39.5	82.9	16	62.8	35.5	109.0	17	53.4	30.7	87.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	3.4	0.1	21.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	569	455.1	416.1	497.3	289	529.9	463.6	606.3	280	396.4	349.5	448.4
Oral Cavity and Pharynx	22	16.8	10.2	26.9	17	26.9	15.1	50.6	5	7.6	2.3	19.0
Esophagus	6	5.3	1.8	13.0	5	13.1	3.5	37.6	1	0.9	0.0	8.7
Stomach	9	8.7	3.7	17.7	5	9.0	2.6	29.8	4	7.3	2.0	19.3
Colon and Rectum	83	70.4	55.1	89.1	34	62.0	40.5	95.0	49	74.8	54.7	100.3
Liver	5	4.1	1.2	11.0	4	7.9	1.9	28.6	1	1.2	0.0	9.3
Pancreas	16	14.6	8.1	25.0	6	12.4	3.6	35.8	10	16.4	7.7	31.1
Lung and Bronchus	91	77.5	61.6	96.9	48	97.9	68.8	138.6	43	64.6	46.4	88.2
Bones and Joints	2	2.1	0.2	8.7	1	5.0	0.1	27.9	1	1.3	0.0	9.6
Melanoma of the Skin	3	1.8	0.3	7.6	3	3.9	0.6	22.7	0	0.0	0.0	7.5
Breast (invasive)	73	56	43.2	72.7	1	2.2	0.1	21.2	72	97.3	75.3	124.5
Cervix (invasive)	-	-	-	-	-	-	-	-	9	11.3	4.9	23.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	13.0	5.8	26.1
Ovary	-	-	-	-	-	-	-	-	8	12.1	5.0	25.2
Prostate	-	-	-	-	102	193.9	155.1	243.2	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	18.5	-	-	-	-
Urinary Bladder	9	7.6	3.3	15.9	3	4.1	0.8	22.8	6	9.4	3.4	21.5
Kidney and Renal Pelvis	20	14.2	8.3	23.8	10	16.0	7.5	37.4	10	11.7	5.2	23.9
Brain and Other Nervous System	5	1.7	0.5	7.0	2	1.6	0.2	19.8	3	1.8	0.4	9.4
Hodgkin's Disease	4	2.2	0.5	8.1	3	3.8	0.6	22.7	1	0.8	0.0	8.5
Non-Hodgkin's Lymphomas	17	11.0	6.0	19.5	9	10.9	4.8	30.3	8	9.9	4.0	21.7
Multiple Myeloma	13	9.9	5.1	18.4	5	10.8	2.5	34.0	8	10.8	4.6	22.6
Leukemias	14	11.6	5.8	21.3	6	8.0	2.7	27.4	8	12.5	5.0	26.3
All Other Sites	49	35.9	26.0	49.1	25	40.4	25.1	67.2	24	31.6	19.9	48.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	20	25.7	15.3	41.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	275	496.0	437.9	560.6	178	812.0	689.3	958.8	97	288.2	232.8	353.9
Oral Cavity and Pharynx	9	13.7	6.2	28.4	7	25.3	10.1	73.0	2	4.6	0.5	21.7
Esophagus	3	5.1	1.0	17.3	3	11.6	2.4	57.2	0	0.0	0.0	14.8
Stomach	7	13.8	5.3	30.3	2	9.8	1.1	56.6	5	15.3	4.8	37.9
Colon and Rectum	20	39.3	23.7	62.3	13	66.6	32.9	131.4	7	23.1	9.2	49.2
Liver	5	8.8	2.7	22.7	4	14.6	3.9	60.6	1	4.0	0.1	22.4
Pancreas	5	9.5	3.0	24.0	4	18.0	4.7	66.3	1	3.2	0.1	20.3
Lung and Bronchus	53	94.9	70.8	125.6	35	145.9	100.6	217.4	18	56.8	33.6	91.3
Bones and Joints	1	0.9	0.0	10.9	0	0.0	0.0	44.3	1	1.7	0.0	16.8
Melanoma of the Skin	0	0.0	0.0	10.0	0	0.0	0.0	44.3	0	0.0	0.0	14.8
Breast (invasive)	31	52.2	35.2	76	1	3.9	0.1	48.5	30	87.7	59.0	127.2
Cervix (invasive)	-	-	-	-	-	-	-	-	5	12.5	4.0	32.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	12.3	3.3	33.5
Ovary	-	-	-	-	-	-	-	-	2	5.7	0.7	23.6
Prostate	-	-	-	-	74	337.2	262.4	436.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	44.3	-	-	-	-
Urinary Bladder	5	10.2	3.2	25.4	3	19.9	2.9	75.5	2	7.1	0.8	26.9
Kidney and Renal Pelvis	7	14.6	5.8	31.5	6	29.3	10.4	81.1	1	3.2	0.1	20.3
Brain and Other Nervous System	1	2.6	0.1	14.6	1	12.0	0.3	67.0	0	0.0	0.0	14.8
Hodgkin's Disease	2	2.7	0.3	13.6	1	3.5	0.1	48.0	1	1.9	0.0	17.4
Non-Hodgkin's Lymphomas	6	9.1	3.3	22.4	3	10.3	2.1	55.2	3	7.9	1.6	26.6
Multiple Myeloma	8	14.0	5.9	29.6	5	25.9	6.2	81.4	3	9.3	1.9	29.2
Leukemias	5	8.3	2.3	22.6	4	25.2	4.9	83.3	1	1.5	0.0	16.6
All Other Sites	22	40.0	24.6	62.6	12	53.0	26.3	109.8	10	30.2	14.1	58.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	20.9	8.4	45.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	327	512.8	458.2	572.5	175	691.1	588.9	809.1	152	398.3	337.1	468.0
Oral Cavity and Pharynx	3	4.8	1.0	14.7	3	11.2	2.3	40.7	0	0.0	0.0	11.1
Esophagus	5	7.3	2.4	18.0	3	9.7	2.0	37.9	2	5.6	0.7	20.8
Stomach	9	15.4	7.0	29.6	2	10.6	1.1	42.8	7	19.7	7.9	40.9
Colon and Rectum	43	69.2	50.0	93.8	21	79.8	48.9	127.7	22	58.3	36.4	89.0
Liver	3	5.3	1.1	15.7	1	3.5	0.1	29.9	2	6.0	0.7	21.8
Pancreas	6	10.1	3.7	22.4	2	10.4	1.1	42.3	4	10.9	3.0	28.7
Lung and Bronchus	63	99.7	76.4	128.1	40	152.8	107.8	214.2	23	63.1	39.9	95.1
Bones and Joints	2	2.3	0.2	10.5	0	0.0	0.0	25.2	2	4.3	0.4	18.1
Melanoma of the Skin	1	1.3	0.0	9.1	1	3.0	0.1	28.9	0	0.0	0.0	11.1
Breast (invasive)	34	51.1	35.2	72.2	0	0	0	25.2	34	87.2	60.2	122.6
Cervix (invasive)	-	-	-	-	-	-	-	-	7	17.2	6.8	36.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	24.6	11.2	47.4
Ovary	-	-	-	-	-	-	-	-	2	5.8	0.7	21.3
Prostate	-	-	-	-	65	252.3	193.0	327.6	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	25.2	-	-	-	-
Urinary Bladder	7	12.0	4.8	25.2	5	26.7	8.4	65.9	2	5.0	0.6	19.4
Kidney and Renal Pelvis	7	9.8	3.9	21.3	2	6.2	0.7	33.2	5	11.9	3.8	29.2
Brain and Other Nervous System	3	4.3	0.8	13.8	1	3.0	0.1	28.9	2	4.6	0.5	18.5
Hodgkin's Disease	3	3.4	0.6	11.9	2	5.5	0.6	32.0	1	1.6	0.0	13.4
Non-Hodgkin's Lymphomas	14	23.2	12.7	39.4	9	40.5	17.9	82.4	5	14.0	4.6	33.2
Multiple Myeloma	7	11.9	4.8	25.0	3	14.3	2.7	47.4	4	11.3	3.1	29.3
Leukemias	2	3.3	0.4	12.5	2	10.0	1.0	41.6	0	0.0	0.0	11.1
All Other Sites	32	47.3	32.1	67.8	13	51.7	26.3	95.5	19	47.2	28.2	74.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	23.9	10.9	46.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	476	579.7	527.1	636.7	245	722.3	630.2	827.0	231	480.9	419.4	549.7
Oral Cavity and Pharynx	16	17.1	9.6	29.5	12	31.1	15.5	61.3	4	7.1	1.8	21.1
Esophagus	12	13.8	7.0	25.7	7	17.5	6.8	43.6	5	10.5	3.3	26.4
Stomach	6	7.8	2.7	18.5	4	11.0	2.7	36.0	2	5.3	0.6	19.7
Colon and Rectum	55	72.7	54.2	96.1	17	51.4	28.9	88.5	38	85.7	60.1	119.1
Liver	3	3.3	0.7	11.8	3	7.9	1.5	31.5	0	0.0	0.0	10.6
Pancreas	14	19.0	10.3	33.0	6	20.8	7.2	50.9	8	18.4	7.9	37.3
Lung and Bronchus	83	103.1	81.7	129.2	49	146.3	106.7	199.3	34	73.1	50.3	103.5
Bones and Joints	1	0.8	0.0	8.1	1	1.8	0.0	23.0	0	0.0	0.0	10.6
Melanoma of the Skin	0	0.0	0.0	7.1	0	0.0	0.0	21.0	0	0.0	0.0	10.6
Breast (invasive)	54	58.3	43.3	77.9	1	3.8	0.1	26.9	53	100.9	74.9	134.1
Cervix (invasive)	-	-	-	-	-	-	-	-	6	10.9	3.9	26.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	28.9	15.6	50.3
Ovary	-	-	-	-	-	-	-	-	11	22.0	10.6	41.6
Prostate	-	-	-	-	82	254.9	200.3	322.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	21.0	-	-	-	-
Urinary Bladder	8	9.8	4.1	21.0	4	11.1	2.7	36.2	4	8.9	2.3	24.4
Kidney and Renal Pelvis	19	23.1	13.6	37.7	10	27.8	12.4	58.3	9	19.2	8.5	38.3
Brain and Other Nervous System	4	4.1	1.1	12.6	4	8.9	2.4	31.9	0	0.0	0.0	10.6
Hodgkin's Disease	1	0.8	0.0	8.1	0	0.0	0.0	21.0	1	1.5	0.0	12.7
Non-Hodgkin's Lymphomas	13	18.0	9.4	32.2	7	22.6	8.7	52.4	6	14.4	5.1	32.7
Multiple Myeloma	11	14.4	7.1	27.2	5	16.3	4.9	44.4	6	13.6	4.9	30.9
Leukemias	10	13.0	6.0	25.4	6	18.7	6.2	47.5	4	9.6	2.6	25.7
All Other Sites	53	59.8	44.3	80.0	27	70.4	45.5	108.9	26	50.9	32.8	76.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	15.8	6.7	33.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	160	423.1	358.0	499.1	93	567.6	444.8	726.5	67	325.2	251.4	416.3
Oral Cavity and Pharynx	0	0.0	0.0	17.8	0	0.0	0.0	62.7	0	0.0	0.0	25.1
Esophagus	4	11.3	3.1	33.7	3	17.8	3.7	83.1	1	5.6	0.1	34.6
Stomach	2	7.6	0.8	30.5	2	23.3	2.0	101.6	0	0.0	0.0	25.1
Colon and Rectum	18	47.3	27.5	79.3	10	58.7	23.5	139.7	8	39.5	17.0	81.5
Liver	0	0.0	0.0	17.8	0	0.0	0.0	62.7	0	0.0	0.0	25.1
Pancreas	8	18.4	7.8	41.8	5	24.6	7.3	90.5	3	13.2	2.7	44.4
Lung and Bronchus	34	91.5	62.9	131.7	20	127.1	73.9	220.9	14	67.6	36.8	116.8
Bones and Joints	0	0.0	0.0	17.8	0	0.0	0.0	62.7	0	0.0	0.0	25.1
Melanoma of the Skin	0	0.0	0.0	17.8	0	0.0	0.0	62.7	0	0.0	0.0	25.1
Breast (invasive)	18	45	26.3	75.5	0	0	0	62.7	18	85.1	50.2	138.0
Cervix (invasive)	-	-	-	-	-	-	-	-	4	17.9	4.8	51.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	4.6	0.1	32.1
Ovary	-	-	-	-	-	-	-	-	2	8.8	1.1	38.2
Prostate	-	-	-	-	31	181.8	119.4	282.5	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	62.7	-	-	-	-
Urinary Bladder	4	10.9	2.9	33.0	1	4.3	0.1	66.8	3	15.4	3.2	49.0
Kidney and Renal Pelvis	6	19.0	6.5	45.8	4	29.4	6.0	104.1	2	11.6	1.3	44.6
Brain and Other Nervous System	0	0.0	0.0	17.8	0	0.0	0.0	62.7	0	0.0	0.0	25.1
Hodgkin's Disease	1	2.3	0.1	20.7	1	4.8	0.1	67.4	0	0.0	0.0	25.1
Non-Hodgkin's Lymphomas	5	9.8	3.1	30.1	4	14.4	3.8	76.7	1	4.6	0.1	32.1
Multiple Myeloma	5	11.3	3.6	32.4	3	13.0	2.7	75.8	2	9.0	1.1	38.7
Leukemias	3	10.2	1.9	33.8	1	8.2	0.2	73.3	2	11.1	1.2	43.8
All Other Sites	14	42.1	21.9	75.5	8	60.3	21.2	147.8	6	31.3	11.2	72.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2	9.4	1.1	39.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,466	535.3	508.0	563.9	729	673.2	623.8	726.3	737	447.4	415.4	481.2
Oral Cavity and Pharynx	31	10.3	7.0	14.9	19	15.0	9.0	25.1	12	6.6	3.4	11.9
Esophagus	22	8.1	5.1	12.5	16	14.2	8.0	24.5	6	3.8	1.4	8.5
Stomach	31	12.3	8.3	17.7	18	19.1	11.0	31.6	13	8.4	4.4	14.5
Colon and Rectum	173	66.0	56.5	76.9	71	69.8	54.0	89.6	102	63.5	51.7	77.3
Liver	18	6.5	3.8	10.4	13	10.9	5.7	20.4	5	3.0	1.0	7.3
Pancreas	42	16.3	11.7	22.2	20	19.7	11.8	31.8	22	13.8	8.6	21.0
Lung and Bronchus	270	100.6	88.9	113.6	171	159.3	135.7	186.7	99	61.9	50.2	75.5
Bones and Joints	2	0.5	0.1	2.5	1	0.7	0.0	7.0	1	0.4	0.0	3.2
Melanoma of the Skin	5	1.8	0.6	4.5	3	2.7	0.5	9.9	2	1.2	0.1	4.7
Breast (invasive)	222	78.5	68.5	89.8	2	2	0.2	9	220	132.5	115.5	151.4
Cervix (invasive)	-	-	-	-	-	-	-	-	35	19.4	13.5	27.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	42	26.1	18.8	35.5
Ovary	-	-	-	-	-	-	-	-	17	9.9	5.8	16.2
Prostate	-	-	-	-	234	218.3	190.7	249.5	-	-	-	-
Testis	-	-	-	-	1	0.6	0.0	6.8	-	-	-	-
Urinary Bladder	34	13.5	9.3	19.0	25	27.7	17.5	42.3	9	6.0	2.7	11.5
Kidney and Renal Pelvis	55	19.7	14.8	25.8	31	26.0	17.5	38.4	24	15.0	9.6	22.5
Brain and Other Nervous System	8	2.5	1.1	5.4	3	2.5	0.4	9.6	5	2.8	0.9	6.9
Hodgkin's Disease	4	1.0	0.3	3.2	3	1.8	0.3	8.3	1	0.5	0.0	3.4
Non-Hodgkin's Lymphomas	38	13.3	9.3	18.6	17	12.6	7.2	22.0	21	13.0	8.0	20.1
Multiple Myeloma	30	11.4	7.6	16.4	12	12.5	6.3	23.1	18	11.1	6.6	17.7
Leukemias	33	11.2	7.6	16.1	14	10.2	5.3	19.4	19	11.5	6.9	18.2
All Other Sites	119	41.6	34.3	50.1	55	47.5	35.4	63.4	64	37.2	28.6	47.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	29	18.3	12.2	26.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	289	523.3	463.1	589.8	149	696.7	582.8	831.3	140	418.1	350.7	495.4
Oral Cavity and Pharynx	11	16.1	8.0	31.0	7	23.4	9.3	62.2	4	10.1	2.7	28.9
Esophagus	5	9.3	2.9	23.2	4	15.1	4.1	52.5	1	3.5	0.1	20.3
Stomach	8	15.8	6.7	32.3	2	11.1	1.1	50.8	6	19.7	7.2	43.8
Colon and Rectum	38	74.2	52.2	103.2	21	111.7	67.1	180.0	17	52.0	30.2	84.6
Liver	2	2.8	0.3	13.3	2	6.1	0.7	40.8	0	0.0	0.0	13.9
Pancreas	3	5.6	1.1	18.1	2	10.4	1.1	48.8	1	3.2	0.1	19.5
Lung and Bronchus	58	111.2	84.0	145.2	38	189.5	131.4	269.8	20	64.2	39.0	100.3
Bones and Joints	2	2.7	0.3	13.3	1	2.2	0.1	36.0	1	3.1	0.1	19.3
Melanoma of the Skin	0	0.0	0.0	9.4	0	0.0	0.0	33.9	0	0.0	0.0	13.9
Breast (invasive)	41	73.5	52.2	101.4	2	9.2	0.8	47.3	39	117.4	83.1	162.0
Cervix (invasive)	-	-	-	-	-	-	-	-	7	18.7	7.3	41.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	21.7	8.7	46.1
Ovary	-	-	-	-	-	-	-	-	5	14.2	4.5	35.3
Prostate	-	-	-	-	31	149.7	99.6	222.2	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	33.9	-	-	-	-
Urinary Bladder	7	13.8	5.5	29.7	5	23.9	7.2	67.1	2	6.5	0.8	24.8
Kidney and Renal Pelvis	13	23.0	12.0	41.1	10	40.6	18.5	86.7	3	9.6	1.9	29.6
Brain and Other Nervous System	2	1.6	0.2	11.2	1	2.2	0.1	36.0	1	1.4	0.0	15.4
Hodgkin's Disease	2	2.3	0.3	12.3	1	2.2	0.1	36.0	1	2.3	0.1	17.4
Non-Hodgkin's Lymphomas	8	12.2	5.1	26.4	4	15.0	3.4	53.8	4	11.1	2.9	31.0
Multiple Myeloma	5	9.4	3.0	23.5	3	14.9	2.7	55.3	2	6.3	0.8	24.3
Leukemias	3	3.4	0.6	14.0	1	2.2	0.1	36.0	2	4.6	0.4	21.0
All Other Sites	31	55.8	37.3	81.1	14	67.3	35.2	123.3	17	48.3	27.8	79.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	37.0	19.4	65.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	170	574.0	490.2	668.5	98	737.2	595.9	907.8	72	448.3	350.2	566.4
Oral Cavity and Pharynx	3	9.2	1.8	29.0	0	0.0	0.0	46.1	3	19.0	3.9	57.2
Esophagus	2	7.5	0.9	27.4	1	8.0	0.2	58.2	1	5.3	0.1	34.8
Stomach	2	6.1	0.7	24.1	2	13.0	1.6	63.8	0	0.0	0.0	26.0
Colon and Rectum	27	94.9	62.4	138.7	18	151.4	88.2	248.3	9	55.3	25.2	106.8
Liver	1	3.8	0.1	21.3	0	0.0	0.0	46.1	1	7.0	0.2	39.0
Pancreas	5	17.6	5.7	41.8	2	15.3	1.9	68.3	3	19.4	4.0	58.1
Lung and Bronchus	37	126.0	88.6	174.6	18	128.3	75.4	212.8	19	123.1	74.0	193.3
Bones and Joints	0	0.0	0.0	14.3	0	0.0	0.0	46.1	0	0.0	0.0	26.0
Melanoma of the Skin	0	0.0	0.0	14.3	0	0.0	0.0	46.1	0	0.0	0.0	26.0
Breast (invasive)	18	60.2	35.4	96.3	0	0	0	46.1	18	114.0	67.4	181.4
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	26.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	5.3	0.1	34.8
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	26.0
Prostate	-	-	-	-	33	254.3	174.5	364.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	46.1	-	-	-	-
Urinary Bladder	9	30.8	14.0	59.4	7	53.3	21.0	120.6	2	13.2	1.6	48.8
Kidney and Renal Pelvis	1	3.5	0.1	20.5	0	0.0	0.0	46.1	1	6.4	0.2	37.5
Brain and Other Nervous System	3	8.0	1.5	26.7	3	15.7	2.8	66.5	0	0.0	0.0	26.0
Hodgkin's Disease	1	1.7	0.0	16.3	1	2.7	0.1	48.6	0	0.0	0.0	26.0
Non-Hodgkin's Lymphomas	3	9.4	1.9	29.3	0	0.0	0.0	46.1	3	18.7	3.8	56.6
Multiple Myeloma	7	23.9	9.6	50.2	4	30.2	8.2	89.0	3	19.0	3.9	57.1
Leukemias	4	11.3	2.9	31.8	1	6.5	0.2	54.9	3	14.0	2.7	47.3
All Other Sites	13	41.8	22.0	73.0	8	58.3	24.9	125.7	5	28.7	9.1	70.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	19.8	4.1	59.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	676	486.8	447.2	529.6	376	641.0	567.6	724.3	300	374.7	330.4	424.1
Oral Cavity and Pharynx	17	8.5	4.9	15.7	12	11.7	5.9	30.2	5	5.4	1.7	15.4
Esophagus	6	4.7	1.6	12.1	3	4.1	0.8	22.4	3	4.6	0.9	15.2
Stomach	19	14.2	8.1	24.1	13	26.9	12.5	54.3	6	6.4	2.2	16.8
Colon and Rectum	87	70.6	55.2	89.6	45	90.9	61.8	131.9	42	58.7	41.4	81.8
Liver	7	4.9	1.7	12.3	1	0.5	0.0	18.4	6	8.1	2.7	19.9
Pancreas	21	19.2	11.3	31.1	13	27.0	12.3	54.8	8	13.8	5.8	28.4
Lung and Bronchus	93	72.5	57.5	91.0	59	104.4	76.4	143.2	34	48.3	32.9	69.4
Bones and Joints	0	0.0	0.0	5.4	0	0.0	0.0	18.0	0	0.0	0.0	8.0
Melanoma of the Skin	0	0.0	0.0	5.4	0	0.0	0.0	18.0	0	0.0	0.0	8.0
Breast (invasive)	95	60	46.8	75.8	0	0	0	18	95	106.7	84.7	133.8
Cervix (invasive)	-	-	-	-	-	-	-	-	13	12.8	6.2	25.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	12.3	5.6	24.7
Ovary	-	-	-	-	-	-	-	-	6	6.9	2.2	17.8
Prostate	-	-	-	-	138	233.0	192.1	283.8	-	-	-	-
Testis	-	-	-	-	1	0.6	0.0	18.5	-	-	-	-
Urinary Bladder	19	17.3	9.9	28.6	15	31.2	15.7	59.6	4	7.1	1.8	19.4
Kidney and Renal Pelvis	23	16.5	9.9	26.6	11	20.3	8.2	45.8	12	15.4	7.6	29.0
Brain and Other Nervous System	14	7.0	3.4	14.4	9	9.7	3.6	29.2	5	4.6	1.2	14.5
Hodgkin's Disease	5	2.7	0.8	8.6	3	2.7	0.5	20.5	2	2.6	0.3	11.7
Non-Hodgkin's Lymphomas	19	10.8	6.1	19.2	12	15.8	6.3	38.5	7	7.7	2.9	18.4
Multiple Myeloma	15	10.5	5.6	19.2	6	8.7	3.0	28.1	9	11.7	5.1	24.3
Leukemias	14	10.5	5.4	19.5	5	6.1	1.8	24.6	9	13.3	5.8	27.1
All Other Sites	54	36.3	26.2	49.8	30	47.3	29.2	77.0	24	28.2	17.2	44.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	24.6	14.7	40.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	450	507.2	459.4	559.6	244	660.8	573.9	761.8	206	396.0	342.1	457.1
Oral Cavity and Pharynx	11	10.0	4.9	20.4	11	22.3	10.9	51.8	0	0.0	0.0	11.2
Esophagus	14	15.8	8.4	28.5	7	21.1	7.7	54.2	7	12.9	5.1	29.1
Stomach	11	12.4	6.0	24.5	8	22.9	8.4	57.0	3	5.8	1.2	19.7
Colon and Rectum	56	71.1	53.1	94.2	28	76.9	49.6	120.5	28	64.3	42.4	94.6
Liver	2	2.3	0.3	10.9	2	5.3	0.6	32.4	0	0.0	0.0	11.2
Pancreas	15	20.2	11.0	35.1	13	41.9	20.7	81.7	2	5.5	0.7	20.5
Lung and Bronchus	74	93.6	72.7	119.6	43	135.3	95.3	191.7	31	64.0	43.0	92.9
Bones and Joints	0	0.0	0.0	7.8	0	0.0	0.0	26.2	0	0.0	0.0	11.2
Melanoma of the Skin	1	1.0	0.0	9.1	1	2.3	0.1	28.7	0	0.0	0.0	11.2
Breast (invasive)	66	66	50.6	86.3	0	0	0	26.2	66	118.2	90.8	152.9
Cervix (invasive)	-	-	-	-	-	-	-	-	7	10.6	4.3	25.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	28.4	15.3	49.7
Ovary	-	-	-	-	-	-	-	-	3	5.7	1.1	19.5
Prostate	-	-	-	-	63	180.8	135.7	241.6	-	-	-	-
Testis	-	-	-	-	2	2.9	0.4	28.9	-	-	-	-
Urinary Bladder	10	12.0	5.6	23.9	8	21.2	8.9	52.1	2	4.5	0.5	18.3
Kidney and Renal Pelvis	20	19.1	11.3	32.1	15	30.6	16.6	61.9	5	8.8	2.7	23.9
Brain and Other Nervous System	4	2.8	0.7	11.1	0	0.0	0.0	26.2	4	5.2	1.3	17.9
Hodgkin's Disease	2	1.6	0.2	9.7	2	3.5	0.4	29.7	0	0.0	0.0	11.2
Non-Hodgkin's Lymphomas	17	16.4	9.5	28.6	8	16.7	7.0	45.3	9	16.3	7.3	33.5
Multiple Myeloma	7	7.9	3.1	18.5	4	10.5	2.8	38.7	3	6.0	1.2	20.3
Leukemias	6	5.8	2.0	15.4	2	5.0	0.6	31.9	4	6.3	1.6	19.8
All Other Sites	45	46.7	33.5	64.9	27	61.6	39.9	99.1	18	33.4	19.2	55.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	18.3	8.2	37.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003