

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, All Sites, Illinois, 1997 – 2001												
Figures include invasive cancer and bladder <i>in situ</i> . Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	10,107	351.8	343.7	360.2	5,028	411.3	397.3	425.8	5,079	312.9	303.1	323.0
Cook	7,293	338.4	329.3	347.8	3,652	399.6	383.8	416.1	3,641	297.5	286.5	308.8
DuPage	534	397.9	357.5	443.1	254	435.9	369.8	516.1	280	376.4	326.3	434.1
Kane	444	315.4	276.9	359.4	214	358.2	295.6	435.0	230	285.1	237.8	341.9
Lake	451	341.4	301.9	386.4	206	387.7	318.1	473.0	245	324.1	275.9	381.6
Will	292	359.1	311.8	414.4	158	430.3	349.4	532.2	134	304.8	248.8	374.3
Non-Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	276,926	489.9	488.1	491.7	139,743	582.7	579.6	585.8	137,183	431.3	429.0	433.6
Cook	113,902	497.2	494.3	500.1	56,764	596.2	591.3	601.2	57,138	435.7	432.1	439.4
DuPage	17,990	480.8	473.8	487.9	8,722	557.0	545.0	569.3	9,268	436.2	427.3	445.2
Kane	6,556	475.6	464.0	487.3	3,202	548.7	529.2	568.8	3,354	430.9	416.4	445.9
Lake	11,701	495.9	486.9	505.1	5,688	554.0	539.0	569.3	6,013	460.2	448.5	472.0
Will	8,679	480.6	470.4	491.0	4,382	566.7	549.2	584.7	4,297	424.9	412.2	437.9
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.												

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Colon and Rectum, Illinois, 1997 – 2001												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	928	38.4	35.7	41.4	512	46.1	41.4	51.3	416	32.4	29.0	36.1
Cook	662	35.8	32.8	39.1	372	44.2	39.0	50.2	290	29.2	25.7	33.3
DuPage	51	45.7	32.2	64.6	22	40.4	22.7	75.2	29	49.9	31.6	77.2
Kane	36	25.0	16.2	40.0	20	32.0	17.5	63.3	16	19.2	9.6	40.1
Lake	35	37.8	24.1	58.3	17	33.5	15.4	70.9	18	38.5	21.1	67.7
Will	26	41.0	25.3	66.2	18	58.8	31.4	111.4	8	23.7	9.3	55.8
Non-Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	34,776	60.9	60.3	61.6	17,232	73.6	72.5	74.7	17,544	52.0	51.2	52.8
Cook	14,115	61.0	60.0	62.0	6,994	75.0	73.3	76.8	7,121	51.3	50.1	52.6
DuPage	1,986	54.5	52.1	57.0	990	66.4	62.2	70.9	996	46.7	43.8	49.7
Kane	780	58.1	54.1	62.4	389	70.6	63.5	78.4	391	49.4	44.6	54.6
Lake	1,317	58.5	55.3	61.8	682	69.8	64.4	75.7	635	50.1	46.3	54.2
Will	1,018	59.1	55.5	62.9	533	72.9	66.5	79.9	485	49.4	45.1	54.0
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.												

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Lung and Bronchus, Illinois, 1997 – 2001												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	817	35.8	33.1	38.7	496	47.3	42.6	52.6	321	26.1	23.1	29.5
Cook	565	32.1	29.2	35.3	352	43.9	38.8	49.7	213	22.4	19.2	26.0
DuPage	31	32.3	20.5	50.1	19	50.1	26.7	91.8	12	19.6	8.9	40.0
Kane	33	36.7	22.9	57.2	21	42.8	23.7	78.8	12	27.4	11.9	55.9
Lake	34	35.0	22.8	53.7	17	37.8	18.7	75.7	17	34.0	18.3	61.4
Will	25	43.4	26.5	70.2	17	58.1	30.5	111.2	8	29.9	11.9	66.4
Non-Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	42,163	74.4	73.7	75.1	24,067	100.6	99.3	101.9	18,096	56.2	55.3	57.0
Cook	17,043	73.9	72.8	75.0	9,451	99.0	97.0	101.1	7,592	56.7	55.4	58.0
DuPage	2,276	63.2	60.6	65.8	1,217	81.7	77.0	86.6	1,059	51.4	48.3	54.6
Kane	896	67.3	62.9	71.9	499	88.9	81.1	97.5	397	52.6	47.5	58.1
Lake	1,521	67.3	63.9	70.8	773	79.2	73.5	85.3	748	59.4	55.2	63.8
Will	1,310	76.0	71.9	80.2	745	100.4	93.0	108.3	565	58.6	53.9	63.7
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.												

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Female Breast (Invasive), Illinois, 1997 – 2001								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
	Hispanics*				Non-Hispanics*			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,495	86.9	82.1	92.1	42,121	135.9	134.6	137.2
Cook	1,057	82.7	77.2	88.5	17,380	136.4	134.3	138.4
DuPage	86	108.7	83.9	141.1	3,228	150.5	145.4	155.9
Kane	66	80.6	56.7	114.6	1,111	142.4	134.1	151.1
Lake	68	68.7	51.1	95.8	2,056	153.8	147.1	160.6
Will	47	87.7	62.8	126.2	1,380	134.3	127.2	141.6
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Cervix (Invasive), Illinois, 1997 – 2001								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
	Hispanics*				Non-Hispanics*			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	388	18.0	16.1	20.3	3,102	10.5	10.2	10.9
Cook	304	19.1	16.8	21.8	1,397	11.6	11.0	12.2
DuPage	12	11.8	5.7	27.0	160	7.4	6.3	8.7
Kane	16	14.8	7.7	33.2	60	7.6	5.8	9.9
Lake	18	17.4	9.6	36.6	122	8.7	7.2	10.4
Will	5	8.4	2.6	33.0	86	7.8	6.2	9.6
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Prostate (Invasive), Illinois, 1997 – 2001								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
	Hispanics*				Non-Hispanics*			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,315	133.5	125.3	142.2	38,977	162.2	160.6	163.9
Cook	967	131.5	122.2	141.6	16,217	170.0	167.4	172.7
DuPage	68	147.4	110.1	199.8	2,560	163.8	157.3	170.5
Kane	46	104.3	70.6	153.9	921	160.3	149.8	171.4
Lake	53	139.5	97.8	198.3	1,664	161.3	153.4	169.6
Will	36	115.9	75.7	179.4	1,132	145.5	136.8	154.7
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, All Sites, Illinois, 1997 – 2001												
Figures include invasive cancer and bladder <i>in situ</i> . Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	3,277	67.4	65.0	69.9	2,996	563.0	542.9	583.6	3,834	1,729.8	1,671.9	1,789.3
Cook	2,319	66.8	64.0	69.8	2,189	544.8	522.2	568.2	2,785	1,648.3	1,583.6	1,715.3
DuPage	190	72.1	61.6	84.1	170	721.9	616.8	840.2	174	1,879.1	1,595.8	2,206.7
Kane	195	69.3	59.1	80.9	115	436.4	359.5	525.5	134	1,581.0	1,301.5	1,911.5
Lake	185	65.6	55.7	76.9	123	533.0	442.2	637.7	143	1,693.3	1,410.4	2,026.3
Will	94	68.3	54.5	84.8	102	723.9	589.4	880.9	96	1,591.6	1,270.0	1,986.2
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	37,504	94.8	93.9	95.8	73,644	890.0	883.5	896.4	165,778	2,277.2	2,266.2	2,288.2
Cook	15,028	96.7	95.2	98.3	30,428	912.6	902.3	922.9	68,446	2,297.5	2,280.3	2,314.8
DuPage	3,029	94.1	90.7	97.5	5,312	861.7	838.6	885.3	9,649	2,243.3	2,198.8	2,288.6
Kane	1,092	91.6	86.2	97.2	1,893	841.6	804.0	880.5	3,571	2,240.0	2,167.1	2,314.8
Lake	1,994	91.7	87.7	95.8	3,469	864.7	836.1	894.0	6,238	2,373.2	2,314.5	2,433.0
Will	1,563	90.3	85.8	94.9	2,668	891.8	858.2	926.4	4,448	2,227.4	2,162.4	2,294.0
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,276	46.0	43.3	48.8	1,483	562.4	534.0	592.0	2,269	2,323.5	2,219.6	2,431.8
Cook	897	45.9	42.7	49.2	1,095	554.4	521.9	588.4	1,660	2,241.3	2,124.3	2,364.3
DuPage	80	52.9	41.1	67.5	74	640.8	501.7	807.9	100	2,385.7	1,902.3	2,992.3
Kane	73	47.4	36.2	61.4	55	406.1	304.9	531.5	86	2,080.6	1,612.5	2,674.1
Lake	70	42.1	31.9	54.9	59	509.0	386.3	659.4	77	2,222.8	1,704.0	2,880.2
Will	41	48.7	34.0	68.5	57	811.9	613.5	1,056.0	60	2,162.6	1,589.0	2,925.0
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	14,442	74.2	73.0	75.4	38,103	962.5	952.8	972.2	87,198	3,043.4	3,023.0	3,063.9
Cook	5,795	77.3	75.3	79.3	15,481	1,002.8	987.0	1,018.7	35,488	3,085.0	3,052.7	3,117.7
DuPage	1,062	67.4	63.4	71.6	2,667	887.2	853.8	921.6	4,993	2,968.4	2,885.5	3,053.4
Kane	398	67.5	61.0	74.6	991	892.4	837.6	950.0	1,813	2,895.7	2,761.6	3,035.5
Lake	751	70.2	65.2	75.4	1,708	857.5	817.2	899.3	3,229	2,964.0	2,859.9	3,071.5
Will	587	68.4	62.9	74.2	1,431	964.4	914.9	1,015.9	2,364	2,948.2	2,827.5	3,073.6
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,001	92.0	87.8	96.3	1,513	565.9	537.7	595.3	1,565	1,277.5	1,212.2	1,345.8
Cook	1,422	90.2	85.4	95.3	1,094	537.4	506.0	570.3	1,125	1,199.1	1,126.8	1,275.3
DuPage	110	94.4	76.8	115.3	96	817.8	662.1	1,000.0	74	1,467.4	1,142.3	1,865.6
Kane	122	96.1	78.6	116.6	60	469.6	357.4	607.5	48	1,148.1	826.6	1,564.8
Lake	115	93.7	76.2	114.4	64	559.7	430.0	717.8	66	1,363.4	1,040.1	1,774.0
Will	53	90.6	67.2	120.1	45	641.8	467.6	862.2	36	1,131.1	781.4	1,609.4
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	23,062	114.7	113.2	116.2	35,541	825.3	816.8	833.9	78,580	1,776.2	1,763.7	1,788.7
Cook	9,233	114.6	112.2	116.9	14,947	837.2	823.9	850.8	32,958	1,798.3	1,778.8	1,817.9
DuPage	1,967	119.7	114.4	125.1	2,645	836.7	805.1	869.4	4,656	1,773.0	1,722.0	1,825.1
Kane	694	115.1	106.7	124.1	902	792.2	741.2	845.8	1,758	1,810.8	1,726.3	1,898.5
Lake	1,243	112.5	106.3	119.0	1,761	872.5	832.1	914.3	3,009	1,961.6	1,892.1	2,033.1
Will	976	112.0	105.0	119.3	1,237	820.5	775.3	867.7	2,084	1,747.1	1,672.8	1,824.0
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.												

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Hispanic Ethnicity, Illinois, 1997 – 2001**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	171	3.9	3.4	4.6	291	55.3	49.1	62.0	466	216.0	195.6	238.2
Cook	124	4.0	3.3	4.8	209	52.6	45.7	60.3	329	198.0	175.9	222.6
DuPage	12	5.3	2.6	9.6	17	74.4	43.2	119.9	22	243.2	148.6	386.4
Kane	11	3.6	1.7	7.1	13	51.1	27.1	88.6	12	116.8	58.1	229.9
Lake	7	3.2	1.3	6.9	11	44.1	21.9	80.9	17	228.2	127.1	387.9
Will	3	2.8	0.6	8.6	11	82.4	41.0	148.7	12	210.2	104.0	400.2
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,439	6.2	5.9	6.4	7,511	90.7	88.6	92.8	24,826	339.3	335.1	343.6
Cook	928	6.0	5.6	6.4	3,170	94.8	91.5	98.2	10,017	335.6	329.0	342.2
DuPage	168	5.1	4.4	5.9	505	82.5	75.4	90.0	1,313	304.1	287.9	321.0
Kane	81	6.6	5.3	8.3	158	70.6	60.0	82.6	541	338.1	310.2	367.9
Lake	141	6.3	5.3	7.5	300	74.9	66.7	83.9	876	337.4	315.4	360.6
Will	100	5.7	4.6	7.0	259	86.3	76.1	97.6	659	332.1	307.2	358.6
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	94	4.0	3.2	5.0	169	64.5	55.1	75.1	249	264.9	230.0	304.5
Cook	71	4.3	3.3	5.5	119	60.9	50.4	72.9	182	253.3	214.4	298.5
DuPage	5	4.3	1.3	10.7	10	90.9	43.3	169.0	7	187.1	72.0	456.6
Kane	6	3.9	1.3	9.6	5	38.6	12.4	92.2	9	185.0	82.0	430.4
Lake	4	3.8	1.0	10.0	8	64.5	27.5	130.8	5	166.8	45.8	463.1
Will	1	1.6	0.0	10.3	8	115.6	49.6	231.3	9	319.0	130.7	725.8
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,275	6.6	6.2	6.9	4,246	107.3	104.1	110.5	11,711	417.7	410.1	425.4
Cook	492	6.6	6.0	7.2	1,774	114.8	109.5	120.3	4,728	419.5	407.5	431.8
DuPage	78	4.8	3.8	6.1	282	93.7	83.1	105.4	630	386.5	356.4	418.7
Kane	40	6.6	4.7	9.1	90	81.0	65.1	99.7	259	424.9	373.8	481.9
Lake	83	7.6	6.0	9.4	177	88.5	75.9	102.7	422	404.2	365.4	446.5
Will	52	6.0	4.5	7.9	162	108.4	92.3	126.6	319	413.8	368.4	464.2
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	77	3.9	3.0	4.9	122	46.2	38.3	55.2	217	179.4	155.4	206.5
Cook	53	3.7	2.8	4.9	90	44.6	35.9	54.9	147	157.1	131.7	186.6
DuPage	7	6.4	2.5	14.1	7	59.9	24.0	124.7	15	287.0	157.2	494.5
Kane	5	3.3	0.9	9.2	8	64.5	27.6	129.6	3	56.5	9.5	214.4
Lake	3	2.6	0.5	8.6	3	23.3	4.8	73.8	12	261.8	130.8	491.3
Will	2	4.2	0.5	15.3	3	47.1	9.7	139.2	3	107.9	22.0	352.6
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,164	5.8	5.4	6.1	3,265	75.6	73.0	78.2	13,115	288.9	283.9	293.9
Cook	436	5.4	4.9	5.9	1,396	77.8	73.7	82.0	5,289	283.0	275.4	290.8
DuPage	90	5.3	4.3	6.6	223	71.5	62.4	81.6	683	253.6	234.8	273.6
Kane	41	6.7	4.8	9.1	68	60.4	46.8	76.6	282	280.9	248.7	316.3
Lake	58	5.2	3.9	6.7	123	61.4	51.0	73.3	454	294.1	267.7	322.6
Will	48	5.4	4.0	7.3	97	64.4	52.2	78.7	340	283.1	253.8	315.0

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Hispanic Ethnicity, Illinois, 1997 – 2001**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	87	2.2	1.8	2.7	262	50.0	44.1	56.5	468	210.9	191.1	232.5
Cook	61	2.2	1.7	2.8	180	45.3	38.9	52.5	324	187.8	166.7	211.3
DuPage	3	1.4	0.2	4.5	14	61.6	33.5	104.2	14	174.7	91.6	310.5
Kane	6	2.4	0.8	5.7	9	36.5	16.6	70.0	18	233.0	130.4	393.6
Lake	3	1.2	0.2	4.1	15	67.0	37.3	111.6	16	190.2	104.4	332.5
Will	2	1.5	0.1	6.4	10	75.4	36.0	140.0	13	245.6	126.1	449.6
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,416	6.1	5.9	6.4	11,216	135.3	132.8	137.8	28,531	393.1	388.5	397.7
Cook	1,047	6.8	6.4	7.2	4,564	136.4	132.4	140.4	11,432	384.0	377.0	391.2
DuPage	126	3.8	3.2	4.6	618	102.0	94.1	110.4	1,532	356.8	339.1	375.1
Kane	51	4.2	3.1	5.5	247	110.5	97.2	125.3	598	377.4	347.7	409.0
Lake	98	4.4	3.6	5.4	421	106.2	96.3	116.9	1,002	380.8	357.5	405.2
Will	75	4.4	3.5	5.6	411	139.3	126.1	153.5	824	410.6	383.0	439.7
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	47	2.3	1.7	3.1	165	62.9	53.6	73.3	284	287.0	252.0	326.6
Cook	32	2.2	1.5	3.1	118	59.8	49.5	71.7	202	263.9	225.9	308.0
DuPage	1	1.1	0.0	6.3	7	64.6	25.7	134.8	11	313.6	141.7	640.2
Kane	4	3.5	0.9	9.5	5	40.1	13.0	95.0	12	271.2	130.0	553.8
Lake	2	1.9	0.2	7.1	8	69.6	29.7	139.7	7	205.8	73.3	503.3
Will	1	0.7	0.0	8.4	8	119.5	51.2	238.2	8	314.0	124.6	724.8
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,302	6.7	6.4	7.1	6,590	166.5	162.5	170.5	16,175	559.8	551.1	568.5
Cook	585	8.0	7.3	8.7	2,640	170.9	164.5	177.6	6,226	535.2	521.8	548.8
DuPage	64	4.0	3.1	5.1	334	112.5	100.8	125.3	819	489.7	456.2	525.1
Kane	24	3.9	2.5	6.0	146	131.6	111.1	154.9	329	524.8	468.8	586.7
Lake	52	4.8	3.6	6.3	205	104.1	90.3	119.4	516	475.5	434.3	520.0
Will	39	4.6	3.3	6.3	235	159.9	140.0	181.8	471	578.1	526.0	634.9
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	40	2.1	1.5	2.9	97	37.2	30.1	45.4	184	150.5	128.6	175.5
Cook	29	2.2	1.5	3.2	62	31.0	23.8	39.8	122	127.7	104.9	154.5
DuPage	2	1.7	0.1	7.4	7	59.8	23.9	124.6	3	74.4	14.6	227.9
Kane	2	1.2	0.1	6.0	4	32.5	8.8	85.8	6	171.2	58.9	395.3
Lake	1	0.5	0.0	5.2	7	63.9	25.5	133.9	9	190.3	82.0	400.0
Will	1	2.2	0.1	12.3	2	29.8	3.5	111.5	5	188.7	59.5	472.8
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,114	5.5	5.2	5.9	4,626	106.9	103.8	110.0	12,356	285.9	280.9	291.0
Cook	462	5.8	5.2	6.3	1,924	106.8	102.1	111.7	5,206	288.8	281.0	296.8
DuPage	62	3.7	2.8	4.8	284	91.8	81.4	103.2	713	276.7	256.6	298.0
Kane	27	4.4	2.9	6.5	101	89.8	73.1	109.2	269	284.6	251.3	321.2
Lake	46	4.0	3.0	5.5	216	108.5	94.5	124.0	486	318.0	290.3	347.6
Will	36	4.2	3.0	5.9	176	118.8	101.9	137.8	353	298.7	268.3	331.6

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County												
Invasive Female Breast, Invasive Cervix, Prostate, Hispanic Ethnicity, Illinois, 1997 – 2001												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Invasive Female Breast												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	638	32.9	30.4	35.6	511	191.0	174.7	208.3	346	272.7	243.5	304.8
Cook	435	30.7	27.9	33.9	365	179.9	161.9	199.4	257	264.7	231.9	301.3
DuPage	39	39.4	27.7	54.5	30	253.7	170.9	363.6	17	333.4	191.0	553.2
Kane	40	36.8	25.9	51.1	15	114.3	63.6	191.7	11	291.1	139.4	547.4
Lake	42	38.8	27.5	53.4	19	160.2	96.1	253.3	7	131.6	50.8	312.6
Will	24	44.2	28.1	66.7	17	236.2	137.4	382.3	6	160.1	57.2	405.7
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	8,759	43.4	42.5	44.3	13,441	312.9	307.7	318.3	19,921	455.7	449.3	462.1
Cook	3,540	43.9	42.5	45.4	5,551	312.5	304.3	320.8	8,289	457.0	447.2	467.0
DuPage	798	47.2	44.0	50.6	1,162	364.7	344.0	386.4	1,268	488.0	461.3	515.9
Kane	253	40.9	36.0	46.3	375	326.9	294.6	361.9	483	504.8	460.4	552.4
Lake	529	46.5	42.7	50.8	697	342.4	317.4	368.8	830	543.9	507.5	582.2
Will	379	43.4	39.1	48.0	470	309.2	281.8	338.6	531	447.0	409.7	486.8
Invasive Cervix												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	248	11.6	10.2	13.3	95	35.0	28.3	42.8	45	34.4	24.7	47.2
Cook	190	12.1	10.4	14.1	79	38.1	30.2	47.6	35	36.4	24.9	52.2
DuPage	6	4.9	1.8	11.5	5	43.5	14.1	102.6	1	13.7	0.3	122.8
Kane	11	9.6	4.7	18.0	2	14.5	1.7	57.5	3	44.4	8.9	187.5
Lake	14	14.2	7.6	24.4	1	8.8	0.2	52.7	3	46.5	9.4	192.9
Will	3	5.4	1.1	16.7	2	29.8	3.5	111.5	0	0.0	0.0	189.4
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,598	7.9	7.5	8.3	775	18.1	16.8	19.4	729	16.8	15.6	18.1
Cook	670	8.2	7.5	8.8	396	22.4	20.2	24.7	331	18.5	16.5	20.6
DuPage	82	4.9	3.9	6.1	41	13.0	9.3	17.7	37	15.0	10.5	20.7
Kane	38	6.5	4.6	9.0	10	8.8	4.2	16.3	12	12.6	6.5	22.2
Lake	71	6.5	5.0	8.2	20	9.8	6.0	15.2	31	20.2	13.7	28.8
Will	50	5.7	4.2	7.6	21	13.9	8.6	21.3	15	12.4	7.0	20.6
Prostate												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	29	1.5	1.0	2.2	430	165.9	150.5	182.4	856	850.6	789.1	916.6
Cook	16	1.2	0.7	1.9	315	162.1	144.7	181.1	636	841.6	771.2	918.2
DuPage	3	3.2	0.6	9.4	23	200.9	126.6	304.2	42	909.8	634.7	1,312.0
Kane	1	1.0	0.0	5.8	17	126.3	73.1	204.8	28	669.3	416.6	1,057.2
Lake	4	3.8	1.0	10.0	18	165.4	97.8	262.6	31	885.8	573.2	1,343.3
Will	0	0.0	0.0	7.6	19	266.3	159.5	420.0	17	601.2	323.6	1,084.7
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	735	3.8	3.5	4.1	11,421	288.5	283.2	293.8	26,821	919.7	908.6	930.9
Cook	297	4.1	3.6	4.6	4,578	295.9	287.4	304.6	11,342	971.0	953.1	989.3
DuPage	56	3.4	2.6	4.5	938	313.8	294.0	334.6	1,566	903.9	859.1	950.7
Kane	17	2.8	1.6	4.6	327	297.0	265.6	331.1	577	899.9	826.8	978.6
Lake	47	4.2	3.1	5.7	594	300.9	277.1	326.2	1,023	895.0	839.8	953.5
Will												
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.												

Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County Colon and Rectum, Both Sexes, Illinois, 1997 - 2001								
County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	33.1	41.2	17.3	8.4	32.9	41.0	17.2	9.0
Cook	32.5	41.7	16.6	9.2	30.8	41.7	17.8	9.8
DuPage	43.1	37.3	13.7	5.9	35.2	40.7	17.5	6.5
Kane	33.3	30.6	30.6	5.6	31.8	42.2	18.6	7.4
Lake	22.9	48.6	20.0	8.6	31.2	41.5	17.8	9.6
Will	46.2	34.6	11.5	7.7	35.6	36.9	18.3	9.2
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County Female Breast, Illinois, 1997 - 2001										
County	Hispanics*					Non-Hispanics*				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
All Counties	17.0	44.4	30.8	4.0	3.9	16.9	50.1	24.2	4.3	4.5
Cook	17.2	44.4	29.5	4.4	4.5	16.9	48.7	24.5	4.9	4.8
DuPage	18.9	42.5	29.2	6.6	2.8	19.8	49.6	23.7	3.3	3.7
Kane	16.5	50.6	27.8	3.8	1.3	17.8	46.4	26.7	3.8	5.2
Lake	15.0	37.5	45.0	0.0	2.5	19.7	49.4	24.2	3.0	3.7
Will	26.6	31.3	35.9	3.1	3.1	18.2	48.4	25.2	4.6	3.6
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.										

Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County Invasive Cervix, Illinois, 1997 - 2001								
County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	59.8	28.6	5.2	6.4	50.3	32.9	8.9	7.9
Cook	58.6	28.0	6.6	6.9	48.0	34.1	8.9	8.9
DuPage	58.3	33.3	0.0	8.3	51.3	32.5	10.6	5.6
Kane	75.0	25.0	0.0	0.0	56.7	30.0	10.0	3.3
Lake	55.6	33.3	0.0	11.1	55.7	27.0	7.4	9.8
Will	60.0	40.0	0.0	0.0	39.5	34.9	8.1	17.4
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County Prostate, Illinois, 1997 - 2001								
County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	70.6	10.5	6.7	12.2	74.7	10.0	5.2	10.1
Cook	70.1	9.9	6.9	13.0	73.6	9.3	6.4	10.6
DuPage	79.4	13.2	2.9	4.4	78.9	10.7	3.8	6.5
Kane	69.6	10.9	10.9	8.7	76.1	11.0	3.8	9.1
Lake	69.8	7.5	9.4	13.2	75.5	10.9	3.5	10.0
Will	63.9	22.2	2.8	11.1	70.6	12.2	4.4	12.8
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003.								

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	10,107	351.8	343.7	360.2	5,028	411.3	397.3	425.8	5,079	312.9	303.1	323.0
Oral Cavity and Pharynx	228	7.9	6.8	9.3	152	11.1	9.0	13.7	76	5.1	3.9	6.7
Esophagus	88	4.0	3.1	5.1	68	6.4	4.7	8.7	20	1.9	1.1	3.1
Stomach	308	11.2	9.8	12.8	180	15.6	12.9	18.9	128	8.1	6.6	9.9
Colon and Rectum	928	38.4	35.7	41.4	512	46.1	41.4	51.3	416	32.4	29.0	36.1
Liver	228	9.4	8.0	10.9	160	12.4	10.2	15.1	68	6.4	4.9	8.4
Pancreas	215	9.3	7.9	10.9	105	9.3	7.3	11.8	110	9.1	7.3	11.2
Lung and Bronchus	817	35.8	33.1	38.7	496	47.3	42.6	52.6	321	26.1	23.1	29.5
Bones and Joints	60	0.9	0.6	1.3	33	0.7	0.5	1.6	27	1.0	0.6	1.8
Melanoma of the Skin	105	2.9	2.3	3.8	52	3.5	2.3	5.2	53	2.6	1.8	3.7
Breast (invasive)	1,499	45	42.4	47.8	4	0.2	0.1	1.2	1,495	86.9	82.1	92.1
Cervix (invasive)	-	-	-	-	-	-	-	-	388	18.0	16.1	20.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	297	18.8	16.4	21.4
Ovary	-	-	-	-	-	-	-	-	180	10.7	9.0	12.8
Prostate	-	-	-	-	1,315	133.5	125.3	142.2	-	-	-	-
Testis	-	-	-	-	139	2.8	2.3	3.8	-	-	-	-
Urinary Bladder	302	13.4	11.7	15.3	214	21.7	18.4	25.6	88	6.9	5.4	8.8
Kidney and Renal Pelvis	357	11.8	10.4	13.3	224	15.6	13.1	18.5	133	8.5	6.9	10.4
Brain and Other Nervous System	251	5.6	4.8	6.7	147	6.4	5.1	8.3	104	4.8	3.8	6.2
Hodgkin's Disease	132	2.8	2.2	3.6	79	3.2	2.3	4.8	53	2.4	1.6	3.5
Non-Hodgkin's Lymphomas	499	16.0	14.3	17.8	295	20.1	17.1	23.5	204	12.8	10.9	15.1
Multiple Myeloma	148	5.8	4.8	7.0	79	6.5	4.9	8.7	69	5.2	3.9	6.7
Leukemias	425	9.1	8.0	10.5	243	10.9	8.9	13.4	182	7.7	6.3	9.4
All Other Sites	1,198	37.1	34.5	39.9	531	38.1	33.9	42.7	667	37.4	34.1	41.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	306	17.3	15.3	19.6

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,293	338.4	329.3	347.8	3,652	399.6	383.8	416.1	3,641	297.5	286.5	308.8
Oral Cavity and Pharynx	174	8.2	6.9	9.9	120	11.4	9.1	14.4	54	5.3	3.8	7.3
Esophagus	65	3.9	2.9	5.2	53	6.6	4.7	9.4	12	1.5	0.7	2.9
Stomach	230	11.3	9.6	13.2	134	15.7	12.6	19.6	96	8.1	6.4	10.2
Colon and Rectum	662	35.8	32.8	39.1	372	44.2	39.0	50.2	290	29.2	25.7	33.3
Liver	171	9.2	7.7	11.0	120	11.9	9.5	15.0	51	6.5	4.7	8.8
Pancreas	151	8.7	7.2	10.5	74	8.5	6.4	11.4	77	8.6	6.6	11.1
Lung and Bronchus	565	32.1	29.2	35.3	352	43.9	38.8	49.7	213	22.4	19.2	26.0
Bones and Joints	45	0.9	0.6	1.4	23	0.7	0.4	2.0	22	1.0	0.6	1.9
Melanoma of the Skin	54	2.1	1.5	3.0	30	2.6	1.6	4.5	24	1.7	1.0	2.9
Breast (invasive)	1,060	43.1	40.2	46.3	3	0.2	0	1.5	1,057	82.7	77.2	88.5
Cervix (invasive)	-	-	-	-	-	-	-	-	304	19.1	16.8	21.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	228	18.8	16.2	21.9
Ovary	-	-	-	-	-	-	-	-	140	10.8	8.9	13.2
Prostate	-	-	-	-	967	131.5	122.2	141.6	-	-	-	-
Testis	-	-	-	-	94	2.8	2.2	4.1	-	-	-	-
Urinary Bladder	200	11.5	9.7	13.5	146	19.1	15.6	23.3	54	5.5	4.0	7.4
Kidney and Renal Pelvis	243	11.2	9.6	13.0	154	15.2	12.3	18.7	89	7.9	6.1	10.1
Brain and Other Nervous System	179	5.3	4.4	6.5	103	6.3	4.8	8.5	76	4.4	3.3	5.9
Hodgkin's Disease	97	2.9	2.2	3.9	62	3.4	2.3	5.2	35	2.4	1.5	3.8
Non-Hodgkin's Lymphomas	373	16.2	14.3	18.4	222	21.0	17.5	25.3	151	12.6	10.4	15.2
Multiple Myeloma	104	5.4	4.3	6.7	59	6.5	4.7	9.0	45	4.4	3.1	6.2
Leukemias	296	8.7	7.4	10.2	157	9.2	7.2	12.0	139	8.3	6.6	10.4
All Other Sites	891	36.9	34.0	40.1	407	38.8	34.1	44.2	484	36.3	32.6	40.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	219	16.5	14.2	19.1

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	534	397.9	357.5	443.1	254	435.9	369.8	516.1	280	376.4	326.3	434.1
Oral Cavity and Pharynx	10	5.9	2.5	15.6	4	5.5	1.2	31.9	6	6.5	2.1	21.1
Esophagus	5	7.0	1.9	19.4	2	3.1	0.4	29.4	3	8.7	1.6	27.6
Stomach	11	6.8	2.8	17.1	9	11.8	3.9	39.9	2	2.5	0.2	16.2
Colon and Rectum	51	45.7	32.2	64.6	22	40.4	22.7	75.2	29	49.9	31.6	77.2
Liver	7	9.5	3.5	22.3	5	13.6	3.9	43.9	2	5.8	0.6	23.0
Pancreas	10	10.3	4.2	23.0	4	5.4	1.4	31.6	6	13.0	4.2	32.5
Lung and Bronchus	31	32.3	20.5	50.1	19	50.1	26.7	91.8	12	19.6	8.9	40.0
Bones and Joints	3	0.7	0.1	9.4	2	0.9	0.1	27.0	1	0.5	0.0	13.6
Melanoma of the Skin	9	4.4	1.4	14.1	5	7.2	1.2	35.1	4	2.4	0.6	15.5
Breast (invasive)	86	56.5	42.8	75.2	0	0	0	26.4	86	108.7	83.9	141.1
Cervix (invasive)	-	-	-	-	-	-	-	-	12	11.8	5.7	27.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	15.5	7.4	32.7
Ovary	-	-	-	-	-	-	-	-	10	13.0	5.3	30.5
Prostate	-	-	-	-	68	147.4	110.1	199.8	-	-	-	-
Testis	-	-	-	-	9	4.0	1.6	29.5	-	-	-	-
Urinary Bladder	24	21.7	13.0	36.1	14	29.5	13.7	63.8	10	16.3	7.4	34.7
Kidney and Renal Pelvis	21	15.1	8.3	27.7	14	25.3	10.8	58.8	7	7.6	2.5	22.7
Brain and Other Nervous System	14	8.4	3.7	19.3	7	7.6	2.1	34.4	7	8.8	2.7	25.1
Hodgkin's Disease	10	3.2	1.4	11.8	3	1.2	0.2	27.2	7	5.3	1.9	18.9
Non-Hodgkin's Lymphomas	33	21.5	13.3	35.4	20	25.9	12.4	57.6	13	18.4	8.8	37.1
Multiple Myeloma	6	5.1	1.8	15.1	4	6.7	1.7	33.3	2	3.6	0.4	18.2
Leukemias	18	5.1	2.5	14.1	14	7.5	2.9	33.2	4	2.7	0.6	16.0
All Other Sites	75	49.4	35.6	68.6	29	42.7	24.0	78.6	46	55.8	37.4	82.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	20	27.4	15.4	48.2

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	444	315.4	276.9	359.4	214	358.2	295.6	435.0	230	285.1	237.8	341.9
Oral Cavity and Pharynx	9	8.7	2.7	22.5	8	19.2	5.1	54.1	1	0.5	0.0	17.1
Esophagus	3	2.0	0.3	12.2	2	3.7	0.3	29.7	1	0.5	0.0	17.1
Stomach	17	13.8	6.7	28.0	9	22.9	8.3	56.7	8	7.1	2.5	24.4
Colon and Rectum	36	25.0	16.2	40.0	20	32.0	17.5	63.3	16	19.2	9.6	40.1
Liver	9	6.1	2.1	17.5	5	8.1	2.0	34.6	4	3.7	0.5	21.0
Pancreas	13	11.4	5.0	25.0	7	14.4	3.5	45.8	6	10.0	2.8	30.4
Lung and Bronchus	33	36.7	22.9	57.2	21	42.8	23.7	78.8	12	27.4	11.9	55.9
Bones and Joints	4	0.6	0.2	10.3	4	1.1	0.3	26.2	0	0.0	0.0	16.7
Melanoma of the Skin	5	2.8	0.6	13.1	2	2.0	0.1	27.3	3	3.6	0.4	21.0
Breast (invasive)	67	40.2	27.8	58.6	1	0.8	0	26.1	66	80.6	56.7	114.6
Cervix (invasive)	-	-	-	-	-	-	-	-	16	14.8	7.7	33.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	11.9	4.0	32.5
Ovary	-	-	-	-	-	-	-	-	6	7.8	1.8	27.3
Prostate	-	-	-	-	46	104.3	70.6	153.9	-	-	-	-
Testis	-	-	-	-	8	2.9	1.2	27.6	-	-	-	-
Urinary Bladder	11	13.0	5.5	27.9	7	18.5	5.6	51.3	4	8.4	1.6	29.3
Kidney and Renal Pelvis	28	15.3	8.9	28.1	15	20.6	9.7	49.3	13	10.2	4.8	27.5
Brain and Other Nervous System	16	10.3	4.1	23.8	8	6.4	1.3	32.5	8	13.2	3.9	35.7
Hodgkin's Disease	7	1.5	0.5	11.0	3	0.7	0.1	26.0	4	2.2	0.5	18.6
Non-Hodgkin's Lymphomas	17	10.5	5.4	22.3	10	11.5	4.7	37.5	7	9.9	3.0	29.7
Multiple Myeloma	9	6.0	2.6	16.6	4	3.9	1.0	28.8	5	7.9	2.5	26.2
Leukemias	25	11.8	5.2	25.7	12	12.5	2.5	43.4	13	12.1	4.0	32.8
All Other Sites	50	31.9	20.6	49.6	22	30.0	14.9	62.5	28	34.0	18.6	60.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	12.7	6.3	30.8

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	451	341.4	301.9	386.4	206	387.7	318.1	473.0	245	324.1	275.9	381.6
Oral Cavity and Pharynx	10	6.2	2.4	17.3	4	7.6	1.7	35.7	6	5.2	1.3	22.8
Esophagus	2	1.2	0.1	11.2	1	0.8	0.0	27.7	1	1.5	0.0	18.7
Stomach	16	12.0	5.9	24.9	9	15.6	5.0	46.8	7	9.6	3.6	28.2
Colon and Rectum	35	37.8	24.1	58.3	17	33.5	15.4	70.9	18	38.5	21.1	67.7
Liver	7	8.5	2.7	22.3	4	7.1	1.0	36.1	3	9.2	1.7	31.4
Pancreas	9	7.8	3.3	19.6	5	8.7	2.3	36.8	4	7.0	1.8	25.7
Lung and Bronchus	34	35.0	22.8	53.7	17	37.8	18.7	75.7	17	34.0	18.3	61.4
Bones and Joints	3	3.1	0.2	15.5	1	0.3	0.0	27.4	2	5.0	0.2	26.0
Melanoma of the Skin	10	5.1	1.8	16.0	4	7.1	1.5	35.1	6	3.5	0.8	20.5
Breast (invasive)	68	33.8	24.7	48.5	0	0	0	27.2	68	68.7	51.1	95.8
Cervix (invasive)	-	-	-	-	-	-	-	-	18	17.4	9.6	36.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	17.5	8.4	38.4
Ovary	-	-	-	-	-	-	-	-	6	9.1	2.9	28.2
Prostate	-	-	-	-	53	139.5	97.8	198.3	-	-	-	-
Testis	-	-	-	-	9	2.3	1.0	28.7	-	-	-	-
Urinary Bladder	15	14.9	7.5	29.2	9	16.5	6.9	45.9	6	13.2	4.0	35.6
Kidney and Renal Pelvis	8	7.1	2.5	19.1	3	3.4	0.7	30.1	5	9.2	2.6	29.0
Brain and Other Nervous System	15	7.4	2.8	19.3	10	4.7	1.9	30.9	5	8.9	2.0	29.6
Hodgkin's Disease	4	1.7	0.3	11.8	2	3.1	0.3	30.1	2	0.6	0.1	17.4
Non-Hodgkin's Lymphomas	21	13.9	7.6	26.9	11	18.3	5.6	52.0	10	12.7	5.7	31.7
Multiple Myeloma	6	6.2	2.2	17.8	2	4.9	0.6	32.6	4	7.6	2.0	26.6
Leukemias	32	12.9	6.6	26.1	20	25.1	8.5	62.9	12	6.7	2.4	24.0
All Other Sites	57	42.4	28.6	62.6	25	51.3	26.7	95.0	32	38.8	23.1	65.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	16.2	7.6	36.5

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	292	359.1	311.8	414.4	158	430.3	349.4	532.2	134	304.8	248.8	374.3
Oral Cavity and Pharynx	6	7.8	2.1	25.0	5	16.2	2.9	60.8	1	2.0	0.1	26.0
Esophagus	2	2.9	0.3	18.1	2	5.8	0.6	43.8	0	0.0	0.0	23.9
Stomach	8	8.2	3.3	23.8	5	11.5	3.4	49.6	3	4.8	0.9	28.9
Colon and Rectum	26	41.0	25.3	66.2	18	58.8	31.4	111.4	8	23.7	9.3	55.8
Liver	12	14.2	6.8	31.6	9	19.2	8.1	58.1	3	8.5	1.5	35.2
Pancreas	5	7.1	1.9	23.7	2	6.2	0.7	44.3	3	7.4	1.1	33.9
Lung and Bronchus	25	43.4	26.5	70.2	17	58.1	30.5	111.2	8	29.9	11.9	66.4
Bones and Joints	2	1.0	0.1	15.5	1	0.5	0.0	38.0	1	1.6	0.0	25.4
Melanoma of the Skin	5	5.5	1.5	20.9	3	4.7	0.7	41.9	2	6.2	0.7	32.1
Breast (invasive)	47	42.2	30	62.8	0	0	0	37.6	47	87.7	62.8	126.2
Cervix (invasive)	-	-	-	-	-	-	-	-	5	8.4	2.6	33.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	28.1	12.7	60.6
Ovary	-	-	-	-	-	-	-	-	6	15.5	4.7	44.8
Prostate	-	-	-	-	36	115.9	75.7	179.4	-	-	-	-
Testis	-	-	-	-	6	3.7	1.3	40.1	-	-	-	-
Urinary Bladder	5	10.9	2.8	31.1	5	26.5	6.1	78.7	0	0.0	0.0	23.9
Kidney and Renal Pelvis	14	15.7	8.0	33.3	11	21.8	10.2	60.6	3	8.7	1.6	35.5
Brain and Other Nervous System	8	4.1	1.6	18.3	7	7.1	2.5	43.5	1	0.8	0.0	24.5
Hodgkin's Disease	2	0.9	0.1	15.4	2	1.7	0.2	38.8	0	0.0	0.0	23.9
Non-Hodgkin's Lymphomas	14	19.8	9.4	40.5	7	17.6	6.2	57.3	7	20.1	6.6	52.1
Multiple Myeloma	4	5.0	1.4	20.3	3	7.8	1.6	45.5	1	2.4	0.1	26.7
Leukemias	16	15.3	7.0	33.9	10	23.4	6.7	69.5	6	10.7	3.2	36.7
All Other Sites	27	30.6	17.6	53.3	9	23.8	6.7	70.3	18	38.2	20.3	72.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	17	31.7	17.7	61.3

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	276,926	489.9	488.1	491.7	139,743	582.7	579.6	585.8	137,183	431.3	429.0	433.6
Oral Cavity and Pharynx	6,146	11.0	10.7	11.3	4,185	16.8	16.3	17.3	1,961	6.3	6.0	6.6
Esophagus	3,172	5.6	5.4	5.8	2,406	9.9	9.5	10.3	766	2.3	2.2	2.5
Stomach	4,431	7.8	7.5	8.0	2,670	11.4	10.9	11.8	1,761	5.1	4.9	5.4
Colon and Rectum	34,776	60.9	60.3	61.6	17,232	73.6	72.5	74.7	17,544	52.0	51.2	52.8
Liver	2,340	4.1	4.0	4.3	1,559	6.4	6.1	6.8	781	2.4	2.2	2.6
Pancreas	6,841	12.0	11.7	12.3	3,287	13.9	13.4	14.4	3,554	10.5	10.2	10.9
Lung and Bronchus	42,163	74.4	73.7	75.1	24,067	100.6	99.3	101.9	18,096	56.2	55.3	57.0
Bones and Joints	465	0.8	0.8	0.9	253	1.0	0.9	1.1	212	0.7	0.6	0.8
Melanoma of the Skin	6,912	12.3	12.1	12.6	3,918	15.8	15.3	16.3	2,994	9.9	9.6	10.3
Breast (invasive)	42,476	75.6	74.9	76.3	355	1.5	1.3	1.6	42,121	135.9	134.6	137.2
Cervix (invasive)	-	-	-	-	-	-	-	-	3,102	10.5	10.2	10.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7,908	25.4	24.9	26.0
Ovary	-	-	-	-	-	-	-	-	4,393	14.1	13.7	14.5
Prostate	-	-	-	-	38,977	162.2	160.6	163.9	-	-	-	-
Testis	-	-	-	-	1,431	5.3	5.0	5.6	-	-	-	-
Urinary Bladder	12,722	22.3	21.9	22.7	9,258	39.8	38.9	40.6	3,464	10.3	10.0	10.7
Kidney and Renal Pelvis	7,401	13.1	12.8	13.4	4,346	17.8	17.2	18.3	3,055	9.6	9.3	10.0
Brain and Other Nervous System	3,581	6.4	6.2	6.7	1,959	7.8	7.4	8.1	1,622	5.4	5.1	5.7
Hodgkin's Disease	1,604	2.9	2.8	3.1	885	3.4	3.2	3.6	719	2.5	2.3	2.7
Non-Hodgkin's Lymphomas	10,795	19.1	18.7	19.5	5,594	23.1	22.5	23.7	5,201	16.1	15.6	16.5
Multiple Myeloma	3,294	5.8	5.6	6.0	1,654	7.0	6.6	7.3	1,640	5.0	4.7	5.2
Leukemias	7,077	12.5	12.2	12.8	3,900	16.4	15.9	16.9	3,177	9.8	9.5	10.2
All Other Sites	24,919	44.1	43.6	44.7	11,807	49.1	48.2	50.0	13,112	41.1	40.4	41.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8,582	28.6	28.0	29.2

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Cook County Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001												
Figures include invasive cancer with the exceptions of urinary bladder <i>in situ</i> and breast cancer <i>in situ</i> . Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	113,902	497.2	494.3	500.1	56,764	596.2	591.3	601.2	57,138	435.7	432.1	439.4
Oral Cavity and Pharynx	2,641	11.7	11.3	12.2	1,764	17.9	17.0	18.7	877	6.8	6.4	7.3
Esophagus	1,437	6.3	6.0	6.6	1,058	11.0	10.3	11.7	379	2.8	2.5	3.1
Stomach	2,336	10.1	9.7	10.5	1,382	14.8	14.0	15.6	954	6.8	6.4	7.2
Colon and Rectum	14,115	61.0	60.0	62.0	6,994	75.0	73.3	76.8	7,121	51.3	50.1	52.6
Liver	1,217	5.3	5.0	5.6	818	8.5	7.9	9.1	399	3.0	2.7	3.3
Pancreas	3,030	13.1	12.6	13.6	1,392	14.8	14.0	15.6	1,638	11.8	11.2	12.4
Lung and Bronchus	17,043	73.9	72.8	75.0	9,451	99.0	97.0	101.1	7,592	56.7	55.4	58.0
Bones and Joints	190	0.9	0.8	1.0	94	0.9	0.8	1.2	96	0.8	0.7	1.0
Melanoma of the Skin	2,091	9.2	8.8	9.6	1,162	11.9	11.3	12.7	929	7.5	7.0	8.0
Breast (invasive)	17,545	77.6	76.4	78.7	165	1.7	1.5	2	17,380	136.4	134.3	138.4
Cervix (invasive)	-	-	-	-	-	-	-	-	1,397	11.6	11.0	12.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3,263	25.4	24.5	26.3
Ovary	-	-	-	-	-	-	-	-	1,820	14.3	13.6	14.9
Prostate	-	-	-	-	16,217	170.0	167.4	172.7	-	-	-	-
Testis	-	-	-	-	523	4.9	4.5	5.3	-	-	-	-
Urinary Bladder	4,976	21.4	20.9	22.1	3,535	38.2	37.0	39.5	1,441	10.4	9.9	11.0
Kidney and Renal Pelvis	2,937	12.9	12.4	13.4	1,700	17.6	16.8	18.5	1,237	9.4	8.9	10.0
Brain and Other Nervous System	1,332	6.0	5.6	6.3	742	7.5	7.0	8.1	590	4.8	4.4	5.2
Hodgkin's Disease	648	2.9	2.7	3.2	369	3.6	3.2	4.0	279	2.4	2.1	2.7
Non-Hodgkin's Lymphomas	4,331	19.0	18.4	19.5	2,235	23.3	22.4	24.3	2,096	15.8	15.1	16.5
Multiple Myeloma	1,481	6.4	6.1	6.8	714	7.6	7.0	8.2	767	5.7	5.3	6.1
Leukemias	2,762	12.1	11.7	12.6	1,479	15.7	14.9	16.6	1,283	9.7	9.1	10.2
All Other Sites	10,570	46.3	45.4	47.2	4,970	52.1	50.6	53.6	5,600	42.5	41.4	43.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3,547	28.8	27.8	29.8
* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003												

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,990	480.8	473.8	487.9	8,722	557.0	545.0	569.3	9,268	436.2	427.3	445.2
Oral Cavity and Pharynx	347	9.0	8.1	10.0	231	13.3	11.6	15.3	116	5.5	4.5	6.6
Esophagus	184	5.0	4.3	5.8	138	8.7	7.3	10.4	46	2.2	1.6	3.0
Stomach	269	7.4	6.5	8.3	161	10.8	9.1	12.7	108	5.0	4.1	6.0
Colon and Rectum	1,986	54.5	52.1	57.0	990	66.4	62.2	70.9	996	46.7	43.8	49.7
Liver	162	4.4	3.7	5.1	113	7.2	5.9	8.8	49	2.3	1.7	3.1
Pancreas	428	11.8	10.7	13.0	207	13.5	11.7	15.6	221	10.5	9.2	12.0
Lung and Bronchus	2,276	63.2	60.6	65.8	1,217	81.7	77.0	86.6	1,059	51.4	48.3	54.6
Bones and Joints	35	0.9	0.6	1.3	19	1.0	0.6	1.6	16	0.8	0.5	1.3
Melanoma of the Skin	539	13.7	12.5	14.9	306	17.6	15.7	19.9	233	10.9	9.5	12.4
Breast (invasive)	3,251	83	80.2	86	23	1.4	0.9	2.2	3,228	150.5	145.4	155.9
Cervix (invasive)	-	-	-	-	-	-	-	-	160	7.4	6.3	8.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	553	26.3	24.2	28.7
Ovary	-	-	-	-	-	-	-	-	302	14.1	12.6	15.9
Prostate	-	-	-	-	2,560	163.8	157.3	170.5	-	-	-	-
Testis	-	-	-	-	134	6.4	5.4	7.7	-	-	-	-
Urinary Bladder	869	24.2	22.6	25.8	634	42.9	39.6	46.6	235	11.1	9.7	12.6
Kidney and Renal Pelvis	478	12.7	11.6	13.9	301	18.3	16.2	20.6	177	8.4	7.2	9.8
Brain and Other Nervous System	279	7.2	6.3	8.1	150	8.4	7.1	10.0	129	6.2	5.2	7.4
Hodgkin's Disease	139	3.5	2.9	4.1	77	4.1	3.2	5.2	62	3.0	2.3	3.9
Non-Hodgkin's Lymphomas	738	19.7	18.3	21.1	397	24.2	21.8	26.9	341	16.1	14.4	17.9
Multiple Myeloma	183	5.0	4.3	5.8	92	5.9	4.7	7.3	91	4.3	3.4	5.3
Leukemias	463	12.3	11.2	13.5	255	15.8	13.8	18.0	208	9.8	8.5	11.3
All Other Sites	1,655	43.5	41.4	45.7	717	45.6	42.2	49.3	938	43.6	40.9	46.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	796	37.3	34.7	40.0

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,556	475.6	464.0	487.3	3,202	548.7	529.2	568.8	3,354	430.9	416.4	445.9
Oral Cavity and Pharynx	156	11.0	9.4	13.0	96	15.0	12.0	18.6	60	7.9	6.0	10.2
Esophagus	67	5.0	3.9	6.4	47	8.3	6.0	11.3	20	2.7	1.6	4.2
Stomach	78	5.7	4.5	7.2	46	7.5	5.4	10.2	32	4.1	2.8	5.8
Colon and Rectum	780	58.1	54.1	62.4	389	70.6	63.5	78.4	391	49.4	44.6	54.6
Liver	47	3.5	2.5	4.6	35	5.9	4.0	8.4	12	1.5	0.8	2.7
Pancreas	116	8.7	7.1	10.4	58	9.9	7.4	13.0	58	7.4	5.6	9.6
Lung and Bronchus	896	67.3	62.9	71.9	499	88.9	81.1	97.5	397	52.6	47.5	58.1
Bones and Joints	14	1.0	0.5	1.7	10	1.4	0.7	2.9	4	0.6	0.2	1.6
Melanoma of the Skin	224	15.1	13.1	17.2	112	16.7	13.6	20.4	112	14.1	11.6	17.1
Breast (invasive)	1,117	78.3	73.8	83.1	6	0.8	0.3	2.2	1,111	142.4	134.1	151.1
Cervix (invasive)	-	-	-	-	-	-	-	-	60	7.6	5.8	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	199	26.1	22.6	30.1
Ovary	-	-	-	-	-	-	-	-	119	15.2	12.6	18.3
Prostate	-	-	-	-	921	160.3	149.8	171.4	-	-	-	-
Testis	-	-	-	-	51	6.6	4.9	9.0	-	-	-	-
Urinary Bladder	319	24.0	21.5	26.9	225	40.9	35.5	46.9	94	12.0	9.7	14.8
Kidney and Renal Pelvis	171	12.2	10.4	14.2	113	17.8	14.6	21.7	58	7.7	5.8	10.0
Brain and Other Nervous System	101	7.0	5.7	8.5	54	8.2	6.1	10.9	47	6.1	4.5	8.2
Hodgkin's Disease	43	3.0	2.2	4.1	17	2.4	1.4	4.2	26	3.5	2.3	5.2
Non-Hodgkin's Lymphomas	275	19.5	17.3	22.0	137	22.6	18.8	27.1	138	17.6	14.8	20.9
Multiple Myeloma	60	4.5	3.4	5.8	25	4.4	2.8	6.7	35	4.4	3.0	6.2
Leukemias	178	12.7	10.9	14.7	100	17.0	13.6	21.0	78	9.7	7.7	12.2
All Other Sites	564	40.3	37.0	43.8	261	43.6	38.3	49.7	303	38.4	34.2	43.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	241	31.1	27.3	35.3

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,701	495.9	486.9	505.1	5,688	554.0	539.0	569.3	6,013	460.2	448.5	472.0
Oral Cavity and Pharynx	257	10.4	9.1	11.7	162	14.2	12.0	16.8	95	7.1	5.7	8.7
Esophagus	104	4.5	3.6	5.4	79	7.7	6.0	9.8	25	1.9	1.3	2.9
Stomach	168	7.5	6.4	8.8	103	10.5	8.5	13.0	65	5.0	3.9	6.5
Colon and Rectum	1,317	58.5	55.3	61.8	682	69.8	64.4	75.7	635	50.1	46.3	54.2
Liver	83	3.6	2.9	4.5	61	5.9	4.5	7.8	22	1.8	1.1	2.7
Pancreas	259	11.7	10.3	13.2	126	13.5	11.1	16.3	133	10.7	9.0	12.7
Lung and Bronchus	1,521	67.3	63.9	70.8	773	79.2	73.5	85.3	748	59.4	55.2	63.8
Bones and Joints	20	0.7	0.5	1.2	10	0.8	0.4	1.8	10	0.8	0.4	1.5
Melanoma of the Skin	408	16.2	14.6	17.8	234	21.0	18.3	24.2	174	12.7	10.9	14.8
Breast (invasive)	2,070	83.3	79.7	87	14	1.3	0.7	2.4	2,056	153.8	147.1	160.6
Cervix (invasive)	-	-	-	-	-	-	-	-	122	8.7	7.2	10.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	309	23.7	21.2	26.6
Ovary	-	-	-	-	-	-	-	-	192	14.7	12.7	17.0
Prostate	-	-	-	-	1,664	161.3	153.4	169.6	-	-	-	-
Testis	-	-	-	-	83	6.1	4.8	7.7	-	-	-	-
Urinary Bladder	520	23.0	21.0	25.1	381	38.7	34.8	43.1	139	11.0	9.2	13.0
Kidney and Renal Pelvis	320	13.4	12.0	15.0	185	17.3	14.8	20.2	135	10.5	8.8	12.5
Brain and Other Nervous System	195	7.7	6.7	8.9	95	8.1	6.5	10.2	100	7.6	6.2	9.3
Hodgkin's Disease	76	2.9	2.2	3.6	45	3.3	2.4	4.7	31	2.4	1.6	3.5
Non-Hodgkin's Lymphomas	491	20.6	18.8	22.6	256	24.3	21.3	27.8	235	18.2	15.9	20.7
Multiple Myeloma	104	4.5	3.7	5.5	50	4.8	3.5	6.6	54	4.3	3.2	5.7
Leukemias	347	14.8	13.3	16.5	210	20.5	17.6	23.7	137	10.6	8.9	12.6
All Other Sites	1,071	45.0	42.3	47.8	475	45.5	41.3	50.1	596	45.2	41.6	49.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	504	37.3	34.1	40.7

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics*, Illinois, 1997-2001

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,679	480.6	470.4	491.0	4,382	566.7	549.2	584.7	4,297	424.9	412.2	437.9
Oral Cavity and Pharynx	191	10.1	8.7	11.6	130	14.9	12.3	18.0	61	6.1	4.7	7.9
Esophagus	90	5.1	4.1	6.3	67	8.6	6.6	11.2	23	2.4	1.5	3.6
Stomach	142	8.1	6.8	9.5	91	12.3	9.8	15.4	51	5.0	3.7	6.6
Colon and Rectum	1,018	59.1	55.5	62.9	533	72.9	66.5	79.9	485	49.4	45.1	54.0
Liver	63	3.5	2.7	4.5	34	4.3	2.9	6.3	29	3.0	2.0	4.3
Pancreas	226	13.3	11.6	15.2	115	15.5	12.6	18.9	111	11.3	9.3	13.7
Lung and Bronchus	1,310	76.0	71.9	80.2	745	100.4	93.0	108.3	565	58.6	53.9	63.7
Bones and Joints	20	0.9	0.6	1.5	13	1.3	0.7	2.6	7	0.6	0.2	1.3
Melanoma of the Skin	225	11.4	9.9	13.0	125	14.8	12.2	18.0	100	9.3	7.5	11.3
Breast (invasive)	1,390	73.3	69.4	77.3	10	1.3	0.6	2.6	1,380	134.3	127.2	141.6
Cervix (invasive)	-	-	-	-	-	-	-	-	86	7.8	6.2	9.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	252	25.1	22.1	28.4
Ovary	-	-	-	-	-	-	-	-	132	12.9	10.8	15.4
Prostate	-	-	-	-	1,132	145.5	136.8	154.7	-	-	-	-
Testis	-	-	-	-	61	5.4	4.1	7.2	-	-	-	-
Urinary Bladder	407	23.8	21.5	26.2	296	41.9	37.1	47.4	111	11.2	9.2	13.6
Kidney and Renal Pelvis	253	13.7	12.0	15.5	156	18.7	15.7	22.2	97	9.6	7.8	11.8
Brain and Other Nervous System	126	6.2	5.1	7.4	72	7.3	5.7	9.5	54	5.0	3.7	6.6
Hodgkin's Disease	68	3.2	2.5	4.2	36	3.5	2.4	5.1	32	2.9	2.0	4.1
Non-Hodgkin's Lymphomas	316	17.4	15.5	19.5	175	21.6	18.3	25.4	141	14.2	11.9	16.8
Multiple Myeloma	96	5.5	4.4	6.7	52	7.0	5.1	9.4	44	4.4	3.2	6.0
Leukemias	239	13.3	11.7	15.2	129	17.3	14.2	20.9	110	10.9	9.0	13.2
All Other Sites	836	45.2	42.1	48.4	410	52.5	47.3	58.3	426	40.9	37.1	45.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	307	29.4	26.1	32.9

* Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2003