Illinois Cancer Statistics Review

1986-2000

A Publication of the
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, IL 62761

November 2003

Prepared by

Therese A. Dolecek, Ph.D.
Senior Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Janice L. Snodgrass, C.T.R.
Illinois State Cancer Registry Manager

Acknowledgments

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois and the staff members at other state central cancer registries with data exchange agreements. Additional appreciation is extended to the staff in the division of Vital Records and Information Technology and in the Department's Illinois Center for Health Statistics for work related to the mortality data presented in this report.

Suggested citation

Dolecek TA, Shen T, Snodgrass JL. Illinois Cancer Statistics Review, 1986-2000. Epidemiologic Report Series 03:5. Springfield, Ill.: Illinois Department of Public Health, November 2003.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

ILLINOIS CANCER STATISTICS REVIEW
1986-2000

TABLE OF CONTENTS

Overview, Highlights and Technical Notes 1

Tables 9

All Sites Combined 11

Buccal Cavity and Pharynx 20
Lip 26
Tongue 32
Major Salivary gland 38
Floor of Mouth 44
Gum and Other Mouth 50
Nasopharynx 56
Oropharynx 62
Hypopharynx 68

Digestive System 75
Esophagus 82
Stomach 88
Small Intestine 94
Colon Excluding Rectum 100
Rectum and Rectosigmoid Junction 106
Anus, Anal Canal and Anorectum 112
Liver 118
Intrahepatic Bile Duct 124
Gallbladder 130
Pancreas 136

Respiratory System 143
Larynx 150
Lung and Bronchus 156

Bones and Joints 163

Soft Tissue Including Heart 171

Skin Excluding Basal and Squamous 179
Melanomas of the Skin 186

Breast 193

TABLE OF CONTENTS (continued)

Female Genital System **201**
Cervix Uteri **204**
Corpus Uteri **206**
Uterus, NOS **208**
Ovary **210**

Male Genital System **213**
Prostate **216**
Testis **218**
Penis **220**

Urinary System **223**
Urinary Bladder **230**
Kidney and Renal Pelvis **236**
Ureter **242**

Eye and Orbit **249**

Brain and Other Nervous System **257**
Brain **264**

Endocrine System **271**
Thyroid Gland **278**

Lymphomas **285**
Hodgkin's Disease **292**
Non-Hodgkin's Lymphoma **298**

Multiple Myeloma **305**

Leukemias **313**
Lymphocytic Leukemia **320**
Myeloid Leukemia **326**
Monocytic Leukemia **332**
Other Leukemia **338**

Ill-defined Sites **345**

Female Breast *in situ* **353**

TABLE OF CONTENTS (continued)

Pediatric Cancer Incidence 357

All Diagnostic Groups 358
Leukemia 359
Lymphoma 360
Central Nervous System and Miscellaneous Intracranial and Intraspinal Neoplasms . . . 361
Sympathetic Nervous System 362
Neuroblastoma and Ganglioneuroblastoma 363
Retinoblastoma 364
Renal Tumors 365
Wilms' Tumor 366
Hepatic Tumors 367
Malignant Bone Tumors 368
Ewing's Sarcoma 369
Soft Tissue Sarcomas 370
Germ Cell, Trophoblastic and Other Gonadal Tumors 371
Carcinomas and Other Malignant Epithelial Neoplasms 372
Other and Unspecified Malignant Neoplasms 373

Cancer Projections, 2001-2004 375
Cancer Incidence 377
Cancer Deaths 379

Appendix A. Population Denominators Used for Illinois Rate Calculations, 1986-2000. . . 381

Appendix B. Formulas for Rates 393

ILLINOIS CANCER STATISTICS REVIEW
1986-2000

OVERVIEW

This document is the 10th release of the annual Illinois cancer statistics report. Illinois' cancer incidence and mortality for 1986 through 2000 are reported for all races, whites, blacks and Asian/other races. In addition, cancer incidence for 1989 through 2000 and cancer mortality for 1986 through 2000 among the state's Hispanic and non-Hispanic populations are presented. Pediatric cancer incidence statistics on Illinois' children for 1986 through 2000 are included in a separate section. All rates in this report were age-adjusted to the 2000 U.S. standard million population to be consistent with national guidelines. State-level cancer incidence and cancer death projections are presented for years 2001, 2002, 2003 and 2004.

Cancer group definitions for major and minor sites are those established by the Surveillance, Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.[1-6]

In this report, a table contains incidence or mortality data specific to a major or minor cancer site for all six race/ethnic groups. For sites occurring in both genders, separate tables were prepared for both sexes, males and females. Counts, age-adjusted rates, standard errors and 95 percent confidence intervals for rates are displayed for the combined 1986-2000 time period as well as for individual years. Tables for pediatric cancer incidence reflect statistics for all races, both sexes by the six age groups: 0-14, 0-19, 0-4, 5-9, 10-14 and 15-19. The populations used as denominators for all rate calculations are described in Appendix A.

HIGHLIGHTS

Incidence

- A total of 774,057 cases of invasive cancer among Illinois residents was reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2000, including 56,751 new cases reported in 2000. The race distribution for these cases was 85.9 percent white, 12.0 percent black, 1.2 percent Asian/other races and 0.9 percent unknown race. Among the 640,434 invasive cancer cases diagnosed and reported from 1989 through 2000, 18,653 (2.9 percent) were designated Hispanic and 621,781 (97.1 percent) non-Hispanic.

- Black males had the highest overall age-adjusted invasive cancer incidence rates of the race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their white or black counterparts. Likewise, cancer incidence rates observed for Illinois' Hispanics were lower than those seen among the state's non-Hispanic group.

- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for more than 30 percent of 386,298 invasive cancer diagnoses over 1986-2000. The predominance of breast cancer among females persists for all major race and ethnicity groups studied (whites, blacks and Asian/other races as well as in both Hispanic ethnic categories).

- Female breast cancer diagnosed in the *in situ* stage was observed to consistently increase for every race group across 1986-2000 as well as for both Hispanic and non-Hispanic ethnic classifications over the 1989-2000 time frame. These increases suggest greater screening mammography usage and ultimately the earlier detection of breast cancer among Illinois women.

- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for more than 26 percent of 387,759 new cancer diagnoses during 1986-2000. Blacks males had the highest prostate cancer incidence rates among all race groups, approximately 45 percent higher than those observed for white males and nearly three times those observed for males of Asian/other races in Illinois. Prostate cancer age-adjusted incidence rates for Hispanic males were observed to be about two-thirds those seen among their non-Hispanic counterparts in Illinois.

- A total of 7,778 new cases of cancer were diagnosed during 1986-2000 among Illinois children ages 0 to 19 years The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system and lymphoma.

Mortality

- From 1986 through 2000, there were 366,914 Illinois residents who died from cancer. The race distribution for these deaths was 84.7 percent among whites, 14.5 percent in Illinois' black population and the remainder occurring among Illinois' Asian/other race population group (0.8 percent). The Hispanic ethnic distribution for these deaths was 1.9 percent Hispanics and 98.1 percent non-Hispanics.

- Black males had the highest overall age-adjusted cancer mortality rates from cancer, more than 50 percent higher than the rate for white males and more than three times the rate for males of Asian/other races. Similarly, Illinois' cancer mortality rates for black females exceeded those for white females by about 30 percent and were nearly three times those observed among Asian/other race females in Illinois. In general, age-adjusted cancer mortality rates for Hispanics were about half those observed for their non-Hispanic counterparts in Illinois.

- Based on age-adjusted cancer mortality rates, lung cancer remains the leading cause of death from cancer for both Illinois males and females of all races followed by prostate cancer for males and breast cancer for females. The third leading cause of cancer death is from cancers of the colon and rectum for both males and females.

TECHNICAL NOTES

Data Sources

Cancer Incidence and Mortality

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Newly diagnosed cancer cases among Illinois residents are reported to ISCR by health care facilities in the state where cancer is diagnosed and treated. Central cancer registries and facilities in other states also report data to ISCR on Illinois residents diagnosed and treated for cancer in their states. Most out-of-state cases come from Florida, Indiana, Iowa, Kentucky, Minnesota (Mayo Clinic), Missouri (state registry and St. Louis Barnes/Jewish Hospital) and Wisconsin. In addition, data exchange agreements are in effect with Arkansas, California, Michigan, Mississippi, North Carolina, Washington and Wyoming. Slightly more than 5 percent of ISCR cases are reported from out-of-state agencies and organizations.[7] A death certificate clearance process involving active follow-back of cancer deaths in an effort to identify missed cases has served as an additional means of case identification since August 1993.

The preparation and release of this report is dependent on the completion of reporting by Illinois facilities for each year. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries.[7] For this report, the database files reflect the status of ISCR as of January 2003.

The National Cancer Institutes Surveillance, Epidemiology and End Results (SEER) Program was the source of information on cancer mortality for 1986 through 2000 by race. The underlying cause of death was provided by the National Center for Health Statistics.

The Illinois Department of Public Health's death master files were the source of information on cancer mortality for Hispanics for 1986 through 2000. The underlying cause of death on Illinois death certificates was used to identify deaths attributable to cancer.

Population Estimates

Appendix A displays the population estimates of the sex-specific, race and Hispanic ethnic groups in five-year age categories that were used as denominators for rate calculations in this report. SEER population files developed in collaboration with the United States Bureau of the Census for all races, whites, blacks and Asian/other races in Illinois were used for years 1986 through 1989. Hispanic and non-Hispanic populations in Illinois for 1986 to 1989 also were those estimated by the United States Bureau of the Census. For 1990 through 2000, estimates of Illinois' resident populations of all races, whites, blacks, Asian/other races, Hispanics and non-Hispanics were provided by NCI's SEER program. The methodology for these estimates is available at the following Web site, <www.seer.cancer.gov/popdata/methods.pdf>. [8-10]

Definitions

CancerIncidence Sites. The *International Classification of Diseases for Oncology* (ICD-O-2) codes and the major and minor cancer site groups of the SEER program were used to define cancer sites.[2,12] Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed in a separate table and were not included in the calculation of counts or incidence rates for all sites combined.

Cancer Mortality Sites. The *International Classification of Diseases* (ICD-9) codes for underlying cause of death were converted to SEER major and minor cancer site groups to define the cancer death sites presented in this report for years 1986 through 1998.[2,13] It was replaced by the *International Classification of Diseases* (ICD-10) coding scheme from year 1999 onward both nationally as well as in Illinois.[2,13,14]

Pediatric Cancer Groups. Tumors diagnosed in children are classified into the SEER pediatric cancer groups according to a scheme revised in 1996 by the International Agency for Research on Cancer (IARC), which uses site and morphology ICD-O-2 codes.[14]

Incidence and Mortality Rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1,000,000 population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by the Information Management Services, Inc. for the NCI, was used to calculate both incidence and mortality rates. Rates are rounded to the nearest tenth and very small rates (e.g., 0.04) are shown as 0.0. Formulas used for the calculation of standard errors and 95 percent confidence intervals are displayed in Appendix B.

All rates in this report will differ from those published previously where the 1970 U.S. standard million population was used for age-adjustment. The 2000 U.S. standard million population is now routinely used in the age-adjustment procedure and was recognized as the preferred standard for age-adjustment as it reflects most closely the current population structure.

Race-specific and Hispanic Ethnicity Rates. The race-specific categories in this report are all races, whites, blacks and Asian/other races. Cases reported as unknown race were included in the "all races" category but not in any race-specific group. Hispanic ethnicity was defined with an algorithm composed of Hispanic origin determined using the Hispanic origin data element on the ISCR incidence report or death certificate, birthplace and /or surname developed through special study.[15-17]

Projections of Future Cancer Incidence and Deaths in Illinois

The 2000 cancer incidence data and cancer mortality data reported in Illinois were used to project future cancer incidence and cancer deaths. The age-sex-specific rates for the 18 standard five-year age groups for all sites combined and selected sites were applied to either decennial census population data, intercensal population estimates or extrapolated estimates by individual year for the same age-sex groups to calculate expected numbers of new invasive cancer cases or cancer deaths in Illinois. Cancer incidence and cancer death projections were made for years 2001, 2002, 2003 and 2004 (Detailed methodology can be found on the department website at <http://www.idph.state.il.us/about/epi/index.htm>.)

Quality Control

Ongoing quality control procedures are integral components of ISCR operations in order to assure high quality cancer incidence data. In addition to these activities, NAACCR has developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting. ISCR submits data each year to the NAACCR *Call for Data* and for NAACCR registry certification. As of January 2003, ISCR data met the criteria for gold certification for 1995, 1996, 1997, 1998, 1999 and 2000. A summary of ISCR quality control data using the NAACCR certification criteria for each diagnosis year since inception is presented in the following table.

NAACCR Certification Standard										
	Completeness NAACCR Method	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
						Sex	Age	County	Race	
	≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1,000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	**SILVER**
	≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1,000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	**GOLD**

ISCR Status for NAACCR Certification Criteria										
	Completeness NAACCR Method	Pass EDITS[a]	DCO[b]	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
						Sex	Age	County	Race	
Year	**%**	**%**	**%**	**Mos.**	**%[c]**	**%**	**%**	**%**	**%**	
1986	88	-	-	-	-	0.0	0.0	0.0	0.5	-
1987	90	-	-	-	-	0.0	0.0	0.0	0.4	-
1988	87	-	-	-	0.04	0.0	0.0	0.0	0.5	-
1989	88	-	-	-	0.04	0.0	0.0	0.0	0.5	-
1990	89	100.0	-	-	0.04	0.0	0.0	0.0	0.5	-
1991	87	100.0	-	-	0.04	0.0	0.0	0.0	1.2	-
1992	90	100.0	-	-	0.04	0.0	0.0	0.0	0.4	-
1993	91	100.0	2.3	23 mos.	0.04	0.0	0.0	0.0	0.5	SILVER
1994	96	100.0	6.2	23 mos.	0.06	0.0	0.0	0.0	0.5	-
1995	97	100.0	2.7	23 mos.	0.06	0.0	0.0	0.0	0.6	GOLD
1996	100	100.0	1.8	23 mos.	0.06	0.0	0.0	0.0	0.8	GOLD
1997	101	100.0	1.8	23 mos.	0.06	0.0	0.0	0.0	1.1	GOLD
1998	101	100.0	1.5	23 mos.	0.06	0.0	0.0	0.0	1.7	GOLD
1999	100	100.0	1.9	23 mos.	0.02	0.0	0.0	0.0	1.7	GOLD
2000	97	100.0	2.6	23 mos.	0.03	0.0	0.0	0.0	1.7	GOLD

- not applicable

a 1990-99 were the only years of data passed thru the CALL FOR DATA EDITS however, all the data are run thru all EDITS before they are put on RMCDS

b DCO followback not started unti end of 1993 reporting year

c Duplicate protocol was initially done on 1988-97 data for the CALL FOR DATA however, the duplicate protocol has been done on all years

Data Interpretation

Observed variations and differences over years and across sex, and race/ethnicity groups in cancer incidence and mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes may not be real, however, but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence and mortality rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts or deaths (i.e., less than 16).

- Differences in registry database completeness and data quality will influence the magnitude of estimated cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95 percent complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the "true" rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.

- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990 and 2000, the years of the U.S. decennial census, are the most accurate for all age, race, ethnicity and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence and mortality rates based on these population estimates would be expected to exhibit more error than those for 1990 or 2000.

References

1. Hultstrom D (ed). *Standards for Cancer Registries, Vol II, Data Standards and Data Dictionary*. Version 9.1, Sixth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, March 2001.

2. NAACCR (North American Association of Central Cancer Registries). *Standards for Cancer Registries, Vol III, Standards for Completeness, Quality, Analysis and Management of Data.* Springfield, Ill.: North American Association of Central Cancer Registries, September 2000.

3. Wu XC, Hotes JL, Fulton JP, Cormier M, Correa CN, McLaughlin CC, Kosary C Howe HL, Chen VW (eds). *Cancer in North America, 1995-1999. Volume One: Incidence*. Springfield, IL: North American Association of Central Cancer Registries, April 2002.

4. Wu XC, Hotes JL, Fulton JP, Cormier M, Correa CN, McLaughlin CC, Kosary C Howe HL, Chen VW (eds). *Cancer in North America, 1995-1999. Volume Two: Mortality*. Springfield, IL: North American Association of Central Cancer Registries, April 2002.

5. Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Mariotto A, Fay MP, Feuer EJ, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2000*, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2000, 2003.

6. Ries LAG, Smith MA, Gurney JG, Linet M, Tamra T, Young JL, Bunin GR (eds). *Cancer Incidence and Survival among Children and Adolescents: United States SEER Program 1975-1995*, National Cancer Institute, SEER Program. NIH Pub. No. 99-4649. Bethesda, Md, 1999.

7. Lehnherr M, Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.

8. <http://seer.cancer.gov/popdata/>

9. United States Bureau of the Census: *U.S. Population Estimates by Age, Sex, Race and Hispanic Origin: July 1 Estimates for 1981 to1989.* Washington, DC. Unpublished data.

10. United State Bureau of the Census, *General Characteristics of Persons by Spanish Origin and Race, 1980. Illinois*, Population Division.

11. Percy C, Van Holten V, Muir C (eds). *International Classification of Diseases for Oncology*. 2nd edition. Geneva: World Health Organization, 1990.

12. World Health Organization. *Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death*, based on the recommendations of the Ninth Revision Conference, 1975. Geneva: World Health Organization, 1977.

13. World Health Organization. *International Statistical Classification of Diseases and Related Health Problems.* 10th revision. Geneva, Switzerland: World Health Organization, 1992.

14. Kramarova E, Stiller CA, The International Classification of Childhood Cancer, *Int J Cancer*. 1996:68:759-765.

15. Dolecek TA and Howe HL. Hispanic Identification in the Illinois State Cancer Registry. *Epidemiologic Report Series* 98*:2*. Springfield, Ill.: Illinois Department of Public Health, June 1998.

16. Dolecek TA and Howe HL. Hispanic Identification on Illinois Death Certificates. *Epidemiologic Report Series* 98*:3*. Springfield, Ill.: Illinois Department of Public Health, August 1998.

17. Dolecek TA, Lawhun G, Vann S, Snodgrass JL, Stewart SL. Hispanic identification in the Illinois State Cancer Registry. *J Registry Management* 2000:27:43-50.

Tables

All Cancer Sites Combined

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

All Cancer Sites Combined, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	774,057	457.3	0.52	456.3	458.3	664,906	451.7	0.56	450.6	452.8
1986	43,107	407.1	1.99	403.2	411.1	37,590	401.8	2.11	397.7	405.9
1987	45,303	424.7	2.02	420.8	428.7	39,645	421.9	2.15	417.7	426.1
1988	45,213	420.7	2.00	416.8	424.7	39,159	414.1	2.12	410.0	418.3
1989	45,389	420.2	2.00	416.3	424.1	39,417	415.6	2.12	411.5	419.8
1990	47,351	433.9	2.01	430.0	437.9	41,212	430.6	2.14	426.4	434.8
1991	48,969	442.7	2.02	438.7	446.7	42,654	440.4	2.15	436.2	444.6
1992	51,958	463.4	2.05	459.4	467.4	45,433	464.0	2.19	459.7	468.3
1993	52,707	464.8	2.04	460.8	468.8	45,525	460.8	2.17	456.5	465.0
1994	55,393	485.2	2.07	481.1	489.2	47,661	480.1	2.21	475.8	484.5
1995	54,872	476.9	2.04	472.9	480.9	46,712	469.0	2.18	464.7	473.3
1996	56,006	483.9	2.05	479.9	487.9	47,525	475.6	2.19	471.3	479.9
1997	56,162	481.2	2.03	477.2	485.2	47,680	474.2	2.18	469.9	478.5
1998	57,053	483.9	2.03	480.0	487.9	47,936	473.0	2.16	468.8	477.3
1999	57,823	486.0	2.02	482.1	490.0	48,934	480.2	2.17	476.0	484.5
2000	56,751	474.2	1.99	470.3	478.1	47,823	467.9	2.14	463.7	472.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	92,924	493.5	1.66	490.2	496.7	9,629	287.0	3.31	280.6	293.6
1986	4,899	442.3	6.56	429.5	455.4	413	281.1	16.13	250.4	316.1
1987	5,056	448.8	6.53	436.0	461.8	416	280.4	16.13	249.6	315.2
1988	5,343	465.0	6.59	452.2	478.2	469	303.3	16.18	272.4	337.9
1989	5,329	459.9	6.51	447.3	472.9	433	258.9	14.29	231.7	289.7
1990	5,470	466.0	6.51	453.3	479.0	411	229.0	13.05	204.2	257.4
1991	5,263	436.3	6.20	424.2	448.7	475	253.1	13.43	227.4	281.9
1992	5,760	468.3	6.35	455.9	481.0	544	279.8	13.88	253.2	309.2
1993	6,357	508.0	6.56	495.3	521.1	588	273.4	12.88	248.8	300.7
1994	6,840	540.3	6.71	527.2	553.6	610	269.4	12.31	245.8	295.4
1995	7,047	542.5	6.63	529.6	555.7	801	310.2	12.29	286.5	335.9
1996	7,246	548.6	6.60	535.8	561.8	804	309.4	12.34	285.7	335.2
1997	7,058	524.6	6.38	512.2	537.3	817	283.0	10.99	261.9	306.0
1998	7,300	533.1	6.37	520.7	545.8	897	309.5	11.51	287.3	333.4
1999	7,007	500.5	6.10	488.7	512.7	943	304.2	11.10	282.8	327.2
2000	6,949	487.6	5.96	476.0	499.4	1,008	306.5	10.66	286.0	328.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	18,653	329.8	2.86	324.2	335.4	621,781	472.7	0.60	471.5	473.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1,014	273.2	10.06	253.8	294.1	44,375	425.0	2.04	421.0	429.0
1990	1,090	282.5	10.05	263.1	303.3	46,261	439.0	2.06	434.9	443.0
1991	1,126	272.3	9.60	253.8	292.2	47,843	448.4	2.07	444.4	452.5
1992	1,231	295.4	9.95	276.2	315.9	50,727	469.4	2.10	465.3	473.6
1993	1,382	311.8	9.88	292.8	332.2	51,325	470.3	2.09	466.3	474.4
1994	1,542	335.2	10.14	315.6	356.0	53,851	490.8	2.12	486.7	495.0
1995	1,633	344.0	10.15	324.4	364.8	53,239	482.9	2.10	478.7	487.0
1996	1,824	389.3	10.83	368.3	411.4	54,182	489.5	2.11	485.3	493.6
1997	1,795	350.5	9.87	331.4	370.6	54,367	487.8	2.10	483.7	491.9
1998	1,875	350.4	9.70	331.7	370.2	55,178	491.0	2.09	486.9	495.1
1999	2,090	363.2	9.51	344.8	382.6	55,733	492.9	2.09	488.8	497.0
2000	2,051	335.6	8.87	318.4	353.7	54,700	481.9	2.06	477.8	485.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error.

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
All Cancer Sites Combined, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	366,914	217.8	0.36	217.1	218.5	310,854	210.2	0.38	209.4	210.9
1986	23,022	218.7	1.46	215.8	221.6	19,728	210.9	1.52	207.9	213.9
1987	23,182	218.6	1.45	215.8	221.5	19,852	210.9	1.52	208.0	213.9
1988	23,495	220.0	1.45	217.1	222.8	19,995	211.3	1.51	208.4	214.3
1989	23,932	222.8	1.45	220.0	225.7	20,287	213.6	1.52	210.6	216.6
1990	24,440	225.5	1.46	222.7	228.4	20,762	216.6	1.52	213.6	219.6
1991	24,416	222.4	1.43	219.6	225.2	20,836	214.8	1.50	211.9	217.8
1992	24,622	221.0	1.42	218.2	223.8	20,914	213.2	1.48	210.3	216.1
1993	25,269	224.4	1.42	221.6	227.2	21,365	216.0	1.48	213.1	218.9
1994	25,144	221.1	1.40	218.4	223.9	21,334	213.9	1.47	211.0	216.8
1995	25,101	218.6	1.38	215.9	221.3	21,292	211.9	1.46	209.0	214.8
1996	24,785	214.6	1.37	211.9	217.3	20,816	206.3	1.43	203.5	209.2
1997	24,479	210.0	1.34	207.4	212.6	20,609	202.8	1.42	200.1	205.6
1998	24,638	209.0	1.33	206.4	211.7	20,695	201.9	1.41	199.1	204.6
1999	25,024	210.3	1.33	207.7	212.9	21,085	204.0	1.41	201.3	206.8
2000	25,365	211.9	1.33	209.3	214.5	21,284	205.3	1.41	202.6	208.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	53,241	295.1	1.31	292.5	297.6	2,819	98.9	2.10	94.8	103.1
1986	3,189	298.1	5.48	287.4	309.1	105	86.2	9.78	68.2	109.1
1987	3,231	297.8	5.42	287.2	308.6	99	79.6	9.24	62.5	101.2
1988	3,368	301.8	5.38	291.4	312.6	132	95.1	9.54	77.4	117.1
1989	3,491	311.6	5.45	301.0	322.5	154	106.0	9.83	87.6	128.2
1990	3,539	313.3	5.44	302.7	324.2	139	99.4	9.84	81.0	121.8
1991	3,416	298.2	5.26	288.0	308.7	164	103.6	9.31	86.2	124.6
1992	3,536	299.6	5.19	289.5	310.0	172	101.4	8.80	84.9	121.0
1993	3,739	311.9	5.24	301.7	322.4	165	93.1	8.22	77.7	111.4
1994	3,606	295.9	5.06	286.1	306.0	204	105.0	8.35	89.3	123.4
1995	3,599	289.4	4.95	279.8	299.3	210	100.7	7.88	85.8	118.0
1996	3,753	297.9	4.98	288.2	307.9	216	97.0	7.35	83.1	113.1
1997	3,635	282.4	4.79	273.1	292.0	235	100.0	7.28	86.2	115.8
1998	3,694	280.6	4.72	271.4	290.0	249	97.5	6.95	84.4	112.6
1999	3,681	277.9	4.68	268.8	287.2	258	93.5	6.45	81.2	107.5
2000	3,764	279.0	4.64	270.0	288.2	317	111.9	6.93	98.8	126.7
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	7,011	125.0	1.74	121.6	128.4	359,811	221.0	0.37	220.3	221.7
1986	307	112.8	7.56	98.5	129.2	22,863	223.0	1.50	220.0	225.9
1987	336	118.2	7.64	103.7	134.6	22,978	222.7	1.49	219.8	225.7
1988	359	117.8	7.14	104.2	133.1	23,219	223.7	1.49	220.8	226.6
1989	381	121.9	7.13	108.3	137.1	23,558	226.0	1.49	223.1	228.9
1990	374	118.4	7.08	105.0	133.5	24,069	229.0	1.49	226.0	231.9
1991	431	124.4	6.91	111.3	139.1	23,960	225.1	1.47	222.2	228.0
1992	433	126.7	7.03	113.2	141.6	24,186	224.1	1.45	221.3	227.0
1993	492	131.7	6.90	118.6	146.3	24,773	227.5	1.45	224.6	230.3
1994	500	128.2	6.71	115.4	142.4	24,593	223.8	1.43	221.0	226.7
1995	496	121.5	6.37	109.3	134.9	24,520	221.3	1.42	218.5	224.1
1996	511	126.4	6.47	114.0	140.0	24,185	217.2	1.40	214.5	220.0
1997	541	121.6	6.13	109.9	134.5	23,867	212.8	1.38	210.1	215.5
1998	541	119.6	6.00	108.2	132.2	24,053	212.4	1.37	209.7	215.1
1999	629	132.6	6.23	120.7	145.7	24,351	213.2	1.37	210.5	215.8
2000	680	140.3	6.35	128.1	153.5	24,636	214.8	1.37	212.1	217.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

All Cancer Sites Combined, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	387,759	547.6	0.90	545.8	549.4	331,239	534.6	0.95	532.8	536.5
1986	21,115	484.0	3.48	477.2	490.9	18,309	473.7	3.65	466.6	480.9
1987	22,143	502.5	3.52	495.6	509.4	19,272	494.1	3.70	486.9	501.4
1988	21,852	493.0	3.47	486.2	499.9	18,875	482.4	3.64	475.3	489.6
1989	22,255	497.1	3.46	490.4	504.0	19,296	488.4	3.63	481.3	495.6
1990	23,370	518.0	3.51	511.1	524.9	20,250	508.5	3.69	501.3	515.8
1991	24,891	542.1	3.55	535.2	549.1	21,663	535.8	3.75	528.5	543.2
1992	27,093	581.1	3.63	574.0	588.3	23,600	575.3	3.84	567.8	582.9
1993	27,136	573.9	3.58	566.9	580.9	23,354	563.3	3.77	555.9	570.7
1994	27,988	588.7	3.61	581.6	595.8	23,887	574.0	3.79	566.6	581.5
1995	27,729	573.8	3.52	566.9	580.8	23,392	555.3	3.70	548.1	562.6
1996	28,013	573.8	3.49	567.0	580.7	23,509	554.2	3.67	547.0	561.4
1997	28,312	574.4	3.47	567.6	581.3	23,906	559.4	3.66	552.2	566.6
1998	28,434	570.7	3.44	564.0	577.5	23,699	549.6	3.61	542.5	556.7
1999	29,066	575.7	3.42	569.0	582.5	24,442	560.6	3.62	553.5	567.7
2000	28,362	556.8	3.35	550.3	563.4	23,785	542.1	3.54	535.2	549.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	48,272	643.4	3.12	637.3	649.6	4,563	336.3	5.84	324.9	348.1
1986	2,530	568.3	12.16	544.8	592.9	199	319.9	27.12	269.0	381.8
1987	2,599	580.3	12.19	556.6	604.9	198	349.3	30.14	292.7	416.8
1988	2,638	572.7	11.96	549.5	596.9	221	351.4	27.64	299.3	413.3
1989	2,665	578.8	12.01	555.5	603.1	178	266.8	23.53	222.7	320.2
1990	2,771	597.8	12.21	574.1	622.4	213	303.5	24.45	257.4	358.7
1991	2,693	562.5	11.58	540.0	585.9	217	295.2	23.60	250.8	348.0
1992	3,114	647.1	12.42	623.0	672.1	260	345.5	25.49	297.4	401.5
1993	3,372	679.6	12.52	655.3	704.8	275	320.3	22.60	277.6	370.1
1994	3,645	733.0	13.00	707.7	759.1	291	308.8	21.16	268.7	355.4
1995	3,808	740.3	12.79	715.4	766.0	361	355.5	21.68	314.2	402.8
1996	3,879	730.9	12.44	706.7	755.9	404	384.6	22.72	341.3	433.7
1997	3,646	672.5	11.78	649.6	696.1	401	337.5	19.21	300.9	379.3
1998	3,732	682.0	11.80	659.1	705.8	424	354.9	19.76	317.3	397.7
1999	3,573	640.5	11.30	618.6	663.3	464	369.9	20.61	330.6	414.1
2000	3,607	630.8	11.05	609.4	653.0	457	332.9	18.00	298.5	371.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9,174	383.9	5.04	374.1	394.0	313,475	568.3	1.03	566.3	570.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	476	321.8	18.46	286.6	361.2	21,779	503.1	3.53	496.3	510.1
1990	504	311.8	17.57	278.3	349.5	22,866	524.8	3.58	517.8	531.8
1991	547	302.8	16.41	271.5	337.9	24,344	549.8	3.63	542.7	556.9
1992	598	345.7	17.81	311.7	383.5	26,495	589.5	3.72	582.2	596.8
1993	680	365.8	17.81	331.7	403.5	26,456	581.5	3.66	574.3	588.7
1994	792	401.8	18.13	367.0	440.0	27,196	595.8	3.70	588.6	603.1
1995	792	393.9	17.77	359.8	431.3	26,937	582.0	3.61	575.0	589.2
1996	925	461.4	19.20	424.6	501.5	27,088	580.4	3.58	573.4	587.5
1997	901	404.3	16.89	371.9	439.7	27,411	582.7	3.57	575.8	589.8
1998	914	422.8	17.59	389.0	459.5	27,520	579.5	3.53	572.6	586.5
1999	1,044	419.1	16.32	387.7	453.1	28,022	584.1	3.52	577.2	591.1
2000	1,001	384.9	15.04	356.0	416.3	27,361	566.5	3.46	559.8	573.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
All Cancer Sites Combined, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	190,003	280.6	0.66	279.3	281.9	159,601	268.5	0.69	267.1	269.8
1986	12,128	285.6	2.72	280.3	291.0	10,304	273.6	2.82	268.1	279.2
1987	12,064	282.3	2.69	277.1	287.7	10,164	268.6	2.78	263.2	274.2
1988	12,457	290.8	2.72	285.5	296.2	10,478	276.9	2.82	271.4	282.5
1989	12,547	290.2	2.70	285.0	295.6	10,527	275.8	2.79	270.4	281.4
1990	12,716	292.8	2.70	287.6	298.2	10,678	278.6	2.80	273.1	284.1
1991	12,775	290.6	2.67	285.4	295.9	10,794	278.1	2.77	272.7	283.6
1992	12,802	286.8	2.62	281.7	292.0	10,750	273.1	2.71	267.8	278.5
1993	13,069	290.1	2.62	285.0	295.3	10,944	276.5	2.72	271.2	281.9
1994	13,037	285.7	2.57	280.7	290.8	10,987	274.3	2.68	269.1	279.6
1995	12,985	281.9	2.54	277.0	286.9	10,921	270.7	2.65	265.6	276.0
1996	12,735	274.7	2.49	269.8	279.7	10,598	261.4	2.59	256.4	266.6
1997	12,559	267.2	2.43	262.4	272.0	10,512	256.4	2.54	251.5	261.5
1998	12,616	265.3	2.41	260.6	270.0	10,558	255.0	2.52	250.1	260.0
1999	12,697	264.7	2.39	260.0	269.4	10,675	255.7	2.51	250.8	260.6
2000	12,816	264.6	2.37	260.0	269.3	10,711	254.7	2.49	249.8	259.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	28,851	407.7	2.57	402.7	412.8	1,551	127.4	3.80	120.1	135.2
1986	1,761	407.9	10.48	387.6	429.2	63	119.6	17.97	87.0	164.5
1987	1,844	424.3	10.63	403.7	445.9	56	99.3	16.16	70.2	140.2
1988	1,898	425.8	10.49	405.5	447.1	81	138.4	18.16	105.2	182.4
1989	1,935	435.9	10.64	415.3	457.5	85	113.6	14.20	87.5	149.0
1990	1,949	437.0	10.66	416.4	458.6	89	144.5	18.28	110.9	188.2
1991	1,892	422.2	10.42	402.0	443.3	89	145.0	18.00	111.8	187.3
1992	1,958	431.5	10.52	411.1	452.8	94	132.5	15.89	103.2	170.0
1993	2,033	434.9	10.36	414.9	455.9	92	126.4	15.36	98.0	162.4
1994	1,945	410.8	9.98	391.5	431.0	105	117.0	13.33	92.3	148.7
1995	1,953	402.5	9.76	383.6	422.3	111	123.4	13.90	97.6	155.8
1996	2,024	415.5	9.88	396.3	435.5	113	113.9	12.49	90.7	143.3
1997	1,904	377.6	9.21	359.7	396.2	143	147.5	14.33	120.8	180.2
1998	1,941	374.9	9.05	357.4	393.2	117	110.3	11.93	88.2	138.1
1999	1,891	369.2	9.02	351.7	387.4	131	120.2	12.24	97.4	148.4
2000	1,923	368.8	8.93	351.5	386.9	182	150.9	12.92	126.6	179.9
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	3,724	155.3	3.14	149.2	161.6	186,089	284.8	0.68	283.4	286.1
1986	170	142.7	13.63	117.2	173.4	12,034	291.4	2.78	285.9	296.9
1987	186	156.2	14.55	129.0	188.6	11,932	287.2	2.74	281.8	292.6
1988	190	148.8	13.14	124.2	178.2	12,288	295.6	2.78	290.1	301.1
1989	201	163.5	13.80	137.6	194.0	12,343	294.5	2.75	289.2	300.0
1990	199	154.4	13.75	128.6	184.9	12,519	297.5	2.76	292.1	303.0
1991	216	142.0	11.90	119.6	168.5	12,524	294.5	2.72	289.2	299.9
1992	228	161.0	12.95	136.6	189.4	12,563	291.0	2.68	285.7	296.3
1993	275	172.0	12.98	147.5	200.4	12,770	293.5	2.67	288.2	298.8
1994	271	164.8	12.53	141.2	192.2	12,728	289.0	2.63	283.8	294.2
1995	258	134.6	10.55	114.7	157.9	12,678	285.9	2.60	280.8	291.0
1996	261	148.7	11.39	127.2	173.6	12,410	278.3	2.55	273.3	283.3
1997	293	146.6	10.66	126.5	170.0	12,228	270.9	2.49	266.0	275.8
1998	300	157.9	11.07	136.9	181.9	12,280	269.1	2.47	264.3	274.0
1999	316	145.7	10.10	126.5	167.7	12,361	269.1	2.45	264.3	273.9
2000	360	178.7	11.61	156.7	203.6	12,431	268.4	2.44	263.7	273.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

All Cancer Sites Combined, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	386,298	405.9	0.66	404.6	407.2	333,667	406.5	0.71	405.1	407.9
1986	21,992	368.7	2.54	363.7	373.7	19,281	368.3	2.72	363.0	373.7
1987	23,160	386.2	2.59	381.2	391.3	20,373	388.4	2.79	383.0	393.9
1988	23,361	385.8	2.57	380.8	390.9	20,284	383.4	2.76	378.0	388.8
1989	23,134	381.3	2.55	376.3	386.4	20,121	380.6	2.75	375.3	386.0
1990	23,981	391.0	2.57	386.0	396.1	20,962	393.4	2.78	387.9	398.9
1991	24,078	387.9	2.54	383.0	392.9	20,991	389.7	2.75	384.3	395.1
1992	24,865	395.8	2.54	390.8	400.8	21,833	401.6	2.77	396.2	407.0
1993	25,571	400.6	2.53	395.6	405.6	22,171	402.0	2.75	396.6	407.4
1994	27,405	424.5	2.59	419.4	429.6	23,774	426.8	2.81	421.3	432.4
1995	27,143	419.2	2.57	414.2	424.3	23,320	419.4	2.79	414.0	424.9
1996	27,993	429.2	2.59	424.1	434.3	24,016	430.3	2.82	424.8	435.8
1997	27,850	423.7	2.56	418.7	428.8	23,774	423.5	2.78	418.1	429.0
1998	28,619	431.1	2.57	426.1	436.2	24,237	428.6	2.79	423.2	434.1
1999	28,757	430.3	2.55	425.3	435.3	24,492	431.8	2.79	426.3	437.3
2000	28,389	422.7	2.52	417.7	427.6	24,038	423.2	2.76	417.8	428.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	44,652	400.3	1.92	396.5	404.1	5,066	256.8	3.97	249.0	264.7
1986	2,369	363.2	7.64	348.4	378.6	214	255.7	19.93	218.1	300.5
1987	2,457	368.0	7.59	353.3	383.2	218	235.5	17.88	201.7	275.9
1988	2,705	399.3	7.84	384.1	415.0	248	272.3	19.68	235.1	316.0
1989	2,664	388.4	7.67	373.5	403.8	255	260.1	18.20	225.7	300.6
1990	2,699	387.5	7.59	372.8	402.7	198	177.4	14.20	150.7	210.0
1991	2,570	359.0	7.21	345.0	373.5	258	227.4	16.01	197.1	263.0
1992	2,646	360.5	7.11	346.6	374.7	284	238.9	15.83	208.9	273.7
1993	2,985	401.6	7.46	387.1	416.5	313	244.7	15.42	215.4	278.3
1994	3,195	423.1	7.59	408.4	438.3	319	244.1	15.04	215.5	276.7
1995	3,239	419.2	7.46	404.7	434.1	440	286.4	14.87	258.0	318.2
1996	3,367	430.9	7.52	416.3	445.9	400	261.6	14.32	234.3	292.1
1997	3,412	429.3	7.43	414.9	444.1	416	247.6	13.18	222.5	275.8
1998	3,568	439.2	7.43	424.8	454.0	473	280.4	14.05	253.5	310.1
1999	3,434	413.4	7.12	399.6	427.7	479	264.4	13.03	239.5	291.9
2000	3,342	395.9	6.90	382.5	409.7	551	292.4	13.37	266.8	320.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9,479	298.2	3.47	291.4	305.1	308,306	416.5	0.76	415.0	418.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	538	253.0	12.07	229.9	278.5	22,596	385.0	2.61	379.9	390.2
1990	586	273.2	12.55	249.1	299.6	23,395	394.9	2.63	389.8	400.1
1991	579	256.8	12.00	233.8	282.1	23,499	392.4	2.60	387.3	397.6
1992	633	268.2	11.99	245.2	293.4	24,232	400.2	2.61	395.1	405.3
1993	702	282.9	11.92	260.0	307.8	24,869	404.6	2.60	399.5	409.8
1994	750	293.6	12.13	270.3	318.9	26,655	429.1	2.66	423.9	434.4
1995	841	316.6	12.42	292.7	342.4	26,302	423.5	2.64	418.3	428.7
1996	899	344.2	13.01	319.1	371.1	27,094	434.0	2.67	428.8	439.3
1997	894	314.7	12.10	291.4	339.7	26,956	429.2	2.64	424.0	434.4
1998	961	308.2	11.38	286.3	331.8	27,658	436.7	2.65	431.5	441.9
1999	1,046	326.4	11.61	304.1	350.4	27,711	436.0	2.64	430.8	441.2
2000	1,050	303.6	10.86	282.7	326.0	27,339	428.7	2.62	423.6	433.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
All Cancer Sites Combined, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	176,911	180.0	0.43	179.1	180.8	151,253	175.6	0.46	174.7	176.5
1986	10,894	178.4	1.74	175.0	181.9	9,424	174.0	1.83	170.4	177.7
1987	11,118	180.8	1.74	177.4	184.3	9,688	177.6	1.84	174.0	181.3
1988	11,038	177.7	1.72	174.3	181.1	9,517	173.3	1.81	169.8	176.9
1989	11,385	182.5	1.73	179.1	185.9	9,760	177.3	1.83	173.7	180.9
1990	11,724	185.6	1.74	182.2	189.0	10,084	180.6	1.83	177.0	184.2
1991	11,641	181.5	1.70	178.1	184.8	10,042	177.5	1.80	174.0	181.1
1992	11,820	181.9	1.69	178.6	185.3	10,164	177.8	1.79	174.3	181.3
1993	12,200	185.3	1.69	182.0	188.6	10,421	180.6	1.80	177.1	184.1
1994	12,107	182.2	1.67	179.0	185.6	10,347	177.8	1.77	174.4	181.4
1995	12,116	180.5	1.65	177.2	183.7	10,371	177.0	1.76	173.5	180.5
1996	12,050	178.4	1.64	175.2	181.7	10,218	173.8	1.75	170.4	177.2
1997	11,920	175.2	1.62	172.0	178.4	10,097	170.7	1.72	167.4	174.2
1998	12,022	174.8	1.61	171.7	178.0	10,137	170.0	1.71	166.7	173.4
1999	12,327	177.0	1.61	173.8	180.2	10,410	172.4	1.71	169.1	175.8
2000	12,549	179.6	1.62	176.4	182.8	10,573	175.2	1.73	171.8	178.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	24,390	225.9	1.47	223.0	228.8	1,268	78.5	2.43	73.8	83.4
1986	1,428	226.9	6.15	215.0	239.3	42	61.2	10.79	41.9	89.0
1987	1,387	217.2	5.95	205.7	229.3	43	64.0	10.86	44.6	91.6
1988	1,470	222.0	5.91	210.6	234.0	51	62.7	9.97	44.7	88.0
1989	1,556	233.3	6.03	221.6	245.4	69	98.7	13.38	74.2	130.4
1990	1,590	236.6	6.04	224.9	248.8	50	65.8	10.71	46.6	92.4
1991	1,524	222.0	5.78	210.8	233.6	75	75.3	9.79	57.4	99.2
1992	1,578	222.0	5.67	211.0	233.4	78	79.4	10.06	60.9	103.3
1993	1,706	236.6	5.81	225.4	248.3	73	69.9	9.07	53.3	91.5
1994	1,661	226.8	5.63	215.9	238.2	99	95.3	10.63	75.6	119.6
1995	1,646	221.0	5.51	210.3	232.0	99	84.7	9.36	67.3	106.1
1996	1,729	227.3	5.53	216.6	238.4	103	83.9	8.95	67.2	104.2
1997	1,731	224.0	5.44	213.5	235.0	92	67.2	7.64	53.0	84.8
1998	1,753	222.0	5.35	211.6	232.8	132	89.2	8.52	73.3	108.3
1999	1,790	223.5	5.33	213.2	234.2	127	76.8	7.34	63.1	93.3
2000	1,841	226.1	5.31	215.8	236.8	135	84.1	7.77	69.6	101.3
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	3,287	104.6	2.03	100.7	108.7	173,722	182.6	0.44	181.7	183.4
1986	137	92.1	8.79	75.6	111.8	10,829	181.8	1.78	178.4	185.4
1987	150	92.3	8.46	76.5	111.2	11,046	184.5	1.79	181.0	188.0
1988	169	97.9	8.27	82.4	116.2	10,931	180.8	1.76	177.4	184.3
1989	180	96.7	7.90	81.9	114.2	11,215	185.0	1.78	181.5	188.5
1990	175	96.9	7.97	81.9	114.5	11,550	188.3	1.78	184.8	191.8
1991	215	114.3	8.55	98.1	132.9	11,436	183.5	1.74	180.1	187.0
1992	205	104.5	8.15	89.1	122.2	11,623	184.5	1.73	181.1	187.9
1993	217	104.6	7.84	89.8	121.7	12,003	188.2	1.74	184.8	191.6
1994	229	104.3	7.71	89.7	121.0	11,865	184.5	1.71	181.2	187.9
1995	238	111.2	7.99	96.1	128.5	11,842	182.5	1.70	179.2	185.8
1996	250	112.0	7.83	97.2	128.8	11,775	180.7	1.68	177.4	184.0
1997	248	103.0	7.36	89.1	118.9	11,639	177.5	1.66	174.3	180.8
1998	241	92.3	6.73	79.6	106.9	11,773	177.9	1.66	174.7	181.2
1999	313	122.3	7.87	107.3	139.1	11,990	179.0	1.65	175.7	182.2
2000	320	114.0	7.25	100.2	129.4	12,205	181.8	1.66	178.6	185.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Buccal Cavity and Pharynx

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Buccal Cavity and Pharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,201	10.9	0.08	10.7	11.0	14,693	10.1	0.08	10.0	10.3
1986	1,223	11.6	0.34	11.0	12.3	975	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	967	10.3	0.34	9.7	11.0
1988	1,184	11.2	0.33	10.5	11.8	946	10.1	0.33	9.4	10.8
1989	1,133	10.5	0.32	9.9	11.2	914	9.7	0.32	9.1	10.4
1990	1,160	10.8	0.32	10.2	11.5	931	9.9	0.33	9.3	10.6
1991	1,144	10.5	0.31	9.9	11.1	904	9.5	0.32	8.9	10.2
1992	1,124	10.2	0.31	9.6	10.8	939	9.8	0.32	9.1	10.4
1993	1,142	10.2	0.30	9.7	10.9	939	9.8	0.32	9.1	10.4
1994	1,187	10.5	0.31	9.9	11.1	946	9.7	0.32	9.1	10.4
1995	1,305	11.5	0.32	10.9	12.1	1,070	10.9	0.34	10.3	11.6
1996	1,300	11.3	0.32	10.7	12.0	1,049	10.7	0.33	10.0	11.3
1997	1,302	11.3	0.31	10.7	11.9	1,051	10.6	0.33	10.0	11.3
1998	1,251	10.7	0.30	10.1	11.3	990	9.9	0.32	9.3	10.5
1999	1,292	10.9	0.30	10.3	11.5	1,061	10.5	0.32	9.9	11.2
2000	1,255	10.5	0.30	9.9	11.1	1,011	10.0	0.31	9.4	10.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,014	14.9	0.28	14.4	15.5	307	8.2	0.52	7.2	9.4
1986	218	18.8	1.30	16.3	21.6	18	10.9	2.84	6.1	21.0
1987	207	17.5	1.25	15.1	20.2	20	12.6	3.11	7.3	22.9
1988	211	17.3	1.21	15.0	19.9	15	10.0	3.14	4.9	20.2
1989	196	16.2	1.18	14.0	18.8	15	7.7	2.10	4.1	15.7
1990	214	17.2	1.20	14.9	19.8	8	4.4	1.65	1.8	11.9
1991	205	15.7	1.12	13.6	18.1	13	5.6	1.72	2.7	12.5
1992	164	12.4	0.98	10.5	14.5	17	6.2	1.63	3.4	12.5
1993	175	13.1	1.00	11.2	15.2	17	8.1	2.29	4.2	15.3
1994	211	15.5	1.09	13.5	17.9	21	6.6	1.51	4.0	12.2
1995	201	14.4	1.03	12.4	16.6	25	8.4	1.92	5.1	14.4
1996	220	15.6	1.07	13.6	17.9	20	7.9	1.92	4.6	13.6
1997	208	14.5	1.02	12.5	16.6	29	10.1	2.06	6.5	16.0
1998	209	14.2	1.00	12.3	16.4	32	9.6	1.87	6.3	14.9
1999	192	12.6	0.92	10.8	14.6	25	6.5	1.40	4.1	10.9
2000	183	11.9	0.89	10.2	13.9	32	9.3	1.82	6.1	14.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	399	7.0	0.41	6.2	7.9	14,196	11.0	0.09	10.8	11.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	27	8.0	1.74	4.9	12.8	1,106	10.7	0.33	10.1	11.4
1990	23	5.2	1.20	3.1	9.0	1,137	11.0	0.33	10.4	11.7
1991	23	4.8	1.08	2.9	8.3	1,121	10.7	0.32	10.1	11.4
1992	15	2.8	0.83	1.5	5.9	1,109	10.5	0.32	9.9	11.1
1993	32	6.8	1.45	4.2	10.8	1,110	10.4	0.32	9.8	11.1
1994	32	7.7	1.58	4.9	11.9	1,155	10.7	0.32	10.1	11.4
1995	22	4.5	1.07	2.7	7.7	1,283	11.8	0.33	11.2	12.5
1996	43	10.3	1.80	7.1	14.8	1,257	11.5	0.33	10.9	12.2
1997	62	12.9	1.92	9.4	17.6	1,240	11.3	0.32	10.7	11.9
1998	38	7.7	1.46	5.1	11.5	1,213	10.9	0.31	10.3	11.6
1999	43	5.6	0.92	4.0	8.4	1,249	11.2	0.32	10.5	11.8
2000	39	6.7	1.32	4.4	10.2	1,216	10.8	0.31	10.2	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Buccal Cavity and Pharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,504	3.3	0.04	3.2	3.4	4,284	2.9	0.04	2.8	3.0
1986	384	3.6	0.19	3.3	4.0	307	3.2	0.19	2.9	3.6
1987	384	3.6	0.19	3.3	4.0	314	3.3	0.19	3.0	3.7
1988	378	3.6	0.19	3.2	3.9	298	3.2	0.18	2.8	3.5
1989	380	3.6	0.18	3.2	3.9	286	3.0	0.18	2.7	3.4
1990	427	4.0	0.20	3.6	4.4	325	3.4	0.19	3.1	3.8
1991	421	3.8	0.19	3.5	4.2	315	3.3	0.19	2.9	3.6
1992	365	3.3	0.18	3.0	3.7	281	2.9	0.18	2.6	3.3
1993	363	3.3	0.17	2.9	3.6	282	2.9	0.17	2.6	3.3
1994	354	3.1	0.17	2.8	3.5	271	2.8	0.17	2.4	3.1
1995	370	3.2	0.17	2.9	3.6	284	2.8	0.17	2.5	3.2
1996	368	3.2	0.17	2.9	3.6	307	3.1	0.18	2.8	3.5
1997	339	2.9	0.16	2.6	3.2	257	2.6	0.16	2.3	2.9
1998	341	2.9	0.16	2.6	3.2	268	2.6	0.16	2.3	3.0
1999	301	2.5	0.15	2.3	2.8	231	2.3	0.15	2.0	2.6
2000	329	2.8	0.15	2.5	3.1	258	2.5	0.16	2.2	2.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,153	5.8	0.17	5.5	6.2	67	1.7	0.22	1.3	2.3
1986	75	6.7	0.80	5.2	8.5	2	0.9	0.68	0.1	8.9
1987	68	6.0	0.74	4.6	7.7	2	1.6	1.23	0.1	9.6
1988	76	6.3	0.74	4.9	8.0	4	1.5	0.77	0.4	8.6
1989	90	7.2	0.77	5.8	9.0	4	1.8	0.91	0.5	8.6
1990	101	8.1	0.82	6.6	10.0	1	0.3	0.30	0.0	7.0
1991	100	8.0	0.81	6.4	9.8	6	2.9	1.32	0.9	9.5
1992	78	5.9	0.68	4.6	7.4	6	2.3	0.97	0.8	8.0
1993	77	5.8	0.67	4.6	7.3	4	1.4	0.68	0.4	6.3
1994	80	5.9	0.66	4.6	7.4	3	1.2	0.69	0.2	5.9
1995	82	6.2	0.70	4.9	7.8	4	1.1	0.55	0.3	5.2
1996	56	4.2	0.57	3.2	5.5	5	1.9	0.94	0.5	6.2
1997	74	5.2	0.61	4.0	6.5	8	2.8	1.21	1.0	7.4
1998	67	4.8	0.59	3.7	6.1	6	1.7	0.73	0.6	5.3
1999	63	4.4	0.57	3.4	5.7	7	1.8	0.70	0.7	5.2
2000	66	4.4	0.55	3.4	5.7	5	1.4	0.67	0.4	4.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	100	1.9	0.21	1.5	2.4	5,406	3.4	0.05	3.3	3.4
1986	7	1.8	0.74	0.6	5.4	389	3.8	0.20	3.4	4.2
1987	5	1.5	0.79	0.4	5.2	388	3.8	0.20	3.4	4.2
1988	9	3.4	1.28	1.3	7.6	377	3.6	0.19	3.3	4.0
1989	7	2.5	1.04	0.9	6.2	375	3.6	0.19	3.3	4.0
1990	6	1.6	0.72	0.6	4.8	421	4.1	0.20	3.7	4.5
1991	5	1.4	0.67	0.4	4.5	432	4.1	0.20	3.7	4.5
1992	6	1.4	0.61	0.5	4.2	355	3.4	0.18	3.0	3.8
1993	8	2.6	1.02	1.0	6.0	345	3.2	0.17	2.9	3.6
1994	5	1.4	0.65	0.4	4.1	337	3.1	0.17	2.8	3.4
1995	5	1.8	0.85	0.5	4.8	347	3.2	0.17	2.8	3.5
1996	5	1.3	0.67	0.3	3.9	363	3.3	0.17	3.0	3.7
1997	6	2.2	0.98	0.7	5.3	328	3.0	0.16	2.7	3.3
1998	8	2.4	0.92	0.9	5.3	338	3.0	0.16	2.7	3.4
1999	10	1.6	0.51	0.7	3.7	291	2.6	0.15	2.3	2.9
2000	8	1.5	0.62	0.5	3.7	320	2.8	0.16	2.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Buccal Cavity and Pharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	12,352	16.7	0.15	16.4	17.0	9,853	15.5	0.16	15.2	15.8
1986	840	18.3	0.65	17.0	19.6	659	16.2	0.65	15.0	17.6
1987	810	17.6	0.64	16.4	18.9	650	16.0	0.65	14.8	17.4
1988	815	17.7	0.64	16.5	19.0	638	15.8	0.64	14.6	17.1
1989	760	16.3	0.61	15.1	17.5	602	14.7	0.62	13.5	16.0
1990	793	17.1	0.62	15.9	18.4	638	15.8	0.64	14.6	17.1
1991	771	16.1	0.59	15.0	17.4	602	14.5	0.60	13.3	15.7
1992	757	15.7	0.58	14.6	16.9	624	14.9	0.61	13.8	16.2
1993	784	15.9	0.57	14.7	17.0	638	14.9	0.60	13.8	16.2
1994	797	16.1	0.58	14.9	17.2	629	14.8	0.60	13.6	16.0
1995	896	17.8	0.60	16.6	19.0	719	16.6	0.62	15.4	17.9
1996	883	17.5	0.60	16.3	18.7	705	16.3	0.62	15.1	17.5
1997	876	17.2	0.59	16.0	18.4	698	16.0	0.61	14.8	17.2
1998	852	16.3	0.56	15.2	17.4	664	14.9	0.58	13.7	16.1
1999	862	16.2	0.56	15.1	17.3	704	15.5	0.59	14.4	16.8
2000	856	16.0	0.55	14.9	17.1	683	15.0	0.58	13.9	16.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,186	25.4	0.56	24.3	26.5	190	11.9	1.00	10.0	14.2
1986	161	32.3	2.66	27.3	38.3	12	18.5	5.97	8.8	42.3
1987	144	28.1	2.44	23.6	33.7	13	20.0	6.15	9.9	43.2
1988	162	30.8	2.49	26.1	36.4	9	16.3	6.84	5.8	40.4
1989	145	28.3	2.46	23.6	33.8	6	5.4	2.35	1.8	22.1
1990	144	27.3	2.36	22.9	32.7	4	4.2	2.25	1.0	21.2
1991	146	26.5	2.28	22.3	31.7	7	7.9	3.46	2.7	24.6
1992	117	20.9	1.98	17.2	25.5	14	11.4	3.46	5.7	26.6
1993	127	22.1	2.01	18.3	26.7	13	16.2	5.37	7.4	34.0
1994	150	25.8	2.20	21.7	30.8	12	7.6	2.35	3.7	20.3
1995	149	25.1	2.14	21.1	30.0	19	16.4	4.42	8.9	31.4
1996	158	25.9	2.11	21.9	30.6	13	11.0	3.42	5.3	24.1
1997	153	25.0	2.11	21.1	29.8	19	13.7	3.32	8.0	26.0
1998	153	24.5	2.06	20.6	29.1	19	11.8	2.94	6.8	23.1
1999	135	20.5	1.81	17.1	24.6	12	6.8	2.11	3.4	16.7
2000	142	21.8	1.88	18.3	26.1	18	13.6	3.81	7.2	25.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	273	10.2	0.77	8.8	11.9	9,614	16.9	0.17	16.5	17.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	17	9.7	2.88	4.9	19.6	743	16.5	0.62	15.3	17.8
1990	16	8.3	2.42	4.3	17.5	777	17.5	0.64	16.2	18.8
1991	16	7.4	2.08	3.9	15.7	755	16.5	0.61	15.3	17.8
1992	11	3.6	1.18	1.7	10.4	746	16.2	0.60	15.0	17.4
1993	24	10.6	2.94	5.6	20.0	760	16.1	0.59	15.0	17.4
1994	21	10.6	2.93	5.7	19.9	776	16.4	0.60	15.3	17.7
1995	15	5.8	1.57	3.1	12.5	881	18.4	0.63	17.2	19.7
1996	33	17.0	3.64	10.6	27.1	850	17.7	0.61	16.5	19.0
1997	42	18.6	3.60	12.2	28.5	834	17.2	0.60	16.1	18.5
1998	25	12.2	3.08	6.9	21.1	827	16.7	0.59	15.6	17.9
1999	29	8.1	1.62	5.2	14.0	833	16.6	0.58	15.5	17.8
2000	24	8.7	2.27	4.8	15.7	832	16.5	0.58	15.4	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Buccal Cavity and Pharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,778	5.2	0.09	5.1	5.4	2,875	4.6	0.09	4.5	4.8
1986	262	5.8	0.37	5.1	6.6	207	5.2	0.37	4.4	6.0
1987	256	5.7	0.37	5.0	6.5	209	5.3	0.38	4.6	6.1
1988	273	6.0	0.38	5.3	6.8	212	5.3	0.38	4.6	6.2
1989	251	5.4	0.35	4.8	6.2	184	4.5	0.35	3.9	5.3
1990	300	6.6	0.40	5.9	7.5	221	5.7	0.39	4.9	6.5
1991	282	6.1	0.37	5.4	6.9	203	5.0	0.36	4.3	5.8
1992	237	5.1	0.34	4.4	5.8	179	4.5	0.34	3.8	5.2
1993	261	5.4	0.34	4.8	6.1	199	4.8	0.34	4.1	5.5
1994	243	5.0	0.33	4.4	5.7	175	4.2	0.33	3.6	5.0
1995	248	5.1	0.33	4.4	5.8	187	4.4	0.33	3.8	5.1
1996	261	5.4	0.34	4.7	6.1	213	5.1	0.35	4.4	5.8
1997	236	4.7	0.31	4.1	5.4	176	4.1	0.31	3.5	4.8
1998	242	4.8	0.32	4.2	5.5	187	4.4	0.32	3.8	5.1
1999	216	4.2	0.29	3.6	4.8	167	3.8	0.30	3.2	4.4
2000	210	4.0	0.28	3.5	4.6	156	3.5	0.29	3.0	4.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	853	10.2	0.36	9.5	11.0	50	2.6	0.40	1.9	3.8
1986	54	11.2	1.60	8.3	15.2	1	1.2	1.21	0.0	21.3
1987	46	9.4	1.44	6.8	13.1	1	0.9	0.88	0.0	19.7
1988	58	11.3	1.54	8.5	15.2	3	2.5	1.44	0.5	19.9
1989	63	11.8	1.51	9.1	15.6	4	3.7	1.91	1.0	20.2
1990	78	14.9	1.76	11.6	19.1	1	0.6	0.62	0.0	17.3
1991	73	14.0	1.73	10.8	18.1	6	6.7	3.10	2.0	22.9
1992	54	9.6	1.35	7.2	13.0	4	4.0	1.98	1.1	17.9
1993	59	10.6	1.44	8.0	14.2	3	2.0	1.19	0.4	14.6
1994	66	11.2	1.38	8.6	14.6	2	1.8	1.26	0.2	14.1
1995	57	10.6	1.48	7.9	14.2	4	2.3	1.16	0.6	13.5
1996	43	7.3	1.14	5.2	10.2	5	4.3	2.26	1.1	16.2
1997	56	9.3	1.31	6.9	12.6	4	2.2	1.13	0.6	12.4
1998	52	9.1	1.33	6.7	12.4	3	1.8	1.04	0.3	11.3
1999	44	7.3	1.14	5.2	10.2	5	2.6	1.20	0.8	11.8
2000	50	7.8	1.16	5.7	10.7	4	2.3	1.21	0.6	10.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	79	3.1	0.43	2.4	4.2	3,701	5.4	0.09	5.2	5.6
1986	5	2.2	1.02	0.7	10.8	263	6.0	0.39	5.3	6.9
1987	4	1.8	0.96	0.4	10.0	259	6.0	0.38	5.2	6.8
1988	8	7.4	3.12	2.6	18.2	268	6.1	0.39	5.4	7.0
1989	5	2.8	1.37	0.8	10.7	245	5.5	0.36	4.8	6.3
1990	4	1.8	0.93	0.5	9.4	294	6.8	0.41	6.0	7.6
1991	4	2.8	1.45	0.7	10.5	292	6.6	0.40	5.8	7.4
1992	4	1.8	0.93	0.5	8.6	231	5.2	0.35	4.5	6.0
1993	8	6.2	2.56	2.2	15.2	247	5.3	0.34	4.6	6.0
1994	5	3.1	1.53	0.8	10.2	229	4.9	0.33	4.3	5.6
1995	3	2.4	1.56	0.4	9.5	238	5.1	0.33	4.4	5.8
1996	4	1.5	0.77	0.4	7.4	262	5.6	0.35	5.0	6.4
1997	5	5.0	2.54	1.3	13.4	225	4.7	0.32	4.1	5.4
1998	6	3.6	1.69	1.1	10.2	237	5.0	0.33	4.4	5.7
1999	9	2.9	1.00	1.3	8.2	207	4.2	0.30	3.7	4.9
2000	5	2.6	1.46	0.6	8.5	204	4.1	0.29	3.6	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Buccal Cavity and Pharynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,849	6.2	0.08	6.0	6.3	4,840	5.9	0.09	5.7	6.1
1986	383	6.5	0.34	5.8	7.2	316	6.0	0.35	5.3	6.7
1987	389	6.5	0.34	5.9	7.2	317	6.1	0.35	5.4	6.8
1988	369	6.1	0.32	5.5	6.8	308	5.8	0.34	5.1	6.5
1989	373	6.2	0.33	5.6	6.9	312	5.9	0.34	5.3	6.7
1990	367	6.0	0.32	5.4	6.7	293	5.4	0.32	4.8	6.1
1991	373	6.1	0.32	5.5	6.8	302	5.7	0.34	5.1	6.5
1992	367	5.9	0.31	5.3	6.6	315	5.8	0.33	5.2	6.5
1993	358	5.7	0.30	5.1	6.3	301	5.5	0.32	4.9	6.2
1994	390	6.1	0.31	5.5	6.7	317	5.6	0.32	5.0	6.3
1995	409	6.3	0.31	5.7	6.9	351	6.3	0.34	5.6	7.0
1996	417	6.4	0.32	5.8	7.1	344	6.1	0.33	5.5	6.8
1997	426	6.6	0.32	6.0	7.3	353	6.4	0.34	5.7	7.1
1998	399	6.1	0.30	5.5	6.7	326	5.8	0.33	5.2	6.5
1999	430	6.5	0.32	5.9	7.2	357	6.4	0.34	5.8	7.1
2000	399	6.0	0.30	5.4	6.6	328	5.8	0.32	5.2	6.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	828	7.2	0.25	6.7	7.7	117	5.4	0.55	4.4	6.7
1986	57	8.7	1.18	6.6	11.5	6	5.3	2.26	1.8	19.0
1987	63	9.3	1.20	7.1	12.1	7	6.9	2.90	2.5	20.8
1988	49	7.0	1.02	5.2	9.4	6	5.7	2.51	1.9	18.6
1989	51	7.5	1.06	5.5	9.9	9	9.3	3.24	4.1	22.6
1990	70	9.8	1.18	7.6	12.5	4	4.3	2.24	1.1	16.4
1991	59	7.7	1.02	5.8	10.1	6	3.7	1.57	1.3	13.8
1992	47	6.2	0.91	4.5	8.3	3	2.0	1.14	0.4	11.0
1993	48	6.3	0.92	4.6	8.4	4	2.2	1.18	0.5	10.4
1994	61	8.0	1.04	6.1	10.4	9	5.8	1.96	2.6	14.1
1995	52	6.4	0.90	4.8	8.5	6	2.3	0.95	0.8	8.8
1996	62	7.8	1.00	6.0	10.1	7	5.3	2.13	2.0	12.9
1997	55	6.7	0.92	5.1	8.8	10	6.9	2.41	3.0	14.8
1998	56	6.6	0.90	5.0	8.7	13	7.5	2.28	3.7	14.8
1999	57	6.6	0.88	5.0	8.6	13	6.3	1.86	3.2	12.6
2000	41	4.7	0.73	3.3	6.4	14	6.6	1.84	3.5	12.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	126	4.3	0.43	3.5	5.3	4,582	6.3	0.09	6.1	6.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	6.0	2.09	2.7	12.7	363	6.3	0.34	5.6	7.0
1990	7	2.6	1.06	1.0	7.4	360	6.1	0.33	5.5	6.8
1991	7	2.4	0.99	0.9	7.1	366	6.3	0.33	5.6	7.0
1992	4	1.9	1.04	0.5	6.5	363	6.1	0.33	5.5	6.8
1993	8	3.7	1.44	1.4	8.7	350	5.8	0.32	5.2	6.5
1994	11	5.3	1.76	2.4	10.7	379	6.2	0.32	5.6	6.8
1995	7	3.0	1.29	1.0	7.6	402	6.5	0.32	5.8	7.1
1996	10	4.9	1.68	2.2	10.0	407	6.5	0.33	5.9	7.2
1997	20	8.2	2.05	4.6	13.8	406	6.6	0.33	6.0	7.3
1998	13	4.4	1.36	2.1	8.7	386	6.2	0.32	5.6	6.8
1999	14	3.3	0.95	1.7	6.9	416	6.7	0.33	6.1	7.4
2000	15	5.0	1.56	2.4	9.6	384	6.1	0.31	5.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Buccal Cavity and Pharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,726	1.8	0.04	1.7	1.9	1,409	1.6	0.04	1.6	1.7
1986	122	2.0	0.18	1.6	2.4	100	1.8	0.18	1.4	2.2
1987	128	2.1	0.19	1.8	2.5	105	1.9	0.19	1.6	2.4
1988	105	1.8	0.17	1.4	2.1	86	1.6	0.18	1.3	2.0
1989	129	2.1	0.19	1.8	2.5	102	1.9	0.19	1.5	2.3
1990	127	2.0	0.18	1.7	2.4	104	1.8	0.18	1.5	2.2
1991	139	2.2	0.19	1.9	2.6	112	2.0	0.20	1.7	2.5
1992	128	2.0	0.18	1.7	2.4	102	1.8	0.19	1.5	2.2
1993	102	1.6	0.16	1.3	1.9	83	1.4	0.16	1.1	1.8
1994	111	1.6	0.16	1.4	2.0	96	1.6	0.16	1.3	2.0
1995	122	1.8	0.16	1.5	2.2	97	1.6	0.17	1.3	2.0
1996	107	1.6	0.16	1.3	1.9	94	1.6	0.17	1.3	2.0
1997	103	1.5	0.15	1.2	1.9	81	1.4	0.15	1.1	1.7
1998	99	1.5	0.15	1.2	1.8	81	1.4	0.15	1.1	1.7
1999	85	1.2	0.13	1.0	1.5	64	1.0	0.13	0.8	1.3
2000	119	1.7	0.16	1.4	2.0	102	1.7	0.17	1.4	2.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	300	2.6	0.15	2.4	3.0	17	0.9	0.24	0.5	1.6
1986	21	3.4	0.76	2.1	5.3	1	0.6	0.61	0.0	13.9
1987	22	3.4	0.75	2.1	5.3	1	2.0	1.97	0.0	15.4
1988	18	2.6	0.62	1.5	4.2	1	0.6	0.56	0.0	12.4
1989	27	3.8	0.73	2.4	5.6	0	0.0	~	0.0	11.4
1990	23	3.2	0.68	2.0	4.9	0	0.0	~	0.0	11.2
1991	27	3.7	0.72	2.4	5.5	0	0.0	~	0.0	10.0
1992	24	3.1	0.65	2.0	4.8	2	1.1	0.79	0.1	10.0
1993	18	2.4	0.56	1.4	3.8	1	0.7	0.72	0.0	8.8
1994	14	1.8	0.49	1.0	3.1	1	0.7	0.73	0.0	8.2
1995	25	3.2	0.65	2.1	4.8	0	0.0	~	0.0	6.4
1996	13	1.8	0.50	0.9	3.1	0	0.0	~	0.0	5.8
1997	18	2.2	0.51	1.3	3.5	4	3.1	1.76	0.6	10.1
1998	15	1.8	0.47	1.0	3.0	3	1.7	0.99	0.3	7.2
1999	19	2.3	0.54	1.4	3.7	2	1.1	0.76	0.1	6.0
2000	16	1.9	0.49	1.1	3.2	1	0.7	0.68	0.0	5.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	21	0.8	0.19	0.5	1.3	1,705	1.8	0.04	1.7	1.9
1986	2	1.2	0.92	0.1	7.0	126	2.1	0.19	1.7	2.5
1987	1	1.0	1.05	0.0	6.8	129	2.2	0.20	1.8	2.6
1988	1	0.5	0.51	0.0	5.3	109	1.9	0.18	1.5	2.3
1989	2	1.9	1.34	0.2	7.5	130	2.2	0.20	1.8	2.6
1990	2	1.3	0.94	0.1	6.1	127	2.1	0.19	1.7	2.5
1991	1	0.4	0.41	0.0	4.6	140	2.3	0.20	2.0	2.8
1992	2	1.0	0.74	0.1	5.3	124	2.0	0.19	1.7	2.5
1993	0	0.0	~	0.0	3.7	98	1.6	0.16	1.3	2.0
1994	0	0.0	~	0.0	3.5	108	1.6	0.16	1.4	2.0
1995	2	1.3	0.97	0.2	5.5	109	1.7	0.16	1.4	2.0
1996	1	0.9	0.86	0.0	4.8	101	1.6	0.16	1.3	1.9
1997	1	0.5	0.49	0.0	3.8	103	1.6	0.16	1.3	2.0
1998	2	1.4	1.01	0.2	5.4	101	1.6	0.16	1.3	1.9
1999	1	0.3	0.34	0.0	3.4	84	1.2	0.14	1.0	1.5
2000	3	0.7	0.43	0.2	3.6	116	1.7	0.16	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Lip, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1,521	0.9	0.02	0.9	0.9	1,458	1.0	0.03	0.9	1.0
1986	119	1.1	0.11	0.9	1.4	114	1.2	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	113	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	132	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	105	1.1	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	101	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1992	96	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
1994	93	0.8	0.09	0.7	1.0	87	0.9	0.10	0.7	1.1
1995	101	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	105	1.0	0.10	0.9	1.3
1997	96	0.8	0.08	0.7	1.0	92	0.9	0.10	0.7	1.1
1998	83	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1999	85	0.7	0.08	0.6	0.9	78	0.8	0.09	0.6	0.9
2000	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	18	0.1	0.02	0.1	0.2	4	0.2	0.10	0.0	0.6
1986	2	0.2	0.15	0.0	0.9	1	0.4	0.42	0.0	8.4
1987	0	0.0	-	0.0	0.6	0	0.0	-	0.0	7.6
1988	2	0.2	0.12	0.0	0.8	0	0.0	-	0.0	7.2
1989	3	0.3	0.16	0.0	0.9	0	0.0	-	0.0	6.8
1990	0	0.0	-	0.0	0.5	0	0.0	-	0.0	6.7
1991	1	0.1	0.09	0.0	0.6	0	0.0	-	0.0	6.0
1992	0	0.0	-	0.0	0.5	0	0.0	-	0.0	5.4
1993	1	0.0	0.05	0.0	0.5	0	0.0	-	0.0	4.9
1994	3	0.3	0.18	0.1	0.9	0	0.0	-	0.0	4.6
1995	1	0.1	0.05	0.0	0.5	0	0.0	-	0.0	4.1
1996	1	0.1	0.08	0.0	0.5	2	0.9	0.64	0.1	4.9
1997	2	0.2	0.15	0.0	0.8	0	0.0	-	0.0	3.6
1998	1	0.1	0.05	0.0	0.5	0	0.0	-	0.0	3.3
1999	0	0.0	-	0.0	0.4	0	0.0	-	0.0	3.1
2000	1	0.1	0.07	0.0	0.5	1	0.7	0.74	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	15	0.2	0.08	0.1	0.5	1,136	0.9	0.03	0.8	0.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.3	0.25	0.0	3.1	109	1.0	0.10	0.9	1.3
1990	1	0.2	0.21	0.0	2.9	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	2.8	100	0.9	0.09	0.8	1.1
1992	0	0.0	-	0.0	2.5	96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	2.4	80	0.7	0.08	0.6	0.9
1994	0	0.0	-	0.0	2.2	93	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	2.3	100	0.9	0.09	0.7	1.1
1996	1	0.1	0.08	0.0	2.1	107	1.0	0.09	0.8	1.2
1997	0	0.0	-	0.0	2.0	96	0.9	0.09	0.7	1.0
1998	1	0.2	0.16	0.0	2.1	82	0.7	0.08	0.6	0.9
1999	3	0.2	0.16	0.0	2.1	82	0.7	0.08	0.6	0.9
2000	4	1.2	0.67	0.2	3.6	72	0.6	0.08	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Lip, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	49	0.0	0.00	0.0	0.0	49	0.0	0.00	0.0	0.0
1986	2	0.0	0.01	0.0	0.1	2	0.0	0.01	0.0	0.1
1987	3	0.0	0.02	0.0	0.1	3	0.0	0.02	0.0	0.1
1988	4	0.0	0.02	0.0	0.1	4	0.0	0.02	0.0	0.1
1989	5	0.0	0.02	0.0	0.1	5	0.0	0.02	0.0	0.1
1990	4	0.0	0.02	0.0	0.1	4	0.0	0.02	0.0	0.1
1991	6	0.1	0.02	0.0	0.1	6	0.1	0.03	0.0	0.2
1992	2	0.0	0.01	0.0	0.1	2	0.0	0.01	0.0	0.1
1993	2	0.0	0.01	0.0	0.1	2	0.0	0.01	0.0	0.1
1994	1	0.0	0.01	0.0	0.0	1	0.0	0.01	0.0	0.1
1995	6	0.0	0.02	0.0	0.1	6	0.1	0.02	0.0	0.1
1996	1	0.0	0.01	0.0	0.0	1	0.0	0.01	0.0	0.1
1997	6	0.0	0.02	0.0	0.1	6	0.1	0.02	0.0	0.1
1998	2	0.0	0.01	0.0	0.1	2	0.0	0.01	0.0	0.1
1999	1	0.0	0.01	0.0	0.0	1	0.0	0.01	0.0	0.1
2000	4	0.0	0.02	0.0	0.1	4	0.0	0.02	0.0	0.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	~	0.0	0.0	0	0.0	~	0.0	0.3
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.6
1988	0	0.0	~	0.0	0.5	0	0.0	~	0.0	7.2
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.6
1998	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.7
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	-	0.0	0.2	44	0.0	0.00	0.0	0.0
1986	0	0.0	-	0.0	3.4	1	0.0	0.01	0.0	0.1
1987	0	0.0	-	0.0	3.2	3	0.0	0.02	0.0	0.1
1988	0	0.0	-	0.0	3.0	4	0.0	0.02	0.0	0.1
1989	0	0.0	-	0.0	2.8	4	0.0	0.02	0.0	0.1
1990	0	0.0	-	0.0	2.7	3	0.0	0.02	0.0	0.1
1991	0	0.0	-	0.0	2.6	6	0.1	0.02	0.0	0.1
1992	0	0.0	-	0.0	2.5	2	0.0	0.01	0.0	0.1
1993	0	0.0	-	0.0	2.4	1	0.0	0.01	0.0	0.1
1994	0	0.0	-	0.0	2.2	1	0.0	0.01	0.0	0.1
1995	0	0.0	-	0.0	2.2	6	0.1	0.02	0.0	0.1
1996	0	0.0	-	0.0	2.0	1	0.0	0.01	0.0	0.0
1997	0	0.0	-	0.0	2.0	5	0.0	0.02	0.0	0.1
1998	0	0.0	-	0.0	1.9	2	0.0	0.01	0.0	0.1
1999	0	0.0	-	0.0	1.8	1	0.0	0.01	0.0	0.0
2000	0	0.0	-	0.0	1.8	4	0.0	0.02	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lip, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,267	1.8	0.05	1.7	2.0	1,220	2.0	0.06	1.9	2.1
1986	106	2.5	0.25	2.0	3.1	104	2.8	0.28	2.2	3.4
1987	99	2.4	0.25	1.9	2.9	98	2.6	0.27	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	112	3.0	0.29	2.4	3.6
1989	94	2.3	0.24	1.8	2.8	89	2.4	0.27	1.9	3.0
1990	98	2.2	0.23	1.8	2.7	98	2.5	0.26	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	83	2.0	0.23	1.6	2.6
1992	82	1.8	0.21	1.4	2.3	81	2.0	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	68	1.6	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	65	1.6	0.20	1.2	2.0
1995	79	1.7	0.20	1.4	2.2	74	1.9	0.22	1.4	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	78	1.7	0.20	1.3	2.1	75	1.9	0.22	1.4	2.3
1998	66	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9
1999	72	1.5	0.18	1.2	1.9	66	1.6	0.20	1.2	2.0
2000	64	1.3	0.16	1.0	1.6	59	1.3	0.18	1.0	1.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11	0.2	0.05	0.1	0.3	2	0.3	0.24	0.0	1.4
1986	1	0.2	0.16	0.0	2.0	0	0.0	-	0.0	20.2
1987	0	0.0	-	0.0	1.8	0	0.0	-	0.0	19.0
1988	1	0.1	0.09	0.0	1.8	0	0.0	-	0.0	17.8
1989	2	0.5	0.40	0.1	2.5	0	0.0	-	0.0	16.6
1990	0	0.0	-	0.0	1.7	0	0.0	-	0.0	16.8
1991	1	0.2	0.20	0.0	1.9	0	0.0	-	0.0	15.1
1992	0	0.0	-	0.0	1.6	0	0.0	-	0.0	13.7
1993	0	0.0	-	0.0	1.6	0	0.0	-	0.0	12.7
1994	1	0.2	0.16	0.0	1.7	0	0.0	-	0.0	12.3
1995	0	0.0	-	0.0	1.5	0	0.0	-	0.0	11.4
1996	1	0.2	0.20	0.0	1.7	1	1.1	1.08	0.0	12.1
1997	2	0.7	0.47	0.1	2.5	0	0.0	-	0.0	10.2
1998	1	0.1	0.12	0.0	1.5	0	0.0	-	0.0	9.6
1999	0	0.0	-	0.0	1.4	0	0.0	-	0.0	9.1
2000	1	0.2	0.18	0.0	1.6	1	2.2	2.24	0.1	12.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	11	0.4	0.16	0.1	1.0	936	1.7	0.06	1.6	1.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.7	0.50	0.1	8.1	92	2.3	0.25	1.8	2.8
1990	1	0.4	0.42	0.0	8.0	97	2.2	0.23	1.8	2.8
1991	1	0.4	0.41	0.0	7.5	87	2.0	0.22	1.6	2.5
1992	0	0.0	-	0.0	6.7	82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	6.8	69	1.5	0.18	1.2	1.9
1994	0	0.0	-	0.0	6.4	69	1.5	0.19	1.2	2.0
1995	0	0.0	-	0.0	6.0	79	1.8	0.21	1.4	2.3
1996	1	0.2	0.15	0.0	5.9	86	1.9	0.21	1.5	2.3
1997	0	0.0	-	0.0	5.6	78	1.8	0.20	1.4	2.2
1998	1	0.3	0.33	0.0	5.6	65	1.4	0.17	1.1	1.8
1999	2	0.4	0.32	0.0	5.4	70	1.5	0.18	1.2	1.9
2000	2	1.6	1.31	0.1	7.4	62	1.3	0.16	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Lip, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	41	0.1	0.01	0.0	0.1	41	0.1	0.01	0.0	0.1
1986	2	0.0	0.02	0.0	0.2	2	0.0	0.03	0.0	0.2
1987	3	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.3
1988	4	0.1	0.06	0.0	0.3	4	0.1	0.06	0.0	0.4
1989	5	0.1	0.06	0.0	0.3	5	0.1	0.07	0.0	0.4
1990	3	0.1	0.05	0.0	0.3	3	0.1	0.06	0.0	0.3
1991	6	0.1	0.06	0.0	0.4	6	0.2	0.07	0.1	0.4
1992	1	0.0	0.02	0.0	0.2	1	0.0	0.02	0.0	0.2
1993	1	0.0	0.02	0.0	0.2	1	0.0	0.03	0.0	0.2
1994	1	0.0	0.03	0.0	0.2	1	0.0	0.03	0.0	0.2
1995	5	0.1	0.06	0.0	0.3	5	0.1	0.06	0.0	0.4
1996	1	0.0	0.02	0.0	0.2	1	0.0	0.02	0.0	0.2
1997	3	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1998	2	0.0	0.04	0.0	0.2	2	0.1	0.04	0.0	0.2
1999	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
2000	4	0.1	0.05	0.0	0.2	4	0.1	0.05	0.0	0.3
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.8
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	-	0.0	0.4	38	0.1	0.01	0.0	0.1
1986	0	0.0	-	0.0	8.7	1	0.0	0.02	0.0	0.2
1987	0	0.0	-	0.0	8.3	3	0.1	0.04	0.0	0.2
1988	0	0.0	-	0.0	7.9	4	0.1	0.06	0.0	0.3
1989	0	0.0	-	0.0	7.5	4	0.1	0.06	0.0	0.3
1990	0	0.0	-	0.0	7.6	2	0.1	0.05	0.0	0.3
1991	0	0.0	-	0.0	7.1	6	0.2	0.06	0.0	0.4
1992	0	0.0	-	0.0	6.7	2	0.1	0.04	0.0	0.2
1993	0	0.0	-	0.0	6.6	0	0.0	-	0.0	0.1
1994	0	0.0	-	0.0	6.4	1	0.0	0.03	0.0	0.2
1995	0	0.0	-	0.0	6.0	5	0.1	0.06	0.0	0.3
1996	0	0.0	-	0.0	5.8	1	0.0	0.02	0.0	0.2
1997	0	0.0	-	0.0	5.6	3	0.1	0.03	0.0	0.2
1998	0	0.0	-	0.0	5.3	2	0.0	0.04	0.0	0.2
1999	0	0.0	-	0.0	5.0	0	0.0	-	0.0	0.1
2000	0	0.0	-	0.0	4.7	4	0.1	0.05	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Lip, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	254	0.3	0.02	0.2	0.3	238	0.3	0.02	0.2	0.3
1986	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1991	13	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	24	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	22	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.1	0.4	16	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2000	12	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7	0.1	0.03	0.0	0.1	2	0.1	0.07	0.0	0.6
1986	1	0.2	0.21	0.0	1.2	1	0.8	0.83	0.0	14.2
1987	0	0.0	-	0.0	0.8	0	0.0	-	0.0	12.6
1988	1	0.2	0.18	0.0	1.1	0	0.0	-	0.0	12.0
1989	1	0.1	0.12	0.0	0.9	0	0.0	-	0.0	11.4
1990	0	0.0	-	0.0	0.7	0	0.0	-	0.0	11.2
1991	0	0.0	-	0.0	0.7	0	0.0	-	0.0	10.0
1992	0	0.0	-	0.0	0.7	0	0.0	-	0.0	9.0
1993	1	0.1	0.08	0.0	0.7	0	0.0	-	0.0	8.0
1994	2	0.3	0.24	0.0	1.2	0	0.0	-	0.0	7.3
1995	1	0.1	0.10	0.0	0.8	0	0.0	-	0.0	6.4
1996	0	0.0	-	0.0	0.6	1	0.8	0.79	0.0	6.9
1997	0	0.0	-	0.0	0.6	0	0.0	-	0.0	5.6
1998	0	0.0	-	0.0	0.6	0	0.0	-	0.0	5.1
1999	0	0.0	-	0.0	0.6	0	0.0	-	0.0	4.7
2000	0	0.0	-	0.0	0.5	0	0.0	-	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	4	0.1	0.08	0.0	0.5	200	0.3	0.02	0.2	0.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	17	0.3	0.07	0.2	0.5
1990	0	0.0	-	0.0	4.2	22	0.3	0.07	0.2	0.5
1991	0	0.0	-	0.0	4.2	13	0.2	0.05	0.1	0.3
1992	0	0.0	-	0.0	3.9	14	0.2	0.06	0.1	0.4
1993	0	0.0	-	0.0	3.7	11	0.2	0.05	0.1	0.3
1994	0	0.0	-	0.0	3.5	24	0.4	0.07	0.2	0.5
1995	1	0.3	0.29	0.0	3.7	21	0.3	0.07	0.2	0.5
1996	0	0.0	-	0.0	3.2	21	0.3	0.07	0.2	0.5
1997	0	0.0	-	0.0	3.1	18	0.3	0.06	0.2	0.4
1998	0	0.0	-	0.0	3.0	17	0.3	0.06	0.2	0.4
1999	1	0.1	0.10	0.0	3.0	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.78	0.1	4.4	10	0.1	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Lip, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	8	0.0	0.00	0.0	0.0	8	0.0	0.00	0.0	0.0
1986	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1987	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1988	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1989	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1990	1	0.0	0.01	0.0	0.1	1	0.0	0.02	0.0	0.1
1991	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1992	1	0.0	0.01	0.0	0.1	1	0.0	0.02	0.0	0.1
1993	1	0.0	0.01	0.0	0.1	1	0.0	0.02	0.0	0.1
1994	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1995	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1
1996	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1997	3	0.0	0.02	0.0	0.1	3	0.0	0.03	0.0	0.2
1998	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1999	1	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
2000	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	~	0.0	0.0	0	0.0	~	0.0	0.5
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	0	0.0	-	0.0	0.2	6	0.0	0.00	0.0	0.0
1986	0	0.0	-	0.0	5.4	0	0.0	-	0.0	0.1
1987	0	0.0	-	0.0	5.1	0	0.0	-	0.0	0.1
1988	0	0.0	-	0.0	4.7	0	0.0	-	0.0	0.1
1989	0	0.0	-	0.0	4.4	0	0.0	-	0.0	0.1
1990	0	0.0	-	0.0	4.2	1	0.0	0.02	0.0	0.1
1991	0	0.0	-	0.0	4.2	0	0.0	-	0.0	0.1
1992	0	0.0	-	0.0	3.9	0	0.0	-	0.0	0.1
1993	0	0.0	-	0.0	3.7	1	0.0	0.02	0.0	0.1
1994	0	0.0	-	0.0	3.5	0	0.0	-	0.0	0.1
1995	0	0.0	-	0.0	3.4	1	0.0	0.01	0.0	0.1
1996	0	0.0	-	0.0	3.2	0	0.0	-	0.0	0.1
1997	0	0.0	-	0.0	3.1	2	0.0	0.02	0.0	0.1
1998	0	0.0	-	0.0	3.0	0	0.0	-	0.0	0.1
1999	0	0.0	-	0.0	2.9	1	0.0	0.02	0.0	0.1
2000	0	0.0	-	0.0	2.8	0	0.0	-	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Tongue, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,137	2.5	0.04	2.4	2.6	3,375	2.3	0.04	2.3	2.4
1986	263	2.5	0.16	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	191	2.1	0.15	1.8	2.4
1988	230	2.2	0.15	1.9	2.5	185	2.0	0.15	1.7	2.3
1989	247	2.3	0.15	2.0	2.6	202	2.2	0.15	1.9	2.5
1990	255	2.4	0.15	2.1	2.7	203	2.1	0.15	1.9	2.5
1991	279	2.6	0.16	2.3	3.0	213	2.3	0.16	2.0	2.7
1992	261	2.4	0.15	2.1	2.7	216	2.2	0.15	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	231	2.4	0.16	2.1	2.7
1994	267	2.4	0.14	2.1	2.7	219	2.3	0.15	2.0	2.6
1995	283	2.5	0.15	2.2	2.8	231	2.3	0.16	2.0	2.7
1996	296	2.6	0.15	2.3	2.9	244	2.5	0.16	2.2	2.8
1997	338	2.9	0.16	2.6	3.3	283	2.9	0.17	2.6	3.3
1998	272	2.3	0.14	2.1	2.6	225	2.3	0.15	2.0	2.6
1999	328	2.8	0.15	2.5	3.1	282	2.8	0.17	2.5	3.2
2000	294	2.5	0.14	2.2	2.8	235	2.3	0.15	2.0	2.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	660	3.3	0.13	3.0	3.6	58	1.5	0.21	1.1	2.1
1986	42	3.7	0.58	2.6	5.1	3	2.3	1.46	0.4	10.9
1987	54	4.8	0.67	3.6	6.4	6	3.8	1.66	1.3	12.1
1988	42	3.5	0.54	2.5	4.8	0	0.0	-	0.0	7.2
1989	40	3.3	0.53	2.3	4.6	5	2.8	1.29	0.9	10.0
1990	51	4.0	0.57	3.0	5.4	0	0.0	-	0.0	6.7
1991	54	4.2	0.58	3.1	5.6	4	1.7	0.84	0.4	7.7
1992	42	3.3	0.50	2.3	4.5	3	1.1	0.64	0.2	6.5
1993	34	2.6	0.45	1.8	3.7	3	1.1	0.65	0.2	6.1
1994	43	3.2	0.49	2.3	4.3	3	1.0	0.63	0.2	5.7
1995	42	3.0	0.47	2.2	4.1	7	2.0	0.79	0.8	6.3
1996	47	3.3	0.49	2.4	4.5	3	0.7	0.43	0.2	4.5
1997	48	3.5	0.51	2.5	4.7	5	1.9	0.85	0.6	5.9
1998	37	2.6	0.42	1.8	3.6	5	1.8	0.86	0.5	5.6
1999	40	2.5	0.40	1.8	3.5	6	1.5	0.66	0.5	4.9
2000	44	2.9	0.44	2.1	3.9	5	1.5	0.71	0.4	4.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	95	1.8	0.21	1.4	2.3	3,296	2.6	0.04	2.5	2.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	1.0	0.67	0.2	4.2	244	2.4	0.15	2.1	2.7
1990	3	0.9	0.52	0.2	3.8	252	2.4	0.16	2.1	2.8
1991	7	1.7	0.72	0.6	4.8	272	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	3.1	257	2.4	0.15	2.1	2.7
1993	7	1.6	0.66	0.6	4.3	264	2.5	0.15	2.2	2.8
1994	10	2.4	0.91	1.0	5.5	257	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	4.6	275	2.5	0.15	2.2	2.8
1996	10	3.0	1.04	1.3	6.2	286	2.6	0.16	2.3	3.0
1997	18	3.9	1.08	2.1	7.1	320	2.9	0.16	2.6	3.3
1998	8	1.4	0.51	0.6	3.6	264	2.4	0.15	2.1	2.7
1999	9	1.2	0.42	0.5	3.2	319	2.9	0.16	2.6	3.2
2000	8	1.3	0.51	0.5	3.4	286	2.5	0.15	2.2	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error
Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Tongue, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,301	0.8	0.02	0.7	0.8	1,035	0.7	0.02	0.7	0.8
1986	89	0.8	0.09	0.7	1.0	74	0.8	0.09	0.6	1.0
1987	88	0.9	0.09	0.7	1.1	68	0.8	0.09	0.6	1.0
1988	99	0.9	0.09	0.7	1.1	83	0.8	0.09	0.7	1.1
1989	92	0.9	0.09	0.7	1.1	66	0.7	0.09	0.5	0.9
1990	103	1.0	0.10	0.8	1.2	76	0.8	0.09	0.6	1.0
1991	79	0.7	0.08	0.6	0.9	63	0.6	0.08	0.5	0.8
1992	95	0.9	0.09	0.7	1.1	79	0.8	0.09	0.7	1.0
1993	86	0.8	0.09	0.6	1.0	64	0.7	0.08	0.5	0.8
1994	85	0.8	0.08	0.6	1.0	64	0.7	0.08	0.5	0.9
1995	90	0.8	0.08	0.6	1.0	74	0.7	0.09	0.6	0.9
1996	83	0.7	0.08	0.6	0.9	69	0.7	0.08	0.5	0.9
1997	71	0.6	0.07	0.5	0.8	55	0.6	0.07	0.4	0.7
1998	87	0.7	0.08	0.6	0.9	72	0.7	0.08	0.6	0.9
1999	74	0.6	0.07	0.5	0.8	63	0.6	0.08	0.5	0.8
2000	80	0.7	0.08	0.5	0.8	65	0.6	0.08	0.5	0.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	255	1.3	0.08	1.1	1.5	11	0.2	0.08	0.1	0.6
1986	15	1.3	0.35	0.7	2.3	0	0.0	-	0.0	8.1
1987	20	1.9	0.43	1.1	3.0	0	0.0	-	0.0	7.6
1988	15	1.3	0.34	0.7	2.2	1	0.4	0.36	0.0	7.5
1989	26	2.1	0.41	1.4	3.2	0	0.0	-	0.0	6.8
1990	27	2.1	0.41	1.4	3.2	0	0.0	-	0.0	67
1991	16	1.3	0.34	0.7	2.3	0	0.0	-	0.0	6.0
1992	15	1.2	0.31	0.7	2.1	1	0.4	0.42	0.0	5.9
1993	22	1.7	0.37	1.1	2.7	0	0.0	-	0.0	4.9
1994	19	1.4	0.32	0.8	2.2	2	0.8	0.56	0.1	5.4
1995	15	1.1	0.28	0.6	1.9	1	0.2	0.19	0.0	4.3
1996	13	1.0	0.27	0.5	1.7	1	0.2	0.23	0.0	4.0
1997	14	1.1	0.29	0.6	1.9	2	0.5	0.32	0.1	4.0
1998	13	0.9	0.26	0.5	1.6	2	0.6	0.41	0.1	4.0
1999	10	0.7	0.21	0.3	1.3	1	0.3	0.33	0.0	3.5
2000	15	1.0	0.24	0.5	1.6	0	0.0	-	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	24	0.5	0.11	0.3	0.8	1,257	0.8	0.02	0.7	0.8
1986	2	0.2	0.18	0.0	3.5	88	0.8	0.09	0.7	1.0
1987	0	0.0	-	0.0	3.2	89	0.9	0.10	0.7	1.1
1988	4	1.5	0.80	0.4	5.0	93	0.9	0.09	0.7	1.1
1989	1	0.6	0.59	0.0	3.8	85	0.8	0.09	0.7	1.0
1990	1	0.2	0.21	0.0	2.9	95	0.9	0.10	0.8	1.1
1991	1	0.4	0.39	0.0	3.2	84	0.8	0.09	0.6	1.0
1992	1	0.2	0.25	0.0	2.8	86	0.8	0.09	0.6	1.0
1993	2	0.8	0.59	0.1	3.6	81	0.8	0.09	0.6	1.0
1994	0	0.0	-	0.0	2.2	86	0.8	0.09	0.6	1.0
1995	3	1.2	0.74	0.2	4.1	87	0.8	0.08	0.6	1.0
1996	2	0.4	0.27	0.0	2.5	79	0.7	0.08	0.6	0.9
1997	1	0.2	0.20	0.0	2.2	70	0.6	0.08	0.5	0.8
1998	0	0.0	-	0.0	1.9	86	0.8	0.08	0.6	1.0
1999	3	0.6	0.34	0.1	2.6	71	0.6	0.07	0.5	0.8
2000	3	0.8	0.54	0.1	3.1	77	0.7	0.08	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Tongue, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,740	3.7	0.07	3.5	3.8	2,183	3.4	0.07	3.2	3.5
1986	177	3.7	0.28	3.1	4.3	137	3.2	0.28	2.6	3.8
1987	162	3.5	0.28	2.9	4.1	122	2.9	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	118	2.9	0.27	2.4	3.5
1989	162	3.5	0.28	3.0	4.1	129	3.2	0.29	2.6	3.8
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.29	2.7	3.8
1991	200	4.2	0.31	3.7	4.9	146	3.6	0.31	3.0	4.3
1992	170	3.4	0.27	2.9	4.0	138	3.2	0.28	2.7	3.8
1993	178	3.5	0.27	3.0	4.1	148	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	147	3.4	0.29	2.9	4.0
1995	200	4.0	0.28	3.4	4.6	161	3.7	0.29	3.1	4.3
1996	198	3.9	0.28	3.4	4.5	162	3.7	0.30	3.2	4.4
1997	217	4.2	0.28	3.6	4.8	178	4.0	0.30	3.4	4.6
1998	173	3.3	0.25	2.8	3.8	137	3.0	0.26	2.5	3.6
1999	210	3.8	0.27	3.3	4.4	180	3.9	0.29	3.3	4.5
2000	186	3.4	0.25	3.0	4.0	147	3.2	0.26	2.7	3.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	493	5.7	0.27	5.2	6.3	35	2.2	0.40	1.4	3.4
1986	35	7.2	1.28	4.9	10.6	3	5.3	3.41	0.9	26.6
1987	36	7.2	1.25	5.0	10.5	3	5.2	3.27	0.9	25.3
1988	35	7.0	1.22	4.8	10.2	0	0.0	-	0.0	17.8
1989	31	6.0	1.09	4.0	9.0	2	2.4	1.68	0.3	19.0
1990	38	7.0	1.15	4.9	10.0	0	0.0	-	0.0	16.8
1991	43	7.9	1.26	5.6	11.2	3	2.6	1.52	0.5	17.6
1992	30	5.3	0.98	3.6	8.1	2	1.4	1.05	0.2	15.0
1993	25	4.2	0.84	2.7	6.6	2	2.0	1.44	0.2	14.9
1994	31	5.4	1.02	3.6	8.1	1	0.4	0.39	0.0	12.6
1995	30	5.3	1.02	3.5	8.0	6	3.8	1.65	1.3	15.3
1996	34	5.5	0.96	3.8	8.1	1	0.5	0.49	0.0	11.3
1997	34	5.9	1.07	4.0	8.7	4	3.2	1.64	0.8	13.8
1998	28	4.6	0.88	3.0	7.0	5	4.2	2.03	1.2	14.6
1999	28	3.9	0.75	2.6	6.1	2	1.4	1.06	0.1	10.7
2000	35	5.2	0.88	3.6	7.6	1	1.2	1.17	0.0	9.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	69	2.7	0.39	2.0	3.7	2,177	3.8	0.08	3.6	3.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.9	0.64	0.1	8.4	160	3.6	0.29	3.0	4.2
1990	3	1.9	1.17	0.3	9.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	11.2	194	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	7.4	167	3.5	0.28	3.0	4.1
1993	6	2.9	1.46	0.8	10.2	172	3.6	0.28	3.1	4.2
1994	6	3.8	2.05	0.9	11.9	174	3.7	0.28	3.1	4.3
1995	6	2.4	0.97	0.8	8.5	194	4.0	0.29	3.5	4.7
1996	8	5.3	2.19	2.0	13.1	190	3.9	0.29	3.4	4.6
1997	11	4.3	1.66	1.7	11.0	206	4.2	0.29	3.6	4.8
1998	5	2.0	0.92	0.6	7.5	168	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	6.7	204	4.0	0.28	3.4	4.6
2000	7	2.5	1.05	0.9	7.6	179	3.5	0.26	3.0	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Tongue, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	890	1.2	0.04	1.1	1.3	686	1.1	0.04	1.0	1.2
1986	61	1.3	0.17	1.0	1.7	47	1.1	0.17	0.8	1.5
1987	62	1.4	0.19	1.1	1.9	47	1.2	0.19	0.9	1.7
1988	71	1.5	0.18	1.1	1.9	56	1.3	0.17	1.0	1.7
1989	56	1.2	0.17	0.9	1.6	40	1.0	0.16	0.7	1.4
1990	76	1.7	0.20	1.3	2.1	52	1.4	0.19	1.0	1.8
1991	55	1.2	0.16	0.9	1.6	44	1.1	0.16	0.8	1.5
1992	58	1.2	0.16	0.9	1.6	44	1.1	0.16	0.8	1.4
1993	67	1.4	0.17	1.1	1.8	49	1.2	0.17	0.9	1.6
1994	56	1.1	0.15	0.9	1.5	40	1.0	0.15	0.7	1.3
1995	59	1.2	0.15	0.9	1.5	49	1.1	0.16	0.8	1.5
1996	63	1.2	0.16	1.0	1.6	53	1.2	0.17	0.9	1.6
1997	41	0.8	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1998	57	1.1	0.15	0.8	1.5	46	1.1	0.16	0.8	1.4
1999	61	1.2	0.15	0.9	1.5	51	1.2	0.16	0.8	1.5
2000	47	0.9	0.13	0.6	1.2	37	0.8	0.13	0.6	1.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	195	2.3	0.17	2.0	2.7	9	0.4	0.16	0.2	1.3
1986	14	3.0	0.85	1.6	5.6	0	0.0	~	0.0	20.2
1987	15	2.9	0.77	1.6	5.4	0	0.0	~	0.0	19.0
1988	14	2.9	0.78	1.6	5.3	1	0.7	0.74	0.0	18.4
1989	16	3.0	0.74	1.7	5.4	0	0.0	~	0.0	16.6
1990	24	4.4	0.93	2.8	7.1	0	0.0	~	0.0	16.8
1991	11	2.3	0.75	1.1	4.7	0	0.0	~	0.0	15.1
1992	13	2.4	0.69	1.3	4.7	1	0.9	0.92	0.0	14.6
1993	18	3.1	0.74	1.8	5.4	0	0.0	~	0.0	12.7
1994	14	2.4	0.64	1.3	4.5	2	1.8	1.26	0.2	14.1
1995	9	1.6	0.54	0.7	3.5	1	0.4	0.39	0.0	11.7
1996	9	1.4	0.47	0.6	3.2	1	0.5	0.49	0.0	11.3
1997	9	1.8	0.69	0.8	4.0	1	0.5	0.49	0.0	10.6
1998	10	1.6	0.50	0.7	3.4	1	0.8	0.79	0.0	10.4
1999	9	1.4	0.49	0.7	3.2	1	0.7	0.73	0.0	9.9
2000	10	1.4	0.44	0.7	3.0	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19	0.9	0.23	0.5	1.6	863	1.2	0.04	1.2	1.3
1986	1	0.2	0.17	0.0	8.8	60	1.4	0.18	1.0	1.8
1987	0	0.0	-	0.0	8.3	62	1.5	0.19	1.1	1.9
1988	3	3.0	1.86	0.5	12.0	67	1.4	0.18	1.1	1.8
1989	0	0.0	-	0.0	7.5	51	1.2	0.17	0.8	1.6
1990	1	0.4	0.43	0.0	8.0	71	1.6	0.20	1.3	2.1
1991	1	0.9	0.91	0.0	8.3	59	1.3	0.18	1.0	1.7
1992	1	0.5	0.52	0.0	7.2	54	1.2	0.16	0.9	1.6
1993	2	2.0	1.44	0.2	9.5	63	1.4	0.17	1.0	1.8
1994	0	0.0	-	0.0	6.4	57	1.2	0.16	0.9	1.6
1995	2	1.8	1.43	0.2	8.8	58	1.2	0.16	0.9	1.6
1996	2	0.8	0.56	0.1	6.6	60	1.3	0.17	1.0	1.7
1997	1	0.4	0.42	0.0	6.0	40	0.8	0.14	0.6	1.2
1998	0	0.0	-	0.0	5.3	58	1.2	0.16	0.9	1.6
1999	3	1.2	0.72	0.2	6.4	58	1.2	0.16	0.9	1.5
2000	2	1.8	1.37	0.2	7.7	45	0.9	0.13	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Tongue, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,397	1.5	0.04	1.4	1.6	1,192	1.5	0.04	1.4	1.6
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.2	1.9	69	1.3	0.16	1.0	1.7
1988	75	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	83	1.4	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7
1991	79	1.3	0.15	1.1	1.7	67	1.3	0.16	1.0	1.7
1992	91	1.5	0.16	1.2	1.9	78	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	87	1.3	0.15	1.1	1.7	72	1.3	0.15	1.0	1.6
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	82	1.5	0.16	1.2	1.8
1997	121	1.9	0.17	1.6	2.3	105	1.9	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	88	1.6	0.17	1.3	2.0
1999	118	1.8	0.17	1.5	2.2	102	1.9	0.18	1.5	2.3
2000	108	1.6	0.16	1.3	1.9	88	1.5	0.17	1.2	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	167	1.5	0.12	1.3	1.7	23	1.0	0.22	0.6	1.7
1986	7	1.1	0.42	0.4	2.4	0	0.0	-	0.0	13.4
1987	18	2.9	0.70	1.7	4.7	3	2.9	1.67	0.6	15.7
1988	7	0.8	0.32	0.3	1.9	0	0.0	-	0.0	12.0
1989	9	1.3	0.43	0.6	2.6	3	3.2	1.89	0.6	15.1
1990	13	1.8	0.52	1.0	3.3	0	0.0	-	0.0	11.2
1991	11	1.5	0.46	0.7	2.8	1	0.8	0.81	0.0	10.8
1992	12	1.7	0.49	0.9	3.0	1	0.8	0.78	0.0	9.8
1993	9	1.3	0.44	0.6	2.5	1	0.4	0.40	0.0	8.4
1994	12	1.6	0.45	0.8	2.8	2	1.5	1.09	0.2	9.1
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	6.9
1996	13	1.6	0.46	0.9	2.9	2	1.0	0.70	0.1	6.9
1997	14	1.8	0.49	1.0	3.1	1	0.8	0.76	0.0	6.6
1998	9	1.1	0.36	0.5	2.1	0	0.0	-	0.0	5.1
1999	12	1.4	0.40	0.7	2.5	4	1.8	0.90	0.5	6.8
2000	9	1.1	0.36	0.5	2.1	4	1.8	0.96	0.5	6.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	26	1.0	0.22	0.6	1.6	1,119	1.5	0.05	1.4	1.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.9	0.95	0.0	6.0	84	1.5	0.16	1.2	1.8
1990	0	0.0	-	0.0	4.2	83	1.4	0.16	1.1	1.8
1991	1	0.4	0.45	0.0	4.7	78	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	4.4	90	1.6	0.17	1.2	1.9
1993	1	0.4	0.45	0.0	4.2	92	1.5	0.16	1.2	1.9
1994	4	1.7	0.87	0.4	5.7	83	1.3	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	5.3	81	1.3	0.14	1.0	1.6
1996	2	1.1	0.87	0.1	5.0	96	1.6	0.16	1.3	1.9
1997	7	3.4	1.39	1.3	8.0	114	1.9	0.18	1.5	2.3
1998	3	0.9	0.54	0.2	4.1	96	1.5	0.16	1.2	1.9
1999	3	0.8	0.47	0.1	3.8	115	1.9	0.18	1.5	2.2
2000	1	0.3	0.27	0.0	3.1	107	1.7	0.16	1.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Tongue, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	411	0.4	0.02	0.4	0.5	349	0.4	0.02	0.4	0.4
1986	28	0.4	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
1987	26	0.4	0.09	0.3	0.6	21	0.4	0.09	0.2	0.6
1988	28	0.4	0.09	0.3	0.7	27	0.5	0.10	0.3	0.7
1989	36	0.6	0.10	0.4	0.8	26	0.5	0.10	0.3	0.7
1990	27	0.4	0.08	0.3	0.6	24	0.4	0.08	0.3	0.6
1991	24	0.4	0.08	0.2	0.6	19	0.4	0.08	0.2	0.6
1992	37	0.6	0.10	0.4	0.8	35	0.6	0.11	0.4	0.9
1993	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1994	29	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
1995	31	0.4	0.08	0.3	0.6	25	0.4	0.08	0.3	0.6
1996	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
1997	30	0.4	0.08	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1999	13	0.2	0.05	0.1	0.3	12	0.2	0.05	0.1	0.3
2000	33	0.5	0.08	0.3	0.7	28	0.5	0.09	0.3	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	60	0.5	0.07	0.4	0.7	2	0.1	0.05	0.0	0.6
1986	1	0.1	0.14	0.0	1.0	0	0.0	~	0.0	13.4
1987	5	1.0	0.43	0.3	2.3	0	0.0	~	0.0	12.6
1988	1	0.1	0.12	0.0	1.0	0	0.0	~	0.0	12.0
1989	10	1.4	0.44	0.6	2.7	0	0.0	~	0.0	11.4
1990	3	0.4	0.24	0.1	1.4	0	0.0	~	0.0	11.2
1991	5	0.7	0.32	0.2	1.8	0	0.0	~	0.0	10.0
1992	2	0.3	0.19	0.0	1.1	0	0.0	~	0.0	9.0
1993	4	0.6	0.30	0.2	1.6	0	0.0	~	0.0	8.0
1994	5	0.6	0.29	0.2	1.6	0	0.0	~	0.0	7.3
1995	6	0.7	0.30	0.3	1.7	0	0.0	~	0.0	6.4
1996	4	0.5	0.27	0.2	1.4	0	0.0	~	0.0	5.8
1997	5	0.6	0.29	0.2	1.6	1	0.4	0.44	0.0	6.0
1998	3	0.4	0.22	0.1	1.2	1	0.4	0.41	0.0	5.5
1999	1	0.1	0.11	0.0	0.7	0	0.0	~	0.0	4.7
2000	5	0.6	0.26	0.2	1.4	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5	0.2	0.09	0.0	0.5	394	0.4	0.02	0.4	0.5
1986	1	0.3	0.32	0.0	5.7	28	0.4	0.09	0.3	0.7
1987	0	0.0	-	0.0	5.1	27	0.5	0.09	0.3	0.7
1988	1	0.5	0.51	0.0	5.3	26	0.4	0.09	0.3	0.6
1989	1	1.0	0.95	0.0	6.0	34	0.6	0.10	0.4	0.8
1990	0	0.0	-	0.0	4.2	24	0.4	0.08	0.2	0.6
1991	0	0.0	-	0.0	4.2	25	0.4	0.08	0.3	0.6
1992	0	0.0	-	0.0	3.9	32	0.5	0.09	0.4	0.7
1993	0	0.0	-	0.0	3.7	18	0.3	0.07	0.2	0.5
1994	0	0.0	-	0.0	3.5	29	0.5	0.09	0.3	0.7
1995	1	0.8	0.80	0.0	4.8	29	0.4	0.08	0.3	0.6
1996	0	0.0	-	0.0	3.2	19	0.3	0.07	0.2	0.5
1997	0	0.0	-	0.0	3.1	30	0.5	0.09	0.3	0.7
1998	0	0.0	-	0.0	3.0	28	0.4	0.08	0.3	0.6
1999	0	0.0	-	0.0	2.9	13	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	3.1	32	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,854	1.1	0.03	1.0	1.1	1,606	1.1	0.03	1.0	1.2
1986	107	1.0	0.10	0.8	1.2	89	1.0	0.10	0.8	1.2
1987	120	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	102	0.9	0.09	0.8	1.1	91	1.0	0.10	0.8	1.2
1990	96	0.9	0.09	0.7	1.1	89	0.9	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	117	1.0	0.10	0.9	1.3	102	1.0	0.10	0.9	1.3
1993	114	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1994	132	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1995	132	1.2	0.10	1.0	1.4	113	1.2	0.11	0.9	1.4
1996	143	1.2	0.10	1.0	1.5	122	1.2	0.11	1.0	1.5
1997	152	1.3	0.11	1.1	1.5	130	1.3	0.12	1.1	1.6
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	148	1.2	0.10	1.0	1.5	131	1.3	0.11	1.1	1.5
2000	132	1.1	0.10	0.9	1.3	116	1.1	0.11	0.9	1.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	192	0.9	0.07	0.8	1.1	37	0.9	0.17	0.6	1.4
1986	15	1.1	0.30	0.6	2.0	3	1.1	0.71	0.2	9.1
1987	11	1.0	0.30	0.5	1.9	1	1.2	1.15	0.0	9.2
1988	6	0.5	0.22	0.2	1.3	3	1.5	0.97	0.3	8.8
1989	9	0.7	0.25	0.3	1.5	1	1.0	1.02	0.0	8.2
1990	6	0.4	0.18	0.2	1.1	0	0.0	-	0.0	6.7
1991	15	1.1	0.28	0.6	1.9	0	0.0	-	0.0	6.0
1992	12	0.9	0.27	0.5	1.7	2	0.6	0.41	0.1	5.9
1993	18	1.4	0.33	0.8	2.2	1	1.0	0.96	0.0	6.5
1994	12	0.8	0.25	0.4	1.6	4	1.4	0.74	0.4	6.2
1995	15	1.1	0.29	0.6	1.9	4	0.9	0.46	0.2	5.0
1996	17	1.2	0.29	0.7	2.0	2	1.0	0.79	0.1	5.3
1997	15	1.0	0.27	0.6	1.8	4	1.5	0.79	0.4	5.5
1998	16	1.1	0.27	0.6	1.8	7	1.7	0.63	0.7	5.1
1999	12	0.8	0.24	0.4	1.5	2	0.3	0.24	0.0	3.4
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.33	0.1	3.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	58	1.0	0.15	0.7	1.3	1,448	1.1	0.03	1.1	1.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	1.4	0.80	0.3	4.8	98	0.9	0.10	0.8	1.2
1990	5	1.0	0.51	0.2	3.8	91	0.9	0.09	0.7	1.1
1991	2	0.4	0.28	0.0	3.0	97	0.9	0.10	0.7	1.1
1992	1	0.1	0.14	0.0	2.6	116	1.1	0.10	0.9	1.3
1993	4	0.7	0.41	0.2	3.2	110	1.0	0.10	0.8	1.2
1994	2	0.6	0.47	0.0	3.1	130	1.2	0.11	1.0	1.4
1995	2	0.3	0.22	0.0	2.5	130	1.2	0.10	1.0	1.4
1996	8	2.2	0.89	0.8	5.2	135	1.2	0.11	1.0	1.5
1997	14	2.6	0.83	1.2	5.3	138	1.3	0.11	1.1	1.5
1998	6	1.0	0.44	0.3	3.1	133	1.2	0.10	1.0	1.4
1999	4	0.5	0.26	0.1	2.4	144	1.3	0.11	1.1	1.5
2000	6	0.6	0.27	0.2	2.4	126	1.1	0.10	0.9	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	450	0.3	0.01	0.2	0.3	398	0.3	0.01	0.2	0.3
1986	33	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1987	33	0.3	0.06	0.2	0.4	29	0.3	0.06	0.2	0.5
1988	32	0.3	0.05	0.2	0.4	28	0.3	0.06	0.2	0.4
1989	29	0.3	0.05	0.2	0.4	27	0.3	0.06	0.2	0.4
1990	34	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.5
1991	37	0.4	0.06	0.2	0.5	33	0.3	0.06	0.2	0.5
1992	26	0.2	0.05	0.2	0.4	24	0.2	0.05	0.2	0.4
1993	33	0.3	0.05	0.2	0.4	29	0.3	0.06	0.2	0.4
1994	24	0.2	0.04	0.1	0.3	23	0.2	0.05	0.2	0.4
1995	30	0.3	0.05	0.2	0.4	26	0.3	0.05	0.2	0.4
1996	28	0.2	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1997	31	0.3	0.05	0.2	0.4	26	0.3	0.05	0.2	0.4
1998	32	0.3	0.05	0.2	0.4	29	0.3	0.05	0.2	0.4
1999	21	0.2	0.04	0.1	0.3	20	0.2	0.04	0.1	0.3
2000	27	0.2	0.04	0.2	0.3	24	0.2	0.05	0.2	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	48	0.2	0.04	0.2	0.3	4	0.1	0.07	0.0	0.5
1986	5	0.5	0.24	0.2	1.3	0	0.0	~	0.0	8.1
1987	3	0.2	0.13	0.0	0.8	1	1.2	1.15	0.0	9.2
1988	4	0.3	0.16	0.1	1.0	0	0.0	~	0.0	7.2
1989	2	0.2	0.12	0.0	0.8	0	0.0	~	0.0	6.8
1990	5	0.4	0.18	0.1	1.1	0	0.0	~	0.0	6.7
1991	4	0.3	0.17	0.1	1.0	0	0.0	~	0.0	6.0
1992	1	0.1	0.13	0.0	0.7	1	0.4	0.45	0.0	5.9
1993	4	0.3	0.16	0.1	0.9	0	0.0	~	0.0	4.9
1994	1	0.1	0.08	0.0	0.6	0	0.0	~	0.0	4.6
1995	4	0.4	0.18	0.1	1.0	0	0.0	~	0.0	4.1
1996	4	0.3	0.13	0.1	0.8	1	0.3	0.28	0.0	4.1
1997	5	0.4	0.17	0.1	0.9	0	0.0	~	0.0	3.6
1998	3	0.2	0.15	0.0	0.8	0	0.0	~	0.0	3.3
1999	1	0.1	0.08	0.0	0.5	0	0.0	~	0.0	3.1
2000	2	0.2	0.12	0.0	0.6	1	0.2	0.24	0.0	3.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.1	0.05	0.0	0.3	435	0.3	0.01	0.2	0.3
1986	1	0.2	0.24	0.0	3.6	32	0.3	0.06	0.2	0.5
1987	2	0.6	0.40	0.1	3.8	33	0.3	0.06	0.2	0.5
1988	1	0.1	0.09	0.0	3.0	31	0.3	0.05	0.2	0.4
1989	1	0.6	0.59	0.0	3.8	29	0.3	0.06	0.2	0.4
1990	0	0.0	-	0.0	2.7	33	0.3	0.06	0.2	0.5
1991	0	0.0	-	0.0	2.6	39	0.4	0.06	0.3	0.5
1992	0	0.0	-	0.0	2.5	22	0.2	0.04	0.1	0.3
1993	1	0.3	0.34	0.0	2.8	29	0.3	0.05	0.2	0.4
1994	0	0.0	-	0.0	2.2	25	0.2	0.05	0.2	0.3
1995	0	0.0	-	0.0	2.2	28	0.2	0.05	0.2	0.4
1996	0	0.0	-	0.0	2.0	28	0.2	0.05	0.2	0.4
1997	1	0.3	0.27	0.0	2.3	31	0.3	0.05	0.2	0.4
1998	0	0.0	-	0.0	1.9	28	0.2	0.05	0.2	0.4
1999	0	0.0	-	0.0	1.8	21	0.2	0.04	0.1	0.3
2000	1	0.1	0.10	0.0	1.8	26	0.2	0.04	0.2	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,007	1.4	0.05	1.3	1.5	894	1.5	0.05	1.4	1.6
1986	48	1.1	0.17	0.8	1.6	42	1.1	0.19	0.8	1.6
1987	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	47	1.0	0.16	0.8	1.4	43	1.1	0.17	0.8	1.5
1990	59	1.4	0.19	1.0	1.8	55	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	68	1.5	0.19	1.1	1.9	60	1.5	0.20	1.1	2.0
1993	64	1.3	0.17	1.0	1.7	53	1.2	0.17	0.9	1.7
1994	67	1.5	0.19	1.2	2.0	63	1.6	0.21	1.2	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.2
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.1
1997	82	1.6	0.18	1.3	2.0	71	1.6	0.20	1.3	2.1
1998	78	1.5	0.18	1.2	2.0	66	1.5	0.19	1.2	2.0
1999	83	1.6	0.18	1.3	2.0	73	1.6	0.19	1.3	2.1
2000	74	1.4	0.17	1.1	1.8	64	1.5	0.18	1.1	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	93	1.1	0.12	0.9	1.4	15	0.9	0.28	0.5	2.0
1986	6	1.0	0.43	0.3	3.0	0	0.0	-	0.0	20.2
1987	4	0.8	0.42	0.2	2.8	0	0.0	-	0.0	19.0
1988	4	0.8	0.39	0.2	2.7	0	0.0	-	0.0	17.8
1989	4	0.8	0.46	0.2	2.9	0	0.0	-	0.0	16.6
1990	3	0.5	0.28	0.1	2.3	0	0.0	-	0.0	16.8
1991	8	1.4	0.50	0.6	3.4	0	0.0	-	0.0	15.1
1992	7	1.4	0.54	0.5	3.4	1	0.6	0.60	0.0	14.2
1993	10	1.9	0.64	0.9	4.1	1	2.4	2.41	0.1	16.5
1994	3	0.4	0.27	0.1	2.1	1	1.2	1.18	0.0	13.6
1995	4	0.6	0.30	0.2	2.2	2	1.0	0.70	0.1	12.2
1996	8	1.3	0.47	0.5	3.1	2	2.4	1.95	0.2	14.2
1997	8	1.5	0.57	0.6	3.4	3	2.0	1.16	0.4	12.2
1998	8	1.4	0.55	0.5	3.3	3	1.5	0.87	0.3	11.0
1999	7	1.3	0.52	0.5	3.1	1	0.4	0.44	0.0	9.5
2000	9	1.3	0.43	0.6	2.9	1	0.5	0.45	0.0	8.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	21	0.6	0.16	0.4	1.2	806	1.5	0.05	1.4	1.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.6	0.60	0.0	8.1	46	1.1	0.16	0.8	1.5
1990	3	1.6	1.09	0.2	9.4	56	1.4	0.19	1.0	1.8
1991	0	0.0	-	0.0	7.1	53	1.2	0.16	0.9	1.6
1992	0	0.0	-	0.0	6.7	68	1.5	0.19	1.2	2.0
1993	1	0.3	0.31	0.0	6.9	63	1.4	0.17	1.0	1.8
1994	0	0.0	-	0.0	6.4	67	1.6	0.20	1.2	2.0
1995	0	0.0	-	0.0	6.0	75	1.6	0.20	1.3	2.1
1996	4	2.0	1.23	0.4	8.4	73	1.6	0.19	1.3	2.0
1997	5	1.7	0.78	0.5	7.3	77	1.6	0.19	1.3	2.0
1998	2	0.4	0.31	0.0	5.6	76	1.6	0.19	1.3	2.0
1999	3	0.8	0.46	0.2	5.8	80	1.7	0.19	1.3	2.1
2000	2	0.3	0.24	0.0	5.0	72	1.5	0.18	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	278	0.4	0.03	0.4	0.5	252	0.4	0.03	0.4	0.5
1986	21	0.5	0.12	0.3	0.8	18	0.5	0.12	0.3	0.8
1987	21	0.5	0.12	0.3	0.8	20	0.6	0.13	0.3	0.9
1988	20	0.5	0.11	0.3	0.8	19	0.5	0.12	0.3	0.8
1989	19	0.4	0.10	0.3	0.7	18	0.5	0.11	0.3	0.8
1990	18	0.4	0.10	0.2	0.7	15	0.4	0.11	0.2	0.7
1991	23	0.6	0.12	0.4	0.9	20	0.6	0.13	0.3	0.9
1992	17	0.4	0.10	0.2	0.7	16	0.4	0.11	0.2	0.8
1993	20	0.4	0.10	0.3	0.7	17	0.4	0.10	0.2	0.7
1994	17	0.4	0.09	0.2	0.6	16	0.4	0.10	0.2	0.7
1995	18	0.4	0.10	0.2	0.7	16	0.4	0.11	0.2	0.7
1996	17	0.4	0.10	0.2	0.7	15	0.4	0.11	0.2	0.7
1997	17	0.3	0.08	0.2	0.6	15	0.4	0.09	0.2	0.6
1998	21	0.4	0.10	0.3	0.7	20	0.5	0.11	0.3	0.8
1999	14	0.3	0.09	0.2	0.6	14	0.4	0.10	0.2	0.6
2000	15	0.3	0.09	0.2	0.6	13	0.3	0.09	0.2	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	23	0.3	0.07	0.2	0.5	3	0.2	0.10	0.0	1.0
1986	3	0.9	0.56	0.1	3.2	0	0.0	~	0.0	20.2
1987	1	0.2	0.17	0.0	2.0	0	0.0	~	0.0	19.0
1988	1	0.2	0.23	0.0	2.0	0	0.0	~	0.0	17.8
1989	1	0.3	0.30	0.0	2.2	0	0.0	~	0.0	16.6
1990	3	0.5	0.32	0.1	2.4	0	0.0	~	0.0	16.8
1991	3	0.6	0.35	0.1	2.4	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	1	1.0	1.05	0.0	14.8
1993	3	0.6	0.37	0.1	2.4	0	0.0	~	0.0	12.7
1994	1	0.2	0.17	0.0	1.8	0	0.0	~	0.0	12.3
1995	2	0.4	0.30	0.0	2.1	0	0.0	~	0.0	11.4
1996	1	0.1	0.12	0.0	1.6	1	0.6	0.57	0.0	11.4
1997	2	0.4	0.35	0.0	2.1	0	0.0	~	0.0	10.2
1998	1	0.2	0.19	0.0	1.6	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	1	0.1	0.14	0.0	1.5	1	0.5	0.49	0.0	8.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5	0.1	0.07	0.0	0.6	268	0.4	0.03	0.4	0.5
1986	1	0.5	0.46	0.0	9.1	20	0.5	0.12	0.3	0.8
1987	2	1.1	0.83	0.1	9.4	20	0.5	0.12	0.3	0.8
1988	1	0.2	0.17	0.0	8.0	19	0.5	0.11	0.3	0.8
1989	0	0.0	-	0.0	7.5	20	0.5	0.11	0.3	0.8
1990	0	0.0	-	0.0	7.6	17	0.4	0.10	0.2	0.7
1991	0	0.0	-	0.0	7.1	25	0.6	0.13	0.4	1.0
1992	0	0.0	-	0.0	6.7	15	0.4	0.10	0.2	0.7
1993	1	0.8	0.76	0.0	7.6	18	0.4	0.10	0.2	0.7
1994	0	0.0	-	0.0	6.4	19	0.4	0.10	0.3	0.7
1995	0	0.0	-	0.0	6.0	17	0.4	0.10	0.2	0.7
1996	0	0.0	-	0.0	5.8	17	0.4	0.10	0.2	0.7
1997	0	0.0	-	0.0	5.6	16	0.3	0.09	0.2	0.6
1998	0	0.0	-	0.0	5.3	16	0.4	0.09	0.2	0.6
1999	0	0.0	-	0.0	5.0	14	0.3	0.09	0.2	0.6
2000	0	0.0	-	0.0	4.7	15	0.3	0.09	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	847	0.9	0.03	0.8	1.0	712	0.9	0.03	0.8	1.0
1986	59	1.0	0.13	0.7	1.3	47	0.9	0.13	0.6	1.2
1987	54	0.9	0.12	0.7	1.2	45	0.8	0.13	0.6	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	55	0.9	0.12	0.7	1.2	48	0.9	0.13	0.7	1.2
1990	37	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1991	46	0.7	0.11	0.5	1.0	38	0.7	0.12	0.5	1.0
1992	49	0.8	0.12	0.6	1.1	42	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	65	1.0	0.13	0.8	1.3	53	1.0	0.14	0.7	1.3
1995	57	0.9	0.12	0.7	1.2	44	0.8	0.12	0.6	1.1
1996	66	1.0	0.12	0.8	1.3	56	1.0	0.13	0.7	1.3
1997	70	1.1	0.13	0.9	1.4	59	1.1	0.15	0.8	1.4
1998	61	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
1999	65	1.0	0.12	0.8	1.3	58	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.1	52	1.0	0.13	0.7	1.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	99	0.8	0.08	0.7	1.0	22	0.9	0.22	0.5	1.6
1986	9	1.2	0.42	0.6	2.5	3	2.3	1.42	0.4	15.6
1987	7	1.0	0.40	0.4	2.3	1	2.0	1.97	0.0	15.4
1988	2	0.3	0.25	0.0	1.4	3	2.9	1.78	0.5	15.2
1989	5	0.7	0.30	0.2	1.7	1	1.7	1.72	0.0	13.8
1990	3	0.4	0.23	0.1	1.3	0	0.0	-	0.0	11.2
1991	7	0.8	0.31	0.3	1.8	0	0.0	-	0.0	10.0
1992	5	0.7	0.30	0.2	1.6	1	0.6	0.59	0.0	9.5
1993	8	1.0	0.36	0.4	2.1	0	0.0	-	0.0	8.0
1994	9	1.1	0.37	0.5	2.2	3	1.7	1.01	0.3	9.2
1995	11	1.4	0.42	0.7	2.5	2	0.8	0.57	0.1	7.2
1996	9	1.1	0.38	0.5	2.2	0	0.0	-	0.0	5.8
1997	7	0.8	0.30	0.3	1.7	1	1.0	0.98	0.0	7.0
1998	8	0.9	0.33	0.4	1.9	4	1.8	0.91	0.5	7.1
1999	5	0.5	0.24	0.2	1.4	1	0.2	0.24	0.0	4.9
2000	4	0.4	0.21	0.1	1.2	2	0.7	0.48	0.1	4.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	37	1.2	0.23	0.8	1.8	642	0.9	0.04	0.8	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	2.0	1.24	0.3	7.3	52	0.9	0.12	0.6	1.2
1990	2	0.5	0.36	0.1	4.7	35	0.6	0.10	0.4	0.8
1991	2	0.7	0.56	0.1	5.0	44	0.8	0.12	0.5	1.0
1992	1	0.3	0.30	0.0	4.2	48	0.8	0.12	0.6	1.1
1993	3	1.1	0.71	0.2	5.1	47	0.8	0.12	0.6	1.1
1994	2	1.0	0.78	0.1	4.9	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	4.1	55	0.9	0.12	0.7	1.2
1996	4	2.3	1.22	0.6	6.7	62	1.0	0.13	0.8	1.3
1997	9	3.2	1.26	1.2	7.5	61	1.0	0.13	0.8	1.3
1998	4	1.4	0.76	0.3	4.9	57	0.9	0.12	0.7	1.2
1999	1	0.2	0.23	0.0	3.2	64	1.0	0.13	0.8	1.3
2000	4	0.8	0.46	0.2	3.7	54	0.9	0.12	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Major Salivary Gland, Females

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	172	0.2	0.01	0.2	0.2	146	0.2	0.01	0.1	0.2
1986	12	0.2	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	12	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1988	12	0.2	0.06	0.1	0.4	9	0.2	0.06	0.1	0.4
1989	10	0.2	0.05	0.1	0.3	9	0.2	0.06	0.1	0.3
1990	16	0.3	0.07	0.2	0.4	14	0.2	0.07	0.1	0.4
1991	14	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
1992	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1993	13	0.2	0.06	0.1	0.4	12	0.2	0.06	0.1	0.4
1994	7	0.1	0.04	0.0	0.2	7	0.1	0.04	0.0	0.2
1995	12	0.2	0.05	0.1	0.3	10	0.2	0.05	0.1	0.3
1996	11	0.2	0.05	0.1	0.3	8	0.1	0.05	0.1	0.3
1997	14	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1998	11	0.2	0.04	0.1	0.3	9	0.1	0.04	0.1	0.3
1999	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
2000	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	25	0.2	0.05	0.1	0.3	1	0.1	0.08	0.0	0.6
1986	2	0.3	0.23	0.0	1.3	0	0.0	~	0.0	13.4
1987	2	0.3	0.18	0.0	1.2	1	2.0	1.97	0.0	15.4
1988	3	0.4	0.23	0.1	1.3	0	0.0	~	0.0	12.0
1989	1	0.1	0.09	0.0	0.9	0	0.0	~	0.0	11.4
1990	2	0.3	0.21	0.0	1.2	0	0.0	~	0.0	11.2
1991	1	0.1	0.13	0.0	0.9	0	0.0	~	0.0	10.0
1992	1	0.2	0.18	0.0	1.0	0	0.0	~	0.0	9.0
1993	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	2	0.3	0.21	0.0	1.1	0	0.0	~	0.0	6.4
1996	3	0.4	0.22	0.1	1.2	0	0.0	~	0.0	5.8
1997	3	0.4	0.21	0.1	1.2	0	0.0	~	0.0	5.6
1998	2	0.3	0.18	0.0	1.0	0	0.0	~	0.0	5.1
1999	1	0.1	0.13	0.0	0.8	0	0.0	~	0.0	4.7
2000	1	0.2	0.15	0.0	0.8	0	0.0	~	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	3	0.1	0.07	0.0	0.4	167	0.2	0.01	0.2	0.2
1986	0	0.0	-	0.0	5.4	12	0.2	0.06	0.1	0.4
1987	0	0.0	-	0.0	5.1	13	0.2	0.06	0.1	0.4
1988	0	0.0	-	0.0	4.7	12	0.2	0.06	0.1	0.4
1989	1	1.0	0.95	0.0	6.0	9	0.2	0.05	0.1	0.3
1990	0	0.0	-	0.0	4.2	16	0.3	0.07	0.2	0.5
1991	0	0.0	-	0.0	4.2	14	0.2	0.06	0.1	0.4
1992	0	0.0	-	0.0	3.9	7	0.1	0.04	0.0	0.2
1993	0	0.0	-	0.0	3.7	11	0.2	0.05	0.1	0.3
1994	0	0.0	-	0.0	3.5	6	0.1	0.03	0.0	0.2
1995	0	0.0	-	0.0	3.4	11	0.2	0.05	0.1	0.3
1996	0	0.0	-	0.0	3.2	11	0.2	0.05	0.1	0.3
1997	1	0.5	0.49	0.0	3.8	15	0.2	0.06	0.1	0.4
1998	0	0.0	-	0.0	3.0	12	0.2	0.05	0.1	0.3
1999	0	0.0	-	0.0	2.9	7	0.1	0.04	0.0	0.2
2000	1	0.2	0.21	0.0	3.0	11	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Floor of Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,818	1.1	0.03	1.0	1.1	1,412	1.0	0.03	0.9	1.0
1986	149	1.5	0.12	1.2	1.7	112	1.2	0.12	1.0	1.5
1987	110	1.0	0.10	0.9	1.3	91	1.0	0.10	0.8	1.2
1988	114	1.1	0.10	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	103	1.1	0.11	0.9	1.4
1990	130	1.3	0.11	1.1	1.5	104	1.2	0.12	0.9	1.4
1991	135	1.2	0.11	1.0	1.5	110	1.2	0.11	0.9	1.4
1992	126	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	106	0.9	0.09	0.8	1.1	85	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1995	134	1.2	0.10	1.0	1.4	109	1.1	0.11	0.9	1.4
1996	125	1.1	0.10	0.9	1.3	94	1.0	0.10	0.8	1.2
1997	104	0.9	0.09	0.7	1.1	81	0.8	0.09	0.6	1.0
1998	105	0.9	0.09	0.7	1.1	84	0.8	0.09	0.7	1.0
1999	97	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	123	1.0	0.09	0.9	1.2	92	0.9	0.10	0.7	1.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	376	1.9	0.10	1.7	2.1	16	0.4	0.11	0.2	0.8
1986	35	3.1	0.54	2.1	4.4	1	0.6	0.59	0.0	8.6
1987	17	1.5	0.37	0.8	2.5	2	1.1	0.79	0.1	8.7
1988	31	2.6	0.47	1.8	3.8	0	0.0	-	0.0	7.2
1989	31	2.6	0.47	1.7	3.8	1	0.5	0.50	0.0	7.3
1990	24	1.9	0.40	1.2	3.0	0	0.0	-	0.0	6.7
1991	24	1.8	0.37	1.1	2.8	0	0.0	-	0.0	6.0
1992	28	2.1	0.40	1.4	3.1	1	0.2	0.20	0.0	5.6
1993	20	1.4	0.32	0.9	2.3	1	0.4	0.39	0.0	5.3
1994	31	2.4	0.44	1.6	3.5	0	0.0	-	0.0	4.6
1995	24	1.7	0.35	1.1	2.6	1	0.4	0.40	0.0	4.6
1996	28	2.1	0.40	1.4	3.1	1	0.3	0.27	0.0	4.1
1997	19	1.3	0.30	0.8	2.1	3	1.4	0.82	0.3	5.4
1998	18	1.2	0.29	0.7	2.0	1	0.3	0.27	0.0	3.6
1999	19	1.2	0.29	0.7	2.0	2	0.6	0.46	0.1	3.8
2000	27	1.8	0.34	1.2	2.6	2	0.4	0.29	0.0	3.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	44	0.8	0.13	0.6	1.1	1,401	1.1	0.03	1.0	1.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	1.2	0.65	0.3	4.3	132	1.3	0.12	1.1	1.6
1990	3	0.7	0.40	0.1	3.5	127	1.3	0.12	1.1	1.5
1991	2	0.4	0.30	0.1	3.1	133	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	3.4	122	1.2	0.11	1.0	1.4
1993	3	0.9	0.53	0.2	3.6	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	3.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	2.4	133	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	2.6	122	1.1	0.10	1.0	1.4
1997	6	1.8	0.81	0.5	4.6	98	0.9	0.09	0.7	1.1
1998	4	0.6	0.29	0.2	2.5	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	2.7	91	0.8	0.09	0.7	1.0
2000	4	0.6	0.32	0.1	2.5	119	1.1	0.10	0.9	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Floor of Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	232	0.1	0.01	0.1	0.2	166	0.1	0.01	0.1	0.1
1986	24	0.2	0.05	0.2	0.4	16	0.2	0.04	0.1	0.3
1987	24	0.2	0.05	0.1	0.3	21	0.2	0.05	0.1	0.3
1988	22	0.2	0.05	0.1	0.3	12	0.1	0.04	0.1	0.2
1989	17	0.2	0.04	0.1	0.2	12	0.1	0.03	0.1	0.2
1990	13	0.1	0.03	0.1	0.2	7	0.1	0.03	0.0	0.2
1991	19	0.2	0.04	0.1	0.3	12	0.1	0.04	0.1	0.2
1992	17	0.2	0.04	0.1	0.3	14	0.2	0.04	0.1	0.3
1993	20	0.2	0.04	0.1	0.3	13	0.1	0.04	0.1	0.2
1994	12	0.1	0.03	0.0	0.2	9	0.1	0.03	0.0	0.2
1995	16	0.1	0.03	0.1	0.2	12	0.1	0.04	0.1	0.2
1996	11	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1997	14	0.1	0.03	0.1	0.2	11	0.1	0.03	0.1	0.2
1998	6	0.0	0.02	0.0	0.1	5	0.0	0.02	0.0	0.1
1999	7	0.1	0.02	0.0	0.1	5	0.0	0.02	0.0	0.1
2000	10	0.1	0.03	0.0	0.2	7	0.1	0.03	0.0	0.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	66	0.3	0.04	0.2	0.4	0	0.0	~	0.0	0.3
1986	8	0.7	0.25	0.3	1.5	0	0.0	~	0.0	8.1
1987	3	0.3	0.15	0.0	0.9	0	0.0	~	0.0	7.6
1988	10	0.9	0.28	0.4	1.7	0	0.0	~	0.0	7.2
1989	5	0.4	0.18	0.1	1.1	0	0.0	~	0.0	6.8
1990	6	0.5	0.21	0.2	1.2	0	0.0	~	0.0	6.7
1991	7	0.5	0.20	0.2	1.2	0	0.0	~	0.0	6.0
1992	3	0.2	0.11	0.0	0.7	0	0.0	~	0.0	5.4
1993	7	0.5	0.18	0.2	1.1	0	0.0	~	0.0	4.9
1994	3	0.2	0.12	0.0	0.7	0	0.0	~	0.0	4.6
1995	4	0.3	0.13	0.1	0.8	0	0.0	~	0.0	4.1
1996	1	0.1	0.10	0.0	0.6	0	0.0	~	0.0	3.8
1997	3	0.2	0.12	0.0	0.7	0	0.0	~	0.0	3.6
1998	1	0.1	0.07	0.0	0.5	0	0.0	~	0.0	3.3
1999	2	0.2	0.12	0.0	0.6	0	0.0	~	0.0	3.1
2000	3	0.2	0.12	0.0	0.7	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.1	0.05	0.0	0.3	200	0.1	0.01	0.1	0.1
1986	1	0.3	0.26	0.0	3.6	21	0.2	0.05	0.1	0.3
1987	0	0.0	-	0.0	3.2	22	0.2	0.04	0.1	0.3
1988	0	0.0	-	0.0	3.0	21	0.2	0.05	0.1	0.3
1989	0	0.0	-	0.0	2.8	16	0.2	0.04	0.1	0.2
1990	0	0.0	-	0.0	2.7	12	0.1	0.03	0.1	0.2
1991	0	0.0	-	0.0	2.6	17	0.2	0.04	0.1	0.3
1992	0	0.0	-	0.0	2.5	15	0.1	0.04	0.1	0.2
1993	0	0.0	-	0.0	2.4	20	0.2	0.04	0.1	0.3
1994	0	0.0	-	0.0	2.2	11	0.1	0.03	0.0	0.2
1995	0	0.0	-	0.0	2.2	14	0.1	0.04	0.1	0.2
1996	1	0.6	0.56	0.0	3.1	8	0.1	0.03	0.0	0.2
1997	0	0.0	-	0.0	2.0	7	0.1	0.02	0.0	0.1
1998	0	0.0	-	0.0	1.9	1	0.0	0.01	0.0	0.0
1999	1	0.2	0.15	0.0	2.0	6	0.0	0.02	0.0	0.1
2000	1	0.1	0.12	0.0	1.9	9	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Floor of Mouth, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,317	1.8	0.05	1.7	1.9	1,003	1.5	0.05	1.5	1.6
1986	107	2.3	0.23	1.9	2.8	76	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	67	1.7	0.21	1.3	2.2
1988	87	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	70	1.6	0.20	1.3	2.1
1990	99	2.2	0.22	1.8	2.7	79	2.0	0.23	1.6	2.5
1991	91	1.8	0.19	1.4	2.2	76	1.7	0.20	1.4	2.2
1992	88	1.8	0.20	1.5	2.3	65	1.6	0.20	1.2	2.1
1993	79	1.6	0.18	1.2	2.0	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	63	1.4	0.18	1.1	1.8
1995	97	1.9	0.20	1.6	2.4	77	1.8	0.20	1.4	2.3
1996	96	1.9	0.19	1.5	2.3	72	1.6	0.19	1.3	2.1
1997	70	1.4	0.16	1.1	1.7	53	1.2	0.17	0.9	1.6
1998	79	1.5	0.16	1.2	1.8	60	1.3	0.17	1.0	1.7
1999	69	1.3	0.15	1.0	1.6	53	1.2	0.16	0.9	1.5
2000	91	1.7	0.18	1.3	2.1	69	1.5	0.18	1.2	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	290	3.3	0.20	2.9	3.7	14	0.8	0.24	0.4	1.8
1986	30	6.0	1.13	3.9	9.1	1	1.3	1.30	0.0	21.4
1987	13	2.5	0.69	1.3	4.8	2	2.3	1.65	0.3	21.2
1988	24	4.4	0.90	2.8	7.1	0	0.0	-	0.0	17.8
1989	24	4.5	0.93	2.8	7.2	0	0.0	-	0.0	16.6
1990	18	3.4	0.82	2.0	6.0	0	0.0	-	0.0	16.8
1991	14	2.4	0.64	1.3	4.5	0	0.0	-	0.0	15.1
1992	22	3.8	0.82	2.4	6.3	1	0.4	0.38	0.0	14.0
1993	17	2.8	0.70	1.6	5.1	1	0.9	0.87	0.0	13.5
1994	23	4.2	0.94	2.6	6.9	0	0.0	-	0.0	12.3
1995	19	3.1	0.72	1.9	5.3	1	0.9	0.93	0.0	12.4
1996	22	3.6	0.77	2.2	5.9	1	0.5	0.55	0.0	11.4
1997	14	2.1	0.56	1.1	4.0	3	3.3	1.96	0.6	14.3
1998	16	2.5	0.62	1.4	4.4	1	0.6	0.57	0.0	10.1
1999	14	2.1	0.58	1.2	4.0	2	1.4	1.04	0.1	10.6
2000	20	3.1	0.70	1.9	5.1	1	0.4	0.42	0.0	8.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	35	1.2	0.24	0.8	2.0	1,006	1.7	0.06	1.6	1.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	1.3	0.77	0.3	8.8	92	2.0	0.21	1.6	2.5
1990	3	1.4	0.81	0.3	9.0	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	7.5	90	1.9	0.20	1.5	2.3
1992	3	1.3	0.77	0.3	8.0	85	1.9	0.21	1.5	2.3
1993	2	1.3	0.91	0.1	8.1	77	1.6	0.18	1.3	2.0
1994	3	1.2	0.70	0.2	7.5	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	6.4	96	2.0	0.21	1.6	2.5
1996	3	1.0	0.61	0.2	6.8	93	1.9	0.20	1.5	2.4
1997	5	3.3	1.85	0.7	10.5	65	1.3	0.17	1.0	1.7
1998	2	0.5	0.39	0.1	5.8	77	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	6.6	63	1.2	0.16	1.0	1.6
2000	3	0.8	0.47	0.1	5.4	88	1.7	0.18	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Floor of Mouth, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	165	0.2	0.02	0.2	0.3	112	0.2	0.02	0.2	0.2
1986	19	0.4	0.10	0.2	0.7	13	0.3	0.09	0.2	0.6
1987	15	0.3	0.08	0.2	0.5	14	0.3	0.08	0.2	0.6
1988	18	0.4	0.10	0.2	0.7	10	0.2	0.08	0.1	0.5
1989	13	0.3	0.08	0.2	0.5	8	0.2	0.07	0.1	0.4
1990	9	0.2	0.06	0.1	0.4	4	0.1	0.05	0.0	0.3
1991	16	0.4	0.09	0.2	0.6	10	0.3	0.09	0.1	0.5
1992	12	0.3	0.08	0.1	0.5	11	0.3	0.09	0.1	0.5
1993	11	0.2	0.07	0.1	0.4	5	0.1	0.06	0.0	0.3
1994	7	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1995	12	0.2	0.06	0.1	0.4	8	0.2	0.06	0.1	0.4
1996	6	0.1	0.05	0.0	0.3	5	0.1	0.06	0.0	0.3
1997	10	0.2	0.07	0.1	0.4	8	0.2	0.07	0.1	0.4
1998	5	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
1999	6	0.1	0.05	0.0	0.3	4	0.1	0.04	0.0	0.2
2000	6	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	53	0.6	0.09	0.5	0.8	0	0.0	~	0.0	0.8
1986	6	1.2	0.51	0.4	3.3	0	0.0	~	0.0	20.2
1987	1	0.2	0.23	0.0	2.1	0	0.0	~	0.0	19.0
1988	8	1.6	0.59	0.7	3.8	0	0.0	~	0.0	17.8
1989	5	0.9	0.40	0.3	2.8	0	0.0	~	0.0	16.6
1990	5	0.9	0.42	0.3	2.9	0	0.0	~	0.0	16.8
1991	6	1.0	0.45	0.4	3.0	0	0.0	~	0.0	15.1
1992	1	0.1	0.13	0.0	1.8	0	0.0	~	0.0	13.7
1993	6	1.0	0.40	0.3	2.8	0	0.0	~	0.0	12.7
1994	3	0.5	0.28	0.1	2.1	0	0.0	~	0.0	12.3
1995	4	0.6	0.30	0.2	2.2	0	0.0	~	0.0	11.4
1996	1	0.2	0.25	0.0	1.8	0	0.0	~	0.0	10.9
1997	2	0.3	0.21	0.0	1.8	0	0.0	~	0.0	10.2
1998	1	0.2	0.16	0.0	1.6	0	0.0	~	0.0	9.6
1999	2	0.4	0.34	0.0	2.0	0	0.0	~	0.0	9.1
2000	2	0.3	0.24	0.0	1.8	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.1	0.04	0.0	0.5	142	0.2	0.02	0.2	0.2
1986	1	0.5	0.52	0.0	9.2	15	0.3	0.09	0.2	0.6
1987	0	0.0	-	0.0	8.3	15	0.3	0.08	0.2	0.6
1988	0	0.0	-	0.0	7.9	16	0.4	0.09	0.2	0.6
1989	0	0.0	-	0.0	7.5	12	0.3	0.08	0.1	0.5
1990	0	0.0	-	0.0	7.6	7	0.2	0.06	0.1	0.4
1991	0	0.0	-	0.0	7.1	16	0.4	0.09	0.2	0.6
1992	0	0.0	-	0.0	6.7	11	0.2	0.07	0.1	0.5
1993	0	0.0	-	0.0	6.6	12	0.2	0.07	0.1	0.5
1994	0	0.0	-	0.0	6.4	7	0.1	0.05	0.1	0.3
1995	0	0.0	-	0.0	6.0	10	0.2	0.06	0.1	0.4
1996	0	0.0	-	0.0	5.8	6	0.1	0.06	0.0	0.3
1997	0	0.0	-	0.0	5.6	4	0.1	0.04	0.0	0.2
1998	0	0.0	-	0.0	5.3	1	0.0	0.02	0.0	0.2
1999	1	0.3	0.31	0.0	5.3	5	0.1	0.05	0.0	0.3
2000	1	0.2	0.23	0.0	4.9	5	0.1	0.05	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Floor of Mouth, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	501	0.5	0.02	0.5	0.6	409	0.5	0.02	0.5	0.6
1986	42	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1991	44	0.7	0.11	0.5	1.0	34	0.6	0.11	0.4	0.9
1992	38	0.6	0.10	0.4	0.8	32	0.6	0.10	0.4	0.8
1993	27	0.4	0.08	0.3	0.6	24	0.5	0.09	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.3	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.10	0.4	0.8
1996	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
1997	34	0.5	0.09	0.4	0.7	28	0.5	0.10	0.3	0.7
1998	26	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	23	0.4	0.09	0.3	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	86	0.8	0.08	0.6	1.0	2	0.1	0.06	0.0	0.6
1986	5	0.9	0.40	0.3	2.2	0	0.0	-	0.0	13.4
1987	4	0.6	0.33	0.2	1.8	0	0.0	-	0.0	12.6
1988	7	1.1	0.42	0.4	2.4	0	0.0	-	0.0	12.0
1989	7	1.1	0.43	0.4	2.4	1	0.9	0.91	0.0	12.3
1990	6	0.8	0.32	0.3	1.9	0	0.0	-	0.0	11.2
1991	10	1.3	0.42	0.6	2.6	0	0.0	-	0.0	10.0
1992	6	0.8	0.32	0.3	1.8	0	0.0	-	0.0	9.0
1993	3	0.4	0.22	0.1	1.2	0	0.0	-	0.0	8.0
1994	8	1.1	0.39	0.5	2.2	0	0.0	-	0.0	7.3
1995	5	0.6	0.27	0.2	1.5	0	0.0	-	0.0	6.4
1996	6	0.8	0.34	0.3	1.9	0	0.0	-	0.0	5.8
1997	5	0.6	0.28	0.2	1.5	0	0.0	-	0.0	5.6
1998	2	0.2	0.17	0.0	1.0	0	0.0	-	0.0	5.1
1999	5	0.6	0.26	0.2	1.4	0	0.0	-	0.0	4.7
2000	7	0.8	0.30	0.3	1.7	1	0.4	0.39	0.0	4.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9	0.4	0.13	0.2	0.8	395	0.5	0.03	0.5	0.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.9	0.86	0.0	5.8	40	0.8	0.12	0.5	1.0
1990	0	0.0	.	0.0	4.2	31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	4.6	43	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	4.4	37	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	4.6	26	0.4	0.09	0.3	0.6
1994	1	0.6	0.58	0.0	4.3	36	0.6	0.10	0.4	0.8
1995	0	0.0	-	0.0	3.4	37	0.6	0.10	0.4	0.8
1996	0	0.0	-	0.0	3.2	29	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	4.2	33	0.5	0.09	0.4	0.8
1998	2	0.6	0.43	0.1	3.7	24	0.4	0.08	0.2	0.6
1999	0	0.0	-	0.0	2.9	28	0.5	0.09	0.3	0.7
2000	1	0.4	0.43	0.0	3.4	31	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Floor of Mouth, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	67	0.1	0.01	0.0	0.1	54	0.1	0.01	0.0	0.1
1986	5	0.1	0.04	0.0	0.2	3	0.0	0.03	0.0	0.2
1987	9	0.2	0.05	0.1	0.3	7	0.1	0.04	0.0	0.3
1988	4	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.2
1989	4	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
1990	4	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
1991	3	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1992	5	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2
1993	9	0.1	0.04	0.1	0.2	8	0.1	0.04	0.0	0.3
1994	5	0.1	0.03	0.0	0.2	5	0.1	0.03	0.0	0.2
1995	4	0.1	0.03	0.0	0.2	4	0.1	0.04	0.0	0.2
1996	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1997	4	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
1998	1	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
1999	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1
2000	4	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13	0.1	0.03	0.1	0.2	0	0.0	~	0.0	0.5
1986	2	0.3	0.24	0.0	1.4	0	0.0	~	0.0	13.4
1987	2	0.3	0.22	0.0	1.3	0	0.0	~	0.0	12.6
1988	2	0.3	0.20	0.0	1.2	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	1	0.2	0.18	0.0	1.0	0	0.0	~	0.0	11.2
1991	1	0.1	0.14	0.0	0.9	0	0.0	~	0.0	10.0
1992	2	0.2	0.16	0.0	1.0	0	0.0	~	0.0	9.0
1993	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	1	0.1	0.11	0.0	0.8	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	1	0.1	0.11	0.0	0.7	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1	0.1	0.07	0.0	0.4	58	0.1	0.01	0.0	0.1
1986	0	0.0	-	0.0	5.4	6	0.1	0.05	0.0	0.3
1987	0	0.0	-	0.0	5.1	7	0.1	0.05	0.0	0.3
1988	0	0.0	-	0.0	4.7	5	0.1	0.04	0.0	0.2
1989	0	0.0	-	0.0	4.4	4	0.1	0.03	0.0	0.2
1990	0	0.0	-	0.0	4.2	5	0.1	0.04	0.0	0.2
1991	0	0.0	-	0.0	4.2	1	0.0	0.02	0.0	0.1
1992	0	0.0	-	0.0	3.9	4	0.1	0.03	0.0	0.2
1993	0	0.0	-	0.0	3.7	8	0.1	0.04	0.0	0.2
1994	0	0.0	-	0.0	3.5	4	0.1	0.03	0.0	0.2
1995	0	0.0	-	0.0	3.4	4	0.1	0.03	0.0	0.2
1996	1	0.9	0.86	0.0	4.8	2	0.0	0.02	0.0	0.1
1997	0	0.0	-	0.0	3.1	3	0.0	0.03	0.0	0.1
1998	0	0.0	-	0.0	3.0	0	0.0	-	0.0	0.1
1999	0	0.0	-	0.0	2.9	1	0.0	0.01	0.0	0.1
2000	0	0.0	-	0.0	2.8	4	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,905	1.7	0.03	1.7	1.8	2,394	1.6	0.03	1.6	1.7
1986	194	1.8	0.13	1.6	2.1	162	1.7	0.14	1.4	2.0
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	209	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	189	1.7	0.13	1.5	2.0	141	1.5	0.13	1.2	1.7
1990	191	1.8	0.13	1.5	2.1	149	1.6	0.13	1.3	1.9
1991	170	1.5	0.12	1.3	1.8	142	1.5	0.12	1.2	1.7
1992	181	1.6	0.12	1.4	1.9	153	1.6	0.13	1.3	1.9
1993	194	1.7	0.12	1.5	2.0	164	1.7	0.13	1.4	2.0
1994	174	1.5	0.12	1.3	1.8	147	1.5	0.12	1.3	1.8
1995	207	1.8	0.13	1.6	2.1	167	1.7	0.13	1.4	2.0
1996	208	1.8	0.12	1.6	2.1	170	1.7	0.13	1.5	2.0
1997	203	1.7	0.12	1.5	2.0	168	1.7	0.13	1.4	2.0
1998	184	1.6	0.12	1.3	1.8	152	1.5	0.12	1.3	1.8
1999	204	1.7	0.12	1.5	2.0	170	1.7	0.13	1.4	1.9
2000	192	1.6	0.12	1.4	1.8	166	1.6	0.13	1.4	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	439	2.2	0.11	2.0	2.5	38	1.1	0.20	0.7	1.7
1986	29	2.7	0.52	1.8	4.0	2	0.9	0.68	0.1	8.9
1987	30	2.4	0.46	1.6	3.6	0	0.0	-	0.0	7.6
1988	38	3.2	0.53	2.2	4.5	1	0.6	0.57	0.0	7.7
1989	42	3.6	0.58	2.6	5.0	4	1.6	0.84	0.4	8.4
1990	39	3.3	0.55	2.3	4.6	1	0.4	0.35	0.0	7.0
1991	25	1.8	0.37	1.2	2.8	0	0.0	-	0.0	6.0
1992	24	1.9	0.40	1.2	2.9	2	0.9	0.66	0.1	6.4
1993	27	2.0	0.40	1.3	3.0	2	1.1	0.75	0.1	6.2
1994	24	1.7	0.36	1.1	2.7	2	0.6	0.40	0.1	5.1
1995	35	2.6	0.45	1.8	3.7	5	1.8	0.97	0.5	6.5
1996	31	2.1	0.39	1.4	3.1	4	2.1	1.11	0.5	6.7
1997	28	2.0	0.38	1.3	2.9	2	0.7	0.51	0.1	4.4
1998	24	1.7	0.36	1.1	2.6	5	1.8	1.01	0.4	6.0
1999	29	2.0	0.39	1.3	3.0	3	1.1	0.68	0.2	4.5
2000	14	0.9	0.25	0.5	1.6	5	1.4	0.68	0.4	4.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	72	1.2	0.17	0.9	1.6	2,225	1.7	0.04	1.6	1.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	2.1	0.99	0.6	5.8	183	1.7	0.13	1.5	2.0
1990	4	0.9	0.44	0.2	3.7	187	1.8	0.14	1.6	2.1
1991	7	1.2	0.48	0.4	3.9	163	1.5	0.12	1.3	1.8
1992	2	0.2	0.12	0.0	2.6	179	1.7	0.13	1.4	1.9
1993	11	2.3	0.93	0.9	5.5	183	1.7	0.13	1.5	2.0
1994	5	1.2	0.68	0.3	4.0	169	1.6	0.12	1.3	1.8
1995	1	0.1	0.06	0.0	2.2	206	1.9	0.13	1.6	2.2
1996	10	1.7	0.62	0.7	4.1	198	1.8	0.13	1.6	2.1
1997	8	1.5	0.57	0.6	3.8	195	1.8	0.13	1.5	2.0
1998	6	1.7	0.78	0.5	4.4	178	1.6	0.12	1.4	1.8
1999	7	1.0	0.41	0.3	3.0	197	1.8	0.12	1.5	2.0
2000	5	0.8	0.49	0.1	2.9	187	1.6	0.12	1.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	904	0.5	0.02	0.5	0.6	765	0.5	0.02	0.5	0.6
1986	72	0.7	0.09	0.6	0.9	60	0.7	0.09	0.5	0.9
1987	61	0.6	0.08	0.4	0.8	56	0.6	0.08	0.4	0.8
1988	65	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1989	59	0.6	0.07	0.4	0.7	49	0.5	0.07	0.4	0.7
1990	67	0.6	0.08	0.5	0.8	56	0.6	0.08	0.4	0.8
1991	70	0.6	0.08	0.5	0.8	57	0.6	0.08	0.4	0.8
1992	58	0.5	0.07	0.4	0.7	48	0.5	0.07	0.4	0.7
1993	67	0.6	0.07	0.5	0.8	59	0.6	0.08	0.5	0.8
1994	62	0.6	0.07	0.4	0.7	51	0.5	0.07	0.4	0.7
1995	62	0.6	0.07	0.4	0.7	47	0.5	0.07	0.4	0.6
1996	65	0.6	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1997	43	0.4	0.06	0.3	0.5	36	0.4	0.06	0.2	0.5
1998	50	0.4	0.06	0.3	0.6	43	0.4	0.07	0.3	0.6
1999	46	0.4	0.06	0.3	0.5	37	0.4	0.06	0.3	0.5
2000	57	0.5	0.06	0.4	0.6	49	0.5	0.07	0.4	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	135	0.7	0.06	0.6	0.8	4	0.1	0.06	0.0	0.4
1986	12	1.1	0.33	0.6	2.1	0	0.0	~	0.0	8.1
1987	5	0.5	0.21	0.2	1.2	0	0.0	~	0.0	7.6
1988	7	0.6	0.23	0.2	1.4	0	0.0	~	0.0	7.2
1989	10	0.8	0.26	0.4	1.6	0	0.0	~	0.0	6.8
1990	11	0.9	0.27	0.4	1.7	0	0.0	~	0.0	6.7
1991	13	1.0	0.29	0.5	1.9	0	0.0	~	0.0	6.0
1992	10	0.7	0.24	0.3	1.4	0	0.0	~	0.0	5.4
1993	8	0.6	0.22	0.3	1.3	0	0.0	~	0.0	4.9
1994	10	0.8	0.25	0.4	1.5	1	0.4	0.42	0.0	5.0
1995	14	1.1	0.31	0.6	2.0	1	0.3	0.30	0.0	4.4
1996	6	0.5	0.21	0.2	1.2	0	0.0	~	0.0	3.8
1997	7	0.5	0.18	0.2	1.1	0	0.0	~	0.0	3.6
1998	6	0.5	0.19	0.2	1.1	1	0.4	0.42	0.0	3.9
1999	9	0.6	0.22	0.3	1.3	0	0.0	~	0.0	3.1
2000	7	0.4	0.17	0.2	1.0	1	0.2	0.20	0.0	2.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	17	0.4	0.10	0.2	0.6	945	0.6	0.02	0.6	0.6
1986	0	0.0	-	0.0	3.4	83	0.8	0.09	0.7	1.0
1987	1	0.2	0.23	0.0	3.4	61	0.6	0.08	0.4	0.8
1988	3	1.5	0.96	0.2	5.3	72	0.7	0.08	0.5	0.9
1989	2	0.7	0.50	0.1	3.7	65	0.6	0.08	0.5	0.8
1990	2	0.7	0.56	0.1	3.8	75	0.7	0.08	0.6	0.9
1991	1	0.2	0.20	0.0	2.8	73	0.7	0.08	0.5	0.9
1992	2	0.6	0.44	0.1	3.2	62	0.6	0.08	0.4	0.8
1993	2	0.4	0.27	0.0	2.8	67	0.6	0.08	0.5	0.8
1994	0	0.0	-	0.0	2.2	58	0.5	0.07	0.4	0.7
1995	1	0.3	0.29	0.0	2.6	58	0.5	0.07	0.4	0.7
1996	0	0.0	-	0.0	2.0	67	0.6	0.07	0.5	0.8
1997	1	0.5	0.54	0.0	3.0	47	0.4	0.06	0.3	0.6
1998	2	0.8	0.61	0.1	3.3	54	0.5	0.07	0.4	0.6
1999	0	0.0	-	0.0	1.8	46	0.4	0.06	0.3	0.5
2000	0	0.0	-	0.0	1.8	57	0.5	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,668	2.3	0.06	2.2	2.4	1,332	2.1	0.06	2.0	2.2
1986	110	2.4	0.24	2.0	3.0	88	2.1	0.24	1.7	2.7
1987	107	2.2	0.22	1.8	2.7	83	2.0	0.23	1.6	2.5
1988	129	2.8	0.25	2.3	3.3	101	2.5	0.25	2.0	3.1
1989	125	2.6	0.24	2.2	3.2	88	2.1	0.23	1.7	2.6
1990	121	2.7	0.25	2.2	3.2	93	2.3	0.25	1.9	2.9
1991	96	1.9	0.20	1.6	2.4	78	1.8	0.21	1.4	2.3
1992	104	2.2	0.22	1.8	2.6	87	2.1	0.23	1.6	2.6
1993	111	2.3	0.22	1.9	2.8	92	2.2	0.23	1.7	2.7
1994	97	1.9	0.20	1.6	2.4	76	1.8	0.20	1.4	2.2
1995	112	2.2	0.21	1.8	2.6	82	1.8	0.20	1.5	2.3
1996	121	2.4	0.22	2.0	2.9	99	2.3	0.23	1.9	2.8
1997	121	2.4	0.22	2.0	2.9	99	2.3	0.23	1.9	2.8
1998	105	2.0	0.20	1.7	2.5	88	2.0	0.21	1.6	2.5
1999	111	2.1	0.20	1.8	2.6	92	2.1	0.22	1.7	2.6
2000	98	1.9	0.19	1.5	2.3	86	1.9	0.21	1.5	2.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	298	3.6	0.22	3.2	4.0	19	1.0	0.26	0.6	2.0
1986	19	4.2	0.99	2.5	7.1	2	1.9	1.38	0.2	21.9
1987	23	4.3	0.93	2.7	7.0	0	0.0	-	0.0	19.0
1988	28	5.5	1.08	3.6	8.5	0	0.0	-	0.0	17.8
1989	33	7.0	1.33	4.6	10.4	2	1.7	1.34	0.2	18.2
1990	25	5.3	1.14	3.3	8.4	1	0.7	0.71	0.0	17.4
1991	18	3.1	0.76	1.8	5.5	0	0.0	-	0.0	15.1
1992	14	2.9	0.83	1.5	5.4	2	2.0	1.52	0.2	15.9
1993	18	3.2	0.78	1.9	5.6	1	1.3	1.25	0.0	14.1
1994	18	3.0	0.77	1.7	5.4	2	1.2	0.82	0.1	13.3
1995	27	4.6	0.93	2.9	7.2	3	3.5	2.28	0.5	16.0
1996	19	3.1	0.71	1.8	5.3	1	0.6	0.56	0.0	11.4
1997	18	2.9	0.71	1.7	5.1	0	0.0	-	0.0	10.2
1998	12	2.1	0.64	1.1	4.2	3	1.4	0.82	0.3	10.9
1999	18	2.7	0.66	1.6	4.8	0	0.0	-	0.0	9.1
2000	8	1.2	0.43	0.5	2.8	2	0.9	0.61	0.1	9.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	49	1.8	0.36	1.2	2.8	1,273	2.2	0.06	2.1	2.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	4.5	2.43	1.0	14.0	120	2.6	0.24	2.2	3.2
1990	3	1.2	0.69	0.2	8.7	118	2.7	0.26	2.2	3.3
1991	5	2.0	0.93	0.6	9.1	91	1.9	0.21	1.6	2.4
1992	2	0.3	0.22	0.0	6.9	102	2.2	0.23	1.8	2.7
1993	9	3.4	1.91	0.8	11.5	102	2.2	0.22	1.8	2.7
1994	2	0.7	0.47	0.1	6.9	95	2.0	0.21	1.6	2.5
1995	0	0.0	.	0.0	6.0	112	2.3	0.22	1.9	2.8
1996	6	2.0	1.14	0.4	8.3	115	2.4	0.23	2.0	2.9
1997	7	2.7	1.22	0.9	8.8	114	2.4	0.23	2.0	2.9
1998	5	3.8	2.01	0.9	11.0	100	2.0	0.20	1.6	2.5
1999	3	0.9	0.58	0.1	5.9	108	2.2	0.21	1.8	2.7
2000	2	1.2	1.11	0.0	6.7	96	2.0	0.20	1.6	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	555	0.8	0.03	0.7	0.8	459	0.8	0.04	0.7	0.8
1986	44	1.1	0.17	0.8	1.5	37	1.0	0.18	0.7	1.4
1987	36	0.8	0.15	0.6	1.2	32	0.8	0.15	0.6	1.2
1988	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1989	30	0.6	0.12	0.4	0.9	25	0.6	0.12	0.4	0.9
1990	42	0.9	0.15	0.6	1.3	33	0.8	0.15	0.6	1.2
1991	46	1.0	0.14	0.7	1.3	35	0.8	0.14	0.6	1.2
1992	34	0.7	0.13	0.5	1.0	29	0.7	0.14	0.5	1.0
1993	49	1.1	0.16	0.8	1.4	42	1.1	0.17	0.8	1.5
1994	36	0.8	0.13	0.5	1.1	27	0.7	0.13	0.4	1.0
1995	39	0.8	0.13	0.6	1.1	28	0.7	0.13	0.4	1.0
1996	38	0.8	0.13	0.6	1.1	35	0.8	0.14	0.6	1.2
1997	31	0.6	0.12	0.4	0.9	25	0.6	0.12	0.4	0.9
1998	31	0.6	0.12	0.4	0.9	27	0.6	0.13	0.4	1.0
1999	34	0.6	0.11	0.4	0.9	28	0.6	0.12	0.4	0.9
2000	29	0.6	0.11	0.4	0.8	22	0.5	0.11	0.3	0.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	94	1.2	0.12	0.9	1.4	2	0.1	0.06	0.0	0.9
1986	7	1.5	0.59	0.6	3.8	0	0.0	~	0.0	20.2
1987	4	0.8	0.41	0.2	2.8	0	0.0	~	0.0	19.0
1988	2	0.3	0.20	0.0	2.0	0	0.0	~	0.0	17.8
1989	5	0.9	0.42	0.3	2.9	0	0.0	~	0.0	16.6
1990	9	1.7	0.60	0.7	3.9	0	0.0	~	0.0	16.8
1991	11	2.2	0.73	1.0	4.6	0	0.0	~	0.0	15.1
1992	5	1.0	0.48	0.3	3.0	0	0.0	~	0.0	13.7
1993	7	1.3	0.50	0.5	3.2	0	0.0	~	0.0	12.7
1994	9	1.5	0.50	0.7	3.4	0	0.0	~	0.0	12.3
1995	10	2.1	0.70	0.9	4.3	1	0.6	0.61	0.0	12.0
1996	3	0.6	0.34	0.1	2.2	0	0.0	~	0.0	10.9
1997	6	1.0	0.39	0.4	2.6	0	0.0	~	0.0	10.2
1998	4	0.8	0.45	0.2	2.6	0	0.0	~	0.0	9.6
1999	6	0.9	0.35	0.3	2.4	0	0.0	~	0.0	9.1
2000	6	0.9	0.37	0.3	2.4	1	0.4	0.42	0.0	8.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11	0.5	0.19	0.2	1.1	586	0.9	0.04	0.8	0.9
1986	0	0.0	-	0.0	8.7	51	1.3	0.19	1.0	1.7
1987	1	0.4	0.44	0.0	8.7	36	0.8	0.14	0.6	1.2
1988	3	3.7	2.45	0.6	13.8	39	0.9	0.15	0.6	1.3
1989	2	1.5	1.15	0.1	9.4	32	0.7	0.13	0.5	1.0
1990	1	0.4	0.42	0.0	8.0	48	1.1	0.16	0.8	1.5
1991	0	0.0	-	0.0	7.1	48	1.0	0.16	0.8	1.4
1992	1	0.5	0.52	0.0	7.2	38	0.9	0.14	0.6	1.2
1993	2	0.8	0.53	0.1	7.3	48	1.1	0.16	0.8	1.4
1994	0	0.0	-	0.0	6.4	33	0.7	0.12	0.5	1.0
1995	0	0.0	-	0.0	6.0	37	0.8	0.13	0.6	1.1
1996	0	0.0	-	0.0	5.8	42	0.9	0.14	0.7	1.3
1997	1	1.5	1.51	0.0	8.4	37	0.8	0.13	0.6	1.1
1998	0	0.0	-	0.0	5.3	34	0.7	0.13	0.5	1.0
1999	0	0.0	-	0.0	5.0	34	0.7	0.12	0.5	1.0
2000	0	0.0	-	0.0	4.7	29	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,237	1.3	0.04	1.2	1.3	1,062	1.3	0.04	1.2	1.3
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.17	1.3	2.0	91	1.7	0.18	1.4	2.1
1988	80	1.3	0.15	1.0	1.6	68	1.3	0.16	1.0	1.6
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.1	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1992	77	1.2	0.14	0.9	1.5	66	1.2	0.14	0.9	1.5
1993	83	1.3	0.15	1.1	1.7	72	1.3	0.16	1.0	1.7
1994	77	1.2	0.13	0.9	1.4	71	1.2	0.14	0.9	1.5
1995	95	1.4	0.15	1.2	1.8	85	1.5	0.16	1.2	1.9
1996	87	1.3	0.14	1.0	1.6	71	1.2	0.15	0.9	1.5
1997	82	1.2	0.14	1.0	1.5	69	1.2	0.15	0.9	1.5
1998	79	1.2	0.13	0.9	1.5	64	1.1	0.14	0.8	1.4
1999	93	1.4	0.14	1.1	1.7	78	1.4	0.16	1.1	1.7
2000	94	1.4	0.14	1.1	1.7	80	1.4	0.16	1.1	1.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	141	1.3	0.11	1.1	1.5	19	1.1	0.29	0.6	2.0
1986	10	1.6	0.53	0.8	3.1	0	0.0	-	0.0	13.4
1987	7	1.1	0.41	0.4	2.3	0	0.0	-	0.0	12.6
1988	10	1.4	0.46	0.7	2.8	1	1.0	1.00	0.0	13.0
1989	9	1.4	0.47	0.6	2.8	2	1.5	1.10	0.2	12.9
1990	14	2.0	0.55	1.1	3.5	0	0.0	-	0.0	11.2
1991	7	0.9	0.33	0.3	1.9	0	0.0	-	0.0	10.0
1992	10	1.3	0.42	0.6	2.5	0	0.0	-	0.0	9.0
1993	9	1.2	0.39	0.5	2.3	1	0.9	0.92	0.0	9.2
1994	6	0.8	0.33	0.3	1.8	0	0.0	-	0.0	7.3
1995	8	1.1	0.39	0.5	2.2	2	0.7	0.48	0.1	7.0
1996	12	1.4	0.42	0.7	2.6	3	3.1	1.80	0.6	10.4
1997	10	1.3	0.41	0.6	2.4	2	1.3	0.92	0.1	7.2
1998	12	1.5	0.43	0.8	2.6	2	1.8	1.45	0.1	8.2
1999	11	1.4	0.42	0.7	2.5	3	1.9	1.17	0.3	7.3
2000	6	0.7	0.29	0.3	1.6	3	1.8	1.08	0.3	6.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	23	0.7	0.16	0.4	1.2	952	1.3	0.04	1.2	1.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.4	0.45	0.0	4.9	63	1.0	0.13	0.8	1.3
1990	1	0.5	0.52	0.0	4.9	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	4.5	72	1.2	0.14	0.9	1.5
1992	0	0.0	-	0.0	3.9	77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	5.8	81	1.3	0.15	1.1	1.7
1994	3	1.5	1.03	0.2	5.8	74	1.1	0.14	0.9	1.4
1995	1	0.1	0.14	0.0	3.5	94	1.5	0.15	1.2	1.8
1996	4	1.4	0.75	0.4	5.0	83	1.3	0.14	1.0	1.6
1997	1	0.3	0.34	0.0	3.5	81	1.3	0.14	1.0	1.6
1998	1	0.3	0.32	0.0	3.4	78	1.2	0.14	0.9	1.5
1999	4	1.1	0.58	0.3	4.2	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	3.4	91	1.4	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gum and Other Mouth, Females

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	349	0.4	0.02	0.3	0.4	306	0.3	0.02	0.3	0.4
1986	28	0.4	0.09	0.3	0.7	23	0.4	0.08	0.2	0.6
1987	25	0.4	0.08	0.2	0.6	24	0.4	0.09	0.3	0.6
1988	29	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.6
1989	29	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.6
1991	24	0.4	0.08	0.2	0.6	22	0.4	0.09	0.2	0.6
1992	24	0.4	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
1993	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1994	26	0.4	0.07	0.2	0.6	24	0.4	0.08	0.2	0.6
1995	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
1996	27	0.4	0.08	0.3	0.6	24	0.4	0.08	0.3	0.6
1997	12	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
1998	19	0.3	0.07	0.2	0.4	16	0.3	0.07	0.2	0.5
1999	12	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2000	28	0.4	0.08	0.3	0.6	27	0.4	0.09	0.3	0.7
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	41	0.4	0.06	0.3	0.5	2	0.1	0.08	0.0	0.6
1986	5	0.8	0.37	0.3	2.0	0	0.0	~	0.0	13.4
1987	1	0.2	0.19	0.0	1.1	0	0.0	~	0.0	12.6
1988	5	0.8	0.35	0.2	1.9	0	0.0	~	0.0	12.0
1989	5	0.7	0.33	0.2	1.8	0	0.0	~	0.0	11.4
1990	2	0.3	0.20	0.0	1.2	0	0.0	~	0.0	11.2
1991	2	0.2	0.17	0.0	1.0	0	0.0	~	0.0	10.0
1992	5	0.6	0.26	0.2	1.5	0	0.0	~	0.0	9.0
1993	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	8.0
1994	1	0.2	0.16	0.0	0.9	1	0.7	0.73	0.0	8.2
1995	4	0.6	0.28	0.2	1.5	0	0.0	~	0.0	6.4
1996	3	0.4	0.25	0.1	1.3	0	0.0	~	0.0	5.8
1997	1	0.1	0.11	0.0	0.8	0	0.0	~	0.0	5.6
1998	2	0.2	0.16	0.0	0.9	1	0.7	0.73	0.0	6.1
1999	3	0.4	0.24	0.1	1.2	0	0.0	~	0.0	4.7
2000	1	0.1	0.10	0.0	0.7	0	0.0	~	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	6	0.3	0.11	0.1	0.6	359	0.4	0.02	0.3	0.4
1986	0	0.0	-	0.0	5.4	32	0.5	0.09	0.4	0.8
1987	0	0.0	-	0.0	5.1	25	0.4	0.08	0.3	0.6
1988	0	0.0	-	0.0	4.7	33	0.5	0.09	0.4	0.8
1989	0	0.0	-	0.0	4.4	33	0.5	0.10	0.4	0.8
1990	1	0.8	0.83	0.0	5.6	27	0.4	0.09	0.3	0.7
1991	1	0.4	0.41	0.0	4.6	25	0.4	0.08	0.3	0.6
1992	1	0.6	0.64	0.0	4.9	24	0.4	0.08	0.2	0.6
1993	0	0.0	-	0.0	3.7	19	0.3	0.07	0.2	0.5
1994	0	0.0	-	0.0	3.5	25	0.4	0.07	0.2	0.6
1995	1	0.5	0.54	0.0	4.2	21	0.3	0.07	0.2	0.5
1996	0	0.0	-	0.0	3.2	25	0.4	0.08	0.2	0.6
1997	0	0.0	-	0.0	3.1	10	0.2	0.05	0.1	0.3
1998	2	1.4	1.01	0.2	5.4	20	0.3	0.07	0.2	0.5
1999	0	0.0	-	0.0	2.9	12	0.2	0.05	0.1	0.3
2000	0	0.0	-	0.0	2.8	28	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Nasopharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	995	0.6	0.02	0.6	0.6	681	0.5	0.02	0.4	0.5
1986	74	0.7	0.08	0.5	0.9	52	0.6	0.08	0.4	0.8
1987	53	0.5	0.07	0.4	0.7	37	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.5	0.9	55	0.6	0.08	0.4	0.8
1989	59	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	71	0.6	0.08	0.5	0.8	52	0.6	0.08	0.4	0.7
1991	62	0.6	0.07	0.4	0.7	43	0.4	0.07	0.3	0.6
1992	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	69	0.6	0.07	0.5	0.8	46	0.5	0.07	0.3	0.6
1995	78	0.7	0.08	0.5	0.8	63	0.6	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1998	70	0.6	0.07	0.5	0.7	43	0.4	0.07	0.3	0.6
1999	63	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	77	0.6	0.07	0.5	0.8	50	0.5	0.07	0.4	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	192	0.9	0.06	0.7	1.0	112	2.6	0.28	2.1	3.3
1986	15	1.2	0.33	0.6	2.2	5	3.4	1.71	0.9	12.2
1987	10	0.7	0.23	0.3	1.4	6	2.6	1.11	0.9	10.2
1988	12	0.9	0.26	0.4	1.7	8	3.8	1.57	1.4	11.6
1989	12	0.9	0.26	0.4	1.7	3	1.2	0.70	0.2	7.9
1990	15	1.1	0.31	0.6	2.0	4	2.7	1.41	0.7	10.0
1991	12	1.0	0.29	0.5	1.8	7	2.3	0.91	0.9	8.4
1992	6	0.3	0.14	0.1	0.9	7	2.2	0.84	0.8	7.6
1993	11	0.7	0.23	0.4	1.4	7	2.6	1.09	0.9	8.0
1994	11	0.8	0.24	0.4	1.5	10	2.8	0.93	1.3	7.6
1995	7	0.5	0.19	0.2	1.1	7	3.0	1.31	1.0	8.1
1996	18	1.2	0.29	0.7	2.0	6	1.7	0.74	0.6	5.7
1997	17	1.0	0.24	0.6	1.7	11	3.5	1.27	1.5	8.2
1998	16	0.9	0.24	0.5	1.6	11	3.0	0.92	1.4	6.8
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.84	1.2	6.1
2000	14	0.9	0.24	0.5	1.5	10	2.4	0.82	1.1	5.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	24	0.4	0.09	0.2	0.6	769	0.6	0.02	0.6	0.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.1	0.07	0.0	2.8	58	0.6	0.07	0.4	0.7
1990	2	0.3	0.23	0.0	3.0	69	0.7	0.08	0.5	0.8
1991	2	0.4	0.32	0.1	3.1	60	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	3.3	44	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	2.4	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	2.9	66	0.6	0.08	0.5	0.8
1995	0	0.0	-	0.0	2.2	78	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	2.4	63	0.6	0.07	0.4	0.7
1997	7	1.1	0.46	0.4	3.3	65	0.6	0.07	0.5	0.8
1998	1	0.0	0.04	0.0	2.0	69	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	2.0	61	0.6	0.07	0.4	0.7
2000	3	0.6	0.49	0.1	2.8	74	0.7	0.08	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Nasopharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	452	0.3	0.01	0.2	0.3	325	0.2	0.01	0.2	0.3
1986	27	0.3	0.05	0.2	0.4	20	0.2	0.05	0.1	0.3
1987	37	0.4	0.06	0.2	0.5	30	0.3	0.06	0.2	0.5
1988	25	0.2	0.05	0.2	0.4	19	0.2	0.05	0.1	0.4
1989	31	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1990	37	0.4	0.06	0.2	0.5	27	0.3	0.06	0.2	0.4
1991	43	0.4	0.06	0.3	0.5	29	0.3	0.06	0.2	0.4
1992	28	0.3	0.05	0.2	0.4	15	0.2	0.04	0.1	0.3
1993	26	0.2	0.05	0.2	0.4	17	0.2	0.04	0.1	0.3
1994	27	0.2	0.05	0.2	0.3	27	0.3	0.05	0.2	0.4
1995	27	0.2	0.04	0.2	0.3	22	0.2	0.05	0.1	0.3
1996	33	0.3	0.05	0.2	0.4	28	0.3	0.05	0.2	0.4
1997	35	0.3	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3
1998	32	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1999	22	0.2	0.04	0.1	0.3	12	0.1	0.03	0.1	0.2
2000	22	0.2	0.04	0.1	0.3	12	0.1	0.03	0.1	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	87	0.4	0.05	0.3	0.5	40	1.0	0.18	0.7	1.5
1986	5	0.5	0.23	0.1	1.3	2	0.9	0.68	0.1	8.9
1987	6	0.5	0.20	0.2	1.2	1	0.4	0.44	0.0	8.0
1988	3	0.2	0.14	0.0	0.9	3	1.2	0.68	0.2	8.2
1989	3	0.3	0.16	0.1	0.9	3	1.2	0.73	0.2	8.0
1990	9	0.7	0.24	0.3	1.4	1	0.3	0.30	0.0	7.0
1991	9	0.7	0.23	0.3	1.4	5	2.5	1.24	0.7	9.0
1992	9	0.7	0.23	0.3	1.4	4	1.5	0.74	0.4	6.9
1993	6	0.5	0.19	0.2	1.1	3	1.0	0.56	0.2	5.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	3	0.2	0.12	0.0	0.7	2	0.6	0.42	0.1	4.7
1996	3	0.2	0.12	0.0	0.7	2	1.0	0.78	0.1	5.2
1997	11	0.7	0.21	0.3	1.3	5	2.2	1.14	0.5	6.7
1998	7	0.4	0.17	0.2	1.0	2	0.5	0.37	0.1	3.9
1999	5	0.3	0.13	0.1	0.8	5	1.2	0.51	0.4	4.3
2000	8	0.4	0.15	0.2	0.9	2	0.6	0.44	0.1	3.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.1	0.05	0.0	0.3	445	0.3	0.01	0.2	0.3
1986	0	0.0	-	0.0	3.4	27	0.3	0.05	0.2	0.4
1987	1	0.6	0.64	0.0	4.2	39	0.4	0.06	0.3	0.5
1988	0	0.0	-	0.0	3.0	24	0.2	0.05	0.2	0.4
1989	2	0.4	0.31	0.0	3.2	29	0.3	0.05	0.2	0.4
1990	0	0.0	-	0.0	2.7	35	0.3	0.06	0.2	0.5
1991	0	0.0	-	0.0	2.6	41	0.4	0.06	0.3	0.5
1992	0	0.0	-	0.0	2.5	30	0.3	0.05	0.2	0.4
1993	0	0.0	-	0.0	2.4	26	0.2	0.05	0.2	0.4
1994	0	0.0	-	0.0	2.2	25	0.2	0.04	0.1	0.3
1995	0	0.0	-	0.0	2.2	25	0.2	0.05	0.2	0.3
1996	0	0.0	-	0.0	2.0	35	0.3	0.05	0.2	0.4
1997	0	0.0	-	0.0	2.0	36	0.3	0.05	0.2	0.4
1998	2	0.4	0.25	0.0	2.3	32	0.3	0.05	0.2	0.4
1999	2	0.3	0.22	0.0	2.2	20	0.2	0.04	0.1	0.3
2000	1	0.1	0.12	0.0	1.9	21	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Nasopharynx, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	647	0.8	0.03	0.8	0.9	441	0.7	0.03	0.6	0.7
1986	50	1.1	0.15	0.8	1.4	34	0.8	0.14	0.6	1.2
1987	36	0.8	0.14	0.6	1.2	26	0.7	0.14	0.4	1.0
1988	45	0.9	0.14	0.7	1.3	31	0.7	0.13	0.5	1.1
1989	38	0.7	0.12	0.5	1.1	27	0.6	0.12	0.4	0.9
1990	48	1.0	0.14	0.7	1.3	37	0.9	0.14	0.6	1.2
1991	37	0.8	0.13	0.5	1.1	27	0.6	0.12	0.4	0.9
1992	26	0.5	0.11	0.3	0.8	16	0.4	0.10	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.3	36	0.8	0.14	0.6	1.2
1995	53	1.0	0.14	0.7	1.3	40	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	35	0.8	0.13	0.5	1.1
1998	36	0.6	0.11	0.4	0.9	21	0.4	0.10	0.3	0.7
1999	36	0.6	0.11	0.4	0.9	22	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.3	35	0.7	0.13	0.5	1.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	131	1.4	0.13	1.2	1.7	70	3.6	0.49	2.7	5.0
1986	11	2.2	0.76	1.0	4.8	4	6.4	3.70	1.3	27.9
1987	6	1.1	0.57	0.3	3.4	4	3.8	1.94	1.0	22.5
1988	8	1.3	0.50	0.5	3.4	6	6.2	3.09	1.7	24.7
1989	9	1.4	0.49	0.6	3.4	2	1.3	0.95	0.2	17.7
1990	10	1.8	0.62	0.8	4.0	1	1.7	1.70	0.0	18.8
1991	8	1.9	0.69	0.8	4.2	2	1.7	1.20	0.2	16.6
1992	4	0.5	0.28	0.1	2.2	6	3.9	1.67	1.3	17.4
1993	9	1.4	0.46	0.6	3.2	5	4.7	2.38	1.3	18.2
1994	5	0.8	0.40	0.3	2.6	6	3.1	1.32	1.1	15.1
1995	6	1.0	0.47	0.3	2.9	6	6.7	3.16	2.0	20.2
1996	13	2.1	0.64	1.0	4.2	5	3.2	1.52	1.0	14.2
1997	14	1.8	0.48	1.0	3.6	6	3.3	1.35	1.2	13.4
1998	10	1.3	0.40	0.6	2.9	5	2.7	1.23	0.8	12.2
1999	9	1.0	0.36	0.5	2.6	5	2.7	1.26	0.8	11.9
2000	9	1.4	0.48	0.6	3.1	7	4.0	1.67	1.4	12.8
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	11	0.3	0.11	0.1	0.9	505	0.9	0.04	0.8	0.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	7.5	38	0.8	0.13	0.5	1.1
1990	0	0.0	-	0.0	7.6	48	1.0	0.15	0.7	1.4
1991	1	0.4	0.37	0.0	7.4	36	0.8	0.13	0.5	1.1
1992	0	0.0	-	0.0	6.7	26	0.6	0.11	0.4	0.9
1993	1	0.2	0.18	0.0	6.8	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	6.7	45	0.9	0.14	0.7	1.3
1995	0	0.0	-	0.0	6.0	53	1.1	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	6.5	40	0.8	0.13	0.6	1.1
1997	5	1.8	0.89	0.5	7.5	50	1.0	0.14	0.7	1.3
1998	0	0.0	-	0.0	5.3	36	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	5.1	35	0.7	0.12	0.5	1.0
2000	0	0.0	-	0.0	4.7	53	1.0	0.14	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Nasopharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	300	0.4	0.02	0.4	0.5	208	0.3	0.02	0.3	0.4
1986	13	0.3	0.08	0.2	0.5	11	0.3	0.08	0.1	0.5
1987	26	0.6	0.12	0.4	0.9	20	0.5	0.12	0.3	0.8
1988	17	0.4	0.11	0.2	0.7	13	0.4	0.11	0.2	0.7
1989	23	0.5	0.12	0.3	0.8	17	0.4	0.11	0.2	0.8
1990	29	0.6	0.12	0.4	1.0	22	0.6	0.12	0.3	0.9
1991	28	0.6	0.12	0.4	0.9	17	0.4	0.11	0.2	0.7
1992	15	0.3	0.08	0.2	0.5	6	0.1	0.06	0.0	0.3
1993	18	0.4	0.09	0.2	0.6	12	0.3	0.08	0.1	0.5
1994	19	0.4	0.10	0.2	0.7	19	0.5	0.12	0.3	0.8
1995	18	0.3	0.08	0.2	0.6	14	0.3	0.08	0.2	0.6
1996	20	0.4	0.09	0.2	0.6	16	0.4	0.10	0.2	0.6
1997	23	0.4	0.09	0.3	0.6	12	0.3	0.08	0.1	0.5
1998	23	0.4	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1999	14	0.2	0.07	0.1	0.4	6	0.1	0.05	0.0	0.3
2000	14	0.2	0.06	0.1	0.4	4	0.1	0.04	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	61	0.7	0.09	0.5	0.9	31	1.6	0.33	1.1	2.7
1986	1	0.2	0.21	0.0	2.1	1	1.2	1.21	0.0	21.3
1987	5	0.9	0.40	0.3	2.8	1	0.9	0.88	0.0	19.7
1988	2	0.3	0.25	0.0	2.1	2	1.7	1.23	0.2	19.3
1989	3	0.6	0.37	0.1	2.5	3	2.5	1.45	0.5	18.9
1990	6	1.1	0.52	0.4	3.2	1	0.6	0.62	0.0	17.3
1991	6	1.0	0.43	0.3	2.9	5	5.7	2.93	1.4	21.8
1992	7	1.3	0.52	0.5	3.3	2	2.0	1.40	0.2	15.7
1993	3	0.8	0.49	0.1	2.8	3	2.0	1.19	0.4	14.6
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	2	0.3	0.25	0.0	1.9	2	1.3	0.91	0.2	12.6
1996	2	0.3	0.23	0.0	1.9	2	2.4	1.93	0.2	14.1
1997	9	1.2	0.43	0.5	2.9	2	1.2	0.88	0.2	11.4
1998	3	0.4	0.25	0.1	1.9	1	0.5	0.50	0.0	10.0
1999	4	0.5	0.27	0.1	2.0	4	1.9	0.95	0.5	10.9
2000	8	0.9	0.33	0.4	2.4	2	1.4	1.02	0.1	9.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5	0.1	0.06	0.0	0.6	292	0.4	0.03	0.4	0.5
1986	0	0.0	-	0.0	8.7	13	0.3	0.08	0.2	0.6
1987	0	0.0	-	0.0	8.3	27	0.6	0.12	0.4	0.9
1988	0	0.0	-	0.0	7.9	16	0.4	0.11	0.2	0.7
1989	2	0.9	0.61	0.1	8.3	21	0.5	0.12	0.3	0.8
1990	0	0.0	-	0.0	7.6	27	0.6	0.12	0.4	0.9
1991	0	0.0	-	0.0	7.1	29	0.6	0.12	0.4	1.0
1992	0	0.0	-	0.0	6.7	14	0.3	0.08	0.2	0.5
1993	0	0.0	-	0.0	6.6	17	0.4	0.09	0.2	0.6
1994	0	0.0	-	0.0	6.4	17	0.4	0.10	0.2	0.7
1995	0	0.0	-	0.0	6.0	17	0.3	0.08	0.2	0.6
1996	0	0.0	-	0.0	5.8	21	0.4	0.10	0.3	0.7
1997	0	0.0	-	0.0	5.6	24	0.5	0.10	0.3	0.7
1998	2	0.7	0.52	0.1	6.0	22	0.5	0.10	0.3	0.7
1999	1	0.2	0.24	0.0	5.2	13	0.2	0.07	0.1	0.5
2000	0	0.0	-	0.0	4.7	14	0.3	0.07	0.1	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Nasopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	348	0.4	0.02	0.3	0.4	240	0.3	0.02	0.3	0.3
1986	24	0.4	0.09	0.3	0.6	18	0.4	0.08	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	24	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.2	0.6	15	0.3	0.08	0.2	0.5
1991	25	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	22	0.4	0.08	0.2	0.6	10	0.2	0.06	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.2	0.6
1999	27	0.4	0.08	0.3	0.6	15	0.3	0.07	0.1	0.4
2000	24	0.4	0.08	0.2	0.6	15	0.3	0.07	0.2	0.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	61	0.5	0.06	0.4	0.6	42	1.8	0.30	1.3	2.7
1986	4	0.5	0.27	0.1	1.6	1	1.1	1.10	0.0	14.5
1987	4	0.4	0.21	0.1	1.3	2	1.6	1.21	0.2	14.2
1988	4	0.5	0.27	0.1	1.6	2	1.8	1.46	0.1	14.1
1989	3	0.4	0.25	0.1	1.4	1	1.0	0.97	0.0	12.4
1990	5	0.6	0.30	0.2	1.7	3	3.4	2.07	0.6	15.4
1991	4	0.4	0.22	0.1	1.3	5	2.9	1.34	0.9	12.9
1992	2	0.2	0.13	0.0	0.9	1	0.6	0.59	0.0	9.5
1993	2	0.2	0.18	0.0	1.0	2	0.9	0.61	0.1	8.8
1994	6	0.7	0.30	0.3	1.7	4	2.5	1.28	0.7	10.2
1995	1	0.1	0.12	0.0	0.8	1	0.4	0.36	0.0	6.8
1996	5	0.6	0.28	0.2	1.5	1	0.4	0.44	0.0	6.3
1997	3	0.4	0.21	0.1	1.1	5	3.4	1.79	0.9	10.5
1998	6	0.6	0.26	0.2	1.5	6	3.2	1.33	1.1	9.0
1999	7	0.7	0.28	0.3	1.6	5	2.4	1.11	0.8	7.7
2000	5	0.5	0.24	0.2	1.3	3	1.2	0.68	0.2	5.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	13	0.4	0.13	0.2	0.8	264	0.4	0.02	0.3	0.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.2	0.16	0.0	4.5	20	0.4	0.09	0.2	0.6
1990	2	0.6	0.46	0.1	4.9	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	4.8	24	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	5.3	18	0.3	0.08	0.2	0.5
1993	0	0.0	-	0.0	3.7	17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	4.3	21	0.4	0.08	0.2	0.6
1995	0	0.0	-	0.0	3.4	25	0.4	0.08	0.3	0.6
1996	0	0.0	-	0.0	3.2	23	0.4	0.08	0.2	0.6
1997	2	0.5	0.37	0.1	3.7	15	0.3	0.06	0.1	0.4
1998	1	0.1	0.10	0.0	3.1	33	0.5	0.10	0.4	0.8
1999	1	0.3	0.26	0.0	3.2	26	0.4	0.08	0.3	0.6
2000	3	1.1	0.80	0.1	4.5	21	0.4	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Nasopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	152	0.2	0.01	0.1	0.2	117	0.1	0.01	0.1	0.2
1986	14	0.2	0.07	0.1	0.4	9	0.2	0.05	0.1	0.3
1987	11	0.2	0.06	0.1	0.4	10	0.2	0.07	0.1	0.4
1988	8	0.2	0.06	0.1	0.3	6	0.2	0.06	0.0	0.3
1989	8	0.1	0.05	0.1	0.3	8	0.2	0.06	0.1	0.3
1990	8	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1991	15	0.2	0.06	0.1	0.4	12	0.2	0.06	0.1	0.4
1992	13	0.2	0.06	0.1	0.4	9	0.2	0.06	0.1	0.4
1993	8	0.1	0.05	0.1	0.3	5	0.1	0.05	0.0	0.3
1994	8	0.1	0.04	0.0	0.2	8	0.1	0.05	0.1	0.3
1995	9	0.1	0.05	0.1	0.3	8	0.1	0.05	0.1	0.3
1996	13	0.2	0.06	0.1	0.4	12	0.2	0.07	0.1	0.4
1997	12	0.2	0.05	0.1	0.3	7	0.1	0.05	0.0	0.3
1998	9	0.1	0.05	0.1	0.3	4	0.1	0.03	0.0	0.2
1999	8	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
2000	8	0.1	0.04	0.0	0.2	8	0.1	0.05	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	26	0.2	0.04	0.1	0.3	9	0.4	0.17	0.2	1.1
1986	4	0.6	0.34	0.2	1.8	1	0.6	0.61	0.0	13.9
1987	1	0.2	0.17	0.0	1.1	0	0.0	~	0.0	12.6
1988	1	0.2	0.16	0.0	1.0	1	0.6	0.56	0.0	12.4
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	3	0.4	0.22	0.1	1.3	0	0.0	~	0.0	11.2
1991	3	0.4	0.25	0.1	1.4	0	0.0	~	0.0	10.0
1992	2	0.3	0.19	0.0	1.1	2	1.1	0.79	0.1	10.0
1993	3	0.4	0.20	0.1	1.2	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	6.4
1996	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	5.8
1997	2	0.3	0.18	0.0	1.0	3	2.6	1.70	0.4	9.6
1998	4	0.4	0.23	0.1	1.2	1	0.5	0.52	0.0	5.7
1999	1	0.1	0.09	0.0	0.7	1	0.4	0.45	0.0	5.2
2000	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.1	0.07	0.0	0.4	153	0.2	0.01	0.2	0.2
1986	0	0.0	-	0.0	5.4	14	0.2	0.07	0.1	0.4
1987	1	1.0	1.05	0.0	6.8	12	0.2	0.07	0.1	0.4
1988	0	0.0	-	0.0	4.7	8	0.2	0.06	0.1	0.4
1989	0	0.0	-	0.0	4.4	8	0.1	0.05	0.1	0.3
1990	0	0.0	-	0.0	4.2	8	0.1	0.05	0.1	0.3
1991	0	0.0	-	0.0	4.2	12	0.2	0.06	0.1	0.4
1992	0	0.0	-	0.0	3.9	16	0.3	0.07	0.2	0.5
1993	0	0.0	-	0.0	3.7	9	0.2	0.06	0.1	0.3
1994	0	0.0	-	0.0	3.5	8	0.1	0.04	0.0	0.2
1995	0	0.0	-	0.0	3.4	8	0.1	0.05	0.0	0.3
1996	0	0.0	-	0.0	3.2	14	0.2	0.06	0.1	0.4
1997	0	0.0	-	0.0	3.1	12	0.2	0.06	0.1	0.4
1998	0	0.0	-	0.0	3.0	10	0.2	0.05	0.1	0.3
1999	1	0.3	0.34	0.0	3.4	7	0.1	0.04	0.0	0.2
2000	1	0.2	0.24	0.0	3.0	7	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Oropharynx, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	656	0.4	0.02	0.4	0.4	480	0.3	0.02	0.3	0.4
1986	45	0.4	0.07	0.3	0.6	30	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	37	0.3	0.05	0.2	0.5	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1991	41	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	53	0.5	0.07	0.4	0.6	39	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	60	0.5	0.07	0.4	0.7	41	0.4	0.06	0.3	0.6
1997	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1998	68	0.6	0.07	0.5	0.7	44	0.4	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	52	0.4	0.06	0.3	0.6	44	0.4	0.06	0.3	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	168	0.8	0.06	0.7	1.0	5	0.2	0.10	0.1	0.6
1986	15	1.3	0.33	0.7	2.2	0	0.0	-	0.0	8.1
1987	11	0.8	0.26	0.4	1.7	0	0.0	-	0.0	7.6
1988	13	1.1	0.31	0.6	2.0	0	0.0	-	0.0	7.2
1989	7	0.6	0.22	0.2	1.3	0	0.0	-	0.0	6.8
1990	10	0.8	0.26	0.4	1.6	1	0.5	0.48	0.0	7.2
1991	7	0.6	0.22	0.2	1.3	1	1.1	1.11	0.0	7.7
1992	8	0.6	0.21	0.3	1.3	0	0.0	-	0.0	5.4
1993	8	0.6	0.22	0.3	1.3	0	0.0	-	0.0	4.9
1994	14	1.0	0.28	0.6	1.8	0	0.0	-	0.0	4.6
1995	7	0.5	0.18	0.2	1.1	0	0.0	-	0.0	4.1
1996	18	1.3	0.30	0.7	2.1	1	0.6	0.63	0.0	4.7
1997	11	0.8	0.24	0.4	1.5	1	0.2	0.25	0.0	3.8
1998	24	1.7	0.34	1.1	2.5	0	0.0	-	0.0	3.3
1999	9	0.6	0.19	0.3	1.2	0	0.0	-	0.0	3.1
2000	6	0.4	0.15	0.1	0.9	1	0.6	0.55	0.0	3.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	11	0.3	0.10	0.1	0.6	521	0.4	0.02	0.4	0.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	2.8	25	0.2	0.05	0.2	0.4
1990	1	0.3	0.27	0.0	3.0	42	0.4	0.06	0.3	0.5
1991	0	0.0	-	0.0	2.6	41	0.4	0.06	0.3	0.5
1992	0	0.0	-	0.0	2.5	36	0.3	0.06	0.2	0.5
1993	0	0.0	-	0.0	2.4	37	0.4	0.06	0.2	0.5
1994	2	0.7	0.55	0.1	3.3	51	0.5	0.07	0.4	0.7
1995	1	0.3	0.29	0.0	2.5	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	3.3	57	0.5	0.07	0.4	0.7
1997	1	0.5	0.54	0.0	3.0	42	0.4	0.06	0.3	0.5
1998	2	0.7	0.52	0.1	3.0	66	0.6	0.07	0.5	0.8
1999	0	0.0	-	0.0	1.9	42	0.4	0.06	0.3	0.5
2000	1	0.2	0.23	0.0	2.0	51	0.5	0.06	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Oropharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	387	0.2	0.01	0.2	0.2	271	0.2	0.01	0.2	0.2
1986	28	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
1987	23	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
1988	24	0.2	0.05	0.2	0.4	15	0.2	0.04	0.1	0.3
1989	27	0.2	0.05	0.2	0.4	17	0.2	0.04	0.1	0.3
1990	28	0.3	0.05	0.2	0.4	26	0.3	0.05	0.2	0.4
1991	26	0.2	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
1992	22	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
1993	17	0.2	0.04	0.1	0.2	11	0.1	0.03	0.0	0.2
1994	32	0.3	0.05	0.2	0.4	23	0.2	0.05	0.2	0.4
1995	36	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
1996	24	0.2	0.04	0.1	0.3	16	0.2	0.04	0.1	0.3
1997	23	0.2	0.04	0.1	0.3	12	0.1	0.03	0.1	0.2
1998	28	0.2	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3
1999	23	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
2000	26	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	116	0.6	0.05	0.5	0.7	0	0.0	~	0.0	0.3
1986	7	0.7	0.26	0.2	1.5	0	0.0	~	0.0	8.1
1987	5	0.4	0.19	0.1	1.1	0	0.0	~	0.0	7.6
1988	9	0.8	0.25	0.3	1.6	0	0.0	~	0.0	7.2
1989	10	0.8	0.25	0.4	1.6	0	0.0	~	0.0	6.8
1990	2	0.1	0.09	0.0	0.7	0	0.0	~	0.0	6.7
1991	5	0.4	0.16	0.1	1.0	0	0.0	~	0.0	6.0
1992	5	0.3	0.15	0.1	0.9	0	0.0	~	0.0	5.4
1993	6	0.4	0.18	0.2	1.1	0	0.0	~	0.0	4.9
1994	9	0.7	0.22	0.3	1.4	0	0.0	~	0.0	4.6
1995	15	1.1	0.28	0.6	1.8	0	0.0	~	0.0	4.1
1996	8	0.6	0.23	0.3	1.3	0	0.0	~	0.0	3.8
1997	11	0.8	0.24	0.4	1.5	0	0.0	~	0.0	3.6
1998	9	0.6	0.21	0.3	1.2	0	0.0	~	0.0	3.3
1999	6	0.4	0.17	0.2	1.0	0	0.0	~	0.0	3.1
2000	9	0.6	0.21	0.3	1.2	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.1	0.05	0.0	0.3	371	0.2	0.01	0.2	0.3
1986	1	0.3	0.27	0.0	3.6	27	0.2	0.05	0.2	0.4
1987	1	0.1	0.09	0.0	3.2	25	0.2	0.05	0.2	0.4
1988	0	0.0	-	0.0	3.0	25	0.2	0.05	0.2	0.4
1989	0	0.0	-	0.0	2.8	27	0.2	0.05	0.2	0.4
1990	1	0.2	0.21	0.0	2.9	25	0.2	0.05	0.2	0.4
1991	0	0.0	-	0.0	2.6	26	0.2	0.05	0.2	0.4
1992	0	0.0	-	0.0	2.5	18	0.2	0.04	0.1	0.3
1993	0	0.0	-	0.0	2.4	19	0.2	0.04	0.1	0.3
1994	1	0.2	0.18	0.0	2.4	33	0.3	0.05	0.2	0.4
1995	0	0.0	-	0.0	2.2	33	0.3	0.05	0.2	0.4
1996	0	0.0	-	0.0	2.0	21	0.2	0.04	0.1	0.3
1997	0	0.0	-	0.0	2.0	22	0.2	0.04	0.1	0.3
1998	1	0.5	0.48	0.0	2.8	25	0.2	0.04	0.2	0.3
1999	1	0.1	0.13	0.0	2.0	22	0.2	0.04	0.1	0.3
2000	2	0.3	0.21	0.0	2.1	23	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Oropharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	480	0.6	0.03	0.6	0.7	348	0.5	0.03	0.5	0.6
1986	39	0.8	0.13	0.6	1.2	25	0.6	0.12	0.4	0.9
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.12	0.3	0.8
1988	25	0.5	0.10	0.3	0.8	13	0.3	0.08	0.2	0.5
1989	16	0.3	0.08	0.2	0.6	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	19	0.5	0.12	0.3	0.8
1991	24	0.5	0.10	0.3	0.8	18	0.4	0.10	0.2	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	44	0.9	0.14	0.6	1.2	32	0.8	0.14	0.5	1.1
1995	26	0.5	0.10	0.3	0.8	23	0.5	0.11	0.3	0.8
1996	45	0.9	0.13	0.6	1.2	31	0.7	0.12	0.5	1.0
1997	32	0.6	0.11	0.4	0.9	22	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	36	0.8	0.13	0.6	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.3	0.8
2000	41	0.8	0.12	0.6	1.1	33	0.7	0.13	0.5	1.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	124	1.4	0.13	1.2	1.7	5	0.5	0.25	0.1	1.5
1986	14	2.7	0.72	1.4	5.1	0	0.0	-	0.0	20.2
1987	9	1.7	0.56	0.8	3.8	0	0.0	-	0.0	19.0
1988	11	2.3	0.69	1.1	4.6	0	0.0	-	0.0	17.8
1989	3	0.6	0.32	0.1	2.4	0	0.0	-	0.0	16.6
1990	3	0.6	0.34	0.1	2.5	1	1.1	1.08	0.0	17.8
1991	4	0.7	0.36	0.2	2.6	1	2.7	2.72	0.1	19.3
1992	5	0.8	0.37	0.3	2.6	0	0.0	-	0.0	13.7
1993	5	0.9	0.38	0.3	2.6	0	0.0	-	0.0	12.7
1994	12	2.0	0.59	1.0	4.1	0	0.0	-	0.0	12.3
1995	3	0.5	0.28	0.1	2.1	0	0.0	-	0.0	11.4
1996	13	2.0	0.56	1.1	3.9	1	1.6	1.56	0.0	13.0
1997	9	1.5	0.53	0.7	3.4	1	0.5	0.51	0.0	10.7
1998	20	3.2	0.74	1.9	5.4	0	0.0	-	0.0	9.6
1999	7	1.0	0.39	0.4	2.6	0	0.0	-	0.0	9.1
2000	6	0.9	0.35	0.3	2.4	1	1.4	1.42	0.0	10.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9	0.6	0.24	0.2	1.4	376	0.6	0.03	0.6	0.7
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	7.5	16	0.3	0.08	0.2	0.6
1990	0	0.0	-	0.0	7.6	23	0.5	0.12	0.3	0.8
1991	0	0.0	-	0.0	7.1	24	0.5	0.11	0.3	0.8
1992	0	0.0	-	0.0	6.7	23	0.5	0.10	0.3	0.8
1993	0	0.0		0.0	6.7	23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	9.1	42	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	6.8	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.40	0.2	8.7	42	0.8	0.13	0.6	1.2
1997	1	1.5	1.51	0.0	8.4	31	0.6	0.11	0.4	0.9
1998	1	0.4	0.40	0.0	5.7	55	1.1	0.15	0.8	1.4
1999	0	0.0	-	0.0	5.0	32	0.6	0.11	0.4	0.9
2000	1	0.5	0.50	0.0	5.3	40	0.8	0.13	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Oropharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	285	0.4	0.02	0.3	0.4	193	0.3	0.02	0.3	0.4
1986	20	0.4	0.09	0.2	0.7	15	0.4	0.09	0.2	0.6
1987	13	0.3	0.08	0.1	0.5	11	0.2	0.08	0.1	0.5
1988	21	0.5	0.11	0.3	0.8	14	0.4	0.10	0.2	0.7
1989	23	0.4	0.10	0.3	0.7	14	0.3	0.08	0.2	0.6
1990	18	0.4	0.11	0.2	0.7	16	0.4	0.12	0.2	0.8
1991	16	0.4	0.10	0.2	0.7	13	0.4	0.10	0.2	0.7
1992	17	0.4	0.09	0.2	0.6	12	0.3	0.09	0.2	0.6
1993	12	0.2	0.07	0.1	0.4	8	0.2	0.06	0.1	0.4
1994	23	0.5	0.10	0.3	0.7	15	0.4	0.09	0.2	0.6
1995	28	0.6	0.11	0.4	0.8	16	0.4	0.10	0.2	0.7
1996	17	0.4	0.09	0.2	0.6	11	0.3	0.08	0.1	0.5
1997	20	0.4	0.09	0.2	0.6	10	0.2	0.07	0.1	0.4
1998	23	0.4	0.09	0.3	0.7	15	0.3	0.09	0.2	0.6
1999	13	0.2	0.06	0.1	0.4	9	0.2	0.06	0.1	0.4
2000	21	0.4	0.09	0.2	0.6	14	0.3	0.08	0.2	0.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	92	1.1	0.11	0.8	1.3	0	0.0	~	0.0	0.8
1986	5	1.0	0.45	0.3	3.0	0	0.0	~	0.0	20.2
1987	2	0.4	0.31	0.0	2.3	0	0.0	~	0.0	19.0
1988	7	1.4	0.56	0.5	3.6	0	0.0	~	0.0	17.8
1989	9	1.6	0.55	0.7	3.7	0	0.0	~	0.0	16.6
1990	2	0.3	0.22	0.0	2.1	0	0.0	~	0.0	16.8
1991	3	0.5	0.30	0.1	2.3	0	0.0	~	0.0	15.1
1992	5	0.8	0.35	0.2	2.5	0	0.0	~	0.0	13.7
1993	4	0.7	0.34	0.2	2.4	0	0.0	~	0.0	12.7
1994	8	1.4	0.50	0.6	3.3	0	0.0	~	0.0	12.3
1995	12	2.1	0.62	1.0	4.1	0	0.0	~	0.0	11.4
1996	6	0.9	0.38	0.3	2.6	0	0.0	~	0.0	10.9
1997	10	1.6	0.53	0.8	3.5	0	0.0	~	0.0	10.2
1998	8	1.3	0.46	0.6	3.0	0	0.0	~	0.0	9.6
1999	4	0.6	0.29	0.2	2.1	0	0.0	~	0.0	9.1
2000	7	1.1	0.41	0.4	2.7	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7	0.2	0.11	0.1	0.7	268	0.4	0.02	0.3	0.4
1986	1	0.5	0.52	0.0	9.2	19	0.4	0.10	0.2	0.7
1987	1	0.2	0.17	0.0	8.4	14	0.3	0.08	0.2	0.6
1988	0	0.0	-	0.0	7.9	22	0.5	0.11	0.3	0.8
1989	0	0.0	-	0.0	7.5	23	0.5	0.10	0.3	0.7
1990	0	0.0	-	0.0	7.6	17	0.4	0.11	0.2	0.7
1991	0	0.0	-	0.0	7.1	16	0.4	0.10	0.2	0.7
1992	0	0.0	-	0.0	6.7	12	0.3	0.08	0.1	0.5
1993	0	0.0	-	0.0	6.6	14	0.3	0.08	0.2	0.5
1994	1	0.4	0.36	0.0	6.7	22	0.5	0.10	0.3	0.7
1995	0	0.0	-	0.0	6.0	27	0.6	0.11	0.4	0.9
1996	0	0.0	-	0.0	5.8	14	0.3	0.08	0.2	0.5
1997	0	0.0	-	0.0	5.6	16	0.3	0.08	0.2	0.6
1998	1	1.3	1.26	0.0	7.5	22	0.4	0.09	0.3	0.7
1999	1	0.2	0.24	0.0	5.2	12	0.2	0.07	0.1	0.4
2000	2	0.6	0.44	0.1	5.3	18	0.4	0.08	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Oropharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	176	0.2	0.01	0.2	0.2	132	0.2	0.01	0.1	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.4
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.1	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	12	0.2	0.05	0.1	0.3	8	0.1	0.05	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.1	0.05	0.1	0.3
2000	11	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	44	0.4	0.06	0.3	0.5	0	0.0	-	0.0	0.5
1986	1	0.2	0.17	0.0	1.1	0	0.0	-	0.0	13.4
1987	2	0.2	0.17	0.0	1.1	0	0.0	-	0.0	12.6
1988	2	0.3	0.20	0.0	1.2	0	0.0	-	0.0	12.0
1989	4	0.6	0.28	0.2	1.6	0	0.0	-	0.0	11.4
1990	7	1.0	0.37	0.4	2.1	0	0.0	-	0.0	11.2
1991	3	0.5	0.27	0.1	1.4	0	0.0	-	0.0	10.0
1992	3	0.4	0.23	0.1	1.3	0	0.0	-	0.0	9.0
1993	3	0.4	0.25	0.1	1.3	0	0.0	-	0.0	8.0
1994	2	0.3	0.20	0.0	1.1	0	0.0	-	0.0	7.3
1995	4	0.5	0.23	0.1	1.3	0	0.0	-	0.0	6.4
1996	5	0.6	0.29	0.2	1.6	0	0.0	-	0.0	5.8
1997	2	0.2	0.17	0.0	1.0	0	0.0	-	0.0	5.6
1998	4	0.5	0.25	0.1	1.3	0	0.0	-	0.0	5.1
1999	2	0.2	0.16	0.0	0.9	0	0.0	-	0.0	4.7
2000	0	0.0	-	0.0	0.5	0	0.0	-	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2	0.1	0.08	0.0	0.5	145	0.2	0.02	0.2	0.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	9	0.2	0.05	0.1	0.3
1990	1	0.5	0.52	0.0	4.9	19	0.3	0.07	0.2	0.5
1991	0	0.0	-	0.0	4.2	17	0.3	0.07	0.2	0.5
1992	0	0.0	-	0.0	3.9	13	0.2	0.06	0.1	0.4
1993	0	0.0	-	0.0	3.7	14	0.2	0.06	0.1	0.4
1994	0	0.0	-	0.0	3.5	9	0.2	0.06	0.1	0.3
1995	0	0.0	-	0.0	3.4	6	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	3.2	15	0.2	0.06	0.1	0.4
1997	0	0.0	-	0.0	3.1	11	0.2	0.05	0.1	0.3
1998	1	0.8	0.78	0.0	4.4	11	0.2	0.05	0.1	0.3
1999	0	0.0	-	0.0	2.9	10	0.2	0.05	0.1	0.3
2000	0	0.0	-	0.0	2.8	11	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Oropharynx, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	102	0.1	0.01	0.1	0.1	78	0.1	0.01	0.1	0.1
1986	8	0.1	0.04	0.0	0.3	6	0.1	0.04	0.0	0.2
1987	10	0.2	0.05	0.1	0.3	7	0.1	0.05	0.0	0.3
1988	3	0.1	0.03	0.0	0.2	1	0.0	0.02	0.0	0.1
1989	4	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
1990	10	0.2	0.05	0.1	0.3	10	0.2	0.05	0.1	0.3
1991	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
1992	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1993	5	0.1	0.04	0.0	0.2	3	0.0	0.03	0.0	0.2
1994	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1995	8	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1996	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1997	3	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.1
1998	5	0.1	0.03	0.0	0.2	4	0.0	0.03	0.0	0.2
1999	10	0.2	0.05	0.1	0.3	8	0.1	0.05	0.1	0.3
2000	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	24	0.2	0.04	0.1	0.3	0	0.0	~	0.0	0.5
1986	2	0.4	0.26	0.0	1.4	0	0.0	~	0.0	13.4
1987	3	0.4	0.24	0.1	1.4	0	0.0	~	0.0	12.6
1988	2	0.3	0.21	0.0	1.2	0	0.0	~	0.0	12.0
1989	1	0.1	0.12	0.0	0.9	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	2	0.2	0.17	0.0	1.0	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.19	0.0	1.1	0	0.0	~	0.0	8.0
1994	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	7.3
1995	3	0.4	0.21	0.1	1.2	0	0.0	~	0.0	6.4
1996	2	0.3	0.22	0.0	1.1	0	0.0	~	0.0	5.8
1997	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	5.6
1998	1	0.1	0.11	0.0	0.8	0	0.0	~	0.0	5.1
1999	2	0.3	0.19	0.0	1.0	0	0.0	~	0.0	4.7
2000	2	0.3	0.18	0.0	1.0	0	0.0	~	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1	0.0	0.03	0.0	0.3	103	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	5.4	8	0.1	0.04	0.0	0.3
1987	0	0.0	-	0.0	5.1	11	0.2	0.06	0.1	0.4
1988	0	0.0	-	0.0	4.7	3	0.1	0.04	0.0	0.2
1989	0	0.0	-	0.0	4.4	4	0.1	0.03	0.0	0.2
1990	1	0.4	0.43	0.0	4.7	8	0.1	0.04	0.0	0.3
1991	0	0.0	-	0.0	4.2	10	0.2	0.05	0.1	0.3
1992	0	0.0	-	0.0	3.9	6	0.1	0.04	0.0	0.2
1993	0	0.0	-	0.0	3.7	5	0.1	0.04	0.0	0.2
1994	0	0.0	-	0.0	3.5	11	0.2	0.05	0.1	0.3
1995	0	0.0	-	0.0	3.4	6	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	3.2	7	0.1	0.04	0.0	0.2
1997	0	0.0	-	0.0	3.1	6	0.1	0.04	0.0	0.2
1998	0	0.0	-	0.0	3.0	3	0.0	0.02	0.0	0.1
1999	0	0.0	-	0.0	2.9	10	0.2	0.05	0.1	0.3
2000	0	0.0	-	0.0	2.8	5	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hypopharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,593	0.9	0.02	0.9	1.0	1,203	0.8	0.02	0.8	0.9
1986	97	0.9	0.10	0.7	1.1	70	0.7	0.09	0.6	1.0
1987	111	1.0	0.10	0.8	1.2	81	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	80	0.8	0.10	0.7	1.1
1989	92	0.9	0.09	0.7	1.1	72	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	93	0.9	0.09	0.7	1.1	63	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	98	0.9	0.09	0.7	1.0	70	0.7	0.09	0.6	0.9
1995	128	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	114	1.0	0.09	0.8	1.2	92	0.9	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	112	1.0	0.09	0.8	1.2	82	0.8	0.09	0.6	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	0.9
2000	108	0.9	0.09	0.7	1.1	79	0.8	0.09	0.6	1.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	365	1.8	0.10	1.6	2.0	19	0.6	0.16	0.4	1.1
1986	25	2.1	0.42	1.3	3.2	1	0.7	0.67	0.0	8.7
1987	28	2.3	0.45	1.5	3.5	2	2.0	1.42	0.2	10.2
1988	25	2.0	0.41	1.3	3.1	2	3.0	2.23	0.3	12.2
1989	19	1.6	0.36	0.9	2.6	1	0.5	0.51	0.0	7.3
1990	26	2.2	0.43	1.4	3.3	0	0.0	-	0.0	6.7
1991	29	2.3	0.43	1.5	3.4	1	0.4	0.45	0.0	6.4
1992	18	1.4	0.33	0.8	2.3	1	0.5	0.45	0.0	5.9
1993	24	1.9	0.39	1.2	2.9	0	0.0	-	0.0	4.9
1994	26	1.9	0.38	1.2	2.9	2	0.8	0.56	0.1	5.4
1995	25	1.8	0.37	1.2	2.8	1	0.2	0.25	0.0	4.3
1996	21	1.5	0.32	0.9	2.3	0	0.0	-	0.0	3.8
1997	24	1.7	0.34	1.1	2.5	0	0.0	-	0.0	3.6
1998	25	1.7	0.35	1.1	2.6	3	1.1	0.65	0.2	4.7
1999	25	1.6	0.33	1.1	2.5	2	0.4	0.31	0.1	3.5
2000	25	1.7	0.34	1.1	2.6	3	1.1	0.66	0.2	4.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	24	0.5	0.10	0.3	0.8	1,254	1.0	0.03	0.9	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	1.1	0.58	0.3	4.1	88	0.9	0.09	0.7	1.1
1990	1	0.5	0.51	0.0	3.5	106	1.0	0.10	0.8	1.2
1991	0	0.0	.	0.0	2.6	93	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.0	2.9	110	1.0	0.10	0.8	1.2
1993	1	0.2	0.19	0.0	2.6	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	2.9	96	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	3.2	125	1.1	0.10	1.0	1.4
1996	4	0.8	0.43	0.2	3.1	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	2.3	99	0.9	0.09	0.7	1.1
1998	3	0.6	0.34	0.1	2.6	109	1.0	0.09	0.8	1.2
1999	0	0.0	-	0.0	1.9	103	0.9	0.09	0.8	1.1
2000	2	0.6	0.46	0.0	2.7	106	0.9	0.09	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hypopharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	277	0.2	0.01	0.2	0.2	203	0.1	0.01	0.1	0.2
1986	21	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
1987	26	0.2	0.05	0.2	0.4	19	0.2	0.05	0.1	0.3
1988	7	0.1	0.03	0.0	0.2	7	0.1	0.03	0.0	0.2
1989	19	0.2	0.04	0.1	0.3	13	0.1	0.04	0.1	0.2
1990	23	0.2	0.04	0.1	0.3	15	0.2	0.04	0.1	0.2
1991	22	0.2	0.04	0.1	0.3	14	0.2	0.04	0.1	0.2
1992	18	0.2	0.04	0.1	0.3	10	0.1	0.03	0.0	0.2
1993	21	0.2	0.04	0.1	0.3	16	0.2	0.04	0.1	0.3
1994	20	0.2	0.04	0.1	0.3	13	0.1	0.04	0.1	0.2
1995	17	0.2	0.04	0.1	0.2	13	0.1	0.04	0.1	0.2
1996	17	0.2	0.04	0.1	0.2	14	0.1	0.04	0.1	0.2
1997	21	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
1998	14	0.1	0.03	0.1	0.2	11	0.1	0.03	0.0	0.2
1999	20	0.2	0.04	0.1	0.3	14	0.1	0.04	0.1	0.2
2000	11	0.1	0.03	0.0	0.2	9	0.1	0.03	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	71	0.4	0.04	0.3	0.5	3	0.1	0.05	0.0	0.4
1986	4	0.3	0.17	0.1	1.0	0	0.0	~	0.0	8.1
1987	7	0.6	0.24	0.2	1.4	0	0.0	~	0.0	7.6
1988	0	0.0	~	0.0	0.5	0	0.0	~	0.0	7.2
1989	6	0.5	0.20	0.2	1.2	0	0.0	~	0.0	6.8
1990	8	0.7	0.24	0.3	1.4	0	0.0	~	0.0	6.7
1991	8	0.7	0.25	0.3	1.5	0	0.0	~	0.0	6.0
1992	8	0.6	0.22	0.3	1.3	0	0.0	~	0.0	5.4
1993	4	0.3	0.13	0.1	0.8	1	0.4	0.39	0.0	5.3
1994	7	0.5	0.19	0.2	1.1	0	0.0	~	0.0	4.6
1995	4	0.3	0.16	0.1	0.9	0	0.0	~	0.0	4.1
1996	3	0.2	0.13	0.0	0.8	0	0.0	~	0.0	3.8
1997	3	0.2	0.12	0.0	0.7	0	0.0	~	0.0	3.6
1998	2	0.1	0.10	0.0	0.6	1	0.2	0.22	0.0	3.5
1999	6	0.4	0.16	0.1	0.9	0	0.0	~	0.0	3.1
2000	1	0.1	0.10	0.0	0.6	1	0.4	0.39	0.0	3.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7	0.1	0.05	0.0	0.3	267	0.2	0.01	0.2	0.2
1986	0	0.0	-	0.0	3.4	21	0.2	0.04	0.1	0.3
1987	0	0.0	-	0.0	3.2	25	0.2	0.05	0.2	0.4
1988	1	0.2	0.25	0.0	3.2	7	0.1	0.03	0.0	0.2
1989	0	0.0	-	0.0	2.8	18	0.2	0.04	0.1	0.3
1990	1	0.3	0.27	0.0	3.0	21	0.2	0.04	0.1	0.3
1991	2	0.6	0.47	0.1	3.5	22	0.2	0.05	0.1	0.3
1992	1	0.2	0.20	0.0	2.7	14	0.1	0.04	0.1	0.2
1993	1	0.2	0.19	0.0	2.6	19	0.2	0.04	0.1	0.3
1994	0	0.0	-	0.0	2.2	18	0.2	0.04	0.1	0.2
1995	0	0.0	-	0.0	2.2	16	0.2	0.04	0.1	0.2
1996	0	0.0	-	0.0	2.0	17	0.2	0.04	0.1	0.2
1997	0	0.0	-	0.0	2.0	23	0.2	0.04	0.1	0.3
1998	1	0.4	0.37	0.0	2.5	15	0.1	0.03	0.1	0.2
1999	0	0.0	-	0.0	1.8	20	0.2	0.04	0.1	0.3
2000	0	0.0	-	0.0	1.8	11	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hypopharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,264	1.7	0.05	1.6	1.8	945	1.5	0.05	1.4	1.6
1986	80	1.7	0.20	1.4	2.2	59	1.4	0.19	1.1	1.9
1987	89	1.9	0.21	1.5	2.4	66	1.6	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	59	1.4	0.19	1.1	1.9
1989	70	1.5	0.18	1.2	1.9	53	1.3	0.18	1.0	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.3	0.18	1.0	1.8
1991	76	1.7	0.20	1.3	2.1	52	1.3	0.19	1.0	1.8
1992	95	1.9	0.20	1.5	2.4	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.20	1.5	2.3	73	1.7	0.20	1.3	2.2
1994	75	1.5	0.17	1.1	1.9	51	1.2	0.17	0.9	1.6
1995	97	1.9	0.19	1.5	2.3	75	1.7	0.20	1.3	2.1
1996	94	1.8	0.19	1.5	2.2	75	1.7	0.20	1.3	2.1
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	93	1.8	0.19	1.4	2.2	67	1.5	0.18	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	88	1.7	0.18	1.3	2.1	66	1.5	0.18	1.1	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	298	3.5	0.21	3.1	4.0	16	1.3	0.37	0.7	2.5
1986	19	3.8	0.89	2.2	6.5	1	1.6	1.58	0.0	21.8
1987	21	4.3	0.98	2.6	7.1	2	4.7	3.38	0.5	25.1
1988	20	3.7	0.84	2.3	6.3	2	7.5	5.50	0.8	30.2
1989	17	3.2	0.79	1.9	5.7	0	0.0	-	0.0	16.6
1990	20	3.8	0.86	2.3	6.4	0	0.0	-	0.0	16.8
1991	23	4.2	0.89	2.6	6.8	1	0.9	0.92	0.0	15.9
1992	17	3.0	0.75	1.8	5.4	1	1.1	1.05	0.0	14.8
1993	17	3.2	0.79	1.8	5.5	0	0.0	-	0.0	12.7
1994	22	3.7	0.79	2.3	6.0	2	1.8	1.26	0.2	14.1
1995	21	3.6	0.79	2.2	5.9	1	0.5	0.52	0.0	11.8
1996	18	3.0	0.71	1.7	5.2	0	0.0	-	0.0	10.9
1997	21	3.4	0.75	2.1	5.7	0	0.0	-	0.0	10.2
1998	22	3.6	0.80	2.2	5.9	2	1.5	1.11	0.2	11.2
1999	20	3.2	0.73	1.9	5.3	2	0.9	0.65	0.1	9.9
2000	20	3.4	0.82	2.0	5.7	2	1.7	1.27	0.2	10.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	20	0.7	0.18	0.4	1.4	994	1.7	0.06	1.6	1.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.9	0.61	0.1	8.3	68	1.5	0.19	1.2	2.0
1990	1	1.3	1.34	0.0	9.6	77	1.7	0.19	1.3	2.1
1991	0	0.0	-	0.0	7.1	76	1.7	0.20	1.4	2.2
1992	2	0.8	0.56	0.1	7.4	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	7.0	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	7.5	73	1.5	0.18	1.2	1.9
1995	2	0.5	0.40	0.1	6.5	95	1.9	0.20	1.6	2.4
1996	4	1.8	0.92	0.5	7.7	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	6.1	76	1.6	0.18	1.2	2.0
1998	3	1.2	0.72	0.2	6.6	90	1.8	0.19	1.5	2.3
1999	0	0.0	-	0.0	5.0	80	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	4.9	87	1.8	0.19	1.4	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Hypopharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	209	0.3	0.02	0.2	0.3	154	0.2	0.02	0.2	0.3
1986	17	0.3	0.08	0.2	0.6	13	0.3	0.08	0.2	0.5
1987	23	0.5	0.11	0.3	0.8	17	0.4	0.11	0.2	0.7
1988	6	0.1	0.06	0.0	0.3	6	0.2	0.07	0.1	0.4
1989	11	0.2	0.07	0.1	0.5	8	0.2	0.07	0.1	0.4
1990	14	0.3	0.07	0.2	0.5	10	0.2	0.07	0.1	0.4
1991	14	0.3	0.08	0.2	0.5	9	0.2	0.07	0.1	0.4
1992	15	0.3	0.08	0.2	0.5	8	0.2	0.07	0.1	0.4
1993	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.6
1994	16	0.3	0.07	0.2	0.5	9	0.2	0.06	0.1	0.4
1995	11	0.2	0.07	0.1	0.4	9	0.2	0.07	0.1	0.4
1996	13	0.3	0.07	0.1	0.5	10	0.2	0.07	0.1	0.4
1997	19	0.4	0.09	0.2	0.6	16	0.4	0.09	0.2	0.6
1998	10	0.2	0.07	0.1	0.4	8	0.2	0.07	0.1	0.4
1999	16	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
2000	8	0.2	0.06	0.1	0.4	7	0.2	0.06	0.1	0.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	54	0.6	0.09	0.5	0.9	1	0.0	0.04	0.0	0.9
1986	4	0.8	0.42	0.2	2.8	0	0.0	~	0.0	20.2
1987	6	1.3	0.58	0.5	3.6	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	3	0.5	0.32	0.1	2.4	0	0.0	~	0.0	16.6
1990	4	0.7	0.36	0.2	2.6	0	0.0	~	0.0	16.8
1991	5	0.9	0.40	0.3	2.8	0	0.0	~	0.0	15.1
1992	7	1.2	0.49	0.5	3.2	0	0.0	~	0.0	13.7
1993	3	0.5	0.27	0.1	2.1	0	0.0	~	0.0	12.7
1994	7	1.2	0.45	0.5	3.0	0	0.0	~	0.0	12.3
1995	2	0.4	0.26	0.0	2.0	0	0.0	~	0.0	11.4
1996	3	0.5	0.31	0.1	2.2	0	0.0	~	0.0	10.9
1997	3	0.5	0.28	0.1	2.0	0	0.0	~	0.0	10.2
1998	1	0.1	0.14	0.0	1.6	1	0.5	0.46	0.0	10.0
1999	5	0.8	0.35	0.2	2.3	0	0.0	~	0.0	9.1
2000	1	0.4	0.36	0.0	2.0	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7	0.3	0.11	0.1	0.8	197	0.3	0.02	0.2	0.3
1986	0	0.0	-	0.0	8.7	17	0.3	0.08	0.2	0.6
1987	0	0.0	-	0.0	8.3	22	0.5	0.11	0.3	0.8
1988	1	0.5	0.48	0.0	8.3	5	0.1	0.05	0.0	0.3
1989	0	0.0	-	0.0	7.5	10	0.2	0.07	0.1	0.4
1990	1	0.6	0.57	0.0	8.2	13	0.3	0.08	0.2	0.5
1991	2	1.4	1.06	0.2	8.8	14	0.3	0.08	0.2	0.6
1992	1	0.4	0.39	0.0	7.0	11	0.2	0.07	0.1	0.5
1993	1	0.4	0.38	0.0	7.0	15	0.3	0.08	0.2	0.5
1994	0	0.0	-	0.0	6.4	14	0.3	0.07	0.2	0.5
1995	0	0.0	-	0.0	6.0	10	0.2	0.07	0.1	0.4
1996	0	0.0	-	0.0	5.8	13	0.3	0.08	0.1	0.5
1997	0	0.0	-	0.0	5.6	19	0.4	0.09	0.2	0.6
1998	1	0.9	0.86	0.0	6.5	10	0.2	0.06	0.1	0.4
1999	0	0.0	-	0.0	5.0	16	0.3	0.08	0.2	0.5
2000	0	0.0	-	0.0	4.7	8	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hypopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	329	0.3	0.02	0.3	0.4	258	0.3	0.02	0.3	0.4
1986	17	0.3	0.06	0.2	0.4	11	0.2	0.06	0.1	0.4
1987	22	0.4	0.08	0.2	0.6	15	0.3	0.08	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.2	0.6
1989	22	0.4	0.08	0.2	0.6	19	0.3	0.08	0.2	0.6
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	31	0.5	0.09	0.3	0.7	27	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	13	0.2	0.07	0.1	0.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	67	0.6	0.07	0.4	0.7	3	0.2	0.10	0.0	0.7
1986	6	0.8	0.33	0.3	2.0	0	0.0	-	0.0	13.4
1987	7	0.9	0.36	0.4	2.1	0	0.0	-	0.0	12.6
1988	5	0.7	0.33	0.2	1.9	0	0.0	-	0.0	12.0
1989	2	0.3	0.20	0.0	1.2	1	1.0	0.97	0.0	12.4
1990	6	0.9	0.38	0.3	2.1	0	0.0	-	0.0	11.2
1991	6	0.8	0.32	0.3	1.8	0	0.0	-	0.0	10.0
1992	1	0.1	0.13	0.0	0.9	0	0.0	-	0.0	9.0
1993	7	1.0	0.36	0.4	2.0	0	0.0	-	0.0	8.0
1994	4	0.6	0.29	0.2	1.5	0	0.0	-	0.0	7.3
1995	4	0.5	0.26	0.1	1.4	0	0.0	-	0.0	6.4
1996	3	0.3	0.20	0.1	1.1	0	0.0	-	0.0	5.8
1997	3	0.3	0.20	0.1	1.1	0	0.0	-	0.0	5.6
1998	3	0.4	0.23	0.1	1.2	1	0.7	0.73	0.0	6.1
1999	5	0.6	0.25	0.2	1.4	0	0.0	-	0.0	4.7
2000	5	0.6	0.26	0.2	1.4	1	0.7	0.68	0.0	5.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	4	0.2	0.11	0.1	0.6	260	0.4	0.02	0.3	0.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	1.2	0.88	0.1	6.1	20	0.3	0.08	0.2	0.5
1990	0	0.0	-	0.0	4.2	29	0.5	0.09	0.3	0.7
1991	0	0.0	-	0.0	4.2	17	0.3	0.07	0.2	0.5
1992	0	0.0	-	0.0	3.9	17	0.3	0.07	0.2	0.5
1993	0	0.0	-	0.0	3.7	20	0.3	0.07	0.2	0.5
1994	0	0.0	-	0.0	3.5	23	0.4	0.08	0.2	0.6
1995	1	0.7	0.74	0.0	4.6	30	0.5	0.09	0.3	0.7
1996	0	0.0	-	0.0	3.2	20	0.3	0.08	0.2	0.5
1997	0	0.0	-	0.0	3.1	23	0.4	0.08	0.2	0.6
1998	0	0.0	-	0.0	3.0	19	0.3	0.07	0.2	0.5
1999	0	0.0	-	0.0	2.9	23	0.4	0.08	0.2	0.6
2000	1	0.7	0.74	0.0	4.2	19	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hypopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	68	0.1	0.01	0.1	0.1	49	0.1	0.01	0.0	0.1
1986	4	0.1	0.03	0.0	0.2	4	0.1	0.04	0.0	0.2
1987	3	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1988	1	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
1989	8	0.2	0.06	0.1	0.3	5	0.1	0.05	0.0	0.3
1990	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1991	8	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1992	3	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1993	5	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1994	4	0.1	0.03	0.0	0.2	4	0.1	0.04	0.0	0.2
1995	6	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
1996	4	0.1	0.03	0.0	0.2	4	0.1	0.04	0.0	0.2
1997	2	0.0	0.02	0.0	0.1	2	0.0	0.03	0.0	0.1
1998	4	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
1999	4	0.0	0.03	0.0	0.2	3	0.0	0.03	0.0	0.2
2000	3	0.0	0.02	0.0	0.1	2	0.0	0.02	0.0	0.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	17	0.2	0.04	0.1	0.2	2	0.1	0.08	0.0	0.6
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	1	0.1	0.12	0.0	1.0	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	3	0.4	0.26	0.1	1.4	0	0.0	~	0.0	11.4
1990	4	0.6	0.30	0.2	1.6	0	0.0	~	0.0	11.2
1991	3	0.5	0.28	0.1	1.5	0	0.0	~	0.0	10.0
1992	1	0.1	0.13	0.0	0.9	0	0.0	~	0.0	9.0
1993	1	0.1	0.12	0.0	0.8	1	0.7	0.72	0.0	8.8
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	2	0.3	0.20	0.0	1.1	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	1	0.1	0.13	0.0	0.8	0	0.0	~	0.0	5.1
1999	1	0.1	0.11	0.0	0.7	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	1	0.7	0.68	0.0	5.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	0	0.0	-	0.0	0.2	70	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	5.4	4	0.1	0.04	0.0	0.2
1987	0	0.0	-	0.0	5.1	3	0.0	0.03	0.0	0.2
1988	0	0.0	-	0.0	4.7	2	0.0	0.02	0.0	0.1
1989	0	0.0	-	0.0	4.4	8	0.2	0.06	0.1	0.3
1990	0	0.0	-	0.0	4.2	8	0.1	0.05	0.1	0.3
1991	0	0.0	-	0.0	4.2	8	0.1	0.05	0.1	0.3
1992	0	0.0	-	0.0	3.9	3	0.0	0.03	0.0	0.2
1993	0	0.0	-	0.0	3.7	4	0.1	0.03	0.0	0.2
1994	0	0.0	-	0.0	3.5	4	0.1	0.03	0.0	0.2
1995	0	0.0	-	0.0	3.4	6	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	3.2	4	0.1	0.03	0.0	0.2
1997	0	0.0	-	0.0	3.1	4	0.1	0.03	0.0	0.2
1998	0	0.0	-	0.0	3.0	5	0.1	0.03	0.0	0.2
1999	0	0.0	-	0.0	2.9	4	0.1	0.03	0.0	0.2
2000	0	0.0	-	0.0	2.8	3	0.0	0.02	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Digestive System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	159,943	95.0	0.24	94.5	95.4	135,849	91.8	0.25	91.3	92.3
1986	9,896	94.2	0.96	92.3	96.1	8,527	91.0	1.00	89.1	93.0
1987	10,159	95.8	0.96	93.9	97.7	8,764	93.0	1.00	91.0	95.0
1988	10,158	95.1	0.95	93.3	97.0	8,686	91.5	0.99	89.6	93.5
1989	9,956	92.8	0.94	90.9	94.6	8,555	89.9	0.98	88.0	91.9
1990	10,219	94.2	0.94	92.4	96.1	8,774	91.3	0.98	89.3	93.2
1991	9,991	91.0	0.92	89.2	92.8	8,574	88.3	0.96	86.4	90.2
1992	10,181	91.4	0.91	89.6	93.2	8,784	89.4	0.96	87.6	91.3
1993	10,292	91.3	0.90	89.5	93.1	8,792	88.6	0.95	86.8	90.5
1994	10,934	96.2	0.92	94.4	98.0	9,333	93.4	0.97	91.5	95.3
1995	10,929	95.4	0.91	93.6	97.2	9,136	91.1	0.96	89.2	93.0
1996	11,098	96.2	0.92	94.4	98.0	9,302	92.3	0.96	90.4	94.2
1997	11,175	96.0	0.91	94.2	97.8	9,406	92.7	0.96	90.8	94.6
1998	11,821	100.3	0.92	98.5	102.2	9,886	96.6	0.97	94.7	98.5
1999	11,572	97.3	0.90	95.6	99.1	9,726	94.4	0.96	92.6	96.3
2000	11,562	96.6	0.90	94.9	98.4	9,604	92.9	0.95	91.1	94.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	20,834	115.6	0.82	114.0	117.2	2,546	85.5	1.91	81.8	89.3
1986	1,226	114.4	3.39	107.8	121.3	117	89.7	9.68	71.8	112.4
1987	1,256	115.6	3.38	109.1	122.5	121	97.1	10.24	78.1	120.7
1988	1,304	119.9	3.43	113.3	126.9	132	102.9	10.21	83.8	126.1
1989	1,249	111.9	3.26	105.6	118.6	120	82.3	8.59	66.3	102.2
1990	1,298	115.4	3.30	109.0	122.1	112	76.0	8.19	60.8	95.1
1991	1,213	105.5	3.12	99.5	111.9	130	76.4	7.60	62.3	94.0
1992	1,228	102.4	3.00	96.6	108.5	142	78.7	7.50	64.7	95.8
1993	1,312	110.5	3.13	104.4	116.8	165	84.0	7.44	70.1	100.8
1994	1,418	117.2	3.19	111.1	123.7	162	75.0	6.50	62.7	89.7
1995	1,559	125.2	3.25	118.9	131.8	210	91.3	6.97	78.1	106.7
1996	1,551	123.2	3.20	117.0	129.6	202	88.9	7.04	75.6	104.4
1997	1,531	119.6	3.13	113.5	125.9	186	73.3	6.00	62.0	86.7
1998	1,635	125.9	3.18	119.7	132.3	229	87.6	6.37	75.6	101.5
1999	1,513	112.4	2.95	106.7	118.4	256	92.4	6.53	80.1	106.6
2000	1,541	112.3	2.91	106.6	118.2	262	89.3	6.09	77.7	102.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	3,590	74.9	1.43	72.1	77.8	126,140	95.6	0.27	95.1	96.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	194	59.7	4.82	50.6	70.4	9,762	93.6	0.96	91.7	95.5
1990	227	67.1	5.06	57.5	78.2	9,992	94.9	0.96	93.0	96.7
1991	198	57.3	4.67	48.5	67.6	9,793	91.9	0.94	90.1	93.8
1992	228	64.8	4.90	55.5	75.5	9,953	92.2	0.93	90.4	94.0
1993	296	81.9	5.41	71.7	93.6	9,996	91.6	0.92	89.8	93.4
1994	302	78.6	5.19	68.8	89.8	10,632	96.7	0.94	94.8	98.5
1995	313	78.3	5.10	68.6	89.2	10,616	96.0	0.93	94.2	97.8
1996	334	83.5	5.25	73.6	94.7	10,764	96.7	0.94	94.9	98.6
1997	328	75.6	4.74	66.6	85.7	10,847	96.8	0.93	94.9	98.6
1998	379	83.4	4.96	74.0	94.0	11,442	101.1	0.95	99.2	102.9
1999	395	77.9	4.59	69.2	87.7	11,177	98.0	0.93	96.2	99.9
2000	396	78.7	4.60	69.9	88.5	11,166	97.5	0.92	95.7	99.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	91,285	54.4	0.18	54.0	54.7	76,233	51.5	0.19	51.1	51.9
1986	6,022	57.7	0.75	56.2	59.2	5,113	54.9	0.78	53.3	56.4
1987	6,144	58.5	0.76	57.0	60.0	5,221	55.8	0.78	54.3	57.4
1988	6,026	56.8	0.74	55.4	58.3	5,037	53.4	0.76	51.9	54.9
1989	5,959	55.8	0.73	54.4	57.3	4,997	52.7	0.75	51.2	54.2
1990	6,179	57.3	0.73	55.9	58.8	5,158	53.8	0.76	52.4	55.3
1991	6,059	55.5	0.72	54.1	56.9	5,096	52.6	0.74	51.1	54.0
1992	6,049	54.5	0.70	53.2	55.9	5,078	51.8	0.73	50.4	53.2
1993	6,114	54.5	0.70	53.1	55.9	5,059	51.1	0.72	49.6	52.5
1994	6,165	54.4	0.69	53.0	55.8	5,168	51.7	0.72	50.3	53.1
1995	6,111	53.3	0.68	52.0	54.6	5,140	51.0	0.71	49.6	52.4
1996	5,981	51.9	0.67	50.6	53.2	4,913	48.6	0.69	47.2	50.0
1997	5,995	51.5	0.67	50.2	52.8	4,955	48.6	0.69	47.2	50.0
1998	6,115	51.9	0.66	50.6	53.2	5,068	49.3	0.69	48.0	50.7
1999	6,108	51.3	0.66	50.0	52.6	5,073	48.9	0.69	47.6	50.3
2000	6,258	52.2	0.66	51.0	53.6	5,157	49.5	0.69	48.2	50.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,951	79.3	0.69	78.0	80.7	1,101	40.6	1.38	38.0	43.5
1986	863	84.6	3.00	78.8	90.7	46	33.6	5.66	23.5	48.6
1987	887	84.1	2.92	78.4	90.1	36	27.3	5.26	18.0	41.4
1988	942	86.3	2.91	80.7	92.2	47	34.8	5.90	24.2	49.9
1989	899	83.5	2.88	78.0	89.4	63	48.2	7.05	35.3	65.2
1990	960	87.3	2.91	81.7	93.3	61	44.7	6.76	32.4	61.2
1991	904	81.3	2.78	75.9	87.0	59	44.0	6.48	32.3	59.7
1992	897	77.9	2.68	72.7	83.4	74	43.3	5.69	32.9	57.0
1993	987	85.1	2.78	79.7	90.8	68	41.0	5.56	30.8	54.2
1994	911	75.9	2.58	70.9	81.2	86	46.2	5.63	35.8	59.4
1995	887	73.6	2.53	68.7	78.7	84	45.9	5.54	35.7	58.7
1996	987	79.7	2.60	74.7	85.0	81	38.6	4.79	29.8	49.8
1997	945	75.4	2.51	70.5	80.4	95	42.0	4.82	33.1	53.1
1998	969	74.9	2.46	70.2	79.9	78	31.9	4.06	24.5	41.5
1999	927	71.8	2.41	67.2	76.7	108	41.2	4.39	33.1	51.3
2000	986	74.0	2.40	69.3	78.8	115	42.4	4.36	34.3	52.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,979	37.7	0.97	35.8	39.7	89,916	55.3	0.18	54.9	55.6
1986	79	32.8	4.27	24.9	42.8	6,061	59.5	0.77	58.0	61.0
1987	97	39.6	4.64	31.0	50.2	6,157	60.1	0.77	58.6	61.6
1988	109	37.4	3.95	30.1	46.5	5,952	57.6	0.75	56.1	59.1
1989	100	34.6	3.89	27.4	43.6	5,901	56.8	0.75	55.4	58.3
1990	109	34.1	3.72	27.2	42.6	6,094	58.1	0.75	56.6	59.6
1991	110	35.1	3.80	28.0	43.7	5,960	56.2	0.73	54.8	57.7
1992	127	40.8	4.10	33.2	50.1	5,965	55.4	0.72	54.0	56.8
1993	160	47.1	4.25	39.2	56.6	6,005	55.1	0.71	53.8	56.6
1994	137	39.1	3.77	32.0	47.5	6,024	54.9	0.71	53.5	56.3
1995	127	32.8	3.37	26.6	40.4	6,032	54.3	0.70	53.0	55.7
1996	151	38.6	3.58	31.9	46.5	5,881	52.8	0.69	51.4	54.2
1997	165	39.1	3.47	32.6	46.8	5,857	52.1	0.68	50.8	53.5
1998	156	35.5	3.24	29.4	42.7	6,032	53.2	0.68	51.8	54.5
1999	173	38.6	3.38	32.3	46.1	5,926	51.7	0.67	50.4	53.1
2000	179	38.7	3.34	32.5	46.1	6,069	52.7	0.68	51.4	54.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	82,377	119.1	0.43	118.3	120.0	69,848	115.3	0.45	114.4	116.2
1986	5,066	118.2	1.74	114.9	121.7	4,367	115.1	1.82	111.6	118.8
1987	5,205	120.8	1.74	117.4	124.3	4,452	116.7	1.82	113.1	120.3
1988	5,220	120.3	1.73	117.0	123.8	4,459	116.1	1.81	112.6	119.8
1989	5,089	116.0	1.69	112.8	119.4	4,367	112.6	1.76	109.2	116.1
1990	5,227	118.0	1.69	114.7	121.3	4,470	114.1	1.76	110.7	117.6
1991	5,166	115.1	1.66	111.9	118.4	4,441	112.4	1.74	109.0	115.9
1992	5,331	117.2	1.65	114.0	120.5	4,595	114.7	1.74	111.3	118.2
1993	5,257	113.7	1.61	110.5	116.9	4,465	109.9	1.68	106.6	113.3
1994	5,536	119.0	1.64	115.8	122.3	4,719	115.7	1.72	112.3	119.1
1995	5,670	120.6	1.64	117.4	123.9	4,708	114.7	1.70	111.4	118.2
1996	5,694	119.9	1.62	116.7	123.1	4,747	114.8	1.69	111.5	118.2
1997	5,745	119.7	1.61	116.5	122.9	4,844	116.0	1.69	112.7	119.4
1998	6,063	124.7	1.63	121.5	127.9	5,085	120.3	1.71	117.0	123.8
1999	6,074	122.8	1.60	119.7	126.0	5,107	119.2	1.69	115.9	122.6
2000	6,034	120.7	1.57	117.6	123.8	5,022	116.3	1.66	113.1	119.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,703	145.8	1.50	142.9	148.8	1,456	110.0	3.39	103.5	117.0
1986	621	137.6	5.92	126.2	150.0	68	106.0	15.34	78.1	145.6
1987	672	150.9	6.22	138.9	163.8	75	135.2	18.88	100.8	181.3
1988	668	150.8	6.24	138.8	163.8	75	127.9	17.04	96.7	169.6
1989	642	142.2	6.01	130.6	154.7	60	96.5	14.39	70.4	132.7
1990	665	145.8	6.04	134.3	158.4	74	115.2	15.72	86.5	153.9
1991	618	130.3	5.58	119.6	142.0	70	94.2	12.88	70.7	126.5
1992	636	134.4	5.71	123.4	146.3	82	100.6	13.04	76.7	132.5
1993	685	141.8	5.78	130.7	153.9	95	111.4	13.62	86.4	144.0
1994	727	150.4	5.95	139.0	162.7	78	75.1	9.49	57.6	99.3
1995	827	165.8	6.16	153.9	178.5	120	119.1	12.31	96.2	148.3
1996	797	152.7	5.73	141.6	164.5	125	125.5	13.40	100.6	156.7
1997	765	144.5	5.54	133.9	156.0	110	105.4	11.79	83.6	133.2
1998	825	156.9	5.80	145.8	168.9	121	105.5	10.86	85.3	131.1
1999	770	142.3	5.41	131.9	153.4	153	124.6	12.55	101.3	153.4
2000	785	140.8	5.30	130.6	151.7	150	110.8	10.45	91.3	134.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,994	88.7	2.43	84.0	93.7	64,892	120.1	0.48	119.2	121.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	102	74.0	8.78	57.8	94.7	4,987	117.3	1.72	114.0	120.7
1990	126	83.0	8.99	66.3	104.1	5,101	118.9	1.72	115.6	122.4
1991	124	73.1	7.92	58.4	91.8	5,042	116.3	1.69	113.0	119.7
1992	130	80.0	8.68	63.9	100.1	5,201	118.3	1.69	115.0	121.7
1993	159	90.0	8.88	73.4	110.4	5,098	114.3	1.64	111.1	117.6
1994	163	87.1	8.31	71.5	106.2	5,373	120.0	1.68	116.7	123.3
1995	166	88.5	8.61	72.5	108.1	5,504	121.8	1.68	118.6	125.2
1996	190	101.2	9.02	84.3	121.5	5,504	120.8	1.66	117.5	124.1
1997	190	87.3	7.45	73.3	104.3	5,555	120.8	1.65	117.6	124.1
1998	208	105.6	8.99	88.7	125.6	5,855	125.8	1.67	122.5	129.1
1999	234	99.7	8.23	84.3	118.1	5,840	123.8	1.64	120.6	127.0
2000	202	82.4	7.04	69.2	98.3	5,832	122.5	1.62	119.3	125.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	47,968	71.1	0.33	70.5	71.8	39,842	67.4	0.35	66.7	68.1
1986	3,177	75.8	1.41	73.1	78.6	2,685	72.3	1.46	69.5	75.2
1987	3,169	75.5	1.40	72.7	78.3	2,654	71.6	1.45	68.8	74.5
1988	3,208	75.8	1.40	73.1	78.6	2,645	71.1	1.44	68.3	74.0
1989	3,155	74.8	1.39	72.1	77.6	2,638	70.8	1.43	68.0	73.7
1990	3,202	74.2	1.36	71.6	77.0	2,660	69.9	1.40	67.2	72.7
1991	3,225	73.8	1.35	71.2	76.5	2,707	70.2	1.40	67.5	73.0
1992	3,204	72.2	1.32	69.6	74.8	2,662	68.1	1.36	65.4	70.8
1993	3,148	70.2	1.29	67.7	72.8	2,591	65.6	1.32	63.1	68.3
1994	3,235	71.2	1.29	68.7	73.8	2,697	67.6	1.34	65.0	70.3
1995	3,227	70.3	1.27	67.8	72.8	2,689	66.8	1.32	64.2	69.4
1996	3,159	68.4	1.25	66.0	70.9	2,595	64.5	1.29	62.0	67.1
1997	3,180	67.8	1.23	65.4	70.3	2,605	63.9	1.27	61.4	66.4
1998	3,235	67.4	1.21	65.1	69.9	2,682	64.4	1.26	62.0	66.9
1999	3,191	66.2	1.19	63.9	68.6	2,660	63.4	1.24	61.0	65.9
2000	3,253	66.6	1.19	64.3	69.0	2,672	63.2	1.24	60.8	65.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,477	105.0	1.30	102.4	107.6	649	53.5	2.46	48.8	58.7
1986	465	109.3	5.48	98.8	120.8	27	38.6	8.31	24.1	65.7
1987	491	112.0	5.39	101.6	123.3	24	33.2	7.65	19.9	58.4
1988	530	117.6	5.47	107.2	129.1	33	54.3	11.15	34.7	85.2
1989	482	111.2	5.46	100.7	122.6	35	44.7	8.55	29.6	69.9
1990	496	109.6	5.27	99.6	120.7	46	77.1	13.90	52.3	112.7
1991	481	105.6	5.15	95.7	116.4	37	62.9	11.82	41.9	93.6
1992	496	110.7	5.34	100.4	121.9	46	60.2	10.12	42.0	86.7
1993	516	111.7	5.28	101.6	122.8	41	62.6	11.16	42.7	90.8
1994	491	102.8	4.96	93.3	113.1	47	53.7	9.15	37.2	77.6
1995	490	102.9	4.98	93.4	113.3	48	59.5	9.94	41.6	84.6
1996	520	103.2	4.85	93.9	113.3	44	45.0	8.05	30.6	66.1
1997	509	98.7	4.63	89.8	108.4	66	67.7	9.81	49.9	91.8
1998	516	97.7	4.55	89.0	107.3	37	32.9	6.10	22.0	49.6
1999	476	92.9	4.52	84.3	102.4	55	55.9	8.77	40.1	77.6
2000	518	96.4	4.48	87.9	105.8	63	52.1	7.71	38.1	71.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,164	48.4	1.72	45.0	51.9	47,066	72.3	0.34	71.6	73.0
1986	41	38.9	7.47	25.7	58.0	3,187	78.0	1.45	75.2	81.0
1987	61	51.8	8.21	37.0	72.0	3,159	77.3	1.43	74.5	80.2
1988	65	48.4	7.04	35.6	65.9	3,157	76.8	1.43	74.1	79.7
1989	59	49.4	7.55	35.8	67.9	3,113	76.1	1.42	73.3	79.0
1990	60	47.6	7.65	33.8	66.3	3,149	75.3	1.39	72.6	78.0
1991	77	51.5	7.07	38.6	68.7	3,165	74.9	1.38	72.2	77.6
1992	67	46.8	6.93	34.2	63.6	3,153	73.3	1.35	70.7	76.0
1993	100	59.1	7.22	45.8	76.3	3,061	70.7	1.31	68.2	73.3
1994	77	48.8	6.75	36.4	65.0	3,150	71.8	1.31	69.3	74.5
1995	76	39.4	5.69	29.1	53.5	3,174	71.8	1.31	69.2	74.4
1996	84	49.5	6.67	37.3	65.3	3,104	69.9	1.28	67.4	72.4
1997	100	49.4	5.89	38.5	63.5	3,086	68.4	1.25	66.0	71.0
1998	94	47.0	5.79	36.4	60.8	3,175	69.1	1.24	66.7	71.6
1999	106	49.6	5.89	38.7	63.5	3,082	66.8	1.22	64.4	69.2
2000	97	46.3	5.76	35.7	59.8	3,151	67.6	1.22	65.2	70.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	77,566	77.9	0.28	77.4	78.5	66,001	75.2	0.30	74.7	75.8
1986	4,830	77.8	1.14	75.6	80.1	4,160	74.8	1.18	72.5	77.2
1987	4,954	78.9	1.13	76.7	81.1	4,312	76.9	1.19	74.6	79.3
1988	4,938	77.7	1.12	75.5	79.9	4,227	74.5	1.16	72.2	76.8
1989	4,867	76.8	1.11	74.6	79.0	4,188	74.2	1.16	71.9	76.5
1990	4,992	77.9	1.12	75.7	80.1	4,304	75.6	1.17	73.3	77.9
1991	4,825	74.2	1.08	72.1	76.4	4,133	71.7	1.13	69.5	73.9
1992	4,850	73.5	1.07	71.5	75.7	4,189	71.7	1.12	69.5	73.9
1993	5,035	75.4	1.07	73.4	77.6	4,327	73.5	1.13	71.3	75.8
1994	5,398	79.9	1.10	77.7	82.1	4,614	77.4	1.16	75.1	79.7
1995	5,259	77.7	1.08	75.6	79.9	4,428	74.5	1.14	72.3	76.8
1996	5,404	79.0	1.08	76.9	81.1	4,555	76.0	1.14	73.8	78.3
1997	5,430	78.9	1.08	76.8	81.1	4,562	76.0	1.14	73.8	78.2
1998	5,758	83.1	1.10	80.9	85.3	4,801	79.7	1.16	77.4	82.0
1999	5,498	78.7	1.07	76.6	80.8	4,619	76.1	1.14	73.9	78.3
2000	5,528	78.9	1.07	76.8	81.0	4,582	75.5	1.13	73.3	77.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,131	95.2	0.96	93.3	97.1	1,090	66.8	2.22	62.5	71.4
1986	605	97.7	4.06	89.9	106.1	49	74.9	12.23	52.9	105.4
1987	584	91.7	3.87	84.3	99.7	46	67.6	11.24	47.4	95.8
1988	636	99.2	4.01	91.5	107.4	57	83.5	12.49	60.8	113.8
1989	607	92.3	3.81	85.0	100.1	60	72.4	10.62	53.1	98.6
1990	633	95.0	3.84	87.6	102.9	38	46.1	8.32	31.2	67.9
1991	595	88.1	3.67	81.1	95.6	60	63.1	9.21	46.4	85.9
1992	592	82.8	3.45	76.1	89.8	60	61.3	8.81	45.3	82.9
1993	627	89.1	3.60	82.2	96.5	70	63.2	8.34	47.9	83.3
1994	691	95.9	3.69	88.8	103.4	84	73.3	8.70	57.3	93.8
1995	732	98.9	3.70	91.8	106.5	90	70.4	8.08	55.5	89.3
1996	754	101.7	3.74	94.5	109.4	77	62.3	7.71	48.1	80.2
1997	766	101.4	3.70	94.3	108.9	76	51.1	6.36	39.4	66.2
1998	810	105.0	3.72	97.8	112.6	108	73.9	7.66	59.6	91.3
1999	743	92.8	3.43	86.2	99.8	103	69.7	7.34	56.0	86.3
2000	756	93.0	3.41	86.5	100.0	112	71.5	7.23	58.0	87.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,596	63.7	1.75	60.3	67.2	61,248	78.3	0.32	77.7	78.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	92	50.6	5.69	40.0	63.8	4,775	77.2	1.13	75.0	79.5
1990	101	55.3	5.99	44.2	69.0	4,891	78.3	1.14	76.1	80.6
1991	74	43.0	5.50	32.9	55.9	4,751	75.1	1.10	73.0	77.3
1992	98	52.6	5.79	41.9	65.8	4,752	74.1	1.09	72.0	76.3
1993	137	74.6	6.84	61.8	89.7	4,898	75.6	1.09	73.4	77.7
1994	139	70.8	6.56	58.5	85.3	5,259	80.1	1.12	77.9	82.3
1995	147	70.5	6.36	58.6	84.6	5,112	78.0	1.10	75.9	80.2
1996	144	69.1	6.32	57.3	83.1	5,260	79.4	1.11	77.2	81.6
1997	138	63.6	5.94	52.5	76.8	5,292	79.6	1.11	77.5	81.8
1998	171	67.7	5.75	56.9	80.3	5,587	83.5	1.13	81.3	85.7
1999	161	60.6	5.33	50.6	72.4	5,337	79.3	1.10	77.2	81.5
2000	194	74.9	6.03	63.5	88.0	5,334	79.1	1.10	77.0	81.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Digestive System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	43,317	42.8	0.21	42.4	43.2	36,391	40.6	0.22	40.2	41.0
1986	2,845	45.6	0.87	44.0	47.4	2,428	43.3	0.89	41.6	45.1
1987	2,975	47.1	0.87	45.4	48.9	2,567	45.4	0.91	43.6	47.2
1988	2,818	44.2	0.84	42.5	45.8	2,392	41.8	0.87	40.1	43.6
1989	2,804	43.5	0.83	41.8	45.1	2,359	40.9	0.85	39.2	42.6
1990	2,977	45.7	0.85	44.1	47.4	2,498	42.9	0.87	41.2	44.7
1991	2,834	42.9	0.81	41.4	44.6	2,389	40.4	0.84	38.8	42.1
1992	2,845	42.4	0.80	40.9	44.0	2,416	40.4	0.83	38.8	42.1
1993	2,966	43.8	0.81	42.3	45.5	2,468	41.2	0.84	39.6	42.9
1994	2,930	42.8	0.80	41.2	44.4	2,471	40.6	0.83	39.0	42.2
1995	2,884	41.6	0.78	40.1	43.2	2,451	40.0	0.82	38.4	41.6
1996	2,822	40.6	0.77	39.1	42.2	2,318	37.8	0.80	36.3	39.4
1997	2,815	40.1	0.76	38.6	41.6	2,350	38.1	0.80	36.5	39.7
1998	2,880	40.7	0.77	39.3	42.3	2,386	38.5	0.80	37.0	40.1
1999	2,917	40.8	0.76	39.3	42.3	2,413	38.5	0.79	36.9	40.1
2000	3,005	41.8	0.77	40.3	43.3	2,485	39.5	0.80	37.9	41.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,474	62.2	0.78	60.6	63.7	452	30.8	1.59	27.8	34.2
1986	398	67.6	3.46	60.9	74.8	19	28.8	7.47	16.0	50.6
1987	396	64.5	3.31	58.2	71.4	12	21.6	6.94	10.2	42.3
1988	412	64.7	3.25	58.5	71.5	14	19.9	6.16	9.8	38.7
1989	417	65.3	3.26	59.1	72.1	28	49.1	10.29	31.0	75.2
1990	464	71.6	3.38	65.1	78.6	15	20.2	6.03	10.2	38.2
1991	423	64.6	3.18	58.5	71.2	22	30.1	7.23	17.6	49.6
1992	401	57.8	2.93	52.2	63.8	28	30.5	6.49	19.1	47.8
1993	471	67.8	3.16	61.7	74.3	27	26.0	5.50	16.4	40.9
1994	420	58.7	2.90	53.2	64.7	39	39.9	7.04	27.4	57.4
1995	397	55.1	2.79	49.8	60.9	36	35.8	6.43	24.4	51.7
1996	467	63.7	2.98	58.0	69.9	37	33.3	5.88	22.8	47.7
1997	436	58.6	2.83	53.2	64.4	29	23.6	4.75	15.2	35.8
1998	453	58.9	2.79	53.6	64.7	41	30.5	5.24	21.1	43.3
1999	451	58.1	2.75	52.8	63.7	53	32.7	4.79	24.0	44.3
2000	468	58.8	2.74	53.6	64.5	52	35.2	5.19	25.8	47.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	815	29.4	1.12	27.3	31.7	42,850	43.6	0.21	43.1	44.0
1986	38	28.7	5.15	19.5	41.5	2,874	47.0	0.89	45.3	48.8
1987	36	29.6	5.39	20.0	42.8	2,998	48.5	0.90	46.8	50.3
1988	44	28.7	4.58	20.4	40.0	2,795	44.8	0.86	43.1	46.5
1989	41	24.5	4.17	17.0	34.9	2,788	44.2	0.85	42.6	45.9
1990	49	26.2	3.96	19.0	36.0	2,945	46.4	0.86	44.7	48.1
1991	33	21.5	4.07	14.3	31.6	2,795	43.4	0.83	41.8	45.0
1992	60	36.2	5.07	26.9	48.1	2,812	43.0	0.82	41.4	44.7
1993	60	36.2	5.07	27.0	48.0	2,944	44.7	0.83	43.1	46.4
1994	60	32.0	4.46	23.9	42.5	2,874	43.1	0.81	41.5	44.8
1995	51	26.9	4.10	19.5	36.6	2,858	42.4	0.80	40.9	44.0
1996	67	31.2	4.13	23.6	40.8	2,777	41.2	0.79	39.6	42.7
1997	65	30.1	4.12	22.5	39.7	2,771	40.7	0.78	39.2	42.2
1998	62	26.2	3.68	19.5	35.0	2,857	41.8	0.79	40.2	43.4
1999	67	29.4	3.97	22.1	38.6	2,844	41.1	0.78	39.6	42.7
2000	82	33.1	4.05	25.6	42.4	2,918	42.0	0.79	40.4	43.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Esophagus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,761	5.2	0.06	5.1	5.3	6,529	4.4	0.06	4.3	4.5
1986	546	5.2	0.23	4.8	5.7	363	3.9	0.21	3.5	4.3
1987	519	4.9	0.22	4.4	5.3	359	3.8	0.20	3.4	4.2
1988	500	4.7	0.21	4.3	5.1	354	3.7	0.20	3.3	4.1
1989	541	5.0	0.22	4.6	5.5	395	4.1	0.21	3.7	4.6
1990	515	4.7	0.21	4.3	5.2	360	3.7	0.20	3.4	4.1
1991	538	4.9	0.21	4.5	5.3	394	4.1	0.21	3.7	4.5
1992	577	5.2	0.22	4.8	5.6	436	4.5	0.22	4.0	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	608	5.4	0.22	4.9	5.8	466	4.7	0.22	4.3	5.1
1995	652	5.7	0.22	5.3	6.2	490	4.9	0.22	4.5	5.4
1996	638	5.6	0.22	5.1	6.0	468	4.7	0.22	4.3	5.2
1997	552	4.8	0.20	4.4	5.2	413	4.1	0.20	3.7	4.5
1998	667	5.7	0.22	5.3	6.1	533	5.3	0.23	4.8	5.7
1999	661	5.6	0.22	5.2	6.0	532	5.2	0.23	4.8	5.7
2000	695	5.8	0.22	5.4	6.3	550	5.4	0.23	4.9	5.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,114	11.0	0.24	10.5	11.4	95	3.2	0.36	2.5	4.0
1986	177	15.3	1.18	13.1	17.9	6	5.1	2.20	1.8	14.5
1987	157	13.6	1.11	11.5	16.0	2	2.0	1.55	0.2	10.4
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	8.9
1989	141	11.8	1.02	9.9	14.1	3	1.9	1.14	0.4	9.0
1990	149	12.2	1.02	10.3	14.5	4	2.9	1.58	0.7	10.5
1991	136	10.8	0.94	9.0	12.9	5	3.0	1.48	0.8	9.8
1992	134	10.8	0.95	9.0	12.9	7	3.7	1.46	1.4	10.0
1993	128	9.8	0.88	8.2	11.8	8	3.5	1.30	1.4	9.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.96	0.8	7.2
1995	153	11.5	0.95	9.8	13.6	9	4.7	1.75	2.0	10.6
1996	157	11.6	0.94	9.8	13.6	8	3.6	1.31	1.5	8.4
1997	133	9.7	0.85	8.1	11.6	5	1.9	0.90	0.6	6.0
1998	124	9.0	0.82	7.5	10.8	10	3.5	1.16	1.6	7.7
1999	119	8.6	0.81	7.1	10.4	8	3.8	1.50	1.5	8.6
2000	129	9.0	0.80	7.5	10.8	11	3.2	1.10	1.4	7.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	160	3.4	0.30	2.8	4.1	7,036	5.4	0.06	5.2	5.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	1.5	0.71	0.4	4.7	536	5.2	0.23	4.7	5.6
1990	11	2.9	0.97	1.4	6.4	504	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	6.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	4.9	571	5.3	0.22	4.9	5.8
1993	14	3.7	1.17	1.8	7.4	538	4.9	0.21	4.5	5.4
1994	16	4.7	1.29	2.6	8.5	592	5.4	0.22	5.0	5.9
1995	12	3.0	0.95	1.5	6.1	640	5.8	0.23	5.4	6.3
1996	25	6.5	1.46	3.9	10.4	613	5.6	0.22	5.1	6.0
1997	14	2.6	0.79	1.3	5.2	538	4.8	0.21	4.4	5.3
1998	18	3.9	1.08	2.1	7.1	649	5.8	0.23	5.4	6.3
1999	17	4.3	1.20	2.3	7.7	644	5.7	0.22	5.3	6.1
2000	11	2.2	0.74	1.0	4.6	684	6.0	0.23	5.6	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Esophagus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,913	4.7	0.05	4.6	4.8	6,029	4.1	0.05	4.0	4.2
1986	479	4.4	0.21	4.0	4.8	330	3.4	0.19	3.0	3.8
1987	510	4.8	0.22	4.4	5.2	378	4.0	0.21	3.6	4.4
1988	483	4.5	0.21	4.1	4.9	341	3.5	0.19	3.2	4.0
1989	493	4.6	0.21	4.2	5.1	367	3.9	0.21	3.5	4.3
1990	479	4.4	0.20	4.0	4.8	340	3.5	0.19	3.2	3.9
1991	527	4.8	0.21	4.4	5.2	384	3.9	0.20	3.6	4.4
1992	535	4.8	0.21	4.4	5.2	419	4.3	0.21	3.8	4.7
1993	510	4.5	0.20	4.1	4.9	383	3.8	0.20	3.5	4.2
1994	552	4.9	0.21	4.5	5.3	417	4.2	0.21	3.8	4.6
1995	557	4.9	0.21	4.5	5.3	433	4.3	0.21	3.9	4.8
1996	554	4.8	0.20	4.4	5.2	432	4.3	0.21	3.9	4.8
1997	551	4.8	0.20	4.4	5.2	435	4.3	0.21	3.9	4.8
1998	576	4.9	0.20	4.5	5.3	475	4.7	0.22	4.3	5.1
1999	515	4.3	0.19	4.0	4.7	416	4.1	0.20	3.7	4.5
2000	592	5.0	0.20	4.6	5.4	479	4.7	0.21	4.2	5.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,837	9.6	0.23	9.2	10.1	47	1.8	0.29	1.3	2.5
1986	149	12.9	1.08	10.9	15.3	0	0.0	~	0.0	8.1
1987	131	11.6	1.04	9.6	13.9	1	2.1	2.06	0.0	11.5
1988	141	11.9	1.02	10.0	14.1	1	0.5	0.50	0.0	7.6
1989	125	10.6	0.97	8.8	12.7	1	0.5	0.50	0.0	7.2
1990	134	11.3	1.00	9.4	13.5	5	4.2	2.20	1.1	12.8
1991	139	11.3	0.98	9.5	13.5	4	2.1	1.08	0.5	8.4
1992	110	8.8	0.85	7.2	10.7	6	4.5	1.88	1.6	11.5
1993	124	9.9	0.91	8.2	11.9	3	2.1	1.45	0.3	8.2
1994	132	10.2	0.91	8.5	12.2	3	1.1	0.67	0.2	5.8
1995	119	9.1	0.85	7.5	11.0	5	2.2	1.05	0.7	7.0
1996	116	8.5	0.81	7.0	10.3	6	2.7	1.18	0.9	7.4
1997	110	8.1	0.79	6.7	9.9	6	2.6	1.09	0.9	6.9
1998	101	7.2	0.72	5.8	8.8	0	0.0	~	0.0	3.3
1999	95	6.8	0.71	5.5	8.4	4	1.9	1.07	0.4	6.0
2000	111	7.8	0.75	6.4	9.5	2	0.6	0.45	0.1	3.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	142	2.5	0.24	2.1	3.1	7,819	4.8	0.05	4.7	4.9
1986	7	3.8	1.66	1.2	9.0	479	4.6	0.21	4.2	5.0
1987	7	1.8	0.68	0.7	5.2	506	4.9	0.22	4.5	5.4
1988	7	1.9	0.76	0.7	5.3	474	4.6	0.21	4.2	5.0
1989	6	2.1	0.90	0.7	5.5	490	4.8	0.22	4.3	5.2
1990	5	1.1	0.48	0.4	3.9	482	4.6	0.21	4.2	5.0
1991	10	2.6	0.88	1.2	5.8	528	5.0	0.22	4.5	5.4
1992	11	2.8	0.98	1.3	6.2	526	4.9	0.21	4.5	5.3
1993	9	2.5	0.92	1.0	5.7	507	4.6	0.21	4.2	5.0
1994	10	3.3	1.16	1.4	6.9	546	5.0	0.21	4.6	5.4
1995	11	1.9	0.59	0.9	4.4	553	5.0	0.21	4.6	5.5
1996	15	3.1	0.87	1.7	6.0	545	4.9	0.21	4.5	5.4
1997	16	3.8	1.07	2.0	7.0	536	4.8	0.21	4.4	5.2
1998	8	2.1	0.80	0.8	4.8	562	5.0	0.21	4.6	5.4
1999	11	2.8	0.95	1.2	5.7	503	4.4	0.20	4.1	4.8
2000	9	2.0	0.80	0.8	4.6	582	5.1	0.21	4.7	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Esophagus, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,529	9.0	0.11	8.8	9.3	4,935	7.9	0.11	7.6	8.1
1986	400	8.8	0.46	7.9	9.8	271	6.8	0.43	6.0	7.7
1987	382	8.3	0.44	7.5	9.3	265	6.5	0.42	5.8	7.4
1988	365	8.0	0.43	7.2	9.0	260	6.6	0.42	5.8	7.5
1989	395	8.6	0.44	7.7	9.5	287	7.1	0.43	6.3	8.0
1990	355	7.5	0.41	6.8	8.4	246	6.0	0.39	5.2	6.8
1991	403	8.5	0.43	7.7	9.4	298	7.2	0.43	6.4	8.2
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	9.0
1993	392	8.0	0.41	7.2	8.9	299	7.0	0.41	6.2	7.9
1994	460	9.4	0.45	8.6	10.4	356	8.4	0.45	7.5	9.3
1995	502	10.2	0.46	9.3	11.2	382	9.0	0.46	8.1	9.9
1996	483	9.7	0.45	8.9	10.7	362	8.4	0.45	7.6	9.4
1997	404	8.1	0.41	7.3	8.9	313	7.3	0.41	6.5	8.1
1998	514	10.3	0.46	9.4	11.2	419	9.7	0.48	8.8	10.7
1999	522	10.3	0.45	9.4	11.2	424	9.7	0.47	8.8	10.6
2000	525	10.3	0.46	9.4	11.2	423	9.6	0.47	8.7	10.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,511	18.6	0.50	17.7	19.7	65	4.9	0.69	3.6	6.6
1986	123	24.6	2.31	20.3	29.9	6	11.7	5.08	3.9	34.6
1987	115	23.5	2.30	19.2	28.8	1	1.1	1.09	0.0	20.0
1988	102	19.9	2.01	16.1	24.6	1	1.2	1.16	0.0	18.9
1989	103	20.2	2.07	16.3	25.0	3	4.3	2.63	0.8	21.6
1990	103	20.0	2.03	16.2	24.7	4	6.9	3.72	1.6	25.5
1991	101	18.6	1.89	15.1	23.1	2	1.7	1.20	0.2	16.6
1992	93	17.9	1.94	14.3	22.5	4	5.3	2.79	1.3	20.1
1993	87	16.2	1.81	12.8	20.4	6	5.0	2.12	1.8	18.0
1994	100	18.8	1.94	15.1	23.3	4	3.3	1.68	0.9	15.7
1995	112	20.5	2.02	16.7	25.1	8	10.5	4.32	3.8	25.8
1996	115	20.1	1.95	16.5	24.6	4	4.9	2.55	1.2	17.1
1997	89	15.6	1.71	12.5	19.6	1	1.0	1.04	0.0	11.4
1998	86	15.4	1.75	12.1	19.5	9	7.4	2.66	3.1	18.5
1999	90	15.7	1.72	12.5	19.7	6	7.0	3.26	2.1	19.0
2000	92	16.0	1.75	12.7	20.0	6	2.8	1.12	1.0	11.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	127	5.8	0.61	4.7	7.2	5,255	9.4	0.13	9.1	9.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	3.3	1.67	0.9	11.6	390	8.8	0.46	7.9	9.7
1990	11	6.5	2.28	2.8	15.6	344	7.6	0.42	6.8	8.5
1991	10	5.3	1.86	2.3	13.3	393	8.6	0.44	7.8	9.6
1992	6	4.0	1.85	1.3	11.9	421	9.3	0.46	8.4	10.3
1993	7	3.6	1.69	1.1	11.2	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	19.0	448	9.6	0.46	8.7	10.5
1995	11	6.4	2.22	2.8	14.3	491	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	19.2	463	9.7	0.46	8.9	10.7
1997	12	4.9	1.76	2.1	11.7	392	8.2	0.42	7.4	9.1
1998	13	5.4	1.80	2.5	12.1	501	10.5	0.48	9.6	11.5
1999	12	6.6	2.23	2.9	13.8	510	10.5	0.47	9.6	11.5
2000	8	3.2	1.39	1.1	8.9	517	10.7	0.47	9.8	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Esophagus, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,942	8.3	0.11	8.1	8.5	4,587	7.4	0.11	7.2	7.6
1986	367	8.0	0.43	7.1	8.9	252	6.2	0.41	5.4	7.1
1987	379	8.4	0.44	7.5	9.3	286	7.1	0.43	6.3	8.0
1988	370	8.1	0.44	7.3	9.1	260	6.5	0.42	5.7	7.4
1989	359	8.0	0.43	7.1	8.9	275	7.0	0.43	6.1	7.9
1990	347	7.6	0.42	6.8	8.4	248	6.2	0.41	5.4	7.1
1991	394	8.5	0.44	7.6	9.4	290	7.2	0.43	6.3	8.1
1992	398	8.4	0.43	7.6	9.3	309	7.5	0.43	6.6	8.4
1993	384	8.0	0.42	7.2	8.8	294	7.0	0.41	6.2	7.9
1994	403	8.5	0.43	7.6	9.4	312	7.5	0.44	6.7	8.4
1995	421	8.6	0.43	7.8	9.5	332	7.8	0.43	7.0	8.7
1996	419	8.5	0.42	7.7	9.4	338	7.9	0.44	7.1	8.9
1997	414	8.4	0.42	7.6	9.3	333	7.8	0.43	7.0	8.7
1998	442	8.9	0.43	8.1	9.8	367	8.6	0.45	7.7	9.5
1999	404	8.0	0.40	7.2	8.9	338	7.8	0.42	6.9	8.6
2000	441	8.7	0.42	7.9	9.6	353	8.1	0.43	7.2	9.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,321	16.6	0.48	15.6	17.5	34	3.0	0.60	2.0	4.6
1986	115	23.6	2.30	19.3	28.9	0	0.0	~	0.0	20.2
1987	93	19.5	2.13	15.6	24.5	0	0.0	~	0.0	19.0
1988	109	21.3	2.10	17.4	26.2	1	1.0	0.99	0.0	18.6
1989	83	17.1	1.99	13.4	21.7	1	1.1	1.13	0.0	17.7
1990	94	18.4	1.98	14.8	23.1	5	10.1	5.38	2.5	31.4
1991	101	19.6	2.02	15.8	24.3	3	3.1	1.92	0.6	18.4
1992	85	16.7	1.90	13.2	21.2	4	6.9	3.49	1.8	22.7
1993	88	16.8	1.88	13.4	21.2	2	4.3	3.55	0.3	20.0
1994	88	16.8	1.89	13.4	21.2	3	2.5	1.52	0.5	14.9
1995	86	15.8	1.77	12.6	20.0	3	3.0	1.92	0.5	15.0
1996	79	13.6	1.60	10.7	17.4	2	2.2	1.71	0.2	13.7
1997	76	13.6	1.63	10.6	17.5	5	5.0	2.42	1.5	16.5
1998	75	12.8	1.53	10.0	16.5	0	0.0	~	0.0	9.6
1999	62	10.9	1.46	8.3	14.5	4	5.0	2.92	1.0	16.6
2000	87	15.2	1.73	12.0	19.2	1	0.9	0.93	0.0	9.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	114	4.2	0.47	3.4	5.4	5,867	8.5	0.11	8.3	8.8
1986	3	1.5	0.87	0.3	10.1	365	8.2	0.45	7.3	9.1
1987	7	3.5	1.35	1.4	11.9	371	8.5	0.45	7.6	9.4
1988	7	4.1	1.64	1.5	12.5	362	8.3	0.45	7.4	9.2
1989	6	4.8	2.15	1.5	13.7	356	8.2	0.45	7.3	9.1
1990	3	1.3	0.73	0.3	8.8	351	7.9	0.43	7.1	8.8
1991	9	5.1	1.99	2.0	13.4	392	8.8	0.45	7.9	9.7
1992	9	4.1	1.46	1.8	11.3	395	8.7	0.45	7.8	9.6
1993	8	5.4	2.22	1.9	13.8	377	8.2	0.43	7.3	9.0
1994	6	4.8	2.27	1.5	13.2	402	8.8	0.45	7.9	9.7
1995	6	2.0	0.86	0.7	8.1	419	8.9	0.44	8.1	9.8
1996	13	5.7	1.77	2.8	12.6	414	8.8	0.44	7.9	9.7
1997	13	7.7	2.56	3.5	15.9	406	8.6	0.43	7.8	9.5
1998	7	3.6	1.42	1.3	9.7	431	9.1	0.44	8.2	10.0
1999	8	3.5	1.38	1.3	9.3	395	8.2	0.42	7.4	9.1
2000	9	4.8	1.97	1.7	11.4	431	8.9	0.43	8.1	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Esophagus, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000										
1986	2,232	2.3	0.05	2.2	2.4	1,594	1.8	0.05	1.7	1.9
1987	146	2.5	0.21	2.1	2.9	92	1.7	0.18	1.3	2.1
1988	137	2.2	0.19	1.9	2.6	94	1.7	0.18	1.4	2.1
1989	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1990	146	2.3	0.19	1.9	2.7	108	1.8	0.18	1.5	2.2
1991	160	2.5	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1992	135	2.1	0.18	1.7	2.5	96	1.7	0.17	1.3	2.0
1993	150	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1994	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1995	148	2.3	0.19	1.9	2.7	110	1.9	0.18	1.5	2.3
1996	150	2.3	0.19	1.9	2.7	108	1.8	0.18	1.5	2.2
1997	155	2.3	0.19	2.0	2.7	106	1.8	0.18	1.5	2.2
1998	148	2.2	0.18	1.9	2.6	100	1.7	0.17	1.4	2.1
1999	153	2.3	0.18	1.9	2.7	114	1.9	0.18	1.6	2.3
2000	139	2.0	0.17	1.7	2.4	108	1.8	0.18	1.5	2.2
	170					2.5				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	603	5.5	0.22	5.0	5.9	30	1.9	0.37	1.2	2.8
1986	54	8.4	1.16	6.3	11.1	0	0.0	-	0.0	13.4
1987	42	6.4	1.00	4.5	8.7	1	2.5	2.46	0.1	16.6
1988	39	5.7	0.92	4.0	7.9	2	2.0	1.43	0.2	14.2
1989	38	5.7	0.94	4.0	7.9	0	0.0	-	0.0	11.4
1990	46	6.6	0.98	4.8	8.9	0	0.0	-	0.0	11.2
1991	35	4.9	0.84	3.4	7.0	3	3.8	2.35	0.7	15.2
1992	41	5.7	0.90	4.1	7.8	3	2.6	1.51	0.5	12.0
1993	41	5.4	0.85	3.9	7.4	2	2.1	1.52	0.2	10.8
1994	36	4.7	0.80	3.3	6.6	2	1.5	1.10	0.2	9.2
1995	41	5.4	0.85	3.9	7.4	1	0.8	0.81	0.0	7.5
1996	42	5.5	0.85	3.9	7.4	4	2.8	1.38	0.7	9.3
1997	44	5.5	0.84	4.0	7.5	4	2.7	1.39	0.7	9.1
1998	38	4.7	0.77	3.3	6.6	1	0.5	0.48	0.0	5.6
1999	29	3.7	0.68	2.4	5.3	2	1.7	1.33	0.1	7.5
2000	37	4.4	0.73	3.1	6.1	5	3.2	1.56	0.9	8.8
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	33	1.4	0.27	0.9	2.1	1,781	2.3	0.06	2.2	2.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	146	2.4	0.20	2.0	2.8
1990	0	0.0	-	0.0	4.2	160	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	5.2	134	2.1	0.19	1.8	2.5
1992	0	0.0	-	0.0	3.9	150	2.4	0.20	2.0	2.8
1993	7	3.7	1.56	1.3	9.0	153	2.4	0.20	2.1	2.9
1994	4	1.5	0.78	0.4	5.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	3.8	149	2.3	0.19	2.0	2.7
1996	5	3.1	1.43	0.9	7.8	150	2.3	0.19	2.0	2.7
1997	2	0.6	0.42	0.1	3.8	146	2.3	0.19	1.9	2.7
1998	5	2.4	1.23	0.6	6.7	148	2.3	0.19	1.9	2.7
1999	5	2.5	1.23	0.7	6.7	134	2.0	0.18	1.7	2.4
2000	3	1.3	0.78	0.2	4.7	167	2.5	0.20	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Esophagus, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,971	2.0	0.05	1.9	2.1	1,442	1.6	0.04	1.5	1.7
1986	112	1.8	0.18	1.5	2.2	78	1.4	0.16	1.1	1.8
1987	131	2.2	0.19	1.8	2.6	92	1.7	0.18	1.3	2.1
1988	113	1.8	0.17	1.4	2.1	81	1.4	0.15	1.1	1.7
1989	134	2.1	0.19	1.8	2.5	92	1.6	0.16	1.2	1.9
1990	132	2.1	0.18	1.7	2.5	92	1.6	0.17	1.3	2.0
1991	133	2.0	0.18	1.7	2.4	94	1.6	0.17	1.3	2.0
1992	137	2.1	0.18	1.7	2.5	110	1.8	0.18	1.5	2.2
1993	126	1.9	0.17	1.6	2.2	89	1.5	0.16	1.2	1.9
1994	149	2.3	0.19	1.9	2.7	105	1.8	0.17	1.4	2.2
1995	136	2.0	0.18	1.7	2.4	101	1.7	0.17	1.4	2.1
1996	135	2.0	0.17	1.7	2.4	94	1.5	0.16	1.2	1.9
1997	137	2.1	0.18	1.7	2.4	102	1.8	0.18	1.4	2.2
1998	134	1.9	0.17	1.6	2.3	108	1.8	0.17	1.4	2.2
1999	111	1.6	0.15	1.3	1.9	78	1.3	0.15	1.0	1.6
2000	151	2.1	0.18	1.8	2.5	126	2.0	0.18	1.7	2.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	516	4.7	0.21	4.3	5.1	13	0.9	0.26	0.4	1.7
1986	34	5.2	0.91	3.6	7.5	0	0.0	~	0.0	13.4
1987	38	5.9	0.98	4.2	8.2	1	3.4	3.42	0.1	19.1
1988	32	4.7	0.85	3.2	6.8	0	0.0	~	0.0	12.0
1989	42	6.1	0.96	4.4	8.4	0	0.0	~	0.0	11.4
1990	40	6.0	0.97	4.3	8.3	0	0.0	~	0.0	11.2
1991	38	5.4	0.89	3.8	7.5	1	1.1	1.14	0.0	11.3
1992	25	3.4	0.69	2.2	5.1	2	2.8	2.03	0.3	13.0
1993	36	5.0	0.84	3.5	7.0	1	0.7	0.72	0.0	8.8
1994	44	5.8	0.87	4.2	7.8	0	0.0	~	0.0	7.3
1995	33	4.4	0.77	3.0	6.2	2	1.6	1.15	0.2	8.5
1996	37	4.9	0.81	3.4	6.8	4	3.0	1.63	0.7	10.0
1997	34	4.3	0.75	3.0	6.1	1	0.8	0.76	0.0	6.6
1998	26	3.2	0.63	2.1	4.7	0	0.0	~	0.0	5.1
1999	33	4.1	0.71	2.8	5.8	0	0.0	~	0.0	4.7
2000	24	2.9	0.60	1.8	4.4	1	0.4	0.42	0.0	4.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	28	1.1	0.22	0.7	1.6	1,952	2.0	0.05	2.0	2.1
1986	4	5.0	2.62	1.2	13.5	114	1.9	0.18	1.6	2.3
1987	0	0.0	-	0.0	5.1	135	2.3	0.20	1.9	2.7
1988	0	0.0	-	0.0	4.7	112	1.8	0.17	1.5	2.2
1989	0	0.0	-	0.0	4.4	134	2.2	0.19	1.8	2.6
1990	2	0.9	0.61	0.1	5.2	131	2.1	0.19	1.8	2.6
1991	1	0.5	0.50	0.0	4.8	136	2.1	0.19	1.8	2.6
1992	2	1.5	1.13	0.1	6.4	131	2.0	0.18	1.7	2.4
1993	1	0.4	0.39	0.0	4.1	130	2.0	0.18	1.7	2.4
1994	4	2.3	1.24	0.6	7.0	144	2.3	0.19	1.9	2.7
1995	5	1.8	0.80	0.6	5.6	134	2.1	0.18	1.7	2.5
1996	2	0.9	0.63	0.1	4.4	131	2.0	0.17	1.6	2.4
1997	3	0.9	0.52	0.2	4.1	130	2.0	0.18	1.7	2.4
1998	1	0.8	0.78	0.0	4.4	131	2.0	0.17	1.6	2.3
1999	3	1.9	1.16	0.4	6.1	108	1.6	0.16	1.3	2.0
2000	0	0.0	-	0.0	2.8	151	2.2	0.18	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,313	8.5	0.07	8.4	8.7	11,195	7.6	0.07	7.4	7.7
1986	926	8.9	0.30	8.3	9.5	743	8.0	0.30	7.4	8.6
1987	943	9.0	0.30	8.4	9.6	739	7.9	0.30	7.4	8.5
1988	955	9.1	0.30	8.5	9.7	751	8.1	0.30	7.5	8.7
1989	1,002	9.4	0.30	8.8	10.0	807	8.5	0.30	7.9	9.1
1990	955	8.8	0.29	8.3	9.4	776	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	732	7.6	0.28	7.0	8.1
1992	938	8.4	0.28	7.9	9.0	737	7.5	0.28	7.0	8.1
1993	976	8.7	0.28	8.1	9.2	771	7.8	0.28	7.3	8.4
1994	946	8.4	0.27	7.8	8.9	749	7.5	0.28	7.0	8.1
1995	980	8.5	0.27	8.0	9.1	739	7.4	0.27	6.8	7.9
1996	970	8.4	0.27	7.9	9.0	742	7.4	0.27	6.8	7.9
1997	979	8.4	0.27	7.9	8.9	756	7.4	0.27	6.9	8.0
1998	1,007	8.5	0.27	8.0	9.1	758	7.4	0.27	6.9	7.9
1999	930	7.8	0.26	7.3	8.3	732	7.1	0.26	6.6	7.6
2000	884	7.4	0.25	6.9	7.9	663	6.4	0.25	5.9	6.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,595	14.7	0.30	14.1	15.3	481	16.0	0.84	14.4	17.8
1986	150	14.3	1.22	12.0	16.9	29	24.3	5.54	14.7	39.4
1987	179	16.9	1.31	14.4	19.7	24	18.3	4.43	10.6	30.9
1988	179	17.3	1.34	14.8	20.2	24	16.5	3.58	10.3	27.3
1989	168	15.6	1.24	13.2	18.3	25	18.7	4.46	11.0	31.0
1990	156	14.0	1.16	11.8	16.5	22	15.1	3.81	8.6	26.1
1991	159	14.5	1.18	12.3	17.1	29	18.6	4.18	11.3	29.9
1992	173	14.7	1.16	12.6	17.2	25	16.8	3.89	10.1	27.3
1993	168	14.5	1.15	12.3	16.9	33	16.5	3.29	10.7	25.5
1994	176	14.3	1.11	12.3	16.7	21	8.6	2.00	5.2	15.0
1995	193	15.1	1.12	13.0	17.5	47	19.9	3.18	14.2	28.1
1996	194	15.8	1.16	13.6	18.3	32	14.2	2.79	9.3	21.6
1997	179	14.0	1.07	12.0	16.3	41	15.6	2.78	10.6	22.8
1998	203	16.2	1.16	14.0	18.7	42	15.3	2.59	10.7	22.0
1999	152	11.4	0.95	9.7	13.5	42	14.8	2.60	10.2	21.4
2000	166	12.3	0.98	10.5	14.4	45	15.0	2.49	10.5	21.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	606	12.3	0.58	11.2	13.5	10,883	8.3	0.08	8.1	8.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	43	13.1	2.33	8.9	19.0	959	9.2	0.30	8.6	9.8
1990	37	11.9	2.32	7.8	17.8	918	8.7	0.29	8.2	9.3
1991	35	9.2	1.80	6.1	14.1	887	8.4	0.28	7.8	8.9
1992	43	11.6	2.08	7.9	16.9	895	8.3	0.28	7.7	8.8
1993	57	15.4	2.35	11.1	21.1	919	8.4	0.28	7.9	9.0
1994	52	14.0	2.24	10.0	19.6	894	8.2	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	17.4	926	8.4	0.28	7.8	8.9
1996	48	13.5	2.25	9.4	18.9	922	8.3	0.27	7.8	8.8
1997	43	8.7	1.48	6.0	12.6	936	8.3	0.27	7.8	8.9
1998	66	13.4	1.96	9.9	18.2	941	8.3	0.27	7.8	8.9
1999	63	11.1	1.66	8.1	15.2	867	7.6	0.26	7.1	8.1
2000	65	12.7	1.82	9.4	17.1	819	7.1	0.25	6.7	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,786	5.8	0.06	5.7	6.0	7,613	5.2	0.06	5.0	5.3
1986	715	7.0	0.26	6.5	7.5	583	6.4	0.27	5.9	6.9
1987	710	6.8	0.26	6.3	7.4	555	6.0	0.26	5.5	6.6
1988	656	6.3	0.25	5.8	6.8	499	5.4	0.24	4.9	5.9
1989	730	6.9	0.26	6.4	7.4	585	6.2	0.26	5.7	6.8
1990	688	6.4	0.25	5.9	6.9	546	5.7	0.25	5.2	6.2
1991	697	6.4	0.24	5.9	6.9	560	5.8	0.24	5.3	6.3
1992	622	5.6	0.22	5.2	6.0	477	4.9	0.22	4.4	5.3
1993	684	6.1	0.24	5.7	6.6	517	5.3	0.23	4.8	5.8
1994	645	5.7	0.23	5.3	6.2	513	5.2	0.23	4.7	5.6
1995	659	5.8	0.22	5.3	6.2	520	5.2	0.23	4.7	5.6
1996	602	5.2	0.21	4.8	5.7	452	4.5	0.21	4.1	4.9
1997	579	5.0	0.21	4.6	5.4	448	4.4	0.21	4.0	4.8
1998	642	5.4	0.22	5.0	5.9	485	4.7	0.21	4.3	5.2
1999	601	5.0	0.21	4.6	5.5	461	4.4	0.21	4.0	4.9
2000	556	4.6	0.20	4.2	5.0	412	4.0	0.19	3.6	4.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,927	11.2	0.26	10.6	11.7	246	8.6	0.62	7.4	10.0
1986	117	12.2	1.18	10.0	14.8	15	12.6	3.92	6.1	24.8
1987	148	14.0	1.19	11.8	16.6	7	6.6	2.70	2.4	16.4
1988	143	13.4	1.17	11.2	16.0	14	10.8	3.46	5.1	21.6
1989	132	12.5	1.13	10.4	15.0	13	10.1	3.16	4.9	20.1
1990	128	11.9	1.09	9.9	14.3	14	9.5	3.15	4.4	19.5
1991	127	11.8	1.08	9.8	14.2	10	8.0	2.91	3.3	17.2
1992	129	11.1	1.01	9.2	13.3	16	8.2	2.33	4.3	15.8
1993	150	13.1	1.10	11.0	15.5	17	11.4	2.98	6.3	19.9
1994	111	9.4	0.92	7.7	11.4	21	10.1	2.47	5.9	17.4
1995	118	9.7	0.92	8.0	11.7	21	10.7	2.56	6.3	17.9
1996	137	11.1	0.97	9.2	13.2	13	5.3	1.58	2.7	10.6
1997	109	9.0	0.88	7.3	10.9	22	8.8	2.13	5.2	14.9
1998	141	11.1	0.95	9.3	13.1	16	5.7	1.55	3.0	10.5
1999	118	9.2	0.87	7.6	11.1	22	6.8	1.56	4.1	11.5
2000	119	9.2	0.86	7.6	11.1	25	9.0	2.00	5.5	14.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	364	6.5	0.40	5.7	7.3	9,457	5.8	0.06	5.7	6.0
1986	14	6.6	2.09	3.2	12.6	711	7.1	0.27	6.6	7.7
1987	27	10.6	2.27	6.6	16.7	705	7.0	0.26	6.4	7.5
1988	12	3.3	1.03	1.6	7.0	661	6.5	0.25	6.0	7.0
1989	27	9.1	2.01	5.6	14.5	706	6.8	0.26	6.3	7.3
1990	19	6.2	1.72	3.3	11.0	667	6.4	0.25	5.9	6.9
1991	24	7.0	1.66	4.1	11.6	663	6.2	0.24	5.8	6.7
1992	19	6.4	1.69	3.6	11.1	604	5.6	0.23	5.1	6.0
1993	34	8.8	1.76	5.7	13.4	655	6.0	0.24	5.6	6.5
1994	31	8.3	1.74	5.3	12.9	614	5.6	0.23	5.2	6.1
1995	27	6.4	1.46	3.8	10.3	630	5.7	0.23	5.2	6.1
1996	20	4.8	1.29	2.6	8.4	577	5.2	0.22	4.8	5.6
1997	19	3.8	0.94	2.2	6.7	554	4.9	0.21	4.5	5.4
1998	36	7.8	1.58	5.1	11.9	608	5.4	0.22	4.9	5.8
1999	25	4.6	1.07	2.7	7.6	576	5.0	0.21	4.6	5.5
2000	30	5.2	1.13	3.3	8.4	526	4.6	0.20	4.2	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,725	12.7	0.14	12.4	13.0	6,859	11.4	0.14	11.2	11.7
1986	553	12.9	0.58	11.8	14.1	450	12.0	0.59	10.8	13.2
1987	569	13.5	0.59	12.3	14.7	438	11.9	0.59	10.7	13.1
1988	611	14.3	0.60	13.1	15.5	486	12.9	0.61	11.8	14.2
1989	621	14.3	0.60	13.2	15.6	501	13.0	0.60	11.9	14.3
1990	574	13.2	0.57	12.1	14.3	457	11.9	0.57	10.8	13.1
1991	566	12.7	0.55	11.7	13.9	455	11.7	0.56	10.6	12.8
1992	560	12.3	0.54	11.3	13.4	447	11.1	0.54	10.1	12.3
1993	573	12.5	0.54	11.4	13.6	444	11.0	0.54	10.0	12.2
1994	579	12.5	0.53	11.4	13.6	458	11.4	0.54	10.3	12.5
1995	612	13.1	0.55	12.1	14.3	473	11.8	0.55	10.7	12.9
1996	603	12.8	0.53	11.8	13.9	466	11.4	0.54	10.3	12.5
1997	608	12.8	0.53	11.7	13.9	477	11.5	0.53	10.5	12.6
1998	598	12.3	0.51	11.3	13.4	461	10.9	0.51	9.9	12.0
1999	562	11.4	0.49	10.5	12.4	444	10.4	0.50	9.5	11.5
2000	536	10.8	0.47	9.8	11.7	402	9.3	0.47	8.4	10.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,553	21.6	0.59	20.5	22.8	285	22.4	1.58	19.4	25.8
1986	85	18.9	2.22	14.8	24.1	15	20.6	6.93	9.3	46.0
1987	111	24.8	2.52	20.1	30.5	19	35.3	9.86	18.6	65.0
1988	112	26.4	2.67	21.4	32.4	12	20.4	6.38	9.9	43.2
1989	102	23.8	2.52	19.1	29.6	17	30.6	8.89	15.8	57.2
1990	102	22.5	2.38	18.1	28.0	15	23.7	7.38	11.6	47.7
1991	94	20.2	2.22	16.1	25.3	15	20.7	6.29	10.3	41.5
1992	96	21.1	2.33	16.8	26.5	15	27.0	8.02	13.7	50.4
1993	107	22.7	2.35	18.3	28.0	21	24.0	6.15	13.5	42.9
1994	111	21.6	2.17	17.6	26.6	10	8.0	2.75	3.5	21.2
1995	116	22.4	2.22	18.3	27.4	22	21.4	4.99	12.8	37.3
1996	115	23.5	2.35	19.1	28.8	20	21.7	5.81	11.8	38.9
1997	109	21.5	2.21	17.4	26.5	20	20.9	5.61	11.4	37.4
1998	109	22.3	2.29	18.0	27.4	25	21.2	4.65	13.1	35.4
1999	89	16.4	1.83	13.0	20.6	27	23.8	5.75	13.9	39.9
2000	95	18.0	1.96	14.3	22.4	32	23.2	4.73	14.9	36.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	`364	17.1	1.12	15.0	19.5	6,628	12.4	0.16	12.1	12.7
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	27	20.2	4.83	11.9	33.7	594	14.1	0.60	12.9	15.3
1990	21	18.5	5.12	9.9	32.7	553	13.1	0.57	12.0	14.3
1991	26	14.1	3.35	8.4	24.5	540	12.6	0.56	11.5	13.8
1992	22	14.8	4.01	8.0	26.3	538	12.2	0.54	11.2	13.4
1993	33	18.1	4.11	11.0	29.6	540	12.2	0.54	11.2	13.3
1994	32	18.9	4.12	11.7	30.3	547	12.3	0.54	11.2	13.4
1995	34	17.3	3.74	10.8	27.7	578	13.0	0.55	11.9	14.1
1996	34	22.2	4.63	14.1	34.3	569	12.6	0.54	11.6	13.7
1997	30	12.8	2.71	8.0	21.0	578	12.7	0.54	11.7	13.8
1998	36	17.9	3.71	11.4	27.9	562	12.1	0.52	11.1	13.2
1999	38	16.3	3.44	10.3	25.6	524	11.2	0.49	10.2	12.2
2000	31	14.6	3.12	9.1	23.1	505	10.6	0.48	9.7	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,735	8.6	0.12	8.3	8.8	4,422	7.6	0.12	7.4	7.8
1986	410	10.1	0.52	9.1	11.2	346	9.5	0.54	8.5	10.6
1987	399	9.6	0.50	8.6	10.6	298	8.2	0.50	7.3	9.3
1988	401	9.6	0.50	8.6	10.6	293	8.1	0.49	7.2	9.1
1989	448	10.8	0.53	9.8	11.9	353	9.7	0.54	8.7	10.8
1990	390	9.2	0.48	8.2	10.2	310	8.3	0.49	7.4	9.3
1991	428	9.7	0.48	8.7	10.7	337	8.7	0.49	7.7	9.7
1992	371	8.3	0.44	7.4	9.2	284	7.3	0.44	6.4	8.2
1993	394	8.8	0.46	8.0	9.8	284	7.3	0.44	6.4	8.2
1994	342	7.5	0.42	6.7	8.4	265	6.7	0.42	5.9	7.6
1995	393	8.6	0.45	7.8	9.6	316	8.0	0.46	7.1	8.9
1996	358	8.0	0.44	7.2	8.9	272	7.0	0.44	6.2	8.0
1997	357	7.7	0.42	6.9	8.6	274	6.8	0.42	6.0	7.6
1998	376	7.9	0.41	7.1	8.7	282	6.8	0.41	6.0	7.7
1999	337	7.0	0.39	6.3	7.8	258	6.2	0.39	5.4	7.0
2000	331	6.8	0.38	6.1	7.6	250	6.0	0.38	5.3	6.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,168	16.8	0.53	15.8	17.9	145	11.7	1.13	9.6	14.3
1986	57	15.0	2.18	11.0	20.1	7	9.7	4.08	3.4	31.2
1987	96	21.6	2.36	17.2	27.0	5	9.1	4.65	2.4	30.8
1988	97	21.9	2.40	17.5	27.4	11	18.1	6.62	7.6	41.6
1989	87	20.3	2.35	16.0	25.7	8	14.9	6.11	5.5	36.9
1990	69	15.2	1.94	11.7	19.9	11	15.8	6.02	6.3	37.6
1991	83	18.3	2.15	14.3	23.3	8	10.9	4.20	4.3	28.5
1992	78	17.0	2.07	13.2	21.9	9	10.6	4.06	4.2	26.9
1993	100	21.9	2.36	17.5	27.3	10	16.3	5.50	7.3	34.3
1994	63	12.9	1.72	9.7	17.0	14	16.2	5.14	7.7	33.2
1995	66	14.0	1.86	10.6	18.4	11	14.5	4.97	6.4	30.8
1996	80	16.4	1.97	12.8	21.0	6	5.1	2.27	1.7	16.8
1997	71	15.1	1.92	11.6	19.6	12	10.0	3.60	4.2	23.1
1998	85	17.0	1.96	13.3	21.5	9	9.6	3.43	4.1	22.0
1999	70	14.4	1.83	11.0	18.6	9	8.1	2.89	3.4	19.2
2000	66	12.6	1.65	9.6	16.5	15	12.2	3.77	6.0	24.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	212	8.8	0.75	7.4	10.5	5,519	8.6	0.12	8.3	8.8
1986	9	11.2	4.54	4.1	25.3	403	10.2	0.53	9.1	11.3
1987	14	11.1	3.30	5.6	22.2	394	9.7	0.51	8.7	10.8
1988	10	5.3	1.93	2.2	14.1	397	9.8	0.51	8.8	10.8
1989	13	11.4	3.67	5.4	22.8	440	10.9	0.54	9.8	12.0
1990	11	10.0	3.94	3.8	22.2	378	9.1	0.48	8.2	10.1
1991	16	10.4	3.34	4.9	20.9	407	9.5	0.49	8.6	10.5
1992	8	8.1	3.35	2.9	18.7	364	8.4	0.45	7.5	9.3
1993	18	8.5	2.47	4.3	17.1	376	8.8	0.46	7.9	9.7
1994	20	12.6	3.50	6.7	23.0	321	7.4	0.42	6.6	8.3
1995	19	9.8	2.84	5.0	18.7	369	8.5	0.45	7.6	9.4
1996	11	8.7	3.20	3.6	18.4	345	8.0	0.44	7.2	8.9
1997	16	6.4	1.77	3.4	13.1	335	7.5	0.42	6.7	8.4
1998	17	8.4	2.58	4.2	16.4	351	7.7	0.42	6.9	8.6
1999	16	7.0	2.25	3.3	14.2	322	7.0	0.40	6.3	7.8
2000	14	5.8	1.85	2.8	12.1	317	6.9	0.39	6.1	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,588	5.6	0.08	5.4	5.7	4,336	4.9	0.08	4.8	5.1
1986	373	6.1	0.32	5.5	6.8	293	5.3	0.32	4.7	6.0
1987	374	5.9	0.31	5.3	6.6	301	5.3	0.31	4.7	6.0
1988	344	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	381	6.0	0.31	5.4	6.6	306	5.4	0.31	4.8	6.0
1990	381	5.9	0.30	5.3	6.5	319	5.6	0.32	5.0	6.2
1991	356	5.4	0.29	4.8	6.0	277	4.7	0.29	4.2	5.3
1992	378	5.7	0.30	5.2	6.4	290	5.0	0.30	4.4	5.6
1993	403	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	367	5.4	0.28	4.9	6.0	291	4.8	0.29	4.3	5.5
1995	368	5.5	0.29	4.9	6.0	266	4.5	0.28	3.9	5.0
1996	367	5.3	0.28	4.8	5.9	276	4.6	0.28	4.0	5.1
1997	371	5.4	0.28	4.8	6.0	279	4.6	0.28	4.1	5.2
1998	409	5.8	0.29	5.3	6.4	297	4.8	0.28	4.3	5.4
1999	368	5.2	0.28	4.7	5.8	288	4.7	0.28	4.2	5.3
2000	348	4.9	0.26	4.4	5.5	261	4.2	0.26	3.7	4.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,042	10.0	0.32	9.4	10.7	196	11.5	0.91	9.7	13.5
1986	65	11.0	1.40	8.5	14.2	14	26.2	7.98	12.9	49.3
1987	68	11.3	1.40	8.7	14.5	5	5.4	2.92	1.3	19.6
1988	67	11.3	1.41	8.7	14.5	12	13.9	4.16	6.9	28.9
1989	66	10.3	1.29	7.9	13.2	8	9.8	4.28	3.3	25.1
1990	54	8.2	1.14	6.1	10.8	7	8.4	3.82	2.7	22.9
1991	65	10.4	1.30	8.0	13.3	14	16.9	5.53	7.9	33.4
1992	77	10.9	1.26	8.5	13.7	10	9.8	3.62	4.0	22.1
1993	61	8.9	1.16	6.8	11.5	12	10.7	3.52	5.0	22.2
1994	65	9.1	1.14	7.0	11.7	11	8.9	2.79	4.3	18.6
1995	77	10.1	1.17	8.0	12.7	25	18.9	4.10	11.8	30.3
1996	79	10.8	1.23	8.5	13.5	12	9.2	2.84	4.5	18.0
1997	70	9.2	1.12	7.2	11.7	21	12.7	3.00	7.5	21.5
1998	94	12.5	1.30	10.1	15.3	17	10.7	2.87	5.9	19.1
1999	63	8.1	1.02	6.2	10.4	15	9.0	2.46	4.8	16.4
2000	71	8.8	1.05	6.9	11.1	13	8.3	2.52	4.1	15.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	242	8.8	0.63	7.6	10.2	4,255	5.4	0.08	5.2	5.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	16	8.1	2.28	4.3	15.0	365	5.9	0.31	5.3	6.5
1990	16	8.1	2.22	4.4	14.8	365	5.8	0.30	5.2	6.4
1991	9	5.0	1.88	2.1	11.2	347	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	16.3	357	5.6	0.30	5.0	6.2
1993	24	13.0	2.86	8.0	20.5	379	5.8	0.30	5.2	6.4
1994	20	10.1	2.53	5.8	17.0	347	5.3	0.28	4.7	5.9
1995	20	8.8	2.17	5.1	14.9	348	5.3	0.29	4.8	5.9
1996	14	7.1	2.14	3.5	13.1	353	5.3	0.28	4.7	5.9
1997	13	5.1	1.53	2.5	9.8	358	5.4	0.29	4.8	6.0
1998	30	10.4	2.14	6.6	16.2	379	5.5	0.29	5.0	6.1
1999	25	7.4	1.59	4.6	12.0	343	5.0	0.27	4.5	5.6
2000	34	11.6	2.24	7.7	17.4	314	4.6	0.26	4.1	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Stomach, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,051	4.0	0.06	3.9	4.1	3,191	3.6	0.06	3.4	3.7
1986	305	4.9	0.29	4.4	5.5	237	4.3	0.28	3.7	4.9
1987	311	5.0	0.28	4.4	5.6	257	4.6	0.29	4.0	5.2
1988	255	4.0	0.25	3.5	4.6	206	3.6	0.26	3.1	4.2
1989	282	4.3	0.26	3.8	4.9	232	4.0	0.26	3.5	4.6
1990	298	4.6	0.27	4.1	5.2	236	4.1	0.27	3.6	4.7
1991	269	4.0	0.24	3.5	4.5	223	3.7	0.25	3.2	4.2
1992	251	3.7	0.24	3.3	4.2	193	3.2	0.23	2.8	3.7
1993	290	4.3	0.25	3.8	4.8	233	3.9	0.26	3.4	4.5
1994	303	4.4	0.26	4.0	5.0	248	4.1	0.27	3.6	4.7
1995	266	3.9	0.24	3.4	4.4	204	3.4	0.24	2.9	3.8
1996	244	3.5	0.23	3.1	4.0	180	3.0	0.22	2.5	3.4
1997	222	3.1	0.21	2.7	3.6	174	2.8	0.21	2.4	3.2
1998	266	3.7	0.23	3.3	4.2	203	3.2	0.23	2.8	3.7
1999	264	3.7	0.23	3.3	4.2	203	3.2	0.23	2.8	3.7
2000	225	3.1	0.21	2.7	3.5	162	2.6	0.20	2.2	3.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	759	7.4	0.27	6.9	8.0	101	6.3	0.70	5.0	7.9
1986	60	10.5	1.38	7.9	13.6	8	14.2	5.89	5.1	33.8
1987	52	8.7	1.23	6.4	11.5	2	4.4	3.16	0.5	19.3
1988	46	7.7	1.16	5.6	10.4	3	5.3	3.55	0.7	20.2
1989	45	7.4	1.13	5.4	10.0	5	6.8	3.29	2.0	20.5
1990	59	9.4	1.24	7.1	12.2	3	4.5	3.23	0.5	18.4
1991	44	7.2	1.10	5.2	9.8	2	5.4	3.82	0.6	19.5
1992	51	7.4	1.05	5.4	9.8	7	6.3	2.71	2.2	17.2
1993	50	7.4	1.06	5.5	9.9	7	8.0	3.30	2.9	19.2
1994	48	7.0	1.01	5.1	9.3	7	5.7	2.29	2.1	14.7
1995	52	7.1	0.99	5.3	9.4	10	8.4	2.82	3.8	17.6
1996	57	7.6	1.02	5.7	9.9	7	5.4	2.15	2.0	13.1
1997	38	5.2	0.86	3.7	7.3	10	7.8	2.64	3.5	16.2
1998	56	7.3	0.98	5.5	9.5	7	3.2	1.27	1.2	8.9
1999	48	6.2	0.90	4.6	8.2	13	6.3	1.81	3.3	12.5
2000	53	6.9	0.95	5.1	9.0	10	6.6	2.25	3.0	13.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	152	4.8	0.44	4.0	5.8	3,938	4.0	0.06	3.9	4.1
1986	5	3.6	1.83	1.0	10.6	308	5.1	0.29	4.5	5.7
1987	13	9.9	3.01	4.9	18.7	311	5.1	0.29	4.5	5.7
1988	2	1.4	0.99	0.2	6.6	264	4.2	0.26	3.8	4.8
1989	14	7.7	2.34	3.8	14.8	266	4.2	0.26	3.7	4.7
1990	8	4.0	1.56	1.5	9.6	289	4.6	0.27	4.0	5.1
1991	8	4.4	1.65	1.8	10.1	256	3.9	0.24	3.4	4.4
1992	11	5.6	1.88	2.6	11.6	240	3.6	0.24	3.2	4.1
1993	16	8.6	2.37	4.6	15.2	279	4.2	0.26	3.7	4.8
1994	11	5.2	1.78	2.3	10.7	293	4.4	0.26	3.9	5.0
1995	8	3.6	1.47	1.3	8.5	261	3.9	0.24	3.4	4.4
1996	9	2.7	0.93	1.2	6.5	232	3.4	0.23	3.0	3.9
1997	3	1.3	0.82	0.2	5.0	219	3.2	0.22	2.8	3.7
1998	19	7.4	1.97	4.1	12.9	257	3.7	0.23	3.3	4.2
1999	9	2.8	1.02	1.2	6.6	254	3.7	0.24	3.3	4.2
2000	16	4.9	1.42	2.5	9.2	209	3.0	0.21	2.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,487	1.5	0.03	1.4	1.5	2,021	1.4	0.03	1.3	1.4
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	123	1.2	0.11	1.0	1.4	102	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	146	1.3	0.11	1.1	1.6	124	1.3	0.12	1.1	1.6
1990	139	1.3	0.11	1.1	1.5	117	1.3	0.12	1.0	1.5
1991	147	1.3	0.11	1.1	1.6	115	1.2	0.11	1.0	1.4
1992	158	1.4	0.11	1.2	1.7	129	1.3	0.12	1.1	1.6
1993	181	1.6	0.12	1.4	1.9	154	1.6	0.13	1.3	1.8
1994	172	1.5	0.12	1.3	1.8	142	1.4	0.12	1.2	1.7
1995	166	1.5	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	183	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1997	186	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7
1998	213	1.8	0.12	1.6	2.1	174	1.7	0.13	1.5	2.0
1999	207	1.7	0.12	1.5	2.0	166	1.6	0.13	1.4	1.9
2000	203	1.7	0.12	1.5	1.9	163	1.6	0.12	1.4	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	418	2.2	0.11	2.0	2.4	34	1.0	0.18	0.7	1.5
1986	22	2.0	0.44	1.2	3.2	1	0.3	0.32	0.0	8.3
1987	18	1.6	0.38	0.9	2.6	2	1.4	1.00	0.2	9.2
1988	21	1.9	0.42	1.1	3.0	1	1.1	1.09	0.0	8.7
1989	20	1.6	0.38	1.0	2.6	2	1.3	0.92	0.1	8.2
1990	21	1.7	0.38	1.1	2.7	1	1.0	0.99	0.0	8.1
1991	31	2.5	0.45	1.7	3.6	1	0.4	0.39	0.0	6.4
1992	27	1.9	0.38	1.2	2.9	2	0.7	0.47	0.1	6.0
1993	24	1.9	0.38	1.2	2.8	1	0.3	0.27	0.0	5.2
1994	26	2.0	0.40	1.3	3.0	4	2.2	1.14	0.5	7.4
1995	35	2.8	0.48	1.9	4.0	2	0.7	0.50	0.1	4.9
1996	36	2.6	0.44	1.8	3.7	3	0.7	0.42	0.1	4.5
1997	38	2.7	0.45	1.9	3.8	1	0.6	0.58	0.0	4.4
1998	35	2.5	0.43	1.7	3.5	2	0.8	0.58	0.1	4.3
1999	32	2.3	0.40	1.5	3.2	6	2.0	0.89	0.7	5.7
2000	32	2.3	0.41	1.6	3.3	5	1.3	0.58	0.4	4.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	62	1.2	0.17	0.9	1.6	2,039	1.6	0.04	1.5	1.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	0.8	0.57	0.1	3.9	143	1.3	0.11	1.1	1.6
1990	4	0.9	0.45	0.2	3.7	135	1.3	0.11	1.1	1.6
1991	4	1.3	0.75	0.3	4.5	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	4.0	154	1.4	0.12	1.2	1.7
1993	6	1.1	0.50	0.4	3.7	175	1.6	0.12	1.4	1.9
1994	8	2.0	0.79	0.8	4.9	164	1.5	0.12	1.3	1.8
1995	4	1.1	0.66	0.2	3.8	162	1.5	0.12	1.3	1.7
1996	4	0.4	0.23	0.1	2.5	179	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	3.6	183	1.6	0.12	1.4	1.9
1998	12	2.4	0.78	1.1	5.0	201	1.8	0.13	1.6	2.1
1999	6	1.2	0.54	0.4	3.5	201	1.8	0.12	1.5	2.0
2000	4	0.5	0.28	0.1	2.3	199	1.8	0.12	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	735	0.4	0.02	0.4	0.5	618	0.4	0.02	0.4	0.5
1986	51	0.5	0.07	0.4	0.7	41	0.5	0.07	0.3	0.6
1987	47	0.4	0.06	0.3	0.6	44	0.4	0.07	0.3	0.6
1988	47	0.4	0.06	0.3	0.6	42	0.4	0.07	0.3	0.6
1989	35	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1990	48	0.4	0.06	0.3	0.6	39	0.4	0.06	0.3	0.6
1991	47	0.4	0.06	0.3	0.6	40	0.4	0.07	0.3	0.6
1992	44	0.4	0.06	0.3	0.5	37	0.4	0.06	0.3	0.5
1993	49	0.4	0.06	0.3	0.6	42	0.4	0.07	0.3	0.6
1994	65	0.6	0.07	0.4	0.7	56	0.6	0.08	0.4	0.7
1995	50	0.4	0.06	0.3	0.6	41	0.4	0.06	0.3	0.6
1996	44	0.4	0.06	0.3	0.5	37	0.4	0.06	0.2	0.5
1997	49	0.4	0.06	0.3	0.6	35	0.3	0.06	0.2	0.5
1998	51	0.4	0.06	0.3	0.6	44	0.4	0.07	0.3	0.6
1999	58	0.5	0.06	0.4	0.6	49	0.5	0.07	0.4	0.6
2000	50	0.4	0.06	0.3	0.6	43	0.4	0.06	0.3	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	112	0.6	0.06	0.5	0.7	5	0.2	0.09	0.0	0.6
1986	9	0.9	0.31	0.4	1.8	1	0.3	0.32	0.0	8.3
1987	3	0.3	0.17	0.1	1.0	0	0.0	~	0.0	7.6
1988	5	0.4	0.20	0.1	1.2	0	0.0	~	0.0	7.2
1989	7	0.6	0.25	0.2	1.4	0	0.0	~	0.0	6.8
1990	9	0.7	0.24	0.3	1.5	0	0.0	~	0.0	6.7
1991	7	0.6	0.23	0.2	1.3	0	0.0	~	0.0	6.0
1992	7	0.6	0.21	0.2	1.2	0	0.0	~	0.0	5.4
1993	7	0.6	0.22	0.2	1.2	0	0.0	~	0.0	4.9
1994	8	0.6	0.23	0.3	1.3	1	0.5	0.50	0.0	5.2
1995	7	0.5	0.19	0.2	1.1	2	1.1	0.79	0.1	5.6
1996	7	0.6	0.22	0.2	1.2	0	0.0	~	0.0	3.8
1997	13	1.0	0.29	0.5	1.8	1	0.6	0.58	0.0	4.4
1998	7	0.4	0.17	0.2	1.0	0	0.0	~	0.0	3.3
1999	9	0.6	0.22	0.3	1.3	0	0.0	~	0.0	3.1
2000	7	0.5	0.19	0.2	1.1	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14	0.2	0.07	0.1	0.5	709	0.4	0.02	0.4	0.5
1986	0	0.0	-	0.0	3.4	56	0.6	0.08	0.4	0.7
1987	0	0.0	-	0.0	3.2	50	0.5	0.07	0.3	0.6
1988	1	0.3	0.31	0.0	3.3	50	0.5	0.07	0.4	0.6
1989	1	0.2	0.21	0.0	3.0	35	0.4	0.06	0.2	0.5
1990	1	0.3	0.27	0.0	3.0	46	0.4	0.06	0.3	0.6
1991	2	0.7	0.55	0.1	3.6	41	0.4	0.06	0.3	0.5
1992	0	0.0	-	0.0	2.5	41	0.4	0.06	0.3	0.5
1993	0	0.0	-	0.0	2.4	45	0.4	0.06	0.3	0.6
1994	0	0.0	-	0.0	2.2	57	0.5	0.07	0.4	0.7
1995	1	0.4	0.44	0.0	2.9	49	0.4	0.06	0.3	0.6
1996	1	0.3	0.28	0.0	2.4	43	0.4	0.06	0.3	0.5
1997	2	0.4	0.26	0.0	2.4	35	0.3	0.05	0.2	0.4
1998	1	0.2	0.19	0.0	2.1	57	0.5	0.07	0.4	0.7
1999	4	0.8	0.42	0.2	2.8	54	0.5	0.06	0.4	0.6
2000	0	0.0	-	0.0	1.8	50	0.4	0.06	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,296	1.8	0.05	1.7	1.9	1,056	1.7	0.05	1.6	1.8
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	67	1.5	0.18	1.1	1.9	57	1.4	0.19	1.0	1.9
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	73	1.6	0.20	1.2	2.1	66	1.7	0.21	1.3	2.2
1991	74	1.6	0.19	1.2	2.0	59	1.4	0.19	1.1	1.9
1992	79	1.6	0.19	1.3	2.1	65	1.6	0.20	1.2	2.0
1993	99	2.1	0.22	1.7	2.6	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	93	1.9	0.20	1.5	2.4	72	1.7	0.20	1.3	2.1
1996	94	1.9	0.20	1.6	2.4	73	1.8	0.21	1.4	2.2
1997	88	1.8	0.19	1.4	2.2	72	1.7	0.20	1.3	2.1
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	112	2.2	0.21	1.8	2.6	89	2.0	0.21	1.6	2.5
2000	101	2.0	0.20	1.6	2.5	79	1.9	0.21	1.5	2.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	215	2.7	0.19	2.3	3.1	16	1.1	0.32	0.6	2.2
1986	11	2.3	0.73	1.1	4.8	1	0.7	0.68	0.0	20.7
1987	12	2.6	0.80	1.3	5.2	1	1.9	1.94	0.0	21.2
1988	8	1.5	0.54	0.6	3.6	1	2.6	2.65	0.1	21.4
1989	11	1.7	0.52	0.8	3.7	1	1.8	1.78	0.0	18.7
1990	7	1.3	0.54	0.5	3.5	0	0.0	-	0.0	16.8
1991	15	3.1	0.86	1.7	5.7	0	0.0	-	0.0	15.1
1992	13	2.0	0.59	1.0	4.1	1	0.6	0.62	0.0	14.2
1993	12	2.3	0.68	1.2	4.5	0	0.0	-	0.0	12.7
1994	10	1.8	0.60	0.8	3.9	2	3.0	2.32	0.3	16.4
1995	20	4.2	1.01	2.5	7.0	1	0.6	0.61	0.0	11.9
1996	19	3.1	0.73	1.9	5.3	2	1.1	0.75	0.1	11.8
1997	15	2.4	0.64	1.4	4.5	1	1.4	1.44	0.0	12.2
1998	25	4.3	0.89	2.7	6.7	1	1.3	1.32	0.0	11.4
1999	19	3.4	0.81	2.0	5.7	2	0.9	0.66	0.1	10.0
2000	18	3.1	0.76	1.8	5.3	2	1.1	0.82	0.1	9.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	26	0.8	0.18	0.5	1.4	1,059	1.9	0.06	1.8	2.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.4	0.41	0.0	7.9	72	1.5	0.19	1.2	2.0
1990	4	1.8	0.90	0.5	9.3	69	1.6	0.20	1.2	2.0
1991	2	0.5	0.42	0.0	7.6	72	1.6	0.19	1.3	2.1
1992	2	0.7	0.48	0.1	7.3	77	1.7	0.19	1.3	2.1
1993	4	1.5	0.89	0.3	8.3	95	2.1	0.22	1.7	2.6
1994	4	2.3	1.35	0.5	9.3	77	1.7	0.20	1.4	2.2
1995	0	0.0	-	0.0	6.0	93	2.0	0.21	1.6	2.5
1996	3	0.5	0.27	0.1	6.1	91	2.0	0.21	1.6	2.4
1997	0	0.0	-	0.0	5.6	88	1.8	0.20	1.5	2.3
1998	4	1.3	0.66	0.3	6.6	114	2.3	0.22	1.9	2.8
1999	2	1.0	0.80	0.1	6.3	110	2.2	0.22	1.8	2.7
2000	0	0.0	-	0.0	4.7	101	2.1	0.21	1.7	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	398	0.6	0.03	0.5	0.6	333	0.6	0.03	0.5	0.6
1986	24	0.6	0.12	0.4	0.9	19	0.5	0.12	0.3	0.8
1987	24	0.5	0.10	0.3	0.7	22	0.5	0.11	0.3	0.8
1988	28	0.6	0.13	0.4	1.0	24	0.6	0.14	0.4	1.0
1989	23	0.5	0.12	0.3	0.8	17	0.5	0.11	0.3	0.8
1990	25	0.5	0.11	0.3	0.8	20	0.5	0.11	0.3	0.8
1991	34	0.8	0.14	0.5	1.2	30	0.8	0.15	0.5	1.2
1992	22	0.5	0.11	0.3	0.8	19	0.5	0.11	0.3	0.8
1993	18	0.4	0.09	0.2	0.6	15	0.4	0.10	0.2	0.6
1994	37	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1
1995	30	0.6	0.11	0.4	0.9	24	0.6	0.12	0.4	0.9
1996	27	0.6	0.11	0.4	0.9	21	0.5	0.11	0.3	0.8
1997	25	0.5	0.11	0.3	0.8	20	0.5	0.11	0.3	0.8
1998	30	0.6	0.11	0.4	0.9	28	0.6	0.12	0.4	1.0
1999	32	0.6	0.11	0.4	0.9	28	0.6	0.12	0.4	1.0
2000	19	0.4	0.10	0.2	0.6	15	0.4	0.10	0.2	0.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	61	0.8	0.11	0.6	1.1	4	0.4	0.19	0.1	1.3
1986	4	1.1	0.59	0.2	3.4	1	0.7	0.68	0.0	20.7
1987	2	0.4	0.29	0.0	2.3	0	0.0	~	0.0	19.0
1988	4	0.7	0.35	0.2	2.6	0	0.0	~	0.0	17.8
1989	6	1.2	0.50	0.4	3.2	0	0.0	~	0.0	16.6
1990	5	1.0	0.50	0.3	3.1	0	0.0	~	0.0	16.8
1991	4	1.0	0.55	0.2	3.2	0	0.0	~	0.0	15.1
1992	3	0.5	0.29	0.1	2.2	0	0.0	~	0.0	13.7
1993	3	0.6	0.37	0.1	2.4	0	0.0	~	0.0	12.7
1994	5	1.0	0.49	0.3	3.0	1	1.2	1.18	0.0	13.6
1995	5	0.9	0.44	0.2	2.7	1	1.7	1.67	0.0	13.7
1996	6	1.3	0.57	0.4	3.3	0	0.0	~	0.0	10.9
1997	4	1.0	0.52	0.2	2.9	1	1.4	1.44	0.0	12.2
1998	2	0.3	0.19	0.0	1.7	0	0.0	~	0.0	9.6
1999	4	0.6	0.31	0.2	2.1	0	0.0	~	0.0	9.1
2000	4	0.7	0.34	0.2	2.2	0	0.0	~	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	8	0.3	0.11	0.1	0.8	378	0.6	0.03	0.5	0.6
1986	0	0.0	-	0.0	8.7	29	0.7	0.13	0.4	1.0
1987	0	0.0	-	0.0	8.3	24	0.5	0.10	0.3	0.8
1988	0	0.0	-	0.0	7.9	31	0.7	0.14	0.5	1.1
1989	1	0.4	0.41	0.0	7.9	21	0.5	0.12	0.3	0.8
1990	0	0.0	-	0.0	7.6	25	0.6	0.11	0.4	0.8
1991	2	1.7	1.37	0.1	9.5	29	0.7	0.13	0.4	1.0
1992	0	0.0	-	0.0	6.7	20	0.5	0.11	0.3	0.8
1993	0	0.0	-	0.0	6.6	17	0.4	0.09	0.2	0.6
1994	0	0.0	-	0.0	6.4	30	0.7	0.13	0.5	1.0
1995	0	0.0	-	0.0	6.0	27	0.6	0.11	0.4	0.9
1996	1	0.6	0.60	0.0	6.5	25	0.6	0.12	0.4	0.9
1997	1	0.3	0.34	0.0	5.9	20	0.4	0.10	0.3	0.7
1998	1	0.4	0.41	0.0	5.7	31	0.7	0.12	0.4	1.0
1999	2	0.5	0.38	0.1	5.5	30	0.6	0.12	0.4	0.9
2000	0	0.0	-	0.0	4.7	19	0.4	0.10	0.2	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,191	1.2	0.04	1.2	1.3	965	1.1	0.04	1.1	1.2
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	48	0.8	0.11	0.6	1.0	40	0.7	0.12	0.5	1.0
1988	68	1.1	0.13	0.8	1.4	55	1.0	0.14	0.8	1.3
1989	73	1.1	0.14	0.9	1.5	63	1.1	0.14	0.9	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	79	1.3	0.14	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	82	1.3	0.14	1.0	1.6	69	1.2	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	73	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	89	1.3	0.14	1.1	1.6	71	1.2	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.6
1998	95	1.4	0.15	1.1	1.7	83	1.5	0.16	1.2	1.8
1999	95	1.4	0.14	1.1	1.7	77	1.3	0.15	1.0	1.6
2000	102	1.5	0.15	1.2	1.9	84	1.5	0.16	1.2	1.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	203	1.8	0.13	1.6	2.1	18	0.9	0.22	0.5	1.6
1986	11	1.7	0.53	0.9	3.3	0	0.0	-	0.0	13.4
1987	6	0.8	0.35	0.3	2.0	1	1.0	1.01	0.0	13.7
1988	13	2.0	0.57	1.1	3.6	0	0.0	-	0.0	12.0
1989	9	1.4	0.48	0.7	2.8	1	1.0	0.97	0.0	12.4
1990	14	2.0	0.54	1.1	3.5	1	1.7	1.66	0.0	13.5
1991	16	2.1	0.54	1.2	3.6	1	0.8	0.79	0.0	10.8
1992	14	1.8	0.49	1.0	3.1	1	0.7	0.72	0.0	9.7
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	8.5
1994	16	2.1	0.54	1.2	3.5	2	1.6	1.13	0.2	9.2
1995	15	2.0	0.52	1.1	3.4	1	0.7	0.71	0.0	7.3
1996	17	2.1	0.52	1.2	3.5	1	0.4	0.43	0.0	6.2
1997	23	2.9	0.60	1.8	4.4	0	0.0	-	0.0	5.6
1998	10	1.2	0.39	0.6	2.3	1	0.4	0.41	0.0	5.5
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	8.5
2000	14	1.7	0.46	0.9	2.9	3	1.4	0.84	0.3	5.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	36	1.4	0.26	1.0	2.1	980	1.3	0.04	1.2	1.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	1.0	0.87	0.1	5.9	71	1.1	0.14	0.9	1.5
1990	0	0.0	-	0.0	4.2	66	1.1	0.14	0.9	1.5
1991	2	1.7	1.17	0.2	6.8	71	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	5.9	77	1.3	0.15	1.0	1.6
1993	2	0.8	0.55	0.1	4.6	80	1.3	0.15	1.0	1.6
1994	4	1.8	0.98	0.4	6.0	87	1.4	0.15	1.1	1.7
1995	4	1.9	1.08	0.4	6.2	69	1.1	0.14	0.9	1.4
1996	1	0.4	0.35	0.0	3.6	88	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	6.0	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	7.5	87	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	4.9	91	1.4	0.15	1.1	1.7
2000	4	1.1	0.55	0.3	4.0	98	1.5	0.16	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Small Intestine, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	337	0.3	0.02	0.3	0.4	285	0.3	0.02	0.3	0.4
1986	27	0.4	0.09	0.3	0.7	22	0.4	0.09	0.3	0.7
1987	23	0.4	0.08	0.2	0.6	22	0.4	0.08	0.2	0.6
1988	19	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
1989	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
1990	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1991	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1992	22	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
1993	31	0.5	0.09	0.3	0.7	27	0.5	0.10	0.3	0.7
1994	28	0.4	0.08	0.3	0.6	25	0.4	0.08	0.3	0.6
1995	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1996	17	0.2	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
1997	24	0.4	0.07	0.2	0.5	15	0.2	0.06	0.1	0.4
1998	21	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
1999	26	0.4	0.08	0.2	0.6	21	0.4	0.08	0.2	0.6
2000	31	0.4	0.08	0.3	0.6	28	0.4	0.09	0.3	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	51	0.5	0.07	0.3	0.6	1	0.0	0.05	0.0	0.6
1986	5	0.8	0.37	0.3	2.0	0	0.0	~	0.0	13.4
1987	1	0.2	0.19	0.0	1.1	0	0.0	~	0.0	12.6
1988	1	0.2	0.19	0.0	1.1	0	0.0	~	0.0	12.0
1989	1	0.2	0.20	0.0	1.1	0	0.0	~	0.0	11.4
1990	4	0.5	0.25	0.1	1.5	0	0.0	~	0.0	11.2
1991	3	0.4	0.22	0.1	1.3	0	0.0	~	0.0	10.0
1992	4	0.6	0.29	0.2	1.6	0	0.0	~	0.0	9.0
1993	4	0.5	0.27	0.2	1.5	0	0.0	~	0.0	8.0
1994	3	0.4	0.21	0.1	1.2	0	0.0	~	0.0	7.3
1995	2	0.2	0.17	0.0	1.0	1	0.7	0.71	0.0	7.3
1996	1	0.1	0.14	0.0	0.8	0	0.0	~	0.0	5.8
1997	9	1.1	0.38	0.5	2.2	0	0.0	~	0.0	5.6
1998	5	0.6	0.26	0.2	1.4	0	0.0	~	0.0	5.1
1999	5	0.6	0.28	0.2	1.5	0	0.0	~	0.0	4.7
2000	3	0.4	0.21	0.1	1.1	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6	0.2	0.09	0.1	0.5	331	0.3	0.02	0.3	0.4
1986	0	0.0	-	0.0	5.4	27	0.5	0.09	0.3	0.7
1987	0	0.0	-	0.0	5.1	26	0.4	0.08	0.3	0.6
1988	1	0.6	0.59	0.0	5.5	19	0.3	0.07	0.2	0.5
1989	0	0.0	-	0.0	4.4	14	0.2	0.06	0.1	0.4
1990	1	0.5	0.52	0.0	4.9	21	0.3	0.07	0.2	0.5
1991	0	0.0	-	0.0	4.2	12	0.2	0.05	0.1	0.3
1992	0	0.0	-	0.0	3.9	21	0.3	0.07	0.2	0.5
1993	0	0.0	-	0.0	3.7	28	0.4	0.08	0.3	0.6
1994	0	0.0	-	0.0	3.5	27	0.4	0.08	0.3	0.6
1995	1	0.7	0.74	0.0	4.6	22	0.3	0.07	0.2	0.5
1996	0	0.0	-	0.0	3.2	18	0.3	0.07	0.2	0.4
1997	1	0.4	0.38	0.0	3.6	15	0.2	0.06	0.1	0.4
1998	0	0.0	-	0.0	3.0	26	0.4	0.08	0.3	0.6
1999	2	0.9	0.68	0.1	4.3	24	0.4	0.08	0.2	0.6
2000	0	0.0	-	0.0	2.8	31	0.4	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	74,253	44.1	0.16	43.8	44.4	64,351	43.4	0.17	43.0	43.7
1986	4,693	45.0	0.67	43.7	46.3	4,157	44.6	0.70	43.3	46.0
1987	4,872	46.0	0.67	44.7	47.4	4,345	46.1	0.71	44.7	47.5
1988	4,866	45.7	0.66	44.4	47.0	4,245	44.7	0.69	43.4	46.1
1989	4,684	43.6	0.64	42.4	44.9	4,123	43.2	0.68	41.9	44.6
1990	4,857	44.9	0.65	43.6	46.2	4,257	44.3	0.68	42.9	45.6
1991	4,731	43.2	0.63	41.9	44.4	4,169	42.9	0.67	41.6	44.2
1992	4,753	42.7	0.62	41.5	43.9	4,193	42.6	0.66	41.3	43.9
1993	4,816	42.7	0.62	41.5	44.0	4,202	42.2	0.65	40.9	43.5
1994	5,114	45.0	0.63	43.8	46.3	4,450	44.4	0.67	43.1	45.8
1995	4,871	42.5	0.61	41.3	43.7	4,155	41.3	0.64	40.0	42.5
1996	4,998	43.3	0.61	42.1	44.5	4,281	42.3	0.65	41.0	43.6
1997	5,119	43.9	0.61	42.7	45.1	4,375	42.9	0.65	41.6	44.2
1998	5,381	45.6	0.62	44.4	46.9	4,528	44.0	0.65	42.7	45.3
1999	5,217	43.8	0.61	42.6	45.0	4,429	42.7	0.64	41.5	44.0
2000	5,281	44.1	0.61	42.9	45.3	4,442	42.7	0.64	41.5	44.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,754	49.5	0.54	48.4	50.6	782	27.5	1.11	25.4	29.8
1986	494	47.5	2.22	43.2	52.1	30	26.3	5.60	16.5	41.4
1987	483	45.1	2.13	41.0	49.5	37	30.6	5.67	20.5	45.5
1988	569	53.1	2.30	48.7	57.9	38	33.9	6.41	22.5	50.1
1989	506	46.3	2.12	42.2	50.7	37	22.4	4.15	15.0	33.9
1990	550	50.1	2.20	45.9	54.7	32	24.4	4.95	15.6	37.5
1991	496	43.9	2.03	40.0	48.1	34	20.2	3.83	13.4	30.7
1992	496	42.2	1.95	38.5	46.2	43	26.8	4.60	18.6	38.5
1993	558	47.6	2.07	43.7	51.9	48	24.9	4.07	17.6	35.3
1994	597	50.5	2.12	46.4	54.8	56	25.9	3.84	19.0	35.6
1995	638	52.5	2.13	48.4	56.9	66	29.9	4.06	22.4	39.8
1996	634	51.1	2.08	47.1	55.3	61	30.0	4.34	22.1	40.3
1997	657	52.4	2.09	48.4	56.7	55	21.9	3.27	16.0	30.0
1998	743	58.3	2.18	54.1	62.8	71	29.3	3.82	22.3	38.4
1999	660	49.5	1.97	45.8	53.6	85	31.8	3.84	24.7	40.8
2000	673	50.0	1.96	46.2	54.0	89	30.6	3.58	24.0	38.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,144	25.1	0.85	23.4	26.8	58,678	44.4	0.18	44.0	44.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	61	20.6	2.96	15.3	27.8	4,623	44.2	0.66	43.0	45.5
1990	79	23.1	2.92	17.7	30.1	4,778	45.4	0.66	44.1	46.7
1991	58	19.0	2.85	13.8	25.8	4,673	43.9	0.65	42.6	45.2
1992	82	25.1	3.14	19.3	32.4	4,671	43.2	0.64	42.0	44.5
1993	89	26.1	3.13	20.3	33.4	4,727	43.3	0.63	42.0	44.5
1994	96	25.2	2.96	19.8	32.1	5,018	45.6	0.64	44.3	46.8
1995	103	29.3	3.30	23.2	36.8	4,768	43.0	0.62	41.8	44.3
1996	98	24.2	2.78	19.0	30.6	4,900	43.9	0.63	42.7	45.2
1997	121	28.7	2.96	23.2	35.4	4,998	44.4	0.63	43.2	45.7
1998	104	25.3	2.84	20.1	31.8	5,277	46.5	0.64	45.2	47.7
1999	112	22.2	2.40	17.7	27.8	5,105	44.6	0.62	43.4	45.9
2000	141	28.9	2.84	23.6	35.2	5,140	44.7	0.62	43.5	46.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	37,311	22.3	0.12	22.0	22.5	31,994	21.6	0.12	21.4	21.8
1986	2,533	24.5	0.49	23.6	25.5	2,230	24.1	0.52	23.1	25.1
1987	2,584	24.7	0.49	23.8	25.7	2,285	24.5	0.52	23.5	25.5
1988	2,678	25.4	0.50	24.4	26.4	2,308	24.6	0.52	23.6	25.6
1989	2,504	23.5	0.47	22.6	24.5	2,178	22.9	0.50	22.0	23.9
1990	2,630	24.5	0.48	23.6	25.4	2,250	23.5	0.50	22.6	24.5
1991	2,507	23.1	0.46	22.2	24.0	2,197	22.7	0.49	21.8	23.7
1992	2,513	22.7	0.46	21.8	23.6	2,159	22.0	0.48	21.1	23.0
1993	2,543	22.7	0.45	21.8	23.6	2,175	21.9	0.47	21.0	22.8
1994	2,505	22.2	0.44	21.3	23.0	2,160	21.6	0.47	20.7	22.5
1995	2,453	21.4	0.43	20.6	22.3	2,111	20.9	0.46	20.0	21.8
1996	2,341	20.3	0.42	19.5	21.1	1,965	19.3	0.44	18.4	20.2
1997	2,368	20.3	0.42	19.5	21.2	1,994	19.5	0.44	18.6	20.4
1998	2,330	19.8	0.41	19.0	20.6	1,938	18.7	0.43	17.9	19.6
1999	2,410	20.2	0.41	19.4	21.0	2,022	19.4	0.43	18.5	20.2
2000	2,412	20.1	0.41	19.3	20.9	2,022	19.3	0.43	18.5	20.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,083	29.8	0.43	28.9	30.6	234	9.5	0.70	8.2	11.1
1986	295	30.1	1.82	26.6	33.9	8	5.5	1.98	2.4	14.5
1987	294	29.0	1.75	25.6	32.7	5	4.8	2.53	1.2	14.5
1988	358	33.5	1.83	30.0	37.3	12	7.6	2.29	3.8	16.3
1989	310	29.9	1.76	26.6	33.6	16	11.9	3.43	6.2	22.3
1990	366	34.4	1.86	30.9	38.3	14	11.6	3.61	5.6	22.4
1991	295	27.4	1.64	24.2	30.8	15	12.7	3.71	6.5	23.3
1992	338	29.9	1.68	26.7	33.4	16	10.3	2.97	5.4	19.1
1993	357	31.8	1.73	28.5	35.4	11	6.6	2.10	3.2	13.5
1994	328	28.0	1.59	25.0	31.3	17	11.8	3.13	6.5	20.4
1995	322	27.3	1.56	24.3	30.6	20	13.5	3.36	7.7	22.3
1996	359	29.5	1.59	26.5	32.8	17	7.2	2.00	3.8	13.2
1997	358	29.7	1.60	26.6	33.0	16	7.7	2.18	4.1	14.0
1998	368	29.1	1.55	26.2	32.4	24	11.3	2.58	6.9	18.2
1999	370	29.3	1.56	26.3	32.5	18	8.2	2.16	4.5	14.1
2000	365	28.2	1.51	25.4	31.4	25	9.6	2.12	5.9	15.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	503	10.4	0.52	9.4	11.5	37,081	22.8	0.12	22.6	23.0
1986	16	7.0	1.94	3.7	12.6	2,569	25.4	0.51	24.4	26.4
1987	21	9.6	2.44	5.4	16.1	2,601	25.5	0.50	24.5	26.5
1988	32	11.9	2.39	7.7	18.1	2,655	25.8	0.51	24.8	26.8
1989	26	10.4	2.26	6.5	16.3	2,495	24.1	0.49	23.1	25.0
1990	33	10.8	2.08	7.1	16.2	2,601	24.9	0.49	23.9	25.8
1991	24	8.5	1.94	5.2	13.7	2,504	23.7	0.48	22.8	24.7
1992	39	14.2	2.51	9.7	20.4	2,490	23.1	0.47	22.2	24.1
1993	51	16.2	2.56	11.6	22.4	2,538	23.3	0.46	22.4	24.2
1994	30	7.7	1.58	4.9	11.9	2,494	22.7	0.46	21.8	23.6
1995	32	9.5	1.93	6.1	14.4	2,437	22.0	0.45	21.1	22.8
1996	42	11.7	2.05	8.1	16.8	2,312	20.7	0.43	19.8	21.5
1997	39	9.9	1.80	6.7	14.4	2,349	20.8	0.43	20.0	21.7
1998	34	8.4	1.64	5.5	12.6	2,305	20.2	0.42	19.4	21.1
1999	36	9.8	1.86	6.5	14.4	2,371	20.6	0.42	19.8	21.5
2000	48	10.1	1.66	7.1	14.2	2,360	20.4	0.42	19.6	21.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	34,871	51.4	0.28	50.9	52.0	30,315	50.8	0.30	50.2	51.4
1986	2,225	53.4	1.18	51.1	55.8	1,996	53.7	1.25	51.2	56.2
1987	2,282	53.9	1.18	51.7	56.3	2,035	54.1	1.25	51.7	56.6
1988	2,270	53.3	1.16	51.0	55.6	1,980	52.2	1.22	49.8	54.7
1989	2,208	51.1	1.13	49.0	53.4	1,950	50.9	1.19	48.6	53.4
1990	2,295	52.7	1.14	50.5	55.0	2,015	52.1	1.20	49.8	54.5
1991	2,277	51.7	1.12	49.5	54.0	2,020	51.9	1.19	49.6	54.3
1992	2,340	52.7	1.12	50.5	54.9	2,063	52.6	1.19	50.3	55.0
1993	2,255	49.7	1.08	47.6	51.9	1,964	49.1	1.14	46.9	51.4
1994	2,329	51.1	1.09	49.0	53.3	2,043	50.8	1.15	48.6	53.2
1995	2,266	49.1	1.06	47.1	51.3	1,921	47.5	1.11	45.4	49.8
1996	2,284	49.1	1.05	47.1	51.2	1,955	48.1	1.11	46.0	50.3
1997	2,386	50.6	1.06	48.6	52.7	2,046	49.7	1.12	47.5	51.9
1998	2,489	52.0	1.06	50.0	54.2	2,099	50.4	1.11	48.2	52.6
1999	2,469	51.0	1.04	49.0	53.1	2,119	50.3	1.10	48.2	52.5
2000	2,496	50.9	1.03	48.9	53.0	2,109	49.6	1.09	47.5	51.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,984	56.7	0.96	54.9	58.7	403	32.4	1.88	28.8	36.5
1986	211	50.9	3.78	43.7	59.1	15	34.0	10.26	16.9	65.3
1987	225	53.3	3.84	46.0	61.6	20	35.1	9.12	19.6	63.3
1988	259	61.8	4.11	54.0	70.7	25	50.9	12.13	30.0	84.1
1989	234	54.8	3.83	47.5	63.1	15	23.8	6.58	12.7	45.9
1990	250	58.0	3.93	50.6	66.5	21	35.1	9.18	19.5	62.1
1991	227	49.3	3.50	42.7	56.9	17	22.8	6.02	12.6	42.9
1992	240	52.7	3.64	45.8	60.5	22	28.9	7.08	16.7	50.1
1993	262	56.4	3.73	49.3	64.4	26	28.5	6.61	17.1	48.2
1994	257	56.8	3.81	49.6	65.0	24	24.2	5.21	15.1	40.9
1995	303	63.2	3.87	55.8	71.4	34	35.6	6.74	23.6	54.5
1996	285	56.1	3.53	49.4	63.6	34	38.1	7.83	24.4	59.0
1997	297	57.9	3.58	51.2	65.6	31	29.0	6.03	18.4	46.1
1998	344	66.9	3.83	59.6	75.0	31	29.0	5.96	18.5	45.6
1999	286	54.9	3.44	48.3	62.2	42	37.2	6.99	24.8	55.5
2000	304	57.0	3.45	50.4	64.3	46	35.2	6.12	24.3	51.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	593	28.2	1.41	25.5	31.1	27,501	51.8	0.32	51.1	52.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	31	26.2	5.54	16.5	40.9	2,177	51.9	1.15	49.7	54.2
1990	39	25.4	4.78	17.0	38.6	2,256	53.4	1.16	51.2	55.8
1991	32	22.0	4.71	13.8	34.9	2,245	52.6	1.15	50.4	54.9
1992	52	35.7	6.14	24.7	51.1	2,288	53.2	1.14	50.9	55.5
1993	46	29.2	5.32	19.8	43.0	2,209	50.4	1.10	48.3	52.6
1994	47	24.7	4.38	16.9	36.4	2,282	51.9	1.11	49.7	54.1
1995	53	33.4	5.72	23.1	47.6	2,213	49.8	1.08	47.7	51.9
1996	41	21.3	4.10	14.1	32.3	2,243	50.1	1.08	48.0	52.3
1997	62	28.5	4.17	20.9	39.3	2,324	51.3	1.08	49.2	53.5
1998	51	30.2	5.22	20.8	43.1	2,438	53.0	1.09	50.9	55.2
1999	66	28.7	4.32	20.8	39.5	2,403	51.8	1.07	49.8	54.0
2000	73	30.1	4.29	22.3	40.8	2,423	51.8	1.06	49.7	53.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,104	27.6	0.21	27.2	28.0	15,600	27.0	0.22	26.6	27.4
1986	1,228	30.2	0.90	28.5	32.1	1,091	30.2	0.95	28.3	32.1
1987	1,248	30.7	0.91	28.9	32.5	1,109	30.7	0.96	28.8	32.7
1988	1,289	31.3	0.91	29.6	33.2	1,116	30.6	0.96	28.8	32.6
1989	1,244	30.4	0.90	28.7	32.2	1,088	29.9	0.95	28.1	31.9
1990	1,293	30.8	0.89	29.1	32.6	1,111	29.8	0.93	28.0	31.7
1991	1,237	29.3	0.87	27.6	31.1	1,101	29.4	0.92	27.6	31.3
1992	1,249	28.9	0.85	27.2	30.6	1,071	28.0	0.88	26.3	29.8
1993	1,214	27.7	0.82	26.1	29.4	1,049	27.0	0.86	25.3	28.7
1994	1,248	28.2	0.82	26.6	29.9	1,082	27.7	0.86	26.0	29.4
1995	1,156	26.2	0.79	24.6	27.8	995	25.6	0.83	24.0	27.3
1996	1,118	24.8	0.76	23.3	26.3	950	24.0	0.80	22.5	25.6
1997	1,152	25.4	0.77	23.9	26.9	970	24.4	0.80	22.9	26.1
1998	1,133	24.2	0.73	22.8	25.7	941	23.1	0.77	21.6	24.7
1999	1,164	24.9	0.74	23.4	26.4	979	24.0	0.78	22.5	25.6
2000	1,131	23.8	0.72	22.5	25.3	947	22.9	0.75	21.5	24.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,382	35.5	0.78	34.0	37.0	122	11.9	1.25	9.6	14.8
1986	131	32.8	3.11	27.0	39.7	6	9.8	4.08	3.5	31.3
1987	136	32.7	2.99	27.1	39.4	3	3.6	2.17	0.7	22.6
1988	165	39.2	3.30	33.0	46.5	8	13.3	4.88	5.5	33.8
1989	147	36.3	3.24	30.2	43.5	9	10.4	3.66	4.5	28.3
1990	173	41.6	3.39	35.2	49.0	9	21.6	8.23	8.6	47.6
1991	131	30.4	2.89	25.0	36.9	5	11.0	5.37	3.1	30.9
1992	169	38.6	3.20	32.6	45.6	9	15.4	6.00	6.0	35.3
1993	158	36.9	3.17	30.9	43.8	7	11.3	4.55	4.2	27.9
1994	159	35.9	3.08	30.1	42.6	7	9.6	3.77	3.7	24.5
1995	153	33.9	2.94	28.4	40.4	8	10.6	4.41	3.8	26.1
1996	159	33.4	2.85	28.1	39.7	9	8.8	3.68	3.1	22.7
1997	171	34.4	2.80	29.2	40.6	11	15.0	5.27	6.5	31.2
1998	182	36.2	2.86	30.8	42.5	10	10.4	3.78	4.4	23.5
1999	177	35.9	2.87	30.5	42.2	8	12.5	4.95	4.7	27.6
2000	171	34.1	2.76	28.9	40.1	13	13.5	4.21	6.6	26.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	277	13.5	0.97	11.6	15.6	17,949	28.3	0.22	27.8	28.7
1986	8	9.0	3.50	3.5	21.0	1,234	31.1	0.93	29.3	33.0
1987	14	15.1	5.07	6.8	29.7	1,257	31.6	0.93	29.8	33.5
1988	19	18.9	4.98	10.4	32.9	1,272	31.7	0.93	29.9	33.6
1989	14	12.2	3.84	5.8	23.9	1,241	31.2	0.93	29.4	33.1
1990	15	13.7	4.18	6.8	26.2	1,270	31.2	0.91	29.4	33.0
1991	16	14.2	4.12	7.3	26.2	1,244	30.4	0.90	28.7	32.2
1992	21	18.2	4.56	10.4	30.7	1,228	29.1	0.86	27.5	30.9
1993	32	21.9	4.58	13.9	34.3	1,208	28.5	0.85	26.8	30.2
1994	18	10.6	2.99	5.6	20.0	1,237	28.9	0.84	27.3	30.6
1995	19	13.2	3.76	6.9	23.9	1,145	26.9	0.82	25.3	28.5
1996	17	11.4	3.37	5.7	21.2	1,107	25.4	0.78	23.9	27.0
1997	24	12.0	2.83	7.1	20.5	1,132	25.8	0.78	24.3	27.4
1998	21	13.0	3.42	7.1	22.5	1,121	25.0	0.76	23.5	26.5
1999	19	11.2	3.14	5.9	20.1	1,144	25.4	0.76	24.0	27.0
2000	20	10.3	2.78	5.6	18.3	1,109	24.4	0.74	22.9	25.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	39,382	39.3	0.20	38.9	39.7	34,036	38.4	0.21	38.0	38.8
1986	2,468	39.7	0.81	38.2	41.4	2,161	38.8	0.85	37.2	40.5
1987	2,590	41.1	0.82	39.5	42.7	2,310	41.0	0.86	39.3	42.7
1988	2,596	40.6	0.80	39.0	42.2	2,265	39.6	0.84	38.0	41.3
1989	2,476	38.7	0.79	37.2	40.3	2,173	38.0	0.83	36.4	39.7
1990	2,562	39.6	0.79	38.1	41.2	2,242	38.9	0.83	37.3	40.6
1991	2,454	37.6	0.77	36.1	39.1	2,149	37.0	0.81	35.4	38.6
1992	2,413	36.3	0.75	34.9	37.8	2,130	36.0	0.79	34.5	37.6
1993	2,561	38.0	0.76	36.6	39.6	2,238	37.5	0.80	36.0	39.1
1994	2,785	41.0	0.78	39.5	42.6	2,407	40.1	0.83	38.5	41.7
1995	2,605	38.2	0.75	36.7	39.7	2,234	37.1	0.80	35.6	38.7
1996	2,714	39.4	0.76	37.9	40.9	2,326	38.4	0.81	36.9	40.1
1997	2,733	39.4	0.76	37.9	40.9	2,329	38.3	0.81	36.8	39.9
1998	2,892	41.3	0.77	39.8	42.8	2,429	39.7	0.82	38.2	41.4
1999	2,748	39.0	0.75	37.5	40.5	2,310	37.5	0.79	36.0	39.1
2000	2,785	39.3	0.75	37.9	40.8	2,333	37.8	0.79	36.3	39.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,770	45.0	0.66	43.8	46.4	379	24.0	1.35	21.4	26.8
1986	283	45.7	2.78	40.4	51.5	15	21.2	6.31	10.7	41.0
1987	258	40.4	2.57	35.5	45.8	17	26.9	7.20	14.7	47.9
1988	310	48.0	2.78	42.7	53.9	13	21.3	6.79	10.1	41.3
1989	272	41.5	2.56	36.7	46.9	22	22.1	5.42	12.8	38.8
1990	300	45.4	2.66	40.3	51.0	11	16.5	5.46	7.6	33.6
1991	269	40.2	2.48	35.4	45.4	17	18.3	4.94	9.9	33.4
1992	256	36.3	2.30	31.9	41.1	21	25.1	6.00	14.7	41.6
1993	296	42.1	2.48	37.4	47.3	22	21.6	5.05	12.8	35.7
1994	340	47.5	2.61	42.6	53.0	32	27.0	5.30	17.7	41.1
1995	335	45.9	2.53	41.0	51.2	32	25.7	4.97	16.9	38.7
1996	349	47.3	2.56	42.4	52.6	27	24.1	5.07	15.3	37.1
1997	360	48.1	2.56	43.2	53.4	24	16.8	3.70	10.4	27.0
1998	399	52.3	2.64	47.3	57.8	40	29.5	4.99	20.6	41.9
1999	374	46.6	2.43	42.0	51.7	43	28.7	4.65	20.3	40.1
2000	369	45.6	2.39	41.1	50.6	43	27.1	4.41	19.1	37.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	551	22.7	1.06	20.7	24.9	31,177	39.5	0.23	39.0	39.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	30	17.4	3.41	11.3	26.3	2,446	39.2	0.80	37.7	40.8
1990	40	21.3	3.68	14.8	30.7	2,522	40.0	0.81	38.4	41.6
1991	26	16.3	3.51	10.2	25.4	2,428	38.2	0.78	36.7	39.8
1992	30	17.0	3.34	11.1	25.6	2,383	36.8	0.76	35.3	38.4
1993	43	23.8	3.88	16.8	33.2	2,518	38.5	0.77	36.9	40.0
1994	49	25.3	3.94	18.2	34.7	2,736	41.4	0.80	39.9	43.0
1995	50	26.6	4.06	19.2	36.2	2,555	38.6	0.77	37.1	40.1
1996	57	26.5	3.81	19.6	35.5	2,657	39.7	0.78	38.2	41.3
1997	59	27.8	3.96	20.6	37.1	2,674	39.8	0.78	38.3	41.3
1998	53	22.7	3.38	16.6	30.9	2,839	42.0	0.80	40.4	43.5
1999	46	17.1	2.78	12.1	24.0	2,702	39.8	0.77	38.3	41.3
2000	68	27.3	3.71	20.5	35.9	2,717	39.8	0.77	38.3	41.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Colon Excluding Rectum, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19,207	18.9	0.14	18.6	19.2	16,394	18.1	0.14	17.8	18.4
1986	1,305	21.0	0.59	19.8	22.2	1,139	20.3	0.61	19.1	21.6
1987	1,336	21.1	0.58	20.0	22.3	1,176	20.7	0.61	19.6	22.0
1988	1,389	21.8	0.59	20.7	23.0	1,192	20.8	0.61	19.6	22.1
1989	1,260	19.4	0.55	18.3	20.5	1,090	18.7	0.57	17.6	19.9
1990	1,337	20.4	0.56	19.3	21.6	1,139	19.4	0.58	18.3	20.6
1991	1,270	19.2	0.54	18.1	20.3	1,096	18.4	0.56	17.4	19.6
1992	1,264	18.8	0.53	17.8	19.9	1,088	18.2	0.56	17.1	19.3
1993	1,329	19.5	0.54	18.4	20.6	1,126	18.6	0.56	17.5	19.7
1994	1,257	18.2	0.52	17.2	19.3	1,078	17.6	0.54	16.5	18.6
1995	1,297	18.6	0.52	17.5	19.6	1,116	18.0	0.55	16.9	19.1
1996	1,223	17.4	0.50	16.5	18.5	1,015	16.3	0.52	15.3	17.3
1997	1,216	17.1	0.49	16.1	18.1	1,024	16.4	0.52	15.4	17.4
1998	1,197	16.7	0.49	15.8	17.7	997	15.8	0.51	14.8	16.9
1999	1,246	17.2	0.49	16.3	18.2	1,043	16.4	0.52	15.4	17.4
2000	1,281	17.6	0.50	16.6	18.6	1,075	16.8	0.52	15.8	17.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,701	26.2	0.51	25.2	27.2	112	7.9	0.83	6.4	9.8
1986	164	28.4	2.26	24.2	33.3	2	2.2	1.58	0.3	15.8
1987	158	26.3	2.13	22.3	30.9	2	5.4	3.95	0.6	21.6
1988	193	30.1	2.21	26.0	34.8	4	3.8	1.92	1.0	16.2
1989	163	25.9	2.07	22.0	30.4	7	12.7	5.23	4.6	29.7
1990	193	30.0	2.20	25.8	34.7	5	4.6	2.23	1.3	16.6
1991	164	25.5	2.02	21.7	29.8	10	14.2	5.08	6.0	29.9
1992	169	24.6	1.92	21.0	28.7	7	6.9	2.93	2.4	18.2
1993	199	29.0	2.08	25.1	33.4	4	3.4	1.70	0.9	12.1
1994	169	23.8	1.85	20.3	27.8	10	13.0	4.44	5.8	25.9
1995	169	23.6	1.83	20.1	27.5	12	14.9	4.63	7.3	27.7
1996	200	27.3	1.95	23.6	31.4	8	6.2	2.36	2.4	14.2
1997	187	25.6	1.89	22.1	29.6	5	3.3	1.57	1.0	9.9
1998	186	24.4	1.81	21.0	28.2	14	11.8	3.42	6.1	21.3
1999	193	25.1	1.82	21.7	29.0	10	6.2	2.12	2.8	13.1
2000	194	24.5	1.77	21.2	28.3	12	7.2	2.27	3.5	14.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	226	8.2	0.60	7.1	9.5	19,132	19.3	0.14	19.0	19.6
1986	8	5.8	2.26	2.3	13.5	1,335	21.9	0.61	20.7	23.1
1987	7	5.8	2.35	2.1	13.4	1,344	21.7	0.60	20.5	22.9
1988	13	7.4	2.32	3.6	14.6	1,383	22.2	0.60	21.0	23.4
1989	12	9.1	2.77	4.5	17.0	1,254	19.8	0.56	18.7	20.9
1990	18	9.6	2.36	5.5	16.4	1,331	20.8	0.58	19.7	22.0
1991	8	4.7	1.82	1.8	10.7	1,260	19.5	0.56	18.4	20.6
1992	18	11.6	2.95	6.6	19.5	1,262	19.3	0.55	18.2	20.4
1993	19	11.6	2.89	6.6	19.2	1,330	20.0	0.55	19.0	21.1
1994	12	5.5	1.73	2.6	10.8	1,257	18.7	0.53	17.7	19.8
1995	13	7.1	2.11	3.6	13.1	1,292	19.0	0.53	18.0	20.1
1996	25	12.4	2.67	7.7	19.3	1,205	17.7	0.51	16.7	18.7
1997	15	7.8	2.19	4.1	13.8	1,217	17.6	0.51	16.6	18.7
1998	13	5.3	1.60	2.6	10.1	1,184	17.1	0.50	16.1	18.1
1999	17	8.7	2.31	4.8	14.8	1,227	17.5	0.51	16.5	18.5
2000	28	10.4	2.14	6.6	16.0	1,251	17.7	0.51	16.8	18.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Rectum and Rectosigmoid Junction, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	27,327	16.2	0.10	16.0	16.4	24,257	16.4	0.11	16.2	16.6
1986	1,792	16.8	0.40	16.1	17.7	1,627	17.2	0.43	16.3	18.0
1987	1,857	17.3	0.41	16.6	18.2	1,668	17.5	0.44	16.7	18.4
1988	1,797	16.7	0.40	15.9	17.5	1,615	17.0	0.43	16.1	17.8
1989	1,726	16.0	0.39	15.3	16.8	1,544	16.2	0.42	15.4	17.0
1990	1,779	16.3	0.39	15.6	17.1	1,606	16.6	0.42	15.8	17.5
1991	1,854	16.8	0.39	16.0	17.6	1,640	16.8	0.42	16.0	17.7
1992	1,816	16.3	0.38	15.5	17.0	1,651	16.8	0.42	16.0	17.7
1993	1,786	15.8	0.38	15.1	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,721	15.1	0.36	14.4	15.8	1,532	15.3	0.39	14.6	16.1
1995	1,827	15.9	0.37	15.2	16.7	1,622	16.2	0.40	15.5	17.1
1996	1,797	15.6	0.37	14.8	16.3	1,580	15.7	0.40	15.0	16.5
1997	1,904	16.4	0.38	15.6	17.1	1,651	16.4	0.40	15.6	17.2
1998	1,924	16.4	0.37	15.6	17.1	1,692	16.6	0.40	15.9	17.5
1999	1,888	15.9	0.37	15.2	16.6	1,657	16.2	0.40	15.4	17.0
2000	1,859	15.5	0.36	14.8	16.3	1,603	15.6	0.39	14.9	16.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,494	13.6	0.28	13.1	14.2	413	13.1	0.73	11.7	14.7
1986	144	13.4	1.16	11.2	16.0	16	11.3	3.32	5.7	22.3
1987	164	14.9	1.20	12.7	17.5	20	17.4	4.47	9.8	30.2
1988	146	12.8	1.10	10.8	15.2	25	18.9	4.22	11.6	30.9
1989	156	13.9	1.15	11.7	16.4	19	14.2	3.68	7.9	25.1
1990	151	13.6	1.14	11.4	16.0	15	9.8	2.81	5.1	19.1
1991	173	15.0	1.18	12.8	17.5	28	15.2	3.06	9.8	24.2
1992	140	11.8	1.02	9.8	14.0	23	10.8	2.58	6.3	18.7
1993	179	15.4	1.19	13.2	18.0	31	14.1	2.76	9.2	22.0
1994	159	12.6	1.02	10.7	14.8	22	9.4	2.23	5.5	16.2
1995	162	12.7	1.02	10.8	14.9	33	13.9	2.77	9.0	21.4
1996	167	13.1	1.03	11.1	15.3	41	15.2	2.54	10.6	22.0
1997	208	16.2	1.15	14.1	18.7	34	12.7	2.47	8.3	19.4
1998	182	13.6	1.02	11.6	15.8	33	12.3	2.41	8.0	18.7
1999	180	13.0	0.98	11.1	15.1	34	11.6	2.33	7.5	17.7
2000	183	12.8	0.96	10.9	14.8	39	12.9	2.33	8.8	18.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	566	11.3	0.55	10.3	12.5	21,315	16.2	0.11	15.9	16.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	29	8.6	1.80	5.5	13.6	1,697	16.2	0.40	15.4	17.0
1990	46	13.8	2.34	9.6	19.8	1,733	16.4	0.40	15.6	17.2
1991	34	9.4	1.90	6.0	14.5	1,820	17.0	0.40	16.2	17.8
1992	35	8.9	1.68	5.9	13.5	1,781	16.5	0.39	15.7	17.3
1993	41	11.6	2.01	8.0	16.7	1,745	16.0	0.38	15.2	16.7
1994	48	11.2	1.87	7.8	16.0	1,673	15.2	0.37	14.4	15.9
1995	47	12.0	2.06	8.3	17.1	1,780	16.1	0.38	15.4	16.9
1996	54	12.2	1.91	8.7	16.9	1,743	15.7	0.38	15.0	16.4
1997	54	12.4	1.90	9.0	17.1	1,850	16.6	0.39	15.8	17.3
1998	61	12.7	1.86	9.3	17.3	1,863	16.5	0.38	15.8	17.3
1999	61	11.7	1.77	8.4	16.0	1,827	16.1	0.38	15.4	16.9
2000	56	10.3	1.57	7.5	14.2	1,803	15.8	0.37	15.1	16.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Rectum and Rectosigmoid Junction, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,698	3.4	0.05	3.3	3.5	4,944	3.3	0.05	3.2	3.4
1986	432	4.1	0.20	3.7	4.5	384	4.1	0.21	3.7	4.5
1987	403	3.8	0.19	3.5	4.3	353	3.8	0.20	3.4	4.2
1988	379	3.6	0.18	3.2	3.9	334	3.5	0.19	3.1	3.9
1989	387	3.6	0.19	3.3	4.0	336	3.5	0.19	3.2	3.9
1990	384	3.6	0.18	3.2	4.0	327	3.4	0.19	3.0	3.8
1991	346	3.2	0.17	2.8	3.5	282	2.9	0.17	2.6	3.3
1992	390	3.5	0.18	3.2	3.9	342	3.5	0.19	3.1	3.9
1993	395	3.5	0.18	3.2	3.9	343	3.5	0.19	3.1	3.9
1994	358	3.2	0.17	2.8	3.5	315	3.2	0.18	2.8	3.5
1995	394	3.4	0.17	3.1	3.8	343	3.4	0.18	3.0	3.8
1996	329	2.9	0.16	2.6	3.2	287	2.9	0.17	2.5	3.2
1997	383	3.3	0.17	3.0	3.6	331	3.2	0.18	2.9	3.6
1998	378	3.2	0.17	2.9	3.6	332	3.2	0.18	2.9	3.6
1999	350	2.9	0.16	2.6	3.3	305	3.0	0.17	2.6	3.3
2000	390	3.2	0.16	2.9	3.6	330	3.2	0.18	2.8	3.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	687	3.9	0.15	3.6	4.2	67	2.4	0.33	1.8	3.2
1986	46	4.6	0.71	3.3	6.3	2	1.5	1.10	0.2	9.8
1987	46	4.2	0.65	3.0	5.8	4	2.6	1.43	0.6	10.7
1988	42	3.7	0.60	2.7	5.2	3	3.3	2.16	0.5	12.2
1989	46	4.4	0.68	3.2	6.0	5	3.4	1.68	0.9	11.1
1990	54	5.0	0.71	3.7	6.7	3	3.3	2.14	0.5	12.0
1991	62	5.6	0.73	4.2	7.3	2	1.6	1.20	0.1	8.2
1992	48	4.5	0.67	3.3	6.0	0	0.0	~	0.0	5.4
1993	46	4.0	0.60	2.9	5.4	6	2.5	1.12	0.8	8.0
1994	35	2.8	0.49	1.9	4.0	8	3.6	1.55	1.3	9.5
1995	47	4.0	0.60	2.9	5.4	4	1.7	0.84	0.4	6.1
1996	39	3.2	0.52	2.2	4.4	3	1.4	0.87	0.2	5.7
1997	46	3.8	0.57	2.8	5.2	6	1.9	0.82	0.7	5.9
1998	40	3.1	0.50	2.2	4.3	6	2.5	1.16	0.7	6.8
1999	37	3.0	0.51	2.1	4.2	8	3.7	1.42	1.5	8.3
2000	53	3.7	0.52	2.8	4.9	7	2.4	1.02	0.8	6.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	115	2.1	0.22	1.7	2.6	5,619	3.4	0.05	3.4	3.5
1986	4	1.9	1.07	0.4	6.2	440	4.3	0.21	3.9	4.7
1987	7	3.1	1.38	1.0	7.7	406	4.0	0.20	3.6	4.4
1988	5	1.6	0.80	0.4	5.1	378	3.6	0.19	3.3	4.0
1989	6	2.5	1.15	0.8	6.5	379	3.7	0.19	3.3	4.0
1990	10	3.0	1.10	1.2	6.7	381	3.6	0.19	3.3	4.0
1991	8	2.7	1.09	1.0	6.4	333	3.1	0.17	2.8	3.5
1992	5	1.5	0.82	0.4	4.7	384	3.6	0.18	3.2	3.9
1993	6	1.6	0.70	0.5	4.4	384	3.5	0.18	3.2	3.9
1994	12	3.5	1.10	1.7	6.9	336	3.1	0.17	2.8	3.4
1995	5	1.1	0.65	0.2	3.8	391	3.5	0.18	3.2	3.9
1996	9	1.9	0.74	0.7	4.6	325	2.9	0.16	2.6	3.3
1997	11	2.6	0.91	1.1	5.5	379	3.4	0.17	3.0	3.7
1998	10	2.0	0.73	0.8	4.6	382	3.4	0.17	3.0	3.7
1999	7	1.0	0.38	0.4	3.0	342	3.0	0.16	2.7	3.3
2000	10	1.9	0.70	0.8	4.3	379	3.3	0.17	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Rectum and Rectosigmoid Junction, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	15,098	21.5	0.18	21.1	21.9	13,484	21.9	0.19	21.5	22.3
1986	954	21.8	0.74	20.4	23.4	869	22.4	0.79	20.9	24.1
1987	1,014	22.8	0.74	21.4	24.4	920	23.3	0.80	21.8	24.9
1988	1,014	23.1	0.75	21.6	24.6	917	23.6	0.81	22.1	25.3
1989	927	21.0	0.72	19.6	22.5	831	21.2	0.76	19.7	22.7
1990	970	21.7	0.72	20.4	23.2	878	22.2	0.77	20.7	23.8
1991	1,009	22.3	0.72	20.9	23.8	903	22.6	0.77	21.1	24.1
1992	1,001	21.6	0.70	20.3	23.1	919	22.5	0.76	21.0	24.0
1993	988	21.2	0.69	19.8	22.6	870	21.2	0.74	19.8	22.7
1994	924	19.3	0.65	18.0	20.6	826	19.6	0.70	18.3	21.1
1995	991	20.9	0.68	19.6	22.3	886	21.4	0.73	20.0	22.9
1996	997	20.6	0.66	19.3	21.9	885	21.0	0.72	19.6	22.5
1997	1,076	22.1	0.68	20.7	23.5	944	22.2	0.73	20.8	23.7
1998	1,080	21.9	0.68	20.6	23.3	962	22.4	0.73	21.0	23.9
1999	1,084	21.6	0.67	20.3	23.0	947	21.9	0.72	20.5	23.3
2000	1,069	20.9	0.65	19.7	22.2	927	21.1	0.70	19.7	22.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,282	17.3	0.51	16.3	18.3	245	17.5	1.32	15.0	20.5
1986	74	16.2	2.02	12.5	21.0	10	12.2	3.94	5.7	33.1
1987	80	17.5	2.05	13.7	22.4	14	30.1	9.76	14.1	59.9
1988	77	16.5	2.03	12.8	21.3	16	26.0	6.91	14.3	49.4
1989	81	18.2	2.19	14.1	23.3	10	21.1	7.44	9.1	45.2
1990	80	17.6	2.12	13.7	22.6	9	13.5	5.26	5.2	34.0
1991	85	18.8	2.19	14.8	23.9	12	15.9	5.04	7.6	34.6
1992	69	14.7	1.90	11.2	19.2	12	11.6	3.77	5.4	27.3
1993	96	20.3	2.25	16.2	25.5	18	20.3	5.30	11.3	37.6
1994	82	16.3	1.90	12.7	20.7	10	7.9	2.75	3.5	21.2
1995	82	16.5	1.94	12.9	21.0	18	14.6	3.86	8.0	28.7
1996	77	13.9	1.64	10.8	17.7	28	21.5	4.54	13.6	36.2
1997	101	19.3	2.04	15.5	24.0	23	22.7	5.74	12.9	39.4
1998	91	17.2	1.90	13.6	21.5	19	17.1	4.74	9.1	31.6
1999	103	18.7	1.95	15.1	23.2	25	17.8	4.54	10.0	31.6
2000	104	17.6	1.81	14.3	21.8	21	15.2	3.88	8.6	27.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	333	14.1	0.94	12.3	16.2	11,783	21.5	0.20	21.1	21.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	16	10.4	2.92	5.5	20.3	911	21.3	0.73	19.9	22.8
1990	26	16.0	3.74	9.5	27.4	944	21.9	0.74	20.4	23.4
1991	20	13.3	3.77	7.0	24.6	989	22.6	0.74	21.2	24.1
1992	17	7.9	2.07	4.4	15.8	984	22.0	0.72	20.7	23.5
1993	24	12.5	2.94	7.4	21.8	964	21.5	0.71	20.1	22.9
1994	29	14.6	3.41	8.7	24.6	895	19.4	0.66	18.1	20.7
1995	22	13.4	3.62	7.3	23.8	969	21.2	0.70	19.9	22.7
1996	32	14.2	3.09	8.8	23.3	965	20.8	0.68	19.5	22.2
1997	34	17.9	3.67	11.4	27.9	1,042	22.3	0.70	21.0	23.8
1998	39	18.0	3.49	11.8	27.5	1,041	22.1	0.69	20.8	23.5
1999	40	15.4	3.10	9.9	24.0	1,044	21.9	0.68	20.6	23.3
2000	34	13.3	2.70	8.5	21.0	1,035	21.3	0.67	20.0	22.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Rectum and Rectosigmoid Junction, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,132	4.7	0.09	4.5	4.8	2,717	4.6	0.09	4.4	4.8
1986	245	6.0	0.40	5.2	6.8	220	6.0	0.43	5.2	6.9
1987	204	4.9	0.36	4.2	5.7	177	4.8	0.38	4.1	5.7
1988	210	5.0	0.36	4.3	5.8	181	4.9	0.38	4.2	5.7
1989	222	5.3	0.37	4.6	6.1	188	5.0	0.38	4.3	5.8
1990	208	4.9	0.35	4.2	5.6	178	4.7	0.36	4.0	5.5
1991	182	4.1	0.31	3.5	4.8	147	3.7	0.32	3.1	4.4
1992	220	5.0	0.35	4.3	5.7	198	5.0	0.37	4.4	5.8
1993	200	4.5	0.32	3.8	5.2	174	4.4	0.34	3.8	5.1
1994	195	4.3	0.32	3.7	5.0	175	4.4	0.34	3.7	5.1
1995	233	5.0	0.34	4.4	5.8	202	5.0	0.36	4.3	5.7
1996	185	4.1	0.31	3.5	4.7	161	4.1	0.33	3.5	4.8
1997	201	4.2	0.30	3.7	4.9	174	4.2	0.32	3.6	4.9
1998	215	4.5	0.31	3.9	5.1	192	4.6	0.34	4.0	5.3
1999	194	4.0	0.29	3.5	4.6	170	4.0	0.31	3.4	4.7
2000	218	4.4	0.30	3.8	5.1	180	4.2	0.32	3.6	4.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	374	5.4	0.30	4.8	6.1	41	3.0	0.54	2.0	4.5
1986	23	6.2	1.38	3.8	9.9	2	3.6	2.58	0.4	24.2
1987	24	5.5	1.21	3.4	8.8	3	3.0	1.77	0.6	21.8
1988	28	6.2	1.26	3.9	9.5	1	4.8	4.82	0.1	26.8
1989	31	8.0	1.58	5.2	12.0	3	3.8	2.30	0.7	20.8
1990	28	6.7	1.37	4.3	10.3	2	3.6	2.73	0.4	21.4
1991	33	7.8	1.44	5.2	11.4	2	3.7	2.89	0.3	20.2
1992	22	5.1	1.17	3.0	8.2	0	0.0	~	0.0	13.7
1993	21	4.7	1.13	2.8	7.8	5	5.3	2.56	1.5	18.9
1994	17	3.5	0.88	2.0	6.0	3	2.6	1.57	0.5	15.1
1995	29	6.5	1.30	4.2	9.8	2	1.8	1.31	0.2	13.4
1996	22	4.2	0.95	2.5	6.8	2	2.8	2.07	0.3	14.6
1997	22	4.4	1.00	2.7	7.2	5	3.2	1.51	1.0	13.6
1998	20	3.5	0.82	2.1	5.8	3	1.5	0.87	0.3	11.0
1999	21	4.7	1.09	2.8	7.5	3	3.3	2.04	0.6	13.5
2000	33	5.7	1.07	3.8	8.5	5	3.1	1.50	0.9	11.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	74	2.8	0.41	2.1	3.8	3,074	4.7	0.09	4.6	4.9
1986	2	2.9	2.41	0.2	13.6	253	6.3	0.42	5.5	7.2
1987	6	5.1	2.67	1.3	15.6	206	5.1	0.37	4.4	5.9
1988	3	1.4	0.79	0.3	9.2	208	5.1	0.37	4.4	5.9
1989	6	6.3	2.93	1.9	16.6	212	5.2	0.38	4.5	6.0
1990	6	3.6	1.69	1.0	11.9	205	5.0	0.36	4.3	5.8
1991	6	3.0	1.29	1.0	10.4	175	4.1	0.32	3.5	4.8
1992	3	2.4	1.86	0.2	10.6	215	5.0	0.35	4.4	5.8
1993	6	3.5	1.63	1.1	11.0	192	4.4	0.33	3.8	5.2
1994	7	3.9	1.65	1.4	11.2	180	4.1	0.31	3.5	4.8
1995	2	0.4	0.31	0.0	6.4	232	5.2	0.35	4.5	5.9
1996	5	3.0	1.75	0.6	10.2	179	4.1	0.31	3.5	4.8
1997	4	2.5	1.50	0.5	9.2	202	4.4	0.32	3.8	5.1
1998	8	2.7	1.00	1.1	8.2	213	4.6	0.32	4.0	5.3
1999	3	0.7	0.41	0.1	5.7	191	4.2	0.30	3.6	4.8
2000	7	2.9	1.44	0.8	8.7	211	4.5	0.31	3.9	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Rectum and Rectosigmoid Junction, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	12,229	12.4	0.11	12.2	12.7	10,773	12.5	0.12	12.3	12.7
1986	838	13.4	0.47	12.5	14.3	758	13.6	0.50	12.6	14.6
1987	843	13.5	0.47	12.6	14.5	748	13.5	0.50	12.6	14.6
1988	783	12.4	0.45	11.5	13.3	698	12.4	0.48	11.5	13.4
1989	799	12.7	0.46	11.8	13.7	713	12.8	0.49	11.9	13.8
1990	809	12.7	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9
1991	845	13.1	0.46	12.2	14.0	737	12.9	0.48	12.0	13.9
1992	815	12.5	0.44	11.6	13.4	732	12.7	0.48	11.8	13.7
1993	798	12.1	0.43	11.2	12.9	699	12.1	0.46	11.2	13.0
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1
1995	836	12.5	0.44	11.7	13.4	736	12.7	0.47	11.7	13.6
1996	800	11.8	0.42	11.0	12.7	695	11.8	0.46	11.0	12.8
1997	828	12.2	0.43	11.4	13.1	707	12.0	0.46	11.1	13.0
1998	844	12.5	0.43	11.6	13.4	730	12.5	0.47	11.6	13.5
1999	804	11.7	0.42	10.9	12.6	710	12.0	0.46	11.2	13.0
2000	790	11.5	0.41	10.7	12.3	676	11.4	0.44	10.6	12.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,212	11.2	0.33	10.6	11.9	168	9.7	0.83	8.2	11.6
1986	70	11.4	1.38	8.8	14.5	6	9.9	4.75	2.9	27.5
1987	84	13.0	1.44	10.3	16.2	6	8.1	3.40	2.9	22.7
1988	69	10.4	1.28	8.1	13.3	9	13.7	5.22	5.4	30.9
1989	75	11.3	1.32	8.8	14.2	9	10.0	3.67	4.1	24.0
1990	71	10.9	1.31	8.5	13.8	6	6.9	2.96	2.4	19.9
1991	88	12.6	1.37	10.0	15.6	16	14.9	3.89	8.3	28.0
1992	71	10.0	1.21	7.8	12.7	11	9.8	3.42	4.3	21.7
1993	83	12.1	1.34	9.6	15.1	13	9.7	2.90	4.9	20.0
1994	77	10.4	1.20	8.2	13.1	12	10.0	3.15	4.8	20.3
1995	80	10.4	1.17	8.2	13.0	15	12.7	3.67	6.5	23.4
1996	90	12.1	1.29	9.7	15.0	13	9.7	2.78	5.0	18.3
1997	107	14.0	1.37	11.5	17.0	11	6.0	1.90	2.9	13.0
1998	91	11.4	1.20	9.2	14.1	14	9.0	2.58	4.6	16.8
1999	77	9.4	1.07	7.4	11.8	9	6.6	2.43	2.7	14.1
2000	79	9.4	1.07	7.5	11.8	18	11.1	2.83	6.2	18.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	233	9.0	0.65	7.8	10.4	9,532	12.4	0.13	12.1	12.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	13	7.2	2.22	3.6	14.0	786	12.8	0.46	11.9	13.8
1990	20	11.9	2.93	6.9	19.9	789	12.7	0.46	11.8	13.7
1991	14	6.5	1.96	3.3	12.7	831	13.2	0.46	12.3	14.2
1992	18	9.4	2.40	5.3	16.2	797	12.5	0.45	11.7	13.5
1993	17	10.3	2.62	5.8	17.4	781	12.2	0.44	11.3	13.1
1994	19	8.6	2.14	4.9	14.6	778	12.1	0.44	11.2	13.0
1995	25	11.4	2.54	6.9	18.1	811	12.6	0.45	11.7	13.5
1996	22	10.2	2.39	6.0	16.5	778	11.9	0.43	11.1	12.8
1997	20	8.3	1.98	4.9	13.8	808	12.4	0.44	11.5	13.3
1998	22	8.5	1.99	5.0	14.0	822	12.7	0.44	11.8	13.6
1999	21	8.3	2.05	4.8	13.9	783	11.9	0.43	11.1	12.8
2000	22	7.9	1.88	4.6	13.0	768	11.7	0.42	10.8	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Rectum and Rectosigmoid Junction, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,566	2.5	0.05	2.4	2.6	2,227	2.5	0.05	2.4	2.6
1986	187	3.0	0.22	2.6	3.4	164	2.9	0.23	2.5	3.4
1987	199	3.2	0.23	2.8	3.7	176	3.2	0.24	2.7	3.7
1988	169	2.6	0.20	2.2	3.0	153	2.6	0.21	2.2	3.1
1989	165	2.5	0.20	2.2	3.0	148	2.5	0.21	2.2	3.0
1990	176	2.7	0.21	2.3	3.2	149	2.6	0.21	2.2	3.0
1991	164	2.5	0.19	2.1	2.9	135	2.3	0.20	1.9	2.7
1992	170	2.5	0.20	2.2	2.9	144	2.4	0.21	2.0	2.9
1993	195	2.9	0.21	2.5	3.3	169	2.8	0.22	2.4	3.3
1994	163	2.4	0.19	2.0	2.8	140	2.3	0.20	2.0	2.8
1995	161	2.3	0.18	2.0	2.7	141	2.3	0.20	1.9	2.7
1996	144	2.1	0.18	1.8	2.5	126	2.1	0.19	1.8	2.5
1997	182	2.6	0.19	2.2	3.0	157	2.6	0.21	2.2	3.0
1998	163	2.3	0.18	2.0	2.7	140	2.3	0.20	2.0	2.8
1999	156	2.2	0.18	1.8	2.6	135	2.2	0.19	1.8	2.6
2000	172	2.4	0.18	2.0	2.8	150	2.4	0.20	2.0	2.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	313	3.0	0.17	2.7	3.4	26	1.8	0.40	1.1	2.9
1986	23	3.7	0.79	2.3	5.7	0	0.0	~	0.0	13.4
1987	22	3.4	0.74	2.1	5.3	1	2.0	1.97	0.0	15.4
1988	14	2.2	0.59	1.2	3.7	2	2.3	1.68	0.3	14.7
1989	15	2.3	0.61	1.3	3.9	2	3.0	2.33	0.2	15.6
1990	26	4.0	0.80	2.6	5.9	1	3.0	3.05	0.1	17.0
1991	29	4.2	0.80	2.8	6.1	0	0.0	~	0.0	10.0
1992	26	4.0	0.80	2.6	5.9	0	0.0	~	0.0	9.0
1993	25	3.5	0.71	2.3	5.3	1	0.5	0.47	0.0	8.5
1994	18	2.4	0.57	1.4	3.8	5	4.4	2.32	1.1	13.6
1995	18	2.5	0.60	1.5	4.0	2	1.5	1.08	0.2	8.4
1996	17	2.4	0.59	1.4	3.9	1	0.4	0.45	0.0	6.3
1997	24	3.3	0.68	2.1	5.0	1	0.8	0.76	0.0	6.6
1998	20	2.7	0.61	1.6	4.2	3	2.8	1.73	0.5	9.5
1999	16	2.1	0.53	1.2	3.5	5	3.9	1.88	1.2	10.5
2000	20	2.4	0.55	1.5	3.8	2	1.5	1.19	0.1	6.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	41	1.5	0.25	1.0	2.1	2,545	2.6	0.05	2.5	2.7
1986	2	1.3	0.95	0.2	7.2	187	3.0	0.23	2.6	3.5
1987	1	1.4	1.38	0.0	7.7	200	3.3	0.23	2.8	3.8
1988	2	1.6	1.16	0.2	7.1	170	2.7	0.21	2.3	3.1
1989	0	0.0	-	0.0	4.4	167	2.6	0.21	2.2	3.1
1990	4	2.5	1.38	0.6	7.9	176	2.8	0.21	2.4	3.2
1991	2	2.0	1.43	0.2	7.6	158	2.4	0.20	2.1	2.9
1992	2	1.1	0.77	0.1	5.4	169	2.6	0.20	2.2	3.0
1993	0	0.0	-	0.0	3.7	192	2.9	0.21	2.5	3.4
1994	5	2.9	1.39	0.9	7.8	156	2.4	0.19	2.0	2.8
1995	3	1.6	1.02	0.2	5.8	159	2.3	0.19	2.0	2.7
1996	4	1.3	0.64	0.3	4.7	146	2.2	0.18	1.8	2.6
1997	7	2.7	1.16	0.9	6.9	177	2.6	0.20	2.2	3.0
1998	2	1.2	0.89	0.1	5.0	169	2.5	0.20	2.1	2.9
1999	4	1.2	0.62	0.3	4.4	151	2.2	0.18	1.8	2.6
2000	3	1.2	0.73	0.2	4.5	168	2.4	0.19	2.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Anus, Anal Canal and Anorectum, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,792	1.1	0.02	1.0	1.1	1,515	1.0	0.03	1.0	1.1
1986	96	0.9	0.09	0.7	1.1	77	0.8	0.10	0.6	1.0
1987	111	1.1	0.10	0.9	1.3	96	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	87	0.9	0.10	0.7	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	116	1.1	0.10	0.9	1.3	91	1.0	0.10	0.8	1.2
1991	105	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1994	108	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	103	1.1	0.10	0.9	1.3
1996	114	1.0	0.09	0.8	1.2	98	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	105	1.1	0.10	0.9	1.3
1998	136	1.1	0.10	1.0	1.4	113	1.1	0.10	0.9	1.3
1999	153	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	165	1.4	0.11	1.2	1.6	137	1.4	0.12	1.1	1.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	249	1.3	0.08	1.1	1.5	10	0.3	0.10	0.1	0.7
1986	16	1.4	0.36	0.8	2.4	0	0.0	-	0.0	8.1
1987	13	1.1	0.33	0.6	2.1	0	0.0	-	0.0	7.6
1988	18	1.7	0.40	1.0	2.7	1	0.4	0.36	0.0	7.5
1989	12	1.0	0.29	0.5	1.9	1	0.5	0.46	0.0	7.2
1990	23	2.0	0.43	1.2	3.1	0	0.0	-	0.0	6.7
1991	12	0.9	0.26	0.4	1.7	0	0.0	-	0.0	6.0
1992	17	1.3	0.32	0.7	2.2	0	0.0	-	0.0	5.4
1993	7	0.6	0.22	0.2	1.3	0	0.0	-	0.0	4.9
1994	15	1.2	0.31	0.6	2.0	2	1.2	0.88	0.1	6.2
1995	20	1.4	0.32	0.8	2.2	1	0.2	0.25	0.0	4.3
1996	15	1.2	0.32	0.7	2.1	0	0.0	-	0.0	3.8
1997	16	1.2	0.30	0.7	2.0	2	0.5	0.36	0.1	4.1
1998	20	1.4	0.31	0.8	2.2	1	0.4	0.35	0.0	3.7
1999	19	1.3	0.30	0.8	2.1	2	0.9	0.69	0.1	4.4
2000	26	1.7	0.34	1.1	2.6	0	0.0	-	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	55	1.1	0.17	0.8	1.5	1,423	1.1	0.03	1.0	1.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	0.7	0.39	0.1	3.5	112	1.1	0.10	0.9	1.3
1990	0	0.0	-	0.0	2.7	116	1.1	0.11	0.9	1.4
1991	2	0.6	0.44	0.1	3.4	103	1.0	0.10	0.8	1.2
1992	6	2.2	0.98	0.7	5.6	107	1.0	0.10	0.8	1.2
1993	8	2.1	0.82	0.8	5.1	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	2.6	106	1.0	0.10	0.8	1.2
1995	4	1.0	0.60	0.2	3.6	120	1.1	0.10	0.9	1.3
1996	6	2.4	1.06	0.8	5.7	108	1.0	0.10	0.8	1.2
1997	4	0.5	0.24	0.1	2.5	121	1.1	0.10	0.9	1.3
1998	6	0.6	0.28	0.2	2.6	130	1.2	0.10	1.0	1.4
1999	7	1.2	0.48	0.4	3.3	146	1.3	0.11	1.1	1.5
2000	7	0.9	0.33	0.3	2.7	158	1.4	0.11	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Anus, Anal Canal and Anorectum, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	245	0.2	0.01	0.1	0.2	207	0.1	0.01	0.1	0.2
1986	25	0.2	0.05	0.2	0.4	21	0.2	0.05	0.1	0.4
1987	16	0.2	0.04	0.1	0.3	13	0.1	0.04	0.1	0.2
1988	20	0.2	0.04	0.1	0.3	15	0.2	0.04	0.1	0.3
1989	14	0.1	0.03	0.1	0.2	9	0.1	0.03	0.0	0.2
1990	12	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1991	13	0.1	0.04	0.1	0.2	11	0.1	0.04	0.1	0.2
1992	15	0.1	0.04	0.1	0.2	14	0.2	0.04	0.1	0.2
1993	12	0.1	0.03	0.1	0.2	8	0.1	0.03	0.0	0.2
1994	17	0.2	0.04	0.1	0.2	15	0.2	0.04	0.1	0.2
1995	19	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
1996	15	0.1	0.03	0.1	0.2	12	0.1	0.04	0.1	0.2
1997	19	0.2	0.04	0.1	0.3	16	0.2	0.04	0.1	0.3
1998	19	0.2	0.04	0.1	0.2	18	0.2	0.04	0.1	0.3
1999	15	0.1	0.03	0.1	0.2	14	0.1	0.04	0.1	0.2
2000	14	0.1	0.03	0.1	0.2	13	0.1	0.04	0.1	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	38	0.2	0.03	0.1	0.3	0	0.0	~	0.0	0.3
1986	4	0.3	0.17	0.1	1.0	0	0.0	~	0.0	8.1
1987	3	0.3	0.17	0.1	1.0	0	0.0	~	0.0	7.6
1988	5	0.5	0.21	0.1	1.2	0	0.0	~	0.0	7.2
1989	5	0.4	0.20	0.1	1.2	0	0.0	~	0.0	6.8
1990	2	0.1	0.09	0.0	0.7	0	0.0	~	0.0	6.7
1991	2	0.2	0.12	0.0	0.8	0	0.0	~	0.0	6.0
1992	1	0.1	0.07	0.0	0.6	0	0.0	~	0.0	5.4
1993	4	0.3	0.16	0.1	0.9	0	0.0	~	0.0	4.9
1994	2	0.1	0.10	0.0	0.6	0	0.0	~	0.0	4.6
1995	1	0.0	0.05	0.0	0.5	0	0.0	~	0.0	4.1
1996	3	0.2	0.10	0.0	0.6	0	0.0	~	0.0	3.8
1997	3	0.2	0.13	0.0	0.7	0	0.0	~	0.0	3.6
1998	1	0.1	0.07	0.0	0.5	0	0.0	~	0.0	3.3
1999	1	0.1	0.08	0.0	0.5	0	0.0	~	0.0	3.1
2000	1	0.1	0.06	0.0	0.5	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.1	0.05	0.0	0.3	230	0.1	0.01	0.1	0.2
1986	0	0.0	-	0.0	3.4	23	0.2	0.05	0.1	0.3
1987	0	0.0	-	0.0	3.2	17	0.2	0.04	0.1	0.3
1988	1	0.5	0.46	0.0	3.6	20	0.2	0.05	0.1	0.3
1989	1	0.4	0.44	0.0	3.4	12	0.1	0.03	0.1	0.2
1990	0	0.0	-	0.0	2.7	10	0.1	0.03	0.0	0.2
1991	0	0.0	-	0.0	2.6	14	0.1	0.04	0.1	0.2
1992	0	0.0	-	0.0	2.5	14	0.1	0.04	0.1	0.2
1993	1	0.5	0.48	0.0	3.1	11	0.1	0.03	0.0	0.2
1994	0	0.0	-	0.0	2.2	13	0.1	0.03	0.1	0.2
1995	0	0.0	-	0.0	2.2	18	0.2	0.04	0.1	0.3
1996	0	0.0	-	0.0	2.0	12	0.1	0.03	0.1	0.2
1997	1	0.2	0.20	0.0	2.2	20	0.2	0.04	0.1	0.3
1998	0	0.0	-	0.0	1.9	17	0.2	0.04	0.1	0.2
1999	0	0.0	-	0.0	1.8	15	0.1	0.03	0.1	0.2
2000	0	0.0	-	0.0	1.8	14	0.1	0.03	0.1	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Anus, Anal Canal and Anorectum, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	652	0.9	0.04	0.8	1.0	542	0.9	0.04	0.8	0.9
1986	33	0.7	0.13	0.5	1.0	29	0.7	0.13	0.5	1.0
1987	39	0.9	0.16	0.6	1.3	33	0.9	0.16	0.6	1.3
1988	38	0.8	0.14	0.6	1.2	30	0.7	0.14	0.5	1.1
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5
1990	53	1.2	0.17	0.9	1.6	41	1.0	0.17	0.7	1.5
1991	32	0.6	0.12	0.4	0.9	27	0.6	0.12	0.4	1.0
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2
1993	32	0.7	0.12	0.4	1.0	29	0.7	0.13	0.4	1.0
1994	26	0.5	0.11	0.4	0.8	23	0.6	0.12	0.4	0.9
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1
1996	44	0.9	0.14	0.6	1.2	40	0.9	0.15	0.7	1.3
1997	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1998	51	1.0	0.14	0.7	1.3	38	0.8	0.14	0.6	1.2
1999	59	1.1	0.15	0.8	1.5	50	1.1	0.16	0.8	1.5
2000	64	1.2	0.15	0.9	1.6	52	1.2	0.16	0.9	1.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	93	1.0	0.11	0.8	1.3	5	0.3	0.14	0.1	1.2
1986	2	0.5	0.36	0.1	2.5	0	0.0	-	0.0	20.2
1987	5	1.0	0.51	0.3	3.2	0	0.0	-	0.0	19.0
1988	6	1.3	0.57	0.5	3.5	1	0.7	0.74	0.0	18.3
1989	2	0.4	0.26	0.0	2.2	1	0.9	0.90	0.0	17.4
1990	11	2.3	0.76	1.1	4.8	0	0.0	-	0.0	16.8
1991	5	0.7	0.34	0.2	2.5	0	0.0	-	0.0	15.1
1992	8	1.3	0.46	0.6	3.2	0	0.0	-	0.0	13.7
1993	2	0.5	0.39	0.1	2.4	0	0.0	-	0.0	12.7
1994	2	0.3	0.18	0.0	1.8	1	1.2	1.18	0.0	13.6
1995	11	1.5	0.47	0.8	3.3	0	0.0	-	0.0	11.4
1996	4	0.7	0.33	0.2	2.3	0	0.0	-	0.0	10.9
1997	7	1.0	0.40	0.4	2.7	0	0.0	-	0.0	10.2
1998	10	1.4	0.44	0.7	3.1	1	0.8	0.79	0.0	10.4
1999	7	1.0	0.38	0.4	2.6	1	0.7	0.73	0.0	9.9
2000	11	1.6	0.48	0.8	3.3	0	0.0	-	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	25	1.2	0.29	0.7	2.0	517	0.9	0.04	0.8	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.4	0.43	0.0	7.9	47	1.1	0.16	0.8	1.4
1990	0	0.0	-	0.0	7.6	53	1.2	0.18	0.9	1.6
1991	1	0.4	0.41	0.0	7.5	31	0.7	0.12	0.4	1.0
1992	2	1.2	0.91	0.1	8.1	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	10.1	29	0.6	0.12	0.4	0.9
1994	2	0.6	0.46	0.1	6.9	24	0.5	0.11	0.3	0.8
1995	3	2.1	1.50	0.2	9.1	42	0.8	0.13	0.6	1.2
1996	5	4.7	2.37	1.3	13.0	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	5.9	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	5.5	49	1.0	0.14	0.7	1.3
1999	2	0.5	0.38	0.1	5.5	57	1.1	0.15	0.9	1.5
2000	3	0.7	0.40	0.1	5.3	61	1.2	0.16	0.9	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Anus, Anal Canal and Anorectum, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	79	0.1	0.01	0.1	0.1	60	0.1	0.01	0.1	0.1
1986	12	0.2	0.07	0.1	0.5	9	0.2	0.08	0.1	0.5
1987	5	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1988	4	0.1	0.06	0.0	0.3	2	0.1	0.05	0.0	0.3
1989	8	0.2	0.06	0.1	0.4	6	0.2	0.06	0.0	0.4
1990	8	0.2	0.06	0.1	0.4	6	0.1	0.06	0.0	0.4
1991	6	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1992	4	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1993	4	0.1	0.04	0.0	0.3	2	0.1	0.04	0.0	0.2
1994	3	0.0	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1995	2	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1996	3	0.0	0.03	0.0	0.2	1	0.0	0.02	0.0	0.2
1997	5	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
1998	6	0.1	0.05	0.0	0.3	5	0.1	0.05	0.0	0.3
1999	5	0.1	0.05	0.0	0.3	5	0.1	0.05	0.0	0.3
2000	4	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19	0.2	0.05	0.1	0.4	0	0.0	~	0.0	0.8
1986	3	0.6	0.33	0.1	2.5	0	0.0	~	0.0	20.2
1987	1	0.2	0.17	0.0	2.0	0	0.0	~	0.0	19.0
1988	2	0.4	0.27	0.0	2.2	0	0.0	~	0.0	17.8
1989	2	0.5	0.40	0.0	2.5	0	0.0	~	0.0	16.6
1990	2	0.3	0.22	0.0	2.1	0	0.0	~	0.0	16.8
1991	2	0.4	0.28	0.0	2.2	0	0.0	~	0.0	15.1
1992	1	0.2	0.16	0.0	1.8	0	0.0	~	0.0	13.7
1993	2	0.4	0.26	0.0	2.0	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	2	0.2	0.17	0.0	1.7	0	0.0	~	0.0	10.9
1997	1	0.1	0.14	0.0	1.6	0	0.0	~	0.0	10.2
1998	1	0.2	0.16	0.0	1.6	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2	0.1	0.06	0.0	0.5	74	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	8.7	12	0.2	0.07	0.1	0.5
1987	0	0.0	-	0.0	8.3	6	0.1	0.06	0.0	0.3
1988	0	0.0	-	0.0	7.9	4	0.1	0.05	0.0	0.3
1989	1	1.0	1.05	0.0	8.9	7	0.2	0.06	0.1	0.4
1990	0	0.0	-	0.0	7.6	5	0.1	0.05	0.0	0.3
1991	0	0.0	-	0.0	7.1	6	0.1	0.06	0.0	0.3
1992	0	0.0	-	0.0	6.7	3	0.1	0.04	0.0	0.2
1993	0	0.0	-	0.0	6.6	5	0.1	0.05	0.0	0.3
1994	0	0.0	-	0.0	6.4	3	0.1	0.03	0.0	0.2
1995	0	0.0	-	0.0	6.0	1	0.0	0.02	0.0	0.2
1996	0	0.0	-	0.0	5.8	2	0.0	0.03	0.0	0.2
1997	1	0.4	0.42	0.0	6.0	5	0.1	0.04	0.0	0.3
1998	0	0.0	-	0.0	5.3	7	0.2	0.06	0.1	0.3
1999	0	0.0	-	0.0	5.0	5	0.1	0.05	0.0	0.3
2000	0	0.0	-	0.0	4.7	3	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Anus, Anal Canal and Anorectum, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,140	1.2	0.04	1.1	1.3	973	1.2	0.04	1.1	1.3
1986	63	1.0	0.13	0.8	1.3	48	0.9	0.13	0.6	1.2
1987	72	1.2	0.14	0.9	1.5	63	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	63	1.1	0.14	0.8	1.4	50	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.7
1996	70	1.1	0.13	0.8	1.4	58	1.0	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.0	1.7
1999	94	1.4	0.15	1.1	1.7	81	1.5	0.16	1.2	1.8
2000	101	1.5	0.15	1.3	1.9	85	1.5	0.17	1.2	1.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	156	1.4	0.12	1.2	1.7	5	0.3	0.15	0.1	0.9
1986	14	2.1	0.57	1.1	3.6	0	0.0	-	0.0	13.4
1987	8	1.2	0.44	0.5	2.5	0	0.0	-	0.0	12.6
1988	12	1.9	0.55	1.0	3.4	0	0.0	-	0.0	12.0
1989	10	1.4	0.46	0.7	2.8	0	0.0	-	0.0	11.4
1990	12	1.8	0.53	0.9	3.3	0	0.0	-	0.0	11.2
1991	7	1.0	0.37	0.4	2.1	0	0.0	-	0.0	10.0
1992	9	1.2	0.41	0.6	2.4	0	0.0	-	0.0	9.0
1993	5	0.7	0.30	0.2	1.6	0	0.0	-	0.0	8.0
1994	13	1.8	0.50	0.9	3.1	1	1.2	1.23	0.0	9.1
1995	9	1.2	0.40	0.5	2.3	1	0.5	0.47	0.0	6.9
1996	11	1.5	0.47	0.8	2.8	0	0.0	-	0.0	5.8
1997	9	1.2	0.39	0.5	2.3	2	1.0	0.71	0.1	6.7
1998	10	1.2	0.40	0.6	2.3	0	0.0	-	0.0	5.1
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	6.3
2000	15	1.8	0.46	1.0	3.0	0	0.0	-	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	30	1.0	0.20	0.7	1.6	906	1.2	0.04	1.2	1.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.9	0.66	0.1	5.5	65	1.1	0.14	0.9	1.5
1990	0	0.0	-	0.0	4.2	63	1.1	0.14	0.8	1.4
1991	1	0.7	0.68	0.0	5.2	72	1.2	0.14	0.9	1.5
1992	4	2.8	1.48	0.7	8.1	65	1.1	0.13	0.8	1.4
1993	5	2.2	0.99	0.7	6.4	67	1.1	0.13	0.8	1.4
1994	0	0.0	-	0.0	3.5	82	1.3	0.15	1.1	1.7
1995	1	0.3	0.29	0.0	3.7	78	1.3	0.15	1.0	1.7
1996	1	0.9	0.86	0.0	4.8	69	1.1	0.14	0.9	1.4
1997	3	0.6	0.38	0.1	3.8	78	1.3	0.14	1.0	1.6
1998	4	1.0	0.51	0.2	4.1	81	1.3	0.14	1.0	1.6
1999	5	1.8	0.84	0.5	5.3	89	1.4	0.15	1.1	1.8
2000	4	1.0	0.52	0.3	3.9	97	1.6	0.16	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Anus, Anal Canal and Anorectum, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	166	0.2	0.01	0.2	0.2	147	0.2	0.01	0.2	0.2
1986	13	0.2	0.06	0.1	0.4	12	0.2	0.06	0.1	0.4
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.06	0.1	0.3
1988	16	0.3	0.07	0.2	0.4	13	0.2	0.07	0.1	0.4
1989	6	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1990	4	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
1991	7	0.1	0.04	0.0	0.2	7	0.1	0.05	0.0	0.3
1992	11	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
1993	8	0.1	0.04	0.0	0.3	6	0.1	0.04	0.0	0.2
1994	14	0.2	0.06	0.1	0.4	12	0.2	0.06	0.1	0.4
1995	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1996	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
1997	14	0.2	0.06	0.1	0.4	12	0.2	0.06	0.1	0.4
1998	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
1999	10	0.1	0.04	0.1	0.3	9	0.2	0.05	0.1	0.3
2000	10	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19	0.2	0.04	0.1	0.3	0	0.0	~	0.0	0.5
1986	1	0.2	0.17	0.0	1.1	0	0.0	~	0.0	13.4
1987	2	0.4	0.25	0.0	1.4	0	0.0	~	0.0	12.6
1988	3	0.5	0.28	0.1	1.5	0	0.0	~	0.0	12.0
1989	3	0.4	0.24	0.1	1.4	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.20	0.0	1.1	0	0.0	~	0.0	8.0
1994	2	0.2	0.18	0.0	1.0	0	0.0	~	0.0	7.3
1995	1	0.1	0.09	0.0	0.7	0	0.0	~	0.0	6.4
1996	1	0.1	0.12	0.0	0.8	0	0.0	~	0.0	5.8
1997	2	0.3	0.19	0.0	1.0	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	1	0.1	0.13	0.0	0.8	0	0.0	~	0.0	4.7
2000	1	0.1	0.12	0.0	0.7	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2	0.1	0.06	0.0	0.4	156	0.2	0.01	0.1	0.2
1986	0	0.0	-	0.0	5.4	11	0.2	0.05	0.1	0.3
1987	0	0.0	-	0.0	5.1	11	0.2	0.06	0.1	0.4
1988	1	0.8	0.79	0.0	5.9	16	0.3	0.07	0.2	0.5
1989	0	0.0	-	0.0	4.4	5	0.1	0.04	0.0	0.2
1990	0	0.0	-	0.0	4.2	5	0.1	0.03	0.0	0.2
1991	0	0.0	-	0.0	4.2	8	0.1	0.04	0.0	0.3
1992	0	0.0	-	0.0	3.9	11	0.2	0.06	0.1	0.3
1993	1	0.8	0.78	0.0	5.0	6	0.1	0.04	0.0	0.2
1994	0	0.0	-	0.0	3.5	10	0.2	0.05	0.1	0.3
1995	0	0.0	-	0.0	3.4	17	0.3	0.07	0.2	0.5
1996	0	0.0	-	0.0	3.2	10	0.2	0.05	0.1	0.3
1997	0	0.0	-	0.0	3.1	15	0.2	0.06	0.1	0.4
1998	0	0.0	-	0.0	3.0	10	0.2	0.05	0.1	0.3
1999	0	0.0	-	0.0	2.9	10	0.2	0.05	0.1	0.3
2000	0	0.0	-	0.0	2.8	11	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Liver, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,420	3.2	0.04	3.1	3.3	4,085	2.8	0.04	2.7	2.9
1986	243	2.3	0.15	2.0	2.6	182	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	175	1.9	0.14	1.6	2.2
1988	261	2.4	0.15	2.1	2.7	206	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.14	1.7	2.3
1991	256	2.3	0.15	2.0	2.6	192	2.0	0.14	1.7	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	242	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	321	3.2	0.18	2.9	3.6
1995	439	3.8	0.18	3.5	4.2	327	3.3	0.18	2.9	3.7
1996	458	4.0	0.19	3.6	4.4	326	3.2	0.18	2.9	3.6
1997	462	4.0	0.18	3.6	4.3	350	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	380	3.7	0.19	3.4	4.1
1999	537	4.5	0.20	4.1	4.9	399	3.9	0.20	3.5	4.3
2000	518	4.3	0.19	4.0	4.7	388	3.8	0.19	3.4	4.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,006	5.4	0.18	5.1	5.8	308	9.4	0.60	8.3	10.7
1986	45	3.8	0.58	2.7	5.2	16	9.5	2.48	5.2	18.9
1987	40	3.7	0.61	2.6	5.2	15	10.1	3.16	4.9	20.6
1988	47	4.3	0.66	3.2	5.9	8	4.7	1.71	2.0	12.6
1989	56	4.7	0.65	3.5	6.3	14	7.4	2.08	3.9	15.4
1990	40	3.3	0.55	2.4	4.7	17	8.6	2.27	4.7	16.9
1991	45	3.4	0.52	2.5	4.7	16	9.1	2.52	4.9	17.4
1992	34	2.7	0.48	1.9	3.9	17	7.9	2.07	4.4	15.0
1993	57	4.5	0.61	3.4	6.0	20	10.1	2.53	5.8	17.7
1994	80	6.7	0.77	5.3	8.4	19	7.4	1.80	4.3	13.4
1995	92	7.4	0.79	5.9	9.1	20	10.1	2.47	5.8	17.1
1996	98	7.6	0.79	6.1	9.4	32	13.9	2.77	9.0	21.2
1997	88	6.7	0.73	5.4	8.4	23	9.5	2.21	5.6	15.7
1998	88	6.5	0.71	5.2	8.1	26	8.2	1.73	5.2	13.3
1999	101	7.3	0.74	5.9	8.9	33	9.5	1.87	6.2	14.8
2000	95	6.6	0.69	5.3	8.1	32	11.5	2.15	7.6	17.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	329	6.5	0.41	5.7	7.4	4,357	3.3	0.05	3.2	3.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	12	3.3	0.98	1.6	6.8	250	2.4	0.15	2.1	2.7
1990	10	3.4	1.16	1.5	7.2	243	2.3	0.15	2.0	2.6
1991	14	3.1	0.90	1.6	6.4	242	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	7.4	249	2.3	0.15	2.0	2.6
1993	26	6.2	1.34	3.8	10.0	294	2.7	0.16	2.4	3.0
1994	18	4.9	1.33	2.7	8.7	403	3.7	0.18	3.3	4.0
1995	27	5.1	1.06	3.2	8.3	412	3.7	0.18	3.4	4.1
1996	35	7.3	1.37	4.8	11.0	423	3.8	0.19	3.5	4.2
1997	33	7.8	1.54	5.1	11.8	429	3.8	0.19	3.5	4.2
1998	46	10.8	1.82	7.5	15.3	451	4.0	0.19	3.7	4.4
1999	50	10.3	1.79	7.1	14.7	487	4.3	0.20	3.9	4.7
2000	44	8.3	1.48	5.7	12.1	474	4.2	0.19	3.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Liver, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,040	3.6	0.05	3.5	3.7	4,653	3.1	0.05	3.0	3.2
1986	297	2.8	0.17	2.5	3.2	233	2.5	0.17	2.2	2.9
1987	333	3.1	0.17	2.8	3.5	257	2.7	0.17	2.4	3.1
1988	305	2.8	0.16	2.5	3.2	246	2.6	0.17	2.3	2.9
1989	359	3.3	0.18	3.0	3.7	278	2.9	0.17	2.6	3.2
1990	391	3.6	0.18	3.2	4.0	307	3.2	0.18	2.8	3.5
1991	365	3.3	0.17	3.0	3.6	289	3.0	0.18	2.6	3.3
1992	381	3.4	0.18	3.1	3.8	295	3.0	0.18	2.7	3.4
1993	409	3.6	0.18	3.3	4.0	322	3.2	0.18	2.9	3.6
1994	424	3.7	0.18	3.4	4.1	323	3.2	0.18	2.9	3.6
1995	473	4.1	0.19	3.7	4.5	359	3.6	0.19	3.2	4.0
1996	465	4.0	0.19	3.7	4.4	358	3.6	0.19	3.2	4.0
1997	469	4.0	0.19	3.7	4.4	351	3.5	0.19	3.1	3.8
1998	452	3.8	0.18	3.5	4.2	344	3.4	0.18	3.0	3.7
1999	464	3.9	0.18	3.6	4.3	344	3.3	0.18	3.0	3.7
2000	453	3.8	0.18	3.5	4.2	347	3.4	0.18	3.0	3.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,152	6.3	0.19	6.0	6.7	235	7.5	0.54	6.5	8.7
1986	54	4.7	0.67	3.5	6.3	10	5.4	1.89	2.4	14.2
1987	68	6.2	0.78	4.8	8.0	8	4.7	1.69	2.0	12.9
1988	51	4.6	0.67	3.4	6.2	8	4.1	1.44	1.7	11.6
1989	69	5.9	0.73	4.6	7.6	12	6.5	1.97	3.2	14.4
1990	70	6.2	0.76	4.8	7.9	14	7.8	2.49	3.7	16.5
1991	65	5.4	0.70	4.2	7.1	11	6.7	2.16	3.2	14.4
1992	63	5.4	0.70	4.1	7.0	23	12.8	3.01	7.6	21.5
1993	75	6.3	0.74	4.9	7.9	12	6.0	1.86	3.0	12.5
1994	85	6.9	0.77	5.5	8.6	16	6.5	1.72	3.6	12.5
1995	97	8.0	0.83	6.4	9.8	17	9.7	2.59	5.3	17.0
1996	91	7.3	0.78	5.8	9.0	16	8.0	2.25	4.3	14.5
1997	92	7.0	0.75	5.6	8.6	26	10.8	2.36	6.7	17.3
1998	96	7.3	0.76	5.9	9.0	12	4.3	1.39	2.1	9.0
1999	96	7.1	0.74	5.8	8.8	24	7.3	1.59	4.6	12.0
2000	80	5.7	0.65	4.5	7.2	26	8.7	1.84	5.4	13.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	305	5.8	0.4	5.1	6.6	5,741	3.5	0.0	3.4	3.6
1986	14	5.0	1.6	2.5	10.0	286	2.8	0.2	2.5	3.2
1987	6	3.1	1.4	1.0	7.8	329	3.2	0.2	2.8	3.5
1988	11	3.7	1.2	1.7	7.8	294	2.8	0.2	2.5	3.2
1989	9	3.2	1.1	1.4	7.0	359	3.4	0.2	3.0	3.8
1990	15	4.0	1.2	2.1	7.8	360	3.4	0.2	3.1	3.8
1991	12	4.0	1.3	1.9	8.1	350	3.3	0.2	2.9	3.6
1992	14	3.4	1.0	1.7	6.7	368	3.4	0.2	3.1	3.8
1993	27	8.0	1.8	4.9	12.7	374	3.4	0.2	3.1	3.8
1994	20	6.2	1.6	3.6	10.5	394	3.6	0.2	3.2	3.9
1995	18	4.2	1.1	2.3	7.6	457	4.1	0.2	3.7	4.5
1996	22	5.8	1.4	3.4	9.6	453	4.1	0.2	3.7	4.5
1997	30	7.1	1.5	4.4	11.0	436	3.9	0.2	3.5	4.3
1998	37	8.6	1.6	5.8	12.6	435	3.8	0.2	3.5	4.2
1999	36	8.2	1.6	5.4	12.2	427	3.8	0.2	3.4	4.1
2000	34	7.6	1.5	5.0	11.5	419	3.7	0.2	3.3	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Liver, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,588	5.0	0.08	4.8	5.2	2,682	4.3	0.08	4.1	4.5
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.28	2.3	3.5
1987	153	3.4	0.29	2.9	4.1	112	2.8	0.27	2.3	3.4
1988	166	3.6	0.29	3.1	4.3	135	3.4	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.6	128	3.3	0.30	2.7	4.0
1990	176	3.7	0.29	3.2	4.4	132	3.2	0.28	2.6	3.8
1991	157	3.3	0.27	2.8	3.9	115	2.8	0.26	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	210	4.4	0.31	3.8	5.0	163	3.9	0.31	3.3	4.6
1994	280	5.9	0.36	5.2	6.6	211	5.0	0.35	4.4	5.8
1995	297	6.1	0.36	5.4	6.9	223	5.2	0.36	4.6	6.0
1996	305	6.1	0.36	5.5	6.9	206	4.8	0.34	4.2	5.5
1997	307	6.2	0.36	5.5	7.0	228	5.4	0.36	4.7	6.1
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	346	6.7	0.36	6.0	7.5	251	5.7	0.36	5.0	6.4
2000	344	6.6	0.36	5.9	7.3	266	5.9	0.37	5.3	6.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	663	8.7	0.36	8.0	9.4	231	15.1	1.16	12.9	17.7
1986	35	7.0	1.27	4.7	10.4	13	16.0	4.82	8.0	38.0
1987	29	6.6	1.33	4.2	10.1	12	18.4	7.01	7.3	43.4
1988	26	5.6	1.19	3.5	8.8	5	5.7	2.57	1.8	23.6
1989	35	7.5	1.34	5.1	11.0	9	10.9	3.98	4.5	29.2
1990	28	6.0	1.23	3.9	9.3	16	17.7	4.99	9.4	37.4
1991	28	5.1	0.99	3.3	7.9	13	17.4	5.44	8.4	36.7
1992	23	4.7	1.08	2.8	7.7	15	15.1	4.42	7.8	31.7
1993	35	6.1	1.05	4.2	8.9	11	11.7	4.37	4.7	27.8
1994	53	11.7	1.73	8.6	15.8	15	12.2	3.41	6.5	26.2
1995	59	12.1	1.73	9.0	16.2	15	17.2	5.24	8.5	33.9
1996	72	13.2	1.63	10.2	17.1	25	24.9	5.98	14.6	42.4
1997	58	10.4	1.45	7.7	13.9	20	16.2	3.93	9.4	29.5
1998	59	10.4	1.43	7.8	13.9	16	10.9	3.04	5.8	22.4
1999	65	11.6	1.50	8.8	15.2	26	16.1	3.91	9.4	28.7
2000	58	9.4	1.27	7.0	12.5	20	14.1	3.52	8.1	25.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	227	8.4	0.67	7.2	9.9	2,888	5.2	0.10	5.0	5.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	3.5	1.51	1.2	11.5	167	3.9	0.31	3.3	4.6
1990	6	3.9	1.89	1.1	12.6	170	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	14.1	144	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	14.4	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	17.8	190	4.1	0.30	3.5	4.8
1994	10	4.3	1.43	1.9	11.1	270	5.9	0.37	5.2	6.7
1995	17	5.6	1.42	3.2	12.1	280	6.1	0.37	5.4	6.8
1996	22	7.8	1.74	4.8	14.5	283	6.0	0.36	5.3	6.7
1997	24	8.8	1.93	5.4	15.7	283	6.0	0.36	5.3	6.8
1998	36	18.3	3.69	11.8	28.3	308	6.4	0.37	5.7	7.2
1999	33	13.8	3.28	8.2	22.9	313	6.4	0.36	5.7	7.2
2000	29	8.4	1.72	5.4	14.4	315	6.4	0.36	5.7	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Liver, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,744	5.4	0.09	5.2	5.6	2,855	4.7	0.09	4.5	4.9
1986	188	4.3	0.33	3.7	5.0	140	3.7	0.33	3.1	4.4
1987	217	5.0	0.35	4.3	5.7	160	4.2	0.34	3.5	4.9
1988	194	4.5	0.33	3.8	5.2	155	4.1	0.34	3.4	4.8
1989	217	4.9	0.34	4.3	5.7	173	4.5	0.35	3.8	5.2
1990	238	5.4	0.36	4.7	6.1	185	4.7	0.35	4.0	5.4
1991	213	4.7	0.33	4.0	5.4	164	4.1	0.33	3.5	4.8
1992	237	5.3	0.35	4.6	6.0	184	4.7	0.35	4.0	5.4
1993	243	5.4	0.35	4.7	6.1	194	4.9	0.36	4.2	5.7
1994	252	5.3	0.34	4.6	6.0	188	4.5	0.34	3.9	5.2
1995	296	6.3	0.38	5.6	7.1	219	5.3	0.37	4.6	6.1
1996	300	6.3	0.37	5.6	7.1	231	5.6	0.37	4.9	6.4
1997	291	6.0	0.36	5.3	6.7	214	5.1	0.35	4.4	5.9
1998	290	5.8	0.35	5.2	6.6	219	5.1	0.35	4.4	5.8
1999	286	5.7	0.34	5.0	6.4	211	4.9	0.34	4.2	5.6
2000	282	5.5	0.33	4.9	6.2	218	5.0	0.34	4.3	5.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	720	9.5	0.38	8.8	10.3	169	11.3	1.01	9.4	13.6
1986	41	8.4	1.40	5.9	12.0	7	6.5	2.55	2.5	26.4
1987	50	11.0	1.67	8.0	15.2	7	8.4	3.19	3.3	27.7
1988	32	6.7	1.24	4.5	10.0	7	7.6	2.90	3.0	25.6
1989	35	7.3	1.28	5.0	10.6	9	8.7	2.95	4.0	25.7
1990	41	9.0	1.51	6.3	12.8	12	14.5	5.49	5.8	35.4
1991	40	8.0	1.36	5.6	11.5	9	13.7	4.96	5.8	32.4
1992	36	8.0	1.43	5.4	11.6	17	19.8	5.29	10.8	37.8
1993	43	8.3	1.33	5.9	11.7	6	5.6	2.36	2.0	18.9
1994	52	10.6	1.56	7.8	14.4	12	10.5	3.23	5.1	24.2
1995	64	13.0	1.74	9.8	17.1	13	18.6	6.01	8.7	36.8
1996	57	10.7	1.49	7.9	14.3	12	12.0	4.16	5.3	26.5
1997	58	10.5	1.46	7.8	14.0	19	15.8	3.89	9.1	29.0
1998	63	11.6	1.53	8.8	15.2	8	5.9	2.37	2.2	16.7
1999	59	10.6	1.43	7.9	14.0	16	11.3	3.10	6.0	22.5
2000	49	8.5	1.26	6.2	11.6	15	9.5	3.02	4.5	20.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	209	7.8	0.6	6.6	9.3	3,521	5.2	0.1	5.1	5.4
1986	8	5.2	2.1	1.9	14.9	183	4.4	0.3	3.8	5.1
1987	6	7.6	3.6	2.2	19.8	206	4.8	0.4	4.2	5.6
1988	5	3.8	2.0	1.0	12.8	191	4.5	0.3	3.9	5.2
1989	7	5.9	2.5	2.1	15.4	213	5.0	0.4	4.3	5.7
1990	11	6.9	2.6	2.8	16.5	221	5.2	0.4	4.5	5.9
1991	9	6.1	2.5	2.3	15.3	203	4.6	0.3	4.0	5.4
1992	12	5.0	1.6	2.5	12.2	225	5.2	0.4	4.5	5.9
1993	21	13.1	3.6	6.9	23.8	211	4.8	0.3	4.2	5.6
1994	10	5.6	2.0	2.3	13.4	230	5.1	0.3	4.4	5.8
1995	14	6.2	2.1	2.8	13.8	288	6.4	0.4	5.6	7.2
1996	16	8.6	2.7	4.2	17.1	286	6.3	0.4	5.6	7.1
1997	22	8.6	2.1	5.0	15.8	265	5.7	0.4	5.0	6.4
1998	24	10.3	2.3	6.4	17.6	275	5.8	0.4	5.1	6.5
1999	24	10.4	2.5	6.0	18.0	262	5.5	0.3	4.8	6.2
2000	20	8.4	2.3	4.5	15.5	262	5.4	0.3	4.8	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Liver, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,832	1.9	0.04	1.8	2.0	1,403	1.6	0.04	1.5	1.7
1986	89	1.5	0.16	1.2	1.8	76	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	63	1.2	0.15	0.9	1.5
1988	95	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.1	0.15	0.9	1.5
1990	77	1.3	0.15	1.0	1.6	63	1.2	0.15	0.9	1.5
1991	99	1.5	0.16	1.2	1.9	77	1.4	0.16	1.1	1.7
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	110	1.7	0.16	1.4	2.0	79	1.4	0.16	1.1	1.7
1994	141	2.0	0.17	1.7	2.4	110	1.8	0.17	1.5	2.2
1995	142	2.2	0.18	1.8	2.5	104	1.8	0.18	1.5	2.2
1996	153	2.2	0.18	1.9	2.6	120	2.0	0.18	1.6	2.4
1997	155	2.3	0.19	1.9	2.7	122	2.1	0.20	1.8	2.5
1998	153	2.2	0.18	1.9	2.6	112	1.9	0.18	1.5	2.2
1999	191	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	2.9
2000	174	2.5	0.19	2.2	2.9	122	2.0	0.19	1.7	2.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	343	3.2	0.18	2.9	3.6	77	4.8	0.58	3.7	6.2
1986	10	1.5	0.48	0.7	2.9	3	3.4	1.98	0.7	17.2
1987	11	1.8	0.55	0.9	3.3	3	3.5	2.07	0.7	16.7
1988	21	3.4	0.76	2.1	5.3	3	3.8	2.20	0.8	16.5
1989	21	2.9	0.65	1.8	4.6	5	4.5	2.04	1.5	16.4
1990	12	1.6	0.48	0.8	3.0	1	0.9	0.93	0.0	12.2
1991	17	2.2	0.55	1.3	3.7	3	2.7	1.74	0.4	13.3
1992	11	1.5	0.46	0.7	2.8	2	1.8	1.30	0.2	11.1
1993	22	3.1	0.68	2.0	4.8	9	8.8	3.05	3.9	19.5
1994	27	3.7	0.72	2.4	5.5	4	3.2	1.68	0.8	11.4
1995	33	4.5	0.79	3.1	6.4	5	4.9	2.25	1.6	13.3
1996	26	3.6	0.71	2.3	5.3	7	5.9	2.44	2.1	14.1
1997	30	4.1	0.76	2.8	5.9	3	3.7	2.23	0.7	11.7
1998	29	3.8	0.71	2.5	5.5	10	5.9	1.97	2.7	12.7
1999	36	4.4	0.74	3.1	6.2	7	4.3	1.71	1.6	10.4
2000	37	4.5	0.75	3.2	6.3	12	9.0	2.63	4.6	16.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	102	4.5	0.49	3.6	5.6	1,469	1.9	0.05	1.8	2.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	3.1	1.31	1.1	8.4	83	1.4	0.15	1.1	1.7
1990	4	2.7	1.43	0.7	8.2	73	1.2	0.15	1.0	1.6
1991	1	0.4	0.41	0.0	4.6	98	1.6	0.16	1.3	1.9
1992	3	1.6	1.08	0.2	6.4	84	1.3	0.15	1.1	1.7
1993	6	3.3	1.41	1.1	8.3	104	1.6	0.16	1.3	2.0
1994	8	4.8	1.86	1.9	10.5	133	2.0	0.17	1.7	2.4
1995	10	4.3	1.44	1.9	9.0	132	2.1	0.18	1.7	2.5
1996	13	6.1	1.86	3.1	11.5	140	2.1	0.18	1.8	2.5
1997	9	5.9	2.04	2.6	11.7	146	2.3	0.19	1.9	2.7
1998	10	4.8	1.68	2.1	9.8	143	2.2	0.18	1.8	2.6
1999	17	7.4	2.04	3.9	13.0	174	2.7	0.20	2.3	3.1
2000	15	7.4	2.08	3.9	13.0	159	2.4	0.19	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Liver, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,296	2.3	0.05	2.2	2.4	1,798	2.0	0.05	1.9	2.1
1986	109	1.8	0.17	1.4	2.1	93	1.7	0.17	1.3	2.1
1987	116	1.8	0.17	1.5	2.2	97	1.7	0.17	1.4	2.1
1988	111	1.8	0.17	1.4	2.1	91	1.6	0.17	1.3	2.0
1989	142	2.2	0.19	1.9	2.6	105	1.9	0.19	1.5	2.3
1990	153	2.4	0.19	2.0	2.8	122	2.1	0.19	1.8	2.5
1991	152	2.3	0.19	2.0	2.7	125	2.2	0.20	1.8	2.6
1992	144	2.2	0.18	1.8	2.6	111	1.9	0.18	1.6	2.3
1993	166	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
1994	172	2.5	0.20	2.2	3.0	135	2.2	0.20	1.9	2.7
1995	177	2.6	0.20	2.2	3.0	140	2.4	0.20	2.0	2.8
1996	165	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5
1997	178	2.6	0.20	2.2	3.0	137	2.3	0.20	1.9	2.7
1998	162	2.3	0.18	2.0	2.7	125	2.0	0.18	1.7	2.4
1999	178	2.5	0.19	2.2	2.9	133	2.2	0.19	1.8	2.6
2000	171	2.4	0.19	2.1	2.8	129	2.1	0.19	1.7	2.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	432	4.1	0.20	3.7	4.5	66	4.4	0.58	3.3	5.8
1986	13	2.1	0.60	1.1	3.7	3	4.1	2.55	0.7	18.6
1987	18	2.8	0.68	1.7	4.6	1	1.4	1.45	0.0	14.4
1988	19	3.1	0.72	1.8	5.0	1	1.0	0.96	0.0	13.0
1989	34	4.9	0.87	3.4	7.0	3	4.0	2.37	0.8	16.5
1990	29	4.4	0.82	2.9	6.4	2	2.2	1.56	0.3	13.8
1991	25	3.6	0.74	2.3	5.5	2	1.5	1.06	0.2	11.5
1992	27	3.8	0.74	2.5	5.6	6	7.2	3.38	2.2	19.4
1993	32	4.6	0.83	3.1	6.6	6	6.2	2.65	2.1	16.3
1994	33	4.5	0.80	3.1	6.4	4	3.2	1.68	0.8	11.4
1995	33	4.7	0.82	3.2	6.6	4	3.8	1.94	1.0	11.7
1996	34	4.7	0.81	3.2	6.6	4	4.9	2.49	1.3	13.4
1997	34	4.5	0.79	3.1	6.4	7	6.5	2.69	2.3	15.0
1998	33	4.3	0.76	3.0	6.1	4	2.9	1.61	0.7	9.4
1999	37	4.7	0.78	3.3	6.5	8	4.3	1.56	1.8	10.1
2000	31	3.8	0.68	2.6	5.4	11	7.9	2.41	3.9	14.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	96	3.9	0.4	3.1	4.9	2,220	2.3	0.0	2.2	2.4
1986	6	4.7	2.1	1.5	12.1	103	1.7	0.2	1.4	2.0
1987	0	0.0	-	0.0	5.1	123	2.0	0.2	1.6	2.3
1988	6	3.7	1.6	1.3	9.7	103	1.7	0.2	1.4	2.0
1989	2	1.2	0.9	0.1	6.1	146	2.4	0.2	2.0	2.8
1990	4	1.9	1.0	0.5	6.6	139	2.2	0.2	1.9	2.7
1991	3	2.3	1.4	0.4	7.7	147	2.3	0.2	1.9	2.7
1992	2	1.5	1.1	0.2	6.3	143	2.2	0.2	1.9	2.6
1993	6	4.1	1.7	1.5	9.6	163	2.5	0.2	2.1	2.9
1994	10	6.3	2.1	2.9	12.5	164	2.5	0.2	2.1	2.9
1995	4	2.3	1.2	0.6	6.8	169	2.6	0.2	2.2	3.0
1996	6	3.5	1.5	1.2	8.4	167	2.5	0.2	2.1	2.9
1997	8	4.9	1.9	2.0	10.4	171	2.6	0.2	2.2	3.0
1998	13	6.6	2.0	3.3	12.1	160	2.4	0.2	2.0	2.8
1999	12	6.1	1.9	3.0	11.5	165	2.4	0.2	2.1	2.8
2000	14	6.7	2.0	3.4	12.1	157	2.3	0.2	2.0	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Intrahepatic Bile Duct, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	854	0.5	0.02	0.5	0.5	766	0.5	0.02	0.5	0.6
1986	24	0.2	0.04	0.1	0.3	23	0.2	0.05	0.2	0.4
1987	31	0.3	0.05	0.2	0.4	27	0.3	0.06	0.2	0.4
1988	26	0.2	0.05	0.2	0.3	23	0.2	0.05	0.1	0.4
1989	26	0.2	0.05	0.2	0.4	22	0.2	0.05	0.1	0.4
1990	38	0.4	0.06	0.3	0.5	38	0.4	0.07	0.3	0.6
1991	24	0.2	0.04	0.1	0.3	22	0.2	0.05	0.1	0.3
1992	57	0.5	0.07	0.4	0.7	48	0.5	0.07	0.4	0.7
1993	68	0.6	0.07	0.5	0.8	61	0.6	0.08	0.5	0.8
1994	66	0.6	0.07	0.5	0.8	59	0.6	0.08	0.5	0.8
1995	79	0.7	0.08	0.5	0.9	66	0.7	0.08	0.5	0.8
1996	65	0.6	0.07	0.4	0.7	61	0.6	0.08	0.5	0.8
1997	66	0.6	0.07	0.4	0.7	61	0.6	0.08	0.5	0.8
1998	88	0.7	0.08	0.6	0.9	77	0.7	0.08	0.6	0.9
1999	103	0.9	0.09	0.7	1.1	90	0.9	0.09	0.7	1.1
2000	93	0.8	0.08	0.6	1.0	88	0.8	0.09	0.7	1.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	70	0.4	0.05	0.3	0.5	15	0.4	0.12	0.2	0.8
1986	1	0.1	0.08	0.0	0.7	0	0.0	-	0.0	8.1
1987	4	0.4	0.18	0.1	1.1	0	0.0	-	0.0	7.6
1988	2	0.1	0.10	0.0	0.7	1	0.5	0.54	0.0	7.7
1989	4	0.4	0.18	0.1	1.1	0	0.0	-	0.0	6.8
1990	0	0.0	-	0.0	0.5	0	0.0	-	0.0	6.7
1991	1	0.1	0.08	0.0	0.6	0	0.0	-	0.0	6.0
1992	8	0.7	0.24	0.3	1.4	1	0.6	0.59	0.0	6.1
1993	6	0.5	0.21	0.2	1.2	1	0.4	0.37	0.0	5.3
1994	5	0.4	0.20	0.1	1.1	2	0.7	0.50	0.1	5.3
1995	10	0.7	0.23	0.3	1.4	3	1.1	0.66	0.2	5.4
1996	4	0.3	0.17	0.1	0.9	0	0.0	-	0.0	3.8
1997	3	0.2	0.15	0.0	0.8	2	0.8	0.62	0.1	4.6
1998	8	0.7	0.26	0.3	1.4	3	1.2	0.72	0.2	4.9
1999	10	0.7	0.24	0.3	1.4	2	0.5	0.36	0.1	3.6
2000	4	0.3	0.14	0.1	0.8	0	0.0	-	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	33	0.7	0.14	0.5	1.1	740	0.6	0.02	0.5	0.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.2	0.22	0.0	3.0	25	0.2	0.05	0.2	0.4
1990	1	0.6	0.58	0.0	3.7	37	0.4	0.06	0.3	0.5
1991	0	0.0	-	0.0	2.6	24	0.2	0.05	0.1	0.3
1992	4	0.8	0.41	0.2	3.4	53	0.5	0.07	0.4	0.6
1993	2	0.4	0.27	0.0	2.8	66	0.6	0.08	0.5	0.8
1994	6	1.8	0.82	0.5	4.8	60	0.6	0.07	0.4	0.7
1995	2	0.4	0.28	0.0	2.6	77	0.7	0.08	0.5	0.9
1996	3	0.8	0.48	0.1	3.1	62	0.6	0.07	0.4	0.7
1997	2	0.4	0.26	0.0	2.4	64	0.6	0.07	0.4	0.7
1998	2	0.4	0.27	0.0	2.4	86	0.8	0.08	0.6	0.9
1999	5	1.2	0.65	0.3	3.7	98	0.9	0.09	0.7	1.1
2000	5	1.2	0.58	0.3	3.4	88	0.8	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Intrahepatic Bile Duct, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,241	0.7	0.02	0.7	0.8	1,118	0.8	0.02	0.7	0.8
1986	46	0.4	0.06	0.3	0.6	43	0.4	0.07	0.3	0.6
1987	56	0.5	0.07	0.4	0.7	52	0.6	0.08	0.4	0.7
1988	54	0.5	0.07	0.4	0.6	45	0.5	0.07	0.3	0.6
1989	42	0.4	0.06	0.3	0.5	38	0.4	0.07	0.3	0.6
1990	60	0.5	0.07	0.4	0.7	57	0.6	0.08	0.4	0.8
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.8
1992	80	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1993	87	0.8	0.08	0.6	1.0	75	0.8	0.09	0.6	1.0
1994	95	0.8	0.09	0.7	1.0	87	0.9	0.09	0.7	1.1
1995	92	0.8	0.08	0.6	1.0	82	0.8	0.09	0.6	1.0
1996	99	0.9	0.09	0.7	1.0	89	0.9	0.09	0.7	1.1
1997	91	0.8	0.08	0.6	1.0	83	0.8	0.09	0.6	1.0
1998	114	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
1999	121	1.0	0.09	0.8	1.2	110	1.1	0.10	0.9	1.3
2000	133	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	102	0.6	0.06	0.4	0.7	21	0.7	0.16	0.4	1.2
1986	3	0.3	0.16	0.1	1.0	0	0.0	~	0.0	8.1
1987	3	0.2	0.15	0.0	0.9	1	0.6	0.62	0.0	8.2
1988	9	0.7	0.23	0.3	1.4	0	0.0	~	0.0	7.2
1989	4	0.4	0.21	0.1	1.1	0	0.0	~	0.0	6.8
1990	2	0.2	0.13	0.0	0.8	1	0.7	0.72	0.0	7.6
1991	7	0.8	0.30	0.3	1.6	1	0.4	0.45	0.0	6.4
1992	5	0.4	0.18	0.1	1.0	1	0.6	0.59	0.0	6.1
1993	9	0.7	0.24	0.3	1.4	3	1.7	1.02	0.3	7.1
1994	5	0.4	0.16	0.1	1.0	3	1.0	0.60	0.2	5.7
1995	9	0.7	0.25	0.3	1.4	1	0.3	0.28	0.0	4.4
1996	8	0.6	0.22	0.3	1.3	2	1.4	1.10	0.1	6.2
1997	6	0.5	0.20	0.2	1.1	2	1.2	0.82	0.1	5.3
1998	11	0.8	0.25	0.4	1.5	3	0.8	0.47	0.2	4.2
1999	9	0.7	0.24	0.3	1.4	2	0.5	0.36	0.1	3.6
2000	12	0.8	0.24	0.4	1.5	1	0.2	0.22	0.0	3.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	41	0.8	0.13	0.5	1.1	1,177	0.7	0.02	0.7	0.8
1986	1	0.2	0.23	0.0	3.6	46	0.4	0.06	0.3	0.6
1987	1	0.3	0.26	0.0	3.4	58	0.6	0.07	0.4	0.7
1988	3	1.0	0.60	0.2	4.2	49	0.5	0.07	0.3	0.6
1989	1	0.2	0.22	0.0	3.0	33	0.3	0.06	0.2	0.5
1990	1	0.2	0.20	0.0	2.9	67	0.6	0.08	0.5	0.8
1991	3	1.3	0.78	0.2	4.5	71	0.7	0.08	0.5	0.9
1992	2	0.5	0.35	0.1	3.0	73	0.7	0.08	0.5	0.8
1993	3	1.2	0.75	0.2	4.2	80	0.7	0.08	0.6	0.9
1994	0	0.0	-	0.0	2.2	95	0.9	0.09	0.7	1.1
1995	3	1.0	0.60	0.2	3.6	84	0.8	0.08	0.6	0.9
1996	3	0.5	0.30	0.1	2.6	93	0.8	0.09	0.7	1.0
1997	6	1.7	0.78	0.5	4.4	78	0.7	0.08	0.6	0.9
1998	3	0.6	0.33	0.1	2.6	107	1.0	0.09	0.8	1.2
1999	3	0.5	0.27	0.1	2.4	118	1.0	0.09	0.8	1.2
2000	8	1.7	0.70	0.6	4.1	125	1.1	0.10	0.9	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Intrahepatic Bile Duct, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	421	0.6	0.03	0.6	0.7	370	0.6	0.03	0.6	0.7
1986	10	0.2	0.07	0.1	0.5	9	0.2	0.08	0.1	0.5
1987	16	0.3	0.09	0.2	0.6	12	0.3	0.09	0.1	0.6
1988	13	0.3	0.09	0.2	0.6	12	0.3	0.10	0.2	0.6
1989	11	0.2	0.08	0.1	0.5	11	0.3	0.09	0.1	0.5
1990	20	0.4	0.10	0.3	0.7	20	0.5	0.11	0.3	0.8
1991	14	0.3	0.08	0.2	0.5	13	0.3	0.09	0.2	0.6
1992	31	0.7	0.12	0.5	1.0	25	0.6	0.13	0.4	1.0
1993	33	0.8	0.14	0.5	1.1	28	0.8	0.15	0.5	1.1
1994	33	0.7	0.13	0.5	1.1	30	0.8	0.15	0.5	1.1
1995	44	1.0	0.15	0.7	1.3	35	0.9	0.16	0.6	1.3
1996	29	0.7	0.13	0.4	1.0	28	0.7	0.14	0.5	1.1
1997	30	0.7	0.12	0.4	1.0	27	0.7	0.13	0.4	1.0
1998	44	0.9	0.14	0.7	1.3	37	0.9	0.15	0.6	1.3
1999	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.4
2000	43	0.9	0.13	0.6	1.2	40	0.9	0.15	0.7	1.3
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	39	0.5	0.08	0.4	0.7	11	0.7	0.24	0.3	1.7
1986	1	0.2	0.18	0.0	2.0	0	0.0	-	0.0	20.2
1987	4	0.9	0.44	0.2	2.9	0	0.0	-	0.0	19.0
1988	0	0.0	-	0.0	1.7	1	1.2	1.16	0.0	18.9
1989	0	0.0	-	0.0	1.7	0	0.0	-	0.0	16.6
1990	0	0.0	-	0.0	1.7	0	0.0	-	0.0	16.8
1991	1	0.2	0.18	0.0	1.9	0	0.0	-	0.0	15.1
1992	5	1.1	0.50	0.3	3.1	1	1.4	1.38	0.0	15.3
1993	4	0.8	0.44	0.2	2.7	1	0.7	0.75	0.0	13.4
1994	2	0.4	0.26	0.0	2.0	1	0.7	0.68	0.0	12.9
1995	7	1.2	0.47	0.5	3.1	2	1.9	1.31	0.2	13.4
1996	1	0.2	0.15	0.0	1.7	0	0.0	-	0.0	10.9
1997	1	0.2	0.17	0.0	1.7	2	1.9	1.50	0.1	12.5
1998	5	1.1	0.50	0.3	2.9	2	1.8	1.40	0.2	11.8
1999	5	0.8	0.37	0.3	2.4	1	0.5	0.53	0.0	9.6
2000	3	0.5	0.29	0.1	2.0	0	0.0	-	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	10	0.4	0.14	0.1	1.0	372	0.7	0.04	0.6	0.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	7.5	11	0.3	0.08	0.1	0.5
1990	0	0.0	-	0.0	7.6	20	0.4	0.10	0.3	0.7
1991	0	0.0	-	0.0	7.1	14	0.3	0.08	0.2	0.6
1992	2	0.7	0.52	0.1	7.3	29	0.7	0.12	0.4	1.0
1993	1	0.4	0.38	0.0	7.0	32	0.8	0.14	0.5	1.1
1994	2	0.7	0.52	0.1	7.0	31	0.7	0.14	0.5	1.1
1995	1	0.5	0.45	0.0	6.5	43	1.0	0.16	0.7	1.4
1996	0	0.0	-	0.0	5.8	29	0.7	0.13	0.5	1.0
1997	0	0.0	-	0.0	5.6	30	0.7	0.13	0.5	1.0
1998	1	0.4	0.40	0.0	5.7	43	1.0	0.15	0.7	1.3
1999	2	0.4	0.27	0.0	5.3	48	1.0	0.15	0.7	1.4
2000	1	1.1	1.10	0.0	6.6	42	0.9	0.14	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Intrahepatic Bile Duct, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	590	0.9	0.04	0.8	0.9	531	0.9	0.04	0.8	1.0
1986	20	0.4	0.10	0.3	0.7	19	0.5	0.11	0.3	0.8
1987	28	0.6	0.13	0.4	1.0	27	0.7	0.14	0.4	1.0
1988	26	0.6	0.12	0.4	0.9	21	0.6	0.13	0.3	0.9
1989	16	0.4	0.10	0.2	0.6	14	0.4	0.10	0.2	0.7
1990	34	0.7	0.13	0.5	1.1	33	0.8	0.15	0.6	1.2
1991	38	0.9	0.14	0.6	1.2	34	0.9	0.15	0.6	1.2
1992	38	0.8	0.13	0.6	1.2	34	0.8	0.15	0.6	1.2
1993	47	1.0	0.16	0.8	1.4	37	1.0	0.16	0.7	1.3
1994	49	1.1	0.16	0.8	1.5	45	1.2	0.18	0.8	1.6
1995	48	1.0	0.15	0.8	1.4	43	1.0	0.16	0.8	1.4
1996	38	0.8	0.14	0.6	1.2	33	0.8	0.15	0.6	1.2
1997	49	1.0	0.15	0.8	1.4	43	1.0	0.16	0.7	1.4
1998	50	1.0	0.14	0.7	1.4	46	1.1	0.16	0.8	1.4
1999	50	1.0	0.15	0.8	1.4	47	1.1	0.17	0.8	1.5
2000	59	1.2	0.15	0.9	1.5	55	1.3	0.17	1.0	1.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	47	0.6	0.09	0.4	0.8	12	0.9	0.29	0.4	2.0
1986	1	0.2	0.21	0.0	2.1	0	0.0	~	0.0	20.2
1987	1	0.2	0.16	0.0	1.9	0	0.0	~	0.0	19.0
1988	5	0.8	0.35	0.3	2.7	0	0.0	~	0.0	17.8
1989	2	0.5	0.34	0.0	2.4	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	1	1.7	1.70	0.0	18.8
1991	3	0.8	0.52	0.1	3.0	1	0.9	0.92	0.0	15.9
1992	3	0.5	0.30	0.1	2.2	1	1.4	1.39	0.0	15.3
1993	7	1.2	0.46	0.5	3.1	3	3.9	2.39	0.7	17.6
1994	3	0.5	0.31	0.1	2.2	1	0.8	0.80	0.0	13.0
1995	4	0.9	0.50	0.2	2.8	1	0.6	0.58	0.0	11.9
1996	4	0.7	0.36	0.2	2.4	1	0.9	0.89	0.0	11.8
1997	4	0.8	0.42	0.2	2.5	2	2.9	2.04	0.4	14.1
1998	4	0.7	0.33	0.2	2.2	0	0.0	~	0.0	9.6
1999	3	0.6	0.33	0.1	2.1	0	0.0	~	0.0	9.1
2000	3	0.5	0.28	0.1	1.9	1	0.4	0.45	0.0	8.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	20	0.9	0.24	0.5	1.6	560	0.8	0.04	0.8	0.9
1986	0	0.0	-	0.0	8.7	23	0.5	0.11	0.3	0.8
1987	1	0.5	0.50	0.0	8.7	28	0.6	0.13	0.4	1.0
1988	2	1.1	0.80	0.1	9.0	22	0.5	0.12	0.3	0.8
1989	0	0.0	-	0.0	7.5	12	0.3	0.09	0.2	0.6
1990	0	0.0	-	0.0	7.6	37	0.8	0.14	0.6	1.2
1991	2	1.7	1.36	0.1	9.5	38	0.9	0.14	0.6	1.2
1992	1	0.5	0.52	0.0	7.2	35	0.8	0.13	0.5	1.1
1993	1	0.4	0.38	0.0	7.0	44	1.0	0.15	0.7	1.4
1994	0	0.0	-	0.0	6.4	52	1.2	0.17	0.9	1.6
1995	3	2.4	1.42	0.4	9.2	41	0.9	0.14	0.6	1.2
1996	0	0.0	-	0.0	5.8	37	0.8	0.14	0.6	1.2
1997	2	2.4	1.78	0.3	9.7	42	0.9	0.14	0.6	1.2
1998	2	0.8	0.57	0.1	6.1	46	1.0	0.15	0.7	1.3
1999	2	0.6	0.46	0.1	5.7	48	1.0	0.15	0.8	1.4
2000	4	2.2	1.34	0.4	7.9	55	1.1	0.16	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Intrahepatic Bile Duct, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	433	0.4	0.02	0.4	0.5	396	0.4	0.02	0.4	0.5
1986	14	0.2	0.06	0.1	0.4	14	0.3	0.07	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.5
1988	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
1989	15	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1990	18	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
1991	10	0.1	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1993	35	0.5	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1994	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
1995	35	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
1996	36	0.5	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1997	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
1998	44	0.6	0.09	0.4	0.8	40	0.6	0.10	0.4	0.9
1999	53	0.8	0.11	0.6	1.0	47	0.8	0.12	0.6	1.1
2000	50	0.7	0.10	0.5	0.9	48	0.8	0.11	0.6	1.0
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	31	0.3	0.05	0.2	0.4	4	0.2	0.10	0.1	0.7
1986	0	0.0	-	0.0	0.8	0	0.0	-	0.0	13.4
1987	0	0.0	-	0.0	0.8	0	0.0	-	0.0	12.6
1988	2	0.2	0.18	0.0	1.1	0	0.0	-	0.0	12.0
1989	4	0.6	0.31	0.2	1.7	0	0.0	-	0.0	11.4
1990	0	0.0	-	0.0	0.7	0	0.0	-	0.0	11.2
1991	0	0.0	-	0.0	0.7	0	0.0	-	0.0	10.0
1992	3	0.4	0.23	0.1	1.3	0	0.0	-	0.0	9.0
1993	2	0.3	0.22	0.0	1.2	0	0.0	-	0.0	8.0
1994	3	0.5	0.27	0.1	1.4	1	0.7	0.68	0.0	8.1
1995	3	0.4	0.20	0.1	1.2	1	0.6	0.63	0.0	7.2
1996	3	0.4	0.24	0.1	1.3	0	0.0	-	0.0	5.8
1997	2	0.3	0.20	0.0	1.1	0	0.0	-	0.0	5.6
1998	3	0.5	0.27	0.1	1.4	1	0.7	0.73	0.0	6.1
1999	5	0.6	0.29	0.2	1.5	1	0.5	0.50	0.0	5.3
2000	1	0.1	0.12	0.0	0.8	0	0.0	-	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	23	1.0	0.22	0.6	1.5	368	0.5	0.02	0.4	0.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.4	0.44	0.0	4.9	14	0.2	0.06	0.1	0.4
1990	1	0.9	0.93	0.0	5.8	17	0.3	0.07	0.2	0.4
1991	0	0.0	.	0.0	4.2	10	0.2	0.05	0.1	0.3
1992	2	0.9	0.62	0.1	5.0	24	0.4	0.08	0.2	0.6
1993	1	0.4	0.39	0.0	4.1	34	0.5	0.09	0.4	0.8
1994	4	2.4	1.28	0.6	7.1	29	0.4	0.08	0.3	0.6
1995	1	0.4	0.36	0.0	3.8	34	0.5	0.08	0.3	0.7
1996	3	1.4	0.84	0.2	5.1	33	0.5	0.09	0.4	0.7
1997	2	0.7	0.50	0.1	4.0	34	0.5	0.09	0.4	0.7
1998	1	0.4	0.36	0.0	3.5	43	0.6	0.09	0.4	0.8
1999	3	1.7	1.06	0.3	5.7	50	0.8	0.11	0.6	1.0
2000	4	1.4	0.72	0.4	4.6	46	0.7	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Intrahepatic Bile Duct, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	651	0.6	0.03	0.6	0.7	587	0.7	0.03	0.6	0.7
1986	26	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
1987	28	0.4	0.08	0.3	0.7	25	0.4	0.09	0.3	0.7
1988	28	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
1989	26	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.7
1990	26	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
1991	33	0.5	0.09	0.3	0.7	29	0.5	0.09	0.3	0.7
1992	42	0.6	0.10	0.4	0.9	40	0.7	0.11	0.5	0.9
1993	40	0.6	0.10	0.4	0.8	38	0.6	0.11	0.5	0.9
1994	46	0.7	0.10	0.5	0.9	42	0.7	0.11	0.5	0.9
1995	44	0.6	0.10	0.5	0.9	39	0.6	0.11	0.5	0.9
1996	61	0.9	0.12	0.7	1.2	56	1.0	0.13	0.7	1.2
1997	42	0.6	0.10	0.4	0.8	40	0.7	0.11	0.5	1.0
1998	64	0.9	0.12	0.7	1.2	54	0.9	0.13	0.7	1.2
1999	71	1.0	0.12	0.8	1.3	63	1.0	0.13	0.8	1.3
2000	74	1.0	0.12	0.8	1.3	65	1.1	0.13	0.8	1.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	55	0.5	0.07	0.4	0.7	9	0.5	0.18	0.2	1.1
1986	2	0.3	0.22	0.0	1.3	0	0.0	~	0.0	13.4
1987	2	0.3	0.22	0.0	1.3	1	1.1	1.08	0.0	13.8
1988	4	0.6	0.28	0.2	1.6	0	0.0	~	0.0	12.0
1989	2	0.3	0.24	0.0	1.3	0	0.0	~	0.0	11.4
1990	2	0.3	0.22	0.0	1.2	0	0.0	~	0.0	11.2
1991	4	0.7	0.35	0.2	1.8	0	0.0	~	0.0	10.0
1992	2	0.3	0.21	0.0	1.1	0	0.0	~	0.0	9.0
1993	2	0.3	0.20	0.0	1.1	0	0.0	~	0.0	8.0
1994	2	0.2	0.18	0.0	1.0	2	1.3	0.91	0.2	8.7
1995	5	0.7	0.30	0.2	1.6	0	0.0	~	0.0	6.4
1996	4	0.5	0.26	0.1	1.4	1	1.6	1.58	0.0	8.8
1997	2	0.3	0.20	0.0	1.1	0	0.0	~	0.0	5.6
1998	7	0.9	0.34	0.4	1.9	3	1.5	0.87	0.3	6.8
1999	6	0.8	0.33	0.3	1.8	2	1.0	0.70	0.1	5.9
2000	9	1.1	0.36	0.5	2.1	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	21	0.7	0.16	0.4	1.1	617	0.6	0.03	0.6	0.7
1986	1	0.5	0.47	0.0	6.0	23	0.4	0.08	0.2	0.6
1987	0	0.0	-	0.0	5.1	30	0.5	0.09	0.3	0.7
1988	1	0.8	0.79	0.0	5.9	27	0.4	0.08	0.3	0.6
1989	1	0.4	0.44	0.0	4.9	21	0.3	0.07	0.2	0.5
1990	1	0.4	0.42	0.0	4.7	30	0.5	0.09	0.3	0.7
1991	1	0.9	0.88	0.0	5.6	33	0.5	0.09	0.4	0.7
1992	1	0.5	0.47	0.0	4.5	38	0.6	0.10	0.4	0.8
1993	2	1.6	1.17	0.2	6.4	36	0.6	0.10	0.4	0.8
1994	0	0.0	-	0.0	3.5	43	0.6	0.10	0.5	0.9
1995	0	0.0	-	0.0	3.4	43	0.6	0.10	0.5	0.9
1996	3	1.0	0.60	0.2	4.5	56	0.8	0.11	0.6	1.1
1997	4	1.5	0.77	0.4	5.0	36	0.6	0.09	0.4	0.8
1998	1	0.4	0.36	0.0	3.5	61	0.9	0.12	0.7	1.2
1999	1	0.3	0.30	0.0	3.3	70	1.0	0.13	0.8	1.3
2000	4	1.4	0.77	0.3	4.7	70	1.0	0.12	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Gallbladder, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	2,469	1.5	0.03	1.4	1.5	2,175	1.5	0.03	1.4	1.5
1986	159	1.5	0.12	1.3	1.8	144	1.6	0.13	1.3	1.8
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	190	1.8	0.13	1.6	2.1	162	1.7	0.14	1.5	2.0
1989	167	1.6	0.12	1.3	1.8	148	1.6	0.13	1.3	1.8
1990	160	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	131	1.4	0.12	1.1	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	174	1.5	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	187	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	158	1.3	0.11	1.1	1.6	141	1.4	0.12	1.1	1.6
2000	162	1.4	0.11	1.2	1.6	135	1.3	0.11	1.1	1.5
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	232	1.3	0.09	1.2	1.5	51	1.9	0.29	1.4	2.6
1986	12	1.3	0.40	0.7	2.5	3	2.6	1.54	0.5	11.2
1987	11	1.0	0.33	0.5	2.0	2	2.0	1.56	0.2	10.5
1988	19	2.0	0.46	1.2	3.2	6	5.9	2.47	2.1	15.1
1989	16	1.5	0.38	0.8	2.5	3	3.1	1.80	0.6	11.1
1990	9	1.0	0.34	0.4	1.9	3	1.9	1.13	0.4	9.0
1991	21	1.9	0.43	1.2	3.0	1	0.9	0.91	0.0	7.3
1992	21	1.7	0.39	1.1	2.8	4	1.8	0.92	0.5	7.5
1993	11	1.0	0.32	0.5	1.9	4	1.4	0.71	0.3	6.4
1994	9	0.8	0.29	0.4	1.7	3	1.3	0.84	0.2	6.2
1995	17	1.4	0.34	0.8	2.3	2	0.7	0.50	0.1	4.9
1996	21	1.7	0.38	1.1	2.7	2	1.3	1.07	0.1	6.0
1997	11	0.9	0.27	0.4	1.6	4	1.4	0.71	0.4	5.3
1998	22	1.7	0.37	1.1	2.7	8	3.4	1.38	1.3	8.1
1999	12	0.9	0.26	0.4	1.6	5	2.2	1.11	0.6	6.3
2000	20	1.4	0.32	0.9	2.2	1	0.3	0.32	0.0	3.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	118	2.5	0.27	2.0	3.2	1,850	1.4	0.03	1.3	1.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	1.7	0.76	0.6	5.0	161	1.5	0.12	1.3	1.8
1990	8	2.1	0.80	0.9	5.4	152	1.4	0.12	1.2	1.7
1991	6	1.8	0.86	0.5	5.1	148	1.4	0.12	1.2	1.7
1992	6	1.4	0.60	0.5	4.2	171	1.6	0.12	1.4	1.9
1993	11	4.1	1.38	1.9	8.2	120	1.1	0.10	0.9	1.3
1994	12	3.3	1.06	1.5	6.6	162	1.5	0.12	1.3	1.7
1995	15	3.3	0.95	1.7	6.4	146	1.3	0.11	1.1	1.6
1996	7	1.3	0.51	0.5	3.6	165	1.5	0.12	1.3	1.7
1997	11	3.4	1.14	1.5	6.7	154	1.4	0.11	1.2	1.6
1998	12	3.2	1.08	1.5	6.5	175	1.5	0.12	1.3	1.8
1999	14	3.1	0.88	1.6	5.8	144	1.3	0.10	1.1	1.5
2000	10	1.6	0.60	0.6	3.8	152	1.3	0.11	1.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gallbladder, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,682	1.0	0.02	1.0	1.0	1,519	1.0	0.03	1.0	1.1
1986	115	1.1	0.11	0.9	1.4	110	1.2	0.11	1.0	1.4
1987	130	1.3	0.11	1.0	1.5	122	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	105	1.1	0.11	0.9	1.4
1989	130	1.2	0.11	1.0	1.4	115	1.2	0.11	1.0	1.5
1990	106	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1991	117	1.1	0.10	0.9	1.3	106	1.1	0.11	0.9	1.3
1992	118	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1993	99	0.9	0.09	0.7	1.1	91	0.9	0.10	0.7	1.1
1994	112	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2
1995	109	0.9	0.09	0.8	1.1	100	1.0	0.10	0.8	1.2
1996	116	1.0	0.09	0.8	1.2	98	1.0	0.10	0.8	1.2
1997	105	0.9	0.09	0.7	1.1	94	0.9	0.09	0.7	1.1
1998	118	1.0	0.09	0.8	1.2	102	1.0	0.10	0.8	1.2
1999	90	0.8	0.08	0.6	0.9	84	0.8	0.09	0.6	1.0
2000	104	0.9	0.09	0.7	1.0	93	0.9	0.09	0.7	1.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	141	0.8	0.07	0.7	1.0	22	0.9	0.21	0.5	1.5
1986	3	0.4	0.25	0.1	1.3	2	1.8	1.36	0.2	10.4
1987	6	0.7	0.29	0.2	1.6	2	2.1	1.57	0.2	10.5
1988	7	0.7	0.27	0.3	1.6	1	0.5	0.54	0.0	7.7
1989	14	1.2	0.35	0.7	2.2	1	1.8	1.83	0.0	10.2
1990	10	1.0	0.34	0.5	2.0	0	0.0	~	0.0	6.7
1991	9	0.8	0.29	0.4	1.7	2	1.8	1.29	0.2	8.6
1992	14	1.3	0.36	0.7	2.2	2	0.9	0.69	0.1	6.5
1993	7	0.7	0.26	0.3	1.5	1	0.5	0.53	0.0	5.6
1994	10	0.8	0.27	0.4	1.6	1	0.7	0.72	0.0	5.6
1995	8	0.6	0.22	0.3	1.3	1	0.4	0.40	0.0	4.6
1996	15	1.3	0.34	0.7	2.2	3	1.2	0.75	0.2	5.4
1997	10	0.8	0.26	0.4	1.6	1	0.6	0.58	0.0	4.4
1998	13	0.9	0.26	0.5	1.7	3	1.5	1.01	0.2	5.7
1999	5	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	3.6
2000	10	0.8	0.24	0.4	1.4	1	0.3	0.32	0.0	3.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	72	1.4	0.18	1.0	1.8	1,597	1.0	0.02	0.9	1.0
1986	3	1.0	0.60	0.2	4.5	110	1.1	0.11	0.9	1.3
1987	0	0.0	-	0.0	3.2	130	1.3	0.11	1.1	1.5
1988	5	2.2	1.03	0.7	6.1	106	1.0	0.10	0.9	1.3
1989	5	1.6	0.87	0.4	5.1	121	1.2	0.11	1.0	1.4
1990	4	1.5	0.80	0.4	4.8	103	1.0	0.10	0.8	1.2
1991	3	0.9	0.59	0.2	3.9	112	1.0	0.10	0.9	1.3
1992	5	1.7	0.85	0.4	4.9	114	1.1	0.10	0.9	1.3
1993	3	1.0	0.68	0.1	3.9	97	0.9	0.09	0.7	1.1
1994	6	1.8	0.83	0.6	4.8	104	1.0	0.09	0.8	1.2
1995	5	1.2	0.63	0.3	3.9	102	0.9	0.09	0.7	1.1
1996	6	1.6	0.73	0.5	4.3	112	1.0	0.09	0.8	1.2
1997	9	1.6	0.65	0.6	4.1	95	0.8	0.09	0.7	1.0
1998	3	1.1	0.66	0.2	3.6	113	1.0	0.09	0.8	1.2
1999	9	1.6	0.55	0.7	3.8	81	0.7	0.08	0.6	0.9
2000	6	1.6	0.69	0.5	4.0	97	0.8	0.09	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Gallbladder, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	640	1.0	0.04	0.9	1.1	571	1.0	0.04	0.9	1.1
1986	45	1.1	0.18	0.8	1.6	41	1.1	0.19	0.8	1.6
1987	42	1.1	0.17	0.8	1.5	36	1.0	0.18	0.7	1.5
1988	46	1.2	0.18	0.8	1.6	37	1.0	0.18	0.7	1.5
1989	38	0.9	0.15	0.6	1.3	35	0.9	0.16	0.6	1.3
1990	40	0.9	0.15	0.6	1.3	38	1.0	0.16	0.7	1.4
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1993	29	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9
1994	49	1.1	0.16	0.8	1.5	45	1.2	0.18	0.8	1.6
1995	35	0.8	0.14	0.6	1.2	31	0.8	0.15	0.6	1.2
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	52	1.1	0.15	0.8	1.4	47	1.1	0.17	0.8	1.5
2000	40	0.8	0.13	0.6	1.1	31	0.7	0.13	0.5	1.0
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	51	0.8	0.12	0.6	1.1	16	1.3	0.35	0.7	2.4
1986	4	1.1	0.63	0.3	3.5	0	0.0	-	0.0	20.2
1987	4	0.7	0.35	0.2	2.6	2	4.7	3.72	0.4	25.7
1988	6	1.8	0.79	0.6	4.4	2	5.3	3.75	0.6	25.1
1989	3	0.8	0.48	0.2	2.9	0	0.0	-	0.0	16.6
1990	1	0.2	0.16	0.0	1.9	1	1.7	1.70	0.0	18.8
1991	3	1.0	0.62	0.2	3.3	1	2.2	2.24	0.1	18.2
1992	0	0.0	-	0.0	1.6	0	0.0	-	0.0	13.7
1993	4	0.7	0.33	0.2	2.4	1	1.0	1.02	0.0	13.8
1994	2	0.5	0.37	0.0	2.3	2	1.2	0.87	0.1	13.4
1995	4	1.0	0.53	0.2	3.0	0	0.0	-	0.0	11.4
1996	3	0.7	0.42	0.1	2.5	1	0.6	0.56	0.0	11.4
1997	4	0.9	0.44	0.2	2.7	2	1.7	1.21	0.2	12.0
1998	3	0.7	0.45	0.1	2.5	1	1.3	1.32	0.0	11.4
1999	3	0.5	0.31	0.1	2.1	2	0.9	0.65	0.1	9.9
2000	7	1.2	0.46	0.5	2.9	1	0.7	0.69	0.0	9.0
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	28	1.6	0.34	1.0	2.5	479	0.9	0.04	0.8	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	1.4	1.36	0.0	9.6	37	0.9	0.15	0.6	1.3
1990	3	2.2	1.47	0.3	10.5	37	0.9	0.14	0.6	1.2
1991	2	0.8	0.59	0.1	7.9	41	1.0	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	7.2	33	0.7	0.14	0.5	1.1
1993	2	1.7	1.47	0.1	9.3	27	0.6	0.12	0.4	0.9
1994	0	0.0	-	0.0	6.4	49	1.2	0.17	0.9	1.6
1995	2	0.8	0.67	0.1	6.9	33	0.8	0.14	0.6	1.2
1996	3	1.4	0.88	0.2	7.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	10.3	45	1.0	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	7.5	43	1.0	0.15	0.7	1.4
1999	6	2.9	1.23	1.0	8.6	46	1.0	0.15	0.7	1.4
2000	3	1.8	1.22	0.2	7.4	37	0.8	0.13	0.5	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Gallbladder, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	437	0.7	0.03	0.6	0.8	397	0.7	0.04	0.6	0.8
1986	38	1.0	0.17	0.7	1.4	37	1.0	0.18	0.7	1.5
1987	36	1.0	0.17	0.7	1.4	32	1.0	0.18	0.6	1.4
1988	32	0.8	0.14	0.5	1.1	27	0.7	0.15	0.5	1.1
1989	29	0.7	0.14	0.5	1.1	25	0.7	0.14	0.4	1.1
1990	27	0.6	0.12	0.4	0.9	26	0.7	0.13	0.4	1.0
1991	28	0.6	0.12	0.4	0.9	27	0.7	0.13	0.4	1.0
1992	26	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9
1993	19	0.4	0.09	0.2	0.7	17	0.4	0.10	0.2	0.7
1994	27	0.6	0.13	0.4	1.0	24	0.6	0.14	0.4	1.0
1995	26	0.6	0.12	0.4	0.9	25	0.6	0.13	0.4	1.0
1996	29	0.7	0.13	0.4	1.0	24	0.6	0.13	0.4	1.0
1997	30	0.7	0.12	0.4	1.0	27	0.7	0.13	0.4	1.0
1998	32	0.7	0.13	0.5	1.0	30	0.8	0.14	0.5	1.1
1999	29	0.6	0.12	0.4	1.0	28	0.7	0.14	0.5	1.0
2000	29	0.6	0.11	0.4	0.9	24	0.6	0.12	0.4	0.9
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	33	0.5	0.10	0.4	0.8	7	0.5	0.23	0.2	1.5
1986	1	0.5	0.49	0.0	2.7	0	0.0	~	0.0	20.2
1987	3	1.3	0.74	0.2	3.9	1	3.5	3.51	0.1	24.4
1988	4	0.8	0.43	0.2	2.8	1	1.2	1.16	0.0	18.8
1989	4	1.1	0.58	0.2	3.3	0	0.0	~	0.0	16.6
1990	1	0.2	0.16	0.0	1.9	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	1	2.2	2.24	0.1	18.2
1992	2	0.7	0.53	0.1	2.8	0	0.0	~	0.0	13.7
1993	2	0.3	0.24	0.0	2.0	0	0.0	~	0.0	12.7
1994	3	0.6	0.35	0.1	2.3	0	0.0	~	0.0	12.3
1995	1	0.3	0.34	0.0	2.1	0	0.0	~	0.0	11.4
1996	3	0.8	0.45	0.2	2.6	2	1.2	0.88	0.2	12.0
1997	3	0.6	0.38	0.1	2.4	0	0.0	~	0.0	10.2
1998	1	0.2	0.19	0.0	1.6	1	0.6	0.57	0.0	10.1
1999	1	0.2	0.19	0.0	1.6	0	0.0	~	0.0	9.1
2000	4	0.7	0.38	0.2	2.3	1	0.7	0.69	0.0	9.0
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	19	1.2	0.30	0.7	2.0	415	0.7	0.03	0.6	0.7
1986	0	0.0	-	0.0	8.7	36	1.0	0.17	0.7	1.4
1987	0	0.0	-	0.0	8.3	37	1.0	0.18	0.7	1.5
1988	2	2.8	2.01	0.3	12.2	28	0.7	0.14	0.4	1.0
1989	1	2.0	2.04	0.0	11.4	26	0.7	0.13	0.4	1.0
1990	2	2.7	1.89	0.3	11.6	27	0.6	0.12	0.4	0.9
1991	3	2.1	1.43	0.3	9.9	27	0.6	0.12	0.4	1.0
1992	1	0.4	0.39	0.0	7.0	24	0.6	0.12	0.4	0.9
1993	1	0.3	0.31	0.0	6.9	20	0.4	0.10	0.3	0.7
1994	1	1.4	1.40	0.0	8.7	24	0.6	0.12	0.4	0.8
1995	0	0.0	-	0.0	6.0	27	0.6	0.13	0.4	1.0
1996	2	1.2	0.85	0.2	7.2	27	0.6	0.13	0.4	1.0
1997	1	0.3	0.29	0.0	5.8	26	0.6	0.12	0.4	0.9
1998	2	2.1	1.53	0.2	8.7	31	0.7	0.14	0.5	1.1
1999	1	0.5	0.52	0.0	5.6	28	0.6	0.12	0.4	1.0
2000	2	1.8	1.32	0.2	7.6	27	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Gallbladder, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1,829	1.8	0.04	1.8	1.9	1,604	1.8	0.05	1.7	1.9
1986	114	1.8	0.17	1.5	2.2	103	1.8	0.18	1.5	2.3
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.3
1988	144	2.3	0.19	1.9	2.7	125	2.2	0.20	1.9	2.7
1989	129	2.0	0.18	1.7	2.4	113	2.0	0.19	1.6	2.4
1990	120	1.8	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3
1991	111	1.7	0.17	1.4	2.1	92	1.6	0.17	1.3	2.0
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4
1993	102	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4
1995	126	1.9	0.17	1.6	2.2	111	1.9	0.18	1.6	2.3
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1
1997	116	1.7	0.16	1.4	2.0	107	1.7	0.17	1.4	2.1
1998	143	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4
1999	106	1.5	0.15	1.2	1.8	94	1.5	0.16	1.2	1.9
2000	122	1.8	0.16	1.5	2.1	104	1.8	0.17	1.4	2.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	181	1.7	0.13	1.5	2.0	35	2.3	0.42	1.5	3.4
1986	8	1.5	0.53	0.6	3.0	3	4.4	2.67	0.8	19.0
1987	7	1.2	0.46	0.5	2.6	0	0.0	-	0.0	12.6
1988	13	2.1	0.60	1.1	3.8	4	6.5	3.34	1.7	20.8
1989	13	1.9	0.55	1.0	3.4	3	5.3	3.10	1.0	18.8
1990	8	1.4	0.50	0.6	2.8	2	2.1	1.52	0.2	13.7
1991	18	2.6	0.63	1.6	4.2	0	0.0	-	0.0	10.0
1992	21	2.9	0.65	1.8	4.6	4	3.3	1.67	0.9	12.8
1993	7	1.1	0.43	0.5	2.4	3	1.7	1.02	0.3	9.8
1994	7	1.1	0.40	0.4	2.2	1	1.2	1.23	0.0	9.1
1995	13	1.7	0.47	0.9	3.0	2	1.3	0.93	0.2	8.0
1996	18	2.4	0.56	1.4	3.8	1	1.6	1.58	0.0	8.8
1997	7	0.9	0.34	0.4	1.9	2	1.2	0.86	0.1	7.0
1998	19	2.4	0.56	1.4	3.8	7	4.9	2.09	1.7	12.1
1999	9	1.1	0.37	0.5	2.2	3	2.8	1.69	0.5	9.2
2000	13	1.6	0.44	0.8	2.7	0	0.0	-	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	90	3.4	0.39	2.7	4.3	1,371	1.7	0.05	1.7	1.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	2.4	1.09	0.8	7.4	124	2.0	0.18	1.6	2.4
1990	5	2.4	1.06	0.8	7.2	115	1.8	0.17	1.5	2.2
1991	4	2.4	1.36	0.5	7.8	107	1.7	0.17	1.4	2.1
1992	5	2.2	1.04	0.7	6.8	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	12.0	93	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	11.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	10.4	113	1.7	0.16	1.4	2.1
1996	4	1.2	0.62	0.3	4.6	114	1.8	0.17	1.4	2.1
1997	7	3.7	1.50	1.3	8.5	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.2	9.9	132	2.0	0.18	1.7	2.4
1999	8	3.2	1.21	1.3	7.3	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	4.7	115	1.7	0.16	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Gallbladder, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,245	1.2	0.04	1.2	1.3	1,122	1.3	0.04	1.2	1.3
1986	77	1.2	0.14	1.0	1.6	73	1.3	0.15	1.0	1.6
1987	94	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1988	81	1.3	0.15	1.0	1.7	78	1.4	0.17	1.1	1.8
1989	101	1.6	0.16	1.3	1.9	90	1.6	0.17	1.3	2.0
1990	79	1.2	0.14	1.0	1.5	70	1.2	0.14	0.9	1.5
1991	89	1.4	0.15	1.1	1.7	79	1.4	0.15	1.1	1.7
1992	92	1.4	0.14	1.1	1.7	78	1.3	0.15	1.0	1.6
1993	80	1.2	0.13	0.9	1.5	74	1.3	0.15	1.0	1.6
1994	85	1.2	0.14	1.0	1.5	77	1.3	0.15	1.0	1.6
1995	83	1.2	0.13	1.0	1.5	75	1.2	0.15	1.0	1.6
1996	87	1.3	0.14	1.0	1.6	74	1.2	0.15	1.0	1.6
1997	75	1.1	0.13	0.8	1.4	67	1.1	0.14	0.9	1.4
1998	86	1.2	0.13	1.0	1.5	72	1.2	0.14	0.9	1.5
1999	61	0.9	0.11	0.7	1.1	56	0.9	0.12	0.7	1.2
2000	75	1.1	0.12	0.8	1.4	69	1.1	0.14	0.9	1.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	108	1.0	0.10	0.8	1.2	15	1.1	0.31	0.6	2.0
1986	2	0.4	0.30	0.0	1.6	2	3.3	2.43	0.4	17.8
1987	3	0.5	0.28	0.1	1.5	1	1.1	1.08	0.0	13.8
1988	3	0.6	0.33	0.1	1.7	0	0.0	~	0.0	12.0
1989	10	1.4	0.46	0.7	2.8	1	3.1	3.08	0.1	17.2
1990	9	1.5	0.51	0.7	3.0	0	0.0	~	0.0	11.2
1991	9	1.4	0.47	0.6	2.7	1	1.5	1.54	0.0	12.2
1992	12	1.7	0.50	0.9	3.1	2	1.7	1.25	0.2	11.0
1993	5	0.8	0.36	0.2	1.9	1	0.9	0.92	0.0	9.2
1994	7	1.0	0.38	0.4	2.1	1	1.2	1.23	0.0	9.1
1995	7	0.9	0.33	0.4	1.9	1	0.7	0.71	0.0	7.3
1996	12	1.6	0.46	0.8	2.8	1	1.0	1.05	0.0	7.4
1997	7	0.9	0.34	0.4	1.9	1	1.0	0.98	0.0	7.0
1998	12	1.5	0.42	0.8	2.6	2	2.0	1.52	0.2	8.4
1999	4	0.5	0.24	0.1	1.3	1	0.7	0.72	0.0	5.7
2000	6	0.7	0.30	0.3	1.7	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	53	1.7	0.25	1.2	2.3	1,182	1.2	0.04	1.1	1.3
1986	3	1.8	1.10	0.3	7.8	74	1.2	0.14	0.9	1.5
1987	0	0.0	-	0.0	5.1	93	1.5	0.16	1.2	1.8
1988	3	2.0	1.17	0.4	7.4	78	1.3	0.15	1.0	1.7
1989	4	1.8	0.89	0.5	6.5	95	1.5	0.16	1.2	1.9
1990	2	1.0	0.67	0.1	5.4	76	1.2	0.14	0.9	1.5
1991	0	0.0	-	0.0	4.2	85	1.3	0.15	1.1	1.6
1992	4	2.6	1.39	0.6	7.8	90	1.4	0.15	1.1	1.7
1993	2	1.3	1.05	0.1	5.9	77	1.2	0.14	0.9	1.5
1994	5	2.4	1.15	0.7	6.9	80	1.2	0.13	0.9	1.5
1995	5	2.3	1.09	0.7	6.5	75	1.1	0.13	0.9	1.4
1996	4	1.9	1.04	0.4	6.0	85	1.3	0.14	1.0	1.6
1997	8	2.8	1.13	1.1	6.9	69	1.0	0.12	0.8	1.3
1998	1	0.5	0.47	0.0	3.7	82	1.2	0.14	1.0	1.5
1999	8	2.6	0.93	1.1	6.2	53	0.8	0.11	0.6	1.0
2000	4	1.5	0.78	0.4	4.8	70	1.0	0.12	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Pancreas, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	18,089	10.7	0.08	10.6	10.9	15,230	10.3	0.08	10.1	10.5
1986	1,044	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0
1987	1,062	10.0	0.31	9.4	10.6	876	9.3	0.32	8.7	9.9
1988	1,044	9.7	0.30	9.2	10.4	892	9.4	0.32	8.8	10.0
1989	1,053	9.8	0.31	9.3	10.5	891	9.5	0.32	8.8	10.1
1990	1,118	10.3	0.31	9.7	10.9	930	9.7	0.32	9.1	10.4
1991	1,026	9.4	0.30	8.8	10.0	875	9.0	0.31	8.4	9.7
1992	1,069	9.6	0.30	9.0	10.2	900	9.2	0.31	8.6	9.8
1993	1,076	9.6	0.29	9.0	10.2	900	9.1	0.30	8.5	9.7
1994	1,328	11.7	0.32	11.0	12.3	1,106	11.1	0.33	10.4	11.8
1995	1,332	11.7	0.32	11.0	12.3	1,106	11.1	0.33	10.4	11.7
1996	1,381	12.0	0.32	11.4	12.6	1,169	11.6	0.34	11.0	12.3
1997	1,310	11.2	0.31	10.6	11.9	1,121	11.0	0.33	10.4	11.7
1998	1,407	12.0	0.32	11.3	12.6	1,194	11.7	0.34	11.0	12.3
1999	1,421	12.0	0.32	11.4	12.6	1,197	11.6	0.34	11.0	12.3
2000	1,418	11.9	0.32	11.3	12.5	1,184	11.5	0.33	10.8	12.1
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	2,554	14.3	0.29	13.8	14.9	267	9.8	0.67	8.5	11.2
1986	144	13.5	1.17	11.3	16.0	11	7.5	2.30	3.7	16.8
1987	171	15.9	1.25	13.6	18.6	15	12.1	3.74	5.9	23.7
1988	133	12.4	1.10	10.3	14.8	19	15.9	4.34	8.6	28.3
1989	148	13.0	1.10	11.0	15.5	12	11.0	3.48	5.2	21.6
1990	173	15.2	1.20	13.0	17.8	13	9.5	2.87	4.7	18.9
1991	123	11.2	1.03	9.3	13.4	11	6.4	2.26	2.8	14.3
1992	158	13.1	1.07	11.1	15.4	11	5.1	1.62	2.4	11.5
1993	161	13.6	1.09	11.5	15.9	15	8.9	2.66	4.5	16.8
1994	197	16.7	1.22	14.4	19.3	25	14.2	3.15	8.7	22.7
1995	205	17.1	1.23	14.8	19.7	20	7.9	1.88	4.7	13.8
1996	195	16.0	1.17	13.7	18.4	16	7.4	2.06	3.9	13.5
1997	173	13.4	1.04	11.5	15.7	16	7.3	1.96	3.9	13.1
1998	189	14.4	1.07	12.4	16.7	22	9.6	2.18	5.8	15.6
1999	196	14.9	1.08	12.9	17.2	28	12.2	2.51	7.8	18.7
2000	188	14.1	1.05	12.1	16.4	33	11.9	2.24	7.9	17.6
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	391	8.5	0.49	7.6	9.6	14,548	11.0	0.09	10.9	11.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	26	7.9	1.71	4.9	12.7	1,027	9.9	0.31	9.3	10.5
1990	19	5.2	1.32	3.0	9.3	1,099	10.4	0.32	9.8	11.1
1991	28	8.6	1.80	5.4	13.4	998	9.4	0.30	8.8	10.0
1992	22	6.9	1.66	4.0	11.4	1,047	9.7	0.30	9.1	10.3
1993	32	8.9	1.74	5.8	13.5	1,044	9.6	0.30	9.0	10.2
1994	33	9.0	1.74	5.9	13.5	1,295	11.8	0.33	11.1	12.4
1995	33	8.2	1.56	5.5	12.4	1,299	11.8	0.33	11.1	12.4
1996	36	10.8	2.00	7.2	15.7	1,345	12.1	0.33	11.4	12.8
1997	35	8.4	1.60	5.5	12.5	1,275	11.4	0.32	10.7	12.0
1998	34	7.2	1.44	4.7	11.0	1,373	12.1	0.33	11.5	12.8
1999	48	9.3	1.52	6.6	13.2	1,373	12.0	0.32	11.4	12.7
2000	45	10.7	1.81	7.4	15.1	1,373	12.0	0.32	11.4	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Pancreas, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,519	11.0	0.08	10.8	11.2	15,652	10.6	0.08	10.4	10.7
1986	1,183	11.1	0.33	10.5	11.8	1,007	10.6	0.34	10.0	11.3
1987	1,192	11.3	0.33	10.6	11.9	1,016	10.8	0.34	10.1	11.5
1988	1,134	10.6	0.32	10.0	11.2	967	10.2	0.33	9.5	10.8
1989	1,129	10.5	0.32	9.9	11.2	940	9.9	0.32	9.2	10.5
1990	1,237	11.4	0.33	10.8	12.1	1,054	11.0	0.34	10.4	11.7
1991	1,244	11.4	0.33	10.8	12.1	1,055	10.9	0.34	10.3	11.6
1992	1,209	10.9	0.32	10.3	11.6	1,028	10.5	0.33	9.9	11.2
1993	1,209	10.8	0.31	10.2	11.4	997	10.1	0.32	9.5	10.7
1994	1,251	11.0	0.31	10.4	11.6	1,057	10.5	0.32	9.9	11.2
1995	1,183	10.3	0.30	9.7	10.9	1,020	10.1	0.32	9.5	10.8
1996	1,280	11.1	0.31	10.5	11.7	1,061	10.5	0.32	9.9	11.2
1997	1,267	10.9	0.31	10.3	11.5	1,067	10.5	0.32	9.9	11.1
1998	1,298	11.0	0.31	10.4	11.6	1,106	10.8	0.32	10.2	11.4
1999	1,349	11.4	0.31	10.8	12.0	1,154	11.1	0.33	10.5	11.8
2000	1,354	11.3	0.31	10.7	11.9	1,123	10.8	0.32	10.2	11.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,679	15.3	0.30	14.7	15.9	188	7.7	0.63	6.5	9.0
1986	169	16.6	1.33	14.1	19.4	7	5.6	2.27	2.0	15.0
1987	170	16.0	1.27	13.6	18.8	6	2.8	1.18	1.0	10.5
1988	161	15.0	1.21	12.7	17.6	6	6.3	2.88	2.0	16.3
1989	175	16.2	1.27	13.8	19.0	14	13.1	4.14	6.3	25.1
1990	174	15.4	1.21	13.1	18.0	9	6.8	2.46	2.9	15.6
1991	177	16.0	1.24	13.7	18.7	12	9.2	3.06	4.2	18.6
1992	172	15.1	1.18	12.8	17.6	9	5.4	2.08	2.1	12.7
1993	200	17.1	1.24	14.7	19.7	12	7.0	2.38	3.1	14.5
1994	181	15.3	1.16	13.1	17.8	13	8.6	2.69	4.2	16.4
1995	150	12.9	1.08	10.9	15.2	13	6.3	1.86	3.2	12.2
1996	201	16.6	1.20	14.4	19.2	18	10.2	2.66	5.7	17.5
1997	188	14.6	1.08	12.5	16.9	12	6.6	2.13	3.1	12.8
1998	180	13.9	1.06	11.9	16.2	12	5.3	1.66	2.6	10.4
1999	172	13.2	1.02	11.3	15.4	23	10.1	2.29	6.2	16.2
2000	209	15.7	1.11	13.6	18.1	22	8.9	2.04	5.4	14.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	373	7.1	0.41	6.3	8.0	18,231	11.2	0.08	11.0	11.3
1986	20	7.3	1.86	4.1	12.7	1,175	11.3	0.33	10.7	12.0
1987	26	10.1	2.31	6.1	16.3	1,186	11.5	0.34	10.8	12.2
1988	30	10.5	2.07	6.8	16.0	1,103	10.6	0.32	9.9	11.2
1989	16	4.3	1.17	2.3	8.1	1,117	10.7	0.32	10.1	11.4
1990	21	7.0	1.72	4.1	11.9	1,221	11.6	0.34	11.0	12.3
1991	20	5.9	1.49	3.3	10.2	1,212	11.4	0.33	10.8	12.1
1992	25	8.1	1.82	5.0	13.0	1,197	11.2	0.32	10.5	11.8
1993	23	6.3	1.46	3.7	10.4	1,189	10.9	0.32	10.3	11.6
1994	25	7.2	1.62	4.4	11.6	1,230	11.1	0.32	10.5	11.8
1995	21	5.8	1.41	3.4	9.7	1,169	10.5	0.31	9.9	11.1
1996	28	7.4	1.55	4.7	11.5	1,263	11.4	0.32	10.7	12.0
1997	29	7.4	1.53	4.7	11.4	1,245	11.1	0.31	10.5	11.7
1998	21	4.2	1.01	2.5	7.2	1,295	11.4	0.32	10.8	12.0
1999	36	8.1	1.54	5.3	12.0	1,310	11.4	0.32	10.8	12.1
2000	32	8.1	1.62	5.3	12.2	1,319	11.5	0.32	10.9	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Pancreas, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,587	12.3	0.14	12.1	12.6	7,272	11.9	0.14	11.6	12.2
1986	492	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9
1987	515	12.0	0.55	10.9	13.1	429	11.3	0.57	10.2	12.5
1988	487	11.2	0.53	10.2	12.3	423	11.0	0.55	9.9	12.1
1989	473	10.6	0.50	9.6	11.6	409	10.4	0.53	9.4	11.5
1990	528	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5
1991	478	10.6	0.50	9.6	11.7	411	10.3	0.52	9.3	11.4
1992	515	11.1	0.50	10.1	12.1	431	10.5	0.52	9.5	11.6
1993	502	10.8	0.49	9.9	11.8	421	10.3	0.51	9.3	11.4
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4
1995	643	13.6	0.55	12.5	14.7	527	12.7	0.56	11.7	13.9
1996	650	13.6	0.55	12.6	14.8	552	13.3	0.57	12.2	14.4
1997	614	12.7	0.52	11.7	13.8	530	12.6	0.56	11.6	13.8
1998	641	13.3	0.53	12.3	14.4	545	13.0	0.56	11.9	14.2
1999	692	13.9	0.54	12.9	15.0	589	13.6	0.57	12.5	14.8
2000	708	14.1	0.54	13.1	15.2	596	13.8	0.57	12.7	14.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,159	15.8	0.49	14.9	16.8	132	11.3	1.13	9.2	13.9
1986	67	14.1	1.84	10.7	18.6	4	6.1	3.13	1.6	26.8
1987	81	18.4	2.16	14.4	23.4	5	7.6	3.42	2.4	27.4
1988	57	13.2	1.87	9.8	17.7	7	9.4	4.24	3.0	29.3
1989	59	11.8	1.61	8.8	15.7	3	2.6	1.52	0.5	19.0
1990	73	15.7	1.95	12.1	20.4	7	14.9	6.01	5.5	36.8
1991	51	11.6	1.71	8.5	15.7	6	8.6	4.62	2.1	27.3
1992	77	16.9	2.06	13.1	21.7	7	7.2	3.02	2.5	22.1
1993	73	15.2	1.87	11.7	19.6	8	12.0	5.05	4.3	29.6
1994	99	20.4	2.18	16.4	25.4	9	13.4	5.03	5.4	30.5
1995	100	20.6	2.19	16.6	25.6	15	14.6	4.07	7.7	29.0
1996	89	18.2	2.05	14.4	22.9	8	11.0	4.43	4.1	26.1
1997	75	13.3	1.61	10.4	17.2	9	10.1	3.94	3.9	23.9
1998	84	15.7	1.80	12.3	19.8	11	11.4	3.66	5.4	24.1
1999	89	16.5	1.82	13.1	20.7	14	15.3	4.82	7.3	29.8
2000	85	15.2	1.74	12.0	19.2	19	15.3	3.77	8.8	27.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	192	8.5	0.73	7.1	10.2	6,901	12.7	0.16	12.4	13.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	6.0	2.26	2.4	15.0	463	10.7	0.51	9.7	11.8
1990	11	5.6	1.85	2.6	14.0	517	12.0	0.54	10.9	13.1
1991	14	8.2	2.45	4.1	17.1	464	10.7	0.51	9.7	11.8
1992	11	7.2	2.70	2.9	16.4	504	11.2	0.51	10.3	12.3
1993	15	9.7	3.06	4.7	19.4	487	10.9	0.50	9.9	11.9
1994	18	9.2	2.56	4.9	17.7	631	14.0	0.57	12.9	15.2
1995	18	7.9	2.05	4.4	15.3	625	13.7	0.56	12.7	14.9
1996	16	10.8	3.14	5.6	20.2	634	13.8	0.56	12.8	15.0
1997	20	8.7	2.12	5.1	15.9	594	12.8	0.54	11.8	14.0
1998	16	8.8	2.57	4.5	16.7	625	13.5	0.55	12.5	14.6
1999	26	10.1	2.33	6.0	17.3	666	14.0	0.55	13.0	15.2
2000	17	8.4	2.46	4.3	15.8	691	14.5	0.56	13.4	15.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Pancreas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,855	12.9	0.14	12.6	13.2	7,484	12.4	0.15	12.1	12.7
1986	582	13.4	0.58	12.3	14.6	497	12.9	0.61	11.8	14.2
1987	561	13.1	0.58	12.0	14.3	479	12.7	0.60	11.5	13.9
1988	572	13.2	0.57	12.1	14.4	495	12.8	0.60	11.7	14.1
1989	526	12.1	0.55	11.0	13.2	440	11.4	0.57	10.4	12.6
1990	570	13.0	0.56	11.9	14.1	486	12.6	0.59	11.5	13.8
1991	619	14.1	0.58	12.9	15.3	532	13.6	0.61	12.5	14.9
1992	567	12.7	0.55	11.6	13.8	468	11.8	0.56	10.7	13.0
1993	568	12.6	0.55	11.6	13.8	473	11.9	0.56	10.9	13.1
1994	622	13.5	0.55	12.4	14.6	521	12.8	0.57	11.7	14.0
1995	563	11.9	0.51	10.9	13.0	476	11.5	0.53	10.4	12.6
1996	614	13.0	0.54	12.0	14.1	505	12.3	0.56	11.2	13.4
1997	601	12.6	0.52	11.6	13.7	501	12.1	0.55	11.1	13.2
1998	614	12.7	0.52	11.7	13.8	527	12.5	0.55	11.5	13.7
1999	630	12.9	0.52	11.9	14.0	543	12.8	0.55	11.7	13.9
2000	646	13.1	0.52	12.1	14.2	541	12.6	0.55	11.6	13.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,274	17.9	0.53	16.9	19.0	97	8.9	1.06	7.0	11.4
1986	82	18.9	2.23	14.7	24.1	3	6.4	4.24	0.9	28.8
1987	79	18.1	2.15	14.2	23.2	3	3.1	1.88	0.6	22.0
1988	74	17.3	2.15	13.4	22.4	3	7.5	4.70	1.3	28.6
1989	81	18.0	2.14	14.0	23.0	5	5.7	2.68	1.7	22.8
1990	78	16.2	1.97	12.6	20.8	6	9.7	4.45	3.0	29.2
1991	79	17.9	2.12	14.0	22.8	8	17.3	7.12	6.3	40.3
1992	93	22.5	2.51	17.8	28.2	6	6.2	2.77	2.0	20.8
1993	89	19.9	2.25	15.8	25.1	6	9.0	4.39	2.6	25.5
1994	95	19.7	2.15	15.7	24.6	6	10.3	5.08	2.9	27.8
1995	78	16.8	2.03	13.1	21.5	9	8.8	3.18	3.7	22.1
1996	101	20.2	2.15	16.3	25.2	8	10.6	4.37	3.8	25.6
1997	92	17.0	1.84	13.6	21.3	8	11.6	4.72	4.2	26.9
1998	81	15.1	1.76	11.9	19.2	6	4.9	2.11	1.6	15.3
1999	76	14.4	1.74	11.2	18.5	11	11.7	4.09	5.1	24.9
2000	96	17.5	1.87	14.0	21.8	9	8.0	2.85	3.4	18.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	207	7.9	0.67	6.7	9.4	8,681	13.1	0.14	12.8	13.4
1986	11	9.2	3.45	3.7	21.0	577	13.7	0.59	12.5	14.9
1987	13	8.9	2.90	4.2	19.4	555	13.3	0.59	12.2	14.6
1988	16	10.5	2.99	5.4	20.8	556	13.3	0.58	12.1	14.5
1989	9	5.0	1.90	2.0	13.4	514	12.2	0.56	11.1	13.4
1990	12	9.4	3.45	3.9	20.6	560	13.1	0.57	12.0	14.3
1991	13	6.7	1.98	3.4	14.9	596	14.0	0.59	12.9	15.2
1992	8	5.9	2.48	2.1	14.8	566	13.1	0.57	12.0	14.3
1993	13	6.0	1.96	2.8	13.9	553	12.8	0.56	11.7	13.9
1994	15	9.8	3.22	4.5	19.7	609	13.6	0.57	12.6	14.8
1995	11	5.1	1.72	2.3	12.1	557	12.2	0.53	11.2	13.3
1996	15	8.1	2.43	4.1	16.1	603	13.3	0.55	12.3	14.5
1997	14	6.9	2.12	3.4	14.2	591	13.0	0.54	11.9	14.1
1998	12	5.7	2.01	2.5	12.7	615	13.2	0.54	12.2	14.3
1999	26	12.3	2.89	7.3	20.6	603	12.9	0.53	11.9	14.0
2000	19	9.3	2.62	4.9	17.0	626	13.3	0.54	12.2	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Pancreas, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,502	9.5	0.10	9.3	9.7	7,958	9.1	0.10	8.9	9.3
1986	552	8.7	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1
1987	547	8.6	0.37	7.9	9.4	447	7.9	0.38	7.2	8.7
1988	557	8.8	0.38	8.0	9.5	469	8.3	0.39	7.5	9.1
1989	580	9.2	0.39	8.5	10.0	482	8.7	0.40	7.9	9.5
1990	590	9.2	0.39	8.5	10.0	483	8.6	0.40	7.8	9.4
1991	548	8.5	0.37	7.8	9.2	464	8.1	0.38	7.4	8.9
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8
1993	574	8.6	0.36	7.9	9.4	479	8.2	0.38	7.4	8.9
1994	679	9.9	0.38	9.2	10.7	565	9.4	0.40	8.6	10.2
1995	689	10.1	0.39	9.3	10.9	579	9.6	0.41	8.8	10.5
1996	731	10.7	0.40	9.9	11.5	617	10.3	0.42	9.5	11.1
1997	696	10.1	0.38	9.3	10.9	591	9.8	0.41	9.0	10.6
1998	766	11.0	0.40	10.3	11.9	649	10.7	0.43	9.9	11.6
1999	729	10.4	0.39	9.6	11.2	608	9.9	0.41	9.1	10.8
2000	710	10.1	0.38	9.4	10.9	588	9.7	0.41	8.9	10.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,395	13.2	0.36	12.5	13.9	135	8.7	0.81	7.2	10.5
1986	77	12.6	1.47	9.8	15.9	7	8.7	3.31	3.4	23.6
1987	90	14.2	1.52	11.4	17.6	10	15.3	5.83	6.1	34.1
1988	76	11.9	1.39	9.4	15.0	12	20.1	6.67	9.2	40.0
1989	89	13.6	1.46	10.9	16.8	9	16.7	5.82	7.3	34.6
1990	100	14.8	1.51	12.0	18.1	6	5.7	2.40	2.0	17.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	15.7
1992	81	11.0	1.24	8.7	13.8	4	3.4	1.71	0.9	12.9
1993	88	12.4	1.34	10.0	15.4	7	6.8	2.92	2.3	17.4
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	27.0
1995	105	14.7	1.45	12.0	17.8	5	3.0	1.36	1.0	10.0
1996	106	14.4	1.41	11.8	17.5	8	5.4	2.04	2.2	12.9
1997	98	13.1	1.33	10.6	16.0	7	5.4	2.11	2.1	12.9
1998	105	13.4	1.32	11.0	16.3	11	8.3	2.63	4.0	16.3
1999	107	13.7	1.33	11.2	16.6	14	10.5	2.92	5.6	18.8
2000	103	13.1	1.29	10.6	15.9	14	9.0	2.59	4.7	16.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	199	8.4	0.64	7.2	9.8	7,647	9.7	0.11	9.5	10.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	16	9.4	2.47	5.2	16.6	564	9.2	0.40	8.5	10.0
1990	8	4.6	1.73	1.8	10.5	582	9.4	0.40	8.6	10.2
1991	14	8.4	2.43	4.3	15.5	534	8.5	0.37	7.8	9.3
1992	11	6.5	2.12	3.0	12.9	543	8.5	0.37	7.7	9.2
1993	17	8.6	2.21	4.8	14.9	557	8.6	0.37	7.9	9.4
1994	15	8.5	2.32	4.6	15.0	664	10.0	0.39	9.2	10.8
1995	15	8.0	2.17	4.3	14.1	674	10.2	0.40	9.4	11.0
1996	20	10.7	2.58	6.2	17.4	711	10.7	0.40	9.9	11.5
1997	15	7.5	2.13	3.9	13.4	681	10.2	0.39	9.4	11.0
1998	18	6.2	1.66	3.4	11.1	748	11.1	0.41	10.4	12.0
1999	22	8.6	2.02	5.1	14.1	707	10.4	0.40	9.6	11.2
2000	28	12.5	2.58	7.9	19.0	682	10.1	0.39	9.3	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Pancreas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,664	9.6	0.10	9.4	9.8	8,168	9.2	0.10	9.0	9.4
1986	601	9.5	0.39	8.8	10.4	510	9.1	0.41	8.3	9.9
1987	631	10.0	0.40	9.2	10.8	537	9.4	0.41	8.6	10.3
1988	562	8.7	0.37	8.0	9.5	472	8.2	0.38	7.5	9.0
1989	603	9.4	0.39	8.7	10.2	500	8.8	0.40	8.0	9.6
1990	667	10.3	0.40	9.5	11.1	568	9.8	0.42	9.0	10.7
1991	625	9.6	0.39	8.8	10.4	523	9.0	0.40	8.2	9.8
1992	642	9.6	0.38	8.8	10.4	560	9.4	0.40	8.6	10.2
1993	641	9.6	0.38	8.8	10.3	524	8.8	0.39	8.1	9.6
1994	629	9.2	0.37	8.4	9.9	536	8.8	0.38	8.1	9.6
1995	620	8.9	0.36	8.2	9.7	544	8.9	0.39	8.2	9.7
1996	666	9.6	0.38	8.9	10.4	556	9.2	0.39	8.4	10.0
1997	666	9.5	0.37	8.8	10.2	566	9.2	0.39	8.4	10.0
1998	684	9.8	0.38	9.0	10.6	579	9.5	0.40	8.7	10.3
1999	719	10.1	0.38	9.4	10.9	611	9.8	0.40	9.0	10.6
2000	708	9.9	0.38	9.2	10.7	582	9.4	0.39	8.6	10.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,405	13.4	0.36	12.7	14.2	91	6.7	0.76	5.3	8.4
1986	87	14.7	1.62	11.7	18.3	4	4.9	2.49	1.3	19.1
1987	91	14.6	1.56	11.7	18.0	3	2.8	1.61	0.6	15.5
1988	87	13.5	1.47	10.8	16.8	3	5.2	3.53	0.7	20.1
1989	94	14.8	1.56	11.9	18.3	9	18.2	6.74	7.5	38.1
1990	96	14.6	1.51	11.8	17.9	3	4.6	2.77	0.9	17.6
1991	98	14.8	1.52	12.0	18.2	4	3.7	1.86	1.0	14.2
1992	79	11.1	1.27	8.8	13.9	3	4.5	2.83	0.8	15.9
1993	111	15.5	1.49	12.8	18.8	6	5.6	2.69	1.6	15.9
1994	86	12.2	1.33	9.7	15.1	7	7.6	3.08	2.8	17.9
1995	72	10.3	1.23	8.1	13.1	4	4.2	2.16	1.1	12.5
1996	100	14.0	1.41	11.3	17.0	10	10.0	3.35	4.5	19.9
1997	96	12.6	1.29	10.2	15.4	4	3.5	1.94	0.8	10.9
1998	99	12.9	1.30	10.4	15.7	6	5.2	2.26	1.8	12.7
1999	96	12.3	1.26	9.9	15.0	12	9.3	2.78	4.6	17.3
2000	113	14.3	1.36	11.8	17.3	13	9.4	2.72	4.8	17.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	166	6.3	0.52	5.3	7.4	9,550	9.7	0.10	9.5	9.9
1986	9	6.0	2.12	2.6	13.3	598	9.7	0.40	8.9	10.5
1987	13	10.6	3.27	5.2	19.9	631	10.2	0.41	9.4	11.0
1988	14	10.0	2.76	5.3	18.0	547	8.7	0.38	8.0	9.5
1989	7	3.7	1.46	1.4	9.2	603	9.7	0.40	8.9	10.5
1990	9	5.5	1.90	2.4	11.7	661	10.4	0.41	9.7	11.3
1991	7	4.6	1.94	1.7	11.0	616	9.7	0.39	8.9	10.5
1992	17	9.8	2.58	5.4	17.0	631	9.7	0.39	8.9	10.5
1993	10	6.0	1.99	2.7	12.0	636	9.8	0.39	9.0	10.6
1994	10	5.7	1.83	2.7	11.2	621	9.3	0.38	8.6	10.0
1995	10	5.9	1.98	2.7	11.7	612	9.1	0.37	8.4	9.8
1996	13	6.7	1.98	3.4	12.3	660	9.8	0.39	9.1	10.6
1997	15	7.5	2.08	4.0	13.3	654	9.6	0.38	8.9	10.4
1998	9	3.2	1.10	1.5	7.2	680	10.0	0.39	9.3	10.8
1999	10	4.5	1.58	1.9	9.3	707	10.3	0.39	9.5	11.1
2000	13	7.1	2.06	3.6	12.7	693	10.1	0.39	9.3	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Respiratory System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Respiratory System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	129,785	76.3	0.21	75.9	76.7	109,995	74.1	0.22	73.6	74.5
1986	7,304	67.5	0.80	65.9	69.1	6,264	65.3	0.84	63.7	67.0
1987	7,883	72.7	0.83	71.1	74.4	6,764	70.7	0.87	69.0	72.5
1988	7,558	69.2	0.81	67.6	70.8	6,400	66.4	0.84	64.8	68.1
1989	7,747	70.6	0.81	69.0	72.2	6,586	68.2	0.85	66.5	69.8
1990	8,042	72.9	0.82	71.3	74.5	6,851	70.6	0.86	68.9	72.3
1991	8,040	71.9	0.81	70.3	73.5	6,844	69.6	0.85	68.0	71.3
1992	8,478	75.2	0.82	73.6	76.9	7,229	73.3	0.87	71.6	75.1
1993	8,858	78.0	0.83	76.3	79.6	7,480	75.4	0.88	73.7	77.1
1994	9,445	82.5	0.85	80.8	84.2	8,057	80.7	0.90	78.9	82.4
1995	9,488	82.4	0.85	80.7	84.1	7,982	79.7	0.90	78.0	81.5
1996	9,473	82.0	0.84	80.4	83.7	7,940	79.2	0.89	77.5	81.0
1997	9,338	80.2	0.83	78.5	81.8	7,874	78.1	0.88	76.4	79.8
1998	9,489	80.7	0.83	79.1	82.4	7,968	78.5	0.88	76.7	80.2
1999	9,495	80.2	0.82	78.6	81.8	8,012	78.6	0.88	76.9	80.3
2000	9,147	76.9	0.80	75.3	78.5	7,744	75.8	0.86	74.1	77.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,269	96.2	0.73	94.8	97.7	1,141	38.2	1.25	35.8	40.8
1986	990	86.1	2.81	80.7	91.9	38	30.8	5.63	20.7	45.8
1987	1,050	90.4	2.85	84.9	96.2	57	46.1	6.95	33.5	63.4
1988	1,076	90.5	2.82	85.1	96.3	51	36.1	5.48	26.2	50.3
1989	1,092	93.6	2.90	88.0	99.5	51	30.1	4.48	21.9	42.1
1990	1,120	93.1	2.84	87.6	98.9	57	35.0	5.19	25.6	48.4
1991	1,057	85.6	2.69	80.4	91.1	56	38.9	5.96	28.1	53.5
1992	1,169	94.3	2.82	88.9	100.1	69	37.6	5.08	28.3	50.1
1993	1,299	103.4	2.93	97.8	109.4	70	36.7	4.91	27.7	48.6
1994	1,304	102.4	2.90	96.8	108.3	73	34.6	4.38	26.5	45.3
1995	1,408	107.2	2.91	101.6	113.1	91	39.4	4.55	31.0	50.2
1996	1,412	107.3	2.90	101.6	113.1	103	43.9	4.77	35.0	55.0
1997	1,355	100.6	2.78	95.2	106.2	94	37.5	4.26	29.6	47.5
1998	1,362	100.0	2.75	94.7	105.6	119	44.6	4.40	36.4	54.8
1999	1,348	97.1	2.69	91.9	102.5	97	37.4	4.08	29.8	46.8
2000	1,227	86.9	2.52	82.1	92.0	115	39.6	3.97	32.2	48.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,825	39.3	1.03	37.3	41.4	105,215	79.5	0.25	79.0	80.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	102	33.8	3.68	27.0	42.3	7,645	72.0	0.83	70.3	73.6
1990	116	36.4	3.82	29.3	45.1	7,926	74.2	0.84	72.6	75.9
1991	112	32.4	3.45	26.0	40.4	7,928	73.3	0.83	71.7	75.0
1992	123	35.2	3.54	28.6	43.3	8,355	76.8	0.85	75.1	78.5
1993	137	34.1	3.26	28.0	41.6	8,721	79.6	0.86	77.9	81.3
1994	145	36.9	3.50	30.4	44.8	9,300	84.2	0.88	82.5	85.9
1995	163	43.0	3.77	35.9	51.4	9,325	84.2	0.87	82.5	85.9
1996	218	56.9	4.32	48.7	66.3	9,255	83.4	0.87	81.7	85.1
1997	152	36.5	3.33	30.2	43.9	9,186	82.1	0.86	80.5	83.8
1998	177	44.0	3.71	37.0	52.2	9,312	82.6	0.86	80.9	84.3
1999	191	40.4	3.29	34.2	47.7	9,304	82.1	0.85	80.4	83.8
2000	189	37.0	3.02	31.3	43.7	8,958	78.8	0.83	77.2	80.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Respiratory System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	102,650	60.4	0.19	60.0	60.7	86,478	58.1	0.20	57.7	58.5
1986	6,263	58.1	0.74	56.6	59.6	5,351	56.0	0.78	54.4	57.5
1987	6,407	59.1	0.75	57.6	60.6	5,429	56.5	0.78	55.0	58.0
1988	6,510	59.6	0.75	58.2	61.1	5,515	57.1	0.78	55.6	58.7
1989	6,615	60.4	0.75	58.9	61.9	5,557	57.5	0.78	56.0	59.1
1990	6,736	61.0	0.75	59.6	62.5	5,664	58.2	0.78	56.7	59.7
1991	6,780	60.8	0.74	59.4	62.3	5,780	58.8	0.78	57.3	60.4
1992	6,844	60.7	0.74	59.2	62.1	5,758	58.0	0.77	56.5	59.5
1993	7,114	62.6	0.75	61.2	64.1	6,005	60.3	0.78	58.8	61.9
1994	7,168	62.6	0.74	61.1	64.1	6,071	60.6	0.78	59.1	62.2
1995	7,203	62.5	0.74	61.0	63.9	6,037	60.0	0.77	58.5	61.5
1996	7,130	61.6	0.73	60.2	63.1	5,916	58.7	0.77	57.2	60.2
1997	6,891	59.1	0.71	57.8	60.6	5,824	57.5	0.75	56.0	59.0
1998	7,003	59.5	0.71	58.2	61.0	5,853	57.4	0.75	55.9	58.8
1999	6,941	58.6	0.70	57.2	59.9	5,838	56.9	0.75	55.5	58.4
2000	7,045	59.2	0.71	57.8	60.6	5,880	57.2	0.75	55.8	58.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	15,575	83.6	0.68	82.3	85.0	597	22.1	1.00	20.1	24.2
1986	887	78.9	2.73	73.7	84.5	25	25.3	5.94	15.1	41.3
1987	951	83.2	2.77	77.8	88.9	27	24.7	5.42	15.2	39.2
1988	962	83.0	2.75	77.7	88.6	33	26.2	5.08	17.2	39.7
1989	1,031	88.4	2.82	82.9	94.1	27	17.9	3.84	11.2	28.9
1990	1,035	88.1	2.81	82.7	93.9	37	29.0	5.45	19.3	43.1
1991	968	81.6	2.69	76.5	87.1	32	21.4	4.26	13.8	32.8
1992	1,055	86.7	2.73	81.4	92.3	31	21.0	4.29	13.4	32.1
1993	1,079	87.6	2.73	82.3	93.1	30	16.4	3.46	10.3	25.7
1994	1,055	84.0	2.64	78.9	89.4	42	21.8	3.65	15.3	31.2
1995	1,119	86.8	2.65	81.6	92.1	47	22.7	3.70	16.0	31.9
1996	1,167	90.8	2.71	85.6	96.3	47	23.0	3.60	16.5	31.9
1997	1,030	78.6	2.49	73.8	83.7	37	17.0	3.09	11.5	24.9
1998	1,096	80.9	2.49	76.1	86.0	54	20.9	3.10	15.2	28.6
1999	1,054	77.6	2.43	72.9	82.5	49	18.2	2.77	13.2	25.2
2000	1,086	78.6	2.42	74.0	83.6	79	29.8	3.65	23.1	38.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,264	25.1	0.79	23.6	26.7	101,884	62.0	0.20	61.6	62.4
1986	56	21.6	3.30	15.7	29.7	6,276	59.8	0.77	58.3	61.3
1987	62	23.4	3.37	17.3	31.6	6,358	60.3	0.77	58.8	61.8
1988	69	25.8	3.53	19.4	34.2	6,440	60.7	0.77	59.2	62.2
1989	77	27.7	3.52	21.2	35.9	6,551	61.6	0.77	60.2	63.2
1990	69	25.5	3.42	19.2	33.6	6,687	62.5	0.77	61.0	64.0
1991	78	23.5	3.00	18.0	30.6	6,743	62.4	0.77	60.9	63.9
1992	74	25.0	3.21	19.1	32.4	6,823	62.5	0.76	61.0	64.0
1993	79	23.3	2.95	17.9	30.2	7,107	64.8	0.77	63.2	66.3
1994	92	24.2	2.90	18.9	31.0	7,132	64.5	0.77	63.0	66.0
1995	97	25.4	2.88	20.1	32.0	7,145	64.3	0.76	62.8	65.8
1996	89	25.4	3.02	19.9	32.4	7,078	63.5	0.76	62.0	65.0
1997	93	23.3	2.72	18.3	29.6	6,851	61.1	0.74	59.7	62.6
1998	95	24.2	2.80	19.0	30.6	6,981	61.8	0.74	60.3	63.2
1999	128	30.3	2.99	24.7	37.0	6,795	59.7	0.72	58.3	61.2
2000	106	26.2	2.86	20.9	32.7	6,917	60.6	0.73	59.2	62.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Respiratory System, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	80,621	112.2	0.40	111.4	113.0	67,879	107.9	0.42	107.1	108.8
1986	4,960	109.0	1.60	105.9	112.2	4,231	104.8	1.67	101.6	108.2
1987	5,261	114.8	1.64	111.6	118.1	4,487	110.7	1.71	107.4	114.1
1988	4,922	106.5	1.57	103.5	109.7	4,180	102.4	1.63	99.2	105.7
1989	5,038	108.6	1.57	105.5	111.7	4,256	103.7	1.63	100.5	106.9
1990	5,154	110.8	1.59	107.7	113.9	4,356	106.2	1.65	103.0	109.5
1991	5,129	108.4	1.55	105.4	111.5	4,354	104.5	1.62	101.3	107.7
1992	5,302	110.7	1.55	107.7	113.8	4,492	106.8	1.62	103.6	110.0
1993	5,493	114.6	1.58	111.5	117.7	4,610	109.7	1.64	106.5	113.0
1994	5,789	120.6	1.62	117.4	123.8	4,916	117.1	1.70	113.7	120.4
1995	5,763	118.3	1.58	115.2	121.5	4,797	112.9	1.65	109.7	116.2
1996	5,674	116.3	1.57	113.3	119.5	4,719	111.2	1.64	108.0	114.5
1997	5,593	113.6	1.54	110.6	116.6	4,665	109.2	1.62	106.1	112.4
1998	5,622	113.0	1.52	110.0	116.0	4,664	108.0	1.60	104.9	111.2
1999	5,580	111.1	1.50	108.2	114.1	4,676	107.6	1.59	104.5	110.8
2000	5,341	105.3	1.46	102.5	108.2	4,476	102.3	1.54	99.3	105.3
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	11,718	151.5	1.47	148.6	154.4	772	58.8	2.40	54.2	63.8
1986	692	146.3	5.85	135.0	158.5	31	57.6	11.95	36.7	91.4
1987	725	151.9	5.94	140.5	164.3	41	83.6	15.42	56.1	123.3
1988	678	139.2	5.62	128.4	151.0	38	59.1	10.62	40.2	88.7
1989	734	155.6	6.07	143.9	168.2	36	47.4	8.50	32.3	72.4
1990	744	151.5	5.84	140.2	163.7	45	59.0	10.16	40.8	87.1
1991	686	135.7	5.44	125.3	147.1	38	57.1	10.68	38.1	85.5
1992	759	149.5	5.70	138.5	161.3	43	53.0	9.23	36.5	77.8
1993	828	162.1	5.94	150.7	174.4	47	53.2	8.61	37.6	76.2
1994	816	158.0	5.83	146.8	170.1	50	53.5	8.38	38.3	75.8
1995	907	169.9	5.94	158.5	182.2	56	61.2	9.52	44.0	85.3
1996	873	163.6	5.80	152.4	175.6	70	66.8	9.05	50.2	89.6
1997	854	155.4	5.55	144.8	166.9	63	56.4	7.77	42.2	76.4
1998	844	154.1	5.56	143.4	165.6	85	70.4	8.44	54.9	91.4
1999	816	145.8	5.33	135.6	156.9	58	56.3	8.27	41.3	76.8
2000	762	132.1	5.00	122.5	142.5	71	53.9	7.21	40.7	71.8
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	1,191	56.9	1.95	53.1	61.0	64,287	115.0	0.46	114.1	115.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	80	62.9	8.22	47.8	82.6	4,958	110.4	1.61	107.2	113.6
1990	68	49.7	7.41	36.2	67.9	5,086	112.9	1.62	109.7	116.2
1991	69	44.3	6.23	33.0	59.9	5,060	110.7	1.59	107.6	113.9
1992	75	49.4	6.80	37.0	65.9	5,227	113.1	1.60	110.0	116.3
1993	95	52.8	6.49	40.8	68.5	5,398	116.8	1.62	113.7	120.0
1994	96	52.2	6.56	40.1	68.0	5,693	123.1	1.66	119.8	126.4
1995	106	61.8	7.13	48.6	78.5	5,657	120.8	1.63	117.6	124.1
1996	149	86.7	8.45	71.0	105.9	5,525	118.0	1.61	114.9	121.2
1997	105	53.9	6.20	42.4	68.6	5,488	116.2	1.59	113.2	119.4
1998	104	59.9	6.91	47.2	76.0	5,518	115.7	1.57	112.6	118.8
1999	117	51.9	5.58	41.5	65.1	5,463	113.9	1.55	110.8	117.0
2000	127	53.5	5.45	43.4	66.3	5,214	107.8	1.50	104.9	110.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Respiratory System, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	64,493	91.5	0.37	90.8	92.2	53,831	87.1	0.38	86.4	87.9
1986	4,310	96.8	1.53	93.8	99.8	3,647	92.4	1.59	89.3	95.6
1987	4,305	95.6	1.51	92.6	98.6	3,597	90.2	1.56	87.2	93.4
1988	4,354	96.7	1.52	93.7	99.7	3,687	92.5	1.58	89.4	95.6
1989	4,304	94.3	1.48	91.4	97.3	3,593	89.2	1.53	86.2	92.3
1990	4,351	95.8	1.50	92.8	98.8	3,623	90.4	1.55	87.4	93.5
1991	4,406	96.1	1.49	93.2	99.1	3,719	91.9	1.55	88.9	95.0
1992	4,306	92.2	1.44	89.4	95.1	3,577	86.9	1.49	84.0	89.9
1993	4,463	94.8	1.45	92.0	97.7	3,721	90.2	1.51	87.3	93.2
1994	4,485	94.4	1.44	91.6	97.3	3,778	90.8	1.50	87.9	93.8
1995	4,415	92.2	1.42	89.5	95.1	3,668	87.7	1.47	84.9	90.7
1996	4,294	89.5	1.39	86.8	92.3	3,509	83.7	1.43	81.0	86.6
1997	4,137	85.6	1.35	82.9	88.3	3,453	82.0	1.41	79.3	84.8
1998	4,129	84.5	1.33	81.9	87.2	3,435	81.0	1.40	78.3	83.8
1999	4,097	83.0	1.31	80.5	85.6	3,396	79.4	1.37	76.7	82.1
2000	4,137	83.3	1.31	80.8	85.9	3,428	79.8	1.37	77.1	82.5
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	10,251	136.4	1.42	133.6	139.2	411	34.9	1.97	31.1	39.1
1986	641	138.4	5.79	127.3	150.5	22	47.8	12.19	27.0	82.5
1987	688	147.5	5.95	136.1	159.9	20	42.4	11.17	23.4	74.6
1988	644	136.8	5.74	125.8	148.8	23	43.2	10.55	25.1	73.3
1989	694	147.1	5.91	135.7	159.4	17	22.6	6.22	12.1	44.1
1990	702	148.4	5.94	137.0	160.8	26	44.2	9.87	27.0	72.2
1991	663	139.4	5.74	128.4	151.4	24	38.4	9.16	22.6	64.3
1992	708	145.8	5.82	134.7	157.9	21	34.3	8.73	19.4	58.8
1993	723	144.0	5.64	133.2	155.8	19	25.3	6.85	13.7	45.6
1994	679	134.6	5.44	124.2	146.0	28	29.7	6.11	19.0	48.0
1995	723	138.7	5.45	128.2	150.0	24	27.2	6.51	16.0	46.0
1996	756	147.8	5.67	136.9	159.6	29	33.3	6.69	21.5	51.9
1997	656	124.7	5.10	114.9	135.4	28	30.1	6.42	18.8	47.9
1998	661	121.2	4.96	111.7	131.5	33	28.9	5.84	18.6	45.2
1999	664	122.6	4.98	113.1	133.0	37	31.2	5.43	21.5	46.3
2000	649	116.3	4.78	107.1	126.2	60	52.0	7.56	38.2	70.7
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	861	38.9	1.57	35.9	42.2	63,891	93.9	0.38	93.2	94.7
1986	42	34.6	6.33	23.3	51.4	4,327	99.9	1.58	96.8	103.0
1987	42	36.3	6.84	24.2	53.9	4,279	97.8	1.55	94.8	100.9
1988	51	45.4	7.64	31.7	64.4	4,293	98.2	1.55	95.1	101.3
1989	52	44.9	7.35	31.7	63.0	4,270	96.4	1.52	93.4	99.4
1990	50	44.8	7.64	31.1	63.6	4,301	97.7	1.54	94.7	100.7
1991	46	32.4	5.69	22.2	47.0	4,371	98.4	1.53	95.4	101.4
1992	53	41.3	6.56	29.5	57.5	4,283	94.7	1.48	91.8	97.7
1993	52	36.3	6.09	25.4	51.5	4,453	97.9	1.50	95.0	100.9
1994	65	39.0	5.91	28.3	53.6	4,458	97.3	1.48	94.4	100.2
1995	63	31.2	4.58	22.8	43.0	4,368	94.8	1.46	92.0	97.8
1996	60	37.6	5.73	27.2	51.6	4,249	92.1	1.44	89.3	95.0
1997	64	35.3	5.21	25.8	48.2	4,100	88.3	1.40	85.6	91.1
1998	72	42.8	5.97	31.9	57.0	4,083	87.0	1.38	84.4	89.8
1999	77	39.7	5.28	30.0	52.4	4,008	84.8	1.35	82.1	87.5
2000	72	41.2	5.69	30.8	54.7	4,048	85.2	1.35	82.6	87.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Respiratory System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	49,164	51.1	0.23	50.7	51.6	42,116	50.4	0.25	49.9	50.9
1986	2,344	38.8	0.82	37.2	40.5	2,033	38.3	0.87	36.6	40.1
1987	2,622	43.6	0.87	42.0	45.4	2,277	43.2	0.93	41.4	45.1
1988	2,636	43.2	0.86	41.6	45.0	2,220	41.5	0.90	39.8	43.3
1989	2,709	43.9	0.86	42.3	45.7	2,330	43.2	0.92	41.4	45.0
1990	2,888	46.7	0.88	45.0	48.5	2,495	46.2	0.94	44.4	48.1
1991	2,911	46.2	0.87	44.5	47.9	2,490	45.2	0.92	43.4	47.1
1992	3,176	50.1	0.90	48.4	51.9	2,737	49.8	0.97	47.9	51.7
1993	3,365	52.5	0.91	50.7	54.3	2,870	51.6	0.98	49.7	53.5
1994	3,656	56.2	0.94	54.3	58.0	3,141	55.6	1.00	53.6	57.6
1995	3,725	57.2	0.95	55.4	59.1	3,185	56.5	1.01	54.6	58.6
1996	3,799	58.1	0.95	56.2	60.0	3,221	57.1	1.02	55.1	59.1
1997	3,745	56.6	0.93	54.8	58.4	3,209	56.3	1.00	54.3	58.3
1998	3,867	57.9	0.94	56.1	59.8	3,304	57.6	1.01	55.6	59.6
1999	3,915	58.3	0.94	56.5	60.2	3,336	58.0	1.01	56.0	60.0
2000	3,806	56.4	0.92	54.6	58.2	3,268	56.7	1.00	54.8	58.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,551	58.9	0.74	57.5	60.4	369	22.7	1.28	20.2	25.4
1986	298	44.2	2.60	39.3	49.7	7	10.0	4.30	3.4	26.7
1987	325	48.1	2.70	42.9	53.8	16	18.7	4.84	10.4	35.2
1988	398	57.2	2.91	51.6	63.3	13	18.2	5.34	9.2	35.3
1989	358	52.0	2.79	46.7	57.8	15	16.8	4.60	9.0	32.1
1990	376	53.5	2.79	48.2	59.4	12	15.8	4.94	7.7	31.8
1991	371	51.4	2.70	46.3	57.0	18	24.7	6.67	13.4	43.2
1992	410	56.7	2.83	51.3	62.6	26	26.0	5.66	16.1	41.7
1993	471	64.0	2.98	58.3	70.2	23	23.7	5.59	14.1	38.9
1994	488	65.4	2.99	59.7	71.6	23	20.3	4.50	12.4	32.9
1995	501	65.1	2.94	59.5	71.2	35	24.6	4.39	16.8	36.4
1996	539	69.6	3.02	63.8	75.8	33	26.1	4.93	17.3	38.7
1997	501	63.3	2.85	57.8	69.1	31	22.8	4.53	14.8	34.5
1998	518	64.5	2.85	59.0	70.3	34	24.4	4.44	16.5	35.7
1999	532	65.0	2.84	59.5	70.8	39	24.8	4.16	17.3	35.2
2000	465	56.3	2.63	51.2	61.7	44	28.5	4.49	20.4	39.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	634	25.4	1.09	23.3	27.7	40,928	54.5	0.27	54.0	55.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	22	12.4	2.74	7.6	20.1	2,687	45.0	0.88	43.3	46.8
1990	48	27.2	4.20	19.6	37.5	2,840	47.5	0.91	45.7	49.3
1991	43	22.8	3.86	15.8	32.4	2,868	47.1	0.89	45.3	48.9
1992	48	25.2	3.86	18.2	34.6	3,128	51.1	0.93	49.3	53.0
1993	42	19.3	3.22	13.5	27.4	3,323	53.7	0.94	51.8	55.5
1994	49	24.8	3.83	17.8	34.0	3,607	57.4	0.97	55.5	59.3
1995	57	28.5	4.04	21.2	38.1	3,668	58.5	0.98	56.6	60.5
1996	69	34.1	4.42	26.0	44.3	3,730	59.3	0.98	57.4	61.2
1997	47	22.2	3.53	15.8	30.6	3,698	58.1	0.96	56.2	60.0
1998	73	32.2	4.12	24.7	41.8	3,794	59.2	0.97	57.3	61.1
1999	74	30.4	3.90	23.2	39.4	3,841	59.7	0.97	57.8	61.6
2000	62	22.6	3.17	16.8	30.2	3,744	58.0	0.95	56.1	59.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Respiratory System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	38,157	39.2	0.20	38.8	39.6	32,647	38.4	0.22	38.0	38.9
1986	1,953	31.9	0.74	30.5	33.4	1,704	31.7	0.79	30.2	33.3
1987	2,102	34.6	0.77	33.1	36.1	1,832	34.1	0.82	32.5	35.7
1988	2,156	34.8	0.76	33.4	36.4	1,828	33.6	0.80	32.1	35.3
1989	2,311	37.2	0.79	35.7	38.8	1,964	36.1	0.83	34.5	37.8
1990	2,385	37.9	0.79	36.4	39.5	2,041	36.9	0.83	35.3	38.6
1991	2,374	37.3	0.78	35.8	38.8	2,061	37.0	0.83	35.4	38.6
1992	2,538	39.4	0.79	37.9	41.0	2,181	38.6	0.84	36.9	40.2
1993	2,651	40.7	0.80	39.2	42.3	2,284	40.2	0.85	38.6	41.9
1994	2,683	40.9	0.80	39.3	42.5	2,293	40.1	0.85	38.5	41.8
1995	2,788	42.1	0.80	40.5	43.7	2,369	41.1	0.86	39.4	42.8
1996	2,836	42.7	0.81	41.1	44.3	2,407	41.9	0.86	40.2	43.6
1997	2,754	41.1	0.79	39.6	42.7	2,371	40.8	0.85	39.2	42.5
1998	2,874	42.5	0.80	41.0	44.1	2,418	41.3	0.85	39.7	43.0
1999	2,844	41.6	0.79	40.1	43.2	2,442	41.4	0.85	39.8	43.1
2000	2,908	42.6	0.79	41.0	44.2	2,452	41.8	0.85	40.2	43.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,324	48.6	0.67	47.2	49.9	186	12.6	1.01	10.7	14.8
1986	246	37.6	2.44	33.0	42.8	3	8.3	5.25	1.4	27.3
1987	263	39.6	2.48	34.9	44.8	7	11.5	4.83	4.1	28.6
1988	318	46.7	2.66	41.6	52.3	10	13.2	4.40	6.1	28.8
1989	337	49.0	2.71	43.8	54.6	10	14.0	4.81	6.2	30.0
1990	333	48.1	2.67	43.0	53.7	11	17.9	6.09	8.0	36.2
1991	305	43.6	2.53	38.8	48.9	8	8.8	3.38	3.4	21.4
1992	347	48.4	2.62	43.4	53.8	10	11.5	4.07	4.9	24.6
1993	356	49.4	2.65	44.4	54.9	11	10.0	3.49	4.4	21.5
1994	376	50.5	2.63	45.5	56.0	14	15.3	4.34	8.0	27.8
1995	396	52.2	2.65	47.2	57.8	23	19.5	4.43	11.8	31.5
1996	411	53.7	2.67	48.6	59.3	18	15.5	3.87	8.8	26.2
1997	374	48.3	2.52	43.5	53.6	9	7.5	2.78	3.1	16.2
1998	435	54.5	2.63	49.5	60.0	21	14.8	3.43	8.9	24.2
1999	390	48.2	2.46	43.5	53.3	12	8.2	2.54	4.0	15.8
2000	437	53.6	2.58	48.7	58.9	19	13.5	3.31	7.8	22.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	403	14.7	0.79	13.2	16.4	37,993	40.4	0.21	39.9	40.8
1986	14	11.1	3.30	5.6	20.6	1,949	32.7	0.76	31.2	34.2
1987	20	13.8	3.28	8.2	22.9	2,079	35.2	0.79	33.7	36.8
1988	18	11.5	2.97	6.4	19.8	2,147	35.7	0.78	34.2	37.3
1989	25	15.6	3.35	9.7	24.4	2,281	37.9	0.81	36.4	39.6
1990	19	12.3	2.96	7.2	20.4	2,386	39.1	0.81	37.5	40.7
1991	32	17.6	3.36	11.6	26.2	2,372	38.4	0.80	36.8	40.0
1992	21	13.0	3.07	7.7	21.1	2,540	40.7	0.82	39.1	42.4
1993	27	14.3	2.91	9.1	21.9	2,654	42.1	0.83	40.5	43.8
1994	27	13.0	2.79	8.1	20.3	2,674	42.1	0.82	40.5	43.8
1995	34	19.3	3.52	13.1	28.0	2,777	43.4	0.83	41.8	45.1
1996	29	15.9	3.20	10.3	23.9	2,829	44.1	0.84	42.5	45.8
1997	29	13.7	2.81	8.8	20.8	2,751	42.6	0.82	41.0	44.3
1998	23	10.3	2.35	6.2	16.5	2,898	44.6	0.83	42.9	46.2
1999	51	22.7	3.44	16.4	30.9	2,787	42.4	0.81	40.9	44.1
2000	34	14.9	2.76	10.0	21.7	2,869	43.8	0.82	42.2	45.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Larynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,951	5.3	0.06	5.2	5.4	7,180	4.9	0.06	4.8	5.0
1986	554	5.1	0.22	4.7	5.6	449	4.7	0.22	4.2	5.1
1987	631	5.8	0.24	5.4	6.3	525	5.5	0.24	5.0	6.0
1988	520	4.8	0.22	4.4	5.3	434	4.6	0.22	4.2	5.0
1989	609	5.7	0.23	5.2	6.1	498	5.3	0.24	4.8	5.8
1990	593	5.4	0.23	5.0	5.9	471	4.9	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	494	5.1	0.23	4.6	5.5
1992	603	5.4	0.22	5.0	5.9	478	5.0	0.23	4.5	5.4
1993	603	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	592	5.2	0.22	4.8	5.7	482	4.9	0.23	4.5	5.4
1995	658	5.8	0.23	5.3	6.2	519	5.3	0.23	4.8	5.8
1996	641	5.6	0.22	5.2	6.1	517	5.3	0.23	4.8	5.8
1997	611	5.3	0.21	4.9	5.7	471	4.8	0.22	4.3	5.2
1998	565	4.8	0.20	4.4	5.2	439	4.4	0.21	4.0	4.8
1999	571	4.8	0.20	4.4	5.2	449	4.5	0.21	4.1	4.9
2000	585	4.9	0.20	4.5	5.3	469	4.7	0.22	4.2	5.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,625	8.3	0.21	7.9	8.7	75	2.2	0.28	1.7	2.9
1986	100	8.4	0.85	6.8	10.3	3	1.7	1.02	0.4	9.9
1987	100	8.4	0.86	6.8	10.4	4	2.5	1.29	0.7	10.4
1988	77	6.7	0.77	5.2	8.4	5	4.6	2.18	1.3	13.3
1989	104	8.7	0.87	7.1	10.7	3	1.5	0.89	0.3	8.4
1990	112	9.1	0.88	7.5	11.1	3	1.7	0.99	0.3	8.6
1991	115	9.1	0.86	7.5	11.0	3	1.3	0.81	0.2	7.4
1992	120	9.4	0.88	7.8	11.4	4	2.9	1.71	0.6	9.8
1993	109	8.4	0.82	6.9	10.3	7	4.0	1.60	1.5	10.1
1994	99	7.4	0.75	6.0	9.0	9	3.1	1.06	1.4	8.1
1995	134	10.0	0.88	8.4	11.9	3	1.2	0.73	0.2	5.6
1996	112	8.2	0.79	6.8	10.0	7	2.6	1.06	0.9	7.0
1997	129	9.1	0.81	7.6	10.9	8	2.5	0.92	1.0	6.6
1998	111	7.9	0.76	6.5	9.6	1	0.2	0.24	0.0	3.6
1999	108	7.3	0.71	6.0	8.9	4	1.1	0.59	0.3	4.4
2000	95	6.4	0.67	5.2	7.9	11	3.3	1.01	1.6	6.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	171	3.3	0.28	2.8	4.0	7,075	5.4	0.06	5.3	5.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	1.3	0.62	0.4	4.4	604	5.8	0.24	5.4	6.3
1990	12	3.2	1.03	1.5	6.8	581	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	7.0	603	5.7	0.23	5.2	6.1
1992	13	3.7	1.11	1.9	7.3	590	5.5	0.23	5.1	6.0
1993	18	3.7	0.94	2.1	6.8	585	5.4	0.22	5.0	5.8
1994	16	3.6	1.00	1.9	6.8	576	5.3	0.22	4.9	5.8
1995	15	2.9	0.78	1.6	5.7	643	5.9	0.23	5.5	6.4
1996	20	4.9	1.23	2.8	8.4	621	5.7	0.23	5.3	6.2
1997	14	3.3	1.00	1.6	6.3	597	5.4	0.22	5.0	5.9
1998	12	2.9	0.92	1.3	5.7	553	4.9	0.21	4.5	5.4
1999	17	3.8	1.03	2.0	6.8	554	4.9	0.21	4.5	5.4
2000	17	3.0	0.78	1.7	5.5	568	5.0	0.21	4.6	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Larynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,838	1.7	0.03	1.6	1.7	2,105	1.4	0.03	1.4	1.5
1986	192	1.8	0.13	1.5	2.1	155	1.6	0.13	1.4	1.9
1987	173	1.6	0.12	1.4	1.9	135	1.4	0.12	1.2	1.7
1988	194	1.8	0.13	1.5	2.0	148	1.5	0.12	1.3	1.8
1989	168	1.6	0.12	1.3	1.8	133	1.4	0.12	1.2	1.7
1990	180	1.6	0.12	1.4	1.9	138	1.4	0.12	1.2	1.7
1991	203	1.8	0.13	1.6	2.1	140	1.4	0.12	1.2	1.7
1992	195	1.7	0.13	1.5	2.0	136	1.4	0.12	1.2	1.6
1993	222	2.0	0.13	1.7	2.3	167	1.7	0.13	1.4	2.0
1994	185	1.6	0.12	1.4	1.9	132	1.3	0.12	1.1	1.6
1995	198	1.7	0.12	1.5	2.0	150	1.5	0.12	1.3	1.8
1996	209	1.8	0.13	1.6	2.1	146	1.5	0.12	1.2	1.7
1997	170	1.5	0.11	1.2	1.7	122	1.2	0.11	1.0	1.4
1998	191	1.6	0.12	1.4	1.9	138	1.4	0.12	1.1	1.6
1999	180	1.5	0.11	1.3	1.8	136	1.3	0.12	1.1	1.6
2000	178	1.5	0.11	1.3	1.7	129	1.3	0.11	1.1	1.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	719	3.7	0.14	3.4	4.0	14	0.5	0.14	0.3	0.9
1986	37	3.3	0.56	2.3	4.7	0	0.0	~	0.0	8.1
1987	37	3.0	0.51	2.1	4.3	1	0.6	0.56	0.0	8.1
1988	46	3.8	0.57	2.8	5.2	0	0.0	~	0.0	7.2
1989	35	3.0	0.52	2.1	4.3	0	0.0	~	0.0	6.8
1990	42	3.6	0.57	2.6	5.0	0	0.0	~	0.0	6.7
1991	61	4.9	0.64	3.7	6.4	2	1.4	1.02	0.1	7.8
1992	58	4.6	0.61	3.4	6.0	1	0.4	0.45	0.0	5.9
1993	55	4.4	0.61	3.3	5.9	0	0.0	~	0.0	4.9
1994	51	4.0	0.57	3.0	5.4	2	1.4	1.00	0.2	6.5
1995	46	3.4	0.51	2.5	4.6	2	1.0	0.76	0.1	5.5
1996	63	4.5	0.57	3.4	5.8	0	0.0	~	0.0	3.8
1997	47	3.5	0.52	2.6	4.8	1	0.4	0.44	0.0	4.2
1998	52	3.7	0.52	2.7	4.9	1	0.4	0.35	0.0	3.7
1999	43	3.0	0.46	2.1	4.0	1	0.4	0.41	0.0	3.6
2000	46	3.2	0.48	2.4	4.4	3	1.0	0.59	0.2	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	47	0.8	0.13	0.6	1.2	2,816	1.7	0.03	1.7	1.8
1986	4	1.1	0.55	0.3	4.6	191	1.8	0.13	1.6	2.1
1987	1	0.2	0.20	0.0	3.3	169	1.6	0.13	1.4	1.9
1988	4	1.0	0.50	0.3	4.1	189	1.8	0.13	1.5	2.1
1989	2	0.8	0.57	0.1	3.8	170	1.6	0.13	1.4	1.9
1990	2	0.6	0.47	0.1	3.5	183	1.7	0.13	1.5	2.0
1991	0	0.0	-	0.0	2.6	196	1.8	0.13	1.6	2.1
1992	5	1.3	0.64	0.4	4.2	191	1.8	0.13	1.5	2.0
1993	2	1.0	0.68	0.1	3.9	228	2.1	0.14	1.8	2.4
1994	6	1.6	0.77	0.5	4.5	189	1.7	0.13	1.5	2.0
1995	3	0.6	0.36	0.1	2.9	192	1.7	0.13	1.5	2.0
1996	3	0.6	0.32	0.1	2.7	212	1.9	0.13	1.7	2.2
1997	6	1.5	0.69	0.5	4.1	167	1.5	0.12	1.3	1.7
1998	5	1.0	0.44	0.3	3.1	185	1.6	0.12	1.4	1.9
1999	3	0.8	0.49	0.1	3.0	177	1.6	0.12	1.4	1.8
2000	1	0.4	0.44	0.0	2.6	177	1.6	0.12	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Larynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,167	9.7	0.12	9.5	9.9	5,791	9.0	0.12	8.8	9.2
1986	446	9.4	0.46	8.5	10.4	362	8.7	0.47	7.8	9.7
1987	510	10.8	0.49	9.8	11.8	426	10.2	0.51	9.2	11.3
1988	426	9.1	0.45	8.2	10.0	361	8.6	0.47	7.7	9.6
1989	500	10.7	0.49	9.8	11.7	417	10.1	0.51	9.2	11.2
1990	462	9.8	0.47	8.9	10.8	363	8.8	0.47	7.9	9.8
1991	496	10.2	0.47	9.3	11.2	404	9.5	0.48	8.6	10.5
1992	473	9.8	0.46	8.9	10.8	385	9.1	0.47	8.2	10.1
1993	491	9.7	0.44	8.9	10.7	397	9.0	0.46	8.1	9.9
1994	471	9.4	0.44	8.6	10.3	382	8.8	0.46	8.0	9.8
1995	505	10.2	0.46	9.4	11.2	407	9.5	0.48	8.6	10.6
1996	493	9.8	0.45	9.0	10.8	395	9.1	0.46	8.3	10.1
1997	483	9.5	0.43	8.6	10.4	371	8.5	0.44	7.6	9.4
1998	466	9.1	0.42	8.3	10.0	367	8.3	0.44	7.5	9.2
1999	474	9.1	0.42	8.3	10.0	372	8.3	0.44	7.5	9.2
2000	471	8.9	0.42	8.1	9.8	382	8.5	0.44	7.6	9.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,258	15.4	0.45	14.5	16.3	63	4.3	0.61	3.2	5.9
1986	79	15.6	1.81	12.3	20.0	3	3.7	2.20	0.7	23.9
1987	80	16.0	1.86	12.6	20.5	3	4.3	2.58	0.8	23.6
1988	57	12.2	1.69	9.1	16.4	5	10.7	5.19	3.1	32.2
1989	77	15.9	1.91	12.4	20.5	3	3.5	2.03	0.7	20.2
1990	91	17.7	1.93	14.2	22.3	2	2.8	2.02	0.3	19.8
1991	86	16.2	1.78	12.9	20.4	3	2.9	1.83	0.5	18.1
1992	83	15.8	1.83	12.5	20.2	4	7.0	4.23	1.3	24.3
1993	87	16.4	1.84	13.0	20.8	6	8.7	3.74	3.0	24.0
1994	81	14.4	1.64	11.3	18.3	7	4.8	1.89	1.8	17.1
1995	95	16.9	1.81	13.6	21.1	2	1.7	1.27	0.2	13.3
1996	88	15.5	1.70	12.3	19.5	7	5.8	2.49	2.0	17.8
1997	103	17.2	1.72	14.0	21.2	6	3.9	1.68	1.3	14.4
1998	87	14.8	1.64	11.8	18.7	1	0.5	0.50	0.0	10.0
1999	89	14.5	1.58	11.5	18.2	4	2.5	1.30	0.6	11.7
2000	75	12.6	1.52	9.8	16.2	7	4.7	1.90	1.8	13.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	145	6.3	0.62	5.2	7.7	5,640	9.9	0.13	9.6	10.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	2.8	1.37	0.8	10.7	495	11.0	0.51	10.0	12.1
1990	7	3.8	1.70	1.3	12.2	455	10.0	0.48	9.1	11.0
1991	11	7.2	2.47	3.2	16.2	485	10.4	0.48	9.5	11.4
1992	9	5.9	2.23	2.3	14.2	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	14.4	476	9.9	0.46	9.0	10.8
1994	13	6.9	2.28	3.2	15.0	458	9.6	0.45	8.7	10.5
1995	13	5.2	1.52	2.7	11.9	492	10.4	0.48	9.5	11.4
1996	18	9.9	2.83	5.2	18.6	475	9.9	0.46	9.1	10.9
1997	13	7.4	2.45	3.4	15.3	470	9.6	0.45	8.8	10.6
1998	10	5.4	2.03	2.1	12.5	456	9.3	0.44	8.5	10.2
1999	14	7.0	2.24	3.3	14.3	460	9.3	0.44	8.5	10.2
2000	17	6.3	1.67	3.5	12.2	454	9.1	0.43	8.3	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Larynx, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	2,271	3.2	0.07	3.0	3.3	1,696	2.7	0.07	2.6	2.9
1986	163	3.7	0.30	3.1	4.4	134	3.4	0.31	2.8	4.1
1987	136	2.9	0.26	2.4	3.5	104	2.6	0.26	2.1	3.2
1988	157	3.4	0.28	2.9	4.0	120	3.0	0.28	2.4	3.6
1989	134	3.0	0.27	2.5	3.6	108	2.7	0.27	2.2	3.3
1990	142	3.1	0.26	2.6	3.6	107	2.6	0.26	2.1	3.2
1991	161	3.5	0.28	3.0	4.1	115	2.9	0.28	2.4	3.5
1992	156	3.3	0.27	2.8	3.9	110	2.7	0.26	2.2	3.2
1993	173	3.6	0.28	3.1	4.2	128	3.1	0.28	2.6	3.7
1994	162	3.4	0.27	2.8	3.9	115	2.7	0.26	2.2	3.3
1995	161	3.4	0.27	2.8	3.9	122	2.9	0.27	2.4	3.5
1996	160	3.2	0.26	2.8	3.8	114	2.7	0.26	2.2	3.3
1997	140	2.8	0.24	2.4	3.4	99	2.3	0.24	1.9	2.8
1998	148	3.0	0.25	2.5	3.5	106	2.5	0.25	2.0	3.0
1999	138	2.7	0.23	2.3	3.2	108	2.5	0.24	2.0	3.0
2000	140	2.8	0.24	2.3	3.3	106	2.5	0.24	2.0	3.0
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	564	7.1	0.31	6.5	7.8	11	0.9	0.30	0.4	2.0
1986	29	6.5	1.31	4.2	10.0	0	0.0	~	0.0	20.2
1987	31	6.0	1.10	4.0	9.0	1	1.2	1.23	0.0	20.2
1988	37	7.3	1.24	5.0	10.6	0	0.0	~	0.0	17.8
1989	26	5.6	1.19	3.5	8.8	0	0.0	~	0.0	16.6
1990	35	7.4	1.30	5.1	10.8	0	0.0	~	0.0	16.8
1991	44	8.8	1.39	6.3	12.3	2	3.2	2.42	0.3	19.1
1992	46	8.6	1.33	6.2	12.0	0	0.0	~	0.0	13.7
1993	45	8.7	1.37	6.2	12.2	0	0.0	~	0.0	12.7
1994	45	8.8	1.39	6.3	12.3	2	3.4	2.47	0.4	16.9
1995	37	6.7	1.15	4.6	9.7	2	2.4	1.83	0.2	14.5
1996	46	7.9	1.20	5.7	11.0	0	0.0	~	0.0	10.9
1997	40	7.2	1.18	5.1	10.2	1	1.0	1.04	0.0	11.4
1998	41	6.8	1.12	4.9	9.7	1	0.8	0.79	0.0	10.4
1999	30	5.1	0.99	3.4	7.8	0	0.0	~	0.0	9.1
2000	32	5.5	1.00	3.7	8.1	2	1.6	1.16	0.2	10.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	44	1.7	0.29	1.2	2.4	2,240	3.3	0.07	3.1	3.4
1986	4	2.2	1.13	0.6	10.9	163	3.8	0.31	3.2	4.5
1987	1	0.4	0.38	0.0	8.6	134	3.0	0.27	2.5	3.6
1988	4	2.0	1.01	0.5	9.9	150	3.4	0.29	2.8	4.0
1989	2	1.8	1.44	0.2	10.0	136	3.1	0.28	2.6	3.7
1990	1	0.4	0.43	0.0	8.0	145	3.2	0.28	2.7	3.9
1991	0	0.0	-	0.0	7.1	155	3.5	0.29	2.9	4.1
1992	5	2.9	1.50	0.7	10.3	150	3.3	0.27	2.7	3.9
1993	1	1.2	1.22	0.0	8.6	179	3.9	0.29	3.3	4.5
1994	6	3.8	1.94	1.0	11.7	162	3.5	0.28	3.0	4.1
1995	3	1.2	0.76	0.2	7.3	153	3.3	0.27	2.8	3.9
1996	3	1.1	0.66	0.2	6.9	158	3.3	0.27	2.8	3.9
1997	6	3.5	1.65	1.0	10.3	137	2.9	0.25	2.4	3.4
1998	5	2.1	0.94	0.6	7.6	143	3.0	0.25	2.5	3.6
1999	2	1.0	0.79	0.1	6.3	136	2.8	0.24	2.4	3.3
2000	1	1.1	1.10	0.0	6.6	139	2.9	0.25	2.4	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Larynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,784	1.9	0.05	1.8	2.0	1,389	1.7	0.05	1.7	1.8
1986	108	1.8	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1
1987	121	2.1	0.20	1.7	2.5	99	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	73	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	81	1.5	0.18	1.2	1.9
1990	131	2.2	0.20	1.8	2.6	108	2.1	0.20	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	130	2.1	0.19	1.8	2.5	93	1.8	0.19	1.4	2.2
1993	112	1.8	0.17	1.5	2.2	88	1.6	0.18	1.3	2.0
1994	121	1.9	0.18	1.6	2.3	100	1.9	0.19	1.5	2.3
1995	153	2.5	0.20	2.1	2.9	112	2.1	0.20	1.7	2.6
1996	148	2.4	0.20	2.0	2.8	122	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	72	1.3	0.15	1.0	1.6
1999	97	1.5	0.16	1.2	1.9	77	1.4	0.16	1.1	1.8
2000	114	1.8	0.16	1.4	2.1	87	1.6	0.17	1.3	2.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	367	3.2	0.17	2.9	3.6	12	0.6	0.18	0.3	1.2
1986	21	3.1	0.67	1.9	4.8	0	0.0	-	0.0	13.4
1987	20	2.9	0.66	1.8	4.6	1	1.1	1.08	0.0	13.8
1988	20	2.8	0.64	1.7	4.5	0	0.0	-	0.0	12.0
1989	27	3.8	0.74	2.5	5.7	0	0.0	-	0.0	11.4
1990	21	3.0	0.66	1.8	4.7	1	0.9	0.86	0.0	12.1
1991	29	4.0	0.74	2.6	5.8	0	0.0	-	0.0	10.0
1992	37	5.0	0.83	3.5	7.0	0	0.0	-	0.0	9.0
1993	22	2.9	0.62	1.8	4.4	1	0.7	0.66	0.0	8.7
1994	18	2.3	0.54	1.3	3.7	2	1.5	1.09	0.2	9.1
1995	39	5.1	0.81	3.6	7.0	1	0.8	0.81	0.0	7.5
1996	24	3.1	0.64	2.0	4.7	0	0.0	-	0.0	5.8
1997	26	3.1	0.62	2.0	4.7	2	1.3	0.94	0.2	7.2
1998	24	3.0	0.61	1.9	4.5	0	0.0	-	0.0	5.1
1999	19	2.2	0.51	1.3	3.5	0	0.0	-	0.0	4.7
2000	20	2.3	0.51	1.4	3.6	4	2.1	1.07	0.6	6.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	26	0.9	0.19	0.6	1.4	1,435	2.0	0.05	1.9	2.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	109	1.9	0.19	1.6	2.3
1990	5	2.6	1.27	0.8	7.8	126	2.2	0.20	1.8	2.6
1991	1	0.4	0.45	0.0	4.7	118	2.0	0.19	1.7	2.5
1992	4	2.1	1.07	0.5	6.7	126	2.2	0.20	1.8	2.6
1993	3	1.1	0.66	0.2	5.0	109	1.8	0.18	1.5	2.2
1994	3	1.1	0.61	0.2	4.7	118	2.0	0.18	1.6	2.3
1995	2	0.8	0.54	0.1	4.3	151	2.5	0.21	2.1	3.0
1996	2	1.0	0.74	0.1	4.7	146	2.5	0.21	2.1	2.9
1997	1	0.1	0.10	0.0	3.2	127	2.1	0.19	1.7	2.5
1998	2	0.9	0.70	0.1	4.4	97	1.5	0.16	1.2	1.9
1999	3	1.3	0.76	0.2	4.7	94	1.6	0.16	1.3	1.9
2000	0	0.0	-	0.0	2.8	114	1.8	0.17	1.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Larynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	567	0.6	0.03	0.6	0.6	409	0.5	0.02	0.4	0.5
1986	29	0.4	0.08	0.3	0.7	21	0.4	0.08	0.2	0.6
1987	37	0.6	0.10	0.4	0.9	31	0.6	0.11	0.4	0.8
1988	37	0.6	0.10	0.4	0.8	28	0.5	0.10	0.3	0.8
1989	34	0.6	0.10	0.4	0.8	25	0.5	0.10	0.3	0.7
1990	38	0.6	0.10	0.4	0.8	31	0.6	0.10	0.4	0.8
1991	42	0.7	0.11	0.5	0.9	25	0.5	0.10	0.3	0.7
1992	39	0.6	0.10	0.4	0.9	26	0.5	0.09	0.3	0.7
1993	49	0.7	0.11	0.6	1.0	39	0.7	0.11	0.5	0.9
1994	23	0.4	0.08	0.2	0.6	17	0.3	0.08	0.2	0.5
1995	37	0.6	0.09	0.4	0.8	28	0.5	0.10	0.3	0.8
1996	49	0.7	0.11	0.5	1.0	32	0.6	0.10	0.4	0.8
1997	30	0.5	0.08	0.3	0.7	23	0.4	0.09	0.3	0.6
1998	43	0.6	0.10	0.5	0.9	32	0.6	0.10	0.4	0.8
1999	42	0.6	0.10	0.5	0.9	28	0.5	0.10	0.3	0.7
2000	38	0.6	0.10	0.4	0.8	23	0.4	0.09	0.3	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	155	1.4	0.11	1.2	1.6	3	0.2	0.10	0.0	0.7
1986	8	1.1	0.41	0.5	2.4	0	0.0	~	0.0	13.4
1987	6	0.9	0.36	0.3	2.0	0	0.0	~	0.0	12.6
1988	9	1.2	0.42	0.6	2.5	0	0.0	~	0.0	12.0
1989	9	1.4	0.45	0.6	2.7	0	0.0	~	0.0	11.4
1990	7	1.0	0.37	0.4	2.1	0	0.0	~	0.0	11.2
1991	17	2.3	0.56	1.3	3.8	0	0.0	~	0.0	10.0
1992	12	1.7	0.49	0.9	3.0	1	0.8	0.80	0.0	9.8
1993	10	1.4	0.46	0.7	2.7	0	0.0	~	0.0	8.0
1994	6	0.9	0.35	0.3	1.9	0	0.0	~	0.0	7.3
1995	9	1.1	0.37	0.5	2.2	0	0.0	~	0.0	6.4
1996	17	2.1	0.51	1.2	3.4	0	0.0	~	0.0	5.8
1997	7	0.9	0.35	0.4	2.0	0	0.0	~	0.0	5.6
1998	11	1.4	0.42	0.7	2.6	0	0.0	~	0.0	5.1
1999	13	1.5	0.42	0.8	2.6	1	0.7	0.72	0.0	5.7
2000	14	1.6	0.44	0.9	2.8	1	0.6	0.58	0.0	4.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.1	0.08	0.0	0.5	576	0.6	0.03	0.6	0.7
1986	0	0.0	-	0.0	5.4	28	0.4	0.09	0.3	0.7
1987	0	0.0	-	0.0	5.1	35	0.6	0.11	0.4	0.9
1988	0	0.0	-	0.0	4.7	39	0.7	0.11	0.5	0.9
1989	0	0.0	-	0.0	4.4	34	0.6	0.11	0.4	0.9
1990	1	0.7	0.72	0.0	5.3	38	0.6	0.10	0.4	0.9
1991	0	0.0	-	0.0	4.2	41	0.7	0.11	0.5	1.0
1992	0	0.0	-	0.0	3.9	41	0.7	0.11	0.5	0.9
1993	1	0.8	0.78	0.0	5.0	49	0.8	0.11	0.6	1.0
1994	0	0.0	-	0.0	3.5	27	0.4	0.09	0.3	0.6
1995	0	0.0	-	0.0	3.4	39	0.6	0.10	0.4	0.8
1996	0	0.0	-	0.0	3.2	54	0.8	0.12	0.6	1.1
1997	0	0.0	-	0.0	3.1	30	0.5	0.09	0.3	0.7
1998	0	0.0	-	0.0	3.0	42	0.6	0.10	0.5	0.9
1999	1	0.6	0.61	0.0	3.9	41	0.7	0.10	0.5	0.9
2000	0	0.0	-	0.0	2.8	38	0.6	0.10	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	117,639	69.1	0.20	68.7	69.5	99,938	67.2	0.21	66.8	67.6
1986	6,577	60.8	0.76	59.3	62.3	5,655	59.0	0.80	57.4	60.5
1987	7,019	64.7	0.78	63.2	66.3	6,028	63.0	0.82	61.4	64.6
1988	6,811	62.3	0.76	60.8	63.8	5,765	59.8	0.80	58.2	61.3
1989	6,964	63.4	0.77	61.9	64.9	5,939	61.3	0.81	59.8	62.9
1990	7,288	66.0	0.78	64.5	67.5	6,237	64.2	0.82	62.6	65.8
1991	7,210	64.4	0.76	62.9	65.9	6,156	62.6	0.80	61.0	64.2
1992	7,651	67.8	0.78	66.3	69.4	6,548	66.3	0.83	64.7	68.0
1993	8,039	70.7	0.79	69.2	72.3	6,800	68.5	0.84	66.8	70.1
1994	8,637	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,618	74.8	0.81	73.2	76.4	7,275	72.5	0.85	70.9	74.2
1996	8,603	74.4	0.80	72.8	76.0	7,215	71.9	0.85	70.2	73.6
1997	8,516	73.1	0.79	71.5	74.6	7,214	71.5	0.84	69.8	73.1
1998	8,678	73.8	0.79	72.3	75.4	7,302	71.8	0.84	70.2	73.5
1999	8,686	73.3	0.79	71.8	74.9	7,347	72.0	0.84	70.4	73.7
2000	8,342	70.1	0.77	68.6	71.6	7,082	69.3	0.82	67.7	70.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	16,386	86.6	0.69	85.3	88.0	1,022	34.6	1.19	32.3	37.1
1986	878	76.6	2.65	71.5	82.1	34	27.5	5.31	18.1	41.9
1987	934	80.6	2.70	75.4	86.1	48	39.9	6.46	28.3	56.3
1988	975	82.0	2.69	76.8	87.5	44	30.9	5.00	21.8	44.1
1989	967	83.0	2.74	77.8	88.6	44	26.4	4.21	18.8	37.9
1990	992	82.7	2.69	77.6	88.2	53	32.8	5.07	23.7	46.0
1991	931	75.8	2.54	70.9	81.0	47	34.3	5.62	24.2	48.3
1992	1,032	83.5	2.66	78.4	88.9	61	33.3	4.73	24.7	45.1
1993	1,173	93.6	2.79	88.3	99.3	59	30.4	4.48	22.3	41.5
1994	1,190	94.0	2.78	88.6	99.6	63	30.8	4.19	23.1	41.2
1995	1,250	95.6	2.75	90.3	101.2	88	38.2	4.49	29.9	48.8
1996	1,281	97.8	2.78	92.4	103.4	95	41.1	4.65	32.5	52.0
1997	1,213	90.5	2.64	85.4	95.9	80	32.7	3.99	25.4	42.2
1998	1,235	91.0	2.63	85.9	96.3	115	43.1	4.32	35.1	53.1
1999	1,222	88.7	2.58	83.7	93.9	92	35.9	4.02	28.4	45.2
2000	1,113	79.2	2.41	74.5	84.0	99	34.7	3.76	27.7	43.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,567	34.7	0.98	32.8	36.7	95,665	72.2	0.23	71.7	72.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	93	31.6	3.60	24.9	40.0	6,871	64.6	0.79	63.0	66.1
1990	100	32.4	3.65	25.6	40.8	7,188	67.2	0.80	65.6	68.8
1991	91	27.6	3.22	21.7	35.1	7,119	65.7	0.79	64.2	67.3
1992	102	30.1	3.32	24.0	37.8	7,549	69.3	0.80	67.7	70.9
1993	110	28.9	3.07	23.2	36.0	7,929	72.3	0.82	70.7	73.9
1994	124	32.9	3.34	26.7	40.5	8,513	77.0	0.84	75.3	78.6
1995	138	38.8	3.66	31.9	47.0	8,480	76.4	0.83	74.8	78.1
1996	192	50.8	4.10	43.1	59.7	8,411	75.7	0.83	74.0	77.3
1997	135	32.9	3.17	27.0	40.0	8,381	74.9	0.82	73.3	76.5
1998	158	39.5	3.53	32.9	47.3	8,520	75.5	0.82	73.9	77.2
1999	165	35.3	3.08	29.5	42.1	8,521	75.1	0.81	73.6	76.8
2000	159	31.8	2.83	26.5	38.1	8,183	71.9	0.80	70.4	73.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	99,088	58.3	0.19	57.9	58.6	83,745	56.2	0.20	55.8	56.6
1986	6,001	55.6	0.73	54.2	57.0	5,137	53.7	0.76	52.2	55.2
1987	6,187	57.0	0.73	55.6	58.5	5,250	54.6	0.76	53.1	56.1
1988	6,251	57.3	0.73	55.9	58.7	5,312	55.1	0.76	53.6	56.6
1989	6,403	58.4	0.74	57.0	59.9	5,389	55.8	0.77	54.3	57.3
1990	6,502	58.9	0.74	57.5	60.4	5,478	56.3	0.77	54.8	57.8
1991	6,531	58.6	0.73	57.2	60.0	5,599	57.0	0.77	55.5	58.5
1992	6,604	58.5	0.72	57.1	60.0	5,581	56.2	0.76	54.7	57.7
1993	6,847	60.3	0.73	58.8	61.7	5,801	58.3	0.77	56.8	59.8
1994	6,925	60.5	0.73	59.0	61.9	5,889	58.8	0.77	57.3	60.3
1995	6,965	60.4	0.73	59.0	61.8	5,854	58.1	0.76	56.6	59.7
1996	6,877	59.4	0.72	58.0	60.8	5,733	56.8	0.75	55.4	58.4
1997	6,680	57.3	0.70	56.0	58.7	5,667	55.9	0.74	54.5	57.4
1998	6,774	57.6	0.70	56.2	59.0	5,680	55.6	0.74	54.2	57.1
1999	6,713	56.6	0.69	55.3	58.0	5,657	55.1	0.73	53.7	56.6
2000	6,828	57.4	0.69	56.0	58.7	5,718	55.6	0.74	54.2	57.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,761	79.4	0.67	78.1	80.7	582	21.5	0.99	19.6	23.6
1986	839	74.6	2.65	69.6	80.1	25	25.3	5.94	15.1	41.3
1987	911	79.9	2.72	74.7	85.5	26	24.1	5.39	14.7	38.6
1988	906	78.4	2.68	73.2	83.9	33	26.2	5.08	17.2	39.7
1989	987	84.5	2.76	79.2	90.2	27	17.9	3.84	11.2	28.9
1990	987	84.0	2.75	78.8	89.7	37	29.0	5.45	19.3	43.1
1991	902	76.2	2.60	71.2	81.6	30	20.0	4.14	12.7	31.2
1992	993	81.8	2.66	76.7	87.2	30	20.5	4.26	13.0	31.6
1993	1,016	82.5	2.65	77.4	87.9	30	16.4	3.46	10.3	25.7
1994	996	79.2	2.56	74.3	84.5	40	20.4	3.51	14.2	29.6
1995	1,066	82.8	2.59	77.8	88.0	45	21.6	3.62	15.1	30.8
1996	1,097	85.7	2.64	80.6	91.1	47	23.0	3.60	16.5	31.9
1997	978	74.7	2.43	70.0	79.6	35	16.2	3.04	10.8	24.0
1998	1,041	77.0	2.43	72.4	82.0	53	20.5	3.08	14.9	28.2
1999	1,008	74.4	2.38	69.8	79.2	48	17.8	2.74	12.9	24.7
2000	1,034	75.0	2.37	70.5	79.9	76	28.8	3.60	22.2	37.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,201	24.1	0.78	22.6	25.7	98,363	59.9	0.19	59.5	60.2
1986	51	20.3	3.24	14.5	28.3	6,011	57.2	0.75	55.7	58.7
1987	58	22.0	3.27	16.1	30.0	6,136	58.2	0.75	56.7	59.7
1988	65	24.8	3.49	18.5	33.1	6,184	58.3	0.75	56.8	59.8
1989	75	26.9	3.47	20.5	35.1	6,332	59.6	0.76	58.1	61.1
1990	66	24.7	3.38	18.5	32.6	6,450	60.3	0.76	58.8	61.8
1991	77	23.2	2.99	17.8	30.3	6,503	60.2	0.75	58.7	61.7
1992	68	23.4	3.14	17.7	30.8	6,593	60.3	0.75	58.9	61.8
1993	77	22.4	2.87	17.1	29.1	6,833	62.2	0.76	60.8	63.7
1994	83	22.2	2.78	17.1	28.7	6,881	62.2	0.75	60.7	63.7
1995	94	24.8	2.86	19.5	31.4	6,921	62.2	0.75	60.8	63.7
1996	86	24.9	3.00	19.3	31.8	6,831	61.2	0.74	59.8	62.7
1997	83	21.2	2.61	16.4	27.3	6,645	59.2	0.73	57.8	60.7
1998	90	23.2	2.76	18.1	29.6	6,751	59.7	0.73	58.3	61.2
1999	124	29.4	2.95	23.9	36.0	6,580	57.8	0.71	56.4	59.2
2000	104	25.6	2.82	20.4	32.0	6,712	58.8	0.72	57.4	60.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	71,255	99.4	0.38	98.7	100.2	60,101	95.8	0.40	95.0	96.5
1986	4,395	96.9	1.52	93.9	99.9	3,759	93.4	1.58	90.3	96.5
1987	4,582	100.4	1.53	97.4	103.5	3,910	96.8	1.60	93.7	100.1
1988	4,345	94.3	1.48	91.4	97.3	3,686	90.6	1.54	87.6	93.7
1989	4,420	95.2	1.47	92.4	98.2	3,739	91.0	1.53	88.1	94.1
1990	4,577	98.5	1.50	95.6	101.5	3,892	95.0	1.56	91.9	98.1
1991	4,490	95.2	1.46	92.3	98.1	3,821	91.9	1.52	88.9	94.9
1992	4,684	97.8	1.46	95.0	100.7	3,974	94.5	1.53	91.5	97.5
1993	4,868	102.0	1.49	99.1	105.0	4,091	97.8	1.56	94.8	100.9
1994	5,170	108.1	1.53	105.1	111.1	4,395	104.9	1.61	101.8	108.1
1995	5,101	104.8	1.49	101.9	107.8	4,251	100.0	1.56	97.0	103.1
1996	5,017	103.2	1.48	100.3	106.2	4,174	98.6	1.54	95.6	101.7
1997	4,950	100.9	1.45	98.1	103.8	4,148	97.4	1.53	94.4	100.4
1998	4,996	100.7	1.44	97.9	103.6	4,149	96.3	1.51	93.4	99.3
1999	4,945	98.8	1.42	96.0	101.7	4,160	96.0	1.50	93.0	98.9
2000	4,715	93.3	1.37	90.6	96.1	3,952	90.6	1.45	87.7	93.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,290	134.0	1.39	131.3	136.8	677	52.5	2.28	48.1	57.3
1986	605	129.0	5.53	118.4	140.6	27	50.1	11.09	30.7	82.3
1987	632	133.2	5.58	122.5	144.9	33	70.7	14.19	45.7	108.2
1988	605	123.9	5.30	113.8	135.1	31	47.0	9.20	30.7	74.1
1989	642	136.3	5.69	125.4	148.2	30	41.7	8.14	27.3	66.1
1990	639	131.1	5.47	120.6	142.6	43	56.2	9.96	38.4	84.0
1991	593	118.4	5.11	108.6	129.1	31	51.3	10.42	33.0	79.4
1992	666	131.7	5.36	121.4	142.9	37	44.3	8.10	29.9	67.0
1993	733	144.0	5.60	133.2	155.6	37	39.2	7.17	26.4	59.6
1994	727	142.4	5.58	131.6	154.0	42	46.9	7.98	32.6	68.6
1995	794	149.6	5.59	138.9	161.2	54	59.5	9.44	42.4	83.5
1996	772	146.0	5.51	135.4	157.4	63	61.0	8.70	45.1	83.2
1997	743	137.1	5.26	127.0	148.0	53	50.2	7.49	36.6	69.7
1998	746	137.3	5.28	127.2	148.3	83	68.9	8.37	53.5	89.7
1999	714	129.4	5.06	119.7	139.9	53	52.8	8.11	38.2	73.1
2000	679	118.4	4.74	109.3	128.2	60	46.8	6.83	34.4	64.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	987	48.7	1.83	45.2	52.5	56,946	102.1	0.43	101.2	102.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	72	58.8	8.07	44.1	78.2	4,348	96.7	1.51	93.8	99.7
1990	57	44.2	7.17	31.3	62.0	4,520	100.4	1.53	97.4	103.5
1991	55	36.2	5.69	25.9	50.7	4,435	97.3	1.50	94.3	100.2
1992	62	42.1	6.38	30.6	57.9	4,622	100.0	1.50	97.0	103.0
1993	74	43.6	6.08	32.5	58.7	4,794	104.1	1.53	101.1	107.2
1994	79	44.6	6.14	33.4	59.6	5,091	110.4	1.58	107.3	113.5
1995	86	55.0	6.93	42.2	71.4	5,015	107.1	1.54	104.1	110.2
1996	125	74.1	7.82	59.5	92.0	4,892	104.7	1.52	101.8	107.8
1997	89	45.9	5.68	35.4	59.6	4,861	103.3	1.50	100.4	106.3
1998	90	52.6	6.51	40.6	67.9	4,906	103.1	1.49	100.2	106.1
1999	98	43.0	5.02	33.7	55.1	4,847	101.3	1.47	98.5	104.2
2000	100	43.5	4.99	34.2	55.4	4,615	95.7	1.42	92.9	98.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	61,776	87.7	0.36	87.0	88.4	51,751	83.8	0.38	83.0	84.5
1986	4,100	92.0	1.49	89.1	95.0	3,474	87.9	1.55	84.9	91.0
1987	4,138	92.0	1.48	89.1	95.0	3,464	87.0	1.53	84.0	90.0
1988	4,161	92.4	1.48	89.5	95.4	3,537	88.7	1.54	85.7	91.8
1989	4,142	90.8	1.46	87.9	93.7	3,464	86.0	1.50	83.0	89.0
1990	4,175	91.9	1.47	89.1	94.9	3,485	87.0	1.52	84.1	90.1
1991	4,221	92.1	1.46	89.2	95.0	3,582	88.5	1.52	85.5	91.5
1992	4,123	88.3	1.41	85.6	91.2	3,442	83.6	1.46	80.8	86.6
1993	4,265	90.6	1.42	87.9	93.5	3,572	86.6	1.48	83.7	89.6
1994	4,286	90.3	1.41	87.6	93.1	3,633	87.4	1.48	84.6	90.4
1995	4,228	88.4	1.39	85.7	91.1	3,525	84.3	1.44	81.5	87.2
1996	4,104	85.6	1.36	83.0	88.4	3,372	80.5	1.41	77.8	83.3
1997	3,970	82.2	1.32	79.6	84.9	3,331	79.2	1.39	76.5	82.0
1998	3,956	81.0	1.31	78.5	83.7	3,305	77.9	1.37	75.3	80.7
1999	3,936	79.8	1.29	77.3	82.4	3,267	76.4	1.35	73.8	79.1
2000	3,971	80.0	1.28	77.5	82.6	3,298	76.8	1.35	74.2	79.5
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	9,626	128.5	1.38	125.8	131.3	399	33.9	1.95	30.2	38.1
1986	604	130.4	5.62	119.6	142.2	22	47.8	12.19	27.0	82.5
1987	655	141.2	5.84	129.9	153.4	19	41.2	11.10	22.4	73.2
1988	601	128.2	5.57	117.5	139.8	23	43.2	10.55	25.1	73.3
1989	661	140.1	5.76	129.0	152.1	17	22.6	6.22	12.1	44.1
1990	664	140.3	5.78	129.2	152.4	26	44.2	9.87	27.0	72.2
1991	617	130.4	5.56	119.7	142.0	22	35.2	8.83	20.1	60.6
1992	660	136.9	5.66	126.0	148.7	21	34.3	8.73	19.4	58.8
1993	674	134.3	5.45	123.9	145.7	19	25.3	6.85	13.7	45.6
1994	627	124.2	5.21	114.2	135.1	26	26.3	5.58	16.6	43.7
1995	681	130.9	5.30	120.8	142.0	22	24.8	6.25	14.1	43.1
1996	703	138.4	5.51	127.8	149.8	29	33.3	6.69	21.5	51.9
1997	613	117.1	4.96	107.6	127.4	26	28.2	6.29	17.3	45.8
1998	619	114.2	4.83	104.9	124.3	32	28.1	5.79	17.9	44.4
1999	632	117.2	4.88	107.9	127.4	37	31.2	5.43	21.5	46.3
2000	615	110.6	4.67	101.6	120.3	58	50.4	7.47	36.8	68.9
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	808	36.9	1.54	34.0	40.1	61,217	90.0	0.37	89.3	90.7
1986	37	32.0	6.22	21.0	48.5	4,112	94.8	1.53	91.8	97.8
1987	39	33.6	6.59	21.9	50.7	4,108	94.0	1.52	91.0	97.1
1988	47	43.5	7.57	29.9	62.3	4,104	93.8	1.52	90.9	96.9
1989	50	43.1	7.21	30.2	61.0	4,104	92.6	1.49	89.7	95.6
1990	48	43.9	7.61	30.3	62.7	4,126	93.7	1.50	90.8	96.7
1991	45	31.8	5.67	21.7	46.4	4,190	94.3	1.50	91.4	97.3
1992	47	38.1	6.38	26.6	53.9	4,110	91.0	1.45	88.1	93.9
1993	51	35.1	5.97	24.4	50.0	4,249	93.4	1.46	90.6	96.4
1994	58	34.8	5.56	24.8	48.8	4,258	92.9	1.45	90.1	95.8
1995	60	30.0	4.51	21.8	41.7	4,195	91.0	1.43	88.3	93.9
1996	57	36.4	5.69	26.2	50.4	4,066	88.2	1.41	85.5	91.0
1997	57	31.4	4.92	22.5	43.7	3,935	84.8	1.37	82.2	87.6
1998	67	40.7	5.90	30.0	54.9	3,910	83.4	1.35	80.8	86.1
1999	75	38.7	5.22	29.2	51.3	3,857	81.6	1.33	79.1	84.3
2000	70	39.8	5.57	29.6	53.0	3,893	82.0	1.33	79.4	84.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	46,384	48.2	0.22	47.7	48.6	39,837	47.6	0.24	47.1	48.1
1986	2,182	36.1	0.79	34.6	37.7	1,896	35.7	0.84	34.1	37.4
1987	2,437	40.5	0.84	38.9	42.2	2,118	40.1	0.90	38.4	41.9
1988	2,466	40.4	0.83	38.8	42.0	2,079	38.8	0.87	37.1	40.5
1989	2,544	41.2	0.83	39.6	42.9	2,200	40.7	0.89	39.0	42.5
1990	2,711	43.8	0.85	42.1	45.5	2,345	43.4	0.91	41.6	45.2
1991	2,720	43.1	0.84	41.5	44.8	2,335	42.3	0.89	40.6	44.1
1992	2,967	46.8	0.87	45.1	48.5	2,574	46.7	0.94	44.9	48.6
1993	3,171	49.4	0.89	47.7	51.2	2,709	48.6	0.95	46.8	50.5
1994	3,467	53.2	0.91	51.4	55.0	2,980	52.6	0.98	50.7	54.5
1995	3,517	53.9	0.92	52.1	55.7	3,024	53.5	0.99	51.6	55.5
1996	3,586	54.7	0.92	52.9	56.5	3,041	53.8	0.99	51.9	55.8
1997	3,566	53.8	0.91	52.0	55.6	3,066	53.7	0.98	51.8	55.7
1998	3,682	55.1	0.91	53.3	56.9	3,153	54.9	0.99	53.0	56.9
1999	3,741	55.7	0.92	53.9	57.5	3,187	55.3	0.99	53.4	57.3
2000	3,627	53.7	0.90	52.0	55.5	3,130	54.3	0.98	52.4	56.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,096	54.9	0.71	53.6	56.3	345	21.2	1.24	18.9	23.9
1986	273	40.4	2.49	35.7	45.7	7	10.0	4.30	3.4	26.7
1987	302	44.7	2.61	39.8	50.2	15	17.6	4.72	9.6	33.9
1988	370	53.3	2.81	47.9	59.2	13	18.2	5.34	9.2	35.3
1989	325	47.3	2.66	42.2	52.9	14	15.1	4.27	7.9	29.9
1990	353	50.3	2.71	45.2	56.0	10	14.1	4.78	6.3	29.9
1991	338	47.0	2.58	42.1	52.4	16	21.4	6.08	11.2	38.8
1992	366	50.7	2.68	45.6	56.3	24	24.7	5.58	15.0	40.3
1993	440	59.9	2.89	54.4	65.9	22	23.1	5.55	13.5	38.2
1994	463	62.2	2.92	56.6	68.3	21	18.7	4.37	11.2	31.1
1995	456	59.5	2.81	54.1	65.3	34	23.8	4.31	16.1	35.5
1996	509	65.9	2.94	60.2	71.9	32	25.7	4.92	17.0	38.3
1997	470	59.5	2.76	54.2	65.2	27	19.5	4.14	12.3	30.5
1998	489	60.9	2.77	55.6	66.6	32	23.0	4.30	15.3	33.9
1999	508	62.2	2.78	56.9	67.9	39	24.8	4.16	17.3	35.2
2000	434	52.6	2.54	47.8	57.9	39	25.4	4.27	17.8	35.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	580	23.8	1.07	21.8	26.0	38,719	51.5	0.26	51.0	52.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	21	11.9	2.69	7.3	19.5	2,523	42.2	0.86	40.5	43.9
1990	43	24.5	4.00	17.3	34.4	2,668	44.5	0.88	42.8	46.3
1991	36	20.7	3.72	14.1	30.1	2,684	43.9	0.86	42.3	45.7
1992	40	21.8	3.65	15.2	30.8	2,927	47.8	0.90	46.0	49.6
1993	36	17.6	3.12	12.0	25.5	3,135	50.6	0.91	48.8	52.4
1994	45	23.6	3.78	16.8	32.7	3,422	54.3	0.94	52.5	56.2
1995	52	26.7	3.96	19.6	36.2	3,465	55.1	0.95	53.3	57.0
1996	67	33.0	4.36	25.1	43.1	3,519	55.8	0.95	54.0	57.7
1997	46	22.1	3.52	15.7	30.5	3,520	55.2	0.94	53.4	57.1
1998	68	30.1	3.96	22.8	39.3	3,614	56.3	0.94	54.5	58.2
1999	67	28.2	3.79	21.2	37.0	3,674	57.1	0.95	55.2	59.0
2000	59	21.8	3.13	16.1	29.3	3,568	55.2	0.93	53.4	57.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lung and Bronchus, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	37,312	38.3	0.20	37.9	38.7	31,994	37.7	0.21	37.2	38.1
1986	1,901	31.1	0.73	29.6	32.5	1,663	30.9	0.78	29.4	32.5
1987	2,049	33.7	0.76	32.2	35.2	1,786	33.2	0.81	31.6	34.8
1988	2,090	33.8	0.75	32.3	35.3	1,775	32.7	0.79	31.2	34.3
1989	2,261	36.4	0.78	34.9	38.0	1,925	35.4	0.82	33.8	37.0
1990	2,327	37.0	0.78	35.4	38.5	1,993	36.0	0.82	34.4	37.7
1991	2,310	36.3	0.76	34.8	37.8	2,017	36.2	0.82	34.6	37.8
1992	2,481	38.5	0.78	37.0	40.1	2,139	37.8	0.83	36.2	39.5
1993	2,582	39.7	0.79	38.2	41.3	2,229	39.3	0.84	37.7	41.0
1994	2,639	40.2	0.79	38.7	41.8	2,256	39.5	0.84	37.8	41.2
1995	2,737	41.3	0.80	39.8	42.9	2,329	40.4	0.85	38.7	42.1
1996	2,773	41.7	0.80	40.2	43.3	2,361	41.1	0.86	39.4	42.8
1997	2,710	40.4	0.78	38.9	42.0	2,336	40.2	0.84	38.6	41.9
1998	2,818	41.7	0.79	40.2	43.3	2,375	40.6	0.84	39.0	42.3
1999	2,777	40.6	0.78	39.1	42.2	2,390	40.5	0.84	38.9	42.2
2000	2,857	41.8	0.79	40.3	43.4	2,420	41.2	0.85	39.6	42.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,135	46.9	0.66	45.6	48.2	183	12.5	1.01	10.6	14.7
1986	235	36.0	2.39	31.4	41.0	3	8.3	5.25	1.4	27.3
1987	256	38.6	2.44	33.9	43.8	7	11.5	4.83	4.1	28.6
1988	305	44.9	2.61	39.9	50.4	10	13.2	4.40	6.1	28.8
1989	326	47.2	2.66	42.2	52.8	10	14.0	4.81	6.2	30.0
1990	323	46.7	2.64	41.7	52.3	11	17.9	6.09	8.0	36.2
1991	285	40.8	2.44	36.1	45.9	8	8.8	3.38	3.4	21.4
1992	333	46.4	2.57	41.5	51.8	9	10.7	3.99	4.4	23.7
1993	342	47.5	2.59	42.5	52.9	11	10.0	3.49	4.4	21.5
1994	369	49.5	2.60	44.5	54.9	14	15.3	4.34	8.0	27.8
1995	385	50.8	2.62	45.8	56.3	23	19.5	4.43	11.8	31.5
1996	394	51.7	2.63	46.6	57.1	18	15.5	3.87	8.8	26.2
1997	365	47.1	2.48	42.4	52.2	9	7.5	2.78	3.1	16.2
1998	422	52.9	2.59	48.0	58.3	21	14.8	3.43	8.9	24.2
1999	376	46.6	2.42	41.9	51.6	11	7.4	2.43	3.4	14.9
2000	419	51.5	2.53	46.6	56.7	18	12.9	3.25	7.3	21.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	393	14.4	0.79	12.9	16.1	37,146	39.4	0.21	39.0	39.9
1986	14	11.1	3.30	5.6	20.6	1,899	31.9	0.75	30.4	33.4
1987	19	13.3	3.24	7.7	22.3	2,028	34.3	0.78	32.8	35.9
1988	18	11.5	2.97	6.4	19.8	2,080	34.6	0.77	33.1	36.1
1989	25	15.6	3.35	9.7	24.4	2,228	37.0	0.80	35.5	38.6
1990	18	11.6	2.87	6.6	19.5	2,324	38.1	0.80	36.5	39.7
1991	32	17.6	3.36	11.6	26.2	2,313	37.4	0.79	35.9	39.0
1992	21	13.0	3.07	7.7	21.1	2,483	39.8	0.81	38.2	41.4
1993	26	13.5	2.81	8.6	20.9	2,584	41.0	0.82	39.4	42.7
1994	25	12.5	2.76	7.7	19.7	2,623	41.3	0.82	39.7	43.0
1995	34	19.3	3.52	13.1	28.0	2,726	42.6	0.82	41.0	44.2
1996	29	15.9	3.20	10.3	23.9	2,765	43.1	0.83	41.5	44.8
1997	26	13.0	2.77	8.1	20.0	2,710	42.0	0.81	40.4	43.6
1998	23	10.3	2.35	6.2	16.5	2,841	43.7	0.83	42.1	45.3
1999	49	21.8	3.38	15.7	29.9	2,723	41.4	0.80	39.9	43.0
2000	34	14.9	2.76	10.0	21.7	2,819	43.0	0.82	41.4	44.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Bones and Joints

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Bones and Joints, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,454	0.8	0.02	0.8	0.9	1,249	0.9	0.02	0.8	0.9
1986	92	0.8	0.09	0.7	1.0	81	0.9	0.10	0.7	1.1
1987	93	0.8	0.09	0.7	1.0	82	0.9	0.10	0.7	1.1
1988	79	0.7	0.08	0.6	0.9	61	0.7	0.09	0.5	0.9
1989	80	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	1.0
1990	105	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	82	0.9	0.10	0.7	1.1
1992	81	0.7	0.08	0.5	0.9	72	0.7	0.09	0.6	0.9
1993	87	0.8	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1994	92	0.8	0.08	0.6	1.0	78	0.8	0.09	0.6	1.0
1995	125	1.1	0.10	0.9	1.3	99	1.0	0.10	0.8	1.2
1996	105	0.9	0.09	0.7	1.1	92	0.9	0.10	0.8	1.2
1997	107	0.9	0.09	0.7	1.1	94	1.0	0.10	0.8	1.2
1998	97	0.8	0.08	0.6	1.0	80	0.8	0.09	0.6	1.0
1999	101	0.8	0.08	0.7	1.0	86	0.9	0.09	0.7	1.1
2000	110	0.9	0.08	0.7	1.1	98	1.0	0.10	0.8	1.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	160	0.6	0.05	0.5	0.7	29	0.5	0.11	0.4	0.9
1986	8	0.5	0.20	0.2	1.3	1	0.3	0.34	0.0	8.3
1987	8	0.4	0.15	0.2	1.1	0	0.0	-	0.0	7.6
1988	16	1.0	0.29	0.5	1.9	2	0.8	0.57	0.1	7.9
1989	5	0.3	0.15	0.1	1.0	0	0.0	-	0.0	6.8
1990	10	0.6	0.21	0.3	1.3	0	0.0	-	0.0	6.7
1991	13	0.7	0.20	0.4	1.4	2	0.5	0.34	0.1	6.4
1992	8	0.4	0.16	0.2	1.0	1	0.3	0.26	0.0	5.6
1993	10	0.6	0.20	0.3	1.2	1	0.2	0.19	0.0	5.1
1994	10	0.6	0.19	0.3	1.2	4	1.3	0.67	0.3	5.9
1995	18	1.0	0.24	0.6	1.7	6	1.6	0.70	0.6	5.9
1996	11	0.7	0.21	0.3	1.3	2	0.5	0.36	0.1	4.3
1997	10	0.6	0.19	0.3	1.2	3	0.7	0.39	0.1	4.3
1998	15	0.8	0.22	0.4	1.5	1	0.2	0.22	0.0	3.5
1999	11	0.6	0.20	0.3	1.2	2	0.4	0.27	0.0	3.5
2000	7	0.4	0.15	0.1	0.9	4	1.0	0.54	0.3	4.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	107	0.9	0.11	0.7	1.2	1,083	0.8	0.03	0.8	0.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	8	1.2	0.63	0.3	4.3	72	0.7	0.08	0.5	0.9
1990	9	1.9	0.78	0.7	5.1	96	0.9	0.10	0.7	1.1
1991	10	1.2	0.43	0.5	3.9	90	0.8	0.09	0.7	1.0
1992	9	0.9	0.34	0.4	3.4	72	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	3.3	80	0.8	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	2.6	86	0.8	0.09	0.6	1.0
1995	8	0.6	0.25	0.2	2.7	117	1.1	0.10	0.9	1.3
1996	5	0.5	0.24	0.1	2.5	100	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	3.7	95	0.9	0.09	0.7	1.1
1998	11	0.8	0.26	0.4	2.7	86	0.8	0.08	0.6	1.0
1999	7	0.3	0.13	0.1	2.1	94	0.9	0.09	0.7	1.1
2000	15	0.9	0.24	0.5	2.6	95	0.9	0.09	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Bones and Joints, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	776	0.4	0.02	0.4	0.5	674	0.5	0.02	0.4	0.5
1986	59	0.5	0.07	0.4	0.7	49	0.5	0.08	0.4	0.7
1987	42	0.4	0.06	0.3	0.5	39	0.4	0.07	0.3	0.6
1988	49	0.4	0.07	0.3	0.6	41	0.4	0.07	0.3	0.6
1989	58	0.5	0.07	0.4	0.7	52	0.5	0.08	0.4	0.7
1990	38	0.4	0.06	0.2	0.5	34	0.4	0.06	0.2	0.5
1991	54	0.5	0.07	0.4	0.6	44	0.4	0.07	0.3	0.6
1992	40	0.4	0.06	0.2	0.5	36	0.4	0.06	0.3	0.5
1993	48	0.4	0.06	0.3	0.6	41	0.4	0.07	0.3	0.6
1994	64	0.5	0.07	0.4	0.7	58	0.6	0.08	0.4	0.8
1995	64	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
1996	50	0.4	0.06	0.3	0.6	41	0.4	0.07	0.3	0.6
1997	64	0.5	0.07	0.4	0.7	54	0.5	0.07	0.4	0.7
1998	45	0.4	0.06	0.3	0.5	40	0.4	0.06	0.3	0.5
1999	50	0.4	0.06	0.3	0.6	40	0.4	0.06	0.3	0.5
2000	51	0.4	0.06	0.3	0.6	49	0.5	0.07	0.4	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	95	0.4	0.05	0.4	0.6	7	0.2	0.07	0.1	0.5
1986	10	0.8	0.29	0.4	1.7	0	0.0	~	0.0	8.1
1987	3	0.3	0.16	0.0	0.9	0	0.0	~	0.0	7.6
1988	8	0.8	0.30	0.3	1.7	0	0.0	~	0.0	7.2
1989	6	0.5	0.22	0.2	1.3	0	0.0	~	0.0	6.8
1990	3	0.2	0.11	0.0	0.8	1	1.0	0.99	0.0	8.1
1991	10	0.8	0.28	0.4	1.6	0	0.0	~	0.0	6.0
1992	4	0.2	0.13	0.1	0.8	0	0.0	~	0.0	5.4
1993	6	0.5	0.20	0.2	1.1	1	0.4	0.37	0.0	5.3
1994	5	0.3	0.13	0.1	0.8	1	0.3	0.26	0.0	4.8
1995	8	0.5	0.17	0.2	1.1	0	0.0	~	0.0	4.1
1996	7	0.4	0.17	0.2	1.0	2	0.4	0.31	0.0	4.2
1997	10	0.7	0.22	0.3	1.3	0	0.0	~	0.0	3.6
1998	4	0.3	0.13	0.1	0.8	1	0.2	0.23	0.0	3.6
1999	10	0.5	0.16	0.2	1.0	0	0.0	~	0.0	3.1
2000	1	0.1	0.06	0.0	0.5	1	0.2	0.22	0.0	3.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	46	0.4	0.09	0.3	0.7	832	0.5	0.02	0.5	0.6
1986	4	0.5	0.27	0.1	3.8	59	0.6	0.08	0.4	0.8
1987	1	0.1	0.09	0.0	3.2	46	0.4	0.07	0.3	0.6
1988	1	0.1	0.09	0.0	3.0	47	0.4	0.07	0.3	0.6
1989	1	0.2	0.21	0.0	3.0	61	0.6	0.07	0.4	0.7
1990	1	0.2	0.20	0.0	2.9	49	0.5	0.07	0.4	0.6
1991	4	1.5	0.85	0.3	4.9	55	0.5	0.07	0.4	0.7
1992	2	0.3	0.21	0.0	2.7	53	0.5	0.07	0.4	0.6
1993	5	0.5	0.23	0.1	2.8	65	0.6	0.08	0.5	0.8
1994	3	0.3	0.20	0.0	2.5	75	0.7	0.08	0.5	0.9
1995	3	0.2	0.12	0.0	2.3	69	0.6	0.08	0.5	0.8
1996	4	0.6	0.36	0.1	2.8	54	0.5	0.07	0.4	0.7
1997	4	0.7	0.55	0.1	3.1	60	0.5	0.07	0.4	0.7
1998	2	0.3	0.26	0.0	2.3	48	0.4	0.06	0.3	0.6
1999	4	0.3	0.13	0.1	2.1	46	0.4	0.06	0.3	0.6
2000	7	0.5	0.21	0.2	2.2	45	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Bones and Joints, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	805	1.0	0.04	0.9	1.1	689	1.0	0.04	0.9	1.1
1986	57	1.2	0.17	0.9	1.6	50	1.2	0.18	0.9	1.7
1987	53	1.0	0.14	0.7	1.3	46	1.0	0.15	0.7	1.4
1988	42	0.8	0.12	0.5	1.1	33	0.7	0.13	0.5	1.1
1989	51	1.0	0.14	0.7	1.3	48	1.1	0.16	0.8	1.5
1990	56	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	45	1.0	0.16	0.7	1.4
1992	41	0.7	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	44	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	37	0.8	0.14	0.6	1.2
1995	68	1.2	0.15	0.9	1.6	53	1.1	0.16	0.9	1.5
1996	61	1.1	0.15	0.8	1.5	52	1.1	0.16	0.8	1.5
1997	64	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.6
1998	47	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.2
1999	63	1.1	0.14	0.8	1.4	54	1.1	0.15	0.8	1.5
2000	60	1.0	0.13	0.8	1.3	51	1.1	0.15	0.8	1.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	93	0.8	0.09	0.6	1.0	15	0.6	0.16	0.3	1.4
1986	6	0.9	0.38	0.3	2.8	1	0.6	0.65	0.0	20.7
1987	5	0.5	0.25	0.2	2.3	0	0.0	-	0.0	19.0
1988	8	0.9	0.34	0.4	2.7	1	0.5	0.50	0.0	18.1
1989	3	0.5	0.28	0.1	2.3	0	0.0	-	0.0	16.6
1990	5	0.7	0.38	0.2	2.7	0	0.0	-	0.0	16.8
1991	7	0.9	0.38	0.3	2.8	0	0.0	-	0.0	15.1
1992	5	0.5	0.25	0.2	2.2	1	0.5	0.50	0.0	14.1
1993	4	0.5	0.24	0.1	2.1	0	0.0	-	0.0	12.7
1994	5	0.6	0.26	0.2	2.2	2	1.1	0.76	0.1	13.2
1995	12	1.5	0.46	0.7	3.3	2	1.0	0.68	0.1	12.2
1996	7	0.9	0.33	0.3	2.5	2	1.0	0.76	0.1	11.8
1997	6	0.8	0.36	0.3	2.5	2	0.9	0.64	0.1	11.0
1998	7	0.8	0.32	0.3	2.3	0	0.0	-	0.0	9.6
1999	8	1.2	0.46	0.5	2.9	1	0.5	0.46	0.0	9.5
2000	5	0.7	0.34	0.2	2.2	3	1.8	1.11	0.3	10.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	55	0.9	0.18	0.6	1.5	598	1.0	0.04	0.9	1.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	2.1	1.58	0.2	10.5	46	1.0	0.14	0.7	1.3
1990	7	3.7	1.82	1.0	12.3	49	1.0	0.14	0.7	1.3
1991	1	0.1	0.11	0.0	7.2	53	1.1	0.16	0.8	1.5
1992	6	1.4	0.63	0.4	7.9	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	6.8	41	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	6.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	6.3	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	6.4	58	1.2	0.16	0.9	1.5
1997	8	0.9	0.32	0.4	6.2	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	5.6	43	0.8	0.13	0.6	1.1
1999	4	0.3	0.17	0.1	5.3	59	1.1	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	5.6	51	1.0	0.14	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Bones and Joints, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	416	0.6	0.03	0.5	0.6	353	0.6	0.03	0.5	0.6
1986	31	0.7	0.13	0.4	1.0	26	0.6	0.13	0.4	1.0
1987	20	0.4	0.10	0.2	0.7	18	0.4	0.11	0.2	0.7
1988	27	0.6	0.13	0.4	1.0	24	0.6	0.13	0.4	1.0
1989	32	0.6	0.12	0.4	1.0	27	0.6	0.12	0.4	1.0
1990	17	0.4	0.10	0.2	0.7	14	0.4	0.10	0.2	0.7
1991	34	0.7	0.12	0.5	1.0	27	0.6	0.13	0.4	1.0
1992	23	0.4	0.09	0.3	0.7	20	0.4	0.10	0.3	0.7
1993	24	0.5	0.11	0.3	0.8	19	0.5	0.11	0.3	0.8
1994	33	0.6	0.12	0.4	0.9	31	0.7	0.13	0.5	1.0
1995	37	0.7	0.13	0.5	1.0	31	0.7	0.14	0.5	1.1
1996	28	0.6	0.11	0.4	0.8	21	0.5	0.11	0.3	0.8
1997	32	0.6	0.11	0.4	0.9	27	0.6	0.12	0.4	0.9
1998	23	0.4	0.10	0.3	0.7	20	0.5	0.10	0.3	0.7
1999	25	0.5	0.09	0.3	0.7	19	0.4	0.10	0.2	0.7
2000	30	0.5	0.10	0.4	0.8	29	0.6	0.12	0.4	0.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	58	0.7	0.10	0.5	0.9	5	0.3	0.14	0.1	1.2
1986	5	1.3	0.67	0.3	3.8	0	0.0	~	0.0	20.2
1987	2	0.4	0.25	0.0	2.2	0	0.0	~	0.0	19.0
1988	3	1.1	0.69	0.2	3.6	0	0.0	~	0.0	17.8
1989	5	1.0	0.51	0.3	3.1	0	0.0	~	0.0	16.6
1990	2	0.3	0.23	0.0	2.1	1	2.5	2.46	0.1	20.2
1991	7	1.3	0.51	0.5	3.3	0	0.0	~	0.0	15.1
1992	3	0.5	0.28	0.1	2.2	0	0.0	~	0.0	13.7
1993	4	0.9	0.49	0.2	2.9	1	0.8	0.75	0.0	13.4
1994	1	0.2	0.15	0.0	1.7	1	0.5	0.54	0.0	12.7
1995	6	0.8	0.33	0.3	2.4	0	0.0	~	0.0	11.4
1996	5	0.7	0.34	0.2	2.3	2	0.8	0.60	0.1	11.6
1997	5	0.5	0.25	0.2	2.0	0	0.0	~	0.0	10.2
1998	3	0.5	0.30	0.1	2.0	0	0.0	~	0.0	9.6
1999	6	0.7	0.30	0.2	2.2	0	0.0	~	0.0	9.1
2000	1	0.1	0.14	0.0	1.5	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	25	0.5	0.15	0.3	1.0	448	0.7	0.03	0.6	0.7
1986	2	0.4	0.27	0.0	9.0	32	0.8	0.15	0.5	1.1
1987	0	0.0	-	0.0	8.3	26	0.6	0.13	0.4	1.0
1988	1	0.2	0.17	0.0	8.0	22	0.5	0.12	0.3	0.8
1989	0	0.0	-	0.0	7.5	37	0.8	0.13	0.5	1.1
1990	1	0.4	0.39	0.0	8.0	26	0.6	0.13	0.4	1.0
1991	4	3.9	2.22	0.8	12.8	31	0.7	0.12	0.4	1.0
1992	0	0.0	-	0.0	6.7	35	0.8	0.14	0.5	1.1
1993	1	0.1	0.14	0.0	6.7	29	0.7	0.13	0.4	1.0
1994	3	0.6	0.38	0.1	6.8	34	0.7	0.12	0.5	1.0
1995	2	0.3	0.19	0.0	6.2	40	0.9	0.15	0.6	1.2
1996	2	0.6	0.45	0.0	6.3	27	0.6	0.12	0.4	0.9
1997	2	0.2	0.12	0.0	5.7	30	0.7	0.12	0.4	1.0
1998	2	0.6	0.56	0.0	6.0	28	0.6	0.11	0.4	0.9
1999	0	0.0	-	0.0	5.0	25	0.5	0.10	0.3	0.8
2000	5	0.7	0.34	0.2	5.3	26	0.5	0.10	0.3	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Bones and Joints, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	649	0.7	0.03	0.7	0.8	560	0.8	0.03	0.7	0.8
1986	35	0.6	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.9
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	40	0.6	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1993	43	0.7	0.11	0.5	1.0	36	0.7	0.12	0.5	1.0
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	57	0.9	0.12	0.7	1.2	46	0.9	0.14	0.7	1.2
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	43	0.7	0.11	0.5	1.0	38	0.8	0.13	0.5	1.1
1998	50	0.8	0.11	0.6	1.0	40	0.8	0.12	0.6	1.1
1999	38	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	50	0.8	0.11	0.6	1.0	47	0.9	0.14	0.7	1.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	67	0.5	0.06	0.4	0.6	14	0.5	0.14	0.3	1.1
1986	2	0.3	0.18	0.0	1.2	0	0.0	-	0.0	13.4
1987	3	0.3	0.18	0.1	1.2	0	0.0	-	0.0	12.6
1988	8	1.0	0.40	0.4	2.3	1	1.0	1.02	0.0	13.1
1989	2	0.2	0.15	0.0	1.0	0	0.0	-	0.0	11.4
1990	5	0.5	0.25	0.2	1.5	0	0.0	-	0.0	11.2
1991	6	0.5	0.22	0.2	1.4	2	1.0	0.70	0.1	10.8
1992	3	0.3	0.19	0.1	1.1	0	0.0	-	0.0	9.0
1993	6	0.6	0.27	0.2	1.6	1	0.3	0.35	0.0	8.3
1994	5	0.6	0.26	0.2	1.5	2	1.4	1.00	0.1	8.9
1995	6	0.6	0.26	0.2	1.5	4	2.1	1.12	0.5	8.9
1996	4	0.5	0.25	0.1	1.3	0	0.0	-	0.0	5.8
1997	4	0.4	0.21	0.1	1.2	1	0.4	0.44	0.0	6.0
1998	8	0.8	0.31	0.3	1.8	1	0.4	0.41	0.0	5.5
1999	3	0.3	0.15	0.1	0.9	1	0.3	0.31	0.0	5.0
2000	2	0.2	0.13	0.0	0.8	1	0.4	0.42	0.0	4.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	52	0.9	0.14	0.6	1.3	485	0.7	0.03	0.7	0.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	0.6	0.38	0.1	5.0	26	0.5	0.10	0.3	0.7
1990	2	0.5	0.38	0.1	4.7	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	6.8	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	4.3	37	0.6	0.11	0.4	0.9
1993	4	1.4	0.73	0.3	5.3	39	0.7	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	4.1	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	4.2	53	0.9	0.13	0.7	1.2
1996	2	0.2	0.16	0.0	3.4	42	0.7	0.12	0.5	1.0
1997	4	1.4	0.92	0.2	5.3	39	0.7	0.12	0.5	1.0
1998	7	1.2	0.49	0.4	4.2	43	0.7	0.12	0.5	1.0
1999	3	0.3	0.20	0.1	3.2	35	0.6	0.10	0.4	0.8
2000	6	0.6	0.26	0.2	3.3	44	0.8	0.12	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Bones and Joints, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	360	0.4	0.02	0.3	0.4	321	0.4	0.02	0.4	0.4
1986	28	0.5	0.09	0.3	0.7	23	0.4	0.09	0.3	0.7
1987	22	0.4	0.08	0.2	0.6	21	0.4	0.09	0.2	0.6
1988	22	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1989	26	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1990	21	0.3	0.08	0.2	0.5	20	0.4	0.09	0.2	0.6
1991	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1992	17	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.6
1993	24	0.4	0.08	0.2	0.6	22	0.4	0.09	0.3	0.6
1994	31	0.5	0.09	0.3	0.7	27	0.5	0.10	0.3	0.7
1995	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1996	22	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1997	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7
1998	22	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1999	25	0.4	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
2000	21	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	37	0.3	0.05	0.2	0.4	2	0.1	0.06	0.0	0.6
1986	5	0.6	0.30	0.2	1.8	0	0.0	~	0.0	13.4
1987	1	0.2	0.19	0.0	1.1	0	0.0	~	0.0	12.6
1988	5	0.7	0.33	0.2	1.8	0	0.0	~	0.0	12.0
1989	1	0.2	0.16	0.0	1.0	0	0.0	~	0.0	11.4
1990	1	0.1	0.09	0.0	0.8	0	0.0	~	0.0	11.2
1991	3	0.4	0.27	0.1	1.4	0	0.0	~	0.0	10.0
1992	1	0.1	0.09	0.0	0.8	0	0.0	~	0.0	9.0
1993	2	0.2	0.17	0.0	1.0	0	0.0	~	0.0	8.0
1994	4	0.4	0.20	0.1	1.2	0	0.0	~	0.0	7.3
1995	2	0.2	0.16	0.0	1.0	0	0.0	~	0.0	6.4
1996	2	0.2	0.16	0.0	1.0	0	0.0	~	0.0	5.8
1997	5	0.7	0.30	0.2	1.6	0	0.0	~	0.0	5.6
1998	1	0.1	0.09	0.0	0.7	1	0.4	0.44	0.0	5.6
1999	4	0.4	0.18	0.1	1.1	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	1	0.4	0.42	0.0	4.6
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	21	0.4	0.10	0.2	0.7	384	0.4	0.02	0.4	0.5
1986	2	0.6	0.48	0.1	6.1	27	0.5	0.09	0.3	0.7
1987	1	0.2	0.21	0.0	5.3	20	0.3	0.08	0.2	0.5
1988	0	0.0	-	0.0	4.7	25	0.4	0.08	0.3	0.6
1989	1	0.4	0.44	0.0	4.9	24	0.4	0.08	0.2	0.6
1990	0	0.0	-	0.0	4.2	23	0.4	0.08	0.2	0.6
1991	0	0.0	-	0.0	4.2	24	0.4	0.08	0.2	0.6
1992	2	0.6	0.44	0.0	4.5	18	0.3	0.07	0.2	0.5
1993	4	0.9	0.45	0.2	4.5	36	0.6	0.10	0.4	0.8
1994	0	0.0	-	0.0	3.5	41	0.6	0.10	0.5	0.9
1995	1	0.1	0.14	0.0	3.5	29	0.4	0.08	0.3	0.7
1996	2	0.6	0.54	0.0	4.1	27	0.4	0.08	0.3	0.6
1997	2	1.0	0.85	0.0	4.8	30	0.5	0.09	0.3	0.7
1998	0	0.0	-	0.0	3.0	20	0.3	0.07	0.2	0.5
1999	4	0.6	0.29	0.1	3.4	21	0.3	0.07	0.2	0.5
2000	2	0.3	0.24	0.0	3.1	19	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Soft Tissue Including Heart

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,813	2.8	0.04	2.7	2.9	3,962	2.7	0.04	2.6	2.8
1986	304	2.8	0.17	2.5	3.2	256	2.8	0.18	2.4	3.2
1987	337	3.1	0.17	2.8	3.5	285	3.1	0.18	2.7	3.5
1988	313	2.8	0.16	2.5	3.2	262	2.8	0.18	2.5	3.2
1989	298	2.7	0.16	2.4	3.0	249	2.6	0.17	2.3	3.0
1990	289	2.6	0.15	2.3	2.9	231	2.4	0.16	2.1	2.8
1991	262	2.3	0.15	2.1	2.7	226	2.4	0.16	2.1	2.7
1992	298	2.6	0.15	2.3	2.9	241	2.5	0.16	2.2	2.9
1993	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1994	333	2.8	0.16	2.5	3.2	272	2.7	0.17	2.4	3.1
1995	331	2.8	0.16	2.5	3.1	270	2.7	0.17	2.4	3.1
1996	414	3.5	0.17	3.2	3.9	340	3.4	0.19	3.1	3.8
1997	371	3.1	0.16	2.8	3.5	304	3.0	0.18	2.7	3.4
1998	347	2.9	0.16	2.6	3.2	275	2.7	0.16	2.4	3.1
1999	340	2.8	0.15	2.5	3.1	268	2.6	0.16	2.3	3.0
2000	284	2.3	0.14	2.1	2.6	234	2.3	0.15	2.0	2.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	729	3.3	0.13	3.0	3.5	64	1.5	0.23	1.1	2.1
1986	38	2.9	0.49	2.0	4.1	6	3.9	1.72	1.2	12.6
1987	49	3.5	0.53	2.5	4.8	1	0.4	0.44	0.0	8.0
1988	44	3.1	0.50	2.2	4.3	4	1.1	0.54	0.3	8.0
1989	46	3.0	0.47	2.2	4.2	1	0.5	0.50	0.0	7.3
1990	51	3.6	0.53	2.6	4.9	1	1.2	1.22	0.0	8.6
1991	33	2.5	0.46	1.7	3.7	2	0.5	0.37	0.1	6.4
1992	49	3.4	0.50	2.5	4.6	6	5.1	2.43	1.5	13.2
1993	41	2.7	0.44	1.9	3.8	2	0.5	0.37	0.1	5.4
1994	56	3.6	0.50	2.7	4.8	3	1.0	0.61	0.2	5.6
1995	53	3.2	0.45	2.4	4.3	3	0.7	0.39	0.1	4.7
1996	56	3.8	0.53	2.9	5.1	11	2.9	1.02	1.3	7.3
1997	57	3.8	0.52	2.8	5.0	7	1.6	0.61	0.6	5.3
1998	60	3.8	0.51	2.9	5.0	5	1.4	0.70	0.4	5.1
1999	57	3.6	0.50	2.7	4.8	8	1.8	0.64	0.7	5.0
2000	39	2.4	0.40	1.7	3.4	4	0.9	0.44	0.2	3.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	237	2.4	0.20	2.0	2.8	3,622	2.8	0.05	2.7	2.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	15	2.2	0.68	1.0	5.2	283	2.7	0.16	2.4	3.0
1990	16	2.0	0.63	1.0	4.9	273	2.6	0.16	2.3	2.9
1991	15	2.0	0.57	1.0	4.8	247	2.3	0.15	2.1	2.7
1992	19	2.8	0.82	1.4	5.8	279	2.6	0.16	2.3	2.9
1993	20	2.3	0.59	1.2	4.8	272	2.5	0.15	2.2	2.8
1994	23	2.9	0.76	1.6	5.7	310	2.8	0.16	2.5	3.2
1995	21	2.3	0.56	1.3	4.6	310	2.8	0.16	2.5	3.2
1996	28	3.7	0.96	2.1	6.7	386	3.5	0.18	3.2	3.9
1997	25	3.4	0.87	1.9	6.2	346	3.1	0.17	2.8	3.5
1998	20	2.0	0.57	1.0	4.2	327	2.9	0.16	2.6	3.3
1999	16	1.6	0.50	0.8	3.7	324	2.9	0.16	2.6	3.2
2000	19	1.7	0.48	0.9	3.7	265	2.4	0.14	2.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,538	1.5	0.03	1.4	1.6	2,109	1.4	0.03	1.4	1.5
1986	141	1.3	0.11	1.1	1.6	115	1.2	0.12	1.0	1.5
1987	156	1.4	0.12	1.2	1.7	130	1.4	0.12	1.2	1.6
1988	150	1.4	0.12	1.2	1.6	122	1.3	0.12	1.1	1.6
1989	144	1.4	0.11	1.1	1.6	116	1.2	0.12	1.0	1.5
1990	145	1.3	0.11	1.1	1.6	125	1.3	0.12	1.1	1.6
1991	151	1.4	0.11	1.1	1.6	129	1.3	0.12	1.1	1.6
1992	173	1.5	0.12	1.3	1.8	144	1.5	0.13	1.3	1.8
1993	174	1.5	0.12	1.3	1.8	140	1.4	0.12	1.2	1.7
1994	192	1.7	0.12	1.4	1.9	162	1.6	0.13	1.4	1.9
1995	181	1.6	0.12	1.4	1.8	156	1.6	0.13	1.4	1.9
1996	172	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
1997	202	1.7	0.12	1.5	2.0	165	1.6	0.13	1.4	1.9
1998	207	1.7	0.12	1.5	2.0	170	1.7	0.13	1.4	2.0
1999	181	1.5	0.11	1.3	1.7	149	1.4	0.12	1.2	1.7
2000	169	1.4	0.11	1.2	1.6	137	1.3	0.11	1.1	1.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	397	1.9	0.10	1.7	2.1	32	0.8	0.17	0.5	1.3
1986	25	2.1	0.46	1.3	3.3	1	0.6	0.60	0.0	8.6
1987	26	2.1	0.43	1.3	3.2	0	0.0	~	0.0	7.6
1988	28	2.4	0.49	1.6	3.7	0	0.0	~	0.0	7.2
1989	24	1.7	0.36	1.1	2.7	4	1.5	0.81	0.4	8.3
1990	20	1.7	0.39	1.0	2.7	0	0.0	~	0.0	6.7
1991	20	1.4	0.32	0.8	2.3	2	1.4	1.02	0.1	7.8
1992	26	1.9	0.39	1.2	2.9	3	1.0	0.58	0.2	6.4
1993	29	1.9	0.36	1.3	2.8	5	3.8	1.86	1.1	10.5
1994	29	2.0	0.38	1.3	3.0	1	0.3	0.33	0.0	4.9
1995	21	1.5	0.33	0.9	2.4	4	1.1	0.56	0.3	5.2
1996	23	1.6	0.35	1.0	2.5	0	0.0	~	0.0	3.8
1997	35	2.2	0.38	1.5	3.2	2	0.5	0.32	0.1	4.0
1998	31	2.0	0.38	1.4	3.0	6	1.5	0.70	0.5	5.1
1999	29	2.0	0.39	1.3	3.0	3	0.7	0.40	0.1	3.8
2000	31	2.1	0.40	1.4	3.1	1	0.3	0.32	0.0	3.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	99	1.1	0.14	0.8	1.5	2224	1.4	0.03	1.3	1.4
1986	3	1.6	0.98	0.3	5.7	139	1.4	0.12	1.1	1.6
1987	8	1.0	0.40	0.4	4.1	148	1.4	0.12	1.2	1.7
1988	3	0.7	0.56	0.0	3.9	158	1.5	0.12	1.3	1.8
1989	4	0.6	0.35	0.1	3.4	142	1.4	0.12	1.2	1.6
1990	5	0.8	0.39	0.2	3.5	141	1.4	0.12	1.1	1.6
1991	5	1.2	0.62	0.3	4.2	132	1.2	0.11	1.0	1.5
1992	8	1.2	0.46	0.5	3.8	145	1.4	0.11	1.1	1.6
1993	9	1.6	0.58	0.6	4.2	143	1.3	0.11	1.1	1.6
1994	9	0.8	0.28	0.3	3.0	166	1.5	0.12	1.3	1.8
1995	10	1.0	0.37	0.4	3.2	146	1.3	0.11	1.1	1.6
1996	4	0.8	0.43	0.2	3.0	138	1.2	0.11	1.0	1.5
1997	7	1.2	0.54	0.4	3.5	156	1.4	0.11	1.2	1.6
1998	7	1.4	0.66	0.4	3.8	140	1.2	0.11	1.0	1.5
1999	12	1.5	0.60	0.6	3.8	166	1.5	0.11	1.2	1.7
2000	5	1.0	0.52	0.3	3.2	164	1.4	0.11	1.2	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,722	3.5	0.07	3.4	3.6	2,247	3.4	0.07	3.3	3.6
1986	179	3.8	0.30	3.2	4.4	154	3.8	0.32	3.2	4.5
1987	200	4.1	0.30	3.5	4.7	169	4.0	0.32	3.4	4.7
1988	192	3.9	0.29	3.3	4.5	162	3.9	0.32	3.3	4.6
1989	165	3.2	0.26	2.7	3.8	135	3.1	0.27	2.6	3.7
1990	171	3.3	0.26	2.8	3.9	136	3.1	0.27	2.6	3.7
1991	146	2.8	0.24	2.4	3.3	126	2.8	0.26	2.3	3.4
1992	155	3.0	0.25	2.6	3.6	126	2.9	0.26	2.4	3.5
1993	162	3.0	0.24	2.5	3.5	139	3.0	0.26	2.5	3.6
1994	195	3.7	0.27	3.2	4.3	159	3.6	0.29	3.0	4.2
1995	190	3.5	0.26	3.0	4.1	158	3.5	0.29	3.0	4.2
1996	235	4.4	0.29	3.8	5.0	193	4.3	0.31	3.7	4.9
1997	202	3.9	0.28	3.3	4.5	169	3.8	0.30	3.2	4.4
1998	193	3.6	0.27	3.1	4.2	155	3.5	0.28	2.9	4.1
1999	190	3.5	0.26	3.0	4.0	145	3.2	0.26	2.7	3.7
2000	147	2.7	0.23	2.3	3.2	121	2.7	0.25	2.2	3.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	400	4.0	0.22	3.6	4.5	35	2.0	0.45	1.2	3.3
1986	19	3.2	0.78	1.8	5.7	3	4.7	3.22	0.6	25.9
1987	29	4.3	0.88	2.8	7.0	0	0.0	-	0.0	19.0
1988	26	4.2	0.91	2.6	6.8	2	1.2	0.88	0.1	18.7
1989	27	3.6	0.74	2.3	6.0	1	1.1	1.13	0.0	17.7
1990	31	4.9	0.99	3.2	7.8	1	2.9	2.89	0.1	21.2
1991	17	3.1	0.81	1.7	5.6	2	1.1	0.77	0.1	15.9
1992	26	4.1	0.85	2.6	6.5	2	7.4	5.26	0.9	26.9
1993	23	3.5	0.75	2.1	5.8	0	0.0	-	0.0	12.7
1994	32	4.5	0.84	3.0	7.0	2	1.0	0.73	0.1	13.1
1995	27	3.4	0.68	2.2	5.5	1	0.4	0.39	0.0	11.7
1996	32	5.1	0.97	3.3	7.7	8	3.6	1.29	1.5	14.2
1997	28	4.3	0.88	2.8	6.8	3	1.5	0.85	0.3	11.5
1998	32	4.2	0.81	2.8	6.5	2	1.7	1.38	0.1	11.7
1999	32	5.1	0.97	3.4	7.7	6	3.0	1.25	1.0	12.1
2000	19	2.7	0.68	1.6	4.8	2	0.9	0.63	0.1	9.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	160	3.0	0.31	2.4	3.8	1,991	3.4	0.08	3.3	3.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	14	3.7	1.34	1.6	11.4	151	3.1	0.26	2.6	3.7
1990	13	3.6	1.32	1.5	11.4	158	3.3	0.27	2.8	3.9
1991	7	1.8	0.71	0.6	8.7	139	2.9	0.25	2.4	3.4
1992	13	4.3	1.71	1.6	11.8	142	3.0	0.26	2.5	3.6
1993	15	2.8	0.82	1.4	9.2	147	3.0	0.25	2.5	3.5
1994	16	4.0	1.48	1.6	10.9	179	3.7	0.28	3.2	4.3
1995	17	3.3	0.95	1.7	9.2	173	3.5	0.27	3.0	4.1
1996	18	3.1	0.81	1.7	8.7	217	4.4	0.30	3.8	5.1
1997	16	3.8	1.19	1.9	9.7	186	3.8	0.28	3.3	4.4
1998	11	2.6	1.11	0.9	8.3	182	3.7	0.28	3.2	4.3
1999	12	2.6	1.01	1.0	7.9	178	3.6	0.27	3.0	4.1
2000	8	1.3	0.55	0.4	5.9	139	2.8	0.24	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,186	1.6	0.05	1.5	1.7	979	1.6	0.05	1.4	1.7
1986	68	1.5	0.19	1.1	1.9	58	1.5	0.20	1.1	2.0
1987	79	1.7	0.20	1.3	2.1	61	1.5	0.20	1.1	1.9
1988	71	1.6	0.20	1.2	2.1	61	1.6	0.21	1.2	2.0
1989	69	1.4	0.18	1.1	1.8	52	1.2	0.18	0.9	1.7
1990	62	1.3	0.17	1.0	1.7	57	1.3	0.18	1.0	1.8
1991	71	1.5	0.19	1.2	1.9	61	1.5	0.20	1.1	2.0
1992	81	1.6	0.19	1.3	2.1	67	1.6	0.20	1.2	2.1
1993	68	1.4	0.17	1.1	1.8	54	1.3	0.17	0.9	1.7
1994	88	1.8	0.20	1.4	2.2	72	1.7	0.21	1.4	2.2
1995	79	1.6	0.18	1.2	2.0	68	1.6	0.20	1.2	2.1
1996	82	1.7	0.19	1.3	2.1	70	1.7	0.21	1.3	2.2
1997	104	2.0	0.20	1.6	2.4	86	1.9	0.21	1.5	2.4
1998	104	2.0	0.20	1.6	2.4	86	1.9	0.21	1.5	2.4
1999	87	1.7	0.19	1.4	2.1	70	1.6	0.19	1.2	2.0
2000	73	1.4	0.17	1.1	1.8	56	1.3	0.17	1.0	1.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	187	2.1	0.17	1.8	2.5	20	1.1	0.33	0.6	2.3
1986	10	1.7	0.59	0.7	3.9	0	0.0	~	0.0	20.2
1987	18	3.5	0.90	2.0	6.2	0	0.0	~	0.0	19.0
1988	10	2.3	0.77	1.0	4.8	0	0.0	~	0.0	17.8
1989	15	2.3	0.62	1.3	4.5	2	1.1	0.82	0.1	17.5
1990	5	1.1	0.51	0.3	3.2	0	0.0	~	0.0	16.8
1991	9	1.4	0.48	0.6	3.4	1	2.2	2.24	0.1	18.2
1992	12	1.9	0.62	0.9	4.1	2	1.3	0.94	0.1	14.8
1993	11	1.6	0.50	0.8	3.5	3	5.7	3.81	0.8	21.6
1994	15	2.2	0.59	1.2	4.2	1	0.7	0.68	0.0	12.9
1995	8	1.2	0.43	0.5	3.0	3	1.8	1.11	0.4	13.2
1996	12	1.8	0.54	0.9	3.7	0	0.0	~	0.0	10.9
1997	16	2.7	0.76	1.4	5.0	2	1.0	0.68	0.1	11.0
1998	15	2.2	0.58	1.2	4.1	3	1.1	0.66	0.2	10.5
1999	15	2.8	0.80	1.4	5.1	2	1.0	0.70	0.1	10.0
2000	16	2.7	0.73	1.5	4.9	1	0.7	0.69	0.0	9.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	54	1.4	0.26	0.9	2.1	1052	1.5	0.05	1.4	1.6
1986	2	3.4	2.39	0.4	13.9	64	1.4	0.19	1.1	1.9
1987	3	1.0	0.60	0.2	9.1	75	1.7	0.20	1.3	2.1
1988	2	1.5	1.43	0.1	10.2	71	1.7	0.21	1.3	2.2
1989	2	0.9	0.65	0.1	8.4	66	1.4	0.18	1.1	1.8
1990	3	1.1	0.70	0.2	8.6	64	1.4	0.18	1.1	1.8
1991	3	1.7	1.33	0.1	9.4	57	1.3	0.18	1.0	1.8
1992	6	1.9	0.84	0.6	8.5	70	1.6	0.19	1.2	2.0
1993	5	1.8	0.99	0.4	8.6	62	1.3	0.17	1.0	1.8
1994	4	0.6	0.31	0.1	6.8	75	1.6	0.20	1.3	2.1
1995	5	0.9	0.46	0.2	6.8	70	1.5	0.18	1.2	1.9
1996	1	0.4	0.35	0.0	6.1	68	1.4	0.18	1.1	1.8
1997	4	1.1	0.68	0.2	6.7	81	1.7	0.19	1.3	2.1
1998	4	1.4	0.80	0.3	6.8	81	1.7	0.19	1.3	2.1
1999	8	1.7	0.73	0.6	6.8	77	1.6	0.19	1.3	2.0
2000	2	1.4	1.02	0.2	6.7	71	1.4	0.17	1.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,091	2.2	0.05	2.1	2.3	1,715	2.2	0.05	2.1	2.3
1986	125	2.1	0.19	1.7	2.5	102	2.0	0.20	1.6	2.5
1987	137	2.3	0.20	1.9	2.7	116	2.3	0.22	1.9	2.8
1988	121	2.0	0.18	1.6	2.4	100	1.9	0.19	1.5	2.3
1989	133	2.2	0.20	1.9	2.7	114	2.2	0.21	1.8	2.7
1990	118	2.0	0.18	1.6	2.4	95	1.9	0.20	1.5	2.3
1991	116	1.9	0.18	1.6	2.3	100	2.0	0.20	1.6	2.4
1992	143	2.3	0.20	1.9	2.7	115	2.2	0.21	1.8	2.7
1993	130	2.1	0.18	1.7	2.5	110	2.1	0.20	1.7	2.5
1994	138	2.2	0.19	1.8	2.6	113	2.1	0.20	1.7	2.5
1995	141	2.2	0.19	1.9	2.6	112	2.1	0.20	1.7	2.6
1996	179	2.8	0.21	2.4	3.2	147	2.7	0.23	2.3	3.2
1997	169	2.6	0.20	2.2	3.0	135	2.4	0.21	2.0	2.9
1998	154	2.4	0.19	2.0	2.8	120	2.2	0.21	1.8	2.7
1999	150	2.3	0.18	1.9	2.6	123	2.2	0.20	1.8	2.6
2000	137	2.1	0.18	1.7	2.5	113	2.0	0.20	1.7	2.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	329	2.7	0.15	2.4	3.0	29	1.2	0.24	0.8	1.9
1986	19	2.6	0.62	1.5	4.2	3	3.5	2.00	0.7	17.2
1987	20	2.7	0.64	1.6	4.4	1	0.9	0.90	0.0	13.5
1988	18	2.3	0.57	1.3	3.8	2	0.9	0.66	0.1	12.7
1989	19	2.5	0.59	1.5	4.0	0	0.0	-	0.0	11.4
1990	20	2.6	0.60	1.6	4.2	0	0.0	-	0.0	11.2
1991	16	2.1	0.55	1.2	3.6	0	0.0	-	0.0	10.0
1992	23	2.9	0.61	1.8	4.4	4	3.9	2.18	0.9	14.2
1993	18	2.1	0.52	1.2	3.5	2	1.0	0.72	0.1	9.0
1994	24	2.8	0.59	1.8	4.3	1	0.9	0.86	0.0	8.4
1995	26	2.9	0.59	1.9	4.4	2	1.0	0.69	0.1	7.4
1996	24	3.0	0.61	1.9	4.5	3	2.0	1.37	0.3	8.7
1997	29	3.4	0.65	2.3	5.0	4	1.7	0.85	0.4	7.4
1998	28	3.3	0.64	2.2	4.9	3	1.4	0.80	0.3	6.6
1999	25	2.7	0.55	1.7	4.1	2	0.7	0.50	0.1	5.4
2000	20	2.2	0.50	1.3	3.5	2	0.9	0.61	0.1	5.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	77	1.8	0.24	1.3	2.4	1,631	2.3	0.06	2.2	2.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.6	0.55	0.0	5.1	132	2.3	0.21	1.9	2.8
1990	3	0.5	0.26	0.1	4.6	115	2.0	0.19	1.7	2.4
1991	8	2.3	0.90	0.9	6.8	108	1.9	0.18	1.5	2.3
1992	6	1.6	0.74	0.5	5.8	137	2.3	0.20	2.0	2.8
1993	5	1.6	0.80	0.4	5.6	125	2.1	0.19	1.7	2.5
1994	7	2.0	0.82	0.8	5.9	131	2.2	0.19	1.8	2.6
1995	4	1.2	0.62	0.3	4.8	137	2.3	0.20	1.9	2.7
1996	10	3.7	1.43	1.5	8.4	169	2.8	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	6.9	160	2.6	0.21	2.2	3.1
1998	9	1.5	0.56	0.6	4.7	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.1	3.6	146	2.4	0.20	2.0	2.8
2000	11	2.2	0.77	0.9	5.4	126	2.0	0.18	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Soft Tissue Including Heart, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,352	1.4	0.04	1.4	1.5	1,130	1.4	0.04	1.3	1.5
1986	73	1.2	0.15	1.0	1.6	57	1.1	0.15	0.8	1.4
1987	77	1.3	0.15	1.0	1.6	69	1.3	0.16	1.0	1.7
1988	79	1.2	0.14	1.0	1.6	61	1.1	0.14	0.8	1.4
1989	75	1.2	0.15	1.0	1.6	64	1.2	0.15	0.9	1.6
1990	83	1.4	0.15	1.1	1.7	68	1.3	0.16	1.0	1.7
1991	80	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1992	92	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1993	106	1.7	0.16	1.4	2.0	86	1.6	0.17	1.3	2.0
1994	104	1.6	0.16	1.3	1.9	90	1.6	0.17	1.2	1.9
1995	102	1.6	0.16	1.3	2.0	88	1.6	0.18	1.3	2.0
1996	90	1.4	0.15	1.1	1.7	79	1.4	0.16	1.1	1.8
1997	98	1.5	0.15	1.2	1.9	79	1.4	0.16	1.1	1.8
1998	103	1.6	0.16	1.3	1.9	84	1.5	0.17	1.2	1.9
1999	94	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.7
2000	96	1.4	0.15	1.2	1.8	81	1.4	0.16	1.1	1.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	210	1.8	0.13	1.6	2.1	12	0.6	0.19	0.3	1.3
1986	15	2.4	0.64	1.3	4.1	1	1.1	1.10	0.0	14.5
1987	8	1.1	0.40	0.5	2.4	0	0.0	~	0.0	12.6
1988	18	2.6	0.63	1.5	4.2	0	0.0	~	0.0	12.0
1989	9	1.2	0.40	0.5	2.4	2	1.9	1.33	0.2	13.4
1990	15	2.1	0.56	1.2	3.6	0	0.0	~	0.0	11.2
1991	11	1.4	0.43	0.7	2.6	1	0.8	0.81	0.0	10.8
1992	14	1.9	0.51	1.0	3.2	1	0.7	0.72	0.0	9.7
1993	18	2.1	0.51	1.2	3.4	2	2.5	1.84	0.3	11.7
1994	14	1.8	0.48	1.0	3.1	0	0.0	~	0.0	7.3
1995	13	1.7	0.47	0.9	3.0	1	0.5	0.48	0.0	6.9
1996	11	1.4	0.43	0.7	2.6	0	0.0	~	0.0	5.8
1997	19	2.0	0.47	1.2	3.3	0	0.0	~	0.0	5.6
1998	16	1.9	0.48	1.1	3.2	3	1.8	1.09	0.3	7.4
1999	14	1.7	0.45	0.9	2.9	1	0.4	0.41	0.0	5.1
2000	15	1.8	0.46	1.0	3.0	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	45	0.9	0.16	0.6	1.4	1172	1.3	0.04	1.2	1.4
1986	1	0.5	0.50	0.0	6.0	75	1.3	0.15	1.0	1.7
1987	5	1.1	0.55	0.3	6.2	73	1.2	0.15	1.0	1.6
1988	1	0.2	0.15	0.0	4.9	87	1.4	0.16	1.2	1.8
1989	2	0.3	0.24	0.0	4.7	76	1.3	0.15	1.0	1.6
1990	2	0.5	0.38	0.0	4.7	77	1.3	0.15	1.0	1.7
1991	2	1.0	0.67	0.1	5.3	75	1.2	0.15	1.0	1.6
1992	2	0.5	0.39	0.0	4.4	75	1.2	0.15	1.0	1.6
1993	4	1.4	0.71	0.4	5.3	81	1.3	0.15	1.1	1.7
1994	5	1.0	0.47	0.3	4.5	91	1.4	0.15	1.2	1.8
1995	5	1.2	0.58	0.3	4.7	76	1.2	0.14	1.0	1.6
1996	3	1.2	0.74	0.2	4.8	70	1.1	0.14	0.9	1.4
1997	3	1.2	0.78	0.2	4.8	75	1.2	0.14	1.0	1.6
1998	3	1.2	0.88	0.2	5.0	59	0.9	0.12	0.7	1.2
1999	4	1.2	0.81	0.2	4.7	89	1.4	0.15	1.1	1.7
2000	3	0.8	0.50	0.1	3.7	93	1.5	0.15	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Skin Excluding Basal and Squamous

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,346	10.8	0.08	10.6	11.0	17,063	11.8	0.09	11.6	12.0
1986	913	8.7	0.30	8.2	9.3	862	9.5	0.33	8.9	10.2
1987	914	8.6	0.29	8.0	9.1	873	9.5	0.33	8.9	10.2
1988	911	8.5	0.29	7.9	9.1	860	9.4	0.32	8.7	10.0
1989	1,052	9.7	0.30	9.1	10.3	1,000	10.8	0.35	10.1	11.5
1990	1,031	9.4	0.30	8.8	10.0	963	10.3	0.34	9.6	11.0
1991	1,081	9.8	0.30	9.2	10.4	1,014	10.8	0.34	10.2	11.5
1992	1,149	10.2	0.30	9.6	10.8	1,074	11.2	0.34	10.5	11.9
1993	1,098	9.6	0.29	9.0	10.2	1,022	10.5	0.33	9.8	11.1
1994	1,313	11.4	0.32	10.8	12.1	1,223	12.5	0.36	11.8	13.2
1995	1,303	11.2	0.31	10.6	11.9	1,212	12.4	0.36	11.7	13.1
1996	1,411	12.0	0.32	11.4	12.7	1,294	13.1	0.36	12.4	13.8
1997	1,499	12.7	0.33	12.1	13.4	1,371	13.7	0.37	13.0	14.5
1998	1,490	12.5	0.32	11.9	13.2	1,360	13.5	0.37	12.8	14.2
1999	1,554	13.0	0.33	12.3	13.6	1,445	14.3	0.38	13.6	15.1
2000	1,627	13.5	0.33	12.8	14.1	1,490	14.7	0.38	13.9	15.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	625	2.7	0.11	2.5	2.9	92	2.2	0.27	1.7	2.8
1986	19	1.6	0.40	0.9	2.7	7	3.0	1.16	1.2	11.0
1987	17	1.2	0.30	0.6	2.0	4	1.5	0.78	0.4	9.0
1988	23	1.7	0.38	1.1	2.8	1	0.2	0.23	0.0	7.3
1989	34	2.4	0.44	1.7	3.6	4	1.6	0.83	0.4	8.3
1990	56	3.7	0.52	2.8	5.0	2	0.7	0.55	0.1	7.4
1991	45	2.9	0.46	2.1	4.1	5	1.6	0.74	0.5	7.5
1992	49	2.9	0.43	2.1	4.0	10	4.6	1.84	1.7	11.5
1993	58	3.6	0.50	2.7	4.8	6	1.4	0.58	0.5	6.2
1994	48	3.0	0.44	2.2	4.0	5	1.7	0.78	0.5	6.4
1995	43	2.7	0.42	1.9	3.7	7	2.0	0.78	0.8	6.3
1996	59	3.5	0.48	2.6	4.6	8	3.1	1.31	1.1	8.0
1997	49	3.0	0.44	2.2	4.0	7	2.3	0.94	0.8	6.4
1998	43	2.7	0.43	2.0	3.8	7	2.4	1.14	0.7	6.7
1999	47	3.0	0.45	2.2	4.1	7	2.2	1.00	0.7	6.1
2000	35	2.0	0.35	1.4	2.9	12	2.6	0.82	1.3	5.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	370	4.6	0.31	4.0	5.3	15,238	11.7	0.10	11.5	11.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	26	5.5	1.37	3.1	9.7	1,026	9.9	0.32	9.3	10.6
1990	22	4.0	1.08	2.1	7.6	1,009	9.7	0.31	9.1	10.3
1991	35	5.0	1.20	2.9	8.7	1,046	10.0	0.31	9.4	10.7
1992	25	3.4	0.76	2.1	6.3	1,124	10.6	0.32	9.9	11.2
1993	25	4.0	0.96	2.4	7.2	1,073	9.9	0.30	9.3	10.5
1994	31	4.4	0.96	2.7	7.4	1,282	11.8	0.33	11.2	12.5
1995	38	5.6	1.09	3.7	8.8	1,265	11.6	0.33	11.0	12.3
1996	39	5.4	1.14	3.4	8.7	1,372	12.5	0.34	11.8	13.2
1997	32	4.1	0.98	2.4	7.0	1,467	13.3	0.35	12.6	13.9
1998	30	4.7	1.12	2.8	7.9	1,460	13.1	0.34	12.4	13.8
1999	34	5.1	1.16	3.1	8.3	1,520	13.6	0.35	12.9	14.3
2000	33	4.0	0.82	2.6	6.5	1,594	14.2	0.36	13.5	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,133	3.1	0.04	3.0	3.2	4,888	3.4	0.05	3.3	3.5
1986	298	2.9	0.17	2.6	3.3	283	3.1	0.19	2.8	3.5
1987	304	2.9	0.17	2.6	3.3	286	3.1	0.19	2.8	3.5
1988	330	3.2	0.18	2.8	3.5	311	3.4	0.19	3.0	3.8
1989	306	2.9	0.17	2.6	3.2	286	3.1	0.18	2.7	3.5
1990	341	3.2	0.17	2.8	3.6	317	3.4	0.19	3.0	3.8
1991	329	3.0	0.17	2.7	3.4	311	3.3	0.19	2.9	3.7
1992	336	3.0	0.17	2.7	3.4	320	3.3	0.19	3.0	3.7
1993	370	3.3	0.17	3.0	3.7	356	3.7	0.20	3.3	4.1
1994	346	3.0	0.16	2.7	3.4	331	3.3	0.18	3.0	3.7
1995	350	3.1	0.16	2.8	3.4	337	3.4	0.19	3.0	3.8
1996	358	3.1	0.16	2.8	3.4	341	3.4	0.19	3.1	3.8
1997	358	3.1	0.16	2.8	3.4	341	3.4	0.18	3.0	3.8
1998	368	3.1	0.16	2.8	3.5	354	3.5	0.19	3.2	3.9
1999	366	3.1	0.16	2.8	3.4	358	3.5	0.18	3.1	3.9
2000	373	3.1	0.16	2.8	3.4	356	3.4	0.18	3.1	3.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	227	1.2	0.08	1.0	1.4	18	0.6	0.16	0.3	1.1
1986	14	1.2	0.34	0.7	2.2	1	0.6	0.60	0.0	8.6
1987	17	1.5	0.38	0.9	2.6	1	0.4	0.39	0.0	7.9
1988	19	1.7	0.39	1.0	2.7	0	0.0	~	0.0	7.2
1989	20	1.7	0.39	1.0	2.7	0	0.0	~	0.0	6.8
1990	23	1.9	0.40	1.2	2.9	1	1.8	1.83	0.0	10.2
1991	18	1.5	0.36	0.8	2.4	0	0.0	~	0.0	6.0
1992	15	1.2	0.31	0.6	2.0	1	0.4	0.35	0.0	5.8
1993	12	0.9	0.27	0.4	1.7	2	1.7	1.39	0.1	7.8
1994	15	1.3	0.34	0.7	2.2	0	0.0	~	0.0	4.6
1995	11	0.8	0.26	0.4	1.6	2	0.7	0.48	0.1	4.8
1996	15	1.0	0.26	0.5	1.7	2	0.4	0.31	0.0	4.2
1997	15	1.1	0.29	0.6	1.9	2	1.0	0.73	0.1	5.0
1998	12	0.8	0.25	0.4	1.5	2	0.4	0.32	0.0	3.8
1999	7	0.5	0.20	0.2	1.1	1	0.3	0.26	0.0	3.4
2000	14	1.0	0.26	0.5	1.7	3	0.8	0.53	0.1	3.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	72	1.2	0.16	0.8	1.6	5091	3.2	0.04	3.1	3.3
1986	4	1.4	0.77	0.3	5.2	294	3.0	0.18	2.6	3.3
1987	3	0.9	0.67	0.1	4.4	316	3.1	0.18	2.8	3.5
1988	1	0.3	0.31	0.0	3.3	333	3.3	0.18	2.9	3.7
1989	3	0.6	0.38	0.1	3.5	313	3.0	0.17	2.7	3.4
1990	2	0.4	0.26	0.0	3.1	343	3.3	0.18	3.0	3.7
1991	6	1.6	0.80	0.4	4.8	318	3.0	0.17	2.7	3.4
1992	6	2.1	1.02	0.6	5.6	338	3.2	0.17	2.8	3.5
1993	6	1.7	0.73	0.6	4.6	362	3.4	0.18	3.0	3.7
1994	5	0.8	0.36	0.2	3.1	354	3.2	0.17	2.9	3.6
1995	3	0.6	0.51	0.0	3.2	337	3.1	0.17	2.8	3.4
1996	4	0.5	0.27	0.1	2.6	362	3.3	0.17	3.0	3.7
1997	8	1.6	0.67	0.6	4.1	355	3.2	0.17	2.9	3.5
1998	8	1.7	0.70	0.6	4.2	352	3.1	0.17	2.8	3.5
1999	5	1.1	0.61	0.2	3.5	355	3.1	0.17	2.8	3.5
2000	8	1.7	0.70	0.6	4.1	359	3.1	0.17	2.8	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,441	13.9	0.14	13.6	14.2	9,647	14.9	0.16	14.6	15.2
1986	505	10.8	0.50	9.9	11.9	482	11.9	0.56	10.8	13.1
1987	489	10.1	0.47	9.2	11.1	469	11.1	0.53	10.1	12.3
1988	458	9.4	0.46	8.5	10.4	431	10.2	0.51	9.3	11.3
1989	611	12.6	0.53	11.6	13.7	578	13.8	0.59	12.7	15.0
1990	589	12.1	0.52	11.2	13.2	533	12.8	0.57	11.7	14.0
1991	619	12.5	0.52	11.5	13.6	571	13.4	0.57	12.3	14.6
1992	684	13.6	0.54	12.6	14.7	634	14.7	0.60	13.6	16.0
1993	646	12.7	0.51	11.7	13.7	587	13.4	0.57	12.3	14.6
1994	754	14.8	0.55	13.8	16.0	689	15.8	0.61	14.6	17.1
1995	775	15.1	0.56	14.1	16.3	723	16.5	0.62	15.3	17.7
1996	784	15.0	0.55	14.0	16.1	713	16.0	0.61	14.9	17.3
1997	866	16.6	0.57	15.5	17.8	794	17.8	0.64	16.6	19.1
1998	840	16.3	0.57	15.2	17.5	769	17.4	0.63	16.2	18.7
1999	918	17.4	0.58	16.3	18.6	849	18.9	0.65	17.6	20.2
2000	903	17.0	0.57	15.9	18.2	825	18.2	0.64	17.0	19.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	428	4.0	0.21	3.6	4.5	53	2.6	0.43	1.8	3.9
1986	6	0.9	0.39	0.3	2.9	3	2.8	1.70	0.5	22.7
1987	7	0.9	0.37	0.3	2.8	2	1.3	0.92	0.2	20.0
1988	15	2.5	0.71	1.3	4.8	1	0.5	0.47	0.0	18.1
1989	24	3.7	0.82	2.3	6.3	3	2.9	1.71	0.6	19.4
1990	46	7.0	1.11	4.9	10.0	2	1.6	1.19	0.2	18.2
1991	35	5.1	0.94	3.4	7.8	1	1.0	1.00	0.0	16.0
1992	35	4.5	0.78	3.1	6.8	7	5.4	2.19	2.0	19.3
1993	45	6.4	1.04	4.5	9.2	5	2.4	1.07	0.8	14.7
1994	40	5.6	0.94	3.9	8.2	4	3.1	1.64	0.8	15.5
1995	30	4.3	0.84	2.8	6.7	3	1.4	0.84	0.3	12.6
1996	41	5.1	0.82	3.6	7.4	3	2.0	1.26	0.3	13.0
1997	27	3.5	0.74	2.2	5.7	4	2.8	1.50	0.7	13.2
1998	26	3.4	0.68	2.2	5.4	5	5.1	3.01	1.0	17.3
1999	30	4.0	0.75	2.7	6.1	5	2.3	1.05	0.7	11.3
2000	21	2.7	0.60	1.7	4.6	5	2.8	1.44	0.8	11.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	238	6.0	0.55	4.9	7.3	8,751	15.2	0.17	14.9	15.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	14	4.9	1.86	2.0	13.3	597	13.0	0.55	11.9	14.1
1990	16	6.0	2.12	2.6	14.8	573	12.5	0.54	11.4	13.6
1991	29	6.6	1.86	3.5	14.6	590	12.7	0.54	11.6	13.8
1992	15	3.7	1.11	1.8	10.4	669	14.1	0.56	13.0	15.3
1993	18	6.8	2.06	3.4	14.7	628	13.1	0.53	12.0	14.2
1994	23	6.9	2.02	3.5	14.5	731	15.3	0.58	14.2	16.5
1995	25	8.2	2.00	4.8	15.5	750	15.6	0.58	14.4	16.8
1996	24	6.0	1.86	2.9	13.0	760	15.5	0.57	14.4	16.7
1997	20	3.6	0.98	1.9	9.2	846	17.3	0.60	16.1	18.5
1998	18	6.7	2.22	3.1	14.0	822	16.9	0.60	15.8	18.2
1999	21	8.1	2.54	3.9	15.9	897	18.2	0.61	17.0	19.4
2000	15	3.9	1.27	1.8	9.3	888	17.9	0.61	16.7	19.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,176	4.5	0.08	4.4	4.7	3,009	4.9	0.09	4.7	5.1
1986	175	3.9	0.31	3.3	4.5	166	4.2	0.34	3.5	4.9
1987	191	4.4	0.33	3.8	5.1	178	4.6	0.36	4.0	5.4
1988	205	4.6	0.34	4.0	5.4	190	4.9	0.37	4.2	5.7
1989	184	4.2	0.33	3.6	4.9	171	4.5	0.36	3.8	5.3
1990	202	4.5	0.33	3.8	5.2	181	4.6	0.35	3.9	5.4
1991	205	4.4	0.31	3.8	5.0	190	4.6	0.35	4.0	5.4
1992	215	4.7	0.33	4.1	5.4	204	5.1	0.37	4.4	5.9
1993	229	4.8	0.33	4.2	5.5	221	5.3	0.37	4.6	6.1
1994	215	4.6	0.32	4.0	5.3	205	5.0	0.36	4.3	5.8
1995	215	4.6	0.32	4.0	5.2	207	5.0	0.36	4.4	5.8
1996	219	4.4	0.31	3.8	5.1	208	4.9	0.34	4.2	5.6
1997	227	4.6	0.31	4.0	5.2	216	5.0	0.35	4.4	5.8
1998	237	4.8	0.32	4.2	5.5	229	5.4	0.36	4.7	6.1
1999	233	4.8	0.32	4.2	5.4	228	5.4	0.36	4.7	6.1
2000	224	4.5	0.31	3.9	5.2	215	5.0	0.34	4.3	5.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	157	1.8	0.15	1.6	2.2	10	0.6	0.22	0.3	1.6
1986	8	1.7	0.63	0.7	4.0	1	1.2	1.21	0.0	21.3
1987	13	2.7	0.76	1.4	5.2	0	0.0	~	0.0	19.0
1988	15	2.9	0.78	1.6	5.4	0	0.0	~	0.0	17.8
1989	13	2.5	0.73	1.2	4.9	0	0.0	~	0.0	16.6
1990	21	3.9	0.89	2.4	6.6	0	0.0	~	0.0	16.8
1991	15	2.9	0.82	1.5	5.4	0	0.0	~	0.0	15.1
1992	11	1.9	0.59	0.9	4.0	0	0.0	~	0.0	13.7
1993	7	0.9	0.36	0.4	2.7	1	0.8	0.75	0.0	13.4
1994	10	2.2	0.72	1.0	4.4	0	0.0	~	0.0	12.3
1995	7	1.2	0.48	0.5	3.1	1	0.7	0.74	0.0	12.1
1996	9	1.3	0.43	0.6	3.0	2	0.9	0.64	0.1	11.6
1997	9	1.5	0.51	0.7	3.4	2	2.5	1.78	0.3	13.4
1998	7	1.1	0.43	0.4	2.8	1	0.5	0.46	0.0	10.0
1999	5	0.8	0.36	0.2	2.4	0	0.0	~	0.0	9.1
2000	7	1.1	0.40	0.4	2.7	2	1.6	1.23	0.1	10.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	49	1.7	0.32	1.1	2.6	3162	4.7	0.09	4.5	4.9
1986	4	3.1	1.81	0.6	12.6	170	3.9	0.31	3.3	4.6
1987	2	1.8	1.63	0.1	11.0	203	4.8	0.35	4.1	5.6
1988	0	0.0	-	0.0	7.9	203	4.8	0.35	4.1	5.5
1989	1	0.4	0.41	0.0	7.9	192	4.6	0.34	3.9	5.3
1990	2	0.7	0.50	0.1	8.2	202	4.6	0.34	4.0	5.4
1991	2	0.2	0.16	0.0	7.3	201	4.4	0.32	3.8	5.2
1992	4	2.9	1.93	0.4	11.1	221	5.0	0.35	4.4	5.8
1993	3	1.2	0.73	0.2	7.9	223	4.9	0.34	4.3	5.6
1994	5	1.5	0.74	0.4	7.8	222	5.0	0.34	4.3	5.7
1995	3	1.6	1.37	0.1	8.6	207	4.6	0.33	4.0	5.3
1996	2	0.5	0.34	0.0	6.2	224	4.8	0.33	4.2	5.5
1997	6	2.3	1.18	0.6	8.4	226	4.8	0.32	4.1	5.4
1998	5	2.8	1.59	0.6	9.4	232	5.0	0.33	4.3	5.7
1999	3	1.7	1.29	0.2	7.7	224	4.8	0.32	4.2	5.5
2000	7	3.6	1.62	1.1	9.6	212	4.5	0.31	3.9	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,905	8.5	0.10	8.4	8.7	7,416	9.6	0.11	9.3	9.8
1986	408	7.2	0.37	6.5	8.0	380	7.9	0.42	7.1	8.8
1987	425	7.4	0.37	6.7	8.2	404	8.3	0.43	7.5	9.2
1988	453	7.8	0.38	7.1	8.6	429	8.7	0.43	7.9	9.6
1989	441	7.4	0.36	6.7	8.2	422	8.4	0.42	7.6	9.2
1990	442	7.4	0.36	6.7	8.1	430	8.5	0.42	7.7	9.4
1991	462	7.8	0.37	7.1	8.5	443	8.9	0.43	8.0	9.8
1992	465	7.6	0.36	6.9	8.3	440	8.5	0.41	7.7	9.4
1993	452	7.3	0.34	6.6	8.0	435	8.3	0.40	7.5	9.1
1994	559	8.9	0.38	8.2	9.7	534	10.1	0.44	9.3	11.0
1995	528	8.4	0.37	7.7	9.2	489	9.3	0.43	8.5	10.2
1996	627	9.8	0.40	9.1	10.7	581	10.9	0.46	10.1	11.9
1997	633	9.9	0.40	9.1	10.7	577	10.8	0.46	10.0	11.8
1998	650	9.9	0.39	9.2	10.8	591	10.9	0.45	10.0	11.8
1999	636	9.7	0.39	9.0	10.5	596	11.0	0.46	10.2	12.0
2000	724	11.0	0.41	10.3	11.9	665	12.3	0.48	11.4	13.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	197	1.6	0.12	1.4	1.9	39	1.7	0.33	1.2	2.6
1986	13	2.0	0.58	1.0	3.6	4	3.3	1.65	0.9	16.6
1987	10	1.3	0.42	0.6	2.6	2	1.6	1.21	0.2	14.3
1988	8	1.2	0.42	0.5	2.4	0	0.0	-	0.0	12.0
1989	10	1.4	0.46	0.7	2.7	1	0.5	0.53	0.0	11.8
1990	10	1.3	0.42	0.6	2.5	0	0.0	-	0.0	11.2
1991	10	1.3	0.41	0.6	2.4	4	2.2	1.14	0.6	12.1
1992	14	1.6	0.45	0.9	2.9	3	3.7	2.60	0.5	14.8
1993	13	1.5	0.43	0.8	2.7	1	0.5	0.53	0.0	8.5
1994	8	0.9	0.33	0.4	1.9	1	0.5	0.48	0.0	7.8
1995	13	1.4	0.40	0.7	2.5	4	2.4	1.20	0.6	9.2
1996	18	2.1	0.50	1.2	3.4	5	3.8	1.93	1.0	11.2
1997	22	2.5	0.54	1.6	3.9	3	1.8	1.15	0.3	8.0
1998	17	2.1	0.51	1.2	3.4	2	0.8	0.55	0.1	5.9
1999	17	2.0	0.50	1.2	3.3	2	1.7	1.33	0.1	7.5
2000	14	1.5	0.39	0.8	2.5	7	2.6	1.01	1.0	7.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	132	3.4	0.35	2.7	4.2	6,487	9.2	0.12	8.9	9.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	12	5.8	1.95	2.6	12.1	429	7.6	0.37	6.9	8.4
1990	6	2.2	1.08	0.6	7.1	436	7.6	0.37	6.9	8.4
1991	6	2.9	1.48	0.8	8.4	456	8.1	0.38	7.3	8.9
1992	10	3.1	1.04	1.4	7.6	455	7.8	0.37	7.1	8.6
1993	7	1.8	0.72	0.7	5.6	445	7.5	0.36	6.8	8.3
1994	8	2.3	0.84	1.0	6.1	551	9.3	0.40	8.5	10.1
1995	13	3.2	1.07	1.5	7.3	515	8.7	0.39	7.9	9.5
1996	15	4.7	1.47	2.2	9.3	612	10.2	0.42	9.4	11.1
1997	12	4.0	1.45	1.7	8.7	621	10.4	0.42	9.6	11.2
1998	12	3.2	1.16	1.4	7.2	638	10.4	0.42	9.6	11.3
1999	13	3.0	1.01	1.3	6.7	623	10.3	0.41	9.5	11.1
2000	18	4.2	1.09	2.4	7.9	706	11.6	0.44	10.8	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Skin Excluding Basal and Squamous, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,957	2.0	0.05	1.9	2.1	1,879	2.3	0.05	2.2	2.4
1986	123	2.2	0.20	1.8	2.6	117	2.3	0.22	1.9	2.8
1987	113	1.9	0.18	1.6	2.3	108	2.1	0.20	1.7	2.5
1988	125	2.1	0.19	1.7	2.5	121	2.3	0.22	1.9	2.8
1989	122	2.0	0.18	1.6	2.4	115	2.2	0.21	1.8	2.6
1990	139	2.3	0.20	1.9	2.7	136	2.6	0.22	2.1	3.0
1991	124	2.0	0.18	1.6	2.3	121	2.2	0.20	1.8	2.6
1992	121	1.9	0.18	1.6	2.3	116	2.1	0.20	1.8	2.6
1993	141	2.2	0.19	1.8	2.6	135	2.5	0.22	2.0	2.9
1994	131	2.0	0.17	1.6	2.4	126	2.2	0.20	1.8	2.6
1995	135	2.0	0.18	1.7	2.4	130	2.3	0.20	1.9	2.7
1996	139	2.1	0.18	1.8	2.5	133	2.3	0.21	2.0	2.8
1997	131	1.9	0.17	1.6	2.3	125	2.1	0.19	1.8	2.6
1998	131	2.0	0.17	1.6	2.4	125	2.2	0.20	1.8	2.7
1999	133	1.9	0.17	1.6	2.3	130	2.2	0.20	1.8	2.6
2000	149	2.1	0.18	1.8	2.5	141	2.4	0.20	2.0	2.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	70	0.7	0.08	0.5	0.8	8	0.5	0.21	0.2	1.2
1986	6	1.0	0.40	0.4	2.2	0	0.0	~	0.0	13.4
1987	4	0.7	0.34	0.2	1.9	1	0.8	0.75	0.0	13.3
1988	4	0.7	0.35	0.2	1.9	0	0.0	~	0.0	12.0
1989	7	1.0	0.41	0.4	2.3	0	0.0	~	0.0	11.4
1990	2	0.3	0.23	0.0	1.3	1	3.0	3.05	0.1	17.0
1991	3	0.5	0.29	0.1	1.5	0	0.0	~	0.0	10.0
1992	4	0.6	0.29	0.2	1.6	1	0.7	0.72	0.0	9.7
1993	5	0.8	0.35	0.2	1.9	1	2.2	2.18	0.1	12.2
1994	5	0.7	0.32	0.2	1.7	0	0.0	~	0.0	7.3
1995	4	0.5	0.26	0.1	1.4	1	0.6	0.63	0.0	7.2
1996	6	0.7	0.30	0.3	1.7	0	0.0	~	0.0	5.8
1997	6	0.7	0.31	0.3	1.7	0	0.0	~	0.0	5.6
1998	5	0.6	0.27	0.2	1.5	1	0.4	0.44	0.0	5.6
1999	2	0.3	0.19	0.0	1.0	1	0.5	0.49	0.0	5.3
2000	7	0.8	0.32	0.3	1.8	1	0.3	0.29	0.0	4.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	23	0.7	0.17	0.4	1.2	1929	2.1	0.05	2.0	2.2
1986	0	0.0	-	0.0	5.4	124	2.2	0.21	1.9	2.7
1987	1	0.4	0.42	0.0	5.5	113	2.0	0.19	1.6	2.4
1988	1	0.6	0.59	0.0	5.5	130	2.3	0.20	1.9	2.7
1989	2	0.8	0.62	0.1	5.4	121	2.0	0.19	1.7	2.5
1990	0	0.0	-	0.0	4.2	141	2.4	0.20	2.0	2.8
1991	4	2.5	1.32	0.6	7.7	117	1.9	0.18	1.6	2.3
1992	2	1.5	1.13	0.1	6.4	117	1.9	0.18	1.6	2.3
1993	3	1.8	1.09	0.4	6.4	139	2.3	0.20	1.9	2.7
1994	0	0.0	-	0.0	3.5	132	2.1	0.18	1.7	2.5
1995	0	0.0	-	0.0	3.4	130	2.0	0.18	1.7	2.4
1996	2	0.6	0.41	0.1	3.8	138	2.2	0.19	1.8	2.6
1997	2	1.0	0.74	0.1	4.6	129	2.0	0.18	1.6	2.4
1998	3	0.9	0.55	0.2	4.1	120	1.9	0.18	1.6	2.3
1999	2	0.7	0.61	0.0	4.0	131	2.0	0.18	1.7	2.4
2000	1	0.2	0.15	0.0	2.9	147	2.2	0.18	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Melanomas of the Skin, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	15,460	9.1	0.07	9.0	9.3	14,760	10.2	0.08	10.1	10.4
1986	801	7.7	0.28	7.1	8.2	766	8.5	0.31	7.9	9.1
1987	816	7.7	0.27	7.1	8.2	789	8.6	0.31	8.0	9.3
1988	775	7.3	0.26	6.7	7.8	744	8.1	0.30	7.5	8.7
1989	860	8.0	0.28	7.4	8.5	839	9.1	0.32	8.4	9.7
1990	809	7.4	0.26	6.9	7.9	790	8.4	0.30	7.8	9.1
1991	874	8.0	0.27	7.5	8.6	846	9.1	0.32	8.5	9.7
1992	915	8.2	0.27	7.7	8.8	892	9.3	0.32	8.7	10.0
1993	846	7.4	0.26	6.9	8.0	829	8.5	0.30	8.0	9.1
1994	1,061	9.3	0.29	8.7	9.9	1,018	10.4	0.33	9.8	11.1
1995	1,100	9.5	0.29	9.0	10.1	1,047	10.7	0.33	10.1	11.4
1996	1,181	10.1	0.30	9.6	10.7	1,124	11.4	0.34	10.7	12.1
1997	1,305	11.1	0.31	10.5	11.7	1,218	12.2	0.35	11.5	12.9
1998	1,307	11.0	0.30	10.4	11.6	1,217	12.1	0.35	11.4	12.8
1999	1,369	11.4	0.31	10.8	12.1	1,299	12.9	0.36	12.2	13.6
2000	1,441	11.9	0.32	11.3	12.6	1,342	13.2	0.36	12.5	14.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	139	0.7	0.06	0.6	0.9	59	1.4	0.20	1.0	1.9
1986	7	0.7	0.28	0.3	1.6	5	2.2	1.02	0.7	10.3
1987	8	0.7	0.25	0.3	1.5	2	0.9	0.65	0.1	8.4
1988	7	0.6	0.22	0.2	1.3	0	0.0	-	0.0	7.2
1989	8	0.6	0.22	0.2	1.3	3	1.3	0.79	0.3	8.1
1990	10	0.9	0.29	0.4	1.7	2	0.7	0.55	0.1	7.4
1991	10	0.8	0.27	0.4	1.6	3	1.1	0.62	0.2	7.0
1992	9	0.6	0.20	0.3	1.3	5	2.9	1.64	0.6	9.6
1993	4	0.3	0.13	0.1	0.8	2	0.5	0.34	0.1	5.3
1994	9	0.7	0.23	0.3	1.4	3	1.0	0.62	0.2	5.7
1995	9	0.7	0.25	0.3	1.5	5	1.4	0.68	0.4	5.7
1996	9	0.8	0.28	0.4	1.6	6	1.8	0.78	0.6	5.9
1997	15	1.0	0.28	0.6	1.8	2	0.7	0.49	0.1	4.4
1998	10	0.8	0.24	0.4	1.4	6	1.5	0.70	0.5	5.1
1999	16	1.1	0.29	0.6	1.9	7	2.2	1.00	0.7	6.1
2000	8	0.5	0.20	0.2	1.1	8	1.7	0.61	0.7	4.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	185	2.6	0.24	2.2	3.1	12,883	9.9	0.09	9.8	10.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	12	3.0	1.10	1.3	6.8	848	8.2	0.29	7.7	8.8
1990	10	2.3	0.90	0.9	5.7	799	7.7	0.28	7.2	8.2
1991	10	2.0	0.92	0.7	5.5	864	8.3	0.29	7.8	8.9
1992	12	2.1	0.65	1.1	4.9	903	8.5	0.29	8.0	9.1
1993	10	1.9	0.64	0.8	4.6	836	7.8	0.27	7.2	8.3
1994	12	2.4	0.81	1.1	5.3	1,049	9.7	0.30	9.1	10.3
1995	23	3.7	0.90	2.2	6.7	1,077	9.9	0.30	9.3	10.5
1996	11	1.0	0.31	0.5	3.0	1,170	10.7	0.31	10.1	11.3
1997	17	2.7	0.85	1.3	5.5	1,288	11.7	0.32	11.0	12.3
1998	21	3.5	0.95	1.9	6.4	1,286	11.5	0.32	10.9	12.2
1999	19	2.5	0.75	1.3	5.0	1,350	12.1	0.33	11.4	12.7
2000	28	3.6	0.80	2.3	6.1	1,413	12.6	0.34	11.9	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Melanomas of the Skin, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,885	2.3	0.04	2.2	2.4	3,806	2.6	0.04	2.5	2.7
1986	216	2.1	0.15	1.8	2.4	212	2.4	0.16	2.0	2.7
1987	212	2.0	0.14	1.8	2.4	207	2.3	0.16	2.0	2.6
1988	261	2.5	0.16	2.2	2.8	256	2.8	0.18	2.4	3.2
1989	220	2.1	0.14	1.8	2.4	214	2.3	0.16	2.0	2.7
1990	253	2.4	0.15	2.1	2.7	248	2.7	0.17	2.3	3.0
1991	241	2.2	0.14	1.9	2.5	236	2.5	0.16	2.2	2.8
1992	266	2.4	0.15	2.1	2.7	261	2.7	0.17	2.4	3.1
1993	282	2.5	0.15	2.2	2.8	276	2.9	0.17	2.6	3.2
1994	267	2.4	0.14	2.1	2.6	263	2.7	0.16	2.4	3.0
1995	263	2.3	0.14	2.0	2.6	257	2.6	0.16	2.3	3.0
1996	282	2.4	0.15	2.2	2.8	276	2.8	0.17	2.5	3.1
1997	270	2.3	0.14	2.0	2.6	264	2.6	0.16	2.3	3.0
1998	291	2.5	0.15	2.2	2.8	287	2.9	0.17	2.5	3.2
1999	281	2.4	0.14	2.1	2.7	276	2.7	0.16	2.4	3.0
2000	280	2.3	0.14	2.1	2.6	273	2.7	0.16	2.4	3.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	67	0.4	0.05	0.3	0.5	12	0.3	0.12	0.1	0.7
1986	4	0.3	0.17	0.1	1.0	0	0.0	~	0.0	8.1
1987	4	0.4	0.21	0.1	1.2	1	0.4	0.39	0.0	7.9
1988	5	0.5	0.21	0.1	1.2	0	0.0	~	0.0	7.2
1989	6	0.5	0.22	0.2	1.3	0	0.0	~	0.0	6.8
1990	5	0.5	0.22	0.2	1.2	0	0.0	~	0.0	6.7
1991	5	0.5	0.23	0.2	1.2	0	0.0	~	0.0	6.0
1992	4	0.3	0.15	0.1	0.9	1	0.4	0.35	0.0	5.8
1993	5	0.4	0.20	0.1	1.1	1	1.3	1.34	0.0	7.4
1994	4	0.3	0.17	0.1	0.9	0	0.0	~	0.0	4.6
1995	4	0.3	0.16	0.1	0.9	2	0.7	0.48	0.1	4.8
1996	4	0.3	0.15	0.1	0.8	2	0.4	0.31	0.0	4.2
1997	5	0.4	0.18	0.1	1.0	1	0.6	0.58	0.0	4.4
1998	2	0.1	0.08	0.0	0.6	2	0.4	0.32	0.0	3.8
1999	4	0.3	0.15	0.1	0.8	1	0.3	0.26	0.0	3.4
2000	6	0.4	0.19	0.2	1.0	1	0.2	0.15	0.0	2.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	52	0.8	0.14	0.6	1.2	3839	2.4	0.04	2.3	2.5
1986	1	0.2	0.21	0.0	3.6	216	2.2	0.15	1.9	2.5
1987	3	0.9	0.67	0.1	4.4	211	2.1	0.15	1.8	2.4
1988	1	0.3	0.31	0.0	3.3	261	2.6	0.16	2.3	2.9
1989	2	0.3	0.25	0.0	3.1	232	2.3	0.15	2.0	2.6
1990	1	0.2	0.16	0.0	2.9	261	2.5	0.16	2.2	2.9
1991	5	1.5	0.80	0.4	4.8	241	2.3	0.15	2.0	2.6
1992	4	1.3	0.77	0.3	4.4	269	2.5	0.16	2.2	2.9
1993	4	1.1	0.60	0.3	3.8	275	2.6	0.16	2.3	2.9
1994	2	0.4	0.29	0.0	2.7	265	2.4	0.15	2.1	2.7
1995	2	0.6	0.51	0.0	3.1	255	2.3	0.15	2.0	2.6
1996	4	0.5	0.27	0.1	2.6	272	2.5	0.15	2.2	2.8
1997	4	0.7	0.43	0.1	2.9	260	2.3	0.15	2.1	2.6
1998	7	1.5	0.68	0.5	4.0	275	2.5	0.15	2.2	2.8
1999	4	0.8	0.51	0.1	3.0	275	2.4	0.15	2.2	2.7
2000	8	1.7	0.70	0.6	4.1	271	2.4	0.14	2.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Melanomas of the Skin, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,488	11.4	0.13	11.1	11.6	8,119	12.6	0.14	12.3	12.9
1986	448	9.6	0.47	8.7	10.6	431	10.6	0.53	9.6	11.8
1987	422	8.8	0.44	7.9	9.7	411	9.8	0.50	8.8	10.8
1988	375	7.8	0.41	7.0	8.6	360	8.6	0.46	7.7	9.5
1989	478	10.0	0.47	9.1	11.0	467	11.3	0.54	10.3	12.4
1990	419	8.8	0.44	8.0	9.8	403	9.8	0.50	8.8	10.8
1991	471	9.7	0.46	8.9	10.7	458	10.9	0.52	9.9	12.0
1992	501	10.2	0.47	9.3	11.2	491	11.5	0.53	10.5	12.6
1993	469	9.4	0.44	8.5	10.3	457	10.5	0.50	9.6	11.6
1994	559	11.2	0.48	10.3	12.2	535	12.4	0.55	11.3	13.5
1995	636	12.5	0.51	11.6	13.6	611	14.0	0.57	12.9	15.2
1996	640	12.4	0.50	11.4	13.4	609	13.7	0.56	12.6	14.9
1997	739	14.2	0.53	13.2	15.3	694	15.5	0.59	14.4	16.7
1998	736	14.3	0.53	13.2	15.4	692	15.6	0.60	14.4	16.8
1999	802	15.2	0.54	14.1	16.3	758	16.8	0.61	15.6	18.0
2000	793	14.8	0.53	13.8	15.9	742	16.3	0.60	15.1	17.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	60	0.7	0.10	0.6	1.0	32	1.5	0.29	1.0	2.5
1986	2	0.3	0.26	0.0	2.2	2	2.3	1.61	0.3	22.3
1987	1	0.2	0.21	0.0	2.0	1	0.7	0.65	0.0	19.5
1988	5	1.1	0.52	0.3	3.2	0	0.0	-	0.0	17.8
1989	5	0.8	0.36	0.2	2.6	3	2.9	1.71	0.6	19.4
1990	8	1.8	0.65	0.7	4.1	2	1.6	1.19	0.2	18.2
1991	2	0.6	0.49	0.1	2.7	1	1.0	1.00	0.0	16.0
1992	3	0.4	0.25	0.1	2.1	3	2.5	1.45	0.5	16.1
1993	2	0.3	0.23	0.0	2.0	1	0.4	0.44	0.0	13.0
1994	5	1.0	0.44	0.3	2.8	2	1.7	1.30	0.2	14.1
1995	4	1.0	0.52	0.2	3.0	2	0.8	0.58	0.1	12.0
1996	3	0.6	0.33	0.1	2.2	2	1.5	1.16	0.1	12.5
1997	5	0.9	0.48	0.2	2.8	1	1.0	1.04	0.0	11.4
1998	4	0.7	0.37	0.2	2.4	4	2.5	1.50	0.5	12.5
1999	8	1.1	0.39	0.4	2.7	5	2.3	1.05	0.7	11.3
2000	3	0.5	0.28	0.1	2.0	3	1.3	0.74	0.3	9.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	86	2.8	0.38	2.1	3.7	7,157	12.5	0.15	12.2	12.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.7	0.47	0.1	8.1	476	10.5	0.49	9.5	11.5
1990	4	2.5	1.68	0.4	11.1	415	9.2	0.46	8.3	10.1
1991	5	1.0	0.47	0.3	7.9	466	10.1	0.48	9.2	11.1
1992	4	1.8	0.92	0.5	8.6	497	10.6	0.49	9.7	11.7
1993	6	2.9	1.22	1.0	9.8	463	9.8	0.46	8.9	10.7
1994	6	3.5	1.77	0.9	11.0	553	11.7	0.51	10.7	12.7
1995	12	4.8	1.48	2.3	11.4	624	13.0	0.53	12.0	14.1
1996	6	0.9	0.36	0.3	6.5	634	13.0	0.52	12.0	14.1
1997	8	1.9	0.82	0.7	7.5	731	14.9	0.56	13.9	16.1
1998	10	4.0	1.61	1.5	10.4	726	14.9	0.56	13.8	16.1
1999	11	3.8	1.59	1.4	10.0	791	16.0	0.57	14.9	17.1
2000	12	3.5	1.26	1.5	8.9	781	15.6	0.56	14.5	16.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Melanomas of the Skin, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,315	3.2	0.07	3.1	3.4	2,283	3.7	0.08	3.5	3.8
1986	118	2.6	0.25	2.1	3.1	116	2.9	0.28	2.4	3.5
1987	123	2.8	0.26	2.3	3.4	122	3.1	0.29	2.6	3.8
1988	156	3.5	0.29	3.0	4.2	153	3.9	0.33	3.3	4.6
1989	129	2.9	0.27	2.4	3.5	124	3.2	0.30	2.6	3.8
1990	139	3.0	0.27	2.5	3.6	136	3.4	0.30	2.8	4.0
1991	144	3.0	0.26	2.5	3.6	142	3.4	0.29	2.8	4.0
1992	165	3.6	0.29	3.0	4.2	163	4.1	0.33	3.4	4.8
1993	166	3.4	0.28	2.9	4.0	165	4.0	0.31	3.4	4.6
1994	161	3.4	0.28	2.9	4.0	159	3.9	0.31	3.3	4.6
1995	155	3.1	0.26	2.6	3.7	153	3.6	0.29	3.0	4.2
1996	173	3.4	0.27	3.0	4.0	171	3.9	0.31	3.4	4.6
1997	159	3.1	0.25	2.6	3.6	158	3.6	0.29	3.0	4.2
1998	189	3.8	0.28	3.2	4.4	187	4.3	0.32	3.7	5.0
1999	172	3.4	0.26	2.9	4.0	169	3.9	0.30	3.3	4.5
2000	166	3.3	0.26	2.8	3.8	165	3.8	0.30	3.2	4.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	27	0.3	0.07	0.2	0.5	5	0.3	0.15	0.1	1.2
1986	2	0.3	0.24	0.0	2.2	0	0.0	~	0.0	20.2
1987	1	0.2	0.20	0.0	2.0	0	0.0	~	0.0	19.0
1988	3	0.5	0.28	0.1	2.3	0	0.0	~	0.0	17.8
1989	5	1.2	0.57	0.4	3.4	0	0.0	~	0.0	16.6
1990	3	0.7	0.40	0.1	2.6	0	0.0	~	0.0	16.8
1991	2	0.5	0.39	0.0	2.4	0	0.0	~	0.0	15.1
1992	2	0.3	0.22	0.0	2.0	0	0.0	~	0.0	13.7
1993	1	0.1	0.10	0.0	1.7	0	0.0	~	0.0	12.7
1994	2	0.3	0.23	0.0	1.9	0	0.0	~	0.0	12.3
1995	1	0.2	0.15	0.0	1.7	1	0.7	0.74	0.0	12.1
1996	0	0.0	~	0.0	1.5	2	0.9	0.64	0.1	11.6
1997	0	0.0	~	0.0	1.5	1	1.4	1.44	0.0	12.2
1998	1	0.1	0.12	0.0	1.5	1	0.5	0.46	0.0	10.0
1999	3	0.5	0.31	0.1	2.0	0	0.0	~	0.0	9.1
2000	1	0.1	0.14	0.0	1.5	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	33	1.3	0.29	0.8	2.1	2283	3.3	0.07	3.2	3.5
1986	1	0.4	0.41	0.0	9.0	116	2.6	0.25	2.1	3.2
1987	2	1.8	1.63	0.1	11.0	122	2.9	0.27	2.4	3.5
1988	0	0.0	-	0.0	7.9	156	3.6	0.30	3.1	4.3
1989	1	0.4	0.41	0.0	7.9	138	3.3	0.29	2.7	3.9
1990	1	0.3	0.31	0.0	7.9	143	3.3	0.28	2.7	3.9
1991	1	0.1	0.11	0.0	7.2	142	3.1	0.27	2.6	3.7
1992	3	2.7	1.92	0.3	11.0	170	3.9	0.31	3.3	4.5
1993	2	0.8	0.53	0.1	7.3	163	3.6	0.28	3.0	4.2
1994	2	0.8	0.60	0.1	7.2	157	3.5	0.29	3.0	4.1
1995	2	1.5	1.36	0.1	8.4	148	3.1	0.26	2.6	3.7
1996	2	0.5	0.34	0.0	6.2	166	3.5	0.28	3.0	4.1
1997	2	0.2	0.18	0.0	5.7	154	3.2	0.26	2.7	3.7
1998	4	2.4	1.54	0.4	8.9	183	3.9	0.29	3.3	4.5
1999	3	1.7	1.29	0.2	7.7	167	3.5	0.27	3.0	4.1
2000	7	3.6	1.62	1.1	9.6	158	3.3	0.26	2.8	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Melanomas of the Skin, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,972	7.6	0.09	7.4	7.8	6,641	8.6	0.11	8.4	8.8
1986	353	6.3	0.34	5.6	7.0	335	7.0	0.40	6.2	7.8
1987	394	6.9	0.36	6.2	7.6	378	7.8	0.41	7.0	8.7
1988	400	7.0	0.36	6.3	7.7	384	7.9	0.41	7.1	8.7
1989	382	6.5	0.34	5.8	7.2	372	7.5	0.40	6.7	8.3
1990	390	6.5	0.34	5.9	7.2	387	7.7	0.40	6.9	8.5
1991	403	6.8	0.34	6.2	7.5	388	7.8	0.40	7.0	8.7
1992	414	6.8	0.34	6.1	7.5	401	7.8	0.40	7.0	8.6
1993	377	6.1	0.32	5.5	6.8	372	7.1	0.38	6.4	7.9
1994	502	8.1	0.36	7.4	8.8	483	9.2	0.43	8.4	10.1
1995	464	7.4	0.35	6.8	8.1	436	8.4	0.41	7.6	9.2
1996	541	8.5	0.37	7.8	9.3	515	9.8	0.44	8.9	10.7
1997	566	8.9	0.38	8.2	9.7	524	10.0	0.44	9.1	10.9
1998	571	8.8	0.37	8.1	9.6	525	9.8	0.43	8.9	10.7
1999	567	8.7	0.37	8.0	9.5	541	10.1	0.44	9.2	11.0
2000	648	9.9	0.39	9.2	10.7	600	11.2	0.46	10.3	12.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	79	0.7	0.08	0.6	0.9	27	1.2	0.27	0.7	2.0
1986	5	0.9	0.41	0.3	2.2	3	2.3	1.32	0.5	15.5
1987	7	1.0	0.39	0.4	2.2	1	1.1	1.06	0.0	13.7
1988	2	0.2	0.17	0.0	1.1	0	0.0	-	0.0	12.0
1989	3	0.4	0.25	0.1	1.4	0	0.0	-	0.0	11.4
1990	2	0.3	0.22	0.0	1.2	0	0.0	-	0.0	11.2
1991	8	1.0	0.36	0.4	2.1	2	1.2	0.84	0.1	11.1
1992	6	0.7	0.31	0.3	1.7	2	2.9	2.48	0.2	14.0
1993	2	0.2	0.15	0.0	0.9	1	0.5	0.53	0.0	8.5
1994	4	0.5	0.25	0.1	1.4	1	0.5	0.48	0.0	7.8
1995	5	0.6	0.28	0.2	1.5	3	1.9	1.11	0.4	8.7
1996	6	0.9	0.38	0.3	2.0	4	2.2	1.11	0.6	8.4
1997	10	1.2	0.38	0.6	2.3	1	0.4	0.44	0.0	6.0
1998	6	0.8	0.32	0.3	1.7	2	0.8	0.55	0.1	5.9
1999	8	1.1	0.38	0.5	2.1	2	1.7	1.33	0.1	7.5
2000	5	0.6	0.25	0.2	1.4	5	2.1	0.94	0.6	6.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	99	2.5	0.30	2.0	3.3	5,726	8.1	0.11	7.9	8.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	4.8	1.84	1.9	11.0	372	6.6	0.35	6.0	7.4
1990	6	2.2	1.08	0.6	7.1	384	6.8	0.35	6.1	7.5
1991	5	2.6	1.45	0.6	8.1	398	7.1	0.36	6.4	7.8
1992	8	2.6	0.95	1.1	6.9	406	7.0	0.35	6.3	7.7
1993	4	1.0	0.54	0.2	4.8	373	6.4	0.33	5.7	7.0
1994	6	1.9	0.78	0.7	5.7	496	8.4	0.38	7.7	9.2
1995	11	2.9	1.03	1.2	6.9	453	7.7	0.36	7.0	8.4
1996	5	1.0	0.49	0.3	4.3	536	9.0	0.39	8.2	9.8
1997	9	3.1	1.27	1.1	7.4	557	9.4	0.40	8.6	10.2
1998	11	3.1	1.15	1.3	7.1	560	9.3	0.40	8.5	10.1
1999	8	1.6	0.64	0.6	4.7	559	9.2	0.39	8.5	10.0
2000	16	3.9	1.06	2.1	7.5	632	10.4	0.42	9.6	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Melanomas of the Skin, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,570	1.6	0.04	1.6	1.7	1,523	1.9	0.05	1.8	2.0
1986	98	1.7	0.18	1.4	2.1	96	1.9	0.20	1.6	2.4
1987	89	1.5	0.16	1.2	1.9	85	1.7	0.19	1.3	2.1
1988	105	1.8	0.18	1.4	2.2	103	2.0	0.20	1.6	2.5
1989	91	1.5	0.16	1.2	1.9	90	1.8	0.19	1.4	2.2
1990	114	1.9	0.18	1.6	2.3	112	2.2	0.21	1.8	2.6
1991	97	1.5	0.16	1.2	1.9	94	1.7	0.18	1.4	2.2
1992	101	1.6	0.16	1.3	2.0	98	1.8	0.19	1.5	2.2
1993	116	1.9	0.17	1.5	2.2	111	2.1	0.20	1.7	2.5
1994	106	1.6	0.16	1.3	2.0	104	1.8	0.18	1.5	2.2
1995	108	1.7	0.16	1.4	2.0	104	1.9	0.19	1.5	2.3
1996	109	1.6	0.16	1.4	2.0	105	1.9	0.18	1.5	2.3
1997	111	1.6	0.16	1.3	2.0	106	1.8	0.18	1.5	2.2
1998	102	1.6	0.16	1.3	1.9	100	1.8	0.18	1.5	2.2
1999	109	1.6	0.16	1.3	2.0	107	1.9	0.18	1.5	2.3
2000	114	1.7	0.16	1.4	2.0	108	1.9	0.18	1.5	2.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	40	0.4	0.06	0.3	0.5	7	0.4	0.16	0.1	1.0
1986	2	0.3	0.24	0.0	1.4	0	0.0	~	0.0	13.4
1987	3	0.5	0.31	0.1	1.6	1	0.8	0.75	0.0	13.3
1988	2	0.4	0.27	0.0	1.4	0	0.0	~	0.0	12.0
1989	1	0.1	0.08	0.0	0.8	0	0.0	~	0.0	11.4
1990	2	0.3	0.23	0.0	1.3	0	0.0	~	0.0	11.2
1991	3	0.5	0.29	0.1	1.5	0	0.0	~	0.0	10.0
1992	2	0.3	0.20	0.0	1.1	1	0.7	0.72	0.0	9.7
1993	4	0.6	0.31	0.2	1.6	1	2.2	2.18	0.1	12.2
1994	2	0.3	0.21	0.0	1.1	0	0.0	~	0.0	7.3
1995	3	0.4	0.24	0.1	1.3	1	0.6	0.63	0.0	7.2
1996	4	0.5	0.25	0.1	1.4	0	0.0	~	0.0	5.8
1997	5	0.6	0.29	0.2	1.5	0	0.0	~	0.0	5.6
1998	1	0.1	0.11	0.0	0.8	1	0.4	0.44	0.0	5.6
1999	1	0.1	0.13	0.0	0.8	1	0.5	0.49	0.0	5.3
2000	5	0.6	0.28	0.2	1.5	1	0.3	0.29	0.0	4.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19	0.5	0.14	0.3	0.9	1556	1.7	0.04	1.6	1.8
1986	0	0.0	-	0.0	5.4	100	1.8	0.19	1.5	2.2
1987	1	0.4	0.42	0.0	5.5	89	1.6	0.17	1.3	2.0
1988	1	0.6	0.59	0.0	5.5	105	1.8	0.18	1.5	2.2
1989	1	0.3	0.27	0.0	4.7	94	1.6	0.17	1.3	2.0
1990	0	0.0	-	0.0	4.2	118	2.0	0.19	1.7	2.4
1991	4	2.5	1.32	0.6	7.7	99	1.6	0.17	1.3	2.0
1992	1	0.4	0.40	0.0	4.4	99	1.6	0.17	1.3	2.0
1993	2	1.2	0.90	0.1	5.5	112	1.9	0.18	1.6	2.3
1994	0	0.0	-	0.0	3.5	108	1.7	0.17	1.4	2.1
1995	0	0.0	-	0.0	3.4	107	1.7	0.17	1.4	2.1
1996	2	0.6	0.41	0.1	3.8	106	1.7	0.17	1.4	2.0
1997	2	1.0	0.74	0.1	4.6	106	1.6	0.16	1.3	2.0
1998	3	0.9	0.55	0.2	4.1	92	1.5	0.16	1.2	1.8
1999	1	0.1	0.09	0.0	3.0	108	1.7	0.16	1.4	2.0
2000	1	0.2	0.15	0.0	2.9	113	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Breast

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	119,368	71.7	0.21	71.3	72.1	103,657	72.1	0.22	71.7	72.6
1986	6,728	65.2	0.81	63.6	66.8	5,960	65.8	0.87	64.1	67.5
1987	7,258	69.8	0.83	68.2	71.4	6,464	70.9	0.90	69.1	72.7
1988	7,410	70.7	0.83	69.1	72.4	6,539	71.3	0.90	69.6	73.1
1989	7,116	67.6	0.81	66.1	69.3	6,228	67.8	0.87	66.1	69.6
1990	7,498	70.5	0.82	68.9	72.1	6,646	71.8	0.89	70.1	73.6
1991	7,741	71.7	0.82	70.1	73.3	6,820	72.8	0.89	71.0	74.5
1992	7,889	72.1	0.82	70.5	73.7	6,939	73.1	0.88	71.4	74.8
1993	7,730	69.3	0.79	67.8	70.9	6,708	69.5	0.85	67.8	71.2
1994	8,324	74.2	0.82	72.6	75.8	7,283	75.2	0.89	73.4	76.9
1995	8,223	72.5	0.80	70.9	74.1	7,096	72.8	0.87	71.1	74.5
1996	8,425	73.5	0.80	71.9	75.1	7,243	73.6	0.87	71.9	75.3
1997	8,539	73.7	0.80	72.1	75.3	7,270	73.4	0.86	71.7	75.1
1998	8,791	74.9	0.80	73.4	76.5	7,437	74.2	0.86	72.6	76.0
1999	9,005	75.8	0.80	74.2	77.4	7,646	75.7	0.87	74.0	77.4
2000	8,691	72.5	0.78	71.0	74.1	7,378	72.6	0.85	71.0	74.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,015	67.1	0.60	65.9	68.3	1,634	40.0	1.09	37.9	42.2
1986	656	57.4	2.31	53.0	62.2	63	36.4	5.11	27.1	50.2
1987	673	58.9	2.34	54.4	63.8	78	40.4	4.93	31.3	53.5
1988	769	66.1	2.46	61.3	71.1	70	37.8	5.12	28.5	51.2
1989	769	65.0	2.41	60.4	69.9	85	42.6	5.23	33.0	56.0
1990	723	60.6	2.31	56.1	65.3	77	32.8	4.22	25.0	44.2
1991	777	61.7	2.27	57.3	66.4	77	30.8	3.85	23.7	41.1
1992	813	64.3	2.31	59.9	69.1	95	37.4	4.20	29.6	48.1
1993	883	68.2	2.36	63.7	73.0	99	39.1	4.43	30.8	50.0
1994	902	68.6	2.34	64.0	73.3	89	32.7	3.85	25.6	42.3
1995	938	69.7	2.33	65.2	74.4	131	39.2	3.62	32.5	48.1
1996	963	70.2	2.31	65.7	74.9	127	39.4	3.81	32.2	48.5
1997	1,035	74.8	2.38	70.3	79.7	148	43.1	3.83	35.9	52.1
1998	1,078	76.0	2.36	71.4	80.8	149	42.2	3.72	35.2	50.9
1999	1,039	71.6	2.26	67.2	76.2	174	46.3	3.85	39.1	55.2
2000	997	67.5	2.18	63.3	71.9	172	46.4	3.89	39.1	55.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2,742	42.1	0.93	40.3	44.0	95,230	73.8	0.24	73.3	74.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	153	36.5	3.35	30.2	44.3	6,963	68.7	0.83	67.1	70.3
1990	158	36.6	3.23	30.5	44.1	7,340	71.7	0.85	70.0	73.4
1991	166	35.6	3.06	29.8	42.7	7,575	73.0	0.85	71.4	74.7
1992	176	39.7	3.47	33.2	47.6	7,713	73.4	0.84	71.8	75.1
1993	206	39.1	3.08	33.2	46.1	7,524	70.4	0.82	68.8	72.0
1994	209	40.6	3.20	34.6	47.9	8,115	75.5	0.84	73.9	77.2
1995	235	42.0	3.16	36.0	49.1	7,988	73.8	0.83	72.2	75.4
1996	267	51.9	3.75	44.8	60.1	8,158	74.7	0.83	73.1	76.3
1997	294	49.0	3.37	42.6	56.4	8,245	74.9	0.83	73.3	76.5
1998	257	42.2	3.06	36.4	49.0	8,534	76.6	0.83	75.0	78.3
1999	305	44.7	2.93	39.2	51.2	8,700	77.4	0.83	75.8	79.1
2000	316	41.8	2.73	36.6	47.9	8,375	74.1	0.81	72.5	75.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Both Sexes

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	31,891	19.2	0.11	19.0	19.4	27,166	18.7	0.11	18.5	18.9
1986	2,114	20.5	0.45	19.6	21.4	1,831	20.1	0.48	19.2	21.1
1987	2,101	20.3	0.45	19.4	21.2	1,824	19.9	0.47	19.0	20.8
1988	2,108	20.1	0.44	19.2	21.0	1,840	20.0	0.47	19.1	20.9
1989	2,172	20.6	0.45	19.8	21.5	1,901	20.5	0.48	19.6	21.5
1990	2,194	20.7	0.45	19.8	21.6	1,903	20.4	0.47	19.5	21.4
1991	2,284	21.1	0.45	20.3	22.0	1,978	20.9	0.47	19.9	21.8
1992	2,164	19.8	0.43	18.9	20.6	1,890	19.7	0.46	18.8	20.6
1993	2,181	19.7	0.42	18.9	20.5	1,850	19.1	0.45	18.2	20.0
1994	2,156	19.2	0.42	18.4	20.0	1,814	18.6	0.44	17.7	19.4
1995	2,149	18.9	0.41	18.1	19.8	1,818	18.4	0.43	17.6	19.3
1996	2,121	18.5	0.40	17.7	19.3	1,802	18.1	0.43	17.3	19.0
1997	2,053	17.7	0.39	17.0	18.5	1,685	16.8	0.41	16.0	17.6
1998	1,997	17.0	0.38	16.2	17.7	1,681	16.5	0.40	15.8	17.4
1999	2,030	17.1	0.38	16.3	17.8	1,648	16.0	0.40	15.3	16.8
2000	2,067	17.2	0.38	16.5	18.0	1,701	16.4	0.40	15.6	17.2
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	4,522	24.0	0.37	23.3	24.8	203	5.4	0.42	4.6	6.4
1986	277	25.0	1.55	22.1	28.3	6	3.9	1.72	1.3	12.6
1987	271	24.2	1.52	21.4	27.5	6	3.8	1.68	1.3	12.1
1988	259	22.2	1.42	19.5	25.2	9	4.8	1.85	1.9	12.9
1989	264	23.0	1.46	20.2	26.0	7	4.3	1.70	1.6	11.9
1990	288	24.7	1.50	21.9	27.9	3	1.9	1.11	0.4	8.9
1991	292	24.4	1.47	21.6	27.5	14	5.5	1.51	2.9	12.1
1992	263	21.0	1.33	18.4	23.8	11	4.6	1.56	2.0	10.9
1993	321	25.6	1.47	22.8	28.6	10	5.0	1.92	2.0	11.7
1994	320	25.7	1.47	22.9	28.8	22	8.6	2.26	4.8	15.5
1995	316	24.4	1.41	21.7	27.3	15	5.2	1.41	2.8	10.3
1996	304	22.3	1.31	19.8	25.0	15	4.9	1.34	2.6	9.7
1997	352	25.7	1.40	23.0	28.7	16	4.9	1.32	2.7	9.5
1998	295	21.5	1.28	19.0	24.2	21	6.2	1.45	3.7	10.8
1999	354	26.0	1.41	23.3	28.9	28	8.5	1.81	5.3	13.6
2000	346	24.6	1.35	22.0	27.4	20	5.3	1.30	3.1	9.3
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	624	9.0	0.42	8.2	9.9	31480	19.7	0.11	19.4	19.9
1986	28	8.8	1.84	5.6	14.2	2105	21.0	0.47	20.2	22.0
1987	26	6.0	1.26	3.8	10.2	2086	20.8	0.46	19.9	21.7
1988	31	7.9	1.60	5.0	12.5	2090	20.6	0.46	19.7	21.5
1989	34	8.8	1.67	5.8	13.5	2157	21.2	0.46	20.3	22.1
1990	28	7.7	1.67	4.8	12.4	2150	21.0	0.46	20.1	21.9
1991	56	14.1	2.10	10.2	19.4	2245	21.5	0.46	20.6	22.4
1992	44	9.3	1.58	6.4	13.6	2148	20.3	0.44	19.4	21.2
1993	39	8.3	1.54	5.5	12.5	2153	20.2	0.44	19.3	21.1
1994	42	9.2	1.65	6.2	13.5	2149	19.9	0.43	19.1	20.8
1995	49	12.7	2.10	8.9	17.9	2113	19.4	0.42	18.6	20.2
1996	50	10.6	1.70	7.6	15.0	2086	19.0	0.42	18.2	19.8
1997	47	9.7	1.69	6.7	14.0	2040	18.4	0.41	17.6	19.2
1998	44	7.1	1.26	4.9	10.6	1976	17.6	0.40	16.8	18.4
1999	50	7.2	1.23	5.0	10.5	1975	17.4	0.39	16.6	18.2
2000	56	8.4	1.33	6.0	11.8	2007	17.5	0.39	16.8	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	913	1.3	0.04	1.2	1.4	756	1.2	0.05	1.1	1.3
1986	47	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	34	0.8	0.14	0.5	1.1	27	0.7	0.14	0.5	1.1
1990	36	0.8	0.13	0.5	1.1	30	0.7	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	70	1.5	0.19	1.2	2.0	57	1.4	0.20	1.1	1.9
1993	73	1.5	0.18	1.2	1.9	62	1.4	0.18	1.1	1.8
1994	63	1.4	0.18	1.1	1.8	50	1.3	0.19	1.0	1.7
1995	81	1.7	0.19	1.3	2.1	69	1.6	0.20	1.3	2.1
1996	72	1.5	0.18	1.2	1.9	59	1.4	0.18	1.1	1.8
1997	79	1.6	0.18	1.3	2.0	61	1.4	0.18	1.1	1.9
1998	63	1.2	0.16	1.0	1.6	49	1.1	0.16	0.8	1.5
1999	76	1.5	0.18	1.2	1.9	62	1.4	0.18	1.1	1.8
2000	74	1.4	0.17	1.1	1.8	60	1.4	0.18	1.0	1.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	137	1.9	0.18	1.6	2.3	14	0.9	0.27	0.4	1.9
1986	4	0.9	0.50	0.2	3.1	0	0.0	-	0.0	20.2
1987	6	1.5	0.68	0.5	3.9	1	1.1	1.09	0.0	20.0
1988	4	1.3	0.71	0.3	3.8	1	1.2	1.16	0.0	18.9
1989	6	1.3	0.55	0.4	3.4	1	1.8	1.78	0.0	18.7
1990	4	0.8	0.44	0.2	2.8	1	1.0	1.01	0.0	17.7
1991	6	1.1	0.45	0.4	3.0	0	0.0	-	0.0	15.1
1992	13	2.5	0.72	1.3	4.8	0	0.0	-	0.0	13.7
1993	11	2.7	0.85	1.3	5.2	0	0.0	-	0.0	12.7
1994	11	2.5	0.81	1.2	5.0	2	1.9	1.37	0.2	14.3
1995	12	2.2	0.66	1.1	4.3	0	0.0	-	0.0	11.4
1996	9	2.1	0.75	0.9	4.4	4	3.5	2.11	0.7	15.3
1997	15	3.2	0.88	1.7	5.7	2	1.8	1.49	0.1	12.5
1998	13	2.4	0.68	1.2	4.4	1	0.6	0.57	0.0	10.1
1999	12	2.2	0.69	1.1	4.3	1	0.4	0.44	0.0	9.5
2000	11	1.7	0.58	0.8	3.6	0	0.0	-	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	12	0.5	0.17	0.2	1.1	756	1.4	0.05	1.3	1.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	1.0	1.05	0.0	8.9	33	0.8	0.14	0.5	1.1
1990	0	0.0	-	0.0	7.6	36	0.8	0.14	0.6	1.1
1991	0	0.0	-	0.0	7.1	47	1.1	0.17	0.8	1.5
1992	1	1.3	1.27	0.0	8.7	69	1.6	0.19	1.2	2.0
1993	4	1.3	0.70	0.3	7.9	69	1.5	0.18	1.1	1.9
1994	1	1.4	1.40	0.0	8.7	62	1.4	0.19	1.1	1.9
1995	1	0.3	0.27	0.0	6.2	80	1.7	0.20	1.4	2.2
1996	2	0.6	0.46	0.1	6.4	70	1.5	0.18	1.2	1.9
1997	1	0.3	0.29	0.0	5.8	78	1.7	0.19	1.3	2.1
1998	0	0.0	-	0.0	5.3	63	1.3	0.17	1.0	1.7
1999	0	0.0	-	0.0	5.0	76	1.6	0.18	1.2	2.0
2000	1	0.2	0.20	0.0	4.9	73	1.5	0.18	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	242	0.4	0.02	0.3	0.4	187	0.3	0.02	0.3	0.4
1986	12	0.4	0.10	0.2	0.6	9	0.3	0.10	0.1	0.6
1987	11	0.3	0.09	0.1	0.6	11	0.3	0.10	0.2	0.6
1988	12	0.3	0.08	0.1	0.5	9	0.2	0.08	0.1	0.5
1989	23	0.5	0.11	0.3	0.8	19	0.5	0.11	0.3	0.8
1990	12	0.3	0.08	0.1	0.5	10	0.2	0.08	0.1	0.5
1991	14	0.4	0.10	0.2	0.6	11	0.4	0.11	0.2	0.7
1992	8	0.2	0.07	0.1	0.4	6	0.2	0.07	0.1	0.4
1993	19	0.4	0.10	0.2	0.7	16	0.4	0.10	0.2	0.7
1994	17	0.3	0.08	0.2	0.6	13	0.3	0.08	0.2	0.5
1995	23	0.5	0.11	0.3	0.8	20	0.5	0.12	0.3	0.8
1996	13	0.3	0.07	0.1	0.5	11	0.2	0.08	0.1	0.5
1997	15	0.3	0.09	0.2	0.6	10	0.3	0.08	0.1	0.5
1998	18	0.4	0.10	0.2	0.7	14	0.4	0.10	0.2	0.6
1999	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.6
2000	22	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	53	0.8	0.13	0.6	1.1	2	0.2	0.15	0.0	1.1
1986	3	1.0	0.61	0.2	3.4	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	3	0.6	0.39	0.1	2.6	0	0.0	~	0.0	17.8
1989	4	1.1	0.59	0.2	3.3	0	0.0	~	0.0	16.6
1990	2	0.4	0.28	0.0	2.2	0	0.0	~	0.0	16.8
1991	3	0.5	0.32	0.1	2.3	0	0.0	~	0.0	15.1
1992	1	0.2	0.17	0.0	1.8	1	0.6	0.62	0.0	14.2
1993	3	0.6	0.36	0.1	2.4	0	0.0	~	0.0	12.7
1994	4	0.7	0.36	0.2	2.4	0	0.0	~	0.0	12.3
1995	3	0.7	0.46	0.1	2.6	0	0.0	~	0.0	11.4
1996	2	0.3	0.22	0.0	1.8	0	0.0	~	0.0	10.9
1997	5	1.2	0.55	0.4	3.2	0	0.0	~	0.0	10.2
1998	4	1.2	0.63	0.3	3.3	0	0.0	~	0.0	9.6
1999	9	1.9	0.69	0.8	4.0	0	0.0	~	0.0	9.1
2000	7	1.8	0.74	0.7	4.1	1	1.4	1.42	0.0	10.4
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1	0.0	0.01	0.0	0.4	242	0.4	0.02	0.3	0.4
1986	0	0.0	-	0.0	8.7	14	0.4	0.11	0.2	0.7
1987	0	0.0	-	0.0	8.3	9	0.2	0.08	0.1	0.5
1988	0	0.0	-	0.0	7.9	14	0.3	0.09	0.2	0.6
1989	0	0.0	-	0.0	7.5	20	0.4	0.10	0.3	0.7
1990	0	0.0	-	0.0	7.6	12	0.2	0.07	0.1	0.5
1991	0	0.0	-	0.0	7.1	12	0.3	0.10	0.2	0.6
1992	0	0.0	-	0.0	6.7	12	0.3	0.09	0.2	0.6
1993	0	0.0	-	0.0	6.6	18	0.4	0.09	0.2	0.6
1994	0	0.0	-	0.0	6.4	18	0.4	0.09	0.2	0.6
1995	0	0.0	-	0.0	6.0	22	0.5	0.11	0.3	0.8
1996	0	0.0	-	0.0	5.8	13	0.3	0.08	0.1	0.5
1997	0	0.0	-	0.0	5.6	16	0.4	0.10	0.2	0.6
1998	0	0.0	-	0.0	5.3	19	0.4	0.10	0.3	0.7
1999	1	0.1	0.13	0.0	5.1	21	0.5	0.10	0.3	0.7
2000	0	0.0	-	0.0	4.7	22	0.5	0.11	0.3	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	118,455	128.1	0.38	127.4	128.8	102,901	129.8	0.41	129.0	130.6
1986	6,681	115.5	1.45	112.6	118.3	5,917	117.1	1.57	114.0	120.2
1987	7,203	123.9	1.49	121.0	126.9	6,416	126.7	1.63	123.5	129.9
1988	7,367	125.7	1.49	122.8	128.6	6,501	127.5	1.62	124.3	130.7
1989	7,082	120.6	1.46	117.7	123.5	6,201	121.8	1.59	118.7	124.9
1990	7,462	125.5	1.48	122.6	128.4	6,616	128.9	1.62	125.7	132.1
1991	7,694	127.9	1.48	125.0	130.8	6,779	130.7	1.62	127.5	133.9
1992	7,819	128.2	1.47	125.4	131.2	6,882	131.1	1.61	128.0	134.3
1993	7,657	123.2	1.42	120.5	126.1	6,646	124.5	1.56	121.5	127.6
1994	8,261	131.8	1.47	129.0	134.7	7,233	134.8	1.61	131.6	138.0
1995	8,142	129.5	1.45	126.7	132.4	7,027	131.2	1.59	128.1	134.3
1996	8,353	131.4	1.45	128.6	134.3	7,184	132.9	1.59	129.8	136.0
1997	8,460	132.2	1.45	129.4	135.1	7,209	133.0	1.58	129.9	136.1
1998	8,728	134.7	1.45	131.9	137.6	7,388	134.7	1.58	131.6	137.9
1999	8,929	136.8	1.46	133.9	139.7	7,584	138.0	1.60	134.9	141.2
2000	8,617	131.0	1.42	128.2	133.8	7,318	132.6	1.56	129.5	135.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	12,878	113.8	1.01	111.9	115.8	1,620	73.4	1.95	69.6	77.4
1986	652	98.6	3.94	91.0	106.7	63	67.9	9.30	50.9	92.4
1987	667	100.5	3.96	92.9	108.6	77	74.4	8.99	57.8	97.8
1988	765	112.9	4.15	104.9	121.4	69	68.6	9.13	51.9	92.1
1989	763	110.8	4.08	102.9	119.1	84	77.8	9.34	60.5	101.2
1990	719	103.0	3.90	95.5	111.0	76	60.3	7.62	46.3	80.4
1991	771	105.5	3.86	98.1	113.4	77	57.4	7.01	44.5	75.7
1992	800	108.5	3.89	101.0	116.4	95	70.0	7.67	55.8	89.0
1993	872	115.1	3.95	107.5	123.2	99	71.8	7.90	57.1	90.9
1994	891	115.5	3.92	108.0	123.5	87	58.6	6.79	46.1	75.2
1995	926	117.8	3.91	110.2	125.7	131	73.9	6.72	61.4	89.9
1996	954	119.1	3.90	111.6	127.0	123	70.4	6.71	57.9	86.1
1997	1,020	126.0	3.98	118.3	134.1	146	78.8	6.85	65.9	94.6
1998	1,065	128.7	3.98	121.1	136.8	148	77.8	6.70	65.2	93.1
1999	1,027	121.3	3.81	114.0	129.1	173	85.0	6.88	72.1	100.5
2000	986	114.5	3.67	107.5	122.0	172	85.0	6.87	72.0	100.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2,730	81.1	1.70	77.8	84.5	94,474	131.6	0.43	130.7	132.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	152	70.1	6.14	58.6	84.1	6,930	122.2	1.50	119.3	125.2
1990	158	70.9	6.02	59.6	84.6	7,304	127.4	1.52	124.4	130.4
1991	166	69.5	5.75	58.7	82.6	7,528	129.9	1.53	127.0	133.0
1992	175	74.7	6.19	63.1	88.6	7,644	130.4	1.52	127.4	133.4
1993	202	75.0	5.72	64.2	87.8	7,455	124.9	1.47	122.0	127.8
1994	208	77.7	5.84	66.6	90.6	8,053	134.0	1.51	131.0	137.0
1995	234	81.4	5.84	70.4	94.3	7,908	131.5	1.50	128.6	134.4
1996	265	97.3	6.66	84.7	111.7	8,088	133.4	1.50	130.4	136.3
1997	293	94.4	6.16	82.7	107.8	8,167	134.0	1.50	131.0	136.9
1998	257	81.2	5.61	70.6	93.5	8,471	137.4	1.50	134.5	140.4
1999	305	87.3	5.49	76.9	99.3	8,624	139.3	1.51	136.4	142.3
2000	315	82.1	5.14	72.3	93.3	8,302	133.3	1.47	130.4	136.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Breast, Females

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	31,649	33.2	0.19	32.9	33.6	26,979	32.6	0.20	32.2	33.0
1986	2,102	35.6	0.79	34.1	37.2	1,822	35.0	0.84	33.4	36.7
1987	2,090	35.2	0.79	33.7	36.8	1,813	34.5	0.83	32.9	36.2
1988	2,096	35.0	0.78	33.4	36.5	1,831	34.9	0.84	33.2	36.5
1989	2,149	35.7	0.78	34.2	37.2	1,882	35.7	0.84	34.0	37.4
1990	2,182	35.9	0.78	34.4	37.5	1,893	35.6	0.84	33.9	37.2
1991	2,270	36.7	0.78	35.2	38.3	1,967	36.4	0.84	34.8	38.1
1992	2,156	34.4	0.75	32.9	35.9	1,884	34.4	0.81	32.9	36.1
1993	2,162	34.0	0.74	32.5	35.5	1,834	33.1	0.79	31.5	34.6
1994	2,139	33.3	0.73	31.9	34.7	1,801	32.3	0.77	30.8	33.9
1995	2,126	32.7	0.72	31.3	34.1	1,798	31.9	0.77	30.4	33.5
1996	2,108	32.1	0.71	30.8	33.5	1,791	31.5	0.76	30.0	33.0
1997	2,038	31.0	0.69	29.6	32.4	1,675	29.5	0.73	28.1	31.0
1998	1,979	29.5	0.67	28.2	30.8	1,667	28.8	0.72	27.5	30.3
1999	2,007	29.5	0.66	28.2	30.8	1,634	27.9	0.70	26.5	29.3
2000	2,045	29.7	0.66	28.4	31.0	1,687	28.5	0.70	27.1	29.9
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	4,469	40.2	0.61	39.1	41.5	201	9.8	0.75	8.4	11.5
1986	274	42.3	2.60	37.3	47.8	6	7.3	3.15	2.5	22.2
1987	271	41.6	2.57	36.7	47.0	6	6.9	2.98	2.4	21.0
1988	256	37.5	2.39	33.0	42.6	9	8.9	3.35	3.6	22.9
1989	260	38.3	2.42	33.7	43.4	7	7.7	3.01	3.0	20.8
1990	286	41.7	2.50	36.9	46.9	3	3.4	1.98	0.7	15.3
1991	289	40.9	2.44	36.3	46.1	14	10.5	2.87	5.6	21.9
1992	262	35.6	2.23	31.4	40.3	10	7.8	2.71	3.4	18.5
1993	318	42.7	2.43	38.1	47.8	10	8.9	3.27	3.7	20.0
1994	316	42.5	2.42	37.9	47.6	22	15.6	3.88	9.0	27.1
1995	313	40.8	2.33	36.3	45.6	15	9.6	2.57	5.3	18.2
1996	302	37.8	2.20	33.6	42.4	15	9.0	2.42	4.9	17.0
1997	347	43.2	2.34	38.7	48.0	16	9.1	2.39	5.1	16.8
1998	291	35.6	2.11	31.6	40.0	21	11.5	2.62	6.9	19.3
1999	345	42.3	2.30	38.0	47.1	28	15.4	3.14	9.8	23.9
2000	339	40.4	2.21	36.2	45.0	19	8.8	2.13	5.1	15.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	623	17.1	0.75	15.7	18.7	31238	34.0	0.20	33.7	34.4
1986	28	16.8	3.36	10.9	26.1	2091	36.4	0.82	34.9	38.1
1987	26	12.1	2.47	7.8	19.6	2077	36.0	0.81	34.4	37.6
1988	31	15.3	2.98	10.0	23.5	2076	35.7	0.80	34.2	37.3
1989	34	16.8	3.07	11.3	25.0	2137	36.6	0.81	35.1	38.2
1990	28	14.4	2.96	9.2	22.4	2138	36.4	0.80	34.9	38.0
1991	56	26.7	3.81	19.8	36.2	2233	37.3	0.80	35.7	38.9
1992	44	18.0	2.92	12.8	25.7	2136	35.2	0.77	33.7	36.7
1993	39	15.8	2.77	10.8	23.0	2135	34.8	0.76	33.3	36.3
1994	42	17.3	2.93	12.0	24.7	2131	34.4	0.76	32.9	35.9
1995	49	22.8	3.60	16.3	31.5	2091	33.4	0.74	32.0	34.9
1996	50	20.0	3.05	14.5	27.6	2073	32.9	0.73	31.4	34.3
1997	47	18.0	2.97	12.6	25.3	2024	32.1	0.72	30.7	33.6
1998	44	13.7	2.30	9.6	19.7	1957	30.4	0.70	29.1	31.8
1999	49	13.8	2.24	9.8	19.6	1954	29.9	0.68	28.6	31.3
2000	56	16.1	2.44	11.7	22.2	1985	30.2	0.68	28.8	31.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Female Genital System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Female Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	52,426	56.4	0.25	55.9	56.9	45,056	56.9	0.27	56.3	57.4
1986	3,274	55.8	1.00	53.8	57.8	2,886	56.5	1.08	54.4	58.7
1987	3,323	56.3	1.00	54.3	58.3	2,880	56.2	1.08	54.2	58.4
1988	3,234	54.3	0.97	52.4	56.2	2,764	53.6	1.04	51.5	55.7
1989	3,214	54.0	0.97	52.1	55.9	2,773	54.1	1.05	52.0	56.2
1990	3,377	56.1	0.98	54.2	58.0	2,903	56.0	1.06	53.9	58.1
1991	3,357	55.1	0.97	53.2	57.0	2,902	55.5	1.05	53.4	57.6
1992	3,505	57.1	0.98	55.2	59.1	3,101	59.2	1.08	57.1	61.4
1993	3,519	56.6	0.97	54.8	58.6	3,041	57.5	1.06	55.5	59.6
1994	3,609	57.2	0.96	55.4	59.1	3,095	57.6	1.05	55.6	59.7
1995	3,617	57.4	0.96	55.5	59.3	3,099	58.0	1.06	55.9	60.1
1996	3,868	61.0	0.99	59.0	62.9	3,321	62.0	1.09	59.9	64.2
1997	3,611	56.3	0.94	54.5	58.2	3,087	57.2	1.04	55.1	59.2
1998	3,749	58.0	0.95	56.1	59.9	3,192	58.7	1.05	56.7	60.8
1999	3,607	55.3	0.93	53.5	57.2	3,052	55.8	1.02	53.9	57.9
2000	3,562	54.4	0.92	52.6	56.2	2,960	54.1	1.00	52.2	56.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,119	53.0	0.69	51.7	54.4	787	35.9	1.38	33.3	38.9
1986	333	49.7	2.80	44.4	55.6	36	34.4	6.18	23.4	53.3
1987	392	55.9	2.90	50.4	62.0	30	31.6	6.65	19.9	51.1
1988	394	56.1	2.89	50.6	62.1	50	49.1	7.75	35.1	70.0
1989	384	53.4	2.79	48.1	59.3	40	35.8	5.99	25.1	53.2
1990	420	58.9	2.93	53.3	65.0	33	23.9	4.43	16.1	38.5
1991	358	48.5	2.62	43.5	54.0	42	35.5	5.90	24.9	51.9
1992	342	45.6	2.51	40.8	50.8	43	29.6	4.72	21.0	43.2
1993	416	53.6	2.68	48.5	59.2	45	31.1	5.27	21.7	45.4
1994	455	58.8	2.80	53.4	64.6	47	33.8	5.60	23.7	48.3
1995	425	53.4	2.63	48.4	58.8	76	45.4	5.54	35.2	59.2
1996	445	55.3	2.66	50.2	60.8	74	45.0	5.62	34.7	58.7
1997	440	53.4	2.57	48.4	58.7	48	25.2	3.73	18.5	35.2
1998	451	53.1	2.53	48.3	58.4	61	33.7	4.75	25.1	45.5
1999	427	49.8	2.43	45.2	54.9	68	33.6	4.33	25.7	44.3
2000	437	50.1	2.42	45.5	55.1	94	45.3	4.94	36.1	56.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,906	52.9	1.37	50.2	55.7	40,689	56.6	0.28	56.1	57.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	109	48.1	5.02	38.8	59.9	3,105	54.0	0.99	52.1	56.0
1990	123	51.4	5.08	41.9	63.2	3,254	56.1	1.00	54.2	58.1
1991	134	55.5	5.42	45.4	68.0	3,223	55.0	0.99	53.1	57.0
1992	149	55.0	5.05	45.6	66.7	3,356	57.0	1.00	55.0	59.0
1993	146	48.5	4.45	40.2	58.9	3,373	56.7	0.99	54.7	58.6
1994	156	50.5	4.53	42.1	60.9	3,453	57.1	0.98	55.2	59.1
1995	167	52.6	4.62	44.0	63.2	3,450	57.3	0.99	55.4	59.3
1996	172	53.8	4.66	45.0	64.3	3,696	61.2	1.02	59.2	63.2
1997	164	52.0	4.70	43.1	62.6	3,447	56.6	0.97	54.7	58.6
1998	192	54.6	4.53	46.1	64.8	3,557	58.0	0.98	56.1	60.0
1999	203	59.5	4.87	50.4	70.4	3,404	55.3	0.95	53.4	57.2
2000	191	51.4	4.28	43.3	61.0	3,371	54.6	0.95	52.8	56.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Female Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,041	18.6	0.14	18.4	18.9	15,251	18.1	0.15	17.8	18.4
1986	1,225	20.3	0.59	19.2	21.5	1,056	19.8	0.63	18.6	21.1
1987	1,217	19.8	0.58	18.7	21.0	1,057	19.5	0.62	18.4	20.8
1988	1,132	18.4	0.56	17.3	19.5	961	17.7	0.58	16.6	18.9
1989	1,176	19.2	0.57	18.1	20.3	984	18.2	0.59	17.1	19.4
1990	1,224	19.6	0.57	18.5	20.8	1,060	19.3	0.61	18.2	20.6
1991	1,206	19.1	0.56	18.0	20.2	1,005	18.2	0.59	17.1	19.4
1992	1,191	18.6	0.55	17.6	19.7	978	17.5	0.57	16.4	18.6
1993	1,209	18.6	0.54	17.5	19.7	1,011	17.8	0.57	16.7	19.0
1994	1,192	18.3	0.53	17.2	19.4	1,007	17.8	0.57	16.7	18.9
1995	1,168	17.7	0.52	16.7	18.8	997	17.4	0.56	16.4	18.6
1996	1,218	18.3	0.53	17.2	19.3	1,035	18.0	0.57	16.9	19.1
1997	1,204	18.0	0.52	17.0	19.0	1,001	17.4	0.56	16.3	18.5
1998	1,213	17.9	0.52	16.9	18.9	1,020	17.5	0.55	16.4	18.6
1999	1,202	17.6	0.51	16.7	18.7	1,017	17.4	0.55	16.3	18.5
2000	1,264	18.5	0.52	17.5	19.6	1,062	18.2	0.57	17.1	19.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,648	24.2	0.48	23.3	25.2	142	7.7	0.70	6.4	9.3
1986	165	25.3	2.01	21.5	29.6	4	4.8	2.42	1.3	18.8
1987	153	23.6	1.95	19.9	27.8	7	7.7	3.11	2.9	21.9
1988	166	25.0	1.99	21.3	29.4	5	5.8	2.91	1.6	19.4
1989	183	27.1	2.04	23.3	31.5	9	11.0	3.91	4.7	25.4
1990	156	22.4	1.82	19.0	26.4	8	7.3	2.77	2.9	19.8
1991	191	27.5	2.03	23.7	31.8	10	8.4	2.80	3.9	20.0
1992	201	28.2	2.02	24.4	32.5	12	9.3	2.81	4.6	20.0
1993	190	25.5	1.88	21.9	29.5	8	5.9	2.22	2.4	15.2
1994	180	24.5	1.85	21.0	28.4	5	4.3	2.04	1.3	12.9
1995	164	21.8	1.72	18.5	25.5	7	3.8	1.44	1.5	10.8
1996	168	22.1	1.72	18.8	25.8	15	12.4	3.52	6.5	22.5
1997	192	24.5	1.79	21.2	28.3	11	8.2	2.58	3.9	16.4
1998	176	22.2	1.69	19.0	25.8	17	11.8	3.23	6.3	20.9
1999	175	21.3	1.62	18.2	24.8	10	4.8	1.59	2.2	10.7
2000	188	23.0	1.69	19.8	26.6	14	7.4	2.11	3.9	13.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	469	13.6	0.70	12.2	15.0	17766	19.0	0.14	18.7	19.3
1986	16	10.4	2.81	5.6	18.8	1232	21.0	0.61	19.8	22.2
1987	22	12.5	2.95	7.4	20.9	1205	20.2	0.59	19.0	21.4
1988	24	14.0	3.12	8.6	22.6	1123	18.8	0.57	17.7	20.0
1989	28	14.5	2.91	9.3	22.4	1156	19.4	0.58	18.3	20.6
1990	29	15.1	2.99	9.8	23.1	1193	19.8	0.58	18.6	20.9
1991	39	18.8	3.23	13.0	27.2	1168	19.0	0.57	17.9	20.2
1992	24	10.9	2.43	6.7	17.7	1204	19.5	0.57	18.4	20.6
1993	25	10.9	2.30	6.8	17.3	1205	19.2	0.56	18.1	20.3
1994	33	13.9	2.68	9.1	20.9	1183	18.8	0.55	17.7	19.9
1995	33	13.3	2.59	8.7	20.1	1147	18.1	0.54	17.1	19.2
1996	32	11.8	2.37	7.6	18.0	1200	18.7	0.55	17.7	19.8
1997	33	10.7	2.12	7.0	16.5	1188	18.5	0.54	17.4	19.6
1998	46	16.2	2.74	11.3	23.1	1187	18.2	0.54	17.2	19.3
1999	35	13.6	2.64	8.9	20.3	1166	17.9	0.53	16.9	19.0
2000	50	16.4	2.64	11.7	23.0	1209	18.5	0.54	17.5	19.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Cervix Uteri

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,743	11.9	0.12	11.7	12.2	7,857	10.5	0.12	10.2	10.7
1986	730	13.1	0.50	12.1	14.1	557	11.7	0.51	10.8	12.8
1987	754	13.4	0.50	12.4	14.4	562	11.7	0.51	10.7	12.8
1988	741	13.0	0.49	12.1	14.0	535	11.1	0.49	10.1	12.1
1989	655	11.5	0.46	10.6	12.4	470	9.8	0.46	8.9	10.7
1990	742	12.9	0.48	12.0	13.9	534	11.0	0.48	10.1	12.0
1991	721	12.1	0.46	11.2	13.1	523	10.5	0.47	9.6	11.4
1992	670	11.3	0.44	10.4	12.2	517	10.4	0.46	9.5	11.3
1993	737	12.2	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8
1994	657	10.8	0.42	9.9	11.6	453	9.0	0.43	8.1	9.8
1995	746	12.1	0.45	11.3	13.0	535	10.5	0.46	9.6	11.5
1996	751	12.1	0.45	11.3	13.0	560	11.0	0.47	10.1	12.0
1997	709	11.3	0.43	10.5	12.2	540	10.4	0.45	9.6	11.4
1998	737	11.7	0.43	10.8	12.5	548	10.5	0.45	9.7	11.5
1999	687	10.8	0.41	10.0	11.7	492	9.5	0.43	8.6	10.3
2000	706	11.1	0.42	10.2	11.9	491	9.4	0.43	8.6	10.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,486	20.7	0.42	19.8	21.5	273	12.0	0.76	10.5	13.7
1986	155	22.5	1.86	19.0	26.6	13	11.3	3.26	5.9	25.9
1987	177	24.5	1.90	20.9	28.6	11	13.6	4.41	6.4	29.6
1988	174	24.3	1.89	20.8	28.4	19	16.0	3.82	9.4	30.3
1989	164	22.2	1.77	18.8	26.0	15	12.5	3.40	6.8	25.8
1990	183	25.1	1.89	21.5	29.1	18	13.2	3.35	7.5	26.2
1991	165	21.5	1.71	18.2	25.1	15	11.8	3.25	6.3	23.9
1992	131	17.1	1.53	14.2	20.4	14	10.2	2.83	5.4	20.9
1993	175	21.5	1.66	18.4	25.0	13	9.0	2.66	4.5	18.9
1994	184	22.6	1.70	19.4	26.2	17	11.5	3.06	6.3	21.5
1995	178	21.8	1.66	18.6	25.3	30	16.7	3.18	11.1	26.3
1996	152	17.8	1.46	15.0	20.9	26	15.8	3.23	10.1	25.1
1997	148	16.7	1.39	14.1	19.7	15	7.8	2.11	4.2	15.1
1998	164	18.3	1.44	15.6	21.4	19	9.8	2.39	5.7	17.2
1999	161	18.1	1.44	15.4	21.2	23	11.1	2.43	6.9	18.3
2000	175	19.2	1.46	16.5	22.4	25	11.2	2.34	7.1	17.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	833	20.3	0.79	18.7	21.9	7,685	11.2	0.13	10.9	11.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	41	17.1	3.10	11.6	25.4	614	11.3	0.46	10.4	12.2
1990	58	20.6	2.96	15.2	28.3	684	12.5	0.49	11.6	13.5
1991	74	29.7	3.96	22.5	39.4	647	11.4	0.46	10.6	12.4
1992	69	24.1	3.35	18.0	32.5	601	10.7	0.44	9.8	11.6
1993	67	19.2	2.51	14.6	25.9	670	11.8	0.46	10.9	12.7
1994	70	20.2	2.70	15.3	27.1	587	10.2	0.42	9.4	11.1
1995	68	19.8	2.70	14.8	26.6	678	11.7	0.45	10.9	12.7
1996	80	21.2	2.58	16.4	27.7	671	11.6	0.45	10.7	12.5
1997	77	19.8	2.59	15.0	26.3	632	10.8	0.43	10.0	11.7
1998	87	21.3	2.62	16.4	27.8	650	11.1	0.44	10.2	12.0
1999	74	18.1	2.32	13.8	24.0	613	10.4	0.42	9.6	11.3
2000	68	14.9	2.04	11.2	20.2	638	10.8	0.43	10.0	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Cervix Uteri

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,297	3.6	0.06	3.5	3.7	2,300	3.0	0.06	2.8	3.1
1986	236	4.1	0.27	3.6	4.7	170	3.3	0.26	2.8	3.9
1987	217	3.8	0.27	3.3	4.4	162	3.3	0.27	2.8	3.9
1988	225	4.0	0.27	3.4	4.5	158	3.2	0.26	2.7	3.8
1989	223	3.9	0.27	3.4	4.5	150	3.1	0.26	2.6	3.6
1990	213	3.7	0.26	3.2	4.3	159	3.2	0.26	2.7	3.8
1991	243	4.1	0.27	3.6	4.7	153	3.0	0.25	2.6	3.6
1992	218	3.6	0.25	3.1	4.1	137	2.6	0.23	2.2	3.1
1993	234	3.8	0.25	3.3	4.3	159	3.0	0.24	2.6	3.6
1994	205	3.3	0.23	2.9	3.8	142	2.8	0.23	2.3	3.2
1995	201	3.2	0.23	2.8	3.7	128	2.4	0.21	2.0	2.8
1996	200	3.2	0.23	2.8	3.7	138	2.7	0.23	2.2	3.2
1997	231	3.6	0.24	3.2	4.2	167	3.2	0.25	2.7	3.7
1998	219	3.4	0.23	3.0	3.9	156	2.9	0.24	2.5	3.4
1999	218	3.3	0.23	2.9	3.8	165	3.0	0.24	2.5	3.5
2000	214	3.3	0.23	2.9	3.8	156	2.9	0.23	2.4	3.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	954	8.4	0.27	7.8	8.9	43	2.1	0.34	1.5	3.0
1986	65	9.8	1.25	7.5	12.7	1	1.0	0.99	0.0	14.4
1987	53	8.0	1.12	6.0	10.6	2	2.1	1.46	0.2	14.8
1988	65	9.3	1.19	7.1	12.0	2	1.8	1.29	0.2	13.9
1989	72	10.2	1.23	7.9	13.0	1	1.7	1.73	0.0	13.8
1990	51	7.2	1.02	5.3	9.5	3	2.0	1.18	0.4	13.1
1991	85	11.4	1.27	9.1	14.3	5	3.6	1.64	1.1	13.8
1992	78	10.8	1.25	8.5	13.6	3	2.5	1.64	0.4	12.1
1993	72	9.6	1.15	7.5	12.2	3	2.2	1.28	0.4	10.5
1994	63	8.1	1.04	6.2	10.5	0	0.0	~	0.0	7.3
1995	71	9.2	1.11	7.2	11.7	2	0.9	0.65	0.1	7.4
1996	57	7.1	0.95	5.3	9.3	5	3.7	1.76	1.1	10.8
1997	60	7.3	0.95	5.5	9.4	4	2.8	1.51	0.7	9.4
1998	58	6.9	0.92	5.2	9.0	5	3.2	1.58	0.9	9.6
1999	52	6.0	0.84	4.5	8.0	1	0.4	0.40	0.0	5.1
2000	52	5.8	0.82	4.4	7.7	6	2.7	1.15	1.0	7.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	177	4.3	0.36	3.6	5.1	3112	3.6	0.06	3.4	3.7
1986	4	2.2	1.08	0.6	8.0	235	4.2	0.28	3.7	4.8
1987	8	3.3	1.26	1.3	9.0	214	3.9	0.28	3.4	4.5
1988	14	7.8	2.35	3.9	15.0	213	3.9	0.27	3.4	4.5
1989	10	4.7	1.54	2.1	10.3	212	3.9	0.27	3.4	4.4
1990	12	5.3	1.57	2.6	10.8	195	3.6	0.26	3.1	4.1
1991	13	5.0	1.53	2.5	10.4	229	4.0	0.27	3.5	4.6
1992	5	2.2	1.08	0.6	6.8	213	3.7	0.26	3.2	4.2
1993	11	4.1	1.28	2.0	8.7	216	3.6	0.25	3.2	4.2
1994	13	4.5	1.39	2.2	9.2	193	3.2	0.24	2.8	3.8
1995	8	3.0	1.15	1.2	7.3	196	3.3	0.24	2.8	3.8
1996	10	2.8	0.97	1.2	6.6	193	3.3	0.24	2.8	3.8
1997	19	5.1	1.26	2.9	9.2	211	3.5	0.24	3.1	4.0
1998	19	4.8	1.18	2.8	8.8	191	3.2	0.23	2.7	3.6
1999	9	2.4	1.01	0.9	6.2	209	3.4	0.24	2.9	3.9
2000	22	6.9	1.70	4.0	11.7	192	3.2	0.23	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Corpus Uteri

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	22,276	23.7	0.16	23.4	24.1	20,102	25.0	0.18	24.7	25.4
1986	1,423	23.6	0.64	22.4	24.9	1,315	25.0	0.71	23.6	26.4
1987	1,407	23.2	0.63	21.9	24.4	1,294	24.5	0.70	23.1	25.9
1988	1,355	22.3	0.62	21.1	23.5	1,221	23.1	0.68	21.8	24.5
1989	1,422	23.6	0.64	22.4	24.9	1,289	24.8	0.71	23.4	26.2
1990	1,389	22.7	0.62	21.5	24.0	1,273	24.1	0.69	22.8	25.5
1991	1,424	22.9	0.62	21.7	24.2	1,312	24.4	0.69	23.1	25.8
1992	1,502	24.3	0.64	23.1	25.6	1,378	26.0	0.71	24.6	27.4
1993	1,445	23.1	0.62	21.9	24.4	1,319	24.6	0.69	23.3	26.0
1994	1,501	23.7	0.62	22.5	25.0	1,377	25.4	0.70	24.1	26.8
1995	1,527	24.1	0.62	22.9	25.4	1,385	25.7	0.70	24.3	27.1
1996	1,686	26.5	0.65	25.3	27.9	1,510	28.1	0.73	26.7	29.5
1997	1,535	23.8	0.61	22.7	25.1	1,362	25.0	0.68	23.7	26.4
1998	1,599	24.7	0.62	23.5	25.9	1,408	25.8	0.69	24.4	27.2
1999	1,531	23.5	0.60	22.3	24.7	1,348	24.6	0.68	23.3	26.0
2000	1,530	23.4	0.60	22.2	24.6	1,311	23.9	0.67	22.7	25.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,732	15.5	0.38	14.8	16.3	239	11.2	0.78	9.8	13.0
1986	88	13.4	1.46	10.7	16.7	11	11.4	3.55	5.6	26.5
1987	92	13.2	1.40	10.6	16.3	7	5.4	2.14	2.1	18.3
1988	114	16.4	1.56	13.5	19.8	13	13.6	4.05	6.9	28.4
1989	114	16.3	1.55	13.4	19.7	13	12.5	3.60	6.5	26.2
1990	104	14.6	1.45	11.9	17.8	4	2.7	1.41	0.7	14.0
1991	82	11.7	1.31	9.3	14.6	12	11.4	3.54	5.6	24.1
1992	109	14.8	1.44	12.1	17.9	13	9.0	2.55	4.7	19.3
1993	108	14.8	1.44	12.1	18.0	15	8.7	2.31	4.8	18.0
1994	107	14.3	1.40	11.7	17.4	13	9.2	2.89	4.4	19.0
1995	110	14.3	1.38	11.7	17.3	23	16.3	3.66	9.9	26.8
1996	139	18.4	1.58	15.4	21.8	26	17.8	3.78	11.2	28.2
1997	144	18.2	1.53	15.3	21.5	11	6.2	1.88	3.1	13.1
1998	147	18.0	1.50	15.2	21.3	21	11.2	2.67	6.6	19.1
1999	127	15.5	1.38	12.9	18.4	22	11.2	2.48	6.9	18.6
2000	147	17.3	1.44	14.6	20.4	35	16.1	2.83	11.1	23.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	499	16.0	0.78	14.5	17.6	17,592	24.2	0.18	23.8	24.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	45	20.4	3.17	14.7	28.7	1,377	23.6	0.65	22.3	24.9
1990	36	17.0	2.98	11.7	25.0	1,353	22.8	0.63	21.6	24.1
1991	24	11.9	2.58	7.4	19.1	1,400	23.3	0.63	22.1	24.6
1992	32	13.8	2.59	9.2	20.8	1,470	24.6	0.65	23.4	26.0
1993	35	13.4	2.47	9.0	20.0	1,410	23.4	0.63	22.2	24.7
1994	28	11.1	2.24	7.1	17.2	1,473	24.2	0.64	23.0	25.5
1995	36	12.7	2.22	8.8	18.7	1,491	24.5	0.64	23.3	25.8
1996	45	16.7	2.77	11.7	23.7	1,641	27.0	0.67	25.7	28.3
1997	43	15.6	2.72	10.8	22.5	1,492	24.2	0.63	23.0	25.5
1998	47	16.3	2.65	11.5	23.0	1,552	25.1	0.64	23.9	26.4
1999	59	20.3	3.00	14.9	27.6	1,472	23.8	0.62	22.6	25.0
2000	69	21.2	2.87	15.9	28.1	1,461	23.6	0.62	22.4	24.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Corpus Uteri

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	2,263	2.3	0.05	2.2	2.4	1,903	2.2	0.05	2.1	2.3
1986	166	2.6	0.21	2.2	3.1	145	2.6	0.22	2.2	3.0
1987	174	2.7	0.21	2.3	3.2	148	2.6	0.22	2.2	3.1
1988	165	2.6	0.20	2.2	3.0	146	2.6	0.22	2.2	3.1
1989	132	2.0	0.18	1.7	2.4	116	2.0	0.19	1.6	2.4
1990	153	2.3	0.19	2.0	2.7	132	2.3	0.20	1.9	2.7
1991	148	2.3	0.19	1.9	2.7	134	2.4	0.21	2.0	2.8
1992	136	2.0	0.18	1.7	2.4	113	1.9	0.18	1.6	2.3
1993	150	2.2	0.18	1.9	2.6	117	2.0	0.18	1.6	2.4
1994	146	2.2	0.18	1.8	2.6	118	2.0	0.19	1.7	2.4
1995	147	2.2	0.18	1.8	2.5	129	2.2	0.19	1.8	2.6
1996	162	2.3	0.18	2.0	2.7	132	2.2	0.19	1.8	2.6
1997	147	2.1	0.18	1.8	2.5	122	2.0	0.19	1.7	2.4
1998	159	2.3	0.18	1.9	2.7	128	2.1	0.19	1.8	2.5
1999	138	2.0	0.17	1.7	2.4	113	1.9	0.18	1.5	2.3
2000	140	2.0	0.17	1.7	2.4	110	1.9	0.18	1.5	2.3
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	348	3.3	0.18	2.9	3.6	12	0.7	0.24	0.3	1.5
1986	21	3.2	0.71	2.0	5.1	0	0.0	~	0.0	13.4
1987	25	3.8	0.76	2.4	5.7	1	1.1	1.08	0.0	13.8
1988	19	3.1	0.73	1.8	5.0	0	0.0	~	0.0	12.0
1989	15	2.4	0.63	1.3	4.0	1	0.9	0.93	0.0	12.3
1990	21	3.1	0.68	1.9	4.8	0	0.0	~	0.0	11.2
1991	13	1.8	0.51	1.0	3.2	1	0.9	0.87	0.0	10.9
1992	21	2.9	0.65	1.8	4.5	2	1.5	1.07	0.2	10.6
1993	33	4.6	0.80	3.1	6.5	0	0.0	~	0.0	8.0
1994	28	3.9	0.74	2.6	5.7	0	0.0	~	0.0	7.3
1995	18	2.3	0.56	1.4	3.8	0	0.0	~	0.0	6.4
1996	27	3.6	0.71	2.4	5.4	3	2.8	1.81	0.4	10.2
1997	24	3.2	0.66	2.0	4.8	1	0.5	0.52	0.0	6.1
1998	28	3.7	0.71	2.5	5.4	3	2.3	1.52	0.3	8.6
1999	25	3.2	0.64	2.0	4.8	0	0.0	~	0.0	4.7
2000	30	3.8	0.70	2.5	5.4	0	0.0	~	0.0	4.1
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	36	1.2	0.21	0.8	1.7	2209	2.3	0.05	2.2	2.4
1986	1	0.6	0.56	0.0	6.1	166	2.7	0.21	2.3	3.1
1987	4	3.2	1.74	0.7	9.8	168	2.7	0.21	2.3	3.1
1988	2	1.4	1.02	0.1	6.7	165	2.6	0.21	2.3	3.1
1989	2	1.3	1.02	0.1	6.4	128	2.0	0.18	1.7	2.4
1990	2	1.0	0.67	0.1	5.4	148	2.3	0.19	2.0	2.7
1991	2	1.5	1.07	0.2	6.4	144	2.3	0.19	1.9	2.7
1992	1	0.4	0.40	0.0	4.4	139	2.1	0.18	1.8	2.5
1993	1	0.4	0.45	0.0	4.2	151	2.3	0.19	2.0	2.7
1994	1	0.6	0.58	0.0	4.3	141	2.2	0.18	1.8	2.6
1995	1	0.4	0.41	0.0	3.9	142	2.2	0.18	1.8	2.6
1996	2	0.7	0.49	0.1	4.0	152	2.2	0.18	1.9	2.6
1997	1	0.1	0.10	0.0	3.2	151	2.3	0.19	1.9	2.7
1998	5	2.4	1.16	0.7	6.5	149	2.2	0.18	1.9	2.6
1999	7	2.4	0.91	0.9	5.9	130	1.9	0.17	1.6	2.3
2000	4	1.4	0.74	0.3	4.6	135	2.0	0.18	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Uterus, Not Otherwise Specified

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	802	0.8	0.03	0.8	0.9	625	0.8	0.03	0.7	0.8
1986	33	0.6	0.10	0.4	0.8	30	0.6	0.10	0.4	0.8
1987	27	0.4	0.09	0.3	0.7	21	0.4	0.09	0.2	0.6
1988	31	0.5	0.09	0.3	0.7	21	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	42	0.7	0.10	0.5	0.9	26	0.5	0.09	0.3	0.7
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	58	0.9	0.12	0.7	1.2	48	0.9	0.13	0.7	1.2
1993	67	1.0	0.13	0.8	1.3	53	1.0	0.14	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	62	1.0	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1996	51	0.8	0.11	0.6	1.1	43	0.8	0.12	0.6	1.1
1997	58	0.9	0.12	0.7	1.1	46	0.8	0.12	0.6	1.1
1998	87	1.3	0.14	1.0	1.6	67	1.2	0.15	0.9	1.5
1999	58	0.8	0.11	0.6	1.1	43	0.7	0.11	0.5	1.0
2000	67	1.0	0.12	0.8	1.2	51	0.9	0.13	0.7	1.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	163	1.5	0.12	1.3	1.8	8	0.4	0.17	0.1	1.0
1986	3	0.4	0.25	0.1	1.5	0	0.0	-	0.0	13.4
1987	5	0.7	0.34	0.2	1.9	1	0.9	0.90	0.0	13.5
1988	9	1.4	0.48	0.6	2.8	1	1.0	0.96	0.0	13.0
1989	4	0.6	0.31	0.2	1.7	0	0.0	-	0.0	11.4
1990	13	1.9	0.54	1.0	3.4	1	0.7	0.69	0.0	11.9
1991	14	2.1	0.55	1.1	3.5	0	0.0	-	0.0	10.0
1992	9	1.2	0.42	0.6	2.4	1	0.8	0.79	0.0	9.8
1993	13	1.9	0.52	1.0	3.3	0	0.0	-	0.0	8.0
1994	17	2.5	0.62	1.5	4.1	0	0.0	-	0.0	7.3
1995	12	1.7	0.49	0.9	3.0	0	0.0	-	0.0	6.4
1996	7	0.9	0.34	0.3	1.9	1	0.4	0.44	0.0	6.3
1997	12	1.6	0.46	0.8	2.8	0	0.0	-	0.0	5.6
1998	18	2.2	0.53	1.3	3.6	1	1.4	1.38	0.0	7.7
1999	13	1.6	0.44	0.8	2.7	1	0.4	0.43	0.0	5.2
2000	14	1.8	0.48	1.0	3.0	1	0.4	0.39	0.0	4.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	32	0.9	0.19	0.6	1.5	679	0.9	0.04	0.8	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	25	0.4	0.09	0.3	0.6
1990	3	1.4	0.82	0.3	6.0	39	0.6	0.10	0.5	0.9
1991	2	1.1	0.79	0.1	5.6	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	5.1	56	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	4.8	64	1.0	0.13	0.8	1.3
1994	2	0.6	0.47	0.1	4.2	84	1.3	0.14	1.0	1.6
1995	4	1.5	0.86	0.3	5.4	58	0.9	0.12	0.7	1.2
1996	1	0.8	0.80	0.0	4.6	50	0.8	0.12	0.6	1.1
1997	2	0.5	0.37	0.1	3.7	56	0.9	0.12	0.7	1.1
1998	7	2.2	1.03	0.7	6.1	80	1.3	0.14	1.0	1.6
1999	3	0.7	0.44	0.1	3.7	55	0.8	0.11	0.6	1.1
2000	3	0.5	0.32	0.1	3.3	64	1.0	0.12	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Uterus, Not Otherwise Specified

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,341	2.3	0.05	2.2	2.4	1,927	2.2	0.05	2.1	2.3
1986	141	2.2	0.19	1.9	2.6	120	2.1	0.19	1.7	2.5
1987	150	2.3	0.19	2.0	2.8	122	2.1	0.20	1.8	2.6
1988	144	2.2	0.19	1.9	2.6	124	2.2	0.20	1.8	2.6
1989	160	2.5	0.20	2.1	2.9	130	2.2	0.20	1.9	2.7
1990	157	2.4	0.20	2.1	2.9	131	2.3	0.20	1.9	2.7
1991	166	2.6	0.20	2.2	3.0	131	2.3	0.21	1.9	2.8
1992	132	2.0	0.17	1.6	2.4	103	1.7	0.17	1.4	2.1
1993	152	2.3	0.19	1.9	2.7	131	2.2	0.20	1.8	2.6
1994	162	2.4	0.19	2.0	2.8	132	2.2	0.20	1.9	2.7
1995	157	2.3	0.19	2.0	2.7	124	2.1	0.19	1.7	2.5
1996	133	1.9	0.17	1.6	2.3	113	1.9	0.18	1.5	2.3
1997	150	2.2	0.18	1.8	2.6	124	2.1	0.19	1.7	2.5
1998	173	2.4	0.19	2.1	2.9	140	2.3	0.19	1.9	2.7
1999	169	2.4	0.19	2.1	2.8	142	2.4	0.20	2.0	2.8
2000	195	2.8	0.20	2.4	3.2	160	2.7	0.21	2.3	3.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	396	3.7	0.19	3.4	4.1	18	1.2	0.29	0.6	2.0
1986	20	3.0	0.69	1.8	4.9	1	1.1	1.08	0.0	14.5
1987	28	4.3	0.84	2.8	6.4	0	0.0	~	0.0	12.6
1988	19	3.0	0.69	1.8	4.7	1	2.3	2.33	0.1	15.7
1989	29	4.3	0.81	2.9	6.3	1	1.3	1.32	0.0	13.0
1990	26	3.8	0.76	2.5	5.7	0	0.0	~	0.0	11.2
1991	34	5.2	0.91	3.6	7.4	1	1.5	1.54	0.0	12.2
1992	29	4.1	0.77	2.7	6.0	0	0.0	~	0.0	9.0
1993	20	2.6	0.59	1.6	4.1	1	1.3	1.33	0.0	10.0
1994	30	4.2	0.77	2.8	6.0	0	0.0	~	0.0	7.3
1995	32	4.7	0.83	3.2	6.6	1	0.6	0.63	0.0	7.2
1996	18	2.4	0.57	1.4	3.8	2	2.3	1.72	0.2	9.6
1997	24	3.4	0.70	2.2	5.1	2	1.5	1.12	0.2	7.7
1998	30	4.0	0.73	2.7	5.7	3	1.4	0.84	0.3	6.8
1999	25	3.0	0.61	2.0	4.5	2	0.9	0.67	0.1	5.8
2000	32	4.1	0.73	2.8	5.8	3	1.8	1.09	0.3	6.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	49	1.5	0.24	1.1	2.1	2418	2.5	0.05	2.4	2.6
1986	2	1.1	0.79	0.1	6.8	142	2.3	0.20	1.9	2.7
1987	2	0.8	0.57	0.1	5.9	151	2.4	0.20	2.0	2.8
1988	1	0.9	0.91	0.0	6.2	152	2.4	0.20	2.0	2.9
1989	3	1.8	1.14	0.3	7.0	159	2.5	0.20	2.1	3.0
1990	3	1.3	0.74	0.3	5.8	161	2.6	0.20	2.2	3.0
1991	5	2.6	1.22	0.8	7.6	159	2.5	0.20	2.1	2.9
1992	5	2.1	1.03	0.6	6.6	146	2.2	0.19	1.9	2.6
1993	3	1.7	1.03	0.3	6.1	165	2.5	0.20	2.2	3.0
1994	4	1.5	0.77	0.4	5.3	164	2.5	0.20	2.1	2.9
1995	6	2.2	0.91	0.8	6.1	165	2.5	0.20	2.1	2.9
1996	1	0.8	0.80	0.0	4.6	147	2.2	0.19	1.9	2.6
1997	4	1.7	0.99	0.4	5.7	156	2.4	0.19	2.0	2.8
1998	3	1.4	0.88	0.2	5.1	196	2.9	0.21	2.5	3.4
1999	5	1.9	0.99	0.5	5.7	164	2.5	0.19	2.1	2.9
2000	2	1.0	0.72	0.1	4.3	191	2.8	0.21	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ovary

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	15,110	16.3	0.13	16.0	16.5	13,490	17.1	0.15	16.8	17.4
1986	857	14.7	0.51	13.7	15.7	785	15.5	0.57	14.4	16.7
1987	904	15.5	0.53	14.5	16.6	807	16.0	0.58	14.9	17.2
1988	898	15.1	0.51	14.1	16.2	800	15.6	0.56	14.5	16.7
1989	890	14.9	0.51	14.0	16.0	804	15.7	0.57	14.6	16.9
1990	998	16.5	0.53	15.5	17.6	897	17.2	0.59	16.1	18.4
1991	962	16.0	0.53	15.0	17.1	864	16.9	0.59	15.8	18.1
1992	1,045	17.2	0.54	16.1	18.3	948	18.3	0.61	17.1	19.5
1993	1,034	16.7	0.52	15.7	17.8	928	17.7	0.59	16.5	18.9
1994	1,118	17.7	0.53	16.7	18.8	993	18.5	0.60	17.3	19.7
1995	1,039	16.5	0.52	15.5	17.6	919	17.2	0.58	16.1	18.4
1996	1,130	17.7	0.53	16.7	18.8	990	18.3	0.59	17.2	19.5
1997	1,059	16.6	0.51	15.6	17.6	933	17.3	0.57	16.2	18.5
1998	1,071	16.5	0.51	15.5	17.5	951	17.4	0.57	16.3	18.6
1999	1,090	16.7	0.51	15.7	17.7	973	17.7	0.57	16.6	18.9
2000	1,015	15.3	0.48	14.4	16.3	898	16.2	0.55	15.2	17.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,300	11.4	0.32	10.8	12.0	233	10.3	0.74	8.9	11.9
1986	58	8.7	1.17	6.5	11.4	11	11.0	3.82	4.9	26.7
1987	86	13.1	1.44	10.4	16.3	9	9.1	4.01	3.0	24.8
1988	77	11.0	1.28	8.6	13.9	16	17.1	5.12	8.6	33.9
1989	74	10.4	1.24	8.2	13.3	8	7.1	2.64	2.9	19.6
1990	90	12.8	1.37	10.2	15.8	10	7.4	2.44	3.4	19.3
1991	73	10.1	1.20	7.8	12.8	13	9.1	2.62	4.8	20.3
1992	78	10.3	1.18	8.1	12.9	12	7.5	2.36	3.6	17.6
1993	91	11.8	1.26	9.5	14.6	12	8.6	2.96	3.8	19.1
1994	106	13.9	1.36	11.3	16.8	15	9.7	2.76	5.0	19.2
1995	94	11.7	1.22	9.4	14.4	23	12.3	2.67	7.7	21.0
1996	115	14.5	1.37	11.9	17.4	21	10.9	2.59	6.4	19.1
1997	99	12.4	1.26	10.0	15.1	19	9.7	2.27	5.8	17.2
1998	93	11.0	1.15	8.8	13.5	17	8.9	2.39	4.9	16.4
1999	91	10.6	1.12	8.5	13.1	17	7.9	2.03	4.4	14.4
2000	75	8.6	1.01	6.8	10.9	30	15.4	3.02	10.1	23.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	448	12.5	0.68	11.2	14.0	12,003	16.7	0.15	16.4	17.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	22	10.1	2.31	6.1	17.0	868	15.1	0.52	14.1	16.2
1990	24	11.2	2.60	6.7	18.5	974	16.7	0.55	15.7	17.8
1991	31	11.3	2.33	7.3	18.0	931	16.2	0.54	15.2	17.3
1992	35	11.8	2.21	7.9	18.1	1,010	17.3	0.55	16.2	18.4
1993	35	13.1	2.54	8.6	19.9	999	16.9	0.54	15.8	17.9
1994	46	14.8	2.39	10.5	21.2	1,072	17.7	0.55	16.7	18.8
1995	49	13.6	2.26	9.6	19.7	990	16.5	0.53	15.5	17.6
1996	39	12.8	2.38	8.6	19.1	1,091	18.0	0.55	16.9	19.1
1997	34	13.4	2.59	8.8	20.0	1,025	16.9	0.53	15.9	18.0
1998	40	12.1	2.20	8.2	17.9	1,031	16.8	0.53	15.7	17.8
1999	54	14.8	2.44	10.4	21.0	1,036	16.8	0.52	15.8	17.8
2000	39	10.3	1.93	6.9	15.5	976	15.6	0.50	14.7	16.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ovary

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,201	9.5	0.10	9.3	9.7	8,290	9.9	0.11	9.6	10.1
1986	619	10.3	0.42	9.5	11.2	567	10.8	0.47	9.9	11.8
1987	610	9.9	0.41	9.1	10.7	569	10.5	0.45	9.6	11.4
1988	551	8.9	0.39	8.2	9.7	493	9.0	0.42	8.2	9.9
1989	617	10.1	0.41	9.3	10.9	549	10.2	0.45	9.4	11.2
1990	635	10.2	0.41	9.4	11.0	577	10.6	0.45	9.7	11.5
1991	589	9.2	0.39	8.5	10.0	532	9.5	0.42	8.7	10.4
1992	640	10.0	0.40	9.3	10.9	571	10.3	0.44	9.4	11.2
1993	595	9.2	0.38	8.4	10.0	531	9.4	0.42	8.6	10.3
1994	625	9.6	0.39	8.8	10.3	568	10.0	0.43	9.2	10.9
1995	599	9.2	0.38	8.4	9.9	558	9.8	0.42	9.0	10.7
1996	659	9.9	0.39	9.2	10.7	595	10.4	0.43	9.5	11.2
1997	619	9.2	0.37	8.5	10.0	537	9.3	0.41	8.5	10.1
1998	605	8.9	0.37	8.2	9.7	547	9.4	0.41	8.6	10.2
1999	604	8.9	0.36	8.2	9.6	530	9.1	0.40	8.3	9.9
2000	634	9.2	0.37	8.5	10.0	566	9.7	0.41	8.9	10.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	846	7.8	0.27	7.3	8.4	65	3.5	0.47	2.6	4.7
1986	50	7.6	1.09	5.6	10.2	2	2.7	1.92	0.3	16.5
1987	37	5.9	0.99	4.1	8.3	4	4.6	2.52	1.0	18.2
1988	56	8.6	1.17	6.4	11.3	2	1.6	1.18	0.2	13.6
1989	62	9.5	1.22	7.2	12.2	6	7.0	3.11	2.3	20.3
1990	54	7.8	1.07	5.8	10.2	4	4.5	2.36	1.1	16.7
1991	54	8.3	1.15	6.2	10.9	3	2.5	1.42	0.5	12.6
1992	62	8.7	1.12	6.7	11.3	7	5.2	2.02	2.1	15.0
1993	60	8.1	1.06	6.1	10.5	4	2.4	1.24	0.6	10.7
1994	53	7.5	1.04	5.6	9.8	4	3.6	1.93	0.9	12.2
1995	37	4.8	0.80	3.4	6.7	4	2.2	1.12	0.6	9.0
1996	59	8.0	1.06	6.1	10.4	5	3.7	1.76	1.1	10.8
1997	78	9.9	1.13	7.8	12.4	4	3.3	1.68	0.9	10.2
1998	53	6.7	0.92	5.0	8.8	5	4.4	2.18	1.2	11.8
1999	67	8.3	1.03	6.4	10.6	7	3.5	1.38	1.3	9.1
2000	64	8.0	1.01	6.2	10.3	4	2.1	1.14	0.5	7.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	185	5.6	0.45	4.8	6.6	9088	9.7	0.10	9.5	9.9
1986	7	4.2	1.69	1.6	10.9	627	10.7	0.44	9.9	11.6
1987	8	5.2	1.94	2.2	12.0	601	10.0	0.42	9.2	10.9
1988	7	3.9	1.54	1.5	9.8	543	9.1	0.40	8.3	9.9
1989	13	6.7	1.94	3.4	12.9	611	10.3	0.42	9.5	11.2
1990	9	5.0	1.80	2.1	11.0	629	10.4	0.42	9.6	11.3
1991	16	8.0	2.13	4.4	14.4	579	9.3	0.39	8.5	10.1
1992	10	5.1	1.73	2.3	10.7	640	10.4	0.42	9.6	11.2
1993	9	4.0	1.41	1.8	9.0	598	9.5	0.40	8.8	10.4
1994	12	5.4	1.72	2.6	10.8	630	10.0	0.40	9.2	10.8
1995	17	6.8	1.88	3.7	12.4	577	9.2	0.39	8.4	9.9
1996	17	6.4	1.74	3.4	11.5	643	10.0	0.40	9.3	10.8
1997	8	3.0	1.13	1.2	7.1	615	9.5	0.39	8.8	10.3
1998	19	7.7	2.00	4.3	13.2	592	9.1	0.38	8.4	9.9
1999	11	5.0	1.68	2.3	10.0	593	9.1	0.38	8.4	9.9
2000	22	7.2	1.74	4.2	12.1	610	9.3	0.38	8.5	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Male Genital System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Male Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	106,605	152.4	0.48	151.4	153.3	89,644	145.3	0.50	144.4	146.3
1986	4,453	108.5	1.71	105.2	111.9	3,839	104.8	1.77	101.3	108.3
1987	4,836	115.6	1.74	112.2	119.1	4,247	113.5	1.82	110.0	117.1
1988	4,896	116.0	1.74	112.6	119.5	4,221	112.5	1.81	108.9	116.1
1989	5,143	120.4	1.75	117.0	123.9	4,474	117.8	1.83	114.2	121.5
1990	5,820	134.8	1.84	131.2	138.4	5,070	131.3	1.91	127.6	135.1
1991	7,336	164.6	1.99	160.7	168.5	6,419	162.0	2.09	157.9	166.2
1992	8,878	193.6	2.12	189.5	197.8	7,762	190.6	2.22	186.3	195.0
1993	8,516	182.7	2.04	178.8	186.8	7,312	177.5	2.13	173.4	181.7
1994	8,311	176.3	1.99	172.4	180.3	6,930	166.4	2.04	162.4	170.4
1995	7,731	160.7	1.87	157.1	164.5	6,370	150.7	1.92	147.0	154.6
1996	7,882	161.1	1.85	157.5	164.8	6,421	150.0	1.90	146.3	153.8
1997	8,200	166.1	1.86	162.4	169.8	6,751	156.9	1.93	153.2	160.8
1998	8,028	160.8	1.82	157.2	164.4	6,388	147.3	1.86	143.7	151.0
1999	8,468	167.2	1.84	163.6	170.8	6,871	156.6	1.90	152.9	160.4
2000	8,107	159.0	1.78	155.5	162.6	6,569	149.0	1.85	145.4	152.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,312	206.6	1.84	203.0	210.2	893	76.1	2.92	70.5	82.2
1986	574	148.4	6.67	135.6	162.3	23	43.7	10.84	25.1	75.7
1987	554	144.2	6.53	131.7	157.8	17	30.9	9.02	15.8	59.1
1988	609	148.9	6.48	136.5	162.4	37	67.2	12.30	45.3	100.1
1989	602	146.0	6.35	133.8	159.2	24	45.2	10.44	27.1	74.4
1990	652	166.1	6.98	152.7	180.6	39	54.2	9.98	36.4	82.2
1991	750	175.0	6.85	161.8	189.1	44	75.5	12.98	52.3	108.4
1992	1,007	229.5	7.72	214.6	245.3	53	96.7	14.88	69.7	132.6
1993	1,089	237.9	7.69	223.0	253.6	48	75.0	12.10	53.1	104.9
1994	1,236	270.6	8.23	254.7	287.4	73	99.7	13.34	75.3	131.6
1995	1,209	252.5	7.72	237.6	268.3	70	80.2	10.77	60.5	106.7
1996	1,299	259.3	7.62	244.6	274.9	80	90.7	11.70	69.3	118.8
1997	1,165	226.7	7.01	213.2	241.1	82	69.9	8.56	54.2	91.4
1998	1,196	228.5	6.96	215.1	242.7	83	74.1	9.18	57.3	96.6
1999	1,148	213.2	6.60	200.5	226.7	122	102.1	10.79	82.1	127.4
2000	1,222	222.6	6.67	209.7	236.2	98	80.4	9.23	63.3	102.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2,451	124.4	3.00	118.5	130.4	89,969	163.5	0.56	162.5	164.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	103	86.8	10.23	68.0	110.4	5,040	121.3	1.78	117.8	124.8
1990	108	86.9	9.95	68.5	110.0	5,712	136.0	1.87	132.4	139.8
1991	110	81.2	9.35	64.0	102.9	7,226	166.9	2.03	162.9	170.9
1992	149	112.8	11.06	92.2	137.6	8,729	196.1	2.16	191.9	200.4
1993	161	115.2	10.86	94.9	139.6	8,355	185.2	2.08	181.1	189.3
1994	231	147.1	11.57	125.3	172.6	8,080	177.6	2.02	173.7	181.7
1995	219	130.6	10.59	110.7	154.1	7,512	162.3	1.91	158.6	166.1
1996	261	154.1	11.37	132.6	178.9	7,621	162.2	1.89	158.5	166.0
1997	255	137.1	10.24	117.8	159.6	7,945	167.9	1.91	164.2	171.7
1998	239	130.5	10.09	111.5	152.6	7,789	163.1	1.87	159.4	166.8
1999	315	148.5	10.01	129.6	170.3	8,153	168.8	1.88	165.1	172.6
2000	300	127.2	8.82	110.5	146.6	7,807	161.0	1.84	157.4	164.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Male Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	22,068	37.2	0.26	36.7	37.7	17,689	33.5	0.26	33.0	34.1
1986	1,226	33.5	1.01	31.6	35.6	992	30.5	1.02	28.6	32.6
1987	1,310	35.4	1.02	33.4	37.4	1,057	31.8	1.02	29.8	33.9
1988	1,379	36.5	1.03	34.6	38.6	1,115	33.2	1.04	31.2	35.3
1989	1,423	37.6	1.04	35.6	39.8	1,131	33.6	1.04	31.6	35.8
1990	1,562	41.4	1.09	39.2	43.6	1,267	37.6	1.10	35.5	39.9
1991	1,555	40.4	1.07	38.4	42.6	1,250	36.5	1.07	34.4	38.6
1992	1,523	38.9	1.03	36.9	41.0	1,208	34.4	1.02	32.4	36.5
1993	1,637	41.6	1.07	39.5	43.7	1,308	37.4	1.07	35.3	39.5
1994	1,533	38.5	1.02	36.5	40.6	1,221	34.4	1.01	32.4	36.4
1995	1,513	37.5	0.99	35.6	39.5	1,239	34.6	1.01	32.7	36.7
1996	1,518	36.9	0.97	35.0	38.9	1,212	33.2	0.98	31.3	35.2
1997	1,491	35.8	0.95	34.0	37.8	1,190	32.3	0.96	30.5	34.3
1998	1,515	35.8	0.94	34.0	37.7	1,211	32.4	0.95	30.5	34.3
1999	1,447	33.7	0.90	31.9	35.5	1,160	30.6	0.91	28.8	32.4
2000	1,436	33.4	0.90	31.7	35.2	1,128	29.8	0.90	28.0	31.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,302	77.1	1.25	74.7	79.6	77	9.8	1.26	7.5	12.7
1986	232	66.3	4.66	57.5	76.3	2	5.2	4.07	0.4	27.6
1987	251	74.0	5.02	64.5	84.7	2	7.1	5.50	0.6	30.8
1988	262	73.2	4.82	64.1	83.5	2	6.7	5.16	0.6	28.9
1989	290	81.9	5.10	72.2	92.7	2	2.9	2.11	0.3	19.9
1990	294	83.7	5.24	73.8	94.8	1	2.9	2.89	0.1	21.2
1991	300	84.4	5.18	74.6	95.4	5	11.1	6.03	2.6	32.4
1992	307	88.3	5.37	78.1	99.6	8	10.6	4.03	4.2	26.9
1993	324	88.0	5.22	78.0	99.0	5	9.7	4.71	2.8	26.8
1994	309	84.6	5.11	74.9	95.4	3	7.8	4.85	1.4	25.3
1995	270	70.3	4.54	61.7	79.9	4	8.0	4.57	1.7	24.3
1996	298	78.5	4.81	69.4	88.7	8	11.2	4.42	4.3	26.4
1997	292	73.1	4.54	64.5	82.7	9	15.3	5.50	6.5	32.0
1998	295	71.9	4.42	63.5	81.2	9	14.8	5.65	5.9	31.5
1999	281	67.5	4.24	59.4	76.5	6	10.7	4.72	3.5	25.5
2000	297	72.9	4.45	64.5	82.3	11	11.9	3.96	5.5	24.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	343	20.8	1.30	18.4	23.6	21891	37.8	0.26	37.3	38.3
1986	13	14.2	4.51	6.8	28.0	1230	34.3	1.03	32.3	36.4
1987	19	23.0	6.38	12.3	40.2	1305	35.9	1.04	33.9	38.0
1988	11	12.2	4.15	5.5	24.8	1380	37.4	1.05	35.3	39.5
1989	19	22.1	5.48	12.7	36.8	1426	38.6	1.07	36.5	40.8
1990	19	19.6	5.45	10.4	34.4	1548	41.9	1.11	39.8	44.2
1991	22	18.6	4.69	10.6	31.6	1547	41.3	1.09	39.2	43.5
1992	17	18.5	5.09	9.9	32.2	1546	40.4	1.07	38.3	42.5
1993	32	32.4	6.66	20.7	49.0	1645	42.9	1.09	40.8	45.1
1994	25	25.3	5.71	15.4	39.9	1510	38.8	1.03	36.9	40.9
1995	18	16.6	4.37	9.1	28.4	1487	37.7	1.01	35.8	39.8
1996	29	23.1	5.09	14.2	36.2	1486	37.1	0.99	35.2	39.1
1997	28	21.5	4.67	13.3	33.5	1470	36.4	0.97	34.5	38.3
1998	30	20.6	4.40	12.9	32.0	1491	36.3	0.96	34.4	38.2
1999	28	18.2	3.98	11.2	28.6	1419	34.1	0.92	32.3	36.0
2000	33	22.9	4.40	15.1	33.9	1401	33.7	0.91	32.0	35.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Prostate

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	101,545	146.6	0.47	145.7	147.5	84,989	139.0	0.49	138.1	140.0
1986	4,168	103.3	1.68	100.1	106.7	3,573	99.2	1.74	95.8	102.6
1987	4,516	109.8	1.70	106.5	113.3	3,948	107.2	1.78	103.7	110.8
1988	4,579	110.4	1.70	107.1	113.8	3,924	106.3	1.77	102.9	109.8
1989	4,812	114.4	1.72	111.1	117.8	4,172	111.4	1.79	107.9	115.0
1990	5,485	128.9	1.81	125.4	132.6	4,762	125.0	1.88	121.4	128.8
1991	7,018	159.1	1.97	155.2	163.0	6,125	156.0	2.06	152.0	160.1
1992	8,574	188.5	2.10	184.4	192.7	7,479	184.9	2.20	180.7	189.3
1993	8,173	176.8	2.01	172.9	180.8	6,991	170.9	2.09	166.8	175.1
1994	7,964	170.5	1.96	166.7	174.4	6,606	159.9	2.01	156.0	163.9
1995	7,390	155.1	1.84	151.6	158.8	6,056	144.6	1.89	140.9	148.3
1996	7,525	155.2	1.82	151.6	158.8	6,102	143.7	1.86	140.1	147.4
1997	7,814	159.6	1.83	156.1	163.3	6,396	149.8	1.89	146.1	153.6
1998	7,672	154.8	1.79	151.3	158.4	6,060	140.7	1.82	137.1	144.3
1999	8,095	161.0	1.81	157.5	164.6	6,545	150.1	1.87	146.5	153.8
2000	7,760	153.3	1.76	149.9	156.8	6,250	142.6	1.82	139.1	146.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,047	203.8	1.83	200.2	207.4	822	73.2	2.87	67.6	79.2
1986	560	145.8	6.62	133.1	159.6	20	42.0	10.79	23.6	74.0
1987	539	141.3	6.47	128.9	154.8	13	28.9	8.96	14.1	57.1
1988	594	146.2	6.43	133.9	159.6	33	65.0	12.25	43.2	97.9
1989	578	142.0	6.28	129.9	155.0	22	44.3	10.42	26.3	73.5
1990	633	162.2	6.92	148.9	176.5	33	51.0	9.90	33.5	78.9
1991	733	171.9	6.80	158.9	186.0	41	70.6	12.30	48.6	102.2
1992	991	227.1	7.69	212.3	242.9	51	94.9	14.83	68.1	130.8
1993	1,070	235.1	7.66	220.3	250.8	47	74.6	12.09	52.8	104.5
1994	1,219	268.0	8.20	252.2	284.8	68	95.5	13.12	71.6	127.1
1995	1,193	250.1	7.69	235.2	265.8	64	77.5	10.71	57.9	103.9
1996	1,277	256.2	7.58	241.6	271.7	73	88.1	11.66	66.8	116.1
1997	1,147	224.1	6.97	210.6	238.4	78	68.4	8.52	52.8	89.8
1998	1,178	226.2	6.93	212.8	240.4	78	70.8	9.04	54.2	93.0
1999	1,129	210.8	6.57	198.2	224.3	109	94.1	10.32	75.0	118.5
2000	1,206	220.3	6.64	207.4	233.8	92	77.7	9.14	60.9	99.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2,170	120.1	2.98	114.3	126.1	86,112	157.5	0.55	156.4	158.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	87	79.3	9.83	61.2	102.2	4,725	115.2	1.74	111.8	118.7
1990	90	80.9	9.67	63.1	103.4	5,395	130.1	1.84	126.5	133.8
1991	91	76.0	9.10	59.2	97.2	6,927	161.2	2.00	157.3	165.2
1992	132	109.9	11.03	89.4	134.7	8,442	190.8	2.14	186.7	195.1
1993	143	112.2	10.83	92.0	136.5	8,030	179.0	2.05	175.0	183.1
1994	211	143.9	11.54	122.1	169.3	7,753	171.5	2.00	167.6	175.5
1995	191	125.9	10.53	106.1	149.2	7,199	156.6	1.88	152.9	160.3
1996	239	150.2	11.31	128.8	174.9	7,286	156.0	1.86	152.4	159.7
1997	229	132.8	10.11	113.7	155.1	7,585	161.2	1.87	157.5	164.9
1998	214	126.9	10.04	108.0	149.0	7,458	156.7	1.83	153.2	160.4
1999	283	145.1	9.98	126.2	166.9	7,812	162.3	1.85	158.7	166.0
2000	260	122.6	8.78	106.0	141.8	7,500	155.1	1.81	151.6	158.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Prostate

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	21,730	36.7	0.26	36.2	37.2	17,391	33.1	0.26	32.6	33.6
1986	1,203	33.0	1.00	31.1	35.1	973	30.1	1.01	28.1	32.1
1987	1,274	34.6	1.02	32.6	36.7	1,023	31.0	1.01	29.0	33.0
1988	1,362	36.2	1.02	34.2	38.3	1,099	32.8	1.03	30.8	34.9
1989	1,395	37.0	1.04	35.0	39.1	1,107	33.1	1.04	31.1	35.2
1990	1,545	41.0	1.09	38.9	43.2	1,252	37.3	1.10	35.2	39.5
1991	1,533	40.0	1.06	37.9	42.1	1,230	36.0	1.07	33.9	38.2
1992	1,502	38.5	1.03	36.5	40.6	1,192	34.0	1.02	32.1	36.1
1993	1,609	41.1	1.06	39.0	43.2	1,284	36.8	1.06	34.8	39.0
1994	1,517	38.2	1.01	36.3	40.3	1,206	34.1	1.01	32.1	36.1
1995	1,499	37.2	0.99	35.3	39.2	1,226	34.4	1.01	32.4	36.4
1996	1,502	36.6	0.97	34.7	38.6	1,196	32.8	0.97	31.0	34.8
1997	1,465	35.3	0.95	33.5	37.2	1,167	31.8	0.95	30.0	33.7
1998	1,492	35.4	0.93	33.6	37.2	1,191	31.9	0.94	30.1	33.8
1999	1,423	33.2	0.90	31.5	35.0	1,140	30.2	0.91	28.4	32.0
2000	1,409	33.0	0.89	31.2	34.8	1,105	29.3	0.89	27.5	31.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,262	76.6	1.25	74.2	79.1	77	9.8	1.26	7.5	12.7
1986	228	65.7	4.65	56.9	75.7	2	5.2	4.07	0.4	27.6
1987	249	73.8	5.02	64.3	84.4	2	7.1	5.50	0.6	30.8
1988	261	73.2	4.82	64.0	83.4	2	6.7	5.16	0.6	28.9
1989	286	80.7	5.06	71.0	91.4	2	2.9	2.11	0.3	19.9
1990	292	83.1	5.21	73.2	94.2	1	2.9	2.89	0.1	21.2
1991	298	84.1	5.17	74.2	95.0	5	11.1	6.03	2.6	32.4
1992	302	87.1	5.34	77.0	98.3	8	10.6	4.03	4.2	26.9
1993	320	87.2	5.21	77.3	98.2	5	9.7	4.71	2.8	26.8
1994	308	84.5	5.11	74.8	95.3	3	7.8	4.85	1.4	25.3
1995	269	70.2	4.54	61.6	79.8	4	8.0	4.57	1.7	24.3
1996	298	78.5	4.81	69.4	88.7	8	11.2	4.42	4.3	26.4
1997	289	72.7	4.53	64.1	82.2	9	15.3	5.50	6.5	32.0
1998	292	71.6	4.42	63.2	80.9	9	14.8	5.65	5.9	31.5
1999	277	67.0	4.23	59.0	75.9	6	10.7	4.72	3.5	25.5
2000	293	72.4	4.44	64.0	81.8	11	11.9	3.96	5.5	24.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	317	20.2	1.28	17.8	22.9	21561	37.4	0.26	36.8	37.9
1986	12	14.1	4.50	6.7	27.8	1207	33.8	1.02	31.8	35.9
1987	16	22.3	6.36	11.6	39.4	1270	35.2	1.03	33.2	37.2
1988	10	12.1	4.14	5.4	24.7	1361	37.0	1.05	34.9	39.1
1989	18	20.0	5.08	11.3	34.0	1397	38.0	1.06	35.9	40.1
1990	17	19.0	5.43	9.9	33.9	1532	41.5	1.11	39.4	43.8
1991	19	16.1	4.26	8.9	28.3	1524	40.8	1.09	38.7	43.0
1992	15	18.3	5.08	9.7	32.0	1525	39.9	1.06	37.9	42.1
1993	29	32.0	6.65	20.3	48.6	1619	42.4	1.09	40.2	44.6
1994	24	24.8	5.70	14.9	39.4	1495	38.6	1.03	36.6	40.6
1995	18	16.6	4.37	9.1	28.4	1470	37.4	1.00	35.5	39.4
1996	27	22.9	5.09	14.0	36.0	1472	36.8	0.98	34.9	38.8
1997	27	21.3	4.66	13.2	33.4	1445	35.8	0.96	34.0	37.8
1998	27	19.1	4.27	11.6	30.2	1472	35.9	0.95	34.0	37.8
1999	26	17.7	3.96	10.8	28.1	1397	33.6	0.91	31.9	35.5
2000	32	22.4	4.37	14.6	33.4	1375	33.2	0.91	31.4	35.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Testis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,213	4.6	0.07	4.4	4.7	3,948	5.2	0.08	5.0	5.3
1986	230	4.0	0.27	3.4	4.5	219	4.5	0.31	3.9	5.2
1987	254	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5
1988	272	4.6	0.29	4.1	5.2	261	5.3	0.34	4.6	6.0
1989	270	4.6	0.29	4.0	5.2	253	5.1	0.33	4.5	5.9
1990	274	4.4	0.27	3.9	5.0	257	5.0	0.32	4.4	5.6
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.6
1992	258	4.1	0.26	3.6	4.7	244	4.7	0.30	4.1	5.4
1993	287	4.7	0.28	4.1	5.3	270	5.3	0.32	4.7	6.0
1994	287	4.6	0.27	4.1	5.2	275	5.3	0.32	4.7	6.0
1995	281	4.4	0.27	3.9	5.0	262	5.0	0.31	4.4	5.7
1996	294	4.6	0.27	4.1	5.2	266	5.1	0.32	4.5	5.8
1997	334	5.4	0.30	4.8	6.0	314	6.1	0.35	5.5	6.9
1998	295	4.7	0.28	4.2	5.3	276	5.4	0.32	4.8	6.1
1999	322	5.1	0.29	4.6	5.7	287	5.6	0.33	5.0	6.3
2000	292	4.6	0.27	4.1	5.2	272	5.3	0.32	4.7	6.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	149	1.2	0.10	1.0	1.4	58	1.7	0.22	1.3	2.6
1986	7	0.9	0.33	0.3	2.7	2	1.1	0.76	0.1	21.0
1987	7	0.9	0.35	0.3	2.8	4	2.0	0.99	0.5	20.5
1988	6	0.8	0.37	0.3	2.7	4	2.2	1.12	0.6	19.5
1989	14	1.7	0.48	0.9	3.6	2	0.9	0.66	0.1	17.3
1990	10	1.5	0.49	0.7	3.5	5	2.6	1.19	0.8	18.9
1991	6	0.6	0.24	0.2	2.3	2	0.8	0.58	0.1	15.7
1992	11	1.2	0.35	0.6	2.9	1	0.8	0.84	0.0	14.5
1993	15	1.9	0.51	1.0	3.8	1	0.4	0.40	0.0	13.0
1994	8	0.8	0.30	0.4	2.4	4	2.0	1.00	0.5	13.9
1995	8	0.9	0.34	0.4	2.6	6	2.7	1.13	1.0	13.8
1996	13	1.6	0.45	0.8	3.4	6	2.1	0.86	0.8	12.6
1997	9	1.2	0.41	0.5	2.9	4	1.5	0.76	0.4	11.5
1998	12	1.3	0.37	0.6	2.8	2	0.8	0.58	0.1	10.3
1999	14	1.6	0.43	0.9	3.2	10	3.5	1.12	1.6	12.3
2000	9	1.0	0.32	0.4	2.4	5	1.5	0.66	0.5	9.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	234	2.6	0.22	2.2	3.2	3,223	4.9	0.09	4.7	5.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	11	3.9	2.14	0.9	13.0	259	4.8	0.30	4.2	5.4
1990	13	2.4	0.76	1.1	9.7	261	4.6	0.29	4.1	5.3
1991	13	1.8	0.53	0.9	8.6	250	4.5	0.29	3.9	5.1
1992	14	2.0	0.56	1.0	8.3	244	4.3	0.28	3.8	4.9
1993	15	2.1	0.59	1.1	8.4	272	4.9	0.30	4.4	5.6
1994	18	2.6	0.68	1.5	8.7	269	4.8	0.30	4.3	5.5
1995	23	2.8	0.65	1.7	8.5	258	4.6	0.29	4.1	5.3
1996	18	2.1	0.52	1.2	7.6	276	5.0	0.30	4.4	5.6
1997	23	2.3	0.50	1.4	7.5	311	5.7	0.32	5.1	6.4
1998	21	2.3	0.60	1.3	7.3	274	5.1	0.31	4.5	5.7
1999	29	2.8	0.56	1.8	7.5	293	5.4	0.32	4.8	6.1
2000	36	3.6	0.65	2.4	8.0	256	4.8	0.30	4.2	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Testis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	199	0.2	0.02	0.2	0.3	179	0.2	0.02	0.2	0.3
1986	10	0.2	0.06	0.1	0.4	8	0.2	0.07	0.1	0.4
1987	22	0.4	0.08	0.2	0.6	21	0.4	0.10	0.3	0.7
1988	11	0.2	0.05	0.1	0.4	10	0.2	0.06	0.1	0.4
1989	15	0.3	0.09	0.2	0.6	14	0.4	0.10	0.2	0.6
1990	11	0.2	0.06	0.1	0.4	10	0.2	0.07	0.1	0.4
1991	16	0.3	0.08	0.2	0.5	16	0.4	0.09	0.2	0.6
1992	11	0.2	0.06	0.1	0.4	10	0.2	0.07	0.1	0.4
1993	20	0.3	0.08	0.2	0.6	18	0.4	0.09	0.2	0.6
1994	11	0.2	0.05	0.1	0.4	10	0.2	0.06	0.1	0.4
1995	7	0.1	0.04	0.0	0.3	6	0.1	0.05	0.0	0.3
1996	10	0.2	0.06	0.1	0.4	10	0.2	0.07	0.1	0.4
1997	12	0.2	0.06	0.1	0.4	10	0.2	0.07	0.1	0.4
1998	15	0.2	0.07	0.1	0.4	13	0.3	0.08	0.1	0.5
1999	12	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.4
2000	16	0.3	0.07	0.2	0.4	13	0.3	0.07	0.1	0.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	20	0.2	0.04	0.1	0.3	0	0.0	~	0.0	0.8
1986	2	0.2	0.13	0.0	2.0	0	0.0	~	0.0	20.2
1987	1	0.1	0.11	0.0	1.9	0	0.0	~	0.0	19.0
1988	1	0.1	0.09	0.0	1.8	0	0.0	~	0.0	17.8
1989	1	0.2	0.15	0.0	1.9	0	0.0	~	0.0	16.6
1990	1	0.2	0.15	0.0	1.9	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	1	0.1	0.10	0.0	1.7	0	0.0	~	0.0	13.7
1993	2	0.2	0.16	0.0	1.8	0	0.0	~	0.0	12.7
1994	1	0.1	0.09	0.0	1.6	0	0.0	~	0.0	12.3
1995	1	0.1	0.10	0.0	1.6	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	2	0.3	0.22	0.0	1.8	0	0.0	~	0.0	10.2
1998	2	0.2	0.14	0.0	1.6	0	0.0	~	0.0	9.6
1999	2	0.2	0.16	0.0	1.6	0	0.0	~	0.0	9.1
2000	3	0.4	0.23	0.1	1.8	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18	0.3	0.12	0.1	0.8	195	0.2	0.02	0.2	0.3
1986	1	0.1	0.13	0.0	8.8	10	0.2	0.06	0.1	0.4
1987	3	0.7	0.49	0.1	8.9	22	0.4	0.09	0.3	0.7
1988	1	0.1	0.12	0.0	8.0	12	0.2	0.06	0.1	0.4
1989	1	2.0	2.04	0.0	11.4	16	0.3	0.08	0.2	0.6
1990	1	0.2	0.15	0.0	7.7	11	0.2	0.07	0.1	0.4
1991	2	0.6	0.43	0.0	7.6	16	0.3	0.08	0.2	0.6
1992	2	0.2	0.17	0.0	6.8	11	0.2	0.07	0.1	0.4
1993	3	0.4	0.29	0.1	7.0	17	0.3	0.08	0.2	0.6
1994	0	0.0	-	0.0	6.4	11	0.2	0.06	0.1	0.4
1995	0	0.0	-	0.0	6.0	9	0.2	0.06	0.1	0.4
1996	2	0.2	0.13	0.0	5.9	8	0.2	0.06	0.1	0.4
1997	0	0.0	-	0.0	5.6	12	0.2	0.07	0.1	0.4
1998	1	0.1	0.10	0.0	5.4	13	0.2	0.07	0.1	0.5
1999	1	0.1	0.10	0.0	5.1	11	0.2	0.06	0.1	0.4
2000	0	0.0	-	0.0	4.7	16	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Penis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	673	1.0	0.04	0.9	1.0	552	0.9	0.04	0.8	1.0
1986	44	1.0	0.16	0.7	1.4	36	0.9	0.16	0.6	1.3
1987	58	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2
1989	46	1.0	0.16	0.7	1.4	34	0.9	0.15	0.6	1.2
1990	38	0.9	0.15	0.6	1.3	31	0.8	0.15	0.5	1.2
1991	45	1.0	0.16	0.7	1.4	34	0.9	0.15	0.6	1.2
1992	40	0.9	0.14	0.6	1.2	33	0.8	0.14	0.5	1.2
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.4
1994	50	1.0	0.15	0.8	1.4	39	0.9	0.15	0.7	1.3
1995	46	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2
1996	47	0.9	0.14	0.7	1.3	40	0.9	0.15	0.6	1.3
1997	43	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.2
1998	46	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	50	1.0	0.15	0.7	1.4	38	0.9	0.15	0.6	1.2
2000	44	0.9	0.14	0.7	1.2	38	0.9	0.15	0.6	1.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	101	1.4	0.15	1.1	1.8	10	1.1	0.42	0.5	2.5
1986	7	1.7	0.72	0.6	4.2	1	0.7	0.68	0.0	20.7
1987	8	2.0	0.78	0.8	4.6	0	0.0	-	0.0	19.0
1988	5	0.8	0.38	0.3	2.7	0	0.0	-	0.0	17.8
1989	10	2.3	0.77	1.1	4.8	0	0.0	-	0.0	16.6
1990	7	2.1	0.81	0.8	4.7	0	0.0	-	0.0	16.8
1991	10	2.4	0.81	1.0	4.9	1	4.1	4.09	0.1	22.8
1992	5	1.3	0.63	0.4	3.5	1	0.9	0.92	0.0	14.6
1993	4	0.8	0.43	0.2	2.7	0	0.0	-	0.0	12.7
1994	9	1.8	0.60	0.8	3.8	1	2.2	2.18	0.1	15.6
1995	7	1.4	0.56	0.5	3.4	0	0.0	-	0.0	11.4
1996	7	1.2	0.48	0.4	3.0	0	0.0	-	0.0	10.9
1997	8	1.4	0.51	0.6	3.2	0	0.0	-	0.0	10.2
1998	4	0.8	0.46	0.2	2.6	2	1.5	1.11	0.2	11.2
1999	5	0.8	0.37	0.2	2.4	3	4.5	2.96	0.7	16.4
2000	5	1.0	0.44	0.3	2.7	1	1.2	1.17	0.0	9.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	43	1.6	0.32	1.1	2.5	493	0.9	0.04	0.8	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	5	3.6	1.86	0.9	12.2	41	1.0	0.15	0.7	1.3
1990	4	3.2	2.17	0.4	12.5	34	0.8	0.14	0.6	1.2
1991	6	3.5	2.06	0.7	12.2	39	0.9	0.15	0.6	1.3
1992	2	0.8	0.56	0.1	7.4	38	0.8	0.14	0.6	1.2
1993	2	0.6	0.44	0.1	7.2	39	0.9	0.15	0.7	1.3
1994	2	0.6	0.44	0.1	6.9	48	1.1	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	8.1	41	0.8	0.13	0.6	1.2
1996	4	1.8	0.95	0.4	7.8	43	0.9	0.14	0.6	1.2
1997	3	2.0	1.56	0.2	8.9	40	0.9	0.14	0.6	1.2
1998	4	1.3	0.72	0.3	6.6	42	1.0	0.15	0.7	1.3
1999	2	0.5	0.34	0.0	5.4	48	1.0	0.15	0.8	1.4
2000	4	1.1	0.56	0.3	5.8	40	0.9	0.14	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Penis

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	116	0.2	0.02	0.1	0.2	99	0.2	0.02	0.1	0.2
1986	9	0.2	0.07	0.1	0.4	8	0.2	0.07	0.1	0.4
1987	11	0.3	0.09	0.1	0.6	10	0.3	0.10	0.1	0.6
1988	5	0.1	0.06	0.0	0.4	5	0.2	0.07	0.0	0.4
1989	13	0.3	0.09	0.2	0.6	10	0.2	0.08	0.1	0.5
1990	5	0.2	0.07	0.0	0.4	4	0.1	0.06	0.0	0.4
1991	5	0.1	0.05	0.0	0.3	3	0.1	0.05	0.0	0.3
1992	6	0.2	0.06	0.0	0.4	3	0.1	0.04	0.0	0.3
1993	7	0.2	0.06	0.1	0.4	5	0.1	0.06	0.0	0.3
1994	5	0.1	0.04	0.0	0.3	5	0.1	0.05	0.0	0.3
1995	6	0.1	0.05	0.0	0.3	6	0.1	0.06	0.0	0.3
1996	6	0.1	0.05	0.0	0.3	6	0.1	0.06	0.0	0.3
1997	10	0.2	0.07	0.1	0.4	9	0.2	0.07	0.1	0.4
1998	6	0.1	0.05	0.0	0.3	6	0.1	0.06	0.0	0.3
1999	12	0.3	0.08	0.1	0.5	10	0.3	0.08	0.1	0.5
2000	10	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	17	0.3	0.07	0.2	0.5	0	0.0	~	0.0	0.8
1986	1	0.2	0.21	0.0	2.1	0	0.0	~	0.0	20.2
1987	1	0.2	0.16	0.0	1.9	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	3	1.0	0.60	0.2	3.3	0	0.0	~	0.0	16.6
1990	1	0.5	0.47	0.0	2.6	0	0.0	~	0.0	16.8
1991	2	0.4	0.25	0.0	2.1	0	0.0	~	0.0	15.1
1992	3	0.9	0.56	0.2	3.1	0	0.0	~	0.0	13.7
1993	2	0.6	0.40	0.1	2.4	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	1	0.2	0.15	0.0	1.6	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	2	0.3	0.21	0.0	1.7	0	0.0	~	0.0	9.1
2000	1	0.1	0.12	0.0	1.5	0	0.0	~	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	7	0.4	0.16	0.1	1.0	114	0.2	0.02	0.2	0.2
1986	0	0.0	-	0.0	8.7	9	0.2	0.07	0.1	0.4
1987	0	0.0	-	0.0	8.3	10	0.3	0.09	0.1	0.5
1988	0	0.0	-	0.0	7.9	5	0.1	0.06	0.0	0.4
1989	0	0.0	-	0.0	7.5	12	0.3	0.09	0.1	0.5
1990	1	0.4	0.42	0.0	8.0	4	0.1	0.07	0.0	0.4
1991	1	1.9	1.93	0.0	10.8	6	0.2	0.06	0.0	0.4
1992	0	0.0	-	0.0	6.7	6	0.2	0.06	0.0	0.4
1993	0	0.0	-	0.0	6.6	8	0.2	0.07	0.1	0.4
1994	1	0.5	0.47	0.0	6.8	4	0.1	0.04	0.0	0.2
1995	0	0.0	-	0.0	6.0	6	0.1	0.05	0.0	0.3
1996	0	0.0	-	0.0	5.8	6	0.1	0.05	0.0	0.3
1997	0	0.0	-	0.0	5.6	12	0.3	0.08	0.1	0.5
1998	2	1.4	1.02	0.2	7.2	6	0.1	0.06	0.0	0.3
1999	1	0.4	0.39	0.0	5.4	11	0.3	0.08	0.1	0.5
2000	1	0.5	0.50	0.0	5.3	9	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Urinary System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	55,471	32.8	0.14	32.6	33.1	50,267	34.1	0.15	33.8	34.4
1986	3,170	29.9	0.54	28.9	31.0	2,899	30.8	0.58	29.7	32.0
1987	3,300	31.1	0.55	30.1	32.2	3,023	32.2	0.59	31.1	33.4
1988	3,272	30.6	0.54	29.5	31.7	3,015	31.9	0.59	30.8	33.1
1989	3,355	31.1	0.54	30.1	32.2	3,066	32.3	0.59	31.1	33.4
1990	3,331	30.6	0.54	29.6	31.7	3,078	32.2	0.59	31.0	33.3
1991	3,407	31.0	0.54	29.9	32.0	3,136	32.4	0.58	31.3	33.6
1992	3,547	31.7	0.54	30.7	32.8	3,252	33.2	0.59	32.0	34.4
1993	3,662	32.3	0.54	31.3	33.4	3,322	33.5	0.58	32.4	34.7
1994	3,790	33.3	0.54	32.2	34.4	3,437	34.5	0.59	33.4	35.7
1995	3,806	33.1	0.54	32.1	34.2	3,461	34.6	0.59	33.4	35.8
1996	4,041	35.0	0.55	33.9	36.1	3,631	36.2	0.60	35.1	37.4
1997	4,159	35.7	0.55	34.6	36.8	3,706	36.7	0.60	35.5	37.9
1998	4,106	34.9	0.54	33.8	35.9	3,658	36.0	0.60	34.8	37.1
1999	4,202	35.4	0.55	34.3	36.4	3,735	36.5	0.60	35.3	37.6
2000	4,323	36.2	0.55	35.1	37.3	3,848	37.5	0.60	36.3	38.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,210	22.8	0.36	22.1	23.6	461	14.2	0.73	12.8	15.8
1986	232	21.8	1.49	19.0	25.0	20	14.9	3.91	8.3	26.9
1987	245	22.1	1.46	19.4	25.3	19	12.4	3.12	7.0	22.6
1988	219	19.6	1.38	17.0	22.6	22	13.9	3.44	8.0	24.4
1989	256	22.9	1.48	20.1	26.1	14	8.8	2.70	4.3	17.9
1990	221	18.9	1.31	16.4	21.7	19	13.4	3.45	7.6	23.8
1991	216	18.9	1.32	16.4	21.7	23	11.2	2.50	6.9	19.3
1992	250	21.4	1.39	18.7	24.3	32	17.5	3.55	11.2	27.2
1993	293	22.8	1.37	20.2	25.7	29	12.5	2.42	8.2	19.8
1994	295	23.5	1.41	20.8	26.5	35	18.7	3.55	12.4	27.9
1995	288	22.4	1.35	19.8	25.2	30	11.4	2.25	7.4	17.9
1996	328	25.3	1.43	22.5	28.3	42	16.5	2.86	11.3	24.0
1997	333	25.2	1.42	22.5	28.2	49	18.0	2.79	12.9	25.1
1998	330	24.2	1.36	21.6	27.1	38	14.6	2.65	9.9	21.5
1999	340	25.4	1.41	22.8	28.4	45	13.7	2.24	9.7	19.6
2000	364	26.1	1.40	23.4	29.0	44	12.9	2.07	9.2	18.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,154	22.9	0.78	21.4	24.5	44,575	33.8	0.16	33.5	34.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	57	17.4	2.60	12.7	23.9	3,298	31.5	0.56	30.5	32.6
1990	67	20.3	2.83	15.2	27.2	3,264	31.0	0.55	29.9	32.1
1991	78	21.2	2.72	16.2	27.7	3,329	31.3	0.55	30.2	32.4
1992	74	19.9	2.57	15.2	26.1	3,473	32.1	0.55	31.0	33.2
1993	74	19.3	2.48	14.7	25.3	3,588	32.8	0.55	31.7	33.9
1994	93	23.9	2.77	18.7	30.3	3,697	33.6	0.56	32.5	34.7
1995	92	21.0	2.59	16.2	27.1	3,714	33.5	0.55	32.4	34.6
1996	98	23.0	2.69	18.1	29.2	3,943	35.5	0.57	34.4	36.7
1997	128	30.3	3.18	24.4	37.4	4,031	36.0	0.57	34.9	37.2
1998	123	23.4	2.46	18.8	29.1	3,983	35.3	0.56	34.2	36.4
1999	130	25.8	2.64	20.8	31.8	4,072	35.8	0.56	34.7	36.9
2000	140	24.6	2.36	20.2	30.0	4,183	36.7	0.57	35.6	37.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	15,464	9.2	0.07	9.1	9.4	13,732	9.3	0.08	9.1	9.5
1986	975	9.5	0.31	8.9	10.1	870	9.5	0.33	8.8	10.1
1987	967	9.2	0.30	8.7	9.9	873	9.4	0.32	8.8	10.0
1988	943	8.9	0.29	8.4	9.5	827	8.8	0.31	8.2	9.5
1989	964	9.0	0.29	8.5	9.6	859	9.1	0.31	8.5	9.7
1990	1,010	9.4	0.30	8.8	10.0	895	9.4	0.32	8.7	10.0
1991	985	9.1	0.29	8.5	9.7	877	9.1	0.31	8.5	9.7
1992	1,028	9.3	0.29	8.8	9.9	924	9.4	0.31	8.8	10.1
1993	1,066	9.5	0.29	8.9	10.1	961	9.7	0.31	9.1	10.4
1994	1,124	9.9	0.30	9.4	10.5	993	9.9	0.32	9.3	10.6
1995	1,047	9.1	0.28	8.6	9.7	942	9.4	0.31	8.8	10.0
1996	1,018	8.8	0.28	8.3	9.4	891	8.8	0.29	8.2	9.4
1997	1,035	8.9	0.28	8.4	9.4	898	8.8	0.29	8.2	9.4
1998	1,094	9.3	0.28	8.7	9.8	973	9.4	0.30	8.8	10.0
1999	1,068	9.0	0.27	8.4	9.5	943	9.0	0.30	8.5	9.6
2000	1,140	9.5	0.28	9.0	10.1	1,006	9.6	0.30	9.0	10.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,662	9.5	0.24	9.0	10.0	70	2.8	0.37	2.1	3.7
1986	102	9.7	1.01	7.8	12.0	3	3.1	2.01	0.5	12.5
1987	91	8.5	0.93	6.8	10.6	3	3.2	2.22	0.4	12.6
1988	114	10.6	1.02	8.7	12.8	2	1.9	1.46	0.2	9.8
1989	102	9.3	0.95	7.5	11.4	3	3.4	2.12	0.6	12.0
1990	112	10.6	1.04	8.7	12.9	3	2.5	1.60	0.4	10.2
1991	105	9.7	0.97	7.9	11.8	3	1.6	0.97	0.3	7.8
1992	103	9.0	0.92	7.3	11.1	1	1.5	1.47	0.0	8.2
1993	101	8.5	0.88	6.9	10.5	4	1.9	0.95	0.5	7.2
1994	122	10.1	0.94	8.4	12.2	9	5.8	2.13	2.4	12.6
1995	103	8.7	0.88	7.1	10.6	2	0.9	0.72	0.1	5.4
1996	120	9.8	0.92	8.1	11.8	7	3.8	1.57	1.4	9.2
1997	130	10.2	0.92	8.5	12.2	7	2.8	1.27	0.9	7.5
1998	111	8.4	0.82	6.9	10.2	10	3.4	1.15	1.5	7.6
1999	119	9.1	0.85	7.5	11.0	6	3.0	1.32	1.0	7.5
2000	127	9.9	0.89	8.2	11.8	7	2.3	1.00	0.8	6.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	280	5.4	0.37	4.7	6.2	15185	9.4	0.08	9.2	9.5
1986	16	7.1	2.00	3.7	12.8	971	9.7	0.31	9.1	10.3
1987	12	5.0	1.60	2.3	9.9	965	9.5	0.31	8.9	10.1
1988	11	3.7	1.37	1.5	8.1	936	9.1	0.30	8.5	9.7
1989	13	3.9	1.25	1.9	8.0	952	9.2	0.30	8.6	9.8
1990	17	5.2	1.39	2.8	9.4	990	9.5	0.30	8.9	10.1
1991	13	4.5	1.33	2.3	8.6	961	9.1	0.30	8.6	9.7
1992	18	6.0	1.58	3.3	10.5	1006	9.4	0.30	8.8	10.0
1993	20	5.7	1.41	3.2	9.7	1053	9.7	0.30	9.1	10.3
1994	27	8.2	1.75	5.2	12.8	1087	9.9	0.30	9.3	10.5
1995	21	5.0	1.23	2.9	8.6	1021	9.2	0.29	8.6	9.8
1996	21	5.0	1.23	2.9	8.5	999	8.9	0.28	8.4	9.5
1997	17	4.5	1.29	2.3	8.1	1023	9.1	0.28	8.6	9.7
1998	25	5.6	1.33	3.3	9.2	1069	9.4	0.29	8.8	10.0
1999	17	4.2	1.20	2.2	7.6	1048	9.1	0.28	8.6	9.7
2000	32	7.9	1.64	5.0	12.0	1104	9.6	0.29	9.0	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	37,654	54.3	0.29	53.7	54.9	34,514	56.7	0.31	56.1	57.3
1986	2,211	51.5	1.15	49.3	53.8	2,042	53.5	1.23	51.1	56.0
1987	2,305	53.2	1.15	51.0	55.6	2,129	55.5	1.25	53.1	58.0
1988	2,179	50.5	1.12	48.3	52.7	2,025	53.0	1.22	50.6	55.4
1989	2,283	52.0	1.13	49.8	54.2	2,116	54.4	1.22	52.1	56.9
1990	2,294	52.0	1.12	49.9	54.3	2,149	55.1	1.23	52.7	57.6
1991	2,352	52.1	1.11	50.0	54.4	2,187	55.0	1.21	52.6	57.4
1992	2,411	52.8	1.11	50.7	55.1	2,229	55.4	1.20	53.0	57.8
1993	2,495	53.6	1.10	51.5	55.8	2,295	56.2	1.20	53.9	58.7
1994	2,536	54.3	1.10	52.2	56.5	2,329	56.8	1.20	54.5	59.2
1995	2,575	54.6	1.10	52.4	56.8	2,366	57.3	1.20	55.0	59.7
1996	2,732	57.0	1.11	54.9	59.3	2,488	59.5	1.21	57.2	62.0
1997	2,782	57.4	1.11	55.2	59.6	2,509	59.4	1.20	57.1	61.8
1998	2,781	56.9	1.10	54.8	59.1	2,510	59.1	1.19	56.8	61.5
1999	2,821	57.2	1.09	55.1	59.4	2,524	58.9	1.19	56.6	61.3
2000	2,897	58.0	1.09	55.9	60.2	2,616	60.5	1.19	58.2	62.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,437	32.6	0.70	31.2	34.0	317	22.4	1.47	19.7	25.7
1986	144	34.3	3.10	28.5	41.2	12	19.6	6.43	9.1	44.2
1987	150	33.8	2.97	28.3	40.5	17	25.7	7.04	13.8	50.2
1988	127	28.2	2.69	23.2	34.3	16	25.3	7.67	12.6	50.3
1989	142	31.1	2.78	25.9	37.4	10	15.8	6.00	6.3	37.4
1990	122	25.7	2.51	21.0	31.4	12	23.2	7.53	10.9	47.5
1991	127	27.2	2.57	22.4	33.0	14	15.3	4.37	7.9	32.7
1992	151	32.8	2.87	27.4	39.1	22	31.0	7.93	17.5	53.9
1993	170	32.3	2.64	27.4	38.2	17	15.3	3.95	8.6	30.3
1994	164	32.7	2.74	27.5	38.7	25	29.9	7.23	17.5	50.6
1995	166	31.8	2.60	26.9	37.5	22	16.7	3.88	9.9	30.6
1996	187	34.5	2.66	29.5	40.4	28	26.7	6.11	16.1	44.4
1997	194	36.3	2.78	31.0	42.4	33	27.5	5.28	18.2	43.1
1998	192	34.4	2.62	29.4	40.1	23	20.6	4.91	12.2	35.3
1999	200	36.8	2.79	31.5	42.9	33	22.1	4.52	14.2	35.7
2000	201	35.3	2.63	30.3	41.0	33	21.8	4.15	14.5	34.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	767	33.7	1.48	30.9	36.8	30,192	55.7	0.33	55.1	56.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	38	25.8	5.04	16.9	39.5	2,245	52.7	1.15	50.5	55.0
1990	40	28.4	5.37	18.8	42.7	2,254	52.8	1.15	50.6	55.2
1991	56	32.9	5.28	23.4	46.7	2,296	52.7	1.13	50.5	55.0
1992	52	32.6	5.27	23.1	46.1	2,359	53.6	1.13	51.4	55.8
1993	49	27.5	4.63	19.2	39.8	2,446	54.5	1.13	52.3	56.8
1994	66	36.4	5.30	26.8	49.8	2,470	55.0	1.13	52.8	57.2
1995	64	31.9	5.00	22.9	44.6	2,511	55.3	1.13	53.2	57.6
1996	58	29.5	4.85	20.8	41.9	2,674	58.2	1.14	56.0	60.5
1997	89	46.3	6.31	34.8	61.4	2,693	57.9	1.13	55.7	60.2
1998	85	37.7	5.08	28.4	50.1	2,696	57.7	1.12	55.5	59.9
1999	75	29.6	4.08	22.1	39.9	2,746	58.3	1.13	56.2	60.6
2000	95	38.4	4.58	29.9	49.5	2,802	58.9	1.12	56.7	61.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	9,720	15.0	0.16	14.6	15.3	8,750	15.3	0.17	15.0	15.6
1986	625	15.8	0.66	14.5	17.1	569	16.1	0.71	14.8	17.6
1987	603	15.0	0.64	13.7	16.3	548	15.3	0.68	14.0	16.7
1988	605	14.8	0.63	13.6	16.1	524	14.6	0.66	13.3	15.9
1989	594	14.4	0.61	13.2	15.6	541	14.7	0.66	13.5	16.1
1990	623	15.1	0.63	13.9	16.4	566	15.4	0.67	14.1	16.8
1991	627	15.0	0.62	13.8	16.3	562	15.2	0.67	14.0	16.6
1992	638	15.0	0.62	13.8	16.3	586	15.6	0.67	14.4	17.0
1993	682	15.7	0.62	14.5	17.0	622	16.3	0.67	15.0	17.7
1994	715	16.2	0.63	15.0	17.5	646	16.7	0.67	15.4	18.1
1995	663	14.7	0.59	13.6	15.9	594	15.0	0.63	13.8	16.3
1996	639	14.3	0.58	13.2	15.5	574	14.6	0.62	13.4	15.9
1997	646	14.1	0.57	13.0	15.3	572	14.3	0.61	13.2	15.6
1998	686	14.9	0.58	13.8	16.1	619	15.4	0.63	14.2	16.7
1999	661	14.2	0.56	13.1	15.3	585	14.4	0.60	13.2	15.6
2000	713	15.2	0.58	14.1	16.4	642	15.6	0.63	14.4	16.9
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	929	13.2	0.46	12.3	14.1	41	3.7	0.68	2.5	5.5
1986	54	12.8	1.90	9.4	17.4	2	6.8	4.82	0.8	30.1
1987	53	12.5	1.86	9.2	17.0	2	6.2	5.27	0.4	29.7
1988	79	18.1	2.18	14.1	23.2	2	4.4	3.45	0.4	23.9
1989	50	12.0	1.83	8.7	16.4	3	8.1	5.16	1.3	29.1
1990	55	13.8	2.01	10.1	18.6	2	3.0	2.53	0.2	20.7
1991	65	14.7	1.95	11.1	19.3	0	0.0	~	0.0	15.1
1992	51	10.5	1.56	7.6	14.3	1	3.7	3.72	0.1	20.7
1993	57	11.8	1.67	8.8	15.8	3	3.5	2.04	0.7	16.7
1994	64	13.1	1.74	9.9	17.2	5	5.2	2.65	1.4	18.6
1995	67	14.2	1.85	10.8	18.5	2	2.2	1.75	0.2	14.2
1996	61	12.3	1.68	9.3	16.3	4	5.8	3.39	1.2	19.5
1997	70	13.1	1.67	10.0	17.0	4	2.1	1.07	0.6	12.2
1998	63	11.5	1.55	8.7	15.2	4	3.7	1.92	0.9	14.0
1999	73	14.0	1.75	10.8	18.1	3	3.2	1.92	0.6	13.3
2000	67	13.7	1.78	10.4	17.8	4	2.1	1.06	0.6	10.3
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	183	8.1	0.72	6.7	9.7	9539	15.2	0.16	14.8	15.5
1986	12	12.7	4.39	5.6	26.3	623	16.2	0.68	14.9	17.6
1987	5	5.2	2.91	1.2	16.2	600	15.2	0.65	14.0	16.6
1988	6	4.4	2.41	1.0	14.2	601	15.1	0.64	13.8	16.4
1989	9	7.3	2.91	2.7	17.5	591	14.7	0.63	13.5	16.0
1990	9	6.2	2.35	2.5	15.4	614	15.4	0.65	14.1	16.7
1991	12	9.7	3.11	4.6	19.8	608	15.0	0.63	13.8	16.3
1992	15	13.0	3.89	6.6	24.4	625	15.1	0.63	13.9	16.4
1993	13	7.3	2.26	3.5	15.6	671	16.0	0.64	14.8	17.3
1994	18	12.8	3.51	6.9	23.2	691	16.2	0.63	15.0	17.5
1995	17	7.8	2.21	4.1	15.5	637	14.7	0.60	13.5	15.9
1996	13	7.2	2.38	3.3	15.2	623	14.4	0.59	13.3	15.7
1997	10	6.5	2.56	2.5	14.8	646	14.6	0.59	13.5	15.8
1998	19	9.1	2.60	4.7	17.1	665	14.9	0.59	13.8	16.1
1999	7	3.1	1.48	0.9	9.2	652	14.6	0.58	13.4	15.7
2000	18	10.4	3.04	5.3	19.0	692	15.4	0.59	14.2	16.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	17,817	18.2	0.14	17.9	18.5	15,753	18.5	0.15	18.2	18.8
1986	959	15.5	0.51	14.5	16.5	857	15.6	0.54	14.6	16.8
1987	995	16.1	0.52	15.1	17.2	894	16.4	0.56	15.3	17.5
1988	1,093	17.7	0.55	16.7	18.9	990	18.3	0.60	17.2	19.5
1989	1,072	17.2	0.53	16.2	18.3	950	17.4	0.57	16.3	18.5
1990	1,037	16.5	0.52	15.5	17.5	929	16.9	0.57	15.8	18.1
1991	1,055	16.4	0.51	15.4	17.4	949	16.8	0.56	15.7	17.9
1992	1,136	17.5	0.53	16.5	18.6	1,023	18.1	0.57	17.0	19.3
1993	1,167	17.8	0.52	16.8	18.8	1,027	17.9	0.57	16.8	19.0
1994	1,254	18.8	0.54	17.8	19.9	1,108	19.1	0.58	18.0	20.3
1995	1,231	18.4	0.53	17.4	19.5	1,095	18.9	0.58	17.8	20.1
1996	1,309	19.6	0.55	18.5	20.7	1,143	19.8	0.60	18.7	21.0
1997	1,377	20.4	0.56	19.4	21.6	1,197	20.6	0.60	19.4	21.8
1998	1,325	19.6	0.54	18.6	20.7	1,148	19.8	0.59	18.7	21.0
1999	1,381	20.2	0.55	19.1	21.3	1,211	20.7	0.60	19.5	21.9
2000	1,426	20.8	0.56	19.7	21.9	1,232	21.1	0.61	19.9	22.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,773	16.3	0.39	15.6	17.1	144	7.9	0.71	6.6	9.5
1986	88	13.7	1.50	10.9	17.1	8	11.1	4.76	3.8	28.6
1987	95	14.5	1.52	11.7	17.9	2	1.9	1.34	0.2	14.5
1988	92	14.0	1.50	11.2	17.3	6	5.2	2.18	1.9	17.7
1989	114	17.4	1.66	14.3	21.0	4	3.5	1.76	0.9	15.1
1990	99	14.4	1.47	11.6	17.6	7	6.7	2.72	2.5	19.3
1991	89	13.3	1.43	10.6	16.4	9	8.1	2.86	3.5	19.8
1992	99	14.2	1.45	11.5	17.4	10	7.9	2.55	3.7	18.3
1993	123	16.4	1.51	13.6	19.7	12	10.0	2.96	5.1	20.4
1994	131	17.5	1.56	14.6	20.9	10	10.4	3.46	4.7	21.3
1995	122	15.9	1.46	13.2	19.1	8	6.8	2.53	2.7	15.5
1996	141	18.5	1.58	15.6	21.9	14	9.4	2.71	4.8	17.9
1997	139	17.8	1.53	14.9	21.1	16	10.5	2.85	5.7	19.1
1998	138	17.3	1.49	14.5	20.5	15	10.1	2.89	5.3	18.6
1999	140	17.9	1.53	15.0	21.2	12	7.2	2.17	3.6	14.0
2000	163	19.8	1.57	16.9	23.2	11	5.8	1.84	2.8	11.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	387	14.3	0.81	12.8	16.0	14,383	18.8	0.16	18.5	19.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	19	11.0	2.72	6.3	18.6	1,053	17.4	0.55	16.4	18.5
1990	27	14.4	3.08	9.0	22.6	1,010	16.6	0.53	15.5	17.6
1991	22	11.5	2.70	6.8	19.0	1,033	16.6	0.52	15.5	17.6
1992	22	10.0	2.33	6.0	16.6	1,114	17.7	0.54	16.7	18.8
1993	25	12.6	2.68	7.9	19.8	1,142	18.0	0.54	16.9	19.1
1994	27	13.5	2.81	8.5	20.8	1,227	19.0	0.55	18.0	20.1
1995	28	12.0	2.62	7.4	18.9	1,203	18.6	0.54	17.6	19.7
1996	40	17.9	3.12	12.3	25.6	1,269	19.7	0.56	18.7	20.9
1997	39	18.0	3.24	12.2	25.9	1,338	20.7	0.57	19.6	21.8
1998	38	12.4	2.23	8.4	18.3	1,287	19.8	0.56	18.8	21.0
1999	55	21.7	3.32	15.7	29.7	1,326	20.2	0.56	19.1	21.4
2000	45	13.1	2.21	9.1	18.8	1,381	21.1	0.57	20.0	22.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,744	5.7	0.08	5.5	5.8	4,982	5.6	0.08	5.4	5.7
1986	350	5.6	0.30	5.0	6.2	301	5.4	0.31	4.8	6.0
1987	364	5.8	0.31	5.2	6.4	325	5.8	0.32	5.1	6.4
1988	338	5.2	0.29	4.7	5.8	303	5.3	0.31	4.7	6.0
1989	370	5.8	0.31	5.2	6.5	318	5.6	0.32	5.0	6.3
1990	387	6.0	0.31	5.4	6.6	329	5.7	0.32	5.1	6.4
1991	358	5.4	0.29	4.9	6.0	315	5.4	0.31	4.8	6.0
1992	390	5.8	0.30	5.2	6.4	338	5.6	0.31	5.1	6.3
1993	384	5.6	0.29	5.1	6.2	339	5.6	0.31	5.0	6.3
1994	409	6.0	0.30	5.4	6.6	347	5.7	0.31	5.1	6.4
1995	384	5.6	0.29	5.1	6.2	348	5.8	0.32	5.2	6.5
1996	379	5.4	0.28	4.8	6.0	317	5.1	0.29	4.6	5.7
1997	389	5.5	0.28	5.0	6.1	326	5.3	0.30	4.7	5.9
1998	408	5.7	0.29	5.2	6.3	354	5.7	0.31	5.1	6.3
1999	407	5.6	0.28	5.1	6.2	358	5.7	0.31	5.1	6.3
2000	427	5.9	0.29	5.4	6.5	364	5.8	0.31	5.2	6.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	733	7.0	0.26	6.5	7.6	29	2.1	0.42	1.3	3.2
1986	48	7.6	1.14	5.6	10.3	1	0.6	0.60	0.0	13.9
1987	38	6.0	1.00	4.2	8.4	1	1.1	1.08	0.0	13.8
1988	35	5.6	0.97	3.9	7.9	0	0.0	~	0.0	12.0
1989	52	7.8	1.10	5.8	10.4	0	0.0	~	0.0	11.4
1990	57	8.9	1.19	6.7	11.6	1	2.1	2.12	0.0	14.6
1991	40	6.3	1.01	4.5	8.7	3	2.8	1.69	0.5	13.3
1992	52	7.8	1.10	5.8	10.3	0	0.0	~	0.0	9.0
1993	44	6.3	0.96	4.5	8.5	1	0.7	0.72	0.0	8.8
1994	58	8.1	1.08	6.1	10.6	4	5.7	2.98	1.5	16.2
1995	36	5.2	0.87	3.6	7.2	0	0.0	~	0.0	6.4
1996	59	7.9	1.04	6.0	10.2	3	2.7	1.61	0.5	9.7
1997	60	8.1	1.05	6.1	10.4	3	3.0	1.87	0.5	10.3
1998	48	6.3	0.91	4.6	8.4	6	3.3	1.44	1.1	9.3
1999	46	6.0	0.88	4.4	8.0	3	2.7	1.67	0.5	9.0
2000	60	7.6	0.99	5.8	9.9	3	2.2	1.37	0.4	7.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	97	3.4	0.39	2.7	4.3	5646	5.7	0.08	5.6	5.9
1986	4	3.0	1.58	0.7	9.6	348	5.7	0.31	5.1	6.3
1987	7	5.0	1.95	1.9	11.8	365	5.9	0.31	5.3	6.6
1988	5	3.1	1.63	0.8	9.3	335	5.3	0.29	4.8	5.9
1989	4	1.6	0.85	0.4	6.3	361	5.8	0.31	5.2	6.5
1990	8	4.5	1.69	1.8	10.3	376	6.0	0.31	5.4	6.6
1991	1	0.7	0.68	0.0	5.2	353	5.5	0.30	4.9	6.1
1992	3	1.2	0.79	0.2	5.5	381	5.8	0.30	5.2	6.5
1993	7	4.1	1.65	1.5	9.5	382	5.8	0.30	5.2	6.4
1994	9	4.9	1.75	2.1	10.3	396	6.0	0.30	5.4	6.6
1995	4	2.3	1.24	0.6	6.9	384	5.8	0.30	5.2	6.4
1996	8	3.3	1.29	1.3	7.8	376	5.5	0.28	4.9	6.1
1997	7	3.1	1.36	1.0	7.6	377	5.5	0.29	5.0	6.1
1998	6	2.7	1.29	0.8	7.1	404	5.9	0.30	5.3	6.5
1999	10	5.0	1.72	2.2	10.0	396	5.7	0.29	5.1	6.3
2000	14	6.2	1.86	3.1	11.4	412	5.9	0.29	5.3	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder Including *in situ*, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	35,286	20.9	0.11	20.6	21.1	32,601	22.0	0.12	21.7	22.2
1986	2,129	20.2	0.44	19.3	21.0	1,978	21.0	0.48	20.1	22.0
1987	2,204	20.7	0.45	19.9	21.6	2,046	21.7	0.49	20.8	22.7
1988	2,124	19.8	0.43	19.0	20.7	1,988	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,013	21.0	0.47	20.1	22.0
1990	2,194	20.1	0.43	19.3	21.0	2,066	21.4	0.48	20.5	22.4
1991	2,165	19.7	0.43	18.8	20.5	2,025	20.8	0.47	19.9	21.8
1992	2,248	20.1	0.43	19.2	20.9	2,095	21.2	0.47	20.3	22.2
1993	2,379	21.0	0.43	20.1	21.8	2,219	22.3	0.48	21.4	23.2
1994	2,403	21.0	0.43	20.2	21.9	2,227	22.2	0.47	21.3	23.2
1995	2,343	20.3	0.42	19.5	21.2	2,165	21.5	0.46	20.6	22.4
1996	2,580	22.3	0.44	21.4	23.2	2,370	23.5	0.48	22.6	24.5
1997	2,559	21.9	0.43	21.1	22.8	2,328	22.9	0.48	22.0	23.8
1998	2,527	21.4	0.43	20.6	22.3	2,294	22.4	0.47	21.5	23.4
1999	2,611	22.0	0.43	21.1	22.8	2,361	22.9	0.47	22.0	23.9
2000	2,658	22.3	0.43	21.4	23.1	2,426	23.5	0.48	22.6	24.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,009	11.6	0.27	11.1	12.2	244	8.2	0.58	7.0	9.4
1986	127	12.8	1.18	10.6	15.4	9	8.0	3.15	3.1	19.0
1987	135	12.8	1.14	10.7	15.3	12	9.0	2.83	4.3	18.9
1988	114	10.9	1.06	8.9	13.2	11	8.5	2.99	3.7	18.5
1989	125	12.1	1.12	10.0	14.5	9	6.3	2.44	2.4	15.1
1990	106	9.5	0.96	7.8	11.7	14	10.9	3.24	5.6	21.0
1991	108	10.0	0.98	8.1	12.2	12	6.4	1.98	3.2	13.8
1992	125	11.2	1.03	9.3	13.5	17	10.3	2.94	5.3	19.0
1993	135	11.3	1.00	9.4	13.5	11	4.8	1.56	2.2	10.8
1994	139	11.7	1.02	9.8	14.0	18	10.4	2.70	5.8	18.1
1995	134	10.9	0.97	9.1	13.0	21	8.1	1.94	4.8	14.1
1996	152	12.6	1.05	10.6	14.9	27	9.8	2.05	6.2	15.8
1997	147	12.2	1.03	10.2	14.4	23	9.1	2.08	5.5	15.0
1998	149	11.5	0.96	9.7	13.6	19	8.9	2.25	5.0	15.1
1999	156	12.5	1.02	10.6	14.7	21	6.7	1.64	3.9	11.6
2000	157	11.9	0.96	10.0	13.9	20	6.6	1.57	3.9	11.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	538	11.7	0.57	10.6	12.9	28,291	21.4	0.13	21.1	21.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	31	10.7	2.13	6.9	16.3	2,131	20.3	0.44	19.4	21.2
1990	32	10.7	2.12	7.0	16.3	2,162	20.4	0.44	19.6	21.3
1991	44	13.0	2.21	9.0	18.6	2,121	19.9	0.44	19.0	20.7
1992	36	9.7	1.77	6.6	14.4	2,212	20.4	0.44	19.5	21.2
1993	41	11.4	1.97	7.9	16.4	2,338	21.3	0.44	20.4	22.2
1994	40	11.2	1.99	7.6	16.2	2,363	21.4	0.44	20.5	22.3
1995	39	9.9	1.89	6.6	14.7	2,304	20.7	0.43	19.9	21.6
1996	47	11.8	1.95	8.3	16.7	2,533	22.7	0.45	21.8	23.6
1997	54	15.1	2.36	10.8	20.7	2,505	22.3	0.44	21.4	23.1
1998	56	12.0	1.85	8.7	16.6	2,471	21.8	0.44	21.0	22.7
1999	57	12.0	1.82	8.7	16.5	2,554	22.4	0.44	21.5	23.3
2000	61	11.9	1.70	8.8	16.0	2,597	22.7	0.44	21.8	23.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,505	4.5	0.05	4.4	4.6	6,733	4.5	0.06	4.4	4.7
1986	485	4.8	0.22	4.4	5.2	439	4.8	0.23	4.4	5.3
1987	460	4.5	0.21	4.1	4.9	412	4.5	0.22	4.0	4.9
1988	469	4.5	0.21	4.1	4.9	416	4.4	0.22	4.0	4.9
1989	447	4.2	0.20	3.9	4.7	396	4.2	0.21	3.8	4.6
1990	498	4.6	0.21	4.2	5.1	440	4.6	0.22	4.2	5.0
1991	464	4.3	0.20	3.9	4.7	413	4.3	0.21	3.9	4.7
1992	516	4.7	0.21	4.3	5.1	462	4.7	0.22	4.3	5.2
1993	503	4.5	0.20	4.1	4.9	462	4.6	0.22	4.2	5.1
1994	525	4.6	0.20	4.2	5.1	471	4.7	0.22	4.3	5.1
1995	501	4.4	0.20	4.0	4.8	462	4.5	0.21	4.1	5.0
1996	512	4.4	0.20	4.0	4.8	452	4.4	0.21	4.0	4.8
1997	505	4.3	0.19	4.0	4.7	453	4.4	0.21	4.0	4.8
1998	519	4.4	0.19	4.0	4.8	468	4.5	0.21	4.1	4.9
1999	560	4.7	0.20	4.3	5.1	501	4.8	0.21	4.4	5.2
2000	541	4.5	0.19	4.1	4.9	486	4.6	0.21	4.2	5.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	746	4.6	0.17	4.2	4.9	26	1.3	0.28	0.8	2.1
1986	45	4.6	0.71	3.3	6.3	1	1.6	1.56	0.0	10.6
1987	47	4.8	0.72	3.5	6.5	1	0.6	0.62	0.0	8.2
1988	52	5.0	0.72	3.7	6.7	1	1.4	1.36	0.0	9.3
1989	49	5.0	0.73	3.6	6.7	2	2.6	1.98	0.2	11.1
1990	56	5.7	0.78	4.2	7.5	2	2.2	1.57	0.3	10.0
1991	50	5.0	0.73	3.7	6.7	1	0.6	0.65	0.0	6.8
1992	53	5.0	0.70	3.7	6.6	1	1.5	1.47	0.0	8.2
1993	39	3.6	0.59	2.5	5.0	2	0.9	0.66	0.1	6.0
1994	51	4.6	0.65	3.4	6.1	3	3.0	1.75	0.6	9.4
1995	38	3.4	0.57	2.4	4.8	1	0.2	0.25	0.0	4.3
1996	57	5.0	0.68	3.8	6.6	3	1.6	0.95	0.3	6.0
1997	49	4.1	0.59	3.0	5.4	3	1.5	1.04	0.2	6.0
1998	51	4.1	0.58	3.0	5.4	0	0.0	~	0.0	3.3
1999	56	4.6	0.62	3.4	6.0	3	1.8	1.10	0.4	6.0
2000	53	4.5	0.63	3.4	5.9	2	1.1	0.81	0.1	4.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	75	1.8	0.23	1.4	2.4	7440	4.6	0.05	4.5	4.7
1986	6	3.5	1.58	1.1	8.6	482	4.9	0.22	4.4	5.3
1987	5	2.6	1.24	0.7	7.0	461	4.6	0.22	4.2	5.0
1988	2	1.3	0.93	0.1	5.1	475	4.6	0.21	4.2	5.1
1989	7	2.2	0.87	0.8	5.6	446	4.3	0.21	4.0	4.8
1990	2	1.1	0.77	0.1	4.4	484	4.6	0.21	4.2	5.1
1991	3	1.3	0.78	0.2	4.5	463	4.4	0.21	4.0	4.8
1992	5	1.7	0.80	0.5	4.8	508	4.7	0.21	4.3	5.2
1993	6	2.0	0.90	0.6	5.2	504	4.6	0.21	4.2	5.0
1994	6	2.2	0.96	0.8	5.4	516	4.7	0.21	4.3	5.1
1995	4	1.2	0.65	0.3	3.8	493	4.4	0.20	4.0	4.8
1996	7	2.1	0.91	0.7	5.1	505	4.5	0.20	4.1	4.9
1997	5	1.7	0.84	0.4	4.5	507	4.5	0.20	4.1	4.9
1998	4	1.1	0.66	0.2	3.6	510	4.4	0.20	4.1	4.9
1999	4	1.4	0.75	0.3	4.0	555	4.8	0.20	4.4	5.2
2000	9	3.0	1.12	1.2	6.3	531	4.6	0.20	4.2	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder Including *in situ*, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	25,627	37.6	0.24	37.1	38.1	23,938	39.8	0.26	39.3	40.3
1986	1,559	37.2	0.99	35.3	39.2	1,461	38.9	1.06	36.9	41.1
1987	1,630	38.1	0.98	36.2	40.0	1,529	40.1	1.06	38.1	42.3
1988	1,506	35.5	0.96	33.7	37.5	1,420	37.7	1.04	35.7	39.8
1989	1,566	36.2	0.95	34.4	38.2	1,471	38.3	1.03	36.3	40.4
1990	1,627	37.4	0.96	35.5	39.3	1,554	40.1	1.05	38.1	42.3
1991	1,587	35.8	0.93	34.0	37.7	1,503	38.3	1.02	36.3	40.3
1992	1,642	36.6	0.93	34.8	38.5	1,547	38.9	1.02	37.0	41.0
1993	1,737	37.9	0.94	36.1	39.8	1,637	40.5	1.03	38.5	42.6
1994	1,697	36.9	0.92	35.1	38.8	1,591	39.2	1.01	37.3	41.3
1995	1,715	37.0	0.92	35.2	38.9	1,604	39.4	1.00	37.5	41.4
1996	1,858	39.5	0.94	37.7	41.4	1,735	42.1	1.03	40.1	44.2
1997	1,852	38.9	0.92	37.1	40.8	1,704	40.8	1.00	38.9	42.8
1998	1,850	38.5	0.91	36.7	40.3	1,692	40.3	0.99	38.4	42.3
1999	1,888	38.9	0.91	37.2	40.8	1,721	40.6	0.99	38.7	42.6
2000	1,913	39.1	0.91	37.4	40.9	1,769	41.5	1.00	39.6	43.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,185	17.3	0.54	16.2	18.4	185	13.9	1.20	11.7	16.6
1986	81	21.5	2.58	16.8	27.5	8	13.2	5.32	4.9	36.3
1987	81	19.5	2.33	15.2	24.9	11	19.4	6.53	8.8	43.3
1988	68	16.3	2.10	12.4	21.2	10	18.4	7.05	7.3	42.7
1989	77	18.2	2.20	14.1	23.3	7	12.3	5.60	3.9	33.6
1990	55	12.6	1.84	9.3	17.1	10	20.5	7.26	8.8	44.4
1991	61	14.1	1.91	10.6	18.7	8	9.0	3.48	3.5	25.5
1992	73	17.0	2.14	13.1	22.0	14	21.0	6.94	9.7	42.3
1993	84	17.4	2.01	13.7	22.1	5	4.5	2.31	1.2	17.9
1994	80	17.4	2.08	13.5	22.2	11	14.4	5.14	6.2	31.6
1995	77	15.7	1.89	12.2	20.1	16	12.6	3.48	6.7	26.1
1996	80	15.8	1.87	12.4	20.2	19	15.6	3.94	8.9	29.4
1997	90	19.4	2.18	15.4	24.4	19	16.3	4.08	9.3	29.9
1998	98	18.3	1.96	14.7	22.8	13	13.2	4.22	6.3	26.9
1999	90	18.9	2.13	15.0	23.8	18	12.8	3.68	6.7	25.1
2000	90	17.0	1.89	13.5	21.3	16	11.5	3.16	6.2	22.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	385	18.5	1.13	16.4	20.9	20,547	38.4	0.27	37.9	39.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	22	16.7	4.12	9.6	28.7	1,544	36.8	0.97	34.9	38.8
1990	25	18.3	4.26	10.9	30.6	1,602	38.0	0.98	36.1	40.0
1991	32	20.9	4.49	13.1	33.4	1,555	36.3	0.95	34.4	38.2
1992	29	17.4	3.65	11.0	28.0	1,613	37.2	0.96	35.3	39.1
1993	27	16.7	3.72	10.2	27.4	1,710	38.6	0.96	36.8	40.6
1994	30	18.2	4.01	11.2	29.4	1,667	37.6	0.94	35.7	39.5
1995	30	16.2	3.77	9.7	26.7	1,685	37.7	0.94	35.9	39.6
1996	29	15.0	3.44	9.0	24.7	1,829	40.4	0.96	38.5	42.3
1997	40	25.0	4.87	16.4	37.4	1,812	39.6	0.94	37.7	41.5
1998	40	20.1	3.82	13.3	30.2	1,810	39.2	0.93	37.4	41.1
1999	37	15.9	3.02	10.5	24.4	1,851	39.8	0.94	38.0	41.7
2000	44	20.0	3.48	13.7	29.1	1,869	40.0	0.93	38.1	41.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,974	8.1	0.12	7.9	8.3	4,584	8.4	0.13	8.2	8.7
1986	322	8.8	0.51	7.8	9.9	300	9.2	0.55	8.1	10.3
1987	307	8.1	0.48	7.2	9.1	281	8.3	0.52	7.3	9.4
1988	310	8.0	0.48	7.1	9.0	277	8.0	0.50	7.1	9.1
1989	288	7.4	0.45	6.5	8.3	262	7.5	0.48	6.6	8.5
1990	322	8.3	0.49	7.4	9.4	294	8.5	0.52	7.5	9.6
1991	318	8.2	0.48	7.3	9.2	286	8.2	0.51	7.3	9.3
1992	339	8.5	0.48	7.6	9.5	319	9.0	0.52	8.0	10.0
1993	354	8.7	0.48	7.8	9.7	330	9.1	0.52	8.1	10.2
1994	355	8.5	0.47	7.6	9.5	331	9.0	0.51	8.0	10.0
1995	350	8.1	0.45	7.3	9.1	324	8.5	0.48	7.6	9.5
1996	318	7.6	0.44	6.7	8.5	295	7.9	0.47	7.0	8.9
1997	338	7.7	0.43	6.9	8.6	312	8.1	0.47	7.2	9.0
1998	338	7.7	0.43	6.8	8.6	312	8.0	0.46	7.1	9.0
1999	360	8.1	0.43	7.2	9.0	330	8.4	0.47	7.5	9.4
2000	355	7.9	0.43	7.1	8.8	331	8.4	0.47	7.5	9.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	377	6.1	0.33	5.5	6.8	13	1.6	0.49	0.8	3.0
1986	21	5.9	1.38	3.5	9.6	1	3.8	3.85	0.1	26.3
1987	26	7.1	1.50	4.5	11.0	0	0.0	~	0.0	19.0
1988	32	8.1	1.55	5.4	12.0	1	3.2	3.25	0.1	22.8
1989	24	6.6	1.42	4.1	10.2	2	6.3	4.85	0.6	27.1
1990	27	7.6	1.58	4.9	11.6	1	2.5	2.46	0.1	20.2
1991	32	8.5	1.60	5.6	12.5	0	0.0	~	0.0	15.1
1992	19	4.7	1.17	2.7	7.9	1	3.7	3.72	0.1	20.7
1993	23	5.1	1.15	3.1	8.2	1	1.2	1.25	0.0	14.1
1994	23	5.1	1.12	3.1	8.1	1	2.2	2.18	0.1	15.6
1995	25	5.8	1.23	3.6	9.0	1	0.5	0.52	0.0	11.8
1996	23	5.2	1.16	3.2	8.3	0	0.0	~	0.0	10.9
1997	25	5.1	1.08	3.2	8.0	1	0.5	0.51	0.0	10.7
1998	26	5.2	1.11	3.3	8.1	0	0.0	~	0.0	9.6
1999	28	6.1	1.21	3.9	9.2	2	2.5	1.78	0.3	12.5
2000	23	5.7	1.25	3.6	8.9	1	0.7	0.69	0.0	9.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	51	2.8	0.45	2.0	3.9	4925	8.2	0.12	8.0	8.5
1986	4	5.8	3.41	1.1	18.0	321	9.0	0.52	8.0	10.1
1987	2	3.0	2.35	0.2	13.2	307	8.3	0.49	7.4	9.3
1988	0	0.0	-	0.0	7.9	314	8.3	0.49	7.3	9.3
1989	6	4.4	1.98	1.4	13.1	291	7.7	0.47	6.8	8.7
1990	1	1.3	1.34	0.0	9.6	314	8.4	0.50	7.4	9.4
1991	3	3.2	2.06	0.5	12.0	316	8.3	0.48	7.4	9.3
1992	5	4.0	1.99	1.1	12.1	333	8.6	0.48	7.6	9.6
1993	5	2.9	1.39	0.8	10.1	353	8.9	0.49	8.0	9.9
1994	5	4.3	2.10	1.2	12.4	346	8.5	0.47	7.6	9.5
1995	3	2.4	1.54	0.4	9.4	341	8.2	0.45	7.3	9.1
1996	5	3.4	1.83	0.8	10.7	312	7.6	0.44	6.8	8.6
1997	3	2.4	1.64	0.3	9.3	338	7.9	0.44	7.1	8.8
1998	1	0.9	0.86	0.0	6.5	334	7.8	0.43	6.9	8.7
1999	3	2.0	1.36	0.3	8.1	356	8.3	0.45	7.4	9.2
2000	5	3.8	1.94	1.0	10.5	349	8.1	0.44	7.2	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder Including *in situ*, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,659	9.7	0.10	9.5	9.9	8,663	9.9	0.11	9.7	10.2
1986	570	9.1	0.39	8.4	9.9	517	9.3	0.42	8.5	10.2
1987	574	9.2	0.39	8.5	10.0	517	9.4	0.42	8.6	10.2
1988	618	9.8	0.40	9.1	10.7	568	10.2	0.44	9.4	11.1
1989	596	9.4	0.39	8.6	10.2	542	9.7	0.42	8.9	10.6
1990	567	8.9	0.38	8.2	9.7	512	9.1	0.41	8.3	10.0
1991	578	8.9	0.37	8.2	9.6	522	9.1	0.40	8.3	9.9
1992	606	9.2	0.38	8.4	9.9	548	9.4	0.41	8.6	10.3
1993	642	9.6	0.38	8.9	10.4	582	10.0	0.42	9.2	10.8
1994	706	10.4	0.40	9.6	11.2	636	10.7	0.43	9.9	11.6
1995	628	9.2	0.37	8.5	10.0	561	9.5	0.40	8.7	10.3
1996	722	10.5	0.40	9.8	11.3	635	10.7	0.43	9.9	11.6
1997	707	10.3	0.39	9.5	11.1	624	10.5	0.42	9.7	11.3
1998	677	9.8	0.38	9.1	10.6	602	10.2	0.42	9.4	11.0
1999	723	10.3	0.39	9.6	11.1	640	10.6	0.43	9.8	11.5
2000	745	10.7	0.40	9.9	11.5	657	11.0	0.43	10.2	11.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	824	8.0	0.28	7.4	8.6	59	3.8	0.53	2.8	5.1
1986	46	7.5	1.14	5.5	10.2	1	3.6	3.63	0.1	20.2
1987	54	8.6	1.19	6.4	11.3	1	1.1	1.10	0.0	13.8
1988	46	7.4	1.11	5.4	10.0	1	1.0	1.00	0.0	13.0
1989	48	8.0	1.17	5.8	10.7	2	1.8	1.28	0.2	13.3
1990	51	7.6	1.09	5.7	10.1	4	4.3	2.27	1.1	16.5
1991	47	7.3	1.08	5.3	9.8	4	4.3	2.23	1.1	15.4
1992	52	7.8	1.09	5.8	10.3	3	2.6	1.52	0.5	12.0
1993	51	7.2	1.03	5.4	9.6	6	5.0	2.11	1.7	14.2
1994	59	8.2	1.08	6.2	10.7	7	7.4	2.96	2.8	17.6
1995	57	7.7	1.03	5.8	10.0	5	4.3	2.06	1.3	12.4
1996	72	10.1	1.20	7.9	12.7	8	5.2	2.02	2.1	12.7
1997	57	7.7	1.03	5.8	10.1	4	3.4	1.88	0.8	10.6
1998	51	6.8	0.96	5.0	9.0	6	5.5	2.42	1.9	13.4
1999	66	8.8	1.08	6.8	11.2	3	2.0	1.24	0.4	7.6
2000	67	8.5	1.04	6.6	10.8	4	2.7	1.38	0.7	8.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	153	6.4	0.56	5.3	7.6	7,744	9.9	0.11	9.7	10.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	9	6.1	2.18	2.6	12.9	587	9.5	0.40	8.7	10.3
1990	7	4.8	1.98	1.7	11.2	560	9.0	0.39	8.3	9.8
1991	12	6.9	2.11	3.4	13.3	566	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	8.4	599	9.3	0.38	8.6	10.1
1993	14	7.3	2.09	3.8	13.4	628	9.7	0.39	9.0	10.5
1994	10	5.5	1.89	2.5	11.2	696	10.6	0.40	9.8	11.4
1995	9	4.9	1.82	2.0	10.4	619	9.4	0.38	8.6	10.2
1996	18	9.2	2.30	5.3	15.5	704	10.6	0.40	9.8	11.5
1997	14	7.7	2.23	4.0	13.8	693	10.5	0.40	9.7	11.3
1998	16	5.8	1.64	3.1	10.7	661	10.0	0.39	9.2	10.8
1999	20	8.4	2.11	4.8	14.1	703	10.4	0.40	9.7	11.2
2000	17	5.3	1.42	2.9	9.6	728	10.9	0.41	10.1	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Urinary Bladder, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,531	2.4	0.05	2.3	2.5	2,149	2.3	0.05	2.2	2.4
1986	163	2.6	0.20	2.2	3.0	139	2.4	0.20	2.0	2.8
1987	153	2.4	0.20	2.0	2.8	131	2.3	0.20	1.9	2.7
1988	159	2.4	0.19	2.0	2.8	139	2.3	0.20	2.0	2.8
1989	159	2.4	0.20	2.1	2.9	134	2.3	0.20	1.9	2.8
1990	176	2.6	0.20	2.3	3.1	146	2.4	0.20	2.1	2.9
1991	146	2.1	0.18	1.8	2.5	127	2.1	0.18	1.7	2.5
1992	177	2.6	0.20	2.2	3.0	143	2.3	0.19	1.9	2.7
1993	149	2.1	0.17	1.8	2.5	132	2.1	0.18	1.7	2.5
1994	170	2.4	0.19	2.1	2.8	140	2.2	0.19	1.9	2.6
1995	151	2.1	0.17	1.8	2.5	138	2.2	0.19	1.8	2.6
1996	194	2.7	0.19	2.3	3.1	157	2.4	0.20	2.1	2.9
1997	167	2.3	0.18	2.0	2.7	141	2.2	0.18	1.8	2.6
1998	181	2.4	0.18	2.1	2.8	156	2.4	0.19	2.0	2.8
1999	200	2.7	0.19	2.3	3.1	171	2.6	0.20	2.2	3.0
2000	186	2.4	0.18	2.1	2.8	155	2.3	0.19	2.0	2.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	369	3.7	0.19	3.3	4.1	13	1.2	0.34	0.6	2.1
1986	24	3.9	0.82	2.5	6.0	0	0.0	~	0.0	13.4
1987	21	3.5	0.77	2.1	5.4	1	1.1	1.08	0.0	13.8
1988	20	3.2	0.73	1.9	5.1	0	0.0	~	0.0	12.0
1989	25	4.0	0.82	2.6	6.0	0	0.0	~	0.0	11.4
1990	29	4.6	0.87	3.1	6.7	1	2.1	2.12	0.0	14.6
1991	18	3.0	0.71	1.8	4.8	1	1.1	1.14	0.0	11.3
1992	34	5.1	0.89	3.5	7.2	0	0.0	~	0.0	9.0
1993	16	2.5	0.63	1.4	4.1	1	0.7	0.72	0.0	8.8
1994	28	4.1	0.78	2.7	6.0	2	3.4	2.45	0.4	13.1
1995	13	2.0	0.55	1.0	3.4	0	0.0	~	0.0	6.4
1996	34	4.7	0.81	3.2	6.6	3	2.7	1.61	0.5	9.7
1997	24	3.3	0.68	2.1	5.0	2	2.0	1.60	0.2	9.0
1998	25	3.3	0.67	2.2	5.0	0	0.0	~	0.0	5.1
1999	28	3.7	0.70	2.4	5.4	1	1.3	1.27	0.0	7.1
2000	30	3.9	0.72	2.6	5.7	1	1.1	1.11	0.0	6.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	24	1.1	0.24	0.7	1.7	2515	2.5	0.05	2.4	2.6
1986	2	2.0	1.41	0.2	8.5	161	2.6	0.20	2.2	3.0
1987	3	2.4	1.43	0.4	8.5	154	2.5	0.20	2.1	2.9
1988	2	2.1	1.51	0.2	8.2	161	2.5	0.20	2.1	2.9
1989	1	0.4	0.44	0.0	4.9	155	2.4	0.20	2.0	2.8
1990	1	0.9	0.93	0.0	5.8	170	2.6	0.20	2.2	3.1
1991	0	0.0	-	0.0	4.2	147	2.2	0.18	1.9	2.6
1992	0	0.0	-	0.0	3.9	175	2.6	0.20	2.2	3.1
1993	1	1.0	1.00	0.0	5.6	151	2.2	0.18	1.8	2.6
1994	1	0.8	0.76	0.0	4.8	170	2.5	0.19	2.1	2.9
1995	1	0.4	0.41	0.0	3.9	152	2.2	0.18	1.8	2.6
1996	2	1.1	0.90	0.1	5.1	193	2.7	0.20	2.3	3.1
1997	2	1.2	0.90	0.1	5.0	169	2.4	0.18	2.0	2.8
1998	3	1.2	0.88	0.2	5.0	176	2.5	0.19	2.1	2.9
1999	1	0.8	0.79	0.0	4.4	199	2.7	0.20	2.4	3.2
2000	4	2.5	1.31	0.6	6.8	182	2.5	0.19	2.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Kidney and Renal Pelvis, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18,692	11.1	0.08	10.9	11.3	16,315	11.2	0.09	11.0	11.4
1986	946	8.9	0.29	8.3	9.4	838	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3
1988	1,044	9.8	0.31	9.2	10.4	927	10.0	0.33	9.4	10.7
1989	1,088	10.2	0.31	9.6	10.8	958	10.2	0.34	9.6	10.9
1990	1,033	9.6	0.30	9.0	10.2	919	9.8	0.33	9.2	10.5
1991	1,132	10.3	0.31	9.7	10.9	1,013	10.6	0.34	9.9	11.3
1992	1,207	10.8	0.31	10.2	11.5	1,072	11.1	0.34	10.4	11.8
1993	1,190	10.5	0.31	9.9	11.1	1,020	10.4	0.33	9.8	11.1
1994	1,279	11.3	0.32	10.7	11.9	1,113	11.3	0.34	10.7	12.0
1995	1,365	11.9	0.32	11.3	12.5	1,204	12.1	0.35	11.5	12.9
1996	1,378	12.0	0.32	11.4	12.6	1,185	12.0	0.35	11.3	12.7
1997	1,500	12.9	0.33	12.3	13.6	1,286	12.9	0.36	12.2	13.6
1998	1,472	12.5	0.33	11.9	13.2	1,265	12.6	0.35	11.9	13.3
1999	1,498	12.6	0.33	12.0	13.3	1,295	12.8	0.36	12.1	13.5
2000	1,559	13.0	0.33	12.4	13.7	1,329	13.1	0.36	12.4	13.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,086	10.6	0.24	10.1	11.1	201	5.5	0.42	4.7	6.5
1986	95	8.1	0.86	6.5	10.0	9	5.7	2.11	2.4	14.9
1987	102	8.5	0.87	6.9	10.5	6	2.8	1.16	1.0	10.5
1988	101	8.4	0.87	6.8	10.4	11	5.4	1.69	2.6	13.2
1989	122	10.1	0.94	8.3	12.2	5	2.5	1.17	0.8	9.5
1990	105	8.4	0.84	6.8	10.3	5	2.5	1.20	0.7	9.5
1991	99	8.1	0.84	6.6	10.0	9	4.1	1.43	1.8	10.7
1992	120	9.7	0.91	8.0	11.7	13	6.3	1.88	3.2	13.1
1993	148	10.6	0.89	8.9	12.5	18	7.7	1.85	4.5	14.1
1994	148	11.1	0.94	9.3	13.1	15	6.9	2.08	3.5	13.6
1995	149	11.1	0.93	9.3	13.1	8	3.0	1.11	1.2	7.7
1996	170	12.2	0.96	10.4	14.3	14	5.9	1.86	2.9	11.7
1997	179	12.5	0.95	10.7	14.5	26	8.9	1.86	5.6	14.4
1998	178	12.5	0.96	10.7	14.6	18	5.4	1.35	3.1	9.9
1999	175	12.3	0.95	10.5	14.3	20	5.5	1.29	3.3	9.7
2000	195	13.3	0.97	11.5	15.4	24	6.3	1.35	4.0	10.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	585	10.4	0.50	9.5	11.5	15,116	11.6	0.09	11.4	11.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	26	6.7	1.49	4.1	11.1	1,062	10.3	0.32	9.7	10.9
1990	34	9.0	1.79	5.9	13.9	999	9.6	0.31	9.0	10.2
1991	30	6.7	1.35	4.4	10.7	1,102	10.4	0.32	9.8	11.1
1992	35	8.7	1.64	5.8	13.2	1,172	10.9	0.32	10.3	11.6
1993	29	6.9	1.44	4.4	10.9	1,161	10.7	0.32	10.1	11.3
1994	50	12.0	1.89	8.6	16.8	1,229	11.3	0.32	10.6	11.9
1995	53	11.1	1.77	7.9	15.6	1,312	11.9	0.33	11.3	12.6
1996	48	9.8	1.65	6.8	14.0	1,330	12.1	0.33	11.5	12.8
1997	72	14.5	2.05	10.8	19.5	1,428	12.9	0.34	12.2	13.6
1998	63	10.8	1.60	7.9	14.9	1,409	12.6	0.34	12.0	13.3
1999	69	12.9	1.87	9.5	17.5	1,429	12.7	0.34	12.0	13.3
2000	76	11.9	1.58	9.0	15.8	1,483	13.1	0.34	12.5	13.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Kidney and Renal Pelvis, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,630	4.5	0.05	4.4	4.6	6,708	4.6	0.06	4.4	4.7
1986	463	4.4	0.21	4.0	4.8	408	4.4	0.22	4.0	4.8
1987	485	4.6	0.21	4.2	5.0	442	4.7	0.23	4.3	5.2
1988	457	4.3	0.20	3.9	4.7	396	4.2	0.22	3.8	4.7
1989	501	4.6	0.21	4.2	5.1	448	4.7	0.23	4.3	5.2
1990	495	4.6	0.21	4.2	5.0	441	4.6	0.22	4.2	5.1
1991	495	4.5	0.21	4.1	5.0	444	4.6	0.22	4.2	5.1
1992	489	4.4	0.20	4.0	4.8	441	4.5	0.22	4.1	5.0
1993	530	4.7	0.20	4.3	5.1	470	4.8	0.22	4.4	5.2
1994	571	5.0	0.21	4.6	5.5	495	5.0	0.23	4.6	5.5
1995	526	4.6	0.20	4.2	5.0	461	4.6	0.22	4.2	5.1
1996	494	4.3	0.19	3.9	4.7	428	4.2	0.21	3.9	4.7
1997	509	4.4	0.19	4.0	4.8	428	4.2	0.21	3.9	4.7
1998	550	4.7	0.20	4.3	5.1	483	4.7	0.22	4.3	5.2
1999	490	4.1	0.19	3.8	4.5	425	4.1	0.20	3.8	4.6
2000	575	4.8	0.20	4.4	5.2	498	4.8	0.22	4.4	5.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	879	4.7	0.16	4.4	5.0	43	1.4	0.24	1.0	2.0
1986	53	4.7	0.68	3.5	6.3	2	1.5	1.26	0.1	10.0
1987	41	3.5	0.57	2.5	4.9	2	2.6	2.13	0.2	12.0
1988	60	5.3	0.71	4.0	7.0	1	0.5	0.54	0.0	7.7
1989	52	4.3	0.61	3.2	5.7	1	0.8	0.76	0.0	7.7
1990	53	4.7	0.66	3.5	6.3	1	0.3	0.27	0.0	7.0
1991	49	4.1	0.60	3.0	5.5	2	0.9	0.71	0.1	7.0
1992	48	3.9	0.58	2.9	5.3	0	0.0	~	0.0	5.4
1993	58	4.6	0.61	3.4	6.0	2	1.0	0.69	0.1	6.0
1994	70	5.5	0.67	4.2	7.0	6	2.8	1.22	0.9	8.1
1995	64	5.2	0.67	4.0	6.7	1	0.7	0.68	0.0	5.1
1996	62	4.7	0.61	3.6	6.1	4	2.3	1.25	0.5	7.1
1997	77	5.8	0.69	4.6	7.4	4	1.4	0.73	0.3	5.3
1998	57	4.1	0.56	3.1	5.4	10	3.4	1.15	1.5	7.6
1999	62	4.5	0.58	3.4	5.8	3	1.2	0.72	0.2	4.7
2000	73	5.3	0.63	4.1	6.7	4	1.0	0.54	0.3	4.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	202	3.5	0.28	3.0	4.2	7419	4.6	0.05	4.5	4.7
1986	9	2.9	1.06	1.2	7.0	461	4.5	0.21	4.1	5.0
1987	7	2.4	1.00	0.8	6.3	481	4.7	0.22	4.2	5.1
1988	9	2.4	1.01	0.9	6.2	443	4.3	0.21	3.9	4.7
1989	6	1.8	0.90	0.5	5.3	487	4.7	0.21	4.3	5.1
1990	15	4.1	1.15	2.2	7.9	488	4.7	0.21	4.3	5.1
1991	10	3.3	1.08	1.5	6.9	476	4.5	0.21	4.1	4.9
1992	13	4.3	1.37	2.1	8.4	475	4.4	0.20	4.0	4.8
1993	14	3.7	1.08	1.9	7.1	516	4.7	0.21	4.3	5.2
1994	20	5.7	1.44	3.3	9.7	544	5.0	0.21	4.6	5.4
1995	17	3.8	1.05	2.0	7.0	507	4.6	0.21	4.2	5.0
1996	14	2.9	0.83	1.5	5.6	483	4.4	0.20	4.0	4.8
1997	11	2.4	0.91	1.0	5.4	497	4.5	0.20	4.1	4.9
1998	21	4.5	1.15	2.5	7.8	537	4.8	0.21	4.4	5.2
1999	13	2.8	0.94	1.3	5.7	475	4.2	0.19	3.8	4.6
2000	23	4.9	1.20	2.8	8.1	549	4.8	0.20	4.4	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Kidney and Renal Pelvis, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11,120	15.4	0.15	15.1	15.7	9,737	15.5	0.16	15.2	15.8
1986	590	12.9	0.55	11.8	14.1	526	13.1	0.59	12.0	14.3
1987	616	13.9	0.58	12.8	15.1	549	14.0	0.62	12.9	15.3
1988	614	13.6	0.57	12.5	14.8	546	13.8	0.61	12.6	15.1
1989	647	14.2	0.57	13.1	15.3	580	14.5	0.62	13.3	15.8
1990	606	13.3	0.56	12.3	14.5	536	13.5	0.60	12.4	14.8
1991	703	14.9	0.58	13.8	16.1	628	15.2	0.62	14.0	16.5
1992	712	15.0	0.57	13.9	16.2	631	15.2	0.62	14.0	16.4
1993	704	14.5	0.56	13.4	15.7	609	14.5	0.60	13.4	15.8
1994	777	16.0	0.59	14.9	17.2	679	16.1	0.63	14.9	17.4
1995	797	16.2	0.58	15.1	17.4	703	16.5	0.63	15.2	17.8
1996	825	16.4	0.58	15.3	17.6	706	16.3	0.62	15.1	17.6
1997	864	17.0	0.59	15.9	18.2	743	17.1	0.63	15.9	18.4
1998	864	17.0	0.59	15.9	18.2	755	17.3	0.64	16.1	18.6
1999	876	17.1	0.58	15.9	18.3	752	17.1	0.63	15.9	18.4
2000	925	17.7	0.59	16.5	18.9	794	17.8	0.64	16.5	19.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,198	14.5	0.44	13.7	15.5	124	7.9	0.81	6.4	9.9
1986	56	11.2	1.59	8.3	15.1	4	6.5	3.62	1.4	27.8
1987	62	12.8	1.73	9.6	17.0	5	4.9	2.20	1.6	23.6
1988	59	12.0	1.68	8.9	16.1	6	6.9	3.00	2.4	25.2
1989	61	12.2	1.66	9.2	16.3	3	3.4	2.14	0.6	20.3
1990	65	12.5	1.63	9.5	16.5	2	2.8	2.02	0.3	19.8
1991	62	12.4	1.68	9.3	16.5	5	5.1	2.40	1.6	20.6
1992	73	14.6	1.82	11.2	18.9	7	9.1	3.74	3.3	25.1
1993	81	13.7	1.60	10.7	17.5	12	10.8	3.21	5.5	24.8
1994	83	15.1	1.77	11.8	19.2	12	12.2	4.43	5.1	28.1
1995	86	15.4	1.75	12.2	19.5	5	3.4	1.60	1.0	14.9
1996	105	18.2	1.87	14.7	22.5	9	11.1	4.66	3.9	26.8
1997	101	16.2	1.67	13.1	20.1	14	11.2	3.34	5.7	23.7
1998	92	15.7	1.72	12.5	19.7	10	7.4	2.50	3.3	18.2
1999	106	17.1	1.74	13.8	21.1	13	7.7	2.28	3.9	17.8
2000	106	17.1	1.73	13.9	21.1	17	10.3	2.69	5.7	20.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	360	14.0	0.91	12.3	16.0	8,940	15.9	0.17	15.6	16.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	16	9.1	2.91	4.4	19.1	631	14.3	0.59	13.2	15.5
1990	14	8.5	2.87	3.9	18.6	592	13.5	0.57	12.4	14.7
1991	22	11.0	2.70	6.4	20.2	681	15.1	0.59	13.9	16.3
1992	21	12.8	3.31	7.2	22.9	691	15.1	0.59	14.0	16.3
1993	19	9.1	2.58	4.8	17.9	685	14.7	0.57	13.6	15.9
1994	33	16.7	3.34	10.8	26.5	744	16.0	0.60	14.9	17.3
1995	34	15.7	3.28	10.0	25.3	763	16.2	0.60	15.1	17.5
1996	27	12.4	2.98	7.2	21.3	798	16.7	0.60	15.6	18.0
1997	49	21.3	4.01	14.2	32.0	815	16.9	0.60	15.8	18.2
1998	42	16.7	3.30	10.9	25.8	822	17.1	0.60	15.9	18.3
1999	35	12.5	2.66	7.9	20.3	841	17.3	0.60	16.1	18.5
2000	48	16.7	2.81	11.7	24.5	877	17.8	0.60	16.6	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Kidney and Renal Pelvis, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,581	6.6	0.10	6.4	6.8	4,015	6.6	0.11	6.4	6.8
1986	291	6.7	0.41	5.9	7.5	257	6.6	0.43	5.8	7.6
1987	286	6.6	0.41	5.8	7.5	259	6.8	0.44	6.0	7.7
1988	288	6.6	0.41	5.8	7.5	241	6.3	0.42	5.5	7.2
1989	296	6.8	0.41	6.0	7.6	269	7.0	0.44	6.1	7.9
1990	291	6.6	0.40	5.8	7.4	262	6.7	0.42	5.9	7.6
1991	297	6.6	0.40	5.9	7.4	266	6.8	0.43	5.9	7.7
1992	288	6.3	0.38	5.5	7.1	257	6.4	0.41	5.6	7.3
1993	314	6.7	0.39	6.0	7.5	279	6.8	0.42	6.0	7.7
1994	346	7.4	0.41	6.6	8.2	302	7.4	0.43	6.6	8.3
1995	302	6.4	0.37	5.6	7.1	260	6.2	0.39	5.5	7.1
1996	314	6.6	0.38	5.8	7.4	273	6.6	0.40	5.8	7.4
1997	297	6.1	0.36	5.4	6.9	250	6.0	0.38	5.2	6.8
1998	334	6.9	0.38	6.2	7.7	294	7.0	0.41	6.2	7.9
1999	294	6.0	0.35	5.3	6.7	249	5.8	0.37	5.1	6.6
2000	343	7.0	0.38	6.2	7.8	297	7.0	0.41	6.2	7.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	539	6.9	0.31	6.3	7.6	27	2.1	0.48	1.3	3.5
1986	33	7.0	1.31	4.6	10.4	1	2.9	2.90	0.1	24.2
1987	25	5.0	1.07	3.2	8.0	2	6.2	5.27	0.4	29.7
1988	46	9.6	1.49	6.9	13.4	1	1.2	1.16	0.0	18.8
1989	26	5.4	1.15	3.4	8.6	1	1.8	1.78	0.0	18.7
1990	28	6.1	1.24	4.0	9.4	1	0.6	0.57	0.0	17.2
1991	31	5.8	1.07	3.9	8.7	0	0.0	~	0.0	15.1
1992	31	5.6	1.03	3.8	8.4	0	0.0	~	0.0	13.7
1993	33	6.4	1.17	4.3	9.5	2	2.3	1.61	0.3	15.2
1994	40	7.6	1.27	5.3	10.8	4	3.0	1.51	0.8	15.2
1995	41	8.2	1.37	5.7	11.6	1	1.7	1.67	0.0	13.7
1996	37	6.8	1.17	4.7	9.8	4	5.8	3.39	1.2	19.5
1997	44	7.8	1.27	5.5	11.0	3	1.6	0.94	0.3	11.7
1998	36	6.0	1.06	4.1	8.8	4	3.7	1.92	0.9	14.0
1999	44	7.8	1.25	5.5	10.9	1	0.7	0.73	0.0	9.9
2000	44	8.0	1.26	5.7	11.1	2	0.9	0.63	0.1	9.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	129	5.1	0.55	4.1	6.3	4453	6.7	0.10	6.5	6.9
1986	7	5.4	2.30	1.9	15.4	289	6.9	0.42	6.1	7.8
1987	3	2.3	1.71	0.2	11.5	284	6.8	0.42	6.0	7.6
1988	6	4.4	2.41	1.0	14.2	279	6.6	0.41	5.8	7.5
1989	3	2.9	2.13	0.3	12.2	287	6.7	0.41	5.9	7.6
1990	8	4.9	1.93	1.8	13.5	290	6.7	0.41	6.0	7.6
1991	9	6.5	2.32	2.8	15.3	282	6.5	0.40	5.7	7.4
1992	10	9.1	3.35	3.8	19.5	281	6.3	0.38	5.6	7.1
1993	8	4.4	1.79	1.6	12.1	303	6.7	0.39	6.0	7.6
1994	12	7.9	2.73	3.5	16.9	331	7.4	0.41	6.6	8.2
1995	14	5.4	1.59	2.8	12.2	286	6.3	0.38	5.6	7.1
1996	8	3.8	1.53	1.4	10.5	306	6.7	0.39	5.9	7.5
1997	6	3.2	1.71	0.8	10.1	298	6.5	0.38	5.8	7.3
1998	18	8.2	2.45	4.1	16.0	320	6.9	0.39	6.2	7.7
1999	4	1.0	0.57	0.2	6.1	289	6.1	0.37	5.4	6.9
2000	13	6.6	2.34	2.8	13.9	328	7.0	0.39	6.2	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Kidney and Renal Pelvis, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,572	7.9	0.09	7.7	8.1	6,578	8.0	0.10	7.8	8.2
1986	356	5.8	0.31	5.2	6.5	312	5.8	0.34	5.2	6.5
1987	385	6.4	0.33	5.7	7.1	342	6.4	0.35	5.7	7.1
1988	430	7.2	0.35	6.5	7.9	381	7.3	0.38	6.6	8.1
1989	441	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	427	6.9	0.34	6.3	7.6	383	7.2	0.38	6.5	8.0
1991	429	6.8	0.33	6.2	7.5	385	7.0	0.37	6.4	7.8
1992	495	7.8	0.36	7.2	8.6	441	8.1	0.39	7.3	8.9
1993	486	7.5	0.34	6.9	8.3	411	7.4	0.37	6.7	8.1
1994	502	7.7	0.35	7.1	8.4	434	7.8	0.38	7.0	8.5
1995	568	8.7	0.37	8.0	9.4	501	8.9	0.40	8.1	9.7
1996	553	8.6	0.37	7.9	9.3	479	8.7	0.40	7.9	9.5
1997	636	9.6	0.38	8.9	10.4	543	9.6	0.42	8.8	10.4
1998	608	9.2	0.38	8.5	10.0	510	9.1	0.41	8.3	9.9
1999	622	9.3	0.38	8.6	10.1	543	9.6	0.42	8.8	10.5
2000	634	9.5	0.38	8.7	10.2	535	9.4	0.41	8.6	10.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	888	7.8	0.26	7.3	8.3	77	3.7	0.44	2.9	4.8
1986	39	5.8	0.95	4.0	8.0	5	5.4	2.60	1.5	19.6
1987	40	5.7	0.92	4.1	7.9	1	0.8	0.75	0.0	13.3
1988	42	6.0	0.95	4.3	8.2	5	4.2	1.94	1.3	16.5
1989	61	8.7	1.14	6.6	11.3	2	1.7	1.20	0.2	13.1
1990	40	5.5	0.88	3.9	7.6	3	2.4	1.49	0.4	13.8
1991	37	5.2	0.87	3.7	7.3	4	3.4	1.74	0.9	13.8
1992	47	6.4	0.95	4.7	8.6	6	4.5	1.89	1.6	14.2
1993	67	8.4	1.04	6.5	10.8	6	5.1	2.08	1.8	14.2
1994	65	8.3	1.05	6.4	10.7	3	2.9	1.79	0.5	11.3
1995	63	8.0	1.02	6.1	10.3	3	2.4	1.47	0.5	9.7
1996	65	8.0	1.00	6.1	10.3	5	2.9	1.32	0.9	9.3
1997	78	9.6	1.10	7.5	12.0	12	7.1	2.14	3.6	14.5
1998	86	10.4	1.14	8.3	12.9	8	3.9	1.45	1.6	9.9
1999	69	8.6	1.04	6.7	10.9	7	3.7	1.44	1.4	9.3
2000	89	10.5	1.12	8.4	13.0	7	3.2	1.21	1.3	8.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	225	7.5	0.56	6.4	8.7	6,176	8.3	0.11	8.1	8.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	4.9	1.62	2.3	10.6	431	7.4	0.36	6.7	8.1
1990	20	9.6	2.37	5.5	16.5	407	6.9	0.35	6.2	7.6
1991	8	3.0	1.16	1.2	7.9	421	7.0	0.34	6.3	7.7
1992	14	5.9	1.68	3.1	11.3	481	7.9	0.36	7.2	8.6
1993	10	4.9	1.64	2.2	10.2	476	7.7	0.36	7.0	8.4
1994	17	8.0	2.08	4.4	13.9	485	7.7	0.36	7.1	8.5
1995	19	7.2	1.88	4.0	12.7	549	8.7	0.38	8.0	9.5
1996	21	7.8	1.91	4.5	13.2	532	8.6	0.38	7.9	9.4
1997	23	9.1	2.17	5.4	15.0	613	9.7	0.40	8.9	10.5
1998	21	6.3	1.49	3.7	10.8	587	9.3	0.39	8.6	10.1
1999	34	12.9	2.53	8.4	19.3	588	9.3	0.38	8.5	10.0
2000	28	7.8	1.70	4.8	12.5	606	9.5	0.39	8.8	10.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Kidney and Renal Pelvis, Females

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	3,049	3.1	0.06	3.0	3.2	2,693	3.1	0.06	3.0	3.2
1986	172	2.8	0.22	2.4	3.2	151	2.8	0.23	2.3	3.3
1987	199	3.2	0.23	2.8	3.7	183	3.3	0.25	2.8	3.8
1988	169	2.7	0.21	2.3	3.1	155	2.8	0.23	2.4	3.3
1989	205	3.3	0.23	2.8	3.8	179	3.2	0.25	2.8	3.8
1990	204	3.2	0.23	2.8	3.7	179	3.2	0.24	2.7	3.7
1991	198	3.1	0.22	2.6	3.5	178	3.1	0.24	2.7	3.6
1992	201	3.0	0.22	2.6	3.5	184	3.2	0.24	2.7	3.7
1993	216	3.3	0.22	2.8	3.8	191	3.3	0.24	2.8	3.8
1994	225	3.4	0.23	2.9	3.8	193	3.3	0.24	2.8	3.8
1995	224	3.4	0.23	3.0	3.9	201	3.5	0.25	3.0	4.0
1996	180	2.6	0.20	2.3	3.0	155	2.6	0.21	2.2	3.0
1997	212	3.1	0.21	2.7	3.6	178	3.0	0.23	2.6	3.5
1998	216	3.1	0.21	2.7	3.6	189	3.1	0.23	2.7	3.6
1999	196	2.8	0.20	2.4	3.2	176	2.9	0.22	2.5	3.4
2000	232	3.3	0.22	2.9	3.8	201	3.3	0.24	2.9	3.9
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	340	3.2	0.17	2.8	3.5	16	0.9	0.25	0.5	1.7
1986	20	3.1	0.71	1.8	4.9	1	0.6	0.60	0.0	13.9
1987	16	2.4	0.61	1.3	4.0	0	0.0	~	0.0	12.6
1988	14	2.2	0.61	1.2	3.8	0	0.0	~	0.0	12.0
1989	26	3.7	0.73	2.4	5.5	0	0.0	~	0.0	11.4
1990	25	3.8	0.77	2.4	5.7	0	0.0	~	0.0	11.2
1991	18	2.8	0.65	1.6	4.4	2	1.7	1.26	0.2	11.8
1992	17	2.6	0.63	1.5	4.2	0	0.0	~	0.0	9.0
1993	25	3.4	0.68	2.2	5.0	0	0.0	~	0.0	8.0
1994	30	4.0	0.74	2.7	5.8	2	2.3	1.68	0.2	10.7
1995	23	3.2	0.68	2.0	4.9	0	0.0	~	0.0	6.4
1996	25	3.2	0.65	2.1	4.8	0	0.0	~	0.0	5.8
1997	33	4.3	0.76	3.0	6.1	1	1.0	0.98	0.0	7.0
1998	21	2.7	0.60	1.7	4.2	6	3.3	1.44	1.1	9.3
1999	18	2.3	0.54	1.3	3.6	2	1.4	1.08	0.1	6.8
2000	29	3.6	0.67	2.4	5.2	2	1.1	0.80	0.1	5.6
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	73	2.3	0.30	1.8	3.1	2966	3.1	0.06	3.0	3.2
1986	2	1.0	0.69	0.1	6.5	172	2.8	0.22	2.4	3.3
1987	4	2.6	1.32	0.7	8.5	197	3.2	0.23	2.8	3.7
1988	3	1.0	0.62	0.2	5.8	164	2.7	0.21	2.3	3.1
1989	3	1.2	0.73	0.2	5.8	200	3.3	0.24	2.9	3.8
1990	7	3.6	1.41	1.4	8.9	198	3.2	0.23	2.8	3.7
1991	1	0.7	0.68	0.0	5.2	194	3.1	0.23	2.7	3.6
1992	3	1.2	0.79	0.2	5.5	194	3.0	0.22	2.6	3.5
1993	6	3.1	1.32	1.0	7.9	213	3.3	0.23	2.9	3.8
1994	8	4.1	1.58	1.6	9.2	213	3.3	0.23	2.8	3.8
1995	3	1.9	1.17	0.3	6.4	221	3.5	0.24	3.0	4.0
1996	6	2.2	0.92	0.8	6.0	177	2.7	0.20	2.3	3.1
1997	5	1.9	1.02	0.5	5.9	199	3.0	0.22	2.6	3.5
1998	3	1.4	0.93	0.2	5.3	217	3.2	0.22	2.8	3.7
1999	9	4.2	1.53	1.7	8.8	186	2.8	0.21	2.4	3.2
2000	10	3.7	1.32	1.6	7.9	221	3.3	0.22	2.9	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ureter, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,079	0.6	0.02	0.6	0.7	1,028	0.7	0.02	0.6	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	80	0.7	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	67	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	81	0.7	0.08	0.5	0.9	75	0.7	0.08	0.6	0.9
1999	62	0.5	0.07	0.4	0.7	55	0.5	0.07	0.4	0.7
2000	80	0.7	0.08	0.5	0.8	73	0.7	0.08	0.6	0.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	34	0.2	0.04	0.1	0.3	10	0.4	0.12	0.2	0.8
1986	5	0.5	0.22	0.1	1.3	1	0.9	0.88	0.0	9.1
1987	2	0.2	0.15	0.0	0.9	0	0.0	-	0.0	7.6
1988	0	0.0	-	0.0	0.5	0	0.0	-	0.0	7.2
1989	0	0.0	-	0.0	0.5	0	0.0	-	0.0	6.8
1990	2	0.2	0.17	0.0	0.9	0	0.0	-	0.0	6.7
1991	2	0.2	0.14	0.0	0.8	0	0.0	-	0.0	6.0
1992	2	0.2	0.11	0.0	0.7	2	0.9	0.62	0.1	6.4
1993	3	0.3	0.17	0.1	0.9	0	0.0	-	0.0	4.9
1994	1	0.1	0.10	0.0	0.6	2	1.4	1.00	0.1	6.5
1995	1	0.1	0.07	0.0	0.5	1	0.3	0.30	0.0	4.4
1996	2	0.1	0.10	0.0	0.6	1	0.7	0.74	0.0	5.0
1997	2	0.2	0.13	0.0	0.7	0	0.0	-	0.0	3.6
1998	1	0.1	0.07	0.0	0.5	1	0.4	0.35	0.0	3.7
1999	5	0.4	0.16	0.1	0.9	2	0.7	0.53	0.1	4.0
2000	6	0.5	0.20	0.2	1.1	0	0.0	-	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	15	0.5	0.13	0.2	0.8	873	0.7	0.02	0.6	0.7
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	2.8	74	0.7	0.08	0.5	0.9
1990	0	0.0	-	0.0	2.7	75	0.7	0.08	0.5	0.9
1991	2	1.0	0.76	0.1	4.3	73	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	4.4	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	2.8	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	3.1	79	0.7	0.08	0.6	0.9
1995	0	0.0	-	0.0	2.2	80	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	4.0	68	0.6	0.07	0.5	0.8
1997	1	0.5	0.54	0.0	3.0	73	0.6	0.08	0.5	0.8
1998	1	0.2	0.16	0.0	2.1	80	0.7	0.08	0.6	0.9
1999	2	0.4	0.27	0.0	2.3	60	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	2.0	79	0.7	0.08	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Ureter, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	213	0.1	0.01	0.1	0.1	204	0.1	0.01	0.1	0.2
1986	17	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
1987	12	0.1	0.03	0.0	0.2	11	0.1	0.03	0.0	0.2
1988	12	0.1	0.03	0.1	0.2	11	0.1	0.04	0.1	0.2
1989	13	0.1	0.03	0.1	0.2	13	0.1	0.04	0.1	0.2
1990	11	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1991	16	0.1	0.04	0.1	0.2	15	0.2	0.04	0.1	0.3
1992	13	0.1	0.03	0.1	0.2	13	0.1	0.03	0.1	0.2
1993	18	0.2	0.04	0.1	0.2	17	0.2	0.04	0.1	0.3
1994	22	0.2	0.04	0.1	0.3	22	0.2	0.05	0.1	0.3
1995	16	0.1	0.03	0.1	0.2	15	0.2	0.04	0.1	0.2
1996	9	0.1	0.03	0.0	0.2	9	0.1	0.03	0.0	0.2
1997	13	0.1	0.03	0.1	0.2	11	0.1	0.03	0.0	0.2
1998	13	0.1	0.03	0.1	0.2	13	0.1	0.03	0.1	0.2
1999	10	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
2000	18	0.2	0.04	0.1	0.2	17	0.2	0.04	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.3
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	1	0.1	0.07	0.0	0.6	0	0.0	~	0.0	7.6
1988	1	0.1	0.12	0.0	0.7	0	0.0	~	0.0	7.2
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	1	0.1	0.07	0.0	0.6	0	0.0	~	0.0	6.7
1991	1	0.1	0.11	0.0	0.7	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	1	0.1	0.12	0.0	0.7	0	0.0	~	0.0	4.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	1	0.1	0.08	0.0	0.6	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	2	0.2	0.11	0.0	0.7	0	0.0	~	0.0	3.6
1998	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	1	0.2	0.24	0.0	3.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1	0.0	0.02	0.0	0.2	199	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	3.4	16	0.2	0.04	0.1	0.3
1987	0	0.0	-	0.0	3.2	13	0.1	0.03	0.1	0.2
1988	0	0.0	-	0.0	3.0	13	0.1	0.04	0.1	0.2
1989	0	0.0	-	0.0	2.8	16	0.2	0.04	0.1	0.3
1990	0	0.0	-	0.0	2.7	10	0.1	0.03	0.0	0.2
1991	0	0.0	-	0.0	2.6	9	0.1	0.03	0.0	0.2
1992	0	0.0	-	0.0	2.5	9	0.1	0.03	0.0	0.2
1993	0	0.0	-	0.0	2.4	16	0.2	0.04	0.1	0.2
1994	1	0.3	0.31	0.0	2.7	21	0.2	0.04	0.1	0.3
1995	0	0.0	-	0.0	2.2	16	0.1	0.04	0.1	0.2
1996	0	0.0	-	0.0	2.0	8	0.1	0.02	0.0	0.1
1997	0	0.0	-	0.0	2.0	13	0.1	0.03	0.1	0.2
1998	0	0.0	-	0.0	1.9	11	0.1	0.03	0.0	0.2
1999	0	0.0	-	0.0	1.8	10	0.1	0.03	0.0	0.2
2000	0	0.0	-	0.0	1.8	18	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ureter, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	655	1.0	0.04	0.9	1.0	623	1.0	0.04	0.9	1.1
1986	43	1.0	0.15	0.7	1.4	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	1.0	29	0.7	0.14	0.5	1.1
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.16	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.6
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.5	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.7
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.8	1.6
1998	51	1.1	0.15	0.8	1.4	48	1.2	0.17	0.8	1.5
1999	37	0.8	0.13	0.5	1.1	32	0.8	0.14	0.5	1.1
2000	45	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	22	0.3	0.07	0.2	0.5	6	0.5	0.22	0.2	1.5
1986	4	1.0	0.52	0.2	3.2	0	0.0	-	0.0	20.2
1987	1	0.2	0.17	0.0	2.0	0	0.0	-	0.0	19.0
1988	0	0.0	-	0.0	1.7	0	0.0	-	0.0	17.8
1989	0	0.0	-	0.0	1.7	0	0.0	-	0.0	16.6
1990	0	0.0	-	0.0	1.7	0	0.0	-	0.0	16.8
1991	1	0.2	0.15	0.0	1.8	0	0.0	-	0.0	15.1
1992	2	0.4	0.27	0.0	2.1	1	0.9	0.92	0.0	14.6
1993	2	0.4	0.27	0.0	2.1	0	0.0	-	0.0	12.7
1994	0	0.0	-	0.0	1.5	2	3.4	2.47	0.4	16.9
1995	1	0.2	0.16	0.0	1.7	1	0.6	0.61	0.0	11.9
1996	1	0.2	0.20	0.0	1.7	0	0.0	-	0.0	10.9
1997	2	0.5	0.36	0.0	2.2	0	0.0	-	0.0	10.2
1998	1	0.2	0.16	0.0	1.6	0	0.0	-	0.0	9.6
1999	3	0.6	0.42	0.1	2.4	2	1.6	1.30	0.1	11.1
2000	4	0.8	0.42	0.2	2.5	0	0.0	-	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9	0.6	0.23	0.2	1.3	537	1.0	0.04	0.9	1.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	7.5	52	1.2	0.17	0.9	1.6
1990	0	0.0	-	0.0	7.6	45	1.0	0.15	0.7	1.4
1991	0	0.0	-	0.0	7.1	44	1.0	0.16	0.8	1.4
1992	1	1.8	1.81	0.0	10.1	41	0.9	0.15	0.7	1.3
1993	1	0.8	0.76	0.0	7.6	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	8.0	47	1.1	0.16	0.8	1.4
1995	0	0.0	-	0.0	6.0	52	1.2	0.16	0.9	1.6
1996	1	1.6	1.57	0.0	8.8	43	1.0	0.15	0.7	1.3
1997	0	0.0	-	0.0	5.6	50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	5.6	50	1.1	0.16	0.8	1.5
1999	1	0.2	0.24	0.0	5.2	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.50	0.0	5.3	44	0.9	0.14	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Ureter, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	111	0.2	0.02	0.1	0.2	107	0.2	0.02	0.2	0.2
1986	9	0.2	0.07	0.1	0.4	9	0.2	0.08	0.1	0.5
1987	6	0.1	0.05	0.0	0.3	5	0.1	0.05	0.0	0.3
1988	5	0.1	0.05	0.0	0.3	5	0.1	0.06	0.0	0.4
1989	9	0.2	0.07	0.1	0.4	9	0.2	0.08	0.1	0.5
1990	8	0.2	0.07	0.1	0.4	8	0.2	0.08	0.1	0.5
1991	8	0.2	0.06	0.1	0.4	8	0.2	0.07	0.1	0.4
1992	6	0.1	0.05	0.0	0.3	6	0.1	0.05	0.0	0.3
1993	7	0.2	0.06	0.1	0.4	7	0.2	0.07	0.1	0.4
1994	11	0.2	0.07	0.1	0.4	11	0.2	0.08	0.1	0.5
1995	9	0.2	0.06	0.1	0.4	8	0.2	0.07	0.1	0.4
1996	4	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1997	7	0.2	0.06	0.1	0.4	6	0.2	0.07	0.1	0.4
1998	8	0.2	0.06	0.1	0.4	8	0.2	0.07	0.1	0.4
1999	3	0.1	0.04	0.0	0.2	3	0.1	0.05	0.0	0.2
2000	11	0.2	0.07	0.1	0.4	10	0.2	0.08	0.1	0.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.0	0.02	0.0	0.2	1	0.0	0.05	0.0	0.9
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	1	0.2	0.17	0.0	2.0	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	1	0.2	0.20	0.0	1.8	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	1	0.2	0.16	0.0	1.6	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	1	0.5	0.49	0.0	8.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1	0.0	0.05	0.0	0.5	109	0.2	0.02	0.1	0.2
1986	0	0.0	-	0.0	8.7	9	0.2	0.07	0.1	0.4
1987	0	0.0	-	0.0	8.3	6	0.1	0.05	0.0	0.3
1988	0	0.0	-	0.0	7.9	6	0.2	0.06	0.0	0.4
1989	0	0.0	-	0.0	7.5	12	0.3	0.09	0.2	0.6
1990	0	0.0	-	0.0	7.6	8	0.2	0.07	0.1	0.4
1991	0	0.0	-	0.0	7.1	7	0.2	0.06	0.1	0.4
1992	0	0.0	-	0.0	6.7	4	0.1	0.04	0.0	0.3
1993	0	0.0	-	0.0	6.6	8	0.2	0.07	0.1	0.4
1994	1	0.7	0.68	0.0	7.2	10	0.2	0.07	0.1	0.4
1995	0	0.0	-	0.0	6.0	8	0.2	0.06	0.1	0.4
1996	0	0.0	-	0.0	5.8	3	0.1	0.05	0.0	0.2
1997	0	0.0	-	0.0	5.6	7	0.2	0.07	0.1	0.4
1998	0	0.0	-	0.0	5.3	7	0.2	0.07	0.1	0.4
1999	0	0.0	-	0.0	5.0	3	0.1	0.04	0.0	0.2
2000	0	0.0	-	0.0	4.7	11	0.2	0.07	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ureter, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	424	0.4	0.02	0.4	0.5	405	0.4	0.02	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.5	0.09	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.4	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
1995	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
1996	26	0.4	0.08	0.2	0.6	24	0.4	0.08	0.3	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	12	0.1	0.04	0.1	0.2	4	0.3	0.14	0.1	0.9
1986	1	0.2	0.16	0.0	1.1	1	1.5	1.54	0.0	15.3
1987	1	0.2	0.20	0.0	1.2	0	0.0	-	0.0	12.6
1988	0	0.0	-	0.0	0.8	0	0.0	-	0.0	12.0
1989	0	0.0	-	0.0	0.8	0	0.0	-	0.0	11.4
1990	2	0.4	0.26	0.0	1.4	0	0.0	-	0.0	11.2
1991	1	0.2	0.18	0.0	1.0	0	0.0	-	0.0	10.0
1992	0	0.0	-	0.0	0.7	1	0.8	0.80	0.0	9.8
1993	1	0.2	0.17	0.0	1.0	0	0.0	-	0.0	8.0
1994	1	0.2	0.16	0.0	0.9	0	0.0	-	0.0	7.3
1995	0	0.0	-	0.0	0.6	0	0.0	-	0.0	6.4
1996	1	0.1	0.11	0.0	0.8	1	1.2	1.23	0.0	7.9
1997	0	0.0	-	0.0	0.6	0	0.0	-	0.0	5.6
1998	0	0.0	-	0.0	0.6	1	0.6	0.63	0.0	5.9
1999	2	0.2	0.16	0.0	0.9	0	0.0	-	0.0	4.7
2000	2	0.3	0.19	0.0	1.0	0	0.0	-	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	6	0.4	0.16	0.1	0.9	336	0.4	0.02	0.4	0.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	22	0.3	0.07	0.2	0.5
1990	0	0.0	-	0.0	4.2	30	0.4	0.08	0.3	0.7
1991	2	1.6	1.24	0.2	6.9	29	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	5.3	30	0.5	0.08	0.3	0.7
1993	0	0.0	-	0.0	3.7	28	0.4	0.08	0.3	0.6
1994	0	0.0	-	0.0	3.5	32	0.5	0.09	0.3	0.7
1995	0	0.0	-	0.0	3.4	28	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	4.8	25	0.4	0.08	0.2	0.6
1997	1	0.8	0.84	0.0	4.7	23	0.4	0.08	0.2	0.6
1998	0	0.0	-	0.0	3.0	30	0.4	0.08	0.3	0.6
1999	1	0.4	0.44	0.0	3.6	24	0.4	0.08	0.2	0.6
2000	0	0.0	-	0.0	2.8	35	0.5	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Ureter, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	102	0.1	0.01	0.1	0.1	97	0.1	0.01	0.1	0.1
1986	8	0.1	0.04	0.0	0.3	8	0.1	0.05	0.1	0.3
1987	6	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1988	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1989	4	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
1990	3	0.0	0.02	0.0	0.2	2	0.0	0.02	0.0	0.2
1991	8	0.1	0.04	0.0	0.2	7	0.1	0.05	0.0	0.3
1992	7	0.1	0.04	0.0	0.2	7	0.1	0.04	0.0	0.2
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.05	0.1	0.3
1994	11	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
1995	7	0.1	0.04	0.0	0.2	7	0.1	0.05	0.0	0.3
1996	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1997	6	0.1	0.03	0.0	0.2	5	0.1	0.03	0.0	0.2
1998	5	0.1	0.03	0.0	0.2	5	0.1	0.03	0.0	0.2
1999	7	0.1	0.04	0.0	0.2	7	0.1	0.04	0.0	0.2
2000	7	0.1	0.04	0.0	0.2	7	0.1	0.04	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5	0.0	0.02	0.0	0.1	0	0.0	~	0.0	0.5
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	1	0.2	0.18	0.0	1.1	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	1	0.1	0.12	0.0	0.9	0	0.0	~	0.0	11.2
1991	1	0.2	0.18	0.0	1.0	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	1	0.2	0.17	0.0	1.0	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	1	0.2	0.15	0.0	0.9	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	0	0.0	-	0.0	0.2	90	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	5.4	7	0.1	0.04	0.0	0.2
1987	0	0.0	-	0.0	5.1	7	0.1	0.04	0.0	0.2
1988	0	0.0	-	0.0	4.7	7	0.1	0.04	0.0	0.2
1989	0	0.0	-	0.0	4.4	4	0.1	0.04	0.0	0.2
1990	0	0.0	-	0.0	4.2	2	0.0	0.02	0.0	0.1
1991	0	0.0	-	0.0	4.2	2	0.0	0.02	0.0	0.1
1992	0	0.0	-	0.0	3.9	5	0.1	0.03	0.0	0.2
1993	0	0.0	-	0.0	3.7	8	0.1	0.04	0.0	0.2
1994	0	0.0	-	0.0	3.5	11	0.2	0.05	0.1	0.3
1995	0	0.0	-	0.0	3.4	8	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	3.2	5	0.1	0.03	0.0	0.2
1997	0	0.0	-	0.0	3.1	6	0.1	0.03	0.0	0.2
1998	0	0.0	-	0.0	3.0	4	0.1	0.03	0.0	0.2
1999	0	0.0	-	0.0	2.9	7	0.1	0.04	0.0	0.2
2000	0	0.0	-	0.0	2.8	7	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Eye and Orbit

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Eye and Orbit, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,196	0.7	0.02	0.7	0.7	1,069	0.7	0.02	0.7	0.8
1986	67	0.6	0.08	0.5	0.8	61	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	72	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	72	0.8	0.09	0.6	1.0
1989	61	0.6	0.07	0.4	0.7	56	0.6	0.08	0.5	0.8
1990	61	0.6	0.07	0.4	0.7	50	0.5	0.08	0.4	0.7
1991	70	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1992	97	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1993	75	0.6	0.08	0.5	0.8	67	0.7	0.08	0.5	0.9
1994	77	0.7	0.08	0.5	0.8	71	0.7	0.08	0.6	0.9
1995	94	0.8	0.08	0.6	1.0	87	0.9	0.09	0.7	1.1
1996	115	1.0	0.09	0.8	1.2	103	1.0	0.10	0.9	1.3
1997	77	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1998	62	0.5	0.07	0.4	0.7	58	0.6	0.08	0.4	0.7
1999	90	0.8	0.08	0.6	0.9	82	0.8	0.09	0.6	1.0
2000	84	0.7	0.08	0.6	0.9	72	0.7	0.08	0.6	0.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	71	0.3	0.03	0.2	0.3	18	0.4	0.11	0.2	0.8
1986	3	0.2	0.10	0.0	0.8	3	1.8	1.11	0.3	10.0
1987	6	0.4	0.17	0.1	1.1	1	0.3	0.29	0.0	7.8
1988	8	0.4	0.15	0.2	1.0	2	0.6	0.40	0.1	7.6
1989	4	0.2	0.09	0.1	0.7	1	0.3	0.28	0.0	7.0
1990	7	0.4	0.18	0.2	1.1	1	0.2	0.25	0.0	6.9
1991	2	0.1	0.07	0.0	0.6	0	0.0	-	0.0	6.0
1992	8	0.4	0.13	0.1	0.9	0	0.0	-	0.0	5.4
1993	4	0.2	0.10	0.0	0.7	1	0.3	0.25	0.0	5.1
1994	5	0.3	0.14	0.1	0.8	1	0.2	0.22	0.0	4.8
1995	4	0.2	0.09	0.0	0.6	1	0.2	0.25	0.0	4.3
1996	6	0.3	0.15	0.1	0.9	2	0.8	0.66	0.1	4.9
1997	4	0.2	0.12	0.1	0.7	1	0.2	0.21	0.0	3.8
1998	2	0.1	0.08	0.0	0.6	1	0.2	0.20	0.0	3.5
1999	4	0.2	0.10	0.1	0.6	1	0.5	0.51	0.0	3.8
2000	4	0.2	0.13	0.1	0.7	2	0.7	0.51	0.1	3.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	45	0.5	0.12	0.3	0.9	918	0.7	0.02	0.7	0.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	2.8	61	0.6	0.08	0.5	0.8
1990	4	0.9	0.62	0.1	4.0	57	0.5	0.07	0.4	0.7
1991	5	0.5	0.26	0.1	3.1	65	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	3.3	92	0.8	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	2.6	73	0.7	0.08	0.5	0.8
1994	1	0.1	0.05	0.0	2.3	76	0.7	0.08	0.5	0.9
1995	7	0.5	0.22	0.2	2.6	87	0.8	0.08	0.6	1.0
1996	8	1.6	0.76	0.5	4.4	107	1.0	0.10	0.8	1.2
1997	1	0.0	0.04	0.0	2.0	76	0.7	0.08	0.5	0.9
1998	2	0.2	0.17	0.0	2.1	60	0.5	0.07	0.4	0.7
1999	3	0.3	0.25	0.0	2.2	87	0.8	0.08	0.6	1.0
2000	7	1.2	0.67	0.3	3.6	77	0.7	0.08	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Eye and Orbit, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	153	0.1	0.01	0.1	0.1	144	0.1	0.01	0.1	0.1
1986	11	0.1	0.03	0.0	0.2	11	0.1	0.04	0.1	0.2
1987	13	0.1	0.03	0.1	0.2	10	0.1	0.03	0.0	0.2
1988	10	0.1	0.03	0.0	0.2	9	0.1	0.03	0.0	0.2
1989	14	0.1	0.04	0.1	0.2	13	0.1	0.04	0.1	0.2
1990	11	0.1	0.03	0.0	0.2	11	0.1	0.04	0.1	0.2
1991	8	0.1	0.03	0.0	0.1	7	0.1	0.03	0.0	0.2
1992	6	0.0	0.02	0.0	0.1	6	0.1	0.03	0.0	0.1
1993	7	0.1	0.02	0.0	0.1	7	0.1	0.03	0.0	0.2
1994	15	0.1	0.03	0.1	0.2	14	0.1	0.04	0.1	0.2
1995	7	0.1	0.02	0.0	0.1	6	0.1	0.03	0.0	0.1
1996	10	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1997	10	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1998	9	0.1	0.03	0.0	0.1	8	0.1	0.03	0.0	0.2
1999	12	0.1	0.03	0.0	0.2	12	0.1	0.03	0.1	0.2
2000	10	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9	0.0	0.01	0.0	0.1	0	0.0	~	0.0	0.3
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	3	0.2	0.16	0.0	0.9	0	0.0	~	0.0	7.6
1988	1	0.1	0.07	0.0	0.6	0	0.0	~	0.0	7.2
1989	1	0.0	0.05	0.0	0.6	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	1	0.0	0.05	0.0	0.5	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.9
1994	1	0.1	0.08	0.0	0.6	0	0.0	~	0.0	4.6
1995	1	0.0	0.03	0.0	0.4	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.6
1998	1	0.1	0.07	0.0	0.5	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.0	0.01	0.0	0.2	141	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	3.4	9	0.1	0.03	0.0	0.2
1987	0	0.0	-	0.0	3.2	12	0.1	0.03	0.1	0.2
1988	0	0.0	-	0.0	3.0	8	0.1	0.03	0.0	0.2
1989	0	0.0	-	0.0	2.8	13	0.1	0.04	0.1	0.2
1990	0	0.0	-	0.0	2.7	10	0.1	0.03	0.0	0.2
1991	1	0.1	0.06	0.0	2.7	5	0.0	0.02	0.0	0.1
1992	0	0.0	-	0.0	2.5	4	0.0	0.02	0.0	0.1
1993	1	0.1	0.10	0.0	2.4	6	0.1	0.02	0.0	0.1
1994	0	0.0	-	0.0	2.2	13	0.1	0.03	0.1	0.2
1995	0	0.0	-	0.0	2.2	7	0.1	0.02	0.0	0.1
1996	0	0.0	-	0.0	2.0	10	0.1	0.03	0.0	0.2
1997	0	0.0	-	0.0	2.0	12	0.1	0.03	0.0	0.2
1998	0	0.0	-	0.0	1.9	12	0.1	0.03	0.1	0.2
1999	2	0.1	0.06	0.0	1.9	10	0.1	0.03	0.0	0.2
2000	0	0.0	-	0.0	1.8	10	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Eye and Orbit, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	630	0.8	0.03	0.8	0.9	556	0.9	0.04	0.8	0.9
1986	38	0.8	0.13	0.6	1.1	34	0.8	0.15	0.6	1.2
1987	41	0.8	0.14	0.6	1.2	34	0.8	0.15	0.6	1.2
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2
1989	28	0.6	0.12	0.4	0.9	25	0.6	0.13	0.4	1.0
1990	31	0.6	0.12	0.4	0.9	26	0.6	0.13	0.4	1.0
1991	33	0.7	0.13	0.5	1.0	28	0.7	0.13	0.4	1.0
1992	50	1.0	0.14	0.7	1.3	43	1.0	0.16	0.7	1.4
1993	37	0.7	0.12	0.5	1.0	33	0.8	0.13	0.5	1.1
1994	39	0.8	0.13	0.5	1.1	37	0.8	0.14	0.6	1.2
1995	53	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4
1996	64	1.3	0.16	1.0	1.6	54	1.2	0.17	0.9	1.6
1997	44	0.9	0.13	0.6	1.2	39	0.9	0.15	0.6	1.3
1998	30	0.6	0.10	0.4	0.8	29	0.6	0.12	0.4	0.9
1999	49	0.9	0.14	0.7	1.3	46	1.0	0.15	0.8	1.4
2000	50	0.9	0.13	0.7	1.2	42	0.9	0.14	0.7	1.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	43	0.3	0.06	0.2	0.5	10	0.5	0.19	0.2	1.4
1986	3	0.3	0.21	0.1	2.2	1	0.7	0.68	0.0	20.7
1987	4	0.6	0.30	0.1	2.4	1	0.6	0.56	0.0	19.4
1988	4	0.5	0.28	0.1	2.3	2	1.1	0.79	0.1	18.6
1989	2	0.2	0.14	0.0	1.9	1	0.5	0.53	0.0	17.0
1990	4	0.4	0.24	0.1	2.2	0	0.0	-	0.0	16.8
1991	1	0.1	0.14	0.0	1.8	0	0.0	-	0.0	15.1
1992	6	0.5	0.23	0.2	2.1	0	0.0	-	0.0	13.7
1993	2	0.1	0.10	0.0	1.7	0	0.0	-	0.0	12.7
1994	2	0.2	0.19	0.0	1.8	0	0.0	-	0.0	12.3
1995	2	0.2	0.15	0.0	1.7	1	0.5	0.52	0.0	11.8
1996	5	0.7	0.34	0.2	2.3	1	1.6	1.56	0.0	13.0
1997	4	0.5	0.26	0.1	2.0	1	0.4	0.42	0.0	10.6
1998	0	0.0	-	0.0	1.4	0	0.0	-	0.0	9.6
1999	0	0.0	-	0.0	1.4	1	1.3	1.26	0.0	10.8
2000	4	0.7	0.41	0.1	2.4	1	0.4	0.36	0.0	8.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	22	0.6	0.21	0.2	1.3	486	0.8	0.04	0.8	0.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	7.5	28	0.6	0.12	0.4	1.0
1990	2	0.5	0.42	0.0	8.0	29	0.6	0.12	0.4	0.9
1991	4	0.5	0.26	0.1	7.5	29	0.7	0.13	0.4	1.0
1992	1	0.5	0.52	0.0	7.2	49	1.0	0.15	0.7	1.4
1993	0	0.0	-	0.0	6.7	37	0.8	0.13	0.5	1.1
1994	0	0.0	-	0.0	6.4	39	0.8	0.13	0.6	1.1
1995	3	0.3	0.18	0.1	6.2	50	1.0	0.14	0.7	1.3
1996	5	2.5	1.66	0.4	9.6	59	1.2	0.16	0.9	1.6
1997	1	0.1	0.08	0.0	5.6	43	0.9	0.14	0.6	1.2
1998	1	0.3	0.33	0.0	5.6	29	0.6	0.11	0.4	0.9
1999	0	0.0	-	0.0	5.0	49	1.0	0.14	0.7	1.3
2000	5	1.7	1.30	0.2	7.5	45	0.9	0.14	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Eye and Orbit, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	72	0.1	0.01	0.1	0.1	67	0.1	0.01	0.1	0.1
1986	5	0.1	0.05	0.0	0.3	5	0.1	0.06	0.0	0.4
1987	5	0.1	0.05	0.0	0.3	3	0.1	0.05	0.0	0.3
1988	3	0.1	0.04	0.0	0.2	2	0.1	0.04	0.0	0.3
1989	9	0.2	0.08	0.1	0.5	8	0.2	0.09	0.1	0.5
1990	7	0.1	0.06	0.1	0.3	7	0.2	0.06	0.1	0.4
1991	2	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1992	4	0.1	0.05	0.0	0.3	4	0.1	0.06	0.0	0.3
1993	6	0.1	0.05	0.0	0.3	6	0.1	0.06	0.0	0.3
1994	9	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1995	3	0.1	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1996	3	0.1	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1997	4	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1998	4	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1999	4	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
2000	4	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	5	0.0	0.02	0.0	0.2	0	0.0	~	0.0	0.8
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	2	0.2	0.12	0.0	1.9	0	0.0	~	0.0	19.0
1988	1	0.2	0.15	0.0	1.9	0	0.0	~	0.0	17.8
1989	1	0.1	0.09	0.0	1.8	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.2
1998	1	0.2	0.16	0.0	1.6	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1	0.0	0.01	0.0	0.4	68	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	8.7	3	0.1	0.05	0.0	0.3
1987	0	0.0	-	0.0	8.3	5	0.1	0.05	0.0	0.3
1988	0	0.0	-	0.0	7.9	3	0.1	0.04	0.0	0.3
1989	0	0.0	-	0.0	7.5	8	0.2	0.07	0.1	0.4
1990	0	0.0	-	0.0	7.6	7	0.2	0.07	0.1	0.4
1991	0	0.0	-	0.0	7.1	1	0.0	0.02	0.0	0.2
1992	0	0.0	-	0.0	6.7	2	0.1	0.04	0.0	0.2
1993	0	0.0	-	0.0	6.6	5	0.1	0.05	0.0	0.3
1994	0	0.0	-	0.0	6.4	6	0.1	0.06	0.0	0.3
1995	0	0.0	-	0.0	6.0	3	0.1	0.03	0.0	0.2
1996	0	0.0	-	0.0	5.8	5	0.1	0.04	0.0	0.3
1997	0	0.0	-	0.0	5.6	8	0.2	0.07	0.1	0.4
1998	0	0.0	-	0.0	5.3	5	0.1	0.04	0.0	0.2
1999	1	0.1	0.08	0.0	5.1	3	0.1	0.04	0.0	0.2
2000	0	0.0	-	0.0	4.7	4	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Eye and Orbit, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	566	0.6	0.03	0.6	0.7	513	0.6	0.03	0.6	0.7
1986	29	0.5	0.10	0.3	0.8	27	0.6	0.11	0.4	0.8
1987	42	0.7	0.11	0.5	1.0	38	0.8	0.13	0.5	1.1
1988	40	0.7	0.11	0.5	0.9	35	0.7	0.12	0.5	1.0
1989	33	0.6	0.10	0.4	0.8	31	0.6	0.12	0.4	0.9
1990	30	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1991	37	0.6	0.10	0.4	0.8	30	0.6	0.10	0.4	0.8
1992	47	0.7	0.11	0.5	1.0	45	0.8	0.12	0.6	1.1
1993	38	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1994	38	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1995	41	0.6	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1996	51	0.8	0.11	0.6	1.1	49	0.9	0.13	0.7	1.2
1997	33	0.5	0.09	0.3	0.7	33	0.6	0.11	0.4	0.8
1998	32	0.5	0.09	0.3	0.7	29	0.5	0.10	0.4	0.8
1999	41	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9
2000	34	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	28	0.2	0.04	0.1	0.3	8	0.3	0.13	0.1	0.9
1986	0	0.0	-	0.0	0.8	2	2.7	1.94	0.3	16.6
1987	2	0.2	0.18	0.0	1.2	0	0.0	-	0.0	12.6
1988	4	0.3	0.17	0.1	1.2	0	0.0	-	0.0	12.0
1989	2	0.2	0.14	0.0	1.0	0	0.0	-	0.0	11.4
1990	3	0.4	0.23	0.1	1.3	1	0.5	0.50	0.0	11.6
1991	1	0.1	0.08	0.0	0.8	0	0.0	-	0.0	10.0
1992	2	0.2	0.15	0.0	1.0	0	0.0	-	0.0	9.0
1993	2	0.2	0.15	0.0	0.9	1	0.5	0.52	0.0	8.5
1994	3	0.3	0.20	0.1	1.2	1	0.5	0.46	0.0	7.7
1995	2	0.1	0.10	0.0	0.8	0	0.0	-	0.0	6.4
1996	1	0.1	0.07	0.0	0.7	1	0.4	0.41	0.0	6.2
1997	0	0.0	-	0.0	0.6	0	0.0	-	0.0	5.6
1998	2	0.2	0.15	0.0	0.9	1	0.4	0.40	0.0	5.5
1999	4	0.4	0.19	0.1	1.1	0	0.0	-	0.0	4.7
2000	0	0.0	-	0.0	0.5	1	0.8	0.81	0.0	5.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	23	0.5	0.15	0.3	1.0	432	0.6	0.03	0.5	0.7
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.4	33	0.6	0.11	0.4	0.9
1990	2	1.1	0.94	0.1	5.9	28	0.5	0.09	0.3	0.7
1991	1	0.4	0.45	0.0	4.7	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.56	0.2	5.0	43	0.7	0.11	0.5	1.0
1993	2	0.4	0.36	0.0	4.1	36	0.6	0.10	0.4	0.8
1994	1	0.1	0.10	0.0	3.6	37	0.6	0.10	0.4	0.9
1995	4	0.7	0.40	0.1	4.0	37	0.6	0.10	0.4	0.8
1996	3	1.1	0.78	0.2	4.8	48	0.8	0.12	0.6	1.1
1997	0	0.0	-	0.0	3.1	33	0.5	0.09	0.4	0.8
1998	1	0.1	0.09	0.0	3.1	31	0.5	0.09	0.3	0.7
1999	3	0.6	0.46	0.1	3.7	38	0.6	0.10	0.5	0.9
2000	2	0.9	0.77	0.1	4.3	32	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Eye and Orbit, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	81	0.1	0.01	0.1	0.1	77	0.1	0.01	0.1	0.1
1986	6	0.1	0.04	0.0	0.2	6	0.1	0.05	0.0	0.3
1987	8	0.1	0.04	0.0	0.3	7	0.1	0.05	0.0	0.3
1988	7	0.1	0.04	0.0	0.2	7	0.1	0.05	0.0	0.3
1989	5	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1990	4	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
1991	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1992	2	0.0	0.02	0.0	0.1	2	0.0	0.03	0.0	0.2
1993	1	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
1994	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1995	4	0.1	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1996	7	0.1	0.04	0.0	0.2	7	0.1	0.05	0.0	0.3
1997	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
1998	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1999	8	0.1	0.04	0.0	0.2	8	0.1	0.05	0.1	0.3
2000	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.0	0.02	0.0	0.1	0	0.0	~	0.0	0.5
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	1	0.2	0.22	0.0	1.2	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	1	0.1	0.10	0.0	0.8	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.0
1994	1	0.1	0.14	0.0	0.9	0	0.0	~	0.0	7.3
1995	1	0.1	0.07	0.0	0.7	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.0	0.02	0.0	0.3	73	0.1	0.01	0.1	0.1
1986	0	0.0	-	0.0	5.4	6	0.1	0.04	0.0	0.2
1987	0	0.0	-	0.0	5.1	7	0.1	0.04	0.0	0.2
1988	0	0.0	-	0.0	4.7	5	0.1	0.03	0.0	0.2
1989	0	0.0	-	0.0	4.4	5	0.1	0.04	0.0	0.2
1990	0	0.0	-	0.0	4.2	3	0.0	0.03	0.0	0.2
1991	1	0.1	0.13	0.0	4.3	4	0.1	0.03	0.0	0.2
1992	0	0.0	-	0.0	3.9	2	0.0	0.02	0.0	0.1
1993	1	0.2	0.21	0.0	3.9	1	0.0	0.02	0.0	0.1
1994	0	0.0	-	0.0	3.5	7	0.1	0.04	0.0	0.2
1995	0	0.0	-	0.0	3.4	4	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	3.2	5	0.1	0.04	0.0	0.2
1997	0	0.0	-	0.0	3.1	4	0.1	0.03	0.0	0.2
1998	0	0.0	-	0.0	3.0	7	0.1	0.04	0.0	0.2
1999	1	0.1	0.08	0.0	3.0	7	0.1	0.04	0.0	0.2
2000	0	0.0	-	0.0	2.8	6	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Brain and Other Nervous System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Brain and Other Nervous System, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	10,913	6.3	0.06	6.2	6.5	9,806	6.7	0.07	6.6	6.9
1986	652	5.9	0.24	5.5	6.4	595	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	607	6.6	0.27	6.0	7.1
1988	708	6.4	0.24	5.9	6.9	633	6.7	0.27	6.2	7.3
1989	759	6.9	0.25	6.4	7.4	685	7.2	0.28	6.7	7.8
1990	678	6.0	0.24	5.6	6.5	621	6.5	0.26	6.0	7.1
1991	729	6.5	0.24	6.0	7.0	661	6.9	0.27	6.4	7.5
1992	707	6.2	0.24	5.8	6.7	639	6.6	0.26	6.1	7.2
1993	714	6.2	0.23	5.7	6.7	642	6.6	0.26	6.1	7.1
1994	766	6.6	0.24	6.2	7.1	684	7.0	0.27	6.5	7.5
1995	717	6.1	0.23	5.7	6.6	658	6.7	0.26	6.2	7.3
1996	752	6.3	0.23	5.9	6.8	672	6.8	0.26	6.3	7.3
1997	782	6.6	0.24	6.1	7.1	705	7.1	0.27	6.6	7.7
1998	749	6.3	0.23	5.8	6.7	658	6.6	0.26	6.1	7.1
1999	779	6.5	0.23	6.0	6.9	688	6.8	0.26	6.3	7.3
2000	740	6.1	0.22	5.7	6.6	658	6.5	0.26	6.0	7.0
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	910	3.9	0.14	3.7	4.2	157	3.5	0.31	2.9	4.3
1986	53	3.7	0.53	2.7	5.0	4	1.5	0.74	0.4	9.4
1987	65	4.9	0.63	3.7	6.4	8	5.1	2.38	1.6	14.5
1988	66	4.5	0.59	3.5	5.9	8	3.4	1.41	1.2	11.0
1989	67	4.5	0.59	3.5	5.9	6	3.4	1.57	1.1	10.9
1990	49	3.3	0.50	2.4	4.6	8	3.2	1.19	1.4	10.2
1991	46	3.1	0.49	2.3	4.3	10	3.7	1.25	1.7	10.1
1992	65	4.2	0.55	3.2	5.5	2	0.6	0.43	0.1	6.0
1993	58	3.8	0.52	2.8	5.0	10	3.7	1.27	1.7	9.3
1994	76	4.9	0.59	3.8	6.3	3	0.8	0.44	0.2	5.3
1995	52	3.4	0.49	2.5	4.6	7	1.7	0.65	0.7	5.9
1996	63	3.8	0.50	2.9	4.9	16	4.1	1.07	2.2	8.4
1997	51	3.0	0.43	2.2	4.0	24	6.9	1.55	4.2	11.9
1998	65	3.9	0.51	3.0	5.1	23	6.7	1.59	4.0	11.6
1999	68	4.1	0.52	3.2	5.3	17	4.3	1.09	2.4	8.2
2000	66	4.0	0.51	3.1	5.2	11	2.3	0.72	1.1	5.4
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1989-2000	452	4.8	0.29	4.3	5.5	8,420	6.5	0.07	6.3	6.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	41	6.9	1.43	4.4	11.2	718	6.8	0.26	6.3	7.4
1990	24	3.8	0.97	2.2	7.2	654	6.2	0.24	5.7	6.7
1991	35	5.8	1.25	3.6	9.7	694	6.5	0.25	6.1	7.0
1992	29	3.6	0.78	2.3	6.5	678	6.3	0.24	5.8	6.8
1993	34	5.3	1.10	3.4	8.7	680	6.3	0.24	5.8	6.8
1994	29	3.1	0.74	1.9	5.8	737	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.5	6.4	681	6.3	0.24	5.8	6.8
1996	39	4.8	0.99	3.1	7.8	713	6.5	0.24	6.0	7.0
1997	50	5.6	1.02	3.8	8.6	732	6.7	0.25	6.2	7.2
1998	42	3.7	0.70	2.4	6.0	707	6.4	0.24	5.9	6.9
1999	48	5.7	1.05	3.9	8.7	731	6.6	0.24	6.1	7.1
2000	45	5.6	1.03	3.7	8.5	695	6.2	0.24	5.8	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Brain and Other Nervous System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,473	4.4	0.05	4.3	4.5	6,881	4.7	0.06	4.6	4.8
1986	491	4.6	0.21	4.2	5.0	451	4.8	0.23	4.4	5.3
1987	442	4.1	0.20	3.7	4.5	414	4.4	0.22	4.0	4.9
1988	473	4.4	0.20	4.0	4.8	440	4.7	0.23	4.3	5.2
1989	527	4.9	0.21	4.4	5.3	471	5.0	0.23	4.6	5.5
1990	505	4.6	0.21	4.2	5.0	467	4.9	0.23	4.4	5.4
1991	489	4.4	0.20	4.0	4.8	446	4.6	0.22	4.2	5.1
1992	537	4.7	0.21	4.4	5.2	489	5.0	0.23	4.6	5.5
1993	531	4.7	0.20	4.3	5.1	490	5.0	0.23	4.6	5.5
1994	519	4.5	0.20	4.1	4.9	478	4.9	0.22	4.4	5.3
1995	479	4.2	0.19	3.8	4.6	432	4.4	0.21	4.0	4.8
1996	471	4.1	0.19	3.7	4.4	438	4.4	0.21	4.0	4.9
1997	505	4.3	0.19	3.9	4.7	476	4.8	0.22	4.4	5.2
1998	475	4.0	0.18	3.7	4.4	438	4.4	0.21	4.0	4.8
1999	527	4.4	0.19	4.0	4.8	493	4.9	0.22	4.4	5.3
2000	502	4.2	0.19	3.8	4.6	458	4.5	0.21	4.1	5.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	546	2.6	0.12	2.4	2.9	46	1.3	0.20	0.9	1.8
1986	39	3.0	0.52	2.1	4.4	1	1.2	1.22	0.0	9.8
1987	28	2.3	0.44	1.5	3.4	0	0.0	~	0.0	7.6
1988	29	2.3	0.44	1.5	3.4	4	1.7	0.87	0.4	8.8
1989	54	4.3	0.61	3.2	5.7	2	1.8	1.37	0.2	9.3
1990	35	2.7	0.48	1.8	3.9	3	1.0	0.64	0.2	7.7
1991	37	2.7	0.47	1.9	3.9	6	3.2	1.40	1.1	9.8
1992	47	3.3	0.50	2.4	4.5	1	0.8	0.84	0.0	6.6
1993	37	2.6	0.44	1.8	3.7	4	1.8	0.91	0.5	7.0
1994	41	2.9	0.47	2.1	4.1	0	0.0	~	0.0	4.6
1995	43	3.2	0.51	2.3	4.4	4	1.1	0.56	0.3	5.3
1996	29	2.0	0.37	1.3	2.9	4	1.2	0.64	0.3	5.2
1997	28	2.0	0.38	1.3	3.0	1	0.4	0.44	0.0	4.2
1998	33	2.1	0.38	1.4	3.1	4	1.5	0.79	0.4	5.3
1999	32	2.1	0.39	1.4	3.1	2	0.5	0.34	0.1	3.6
2000	34	2.3	0.40	1.6	3.3	10	2.8	0.95	1.3	6.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	215	2.4	0.20	2.0	2.9	7366	4.6	0.05	4.4	4.7
1986	8	1.3	0.52	0.5	4.7	531	5.1	0.22	4.6	5.6
1987	10	2.2	0.74	1.0	5.6	462	4.5	0.21	4.1	4.9
1988	18	4.1	1.17	2.1	8.1	465	4.5	0.21	4.1	4.9
1989	15	3.0	0.96	1.4	6.5	491	4.7	0.22	4.3	5.2
1990	6	1.2	0.55	0.3	4.1	481	4.5	0.21	4.1	5.0
1991	10	1.2	0.45	0.5	3.9	495	4.7	0.21	4.3	5.1
1992	13	2.0	0.60	1.0	4.7	545	5.0	0.22	4.6	5.5
1993	19	3.8	1.05	2.0	7.1	526	4.8	0.21	4.4	5.3
1994	12	1.4	0.55	0.5	3.9	498	4.6	0.21	4.2	5.0
1995	14	2.1	0.70	1.0	4.7	473	4.3	0.20	4.0	4.7
1996	15	2.1	0.66	1.0	4.6	459	4.2	0.20	3.8	4.6
1997	13	2.4	0.83	1.1	5.2	498	4.5	0.20	4.1	4.9
1998	16	2.4	0.69	1.3	4.9	464	4.2	0.19	3.8	4.6
1999	20	2.7	0.77	1.4	5.2	504	4.5	0.20	4.1	4.9
2000	26	3.5	0.84	2.1	6.1	474	4.2	0.19	3.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error
Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain and Other Nervous System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,935	7.6	0.10	7.4	7.8	5,349	8.0	0.11	7.8	8.3
1986	337	6.7	0.38	6.0	7.5	313	7.2	0.42	6.4	8.1
1987	371	7.6	0.41	6.8	8.5	327	7.8	0.44	6.9	8.7
1988	376	7.5	0.40	6.7	8.3	345	8.0	0.44	7.1	8.9
1989	395	7.9	0.41	7.1	8.8	358	8.3	0.45	7.5	9.3
1990	374	7.3	0.39	6.5	8.1	340	7.8	0.43	6.9	8.7
1991	397	7.8	0.40	7.0	8.6	360	8.3	0.44	7.4	9.2
1992	386	7.5	0.39	6.8	8.4	351	8.0	0.44	7.2	9.0
1993	390	7.5	0.39	6.8	8.4	354	8.1	0.44	7.2	9.0
1994	434	8.3	0.41	7.5	9.2	390	8.8	0.45	7.9	9.7
1995	393	7.3	0.38	6.6	8.1	365	8.1	0.43	7.2	9.0
1996	413	7.5	0.38	6.8	8.3	373	8.1	0.42	7.3	9.0
1997	444	8.2	0.40	7.5	9.1	397	8.7	0.44	7.9	9.6
1998	413	7.5	0.37	6.8	8.3	359	7.8	0.42	7.0	8.7
1999	422	7.7	0.38	7.0	8.5	373	8.1	0.42	7.3	9.0
2000	390	7.0	0.36	6.3	7.8	344	7.4	0.40	6.6	8.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	467	4.5	0.23	4.1	5.0	95	4.5	0.54	3.5	5.9
1986	21	3.3	0.76	2.0	5.8	3	2.1	1.24	0.4	21.9
1987	37	6.2	1.10	4.2	9.2	6	9.9	5.60	2.1	33.2
1988	26	4.0	0.84	2.5	6.6	4	2.3	1.17	0.6	19.6
1989	34	5.0	0.97	3.3	7.8	3	1.8	1.03	0.4	18.0
1990	30	4.4	0.87	2.9	7.0	4	4.4	2.18	1.2	21.2
1991	25	4.2	0.93	2.6	6.9	6	3.9	1.64	1.4	18.7
1992	32	4.5	0.85	3.0	7.0	2	1.2	0.88	0.2	14.8
1993	28	4.0	0.81	2.6	6.4	6	5.4	2.50	1.7	18.9
1994	42	6.4	1.07	4.5	9.3	2	1.0	0.73	0.1	13.1
1995	23	3.4	0.79	2.0	5.7	5	2.6	1.16	0.8	13.8
1996	28	3.3	0.66	2.2	5.4	11	6.5	2.10	3.0	17.8
1997	31	4.3	0.84	2.8	6.7	14	9.8	3.05	4.8	21.9
1998	38	4.6	0.81	3.2	6.9	14	7.7	2.15	4.0	17.9
1999	36	5.0	0.88	3.4	7.4	9	4.5	1.58	1.9	13.8
2000	36	5.1	0.95	3.4	7.6	6	2.5	1.08	0.9	10.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	253	5.1	0.44	4.3	6.2	4,598	7.8	0.12	7.6	8.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	21	7.2	2.25	3.5	16.1	374	7.9	0.42	7.1	8.8
1990	14	3.0	1.18	1.2	10.7	360	7.5	0.40	6.7	8.3
1991	19	4.4	1.13	2.4	11.4	378	7.9	0.42	7.1	8.8
1992	17	4.4	1.16	2.4	11.0	369	7.7	0.41	6.9	8.5
1993	20	6.6	1.95	3.4	14.4	370	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	10.4	419	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	9.9	374	7.6	0.40	6.8	8.4
1996	22	5.5	1.77	2.6	12.5	391	7.7	0.40	7.0	8.6
1997	26	4.8	1.06	2.9	10.4	418	8.4	0.41	7.6	9.3
1998	29	5.1	1.27	2.9	10.8	384	7.6	0.39	6.9	8.5
1999	30	6.5	1.75	3.6	12.8	392	7.8	0.40	7.1	8.7
2000	21	5.8	1.59	3.1	11.6	369	7.2	0.38	6.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain and Other Nervous System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,080	5.4	0.09	5.3	5.6	3,773	5.8	0.10	5.6	6.0
1986	269	5.8	0.37	5.1	6.6	250	6.1	0.40	5.4	7.0
1987	231	4.8	0.33	4.2	5.5	214	5.1	0.36	4.4	5.9
1988	248	5.3	0.35	4.6	6.1	231	5.6	0.38	4.9	6.5
1989	291	6.2	0.38	5.5	7.0	261	6.4	0.41	5.6	7.3
1990	277	5.6	0.34	4.9	6.3	259	6.0	0.38	5.3	6.8
1991	268	5.5	0.34	4.8	6.2	247	5.8	0.38	5.1	6.7
1992	300	6.0	0.36	5.3	6.8	274	6.3	0.39	5.6	7.2
1993	285	5.8	0.35	5.1	6.5	261	6.1	0.39	5.4	6.9
1994	269	5.3	0.33	4.7	6.0	246	5.7	0.37	5.0	6.4
1995	265	5.2	0.33	4.6	5.9	237	5.4	0.36	4.8	6.2
1996	261	5.0	0.31	4.4	5.6	253	5.6	0.36	5.0	6.4
1997	298	5.7	0.33	5.1	6.4	283	6.3	0.38	5.6	7.1
1998	262	5.0	0.32	4.4	5.7	239	5.4	0.35	4.7	6.1
1999	291	5.5	0.33	4.9	6.2	272	6.1	0.37	5.4	6.8
2000	265	4.9	0.31	4.4	5.6	246	5.4	0.34	4.7	6.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	283	3.2	0.20	2.8	3.6	24	1.2	0.27	0.8	2.2
1986	19	3.4	0.85	2.0	6.1	0	0.0	~	0.0	20.2
1987	17	3.1	0.76	1.8	5.6	0	0.0	~	0.0	19.0
1988	14	3.1	0.92	1.6	5.9	3	2.3	1.37	0.4	19.8
1989	29	5.4	1.08	3.5	8.4	1	1.1	1.09	0.0	17.6
1990	16	2.4	0.66	1.3	4.7	2	1.4	1.10	0.1	18.1
1991	20	3.5	0.83	2.1	6.0	1	1.1	1.11	0.0	16.2
1992	26	4.4	0.96	2.7	7.1	0	0.0	~	0.0	13.7
1993	22	3.6	0.82	2.2	6.1	2	1.6	1.17	0.2	14.3
1994	23	3.8	0.85	2.3	6.2	0	0.0	~	0.0	12.3
1995	24	4.2	0.94	2.5	6.8	4	2.3	1.16	0.6	13.5
1996	7	0.9	0.36	0.4	2.6	1	0.5	0.50	0.0	11.3
1997	14	2.4	0.67	1.2	4.5	1	1.0	1.04	0.0	11.4
1998	20	2.9	0.67	1.7	4.9	3	3.1	1.83	0.6	13.4
1999	17	2.3	0.58	1.3	4.2	2	1.0	0.71	0.1	10.0
2000	15	2.5	0.69	1.3	4.6	4	1.6	0.82	0.4	9.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	123	2.8	0.33	2.2	3.6	4007	5.6	0.09	5.5	5.8
1986	4	1.6	0.87	0.4	10.2	279	6.2	0.38	5.4	7.0
1987	5	2.3	1.10	0.7	10.6	236	5.2	0.35	4.5	5.9
1988	11	6.0	2.43	2.2	15.6	241	5.4	0.36	4.7	6.2
1989	6	1.6	0.73	0.5	8.9	266	5.9	0.37	5.2	6.7
1990	4	2.0	1.16	0.4	9.8	270	5.7	0.35	5.0	6.4
1991	7	1.3	0.55	0.5	8.2	272	5.8	0.36	5.1	6.6
1992	8	2.8	1.01	1.2	9.4	307	6.5	0.38	5.8	7.3
1993	9	3.7	1.63	1.2	11.2	276	5.9	0.36	5.2	6.7
1994	6	1.0	0.45	0.3	7.1	268	5.6	0.35	5.0	6.4
1995	5	2.1	1.40	0.3	9.0	263	5.5	0.34	4.8	6.2
1996	11	2.5	0.89	1.1	8.3	251	5.1	0.33	4.5	5.8
1997	7	2.6	1.22	0.7	8.7	296	6.0	0.35	5.3	6.7
1998	12	3.5	1.22	1.5	9.2	257	5.3	0.33	4.6	6.0
1999	12	3.5	1.46	1.3	9.5	277	5.6	0.34	5.0	6.4
2000	16	4.2	1.35	2.0	9.6	248	5.0	0.32	4.4	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain and Other Nervous System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,978	5.3	0.08	5.2	5.5	4,457	5.7	0.09	5.5	5.8
1986	315	5.3	0.30	4.7	5.9	282	5.5	0.34	4.9	6.2
1987	310	5.2	0.30	4.6	5.8	280	5.5	0.34	4.9	6.2
1988	332	5.6	0.31	5.0	6.2	288	5.7	0.34	5.0	6.4
1989	364	6.1	0.33	5.5	6.8	327	6.5	0.37	5.8	7.3
1990	304	5.0	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	332	5.4	0.30	4.8	6.0	301	5.7	0.34	5.1	6.4
1992	321	5.1	0.29	4.6	5.8	288	5.5	0.33	4.8	6.2
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	332	5.2	0.29	4.6	5.8	294	5.4	0.32	4.8	6.1
1995	324	5.1	0.29	4.6	5.7	293	5.6	0.33	4.9	6.2
1996	339	5.3	0.29	4.8	5.9	299	5.6	0.33	5.0	6.3
1997	338	5.2	0.29	4.7	5.8	308	5.8	0.33	5.1	6.5
1998	336	5.2	0.29	4.7	5.8	299	5.6	0.33	5.0	6.3
1999	357	5.4	0.29	4.9	6.0	315	5.8	0.33	5.1	6.4
2000	350	5.4	0.29	4.8	6.0	314	5.8	0.33	5.2	6.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	443	3.5	0.17	3.1	3.8	62	2.7	0.37	2.0	3.7
1986	32	3.9	0.72	2.6	5.7	1	0.8	0.83	0.0	14.2
1987	28	3.7	0.74	2.4	5.6	2	1.6	1.21	0.2	14.2
1988	40	5.0	0.81	3.5	6.9	4	4.1	2.30	0.9	17.0
1989	33	4.2	0.75	2.8	6.0	3	4.4	2.55	0.9	17.1
1990	19	2.4	0.56	1.4	3.9	4	2.5	1.28	0.6	13.6
1991	21	2.5	0.56	1.5	3.9	4	3.3	1.71	0.8	13.7
1992	33	3.9	0.70	2.6	5.6	0	0.0	-	0.0	9.0
1993	30	3.6	0.67	2.4	5.2	4	2.4	1.24	0.6	10.7
1994	34	3.8	0.68	2.6	5.5	1	0.5	0.50	0.0	7.8
1995	29	3.5	0.66	2.3	5.1	2	0.8	0.58	0.1	7.2
1996	35	3.9	0.68	2.7	5.6	5	2.0	0.95	0.6	8.0
1997	20	2.1	0.47	1.2	3.3	10	4.9	1.59	2.3	11.4
1998	27	3.1	0.62	2.0	4.6	9	5.4	2.06	2.2	12.5
1999	32	3.5	0.62	2.4	5.0	8	4.1	1.49	1.7	9.8
2000	30	3.3	0.60	2.2	4.7	5	2.2	1.00	0.7	6.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	199	4.5	0.38	3.8	5.4	3,822	5.4	0.09	5.2	5.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	20	6.6	1.85	3.5	12.7	344	6.1	0.34	5.5	6.8
1990	10	4.4	1.51	2.0	9.9	294	5.1	0.30	4.5	5.8
1991	16	6.7	1.96	3.4	12.9	316	5.4	0.31	4.8	6.0
1992	12	2.8	0.95	1.2	7.1	309	5.2	0.30	4.6	5.8
1993	14	4.3	1.30	2.1	8.9	310	5.2	0.30	4.6	5.8
1994	14	3.0	0.89	1.5	6.8	318	5.3	0.30	4.7	5.9
1995	17	3.9	1.03	2.2	7.9	307	5.2	0.30	4.6	5.8
1996	17	4.3	1.22	2.2	8.5	322	5.4	0.30	4.8	6.0
1997	24	6.0	1.54	3.4	10.7	314	5.2	0.30	4.7	5.9
1998	13	2.2	0.70	1.1	5.5	323	5.4	0.30	4.8	6.0
1999	18	5.0	1.34	2.7	9.2	339	5.6	0.31	5.0	6.2
2000	24	5.4	1.34	3.1	9.5	326	5.4	0.30	4.8	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain and Other Nervous System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,393	3.6	0.06	3.4	3.7	3,108	3.8	0.07	3.7	4.0
1986	222	3.7	0.25	3.2	4.2	201	3.9	0.28	3.3	4.5
1987	211	3.5	0.25	3.0	4.0	200	3.8	0.28	3.3	4.4
1988	225	3.7	0.25	3.2	4.3	209	4.0	0.28	3.5	4.6
1989	236	4.0	0.26	3.5	4.5	210	4.1	0.29	3.6	4.7
1990	228	3.8	0.25	3.3	4.3	208	4.0	0.28	3.4	4.6
1991	221	3.5	0.24	3.1	4.0	199	3.6	0.26	3.1	4.2
1992	237	3.7	0.24	3.2	4.2	215	3.9	0.27	3.4	4.5
1993	246	3.9	0.25	3.4	4.4	229	4.2	0.28	3.7	4.8
1994	250	3.9	0.25	3.4	4.4	232	4.2	0.28	3.7	4.8
1995	214	3.3	0.23	2.9	3.8	195	3.5	0.26	3.0	4.1
1996	210	3.3	0.23	2.8	3.7	185	3.4	0.25	2.9	3.9
1997	207	3.2	0.22	2.7	3.6	193	3.5	0.25	3.0	4.0
1998	213	3.2	0.22	2.8	3.7	199	3.6	0.26	3.1	4.1
1999	236	3.5	0.23	3.1	4.0	221	3.9	0.27	3.4	4.5
2000	237	3.6	0.23	3.1	4.0	212	3.8	0.26	3.3	4.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	263	2.2	0.14	2.0	2.5	22	1.3	0.29	0.8	2.1
1986	20	2.7	0.64	1.6	4.4	1	2.1	2.12	0.0	16.4
1987	11	1.6	0.51	0.8	3.1	0	0.0	~	0.0	12.6
1988	15	1.9	0.50	1.0	3.3	1	1.0	1.01	0.0	13.0
1989	25	3.5	0.73	2.3	5.4	1	2.2	2.21	0.1	14.9
1990	19	2.7	0.64	1.6	4.3	1	0.7	0.69	0.0	11.9
1991	17	2.2	0.54	1.2	3.6	5	4.8	2.30	1.4	15.9
1992	21	2.6	0.57	1.6	4.0	1	1.4	1.42	0.0	11.0
1993	15	1.8	0.49	1.0	3.1	2	1.8	1.31	0.2	10.3
1994	18	2.3	0.55	1.3	3.7	0	0.0	~	0.0	7.3
1995	19	2.5	0.58	1.5	3.9	0	0.0	~	0.0	6.4
1996	22	2.6	0.57	1.6	4.1	3	1.8	1.08	0.4	8.1
1997	14	1.7	0.46	0.9	2.9	0	0.0	~	0.0	5.6
1998	13	1.5	0.43	0.8	2.7	1	0.4	0.40	0.0	5.5
1999	15	1.8	0.48	1.0	3.1	0	0.0	~	0.0	4.7
2000	19	2.2	0.51	1.3	3.5	6	3.7	1.53	1.3	9.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	92	2.1	0.25	1.6	2.7	3359	3.7	0.06	3.6	3.8
1986	4	1.0	0.56	0.2	6.4	252	4.3	0.28	3.8	4.9
1987	5	2.0	0.98	0.6	7.5	226	3.9	0.27	3.4	4.5
1988	7	2.9	1.19	1.0	8.2	224	3.8	0.26	3.4	4.4
1989	9	4.0	1.54	1.6	9.7	225	3.9	0.27	3.4	4.5
1990	2	0.5	0.38	0.0	4.7	211	3.6	0.25	3.1	4.2
1991	3	1.1	0.67	0.2	5.4	223	3.7	0.25	3.2	4.2
1992	5	1.3	0.64	0.3	5.3	238	3.9	0.25	3.4	4.4
1993	10	3.9	1.41	1.6	8.8	250	4.1	0.26	3.6	4.6
1994	6	1.6	0.86	0.4	5.6	230	3.7	0.25	3.2	4.2
1995	9	2.4	0.88	1.0	6.3	210	3.4	0.23	2.9	3.8
1996	4	1.6	0.87	0.4	5.4	208	3.4	0.24	2.9	3.9
1997	6	2.3	1.07	0.7	6.3	202	3.2	0.23	2.8	3.7
1998	4	1.5	0.76	0.4	4.9	207	3.3	0.23	2.9	3.8
1999	8	2.1	0.88	0.7	5.6	227	3.6	0.24	3.1	4.1
2000	10	3.0	1.06	1.3	6.7	226	3.6	0.24	3.1	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,219	5.9	0.06	5.8	6.0	9,257	6.4	0.07	6.2	6.5
1986	606	5.5	0.23	5.1	6.0	558	5.9	0.26	5.4	6.5
1987	621	5.7	0.24	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	647	5.8	0.23	5.4	6.3	587	6.2	0.26	5.7	6.8
1989	707	6.4	0.24	5.9	6.9	647	6.8	0.27	6.3	7.4
1990	625	5.6	0.23	5.1	6.0	577	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	625	6.5	0.26	6.0	7.1
1992	675	5.9	0.23	5.5	6.4	612	6.3	0.26	5.8	6.9
1993	653	5.7	0.22	5.2	6.1	594	6.1	0.25	5.6	6.6
1994	725	6.3	0.23	5.8	6.7	650	6.6	0.26	6.1	7.2
1995	685	5.9	0.22	5.4	6.3	631	6.5	0.26	6.0	7.0
1996	703	5.9	0.22	5.5	6.4	638	6.4	0.26	5.9	7.0
1997	745	6.3	0.23	5.8	6.8	673	6.8	0.26	6.3	7.3
1998	707	5.9	0.22	5.5	6.4	624	6.3	0.25	5.8	6.8
1999	735	6.1	0.22	5.7	6.6	651	6.4	0.25	6.0	7.0
2000	703	5.8	0.22	5.4	6.2	631	6.3	0.25	5.8	6.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	787	3.4	0.13	3.2	3.7	138	3.1	0.30	2.5	3.8
1986	44	3.0	0.48	2.2	4.2	4	1.5	0.74	0.4	9.4
1987	54	4.1	0.58	3.0	5.5	7	4.6	2.32	1.2	13.9
1988	52	3.5	0.51	2.5	4.7	7	2.9	1.31	0.9	10.4
1989	54	3.6	0.52	2.7	4.9	5	2.7	1.37	0.7	10.0
1990	40	2.8	0.47	1.9	4.0	8	3.2	1.19	1.4	10.2
1991	38	2.6	0.44	1.8	3.7	8	2.6	0.97	1.1	8.7
1992	61	4.0	0.53	3.0	5.3	1	0.3	0.30	0.0	5.7
1993	48	3.2	0.48	2.3	4.4	8	2.9	1.13	1.1	8.3
1994	69	4.4	0.56	3.4	5.7	3	0.8	0.44	0.2	5.3
1995	49	3.2	0.48	2.3	4.3	5	1.3	0.58	0.4	5.4
1996	54	3.2	0.45	2.3	4.2	11	2.8	0.89	1.3	6.9
1997	48	2.8	0.42	2.1	3.9	22	6.3	1.47	3.7	11.1
1998	58	3.4	0.47	2.6	4.5	22	6.5	1.58	3.8	11.4
1999	62	3.8	0.50	2.9	5.0	16	4.1	1.08	2.3	8.0
2000	56	3.4	0.48	2.6	4.6	11	2.3	0.72	1.1	5.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	410	4.4	0.28	3.9	5.1	7,935	6.1	0.07	6.0	6.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	36	6.0	1.31	3.7	10.0	671	6.4	0.25	5.9	6.9
1990	22	3.6	0.95	1.9	6.9	603	5.7	0.24	5.2	6.2
1991	31	5.2	1.20	3.1	8.9	651	6.1	0.24	5.7	6.6
1992	25	3.1	0.71	1.8	5.9	650	6.0	0.24	5.6	6.5
1993	30	4.8	1.07	3.0	8.2	623	5.7	0.23	5.3	6.2
1994	26	2.7	0.69	1.5	5.4	699	6.4	0.24	6.0	6.9
1995	34	3.7	0.72	2.4	6.3	651	6.0	0.24	5.5	6.5
1996	36	4.6	0.98	2.9	7.6	667	6.1	0.24	5.6	6.6
1997	49	5.6	1.02	3.8	8.6	696	6.3	0.24	5.9	6.8
1998	37	3.4	0.68	2.2	5.8	670	6.1	0.24	5.6	6.5
1999	42	5.1	1.01	3.3	8.0	693	6.2	0.24	5.8	6.7
2000	42	5.4	1.02	3.5	8.2	661	5.9	0.23	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Brain, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,409	4.4	0.05	4.2	4.4	6,816	4.7	0.06	4.6	4.8
1986	520	4.8	0.21	4.4	5.2	477	5.0	0.23	4.6	5.5
1987	460	4.3	0.20	3.9	4.7	431	4.6	0.23	4.2	5.1
1988	467	4.3	0.20	3.9	4.8	434	4.6	0.23	4.2	5.1
1989	495	4.6	0.21	4.2	5.0	448	4.8	0.23	4.3	5.2
1990	477	4.3	0.20	3.9	4.7	440	4.6	0.22	4.2	5.0
1991	489	4.4	0.20	4.0	4.8	445	4.6	0.22	4.2	5.1
1992	551	4.9	0.21	4.5	5.3	503	5.2	0.23	4.7	5.6
1993	532	4.7	0.20	4.3	5.1	490	5.0	0.23	4.6	5.5
1994	500	4.4	0.20	4.0	4.8	458	4.6	0.22	4.2	5.1
1995	473	4.1	0.19	3.8	4.5	425	4.3	0.21	3.9	4.8
1996	468	4.0	0.19	3.7	4.4	434	4.4	0.21	4.0	4.8
1997	499	4.3	0.19	3.9	4.6	467	4.7	0.22	4.3	5.1
1998	476	4.0	0.18	3.7	4.4	436	4.3	0.21	3.9	4.8
1999	517	4.3	0.19	4.0	4.7	484	4.8	0.22	4.4	5.2
2000	485	4.0	0.18	3.7	4.4	444	4.4	0.21	4.0	4.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	539	2.6	0.12	2.4	2.8	47	1.2	0.19	0.9	1.8
1986	42	3.4	0.56	2.4	4.8	1	0.6	0.60	0.0	8.6
1987	28	2.3	0.44	1.5	3.4	1	0.3	0.33	0.0	7.8
1988	29	2.3	0.44	1.5	3.4	4	1.7	0.87	0.4	8.8
1989	46	3.6	0.56	2.6	5.0	1	0.5	0.51	0.0	7.3
1990	33	2.4	0.44	1.6	3.5	3	1.0	0.64	0.2	7.7
1991	37	2.7	0.47	1.9	3.9	6	3.2	1.40	1.1	9.8
1992	47	3.3	0.50	2.4	4.5	1	0.8	0.84	0.0	6.6
1993	39	2.8	0.47	2.0	4.0	3	1.3	0.80	0.3	6.5
1994	41	2.9	0.47	2.0	4.0	1	0.4	0.42	0.0	5.0
1995	44	3.2	0.51	2.3	4.4	4	1.1	0.56	0.3	5.3
1996	30	2.0	0.37	1.3	2.9	4	1.2	0.64	0.3	5.2
1997	28	2.0	0.38	1.3	3.0	2	0.6	0.47	0.1	4.3
1998	35	2.3	0.41	1.6	3.3	4	1.5	0.79	0.4	5.3
1999	30	2.0	0.38	1.3	2.9	2	0.5	0.34	0.1	3.6
2000	30	2.0	0.38	1.4	3.0	10	2.8	0.95	1.3	6.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	210	2.4	0.20	2.0	2.8	7199	4.4	0.05	4.3	4.6
1986	8	1.3	0.52	0.5	4.7	512	4.9	0.22	4.5	5.4
1987	10	2.2	0.74	1.0	5.6	450	4.4	0.21	4.0	4.8
1988	16	4.0	1.17	2.0	7.9	451	4.4	0.21	4.0	4.8
1989	15	3.0	0.96	1.4	6.5	480	4.6	0.21	4.2	5.1
1990	6	1.2	0.55	0.3	4.1	471	4.4	0.21	4.0	4.9
1991	10	1.2	0.45	0.5	3.9	479	4.5	0.21	4.1	5.0
1992	13	2.0	0.60	1.0	4.7	538	5.0	0.22	4.6	5.4
1993	19	3.8	1.05	2.0	7.1	513	4.7	0.21	4.3	5.2
1994	12	1.4	0.55	0.5	3.9	488	4.5	0.20	4.1	4.9
1995	12	1.9	0.68	0.8	4.5	461	4.2	0.20	3.8	4.6
1996	15	2.1	0.66	1.0	4.6	453	4.1	0.19	3.8	4.5
1997	13	2.4	0.83	1.1	5.2	486	4.4	0.20	4.0	4.8
1998	16	2.4	0.69	1.3	4.9	460	4.1	0.19	3.8	4.5
1999	19	2.6	0.76	1.3	5.1	498	4.4	0.20	4.0	4.8
2000	26	3.5	0.84	2.1	6.1	459	4.1	0.19	3.7	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error
Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,609	7.2	0.10	7.0	7.4	5,094	7.7	0.11	7.4	7.9
1986	317	6.3	0.37	5.6	7.1	298	6.9	0.41	6.1	7.8
1987	338	6.9	0.39	6.1	7.7	302	7.1	0.42	6.3	8.0
1988	358	7.1	0.39	6.4	7.9	332	7.7	0.43	6.8	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	348	6.8	0.37	6.1	7.6	319	7.3	0.42	6.5	8.2
1991	369	7.2	0.39	6.5	8.0	337	7.7	0.43	6.9	8.6
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	361	7.0	0.38	6.3	7.8	331	7.6	0.42	6.8	8.5
1994	421	8.1	0.40	7.3	8.9	379	8.6	0.45	7.7	9.5
1995	377	7.0	0.37	6.3	7.8	351	7.8	0.42	7.0	8.6
1996	389	7.1	0.37	6.4	7.9	358	7.8	0.42	7.0	8.6
1997	423	7.9	0.39	7.1	8.7	380	8.4	0.43	7.5	9.3
1998	389	7.1	0.36	6.4	7.8	337	7.3	0.40	6.6	8.2
1999	399	7.4	0.37	6.6	8.1	355	7.8	0.42	7.0	8.6
2000	375	6.8	0.35	6.1	7.5	334	7.1	0.39	6.4	8.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	410	4.0	0.22	3.6	4.5	84	4.0	0.51	3.1	5.4
1986	16	2.5	0.64	1.4	4.7	3	2.1	1.24	0.4	21.9
1987	29	5.2	1.03	3.4	8.1	6	9.9	5.60	2.1	33.2
1988	21	3.3	0.78	2.0	5.8	4	2.3	1.17	0.6	19.6
1989	29	4.4	0.92	2.8	7.1	3	1.8	1.03	0.4	18.0
1990	25	3.7	0.80	2.3	6.2	4	4.4	2.18	1.2	21.2
1991	21	3.7	0.89	2.2	6.3	6	3.9	1.64	1.4	18.7
1992	30	4.3	0.83	2.8	6.7	1	0.6	0.62	0.0	14.2
1993	24	3.5	0.76	2.2	5.9	5	4.4	2.28	1.1	17.8
1994	40	6.1	1.04	4.2	8.9	2	1.0	0.73	0.1	13.1
1995	22	3.2	0.78	1.9	5.6	4	2.1	1.04	0.6	13.3
1996	24	2.9	0.61	1.8	4.9	7	4.3	1.75	1.6	15.3
1997	29	4.1	0.83	2.7	6.5	12	8.4	2.84	3.8	20.1
1998	37	4.6	0.81	3.1	6.8	13	7.2	2.10	3.7	17.4
1999	32	4.5	0.84	3.0	6.8	8	4.2	1.55	1.7	13.5
2000	31	4.4	0.90	2.8	6.9	6	2.5	1.08	0.9	10.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	234	4.9	0.43	4.0	5.9	4,362	7.4	0.11	7.2	7.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	19	6.9	2.24	3.2	15.8	355	7.5	0.41	6.7	8.4
1990	13	2.9	1.18	1.1	10.6	335	7.0	0.39	6.2	7.8
1991	18	4.0	1.06	2.2	10.9	351	7.3	0.40	6.6	8.2
1992	15	3.8	1.07	2.0	10.4	356	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	13.7	344	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	10.4	406	8.4	0.42	7.6	9.2
1995	18	3.7	1.06	1.9	9.8	359	7.3	0.39	6.5	8.1
1996	20	5.4	1.76	2.5	12.3	369	7.3	0.38	6.6	8.1
1997	26	4.8	1.06	2.9	10.4	397	8.0	0.40	7.2	8.8
1998	25	4.7	1.26	2.6	10.4	364	7.2	0.38	6.5	8.0
1999	28	6.3	1.74	3.4	12.6	371	7.4	0.39	6.7	8.2
2000	20	5.7	1.58	3.1	11.5	355	7.0	0.37	6.3	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,038	5.4	0.09	5.2	5.6	3,725	5.8	0.10	5.6	6.0
1986	276	5.8	0.37	5.2	6.6	254	6.2	0.40	5.4	7.0
1987	237	5.0	0.33	4.3	5.7	219	5.3	0.37	4.6	6.1
1988	243	5.2	0.35	4.6	6.0	226	5.5	0.38	4.8	6.3
1989	264	5.6	0.36	4.9	6.4	241	5.9	0.39	5.1	6.7
1990	269	5.4	0.34	4.8	6.1	248	5.8	0.37	5.0	6.6
1991	267	5.4	0.34	4.8	6.2	248	5.9	0.38	5.1	6.7
1992	311	6.2	0.36	5.6	7.0	285	6.6	0.40	5.8	7.4
1993	276	5.6	0.35	5.0	6.4	251	5.9	0.38	5.2	6.7
1994	268	5.3	0.33	4.7	6.0	244	5.6	0.36	4.9	6.4
1995	260	5.1	0.32	4.5	5.8	231	5.3	0.35	4.6	6.1
1996	259	5.0	0.31	4.4	5.6	250	5.6	0.36	4.9	6.4
1997	295	5.6	0.33	5.0	6.3	278	6.2	0.37	5.5	7.0
1998	269	5.2	0.32	4.6	5.9	244	5.5	0.36	4.8	6.2
1999	285	5.4	0.33	4.8	6.1	267	6.0	0.37	5.3	6.7
2000	259	4.8	0.30	4.3	5.5	239	5.2	0.34	4.6	6.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	283	3.1	0.20	2.8	3.6	27	1.3	0.28	0.8	2.3
1986	21	3.7	0.89	2.2	6.4	1	1.3	1.31	0.0	21.4
1987	17	3.1	0.76	1.8	5.6	1	0.6	0.65	0.0	19.5
1988	14	3.1	0.92	1.6	5.9	3	2.3	1.37	0.4	19.8
1989	22	3.9	0.88	2.4	6.5	1	1.1	1.09	0.0	17.6
1990	18	2.8	0.70	1.6	5.1	2	1.4	1.10	0.1	18.1
1991	18	3.1	0.77	1.8	5.5	1	1.1	1.11	0.0	16.2
1992	26	4.4	0.95	2.7	7.0	0	0.0	~	0.0	13.7
1993	24	4.1	0.90	2.6	6.7	1	0.6	0.58	0.0	13.2
1994	23	3.7	0.83	2.2	6.1	1	1.0	0.97	0.0	13.3
1995	25	4.3	0.96	2.7	7.0	4	2.3	1.16	0.6	13.5
1996	8	1.0	0.36	0.4	2.6	1	0.5	0.50	0.0	11.3
1997	14	2.4	0.67	1.2	4.5	2	1.4	1.10	0.1	11.7
1998	22	3.2	0.73	2.0	5.4	3	3.1	1.83	0.6	13.4
1999	16	2.2	0.58	1.2	4.0	2	1.0	0.71	0.1	10.0
2000	15	2.5	0.69	1.3	4.6	4	1.6	0.82	0.4	9.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	120	2.8	0.33	2.1	3.6	3918	5.5	0.09	5.4	5.7
1986	4	1.6	0.87	0.4	10.2	272	6.0	0.38	5.3	6.8
1987	5	2.3	1.10	0.7	10.6	232	5.1	0.34	4.4	5.8
1988	10	5.9	2.43	2.1	15.5	233	5.2	0.35	4.6	6.0
1989	6	1.6	0.73	0.5	8.9	258	5.7	0.37	5.0	6.5
1990	4	2.0	1.16	0.4	9.8	265	5.6	0.35	4.9	6.3
1991	7	1.3	0.55	0.5	8.2	260	5.6	0.35	4.9	6.4
1992	8	2.8	1.01	1.2	9.4	303	6.4	0.38	5.7	7.2
1993	9	3.7	1.63	1.2	11.2	267	5.7	0.36	5.0	6.5
1994	6	1.0	0.45	0.3	7.1	262	5.5	0.34	4.8	6.2
1995	3	1.7	1.38	0.1	8.6	257	5.4	0.34	4.7	6.1
1996	11	2.5	0.89	1.1	8.3	248	5.0	0.32	4.4	5.8
1997	7	2.6	1.22	0.7	8.7	288	5.8	0.35	5.2	6.6
1998	12	3.5	1.22	1.5	9.2	257	5.3	0.33	4.6	6.0
1999	12	3.5	1.46	1.3	9.5	273	5.6	0.34	4.9	6.3
2000	16	4.2	1.35	2.0	9.6	243	4.9	0.31	4.3	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,610	4.9	0.07	4.8	5.1	4,163	5.3	0.08	5.1	5.4
1986	289	4.8	0.29	4.3	5.4	260	5.1	0.32	4.5	5.8
1987	283	4.8	0.29	4.2	5.4	257	5.1	0.32	4.5	5.8
1988	289	4.8	0.29	4.3	5.4	255	5.0	0.32	4.4	5.7
1989	333	5.6	0.31	5.0	6.3	305	6.1	0.36	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	258	5.1	0.32	4.5	5.8
1991	313	5.0	0.29	4.5	5.6	288	5.5	0.33	4.8	6.1
1992	304	4.9	0.28	4.3	5.5	273	5.2	0.32	4.6	5.9
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	304	4.8	0.28	4.2	5.3	271	5.0	0.31	4.4	5.7
1995	308	4.9	0.28	4.3	5.4	280	5.3	0.32	4.7	6.0
1996	314	4.9	0.28	4.4	5.5	280	5.3	0.32	4.7	5.9
1997	322	5.0	0.28	4.5	5.6	293	5.5	0.32	4.9	6.1
1998	318	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	336	5.1	0.28	4.6	5.7	296	5.4	0.32	4.8	6.1
2000	328	5.0	0.28	4.5	5.6	297	5.5	0.32	4.9	6.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	377	2.9	0.16	2.6	3.2	54	2.3	0.35	1.7	3.2
1986	28	3.4	0.68	2.2	5.2	1	0.8	0.83	0.0	14.2
1987	25	3.2	0.67	2.0	5.0	1	0.5	0.49	0.0	13.0
1988	31	3.6	0.68	2.4	5.3	3	3.1	2.06	0.5	15.8
1989	25	3.1	0.64	2.0	4.7	2	3.0	2.17	0.4	15.4
1990	15	2.0	0.53	1.1	3.4	4	2.5	1.28	0.6	13.6
1991	17	1.9	0.48	1.1	3.2	2	1.3	0.94	0.1	11.2
1992	31	3.7	0.68	2.5	5.4	0	0.0	-	0.0	9.0
1993	24	2.9	0.61	1.8	4.4	3	1.7	1.01	0.3	9.8
1994	29	3.2	0.61	2.1	4.7	1	0.5	0.50	0.0	7.8
1995	27	3.2	0.63	2.1	4.7	1	0.5	0.49	0.0	6.9
1996	30	3.3	0.61	2.2	4.8	4	1.5	0.79	0.4	7.4
1997	19	1.9	0.45	1.2	3.1	10	4.9	1.59	2.3	11.4
1998	21	2.4	0.53	1.5	3.7	9	5.4	2.06	2.2	12.5
1999	30	3.2	0.60	2.2	4.7	8	4.1	1.49	1.7	9.8
2000	25	2.8	0.56	1.8	4.2	5	2.2	1.00	0.7	6.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	176	4.0	0.36	3.3	4.9	3,573	5.0	0.08	4.8	5.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	17	5.2	1.60	2.6	10.9	316	5.6	0.32	5.0	6.3
1990	9	4.0	1.45	1.7	9.4	268	4.7	0.29	4.1	5.3
1991	13	5.8	1.87	2.7	11.8	300	5.1	0.30	4.5	5.7
1992	10	2.2	0.86	0.9	6.5	294	5.0	0.29	4.4	5.6
1993	13	4.0	1.27	1.9	8.6	279	4.6	0.28	4.1	5.2
1994	11	2.1	0.72	1.0	5.8	293	4.8	0.29	4.3	5.5
1995	16	3.7	1.00	2.0	7.6	292	4.9	0.29	4.3	5.5
1996	16	4.1	1.21	2.1	8.3	298	5.0	0.29	4.4	5.6
1997	23	5.9	1.54	3.3	10.6	299	5.0	0.29	4.4	5.6
1998	12	2.1	0.69	1.0	5.4	306	5.1	0.30	4.6	5.7
1999	14	4.0	1.24	1.9	8.0	322	5.3	0.30	4.7	5.9
2000	22	5.1	1.32	2.8	9.2	306	5.1	0.29	4.5	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Brain, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,371	3.5	0.06	3.4	3.7	3,091	3.8	0.07	3.7	3.9
1986	244	4.0	0.26	3.5	4.6	223	4.2	0.29	3.7	4.8
1987	223	3.7	0.25	3.2	4.3	212	4.1	0.29	3.5	4.7
1988	224	3.7	0.25	3.2	4.2	208	4.0	0.28	3.4	4.6
1989	231	3.8	0.26	3.4	4.4	207	4.0	0.29	3.5	4.6
1990	208	3.4	0.24	3.0	4.0	192	3.7	0.27	3.2	4.2
1991	222	3.6	0.24	3.1	4.1	197	3.6	0.26	3.1	4.2
1992	240	3.8	0.25	3.3	4.3	218	4.0	0.27	3.4	4.6
1993	256	4.0	0.25	3.5	4.6	239	4.4	0.29	3.8	5.0
1994	232	3.6	0.24	3.1	4.1	214	3.9	0.27	3.4	4.5
1995	213	3.3	0.23	2.8	3.7	194	3.5	0.25	3.0	4.0
1996	209	3.2	0.23	2.8	3.7	184	3.4	0.25	2.9	3.9
1997	204	3.1	0.22	2.7	3.6	189	3.4	0.25	2.9	3.9
1998	207	3.1	0.22	2.7	3.6	192	3.5	0.25	3.0	4.0
1999	232	3.4	0.23	3.0	3.9	217	3.8	0.26	3.3	4.4
2000	226	3.4	0.23	3.0	3.9	205	3.7	0.26	3.2	4.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	256	2.2	0.14	1.9	2.5	20	1.1	0.25	0.6	1.9
1986	21	3.0	0.70	1.8	4.9	0	0.0	~	0.0	13.4
1987	11	1.6	0.49	0.8	3.0	0	0.0	~	0.0	12.6
1988	15	1.9	0.50	1.0	3.3	1	1.0	1.01	0.0	13.0
1989	24	3.4	0.70	2.1	5.1	0	0.0	~	0.0	11.4
1990	15	2.0	0.54	1.1	3.5	1	0.7	0.69	0.0	11.9
1991	19	2.5	0.58	1.5	4.0	5	4.8	2.30	1.4	15.9
1992	21	2.6	0.58	1.6	4.1	1	1.4	1.42	0.0	11.0
1993	15	1.9	0.50	1.0	3.2	2	1.8	1.31	0.2	10.3
1994	18	2.3	0.55	1.3	3.7	0	0.0	~	0.0	7.3
1995	19	2.4	0.57	1.5	3.9	0	0.0	~	0.0	6.4
1996	22	2.6	0.57	1.6	4.1	3	1.8	1.08	0.4	8.1
1997	14	1.7	0.46	0.9	2.9	0	0.0	~	0.0	5.6
1998	13	1.6	0.44	0.8	2.8	1	0.4	0.40	0.0	5.5
1999	14	1.7	0.46	0.9	2.9	0	0.0	~	0.0	4.7
2000	15	1.7	0.45	1.0	2.9	6	3.7	1.53	1.3	9.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	90	2.1	0.25	1.6	2.7	3281	3.6	0.06	3.5	3.7
1986	4	1.0	0.56	0.2	6.4	240	4.1	0.27	3.6	4.7
1987	5	2.0	0.98	0.6	7.5	218	3.8	0.26	3.3	4.3
1988	6	2.8	1.18	0.9	8.1	218	3.7	0.26	3.2	4.3
1989	9	4.0	1.54	1.6	9.7	222	3.8	0.26	3.4	4.4
1990	2	0.5	0.38	0.0	4.7	206	3.5	0.25	3.1	4.1
1991	3	1.1	0.67	0.2	5.4	219	3.6	0.25	3.2	4.2
1992	5	1.3	0.64	0.3	5.3	235	3.8	0.25	3.4	4.4
1993	10	3.9	1.41	1.6	8.8	246	4.0	0.26	3.5	4.6
1994	6	1.6	0.86	0.4	5.6	226	3.7	0.25	3.2	4.2
1995	9	2.4	0.88	1.0	6.3	204	3.3	0.23	2.8	3.8
1996	4	1.6	0.87	0.4	5.4	205	3.3	0.24	2.9	3.8
1997	6	2.3	1.07	0.7	6.3	198	3.2	0.23	2.8	3.7
1998	4	1.5	0.76	0.4	4.9	203	3.3	0.23	2.8	3.8
1999	7	1.8	0.84	0.6	5.3	225	3.6	0.24	3.1	4.0
2000	10	3.0	1.06	1.3	6.7	216	3.4	0.23	3.0	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Death Master File 1986-2000.

Endocrine System

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Endocrine System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,240	5.9	0.06	5.8	6.1	8,881	6.1	0.07	6.0	6.3
1986	516	4.8	0.22	4.4	5.2	453	4.9	0.24	4.5	5.4
1987	552	5.1	0.22	4.6	5.5	488	5.3	0.25	4.8	5.8
1988	551	5.0	0.22	4.6	5.4	475	5.1	0.24	4.6	5.6
1989	523	4.7	0.21	4.3	5.2	450	4.8	0.23	4.4	5.3
1990	597	5.3	0.22	4.9	5.8	523	5.5	0.25	5.1	6.0
1991	564	5.0	0.21	4.6	5.5	494	5.2	0.24	4.7	5.7
1992	624	5.5	0.22	5.1	5.9	552	5.8	0.25	5.3	6.3
1993	667	5.8	0.23	5.4	6.3	589	6.1	0.25	5.6	6.6
1994	660	5.7	0.22	5.2	6.1	575	5.9	0.25	5.4	6.4
1995	724	6.1	0.23	5.7	6.6	620	6.3	0.26	5.8	6.8
1996	783	6.6	0.24	6.1	7.1	684	6.9	0.27	6.4	7.5
1997	813	6.8	0.24	6.4	7.3	692	7.0	0.27	6.5	7.5
1998	832	6.9	0.24	6.4	7.4	698	7.0	0.26	6.5	7.5
1999	921	7.6	0.25	7.1	8.1	802	8.0	0.28	7.5	8.6
2000	913	7.5	0.25	7.0	8.0	786	7.8	0.28	7.3	8.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	820	3.8	0.14	3.5	4.1	376	7.8	0.45	7.0	8.8
1986	39	3.0	0.50	2.1	4.2	18	9.1	2.48	4.9	18.7
1987	36	2.8	0.50	2.0	4.1	22	8.9	2.06	5.3	17.3
1988	52	4.0	0.58	3.0	5.4	20	7.3	1.72	4.4	15.0
1989	46	3.4	0.53	2.4	4.7	20	9.4	2.68	4.9	18.4
1990	50	3.6	0.53	2.6	4.9	16	5.4	1.42	3.0	12.4
1991	41	2.9	0.48	2.1	4.1	11	3.8	1.24	1.8	10.1
1992	47	3.2	0.47	2.3	4.3	19	7.1	1.87	3.9	13.8
1993	47	3.4	0.51	2.4	4.6	22	6.0	1.32	3.7	11.5
1994	56	3.9	0.53	2.9	5.2	23	7.2	1.62	4.4	12.9
1995	59	3.9	0.52	2.9	5.1	34	9.4	1.72	6.4	14.9
1996	64	4.1	0.52	3.1	5.3	28	7.9	1.72	4.9	13.2
1997	79	5.4	0.63	4.3	6.8	33	8.0	1.47	5.4	12.8
1998	78	5.0	0.58	3.9	6.3	41	9.8	1.74	6.7	14.9
1999	58	3.5	0.47	2.6	4.6	31	7.3	1.41	4.8	11.6
2000	68	4.1	0.51	3.2	5.3	38	9.3	1.72	6.3	14.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	530	5.2	0.27	4.7	5.8	8,091	6.2	0.07	6.1	6.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	28	4.4	0.97	2.7	7.8	495	4.7	0.22	4.3	5.2
1990	25	4.5	1.10	2.6	8.1	572	5.4	0.23	5.0	5.9
1991	30	4.1	0.84	2.6	7.2	534	5.1	0.22	4.6	5.5
1992	28	3.7	0.87	2.2	6.8	596	5.6	0.23	5.2	6.1
1993	39	5.4	1.02	3.6	8.6	628	5.9	0.24	5.4	6.4
1994	43	4.4	0.76	3.1	7.1	617	5.7	0.23	5.3	6.2
1995	41	5.8	1.09	3.8	9.0	683	6.3	0.24	5.8	6.7
1996	50	5.4	0.92	3.8	8.3	733	6.7	0.25	6.2	7.2
1997	46	4.6	0.82	3.1	7.2	767	7.0	0.25	6.5	7.5
1998	69	6.3	0.84	4.8	8.9	763	6.9	0.25	6.4	7.4
1999	73	7.3	1.09	5.3	10.3	848	7.7	0.26	7.2	8.2
2000	58	5.3	0.79	3.8	7.7	855	7.7	0.26	7.2	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Endocrine System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,370	0.8	0.02	0.8	0.8	1,188	0.8	0.02	0.8	0.9
1986	71	0.6	0.08	0.5	0.8	61	0.6	0.08	0.5	0.8
1987	87	0.8	0.09	0.6	1.0	75	0.8	0.09	0.6	1.0
1988	84	0.8	0.08	0.6	1.0	73	0.8	0.09	0.6	1.0
1989	97	0.9	0.09	0.7	1.1	86	0.9	0.10	0.7	1.2
1990	91	0.8	0.09	0.7	1.0	80	0.8	0.09	0.6	1.0
1991	89	0.8	0.09	0.6	1.0	79	0.8	0.09	0.6	1.0
1992	98	0.9	0.09	0.7	1.0	85	0.9	0.09	0.7	1.1
1993	108	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1994	87	0.8	0.08	0.6	0.9	76	0.8	0.09	0.6	1.0
1995	81	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1996	88	0.8	0.08	0.6	0.9	76	0.8	0.09	0.6	1.0
1997	112	1.0	0.09	0.8	1.2	95	0.9	0.10	0.8	1.2
1998	93	0.8	0.08	0.6	1.0	79	0.8	0.09	0.6	1.0
1999	94	0.8	0.08	0.6	1.0	78	0.8	0.09	0.6	1.0
2000	90	0.8	0.08	0.6	0.9	76	0.7	0.08	0.6	0.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	157	0.8	0.06	0.6	0.9	25	0.7	0.15	0.4	1.2
1986	10	0.8	0.26	0.3	1.6	0	0.0	~	0.0	8.1
1987	11	0.8	0.25	0.4	1.6	1	0.8	0.83	0.0	8.6
1988	10	0.7	0.25	0.3	1.5	1	1.1	1.09	0.0	8.7
1989	9	0.8	0.29	0.4	1.7	2	0.7	0.47	0.1	7.3
1990	9	0.8	0.28	0.4	1.7	2	1.1	0.80	0.1	7.9
1991	8	0.6	0.22	0.2	1.3	2	0.6	0.44	0.1	6.5
1992	13	0.8	0.25	0.4	1.6	0	0.0	~	0.0	5.4
1993	10	0.8	0.28	0.4	1.7	1	0.8	0.78	0.0	6.0
1994	9	0.7	0.23	0.3	1.4	2	1.0	0.77	0.1	5.9
1995	7	0.6	0.23	0.2	1.3	2	0.5	0.33	0.1	4.5
1996	10	0.7	0.22	0.3	1.3	2	0.6	0.45	0.1	4.5
1997	15	1.0	0.28	0.6	1.8	2	0.8	0.57	0.1	4.6
1998	12	0.9	0.26	0.4	1.6	2	0.6	0.42	0.1	4.0
1999	13	0.7	0.20	0.4	1.3	3	1.0	0.66	0.1	4.4
2000	11	0.8	0.24	0.4	1.4	3	0.8	0.50	0.2	3.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	49	0.7	0.13	0.5	1.0	1341	0.8	0.02	0.8	0.9
1986	4	1.4	0.98	0.2	5.6	71	0.7	0.08	0.5	0.9
1987	1	0.5	0.48	0.0	3.8	90	0.9	0.09	0.7	1.1
1988	2	0.2	0.11	0.0	3.1	81	0.8	0.09	0.6	1.0
1989	3	0.8	0.58	0.1	3.9	94	0.9	0.10	0.8	1.2
1990	3	0.7	0.47	0.1	3.6	92	0.9	0.09	0.7	1.1
1991	1	0.3	0.26	0.0	2.9	89	0.8	0.09	0.7	1.0
1992	2	0.3	0.25	0.0	2.8	103	1.0	0.09	0.8	1.2
1993	3	0.2	0.10	0.0	2.5	116	1.1	0.10	0.9	1.3
1994	2	0.3	0.23	0.0	2.5	83	0.8	0.08	0.6	0.9
1995	3	0.7	0.50	0.1	3.2	78	0.7	0.08	0.6	0.9
1996	3	0.7	0.45	0.1	3.0	85	0.8	0.08	0.6	1.0
1997	4	0.7	0.43	0.1	2.9	110	1.0	0.09	0.8	1.2
1998	2	0.7	0.54	0.0	3.1	81	0.7	0.08	0.6	0.9
1999	7	1.2	0.58	0.3	3.5	87	0.8	0.08	0.6	1.0
2000	9	1.7	0.68	0.6	4.1	81	0.7	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Endocrine System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,814	3.6	0.07	3.4	3.7	2,466	3.7	0.08	3.5	3.8
1986	145	3.0	0.26	2.5	3.6	134	3.2	0.28	2.7	3.8
1987	162	3.3	0.27	2.8	3.9	143	3.4	0.29	2.8	4.0
1988	143	2.8	0.24	2.4	3.4	123	2.9	0.26	2.4	3.4
1989	134	2.7	0.24	2.2	3.2	121	2.8	0.26	2.3	3.4
1990	170	3.3	0.26	2.8	3.9	147	3.3	0.28	2.8	4.0
1991	155	3.0	0.25	2.6	3.6	138	3.2	0.28	2.6	3.8
1992	185	3.5	0.27	3.0	4.1	161	3.6	0.29	3.1	4.3
1993	192	3.7	0.27	3.2	4.2	177	4.0	0.30	3.4	4.6
1994	188	3.5	0.26	3.0	4.1	160	3.5	0.28	3.0	4.1
1995	187	3.4	0.25	3.0	4.0	163	3.6	0.28	3.0	4.2
1996	217	4.0	0.28	3.5	4.6	188	4.1	0.30	3.5	4.7
1997	222	4.1	0.28	3.5	4.7	191	4.1	0.30	3.6	4.8
1998	251	4.5	0.29	4.0	5.2	210	4.5	0.31	3.9	5.2
1999	247	4.3	0.28	3.8	4.9	217	4.5	0.31	4.0	5.2
2000	216	3.8	0.26	3.3	4.4	193	4.1	0.29	3.5	4.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	214	2.4	0.17	2.0	2.7	97	4.4	0.52	3.5	5.9
1986	7	1.4	0.54	0.5	3.6	4	5.5	3.30	1.0	26.6
1987	13	2.6	0.82	1.3	5.2	5	4.3	2.11	1.2	23.1
1988	14	2.5	0.69	1.3	4.8	6	4.4	1.90	1.5	21.8
1989	8	1.5	0.64	0.5	3.8	4	6.4	4.65	0.7	26.8
1990	16	3.0	0.84	1.6	5.6	4	3.2	1.62	0.8	19.7
1991	9	1.3	0.44	0.6	3.2	5	3.7	1.90	1.0	18.8
1992	16	2.5	0.64	1.4	4.6	7	7.1	3.21	2.3	22.3
1993	11	1.7	0.56	0.8	3.7	1	0.4	0.36	0.0	13.0
1994	21	4.1	0.94	2.4	6.7	5	3.5	1.69	1.0	15.9
1995	13	1.8	0.53	0.9	3.7	8	4.1	1.49	1.7	15.4
1996	19	2.9	0.69	1.7	5.1	8	4.2	1.55	1.8	15.0
1997	19	3.1	0.76	1.8	5.3	12	5.6	1.66	2.8	15.8
1998	22	3.2	0.69	2.0	5.3	13	7.1	2.13	3.6	17.4
1999	16	2.3	0.62	1.3	4.3	8	4.3	1.67	1.7	13.8
2000	10	1.2	0.39	0.6	2.8	7	3.4	1.33	1.3	11.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	127	2.7	0.31	2.1	3.5	2,237	3.8	0.08	3.6	3.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	2.4	1.52	0.4	10.6	130	2.8	0.25	2.3	3.3
1990	4	0.9	0.46	0.2	8.3	166	3.5	0.28	2.9	4.1
1991	8	2.4	1.09	0.7	9.6	147	3.1	0.26	2.6	3.6
1992	8	1.8	0.75	0.7	8.3	177	3.6	0.28	3.1	4.2
1993	8	3.2	1.48	1.0	10.5	184	3.8	0.28	3.2	4.4
1994	12	1.9	0.63	0.9	8.0	176	3.5	0.27	3.0	4.1
1995	10	3.7	1.48	1.4	10.4	177	3.5	0.27	3.0	4.1
1996	14	3.3	1.25	1.3	9.5	203	4.0	0.28	3.5	4.6
1997	11	3.0	1.25	1.1	9.1	211	4.2	0.29	3.6	4.8
1998	16	3.6	0.99	1.9	9.0	235	4.6	0.30	4.0	5.3
1999	18	3.0	0.85	1.6	8.1	229	4.4	0.29	3.9	5.1
2000	14	2.2	0.72	1.0	6.9	202	3.9	0.28	3.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Endocrine System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	585	0.8	0.03	0.7	0.9	518	0.8	0.04	0.8	0.9
1986	25	0.5	0.11	0.3	0.8	23	0.5	0.12	0.3	0.8
1987	37	0.8	0.14	0.6	1.2	33	0.8	0.15	0.6	1.2
1988	37	0.8	0.14	0.6	1.1	31	0.8	0.15	0.5	1.2
1989	42	1.0	0.15	0.7	1.3	38	1.0	0.17	0.7	1.4
1990	37	0.8	0.14	0.6	1.2	32	0.8	0.15	0.6	1.2
1991	39	0.8	0.13	0.6	1.1	32	0.7	0.13	0.5	1.1
1992	41	0.8	0.12	0.5	1.1	36	0.8	0.13	0.6	1.1
1993	43	0.9	0.14	0.6	1.2	39	0.9	0.15	0.6	1.3
1994	37	0.8	0.13	0.5	1.1	31	0.7	0.13	0.5	1.1
1995	31	0.6	0.12	0.4	0.9	28	0.7	0.13	0.4	1.0
1996	32	0.6	0.11	0.4	0.9	29	0.7	0.12	0.4	1.0
1997	60	1.2	0.15	0.9	1.5	53	1.2	0.17	0.9	1.6
1998	40	0.8	0.13	0.6	1.1	35	0.8	0.14	0.6	1.2
1999	48	0.9	0.13	0.7	1.2	45	1.0	0.15	0.7	1.4
2000	36	0.7	0.11	0.5	1.0	33	0.7	0.13	0.5	1.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	56	0.6	0.09	0.4	0.8	11	0.5	0.18	0.2	1.4
1986	2	0.2	0.18	0.0	2.1	0	0.0	~	0.0	20.2
1987	4	0.8	0.40	0.2	2.7	0	0.0	~	0.0	19.0
1988	5	0.7	0.34	0.2	2.6	1	2.6	2.65	0.1	21.4
1989	3	0.6	0.34	0.1	2.5	1	0.8	0.76	0.0	17.2
1990	4	0.8	0.41	0.2	2.7	1	0.7	0.71	0.0	17.4
1991	6	1.1	0.55	0.3	3.2	1	0.7	0.67	0.0	15.6
1992	5	0.5	0.25	0.2	2.2	0	0.0	~	0.0	13.7
1993	4	0.8	0.45	0.2	2.7	0	0.0	~	0.0	12.7
1994	5	1.0	0.47	0.3	2.8	1	0.5	0.54	0.0	12.7
1995	2	0.2	0.18	0.0	1.8	1	0.5	0.48	0.0	11.8
1996	2	0.2	0.17	0.0	1.7	1	0.5	0.49	0.0	11.3
1997	6	1.0	0.44	0.3	2.7	1	0.8	0.83	0.0	11.1
1998	4	0.7	0.34	0.2	2.3	1	0.4	0.44	0.0	10.0
1999	2	0.2	0.18	0.0	1.6	1	0.4	0.40	0.0	9.5
2000	2	0.2	0.11	0.0	1.5	1	0.5	0.49	0.0	8.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	25	0.6	0.18	0.3	1.2	568	0.8	0.04	0.8	0.9
1986	2	0.3	0.19	0.0	8.9	24	0.5	0.10	0.3	0.8
1987	1	1.2	1.15	0.0	9.8	40	0.9	0.15	0.6	1.2
1988	2	0.3	0.21	0.0	8.1	37	0.9	0.15	0.6	1.2
1989	1	1.4	1.36	0.0	9.6	39	1.0	0.16	0.7	1.4
1990	0	0.0	-	0.0	7.6	39	0.9	0.15	0.6	1.3
1991	0	0.0	-	0.0	7.1	37	0.8	0.13	0.6	1.1
1992	1	0.1	0.11	0.0	6.7	44	0.9	0.14	0.6	1.2
1993	1	0.1	0.11	0.0	6.7	45	1.0	0.15	0.7	1.3
1994	1	0.1	0.10	0.0	6.4	36	0.8	0.13	0.5	1.1
1995	2	1.2	1.11	0.1	7.8	28	0.6	0.11	0.4	0.9
1996	2	1.4	1.09	0.1	7.7	31	0.6	0.12	0.4	0.9
1997	2	0.2	0.14	0.0	5.7	59	1.2	0.16	0.9	1.6
1998	0	0.0	-	0.0	5.3	35	0.7	0.13	0.5	1.0
1999	5	1.4	0.70	0.4	6.4	43	0.9	0.14	0.6	1.2
2000	5	1.4	0.81	0.3	6.3	31	0.6	0.11	0.4	0.9

Rates are per 100,000 and Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

#Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Endocrine System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,426	8.2	0.10	8.0	8.4	6,415	8.6	0.11	8.4	8.8
1986	371	6.4	0.34	5.8	7.2	319	6.6	0.38	5.8	7.4
1987	390	6.8	0.35	6.1	7.5	345	7.2	0.40	6.5	8.1
1988	408	7.0	0.35	6.3	7.7	352	7.2	0.39	6.4	8.0
1989	389	6.6	0.34	6.0	7.4	329	6.7	0.38	6.0	7.5
1990	427	7.2	0.35	6.5	7.9	376	7.6	0.40	6.8	8.4
1991	409	6.9	0.35	6.3	7.7	356	7.3	0.39	6.5	8.1
1992	439	7.3	0.35	6.6	8.0	391	7.8	0.40	7.0	8.6
1993	475	7.8	0.36	7.1	8.6	412	8.2	0.41	7.4	9.0
1994	472	7.8	0.36	7.1	8.5	415	8.3	0.41	7.5	9.1
1995	537	8.7	0.38	7.9	9.4	457	9.0	0.43	8.2	9.9
1996	566	9.1	0.38	8.3	9.8	496	9.7	0.44	8.9	10.6
1997	591	9.4	0.39	8.7	10.2	501	9.7	0.44	8.9	10.6
1998	581	9.3	0.38	8.5	10.0	488	9.6	0.44	8.8	10.5
1999	674	10.7	0.41	9.9	11.5	585	11.4	0.48	10.5	12.4
2000	697	10.9	0.42	10.1	11.8	593	11.5	0.47	10.6	12.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	606	4.9	0.20	4.5	5.3	279	10.8	0.70	9.5	12.4
1986	32	4.2	0.78	2.9	6.2	14	12.5	3.73	6.3	27.9
1987	23	3.1	0.67	1.9	4.9	17	13.0	3.37	7.2	27.1
1988	38	5.2	0.87	3.6	7.3	14	10.1	2.80	5.4	23.0
1989	38	4.9	0.83	3.4	6.9	16	12.1	3.35	6.4	25.3
1990	34	4.2	0.74	2.9	6.0	12	7.3	2.18	3.7	18.9
1991	32	4.1	0.76	2.8	6.0	6	3.8	1.66	1.3	14.0
1992	31	3.7	0.68	2.5	5.4	12	7.4	2.34	3.5	17.4
1993	36	4.6	0.78	3.2	6.5	21	11.5	2.57	7.0	21.0
1994	35	4.0	0.69	2.8	5.7	18	10.4	2.61	5.9	19.6
1995	46	5.4	0.81	3.9	7.3	26	13.8	2.86	8.8	22.8
1996	45	5.0	0.76	3.6	6.8	20	10.5	2.67	6.0	18.9
1997	60	7.2	0.95	5.5	9.4	21	10.1	2.29	6.1	17.5
1998	56	6.3	0.85	4.7	8.3	28	12.2	2.55	7.7	19.8
1999	42	4.4	0.69	3.2	6.1	23	10.0	2.20	6.1	16.8
2000	58	6.3	0.83	4.7	8.2	31	14.1	2.80	9.2	21.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	403	8.0	0.45	7.2	9.0	5,854	8.6	0.11	8.4	8.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	24	7.0	1.54	4.3	12.4	365	6.6	0.35	5.9	7.3
1990	21	7.8	1.96	4.4	13.9	406	7.2	0.36	6.5	8.0
1991	22	6.2	1.41	3.7	11.2	387	7.0	0.36	6.3	7.7
1992	20	5.5	1.45	3.1	10.5	419	7.4	0.37	6.7	8.2
1993	31	8.1	1.61	5.2	13.1	444	7.9	0.38	7.1	8.6
1994	31	7.2	1.40	4.7	11.8	441	7.8	0.37	7.1	8.6
1995	31	8.1	1.66	5.2	13.1	506	8.8	0.39	8.1	9.6
1996	36	8.0	1.48	5.4	12.5	530	9.2	0.40	8.4	10.0
1997	35	6.6	1.23	4.4	10.6	556	9.5	0.41	8.8	10.4
1998	53	9.5	1.42	7.0	13.8	528	9.2	0.40	8.4	10.0
1999	55	11.5	1.86	8.1	16.6	619	10.8	0.43	9.9	11.6
2000	44	8.5	1.41	6.0	12.6	653	11.2	0.44	10.4	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Endocrine System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	785	0.8	0.03	0.8	0.9	670	0.8	0.03	0.7	0.9
1986	46	0.7	0.11	0.5	1.0	38	0.7	0.11	0.5	1.0
1987	50	0.8	0.12	0.6	1.1	42	0.8	0.13	0.6	1.1
1988	47	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.0
1989	55	0.9	0.12	0.7	1.2	48	0.9	0.13	0.7	1.2
1990	54	0.8	0.11	0.6	1.1	48	0.8	0.12	0.6	1.1
1991	50	0.8	0.11	0.6	1.0	47	0.8	0.13	0.6	1.1
1992	57	0.9	0.12	0.7	1.2	49	0.9	0.13	0.6	1.2
1993	65	1.0	0.13	0.8	1.3	58	1.0	0.14	0.8	1.4
1994	50	0.7	0.11	0.6	1.0	45	0.8	0.12	0.6	1.0
1995	50	0.7	0.10	0.5	1.0	44	0.7	0.11	0.5	1.0
1996	56	0.8	0.11	0.6	1.1	47	0.8	0.12	0.6	1.1
1997	52	0.8	0.11	0.6	1.0	42	0.7	0.11	0.5	1.0
1998	53	0.8	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1
1999	46	0.7	0.10	0.5	0.9	33	0.6	0.10	0.4	0.8
2000	54	0.8	0.11	0.6	1.0	43	0.7	0.11	0.5	1.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	101	0.9	0.09	0.7	1.1	14	0.8	0.22	0.4	1.5
1986	8	1.1	0.42	0.5	2.4	0	0.0	~	0.0	13.4
1987	7	0.8	0.33	0.3	2.0	1	1.4	1.45	0.0	14.4
1988	5	0.7	0.33	0.2	1.8	0	0.0	~	0.0	12.0
1989	6	0.9	0.39	0.3	2.2	1	0.6	0.56	0.0	11.8
1990	5	0.8	0.37	0.3	2.0	1	1.3	1.26	0.0	12.8
1991	2	0.2	0.18	0.0	1.1	1	0.6	0.59	0.0	10.5
1992	8	1.0	0.36	0.4	2.1	0	0.0	~	0.0	9.0
1993	6	0.9	0.36	0.3	2.0	1	1.3	1.33	0.0	10.0
1994	4	0.5	0.25	0.1	1.4	1	1.2	1.23	0.0	9.1
1995	5	0.7	0.33	0.2	1.7	1	0.5	0.46	0.0	6.9
1996	8	1.0	0.35	0.4	2.0	1	0.7	0.68	0.0	6.7
1997	9	1.1	0.36	0.5	2.1	1	0.8	0.76	0.0	6.6
1998	8	1.0	0.35	0.4	2.0	1	0.6	0.63	0.0	5.9
1999	11	1.1	0.34	0.6	2.1	2	1.4	1.06	0.1	6.7
2000	9	1.1	0.39	0.5	2.2	2	1.0	0.78	0.1	5.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	24	0.7	0.18	0.4	1.2	773	0.8	0.03	0.8	0.9
1986	2	2.2	1.62	0.2	9.0	47	0.8	0.12	0.6	1.1
1987	0	0.0	-	0.0	5.1	50	0.9	0.12	0.6	1.2
1988	0	0.0	-	0.0	4.7	44	0.7	0.11	0.5	1.0
1989	2	0.6	0.48	0.1	5.1	55	0.9	0.13	0.7	1.2
1990	3	1.3	0.85	0.2	5.9	53	0.9	0.12	0.6	1.1
1991	1	0.5	0.50	0.0	4.8	52	0.8	0.12	0.6	1.1
1992	1	0.5	0.47	0.0	4.5	59	1.0	0.13	0.7	1.2
1993	2	0.2	0.17	0.0	3.8	71	1.1	0.14	0.9	1.4
1994	1	0.4	0.42	0.0	4.0	47	0.7	0.11	0.5	1.0
1995	1	0.4	0.41	0.0	3.9	50	0.8	0.11	0.6	1.0
1996	1	0.1	0.14	0.0	3.3	54	0.8	0.11	0.6	1.1
1997	2	1.0	0.74	0.1	4.6	51	0.8	0.11	0.6	1.1
1998	2	1.1	0.87	0.1	4.9	46	0.7	0.11	0.5	1.0
1999	2	0.9	0.77	0.0	4.4	44	0.7	0.11	0.5	1.0
2000	4	1.9	1.00	0.5	5.6	50	0.8	0.11	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	9,239	5.4	0.06	5.2	5.5	8,069	5.6	0.06	5.5	5.7
1986	464	4.3	0.20	3.9	4.7	408	4.4	0.23	4.0	4.9
1987	482	4.5	0.21	4.1	4.9	428	4.7	0.23	4.2	5.2
1988	504	4.6	0.21	4.2	5.0	439	4.7	0.23	4.3	5.2
1989	460	4.2	0.20	3.8	4.6	394	4.2	0.22	3.8	4.6
1990	534	4.8	0.21	4.4	5.2	474	5.0	0.24	4.6	5.5
1991	508	4.5	0.20	4.1	4.9	449	4.7	0.23	4.3	5.2
1992	535	4.7	0.21	4.3	5.1	477	5.0	0.23	4.5	5.4
1993	590	5.1	0.21	4.7	5.6	524	5.4	0.24	5.0	5.9
1994	599	5.1	0.21	4.7	5.6	526	5.4	0.24	4.9	5.9
1995	645	5.4	0.22	5.0	5.9	554	5.6	0.24	5.2	6.1
1996	711	6.0	0.23	5.6	6.4	627	6.3	0.25	5.9	6.9
1997	744	6.3	0.23	5.8	6.7	643	6.5	0.26	6.0	7.0
1998	767	6.4	0.23	5.9	6.8	650	6.5	0.26	6.0	7.0
1999	846	6.9	0.24	6.5	7.4	742	7.4	0.27	6.9	8.0
2000	850	6.9	0.24	6.5	7.4	734	7.3	0.27	6.8	7.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	680	3.2	0.12	2.9	3.4	332	6.9	0.43	6.1	7.9
1986	34	2.6	0.46	1.8	3.8	17	8.7	2.45	4.6	18.2
1987	30	2.5	0.48	1.6	3.7	19	7.7	1.92	4.4	16.0
1988	44	3.5	0.55	2.5	4.8	17	6.6	1.66	3.7	14.2
1989	41	3.1	0.51	2.2	4.4	18	8.8	2.66	4.4	17.8
1990	38	2.8	0.48	2.0	4.0	14	4.6	1.31	2.4	11.6
1991	33	2.5	0.45	1.7	3.6	8	3.0	1.15	1.2	9.2
1992	37	2.5	0.42	1.8	3.6	15	5.7	1.73	2.8	12.3
1993	38	2.6	0.44	1.8	3.7	19	5.3	1.24	3.1	10.6
1994	47	3.3	0.49	2.4	4.5	21	6.4	1.52	3.8	12.0
1995	51	3.4	0.49	2.5	4.6	30	8.4	1.64	5.5	13.8
1996	52	3.3	0.47	2.5	4.4	25	7.2	1.68	4.3	12.6
1997	62	4.4	0.57	3.4	5.7	30	7.4	1.42	4.9	12.1
1998	65	4.2	0.54	3.2	5.5	37	8.7	1.63	5.8	13.6
1999	47	2.8	0.41	2.0	3.8	28	6.5	1.34	4.2	10.8
2000	61	3.7	0.49	2.8	4.9	34	8.1	1.59	5.3	12.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	476	4.7	0.25	4.2	5.3	7,313	5.6	0.07	5.5	5.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	24	3.8	0.92	2.2	7.2	436	4.2	0.20	3.8	4.6
1990	24	4.1	1.02	2.3	7.6	510	4.8	0.22	4.4	5.3
1991	27	3.9	0.83	2.4	7.0	481	4.6	0.21	4.2	5.0
1992	25	3.4	0.84	1.9	6.4	510	4.8	0.21	4.4	5.2
1993	33	4.1	0.80	2.7	7.0	557	5.2	0.22	4.8	5.7
1994	35	4.0	0.74	2.7	6.6	564	5.2	0.22	4.8	5.7
1995	37	5.0	1.00	3.3	8.1	608	5.6	0.23	5.1	6.0
1996	46	5.1	0.89	3.5	7.9	665	6.1	0.24	5.6	6.5
1997	39	4.0	0.77	2.6	6.5	705	6.4	0.24	6.0	6.9
1998	64	5.7	0.78	4.2	8.2	703	6.4	0.24	5.9	6.9
1999	68	6.9	1.07	5.0	9.9	778	7.0	0.25	6.6	7.6
2000	54	4.8	0.75	3.4	7.1	796	7.2	0.25	6.7	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Both Sexes

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	757	0.4	0.02	0.4	0.5	676	0.5	0.02	0.4	0.5
1986	39	0.4	0.06	0.3	0.5	36	0.4	0.06	0.3	0.5
1987	48	0.4	0.07	0.3	0.6	42	0.4	0.07	0.3	0.6
1988	42	0.4	0.06	0.3	0.6	38	0.4	0.07	0.3	0.6
1989	51	0.5	0.07	0.4	0.7	45	0.5	0.07	0.4	0.7
1990	54	0.5	0.07	0.4	0.7	48	0.5	0.07	0.4	0.7
1991	53	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.7
1992	52	0.5	0.06	0.4	0.6	47	0.5	0.07	0.4	0.6
1993	54	0.5	0.07	0.4	0.6	51	0.5	0.07	0.4	0.7
1994	55	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.7
1995	49	0.4	0.06	0.3	0.6	45	0.4	0.07	0.3	0.6
1996	52	0.4	0.06	0.3	0.6	43	0.4	0.07	0.3	0.6
1997	58	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.6
1998	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
1999	41	0.3	0.05	0.2	0.5	36	0.4	0.06	0.2	0.5
2000	54	0.4	0.06	0.3	0.6	48	0.5	0.07	0.3	0.6
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	70	0.4	0.05	0.3	0.5	11	0.4	0.13	0.2	0.8
1986	3	0.4	0.20	0.1	1.1	0	0.0	~	0.0	8.1
1987	6	0.5	0.21	0.2	1.3	0	0.0	~	0.0	7.6
1988	3	0.3	0.19	0.1	1.0	1	1.1	1.09	0.0	8.7
1989	6	0.6	0.26	0.2	1.4	0	0.0	~	0.0	6.8
1990	5	0.5	0.23	0.2	1.3	1	0.7	0.72	0.0	7.6
1991	2	0.2	0.16	0.0	0.9	1	0.3	0.33	0.0	6.3
1992	5	0.5	0.22	0.2	1.2	0	0.0	~	0.0	5.4
1993	2	0.2	0.14	0.0	0.8	1	0.8	0.78	0.0	6.0
1994	4	0.3	0.14	0.1	0.8	1	0.7	0.72	0.0	5.6
1995	4	0.4	0.18	0.1	1.0	0	0.0	~	0.0	4.1
1996	7	0.5	0.19	0.2	1.1	2	0.6	0.45	0.1	4.5
1997	6	0.5	0.22	0.2	1.2	2	0.8	0.57	0.1	4.6
1998	7	0.6	0.22	0.2	1.2	1	0.4	0.35	0.0	3.7
1999	4	0.3	0.13	0.1	0.8	1	0.6	0.60	0.0	4.0
2000	6	0.5	0.21	0.2	1.2	0	0.0	~	0.0	2.7
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	27	0.5	0.12	0.3	0.8	733	0.4	0.02	0.4	0.5
1986	3	1.3	0.98	0.1	5.5	35	0.4	0.06	0.2	0.5
1987	1	0.5	0.48	0.0	3.8	45	0.4	0.06	0.3	0.6
1988	0	0.0	-	0.0	3.0	44	0.4	0.07	0.3	0.6
1989	2	0.7	0.57	0.1	3.8	53	0.5	0.07	0.4	0.7
1990	2	0.5	0.42	0.0	3.4	54	0.5	0.07	0.4	0.7
1991	1	0.3	0.26	0.0	2.9	53	0.5	0.07	0.4	0.7
1992	1	0.2	0.25	0.0	2.8	51	0.5	0.07	0.4	0.6
1993	0	0.0	-	0.0	2.4	53	0.5	0.07	0.4	0.6
1994	1	0.2	0.22	0.0	2.5	53	0.5	0.07	0.4	0.6
1995	1	0.2	0.21	0.0	2.4	50	0.4	0.06	0.3	0.6
1996	2	0.6	0.45	0.1	2.9	48	0.4	0.06	0.3	0.6
1997	2	0.6	0.42	0.0	2.8	56	0.5	0.07	0.4	0.6
1998	2	0.7	0.54	0.0	3.1	52	0.5	0.06	0.3	0.6
1999	3	0.7	0.50	0.1	2.9	38	0.3	0.05	0.2	0.5
2000	6	1.5	0.67	0.5	3.9	48	0.4	0.06	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,289	2.9	0.06	2.8	3.0	2,032	3.0	0.07	2.9	3.2
1986	116	2.4	0.23	2.0	2.9	106	2.5	0.25	2.1	3.1
1987	127	2.6	0.24	2.2	3.1	111	2.6	0.26	2.2	3.2
1988	120	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	3.0
1989	97	2.0	0.21	1.6	2.5	89	2.1	0.23	1.7	2.6
1990	138	2.7	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.5	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.4
1993	148	2.8	0.23	2.4	3.3	139	3.1	0.27	2.6	3.7
1994	150	2.8	0.24	2.4	3.3	128	2.8	0.25	2.3	3.4
1995	149	2.7	0.23	2.3	3.2	132	2.9	0.25	2.4	3.4
1996	177	3.3	0.25	2.8	3.8	157	3.4	0.28	2.9	4.0
1997	190	3.5	0.26	3.0	4.0	168	3.6	0.28	3.1	4.2
1998	215	3.9	0.27	3.4	4.5	183	3.9	0.29	3.4	4.6
1999	212	3.7	0.26	3.2	4.3	188	3.9	0.29	3.4	4.6
2000	188	3.3	0.24	2.8	3.8	170	3.6	0.28	3.0	4.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	152	1.8	0.15	1.5	2.1	70	3.3	0.47	2.4	4.6
1986	7	1.4	0.54	0.5	3.6	3	4.6	3.18	0.6	25.8
1987	11	2.4	0.80	1.1	5.0	4	3.5	1.96	0.8	22.4
1988	12	2.2	0.67	1.1	4.5	5	3.9	1.84	1.2	21.4
1989	4	0.9	0.54	0.2	3.1	3	5.9	4.62	0.5	26.3
1990	10	2.2	0.76	0.9	4.7	3	2.3	1.38	0.5	18.9
1991	6	1.0	0.42	0.4	2.9	3	2.7	1.74	0.4	17.9
1992	10	1.7	0.54	0.8	3.7	3	4.2	2.84	0.6	19.4
1993	6	0.9	0.36	0.3	2.6	0	0.0	-	0.0	12.7
1994	17	3.3	0.85	1.9	5.8	4	2.3	1.21	0.6	14.4
1995	9	1.3	0.46	0.6	3.1	6	3.2	1.35	1.2	14.5
1996	13	2.0	0.58	1.1	4.0	5	3.0	1.37	0.9	13.8
1997	12	2.1	0.66	1.0	4.2	10	4.8	1.55	2.2	14.9
1998	16	2.3	0.59	1.3	4.3	10	5.1	1.75	2.3	15.0
1999	11	1.6	0.47	0.8	3.3	7	3.6	1.50	1.3	12.9
2000	8	1.0	0.37	0.4	2.6	4	1.8	0.95	0.4	10.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	93	2.1	0.28	1.6	2.9	1,833	3.1	0.07	2.9	3.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	2.3	1.51	0.3	10.5	94	2.0	0.22	1.6	2.5
1990	4	0.9	0.46	0.2	8.3	134	2.8	0.25	2.3	3.4
1991	6	2.1	1.08	0.5	9.4	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	7.7	133	2.7	0.24	2.3	3.3
1993	5	1.8	0.81	0.5	8.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	7.4	145	2.9	0.25	2.5	3.5
1995	7	2.7	1.32	0.8	9.4	142	2.8	0.24	2.4	3.4
1996	11	2.9	1.23	1.0	9.1	166	3.3	0.26	2.8	3.9
1997	9	2.9	1.25	1.0	9.0	181	3.6	0.27	3.1	4.2
1998	11	2.3	0.78	1.0	7.5	204	4.0	0.28	3.5	4.6
1999	15	2.8	0.84	1.4	7.8	197	3.8	0.27	3.3	4.4
2000	12	1.8	0.66	0.8	6.5	176	3.4	0.26	2.9	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	284	0.4	0.03	0.4	0.5	261	0.4	0.03	0.4	0.5
1986	14	0.3	0.09	0.2	0.6	14	0.4	0.10	0.2	0.6
1987	18	0.4	0.10	0.2	0.7	16	0.4	0.10	0.2	0.7
1988	16	0.4	0.11	0.2	0.7	13	0.4	0.11	0.2	0.7
1989	19	0.5	0.12	0.3	0.8	18	0.5	0.13	0.3	0.9
1990	17	0.4	0.11	0.2	0.7	15	0.4	0.12	0.2	0.8
1991	20	0.4	0.10	0.3	0.7	17	0.4	0.10	0.2	0.7
1992	15	0.3	0.08	0.2	0.5	14	0.3	0.09	0.2	0.6
1993	20	0.4	0.10	0.3	0.7	20	0.5	0.11	0.3	0.8
1994	20	0.4	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1995	15	0.3	0.09	0.2	0.6	14	0.4	0.10	0.2	0.6
1996	17	0.3	0.08	0.2	0.6	15	0.4	0.09	0.2	0.6
1997	27	0.6	0.11	0.4	0.8	23	0.5	0.11	0.3	0.8
1998	23	0.5	0.10	0.3	0.7	22	0.5	0.11	0.3	0.8
1999	23	0.5	0.10	0.3	0.7	22	0.5	0.11	0.3	0.8
2000	20	0.4	0.09	0.2	0.6	20	0.5	0.10	0.3	0.7
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	19	0.2	0.06	0.2	0.4	4	0.3	0.15	0.1	1.2
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	2	0.5	0.33	0.1	2.4	0	0.0	~	0.0	19.0
1988	2	0.4	0.26	0.0	2.2	1	2.6	2.65	0.1	21.4
1989	1	0.2	0.19	0.0	1.9	0	0.0	~	0.0	16.6
1990	2	0.5	0.35	0.0	2.4	0	0.0	~	0.0	16.8
1991	2	0.7	0.50	0.1	2.8	1	0.7	0.67	0.0	15.6
1992	1	0.2	0.16	0.0	1.8	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	2	0.3	0.23	0.0	1.9	0	0.0	~	0.0	12.3
1995	1	0.2	0.15	0.0	1.7	0	0.0	~	0.0	11.4
1996	1	0.2	0.15	0.0	1.7	1	0.5	0.49	0.0	11.3
1997	3	0.6	0.39	0.1	2.4	1	0.8	0.83	0.0	11.1
1998	1	0.2	0.19	0.0	1.6	0	0.0	~	0.0	9.6
1999	1	0.2	0.15	0.0	1.5	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	8.2
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	9	0.4	0.14	0.1	0.9	274	0.4	0.03	0.4	0.5
1986	1	0.1	0.12	0.0	8.8	11	0.3	0.08	0.1	0.5
1987	1	1.2	1.15	0.0	9.8	15	0.3	0.09	0.2	0.6
1988	0	0.0	-	0.0	7.9	17	0.4	0.12	0.3	0.8
1989	1	1.4	1.36	0.0	9.6	20	0.6	0.13	0.3	0.9
1990	0	0.0	-	0.0	7.6	18	0.5	0.12	0.3	0.8
1991	0	0.0	-	0.0	7.1	19	0.4	0.10	0.3	0.7
1992	0	0.0	-	0.0	6.7	15	0.3	0.08	0.2	0.6
1993	0	0.0	-	0.0	6.6	19	0.4	0.10	0.2	0.7
1994	0	0.0	-	0.0	6.4	20	0.4	0.10	0.3	0.7
1995	0	0.0	-	0.0	6.0	16	0.4	0.09	0.2	0.6
1996	2	1.4	1.09	0.1	7.7	15	0.3	0.08	0.2	0.6
1997	0	0.0	-	0.0	5.6	27	0.6	0.11	0.4	0.9
1998	0	0.0	-	0.0	5.3	23	0.5	0.10	0.3	0.8
1999	2	0.4	0.32	0.0	5.4	21	0.4	0.10	0.3	0.7
2000	2	1.0	0.77	0.1	6.0	18	0.4	0.09	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,950	7.7	0.09	7.5	7.9	6,037	8.1	0.10	7.9	8.3
1986	348	6.1	0.34	5.4	6.8	302	6.2	0.37	5.5	7.0
1987	355	6.2	0.34	5.6	6.9	317	6.7	0.39	6.0	7.5
1988	384	6.6	0.34	5.9	7.3	336	6.9	0.38	6.1	7.7
1989	363	6.2	0.33	5.6	6.9	305	6.2	0.36	5.5	7.0
1990	396	6.7	0.34	6.0	7.4	352	7.2	0.39	6.4	8.0
1991	384	6.5	0.34	5.9	7.2	337	6.9	0.38	6.2	7.7
1992	397	6.6	0.34	6.0	7.3	353	7.1	0.38	6.3	7.8
1993	442	7.3	0.35	6.6	8.0	385	7.7	0.40	6.9	8.5
1994	449	7.4	0.35	6.7	8.1	398	8.0	0.40	7.2	8.8
1995	496	8.0	0.36	7.3	8.7	422	8.3	0.41	7.5	9.1
1996	534	8.6	0.37	7.8	9.3	470	9.2	0.43	8.4	10.1
1997	554	8.8	0.38	8.1	9.6	475	9.2	0.42	8.4	10.1
1998	552	8.8	0.38	8.1	9.6	467	9.2	0.43	8.4	10.1
1999	634	10.1	0.40	9.3	10.9	554	10.9	0.46	10.0	11.9
2000	662	10.4	0.40	9.6	11.2	564	10.9	0.46	10.1	11.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	528	4.3	0.19	3.9	4.7	262	10.1	0.68	8.9	11.7
1986	27	3.5	0.71	2.3	5.4	14	12.5	3.73	6.3	27.9
1987	19	2.6	0.63	1.6	4.3	15	11.4	3.17	6.1	25.3
1988	32	4.4	0.81	3.0	6.4	12	9.0	2.70	4.6	21.9
1989	37	4.8	0.82	3.4	6.8	15	11.5	3.30	6.0	24.7
1990	28	3.5	0.68	2.3	5.2	11	6.6	2.07	3.2	18.1
1991	27	3.5	0.71	2.3	5.3	5	3.3	1.57	1.0	13.5
1992	27	3.2	0.63	2.1	4.8	12	7.4	2.34	3.5	17.4
1993	32	4.0	0.72	2.7	5.7	19	10.3	2.44	6.1	19.7
1994	30	3.5	0.64	2.3	5.1	17	9.9	2.57	5.5	19.0
1995	42	5.0	0.78	3.6	6.8	24	12.7	2.76	7.9	21.5
1996	39	4.3	0.70	3.1	6.0	20	10.5	2.67	6.0	18.9
1997	50	6.2	0.88	4.6	8.2	20	9.6	2.25	5.7	17.1
1998	49	5.6	0.81	4.1	7.5	27	11.7	2.50	7.3	19.3
1999	36	3.8	0.64	2.6	5.3	21	9.2	2.13	5.5	15.9
2000	53	5.7	0.80	4.3	7.6	30	13.3	2.68	8.6	20.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	383	7.5	0.43	6.7	8.5	5,480	8.0	0.11	7.8	8.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	21	6.0	1.42	3.6	11.3	342	6.2	0.34	5.5	6.9
1990	20	7.0	1.83	3.9	12.9	376	6.7	0.35	6.0	7.4
1991	21	6.0	1.40	3.6	11.0	363	6.5	0.35	5.9	7.3
1992	20	5.5	1.45	3.1	10.5	377	6.7	0.35	6.0	7.4
1993	28	6.9	1.42	4.4	11.6	414	7.3	0.36	6.6	8.1
1994	30	7.0	1.40	4.6	11.6	419	7.4	0.37	6.7	8.2
1995	30	7.6	1.57	4.8	12.4	466	8.1	0.38	7.4	8.9
1996	35	7.7	1.44	5.1	12.1	499	8.6	0.39	7.9	9.4
1997	30	5.5	1.11	3.6	9.4	524	9.0	0.40	8.2	9.8
1998	53	9.5	1.42	7.0	13.8	499	8.7	0.39	7.9	9.5
1999	53	11.0	1.83	7.7	16.0	581	10.1	0.42	9.3	11.0
2000	42	7.9	1.35	5.5	11.9	620	10.7	0.43	9.9	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Thyroid, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	473	0.5	0.02	0.4	0.5	415	0.5	0.02	0.4	0.5
1986	25	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
1987	30	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.8
1988	26	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1989	32	0.5	0.09	0.4	0.7	27	0.5	0.10	0.3	0.7
1990	37	0.6	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1991	33	0.5	0.09	0.4	0.7	33	0.6	0.11	0.4	0.8
1992	37	0.6	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1993	34	0.5	0.09	0.4	0.7	31	0.5	0.10	0.4	0.8
1994	35	0.5	0.09	0.4	0.7	32	0.5	0.09	0.4	0.8
1995	34	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
1996	35	0.5	0.09	0.4	0.7	28	0.5	0.09	0.3	0.7
1997	31	0.4	0.08	0.3	0.6	27	0.4	0.09	0.3	0.6
1998	32	0.5	0.08	0.3	0.7	25	0.4	0.08	0.3	0.6
1999	18	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2000	34	0.5	0.08	0.3	0.7	28	0.5	0.09	0.3	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	51	0.5	0.07	0.4	0.7	7	0.5	0.19	0.2	1.2
1986	3	0.6	0.33	0.1	1.8	0	0.0	~	0.0	13.4
1987	4	0.6	0.28	0.2	1.6	0	0.0	~	0.0	12.6
1988	1	0.2	0.21	0.0	1.2	0	0.0	~	0.0	12.0
1989	5	0.8	0.38	0.3	2.0	0	0.0	~	0.0	11.4
1990	3	0.5	0.30	0.1	1.6	1	1.3	1.26	0.0	12.8
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	4	0.6	0.32	0.2	1.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.22	0.0	1.2	1	1.3	1.33	0.0	10.0
1994	2	0.2	0.16	0.0	1.0	1	1.2	1.23	0.0	9.1
1995	3	0.4	0.26	0.1	1.3	0	0.0	~	0.0	6.4
1996	6	0.7	0.31	0.3	1.7	1	0.7	0.68	0.0	6.7
1997	3	0.4	0.26	0.1	1.3	1	0.8	0.76	0.0	6.6
1998	6	0.8	0.33	0.3	1.8	1	0.6	0.63	0.0	5.9
1999	3	0.4	0.20	0.1	1.1	1	1.0	0.98	0.0	6.3
2000	6	0.8	0.34	0.3	1.8	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	18	0.7	0.17	0.4	1.1	459	0.5	0.02	0.4	0.5
1986	2	2.2	1.62	0.2	9.0	24	0.4	0.08	0.2	0.6
1987	0	0.0	-	0.0	5.1	30	0.5	0.09	0.3	0.7
1988	0	0.0	-	0.0	4.7	27	0.4	0.08	0.3	0.6
1989	1	0.4	0.44	0.0	4.9	33	0.5	0.10	0.4	0.8
1990	2	0.9	0.74	0.0	5.4	36	0.6	0.09	0.4	0.8
1991	1	0.5	0.50	0.0	4.8	34	0.6	0.10	0.4	0.8
1992	1	0.5	0.47	0.0	4.5	36	0.6	0.09	0.4	0.8
1993	0	0.0	-	0.0	3.7	34	0.5	0.09	0.4	0.7
1994	1	0.4	0.42	0.0	4.0	33	0.5	0.09	0.3	0.7
1995	1	0.4	0.41	0.0	3.9	34	0.5	0.09	0.4	0.7
1996	0	0.0	-	0.0	3.2	33	0.5	0.09	0.3	0.7
1997	2	1.0	0.74	0.1	4.6	29	0.4	0.08	0.3	0.6
1998	2	1.1	0.87	0.1	4.9	29	0.4	0.08	0.3	0.6
1999	1	0.8	0.77	0.0	4.4	17	0.2	0.06	0.2	0.4
2000	4	1.9	1.00	0.5	5.6	30	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Lymphomas

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	33,672	19.7	0.11	19.5	19.9	30,113	20.5	0.12	20.3	20.7
1986	1,697	15.9	0.39	15.1	16.7	1,541	16.5	0.43	15.7	17.4
1987	1,742	16.1	0.39	15.3	16.9	1,602	17.0	0.43	16.2	17.9
1988	1,848	17.0	0.40	16.2	17.8	1,672	17.6	0.44	16.8	18.5
1989	1,896	17.3	0.40	16.6	18.2	1,721	18.2	0.44	17.3	19.1
1990	2,055	18.7	0.42	17.9	19.5	1,859	19.5	0.46	18.6	20.5
1991	2,054	18.4	0.41	17.6	19.2	1,864	19.3	0.45	18.4	20.2
1992	2,241	19.8	0.42	19.0	20.7	2,051	21.0	0.47	20.1	22.0
1993	2,290	20.1	0.42	19.3	20.9	2,069	21.1	0.47	20.2	22.0
1994	2,407	20.9	0.43	20.1	21.8	2,135	21.6	0.47	20.6	22.5
1995	2,496	21.5	0.43	20.7	22.4	2,215	22.2	0.47	21.3	23.2
1996	2,592	22.1	0.44	21.3	23.0	2,299	23.0	0.48	22.0	23.9
1997	2,514	21.3	0.43	20.5	22.2	2,211	21.9	0.47	21.0	22.9
1998	2,574	21.7	0.43	20.8	22.5	2,229	22.0	0.47	21.1	22.9
1999	2,669	22.3	0.43	21.4	23.1	2,372	23.3	0.48	22.3	24.2
2000	2,597	21.5	0.42	20.7	22.4	2,273	22.2	0.47	21.3	23.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,788	13.1	0.26	12.6	13.6	451	12.4	0.67	11.1	13.8
1986	123	9.9	0.94	8.1	12.0	30	21.8	4.73	13.5	35.2
1987	113	8.9	0.88	7.3	10.9	15	7.4	2.12	3.8	16.0
1988	148	11.1	0.96	9.3	13.2	19	11.0	3.00	5.9	20.9
1989	151	11.4	0.97	9.6	13.5	19	10.8	2.96	5.9	20.4
1990	167	12.5	1.01	10.6	14.7	19	8.5	2.12	4.8	16.5
1991	140	10.3	0.91	8.6	12.3	23	11.5	2.79	6.7	20.2
1992	164	12.0	0.98	10.2	14.1	18	9.5	2.72	4.9	17.8
1993	189	12.9	0.98	11.0	15.0	20	9.4	2.28	5.5	16.5
1994	216	14.9	1.04	12.9	17.1	38	17.6	3.27	11.8	26.3
1995	228	15.9	1.10	13.8	18.2	42	16.9	2.99	11.5	24.8
1996	229	15.1	1.03	13.1	17.3	37	12.5	2.33	8.4	19.0
1997	228	14.8	1.01	12.9	17.0	46	15.2	2.51	10.7	21.9
1998	261	16.8	1.07	14.8	19.1	39	11.6	2.21	7.7	17.6
1999	207	13.5	0.96	11.6	15.5	37	10.4	1.91	7.0	15.6
2000	224	14.2	0.97	12.4	16.3	49	11.9	1.88	8.5	16.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,244	17.8	0.63	16.6	19.1	27,141	20.7	0.13	20.4	20.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	68	13.4	2.00	9.7	18.6	1,828	17.5	0.41	16.7	18.3
1990	76	13.8	2.01	10.2	19.1	1,979	18.8	0.43	18.0	19.7
1991	67	13.6	2.08	9.9	19.0	1,987	18.6	0.42	17.8	19.5
1992	97	18.9	2.38	14.5	24.7	2,144	19.9	0.43	19.1	20.8
1993	94	15.9	2.05	12.2	21.0	2,196	20.2	0.43	19.4	21.1
1994	114	19.3	2.30	15.1	24.9	2,293	21.0	0.44	20.1	21.8
1995	119	21.5	2.51	16.9	27.4	2,377	21.6	0.44	20.7	22.5
1996	110	18.2	2.21	14.1	23.5	2,482	22.4	0.45	21.6	23.4
1997	103	16.3	1.98	12.6	21.1	2,411	21.7	0.44	20.8	22.5
1998	124	19.6	2.14	15.7	24.7	2,450	21.9	0.44	21.0	22.8
1999	153	22.3	2.26	18.1	27.6	2,516	22.3	0.44	21.5	23.2
2000	119	17.0	1.98	13.3	21.7	2,478	22.0	0.44	21.1	22.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Both Sexes

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	15,224	9.0	0.07	8.9	9.2	13,863	9.4	0.08	9.2	9.5
1986	838	7.9	0.28	7.3	8.4	774	8.2	0.30	7.6	8.8
1987	836	7.8	0.28	7.3	8.4	759	8.1	0.30	7.5	8.7
1988	893	8.4	0.28	7.8	8.9	817	8.7	0.31	8.1	9.3
1989	937	8.6	0.29	8.1	9.2	860	9.0	0.31	8.4	9.6
1990	935	8.6	0.28	8.0	9.2	851	8.9	0.31	8.3	9.5
1991	1,002	9.1	0.29	8.5	9.6	918	9.5	0.31	8.8	10.1
1992	1,032	9.2	0.29	8.7	9.8	945	9.6	0.32	9.0	10.3
1993	1,041	9.2	0.29	8.7	9.8	945	9.6	0.31	9.0	10.2
1994	1,092	9.6	0.29	9.0	10.2	981	9.9	0.32	9.3	10.5
1995	1,138	9.9	0.29	9.3	10.5	1,030	10.2	0.32	9.6	10.9
1996	1,118	9.6	0.29	9.1	10.2	1,009	10.0	0.31	9.4	10.6
1997	1,099	9.4	0.28	8.8	10.0	1,001	9.8	0.31	9.2	10.4
1998	1,080	9.1	0.28	8.6	9.7	970	9.4	0.30	8.8	10.0
1999	1,118	9.4	0.28	8.8	10.0	1,026	9.9	0.31	9.3	10.5
2000	1,065	8.9	0.27	8.4	9.4	977	9.4	0.30	8.8	10.0
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1,247	6.4	0.19	6.1	6.8	114	4.0	0.42	3.2	5.0
1986	60	5.3	0.71	4.0	7.0	4	3.0	1.78	0.6	12.0
1987	72	6.0	0.74	4.6	7.7	5	4.0	1.89	1.2	12.6
1988	65	5.1	0.65	3.9	6.6	11	8.7	3.06	3.8	18.8
1989	68	5.3	0.67	4.1	6.9	9	5.6	2.00	2.4	13.6
1990	81	6.8	0.79	5.4	8.6	3	2.2	1.42	0.4	9.7
1991	79	6.0	0.71	4.7	7.6	5	3.3	1.63	1.0	10.4
1992	85	6.6	0.75	5.2	8.3	2	1.7	1.19	0.2	7.8
1993	91	7.0	0.76	5.6	8.6	5	3.7	1.76	1.1	10.2
1994	101	7.7	0.79	6.2	9.4	10	5.5	1.90	2.4	11.8
1995	98	7.4	0.78	6.0	9.2	10	5.5	1.94	2.4	11.6
1996	102	7.6	0.78	6.2	9.3	7	2.6	1.08	0.9	7.1
1997	83	6.0	0.68	4.8	7.5	15	5.7	1.61	3.0	10.8
1998	101	7.4	0.76	6.0	9.1	9	4.6	1.70	1.9	9.9
1999	86	6.2	0.68	4.9	7.7	6	1.6	0.66	0.6	4.9
2000	75	5.3	0.63	4.2	6.7	13	3.7	1.18	1.7	7.5
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	392	6.1	0.37	5.4	6.9	14399	8.8	0.07	8.7	9.0
1986	18	4.6	1.26	2.4	8.9	830	8.0	0.28	7.5	8.6
1987	21	6.0	1.57	3.3	10.8	816	7.9	0.28	7.4	8.5
1988	11	2.6	0.97	1.0	6.3	879	8.5	0.29	7.9	9.1
1989	20	5.4	1.44	3.0	9.7	896	8.5	0.29	8.0	9.1
1990	23	5.0	1.14	3.0	8.7	895	8.5	0.29	8.0	9.1
1991	17	4.1	1.20	2.1	7.9	937	8.8	0.29	8.2	9.3
1992	26	6.8	1.60	4.0	11.2	961	8.9	0.29	8.4	9.5
1993	21	3.7	0.95	2.1	6.9	975	8.9	0.29	8.4	9.5
1994	31	6.6	1.42	4.2	10.6	1026	9.4	0.29	8.8	10.0
1995	34	6.7	1.41	4.2	10.6	1038	9.4	0.29	8.8	10.0
1996	29	7.6	1.70	4.7	12.1	1031	9.2	0.29	8.7	9.8
1997	27	4.6	1.09	2.7	7.7	1022	9.1	0.28	8.6	9.7
1998	32	6.8	1.39	4.3	10.5	996	8.8	0.28	8.2	9.3
1999	38	8.4	1.62	5.5	12.5	1078	9.4	0.29	8.9	10.0
2000	44	8.9	1.62	6.0	13.0	1019	8.9	0.28	8.4	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	17,603	23.6	0.18	23.3	24.0	15,595	24.3	0.20	23.9	24.7
1986	835	18.0	0.65	16.7	19.3	739	18.3	0.70	16.9	19.7
1987	883	18.8	0.66	17.5	20.1	801	19.6	0.72	18.2	21.1
1988	969	20.4	0.68	19.1	21.8	877	21.3	0.74	19.8	22.8
1989	981	20.6	0.68	19.3	22.0	890	21.5	0.74	20.1	23.0
1990	1,104	22.8	0.71	21.4	24.3	987	23.6	0.77	22.1	25.2
1991	1,065	21.6	0.68	20.3	23.0	962	22.6	0.75	21.1	24.1
1992	1,170	24.1	0.73	22.7	25.6	1,061	25.3	0.80	23.8	26.9
1993	1,204	24.0	0.71	22.7	25.5	1,082	25.1	0.78	23.6	26.7
1994	1,228	24.4	0.72	23.1	25.9	1,076	25.0	0.78	23.5	26.6
1995	1,318	25.9	0.73	24.5	27.4	1,162	26.6	0.80	25.1	28.2
1996	1,363	26.4	0.73	25.0	27.9	1,181	26.8	0.79	25.3	28.4
1997	1,303	25.2	0.71	23.8	26.7	1,136	25.8	0.78	24.3	27.4
1998	1,379	26.5	0.73	25.1	28.0	1,195	27.0	0.79	25.5	28.6
1999	1,422	27.2	0.73	25.8	28.7	1,246	27.9	0.80	26.4	29.5
2000	1,379	26.0	0.71	24.6	27.4	1,200	26.7	0.78	25.2	28.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,585	16.8	0.45	16.0	17.8	250	15.6	1.21	13.3	18.4
1986	75	13.3	1.66	10.2	17.4	19	32.0	9.54	16.1	61.9
1987	66	12.7	1.67	9.7	16.8	8	9.5	3.98	3.4	29.9
1988	77	13.0	1.60	10.0	16.9	10	12.1	4.16	5.3	31.5
1989	77	13.3	1.67	10.2	17.4	10	17.2	6.50	6.9	39.8
1990	96	16.6	1.84	13.2	21.0	15	15.8	4.61	8.1	34.9
1991	74	12.1	1.52	9.3	15.8	11	14.3	5.55	5.6	34.2
1992	94	16.4	1.84	13.0	20.8	10	13.6	4.93	5.7	31.3
1993	107	15.9	1.67	12.8	19.9	13	14.1	4.30	6.9	29.8
1994	121	17.9	1.69	14.7	21.8	19	18.8	5.32	9.9	36.0
1995	137	22.0	2.05	18.2	26.7	16	15.0	4.75	7.1	30.7
1996	145	21.9	1.96	18.2	26.4	23	16.6	4.16	9.5	30.8
1997	129	18.3	1.69	15.2	22.3	28	20.5	4.46	12.7	34.6
1998	144	21.1	1.84	17.7	25.4	21	13.6	3.79	7.2	26.4
1999	119	17.7	1.76	14.4	21.8	23	13.9	3.59	7.7	25.9
2000	124	17.6	1.66	14.5	21.4	24	12.9	3.26	7.3	23.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	781	22.1	1.09	20.1	24.5	14,135	24.9	0.21	24.4	25.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	37	15.4	3.47	9.3	26.2	944	20.8	0.70	19.5	22.3
1990	47	15.6	2.90	10.5	25.3	1,057	23.1	0.73	21.7	24.5
1991	50	18.7	3.62	12.3	29.4	1,015	21.8	0.70	20.4	23.2
1992	62	25.5	4.32	17.8	37.3	1,108	24.2	0.74	22.7	25.7
1993	64	18.2	2.98	12.8	27.4	1,140	24.2	0.73	22.8	25.7
1994	74	24.7	4.10	17.4	35.9	1,154	24.4	0.73	23.0	25.9
1995	67	23.1	3.99	16.0	33.9	1,251	26.2	0.75	24.7	27.7
1996	70	21.7	3.71	15.0	31.8	1,293	26.8	0.76	25.3	28.3
1997	64	20.7	3.55	14.3	30.3	1,239	25.6	0.74	24.2	27.1
1998	78	29.0	4.42	21.0	40.2	1,301	26.7	0.75	25.3	28.3
1999	94	27.2	3.84	20.2	37.1	1,328	27.2	0.76	25.8	28.8
2000	74	20.9	3.31	14.9	29.6	1,305	26.5	0.74	25.1	28.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	7,962	11.4	0.13	11.2	11.7	7,168	11.8	0.14	11.5	12.1
1986	422	9.4	0.48	8.5	10.4	382	9.6	0.51	8.7	10.7
1987	431	9.6	0.48	8.6	10.6	380	9.6	0.51	8.7	10.7
1988	457	10.4	0.51	9.4	11.5	417	10.9	0.55	9.8	12.0
1989	488	10.8	0.51	9.8	11.9	442	11.2	0.55	10.1	12.3
1990	527	11.8	0.53	10.7	12.9	481	12.2	0.58	11.1	13.4
1991	520	11.3	0.51	10.3	12.3	472	11.7	0.56	10.7	12.9
1992	550	12.0	0.53	10.9	13.0	495	12.3	0.57	11.2	13.5
1993	513	11.0	0.50	10.1	12.1	461	11.4	0.54	10.3	12.5
1994	571	12.2	0.53	11.2	13.3	508	12.5	0.57	11.4	13.7
1995	585	12.4	0.52	11.4	13.4	529	12.8	0.57	11.7	14.0
1996	581	12.1	0.52	11.2	13.2	515	12.3	0.55	11.3	13.5
1997	560	11.5	0.50	10.6	12.5	496	11.8	0.54	10.7	12.9
1998	584	12.2	0.51	11.2	13.2	519	12.5	0.56	11.4	13.6
1999	603	12.4	0.51	11.4	13.5	551	13.1	0.56	12.0	14.2
2000	570	11.5	0.49	10.6	12.5	520	12.1	0.54	11.1	13.2
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	719	8.6	0.35	8.0	9.4	75	5.9	0.79	4.5	7.9
1986	37	7.7	1.30	5.3	11.1	3	6.3	4.25	0.9	28.8
1987	48	9.2	1.43	6.6	12.8	3	3.7	2.14	0.8	22.7
1988	34	6.0	1.07	4.1	8.9	6	10.3	4.84	3.1	31.2
1989	40	7.0	1.19	4.9	10.2	6	9.8	4.36	3.2	29.0
1990	44	8.7	1.44	6.1	12.4	2	2.4	1.69	0.3	19.2
1991	44	7.8	1.28	5.5	11.1	4	6.8	3.77	1.6	24.2
1992	55	10.3	1.52	7.5	14.0	0	0.0	~	0.0	13.7
1993	49	8.6	1.32	6.2	11.9	3	4.7	3.09	0.7	19.4
1994	56	9.7	1.38	7.2	13.2	7	7.0	3.01	2.4	20.8
1995	52	9.0	1.35	6.5	12.3	4	5.7	3.10	1.3	19.2
1996	62	11.8	1.64	8.8	15.8	4	3.2	1.83	0.7	14.6
1997	51	8.2	1.21	6.0	11.3	13	11.4	3.56	5.6	24.3
1998	58	10.0	1.38	7.4	13.3	7	8.2	3.62	2.7	21.2
1999	48	8.2	1.26	5.9	11.3	4	2.1	1.10	0.6	11.2
2000	41	6.8	1.15	4.7	9.7	9	7.0	2.89	2.5	17.6
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	237	7.7	0.66	6.5	9.2	7371	11.1	0.13	10.9	11.4
1986	9	5.1	2.11	1.8	14.8	413	9.6	0.49	8.7	10.6
1987	15	9.1	3.19	4.0	20.2	414	9.6	0.49	8.6	10.6
1988	6	3.1	1.65	0.8	11.7	441	10.5	0.52	9.5	11.6
1989	12	8.4	3.25	3.3	19.2	457	10.6	0.51	9.6	11.6
1990	16	7.3	2.17	3.7	16.1	491	11.5	0.54	10.5	12.6
1991	9	3.9	1.78	1.2	12.0	471	10.8	0.51	9.8	11.8
1992	17	9.0	2.66	4.6	18.0	496	11.4	0.53	10.4	12.5
1993	16	6.0	1.98	2.8	13.9	458	10.4	0.50	9.4	11.4
1994	21	9.5	2.58	5.1	18.0	532	12.0	0.53	11.0	13.1
1995	20	8.1	2.66	3.8	16.8	514	11.4	0.52	10.5	12.5
1996	15	7.2	2.44	3.2	15.3	516	11.4	0.51	10.4	12.4
1997	16	6.1	2.00	2.9	13.3	516	11.2	0.50	10.2	12.2
1998	20	10.1	2.91	5.3	18.8	525	11.5	0.51	10.5	12.5
1999	16	6.6	2.22	3.0	13.8	587	12.6	0.53	11.6	13.7
2000	29	12.5	3.03	7.3	20.9	540	11.5	0.50	10.5	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	16,069	16.7	0.13	16.4	16.9	14,518	17.5	0.15	17.2	17.8
1986	862	14.1	0.49	13.2	15.1	802	15.1	0.54	14.0	16.2
1987	859	13.9	0.48	13.0	14.9	801	14.9	0.54	13.9	16.0
1988	879	14.3	0.49	13.3	15.3	795	14.8	0.54	13.8	15.9
1989	915	14.9	0.50	13.9	15.9	831	15.6	0.55	14.5	16.7
1990	951	15.3	0.50	14.3	16.3	872	16.2	0.56	15.1	17.4
1991	989	15.7	0.50	14.7	16.7	902	16.5	0.56	15.4	17.7
1992	1,071	16.6	0.51	15.6	17.7	990	17.9	0.58	16.7	19.0
1993	1,086	16.8	0.52	15.8	17.8	987	17.7	0.57	16.6	18.9
1994	1,179	18.1	0.53	17.1	19.2	1,059	18.8	0.59	17.7	20.0
1995	1,178	17.8	0.52	16.8	18.9	1,053	18.5	0.58	17.4	19.7
1996	1,229	18.6	0.53	17.5	19.7	1,118	19.8	0.60	18.6	21.0
1997	1,211	18.2	0.53	17.2	19.3	1,075	19.0	0.59	17.8	20.1
1998	1,195	17.9	0.52	16.9	18.9	1,034	18.2	0.57	17.1	19.3
1999	1,247	18.5	0.53	17.5	19.6	1,126	19.8	0.60	18.6	21.0
2000	1,218	18.1	0.52	17.1	19.2	1,073	18.9	0.58	17.8	20.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,203	10.2	0.30	9.6	10.8	201	10.0	0.78	8.5	11.7
1986	48	7.1	1.06	5.2	9.6	11	14.2	4.57	6.7	31.0
1987	47	6.2	0.94	4.5	8.5	7	5.7	2.22	2.2	18.7
1988	71	9.6	1.19	7.4	12.3	9	9.9	4.09	3.6	25.2
1989	74	10.0	1.20	7.8	12.7	9	6.6	2.23	2.9	18.4
1990	71	9.5	1.16	7.4	12.1	4	2.7	1.39	0.7	14.0
1991	66	8.8	1.11	6.7	11.3	12	9.9	2.93	5.0	21.6
1992	70	8.9	1.09	6.9	11.3	8	6.6	3.05	2.1	18.2
1993	82	10.4	1.18	8.2	13.0	7	5.9	2.38	2.2	15.5
1994	95	12.1	1.26	9.7	14.9	19	16.6	4.18	9.4	28.7
1995	91	11.4	1.22	9.2	14.1	26	18.8	4.00	11.8	29.9
1996	84	10.0	1.11	7.9	12.5	14	9.2	2.66	4.8	17.7
1997	99	11.7	1.20	9.5	14.4	18	11.0	2.85	6.1	19.5
1998	117	13.4	1.26	11.1	16.2	18	10.0	2.69	5.4	18.0
1999	88	10.3	1.11	8.2	12.8	14	7.6	2.18	4.0	14.5
2000	100	11.4	1.15	9.2	13.9	25	11.3	2.40	7.1	18.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	463	13.9	0.75	12.5	15.5	13,006	17.4	0.16	17.1	17.7
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	31	12.2	2.51	7.8	19.4	884	14.9	0.51	13.9	16.0
1990	29	11.7	2.62	7.1	19.0	922	15.4	0.52	14.4	16.5
1991	17	8.7	2.36	4.7	15.6	972	16.1	0.52	15.0	17.1
1992	35	13.3	2.64	8.6	20.4	1,036	16.8	0.53	15.7	17.8
1993	30	12.8	2.68	8.1	19.9	1,056	17.0	0.53	16.0	18.1
1994	40	14.5	2.71	9.7	21.6	1,139	18.2	0.55	17.2	19.3
1995	52	19.8	3.25	14.0	27.9	1,126	17.8	0.54	16.8	18.9
1996	40	14.9	2.71	10.0	21.8	1,189	18.9	0.55	17.8	20.0
1997	39	12.6	2.32	8.4	18.7	1,172	18.5	0.55	17.5	19.6
1998	46	12.8	2.04	9.1	18.2	1,149	18.2	0.54	17.1	19.2
1999	59	17.9	2.73	13.0	24.7	1,188	18.6	0.55	17.6	19.7
2000	45	13.4	2.41	9.1	19.6	1,173	18.5	0.55	17.5	19.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphomas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,262	7.2	0.09	7.1	7.4	6,695	7.6	0.09	7.4	7.8
1986	416	6.6	0.33	6.0	7.3	392	7.1	0.36	6.4	7.9
1987	405	6.5	0.33	5.8	7.1	379	6.8	0.36	6.1	7.6
1988	436	6.9	0.33	6.2	7.6	400	7.1	0.36	6.4	7.9
1989	449	7.1	0.34	6.4	7.8	418	7.4	0.37	6.7	8.2
1990	408	6.2	0.31	5.6	6.9	370	6.4	0.33	5.7	7.0
1991	482	7.3	0.34	6.7	8.0	446	7.6	0.37	6.9	8.4
1992	482	7.3	0.33	6.6	8.0	450	7.7	0.37	7.0	8.5
1993	528	7.8	0.34	7.2	8.5	484	8.2	0.38	7.4	8.9
1994	521	7.8	0.34	7.1	8.5	473	8.1	0.38	7.4	8.9
1995	553	8.0	0.34	7.4	8.8	501	8.3	0.38	7.6	9.1
1996	537	7.8	0.34	7.2	8.5	494	8.2	0.37	7.5	9.0
1997	539	7.7	0.34	7.1	8.4	505	8.3	0.37	7.6	9.1
1998	496	7.0	0.32	6.4	7.7	451	7.4	0.35	6.7	8.1
1999	515	7.2	0.32	6.6	7.9	475	7.7	0.36	7.0	8.4
2000	495	7.0	0.32	6.4	7.6	457	7.4	0.35	6.8	8.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	528	4.8	0.21	4.4	5.2	39	2.5	0.45	1.7	3.7
1986	23	3.5	0.75	2.2	5.4	1	0.7	0.68	0.0	14.0
1987	24	3.6	0.76	2.3	5.5	2	3.9	2.79	0.5	18.2
1988	31	4.4	0.80	2.9	6.3	5	7.5	3.90	1.9	22.7
1989	28	4.0	0.77	2.6	5.9	3	2.8	1.62	0.6	14.4
1990	37	5.4	0.91	3.8	7.6	1	2.1	2.12	0.0	14.6
1991	35	4.7	0.82	3.2	6.7	1	0.9	0.87	0.0	10.9
1992	30	4.1	0.77	2.7	6.0	2	2.8	2.01	0.3	13.0
1993	42	5.7	0.89	4.0	7.8	2	2.9	2.08	0.4	12.5
1994	45	6.0	0.92	4.4	8.2	3	4.1	2.39	0.8	13.5
1995	46	6.2	0.92	4.5	8.3	6	5.3	2.43	1.7	14.0
1996	40	5.0	0.81	3.6	6.9	3	2.0	1.28	0.3	8.5
1997	32	4.2	0.75	2.8	6.0	2	1.3	1.04	0.1	7.4
1998	43	5.5	0.85	4.0	7.5	2	2.1	1.56	0.2	8.6
1999	38	4.7	0.78	3.3	6.6	2	1.1	0.76	0.1	6.0
2000	34	4.2	0.73	2.9	5.9	4	1.5	0.81	0.4	6.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	155	4.8	0.43	4.0	5.8	7028	7.2	0.09	7.0	7.4
1986	9	4.1	1.57	1.6	10.6	417	6.8	0.34	6.2	7.5
1987	6	3.4	1.51	1.2	9.6	402	6.6	0.33	6.0	7.3
1988	5	2.1	1.16	0.5	7.6	438	7.1	0.34	6.4	7.8
1989	8	3.7	1.33	1.6	9.0	439	7.1	0.34	6.4	7.8
1990	7	3.1	1.18	1.2	8.0	404	6.3	0.32	5.7	7.0
1991	8	4.0	1.60	1.5	9.6	466	7.3	0.34	6.6	8.0
1992	9	4.6	1.81	1.7	10.4	465	7.2	0.34	6.6	8.0
1993	5	1.8	0.84	0.6	5.9	517	7.9	0.35	7.2	8.6
1994	10	4.3	1.55	1.8	9.4	494	7.6	0.35	7.0	8.3
1995	14	5.9	1.70	3.1	11.1	524	7.9	0.35	7.2	8.6
1996	14	7.6	2.26	3.9	13.8	515	7.8	0.35	7.1	8.5
1997	11	3.3	1.18	1.4	7.4	506	7.5	0.34	6.8	8.2
1998	12	4.5	1.37	2.2	8.8	471	6.9	0.32	6.3	7.6
1999	22	9.6	2.29	5.7	15.7	491	7.1	0.33	6.5	7.8
2000	15	6.0	1.74	3.1	10.9	479	7.0	0.32	6.4	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hodgkin's Disease, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,942	2.7	0.04	2.7	2.8	4,209	2.8	0.04	2.7	2.9
1986	322	2.9	0.16	2.6	3.2	285	3.0	0.18	2.7	3.4
1987	286	2.4	0.15	2.2	2.8	252	2.6	0.17	2.3	2.9
1988	287	2.4	0.15	2.2	2.7	245	2.5	0.16	2.2	2.8
1989	322	2.8	0.16	2.5	3.1	288	3.0	0.18	2.6	3.3
1990	338	2.9	0.16	2.6	3.2	290	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	287	2.9	0.18	2.6	3.3
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	319	2.6	0.15	2.4	2.9	263	2.6	0.16	2.3	3.0
1994	329	2.7	0.15	2.4	3.0	280	2.8	0.17	2.5	3.1
1995	320	2.6	0.15	2.3	2.9	275	2.8	0.17	2.4	3.1
1996	375	3.1	0.16	2.8	3.4	309	3.1	0.18	2.7	3.4
1997	360	2.9	0.16	2.6	3.3	297	3.0	0.17	2.6	3.3
1998	319	2.6	0.14	2.3	2.9	258	2.6	0.16	2.3	2.9
1999	339	2.7	0.15	2.5	3.1	286	2.8	0.17	2.5	3.2
2000	356	2.9	0.15	2.6	3.2	296	2.9	0.17	2.6	3.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	592	2.3	0.10	2.1	2.5	75	1.5	0.20	1.1	2.1
1986	31	2.0	0.38	1.3	3.0	6	4.9	2.52	1.3	15.0
1987	28	1.8	0.36	1.1	2.7	1	0.3	0.31	0.0	7.8
1988	36	2.1	0.37	1.4	3.1	4	2.2	1.09	0.6	9.5
1989	34	2.0	0.37	1.4	3.0	0	0.0	-	0.0	6.8
1990	45	2.7	0.42	2.0	3.8	1	0.5	0.51	0.0	7.2
1991	32	1.9	0.34	1.3	2.8	4	1.4	0.73	0.4	7.4
1992	39	2.3	0.39	1.6	3.3	3	0.7	0.42	0.1	6.0
1993	50	2.8	0.42	2.1	3.9	3	1.1	0.68	0.2	6.1
1994	37	2.2	0.36	1.5	3.1	6	1.5	0.66	0.5	6.2
1995	36	1.9	0.33	1.3	2.8	7	2.6	1.30	0.7	7.7
1996	47	2.6	0.39	1.9	3.6	10	2.6	0.92	1.1	6.8
1997	56	3.2	0.44	2.4	4.2	4	0.7	0.38	0.2	4.3
1998	44	2.3	0.36	1.7	3.2	8	1.5	0.54	0.6	4.9
1999	32	1.8	0.33	1.2	2.6	11	2.1	0.65	1.1	5.4
2000	45	2.5	0.38	1.8	3.4	7	1.2	0.46	0.5	4.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	247	2.3	0.20	1.9	2.8	3,800	2.9	0.05	2.8	3.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	18	2.8	0.82	1.4	6.0	304	2.8	0.16	2.5	3.2
1990	19	2.4	0.63	1.4	5.3	319	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	6.0	314	2.9	0.17	2.6	3.3
1992	14	1.8	0.69	0.8	4.7	327	3.0	0.16	2.6	3.3
1993	16	1.3	0.37	0.7	3.6	303	2.7	0.16	2.4	3.1
1994	22	2.0	0.49	1.2	4.4	307	2.8	0.16	2.5	3.1
1995	21	1.4	0.33	0.9	3.5	299	2.7	0.16	2.4	3.0
1996	19	2.0	0.60	1.0	4.4	356	3.2	0.17	2.9	3.6
1997	23	3.3	0.95	1.7	6.2	337	3.1	0.17	2.8	3.4
1998	25	2.6	0.72	1.4	5.1	294	2.7	0.16	2.4	3.0
1999	32	2.6	0.54	1.7	4.7	307	2.8	0.16	2.5	3.1
2000	23	2.8	0.85	1.4	5.4	333	3.0	0.17	2.7	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hodgkin's Disease, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,036	0.6	0.02	0.6	0.6	884	0.6	0.02	0.6	0.6
1986	103	0.9	0.09	0.7	1.1	94	1.0	0.10	0.8	1.2
1987	90	0.8	0.09	0.6	1.0	77	0.8	0.09	0.6	1.0
1988	73	0.7	0.08	0.5	0.8	62	0.7	0.09	0.5	0.8
1989	70	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8
1990	71	0.6	0.07	0.5	0.8	59	0.6	0.08	0.4	0.8
1991	72	0.6	0.07	0.5	0.8	59	0.6	0.08	0.5	0.8
1992	67	0.6	0.07	0.4	0.7	56	0.6	0.08	0.4	0.7
1993	65	0.6	0.07	0.4	0.7	56	0.6	0.08	0.4	0.7
1994	68	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
1995	58	0.5	0.07	0.4	0.6	48	0.5	0.07	0.4	0.6
1996	60	0.5	0.07	0.4	0.7	51	0.5	0.07	0.4	0.7
1997	60	0.5	0.07	0.4	0.6	53	0.5	0.07	0.4	0.7
1998	61	0.5	0.07	0.4	0.7	49	0.5	0.07	0.4	0.6
1999	57	0.5	0.06	0.4	0.6	51	0.5	0.07	0.4	0.7
2000	61	0.5	0.06	0.4	0.6	53	0.5	0.07	0.4	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	141	0.6	0.05	0.5	0.7	11	0.3	0.09	0.1	0.6
1986	9	0.6	0.23	0.3	1.4	0	0.0	~	0.0	8.1
1987	12	0.7	0.22	0.4	1.5	1	0.6	0.56	0.0	8.1
1988	10	0.6	0.21	0.3	1.4	1	0.4	0.41	0.0	7.5
1989	9	0.6	0.20	0.2	1.3	1	0.5	0.50	0.0	7.2
1990	12	0.8	0.24	0.4	1.6	0	0.0	~	0.0	6.7
1991	12	0.7	0.21	0.4	1.4	1	0.5	0.48	0.0	6.5
1992	11	0.6	0.20	0.3	1.3	0	0.0	~	0.0	5.4
1993	9	0.6	0.20	0.2	1.2	0	0.0	~	0.0	4.9
1994	10	0.6	0.20	0.3	1.2	2	0.7	0.49	0.1	5.3
1995	10	0.6	0.20	0.3	1.2	0	0.0	~	0.0	4.1
1996	8	0.5	0.19	0.2	1.1	1	0.6	0.63	0.0	4.7
1997	5	0.3	0.14	0.1	0.8	2	0.5	0.34	0.0	4.1
1998	11	0.8	0.23	0.4	1.4	1	0.2	0.23	0.0	3.6
1999	6	0.4	0.15	0.1	0.9	0	0.0	~	0.0	3.1
2000	7	0.5	0.18	0.2	1.0	1	0.2	0.15	0.0	2.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	44	0.5	0.10	0.4	0.8	998	0.6	0.02	0.6	0.7
1986	5	0.9	0.44	0.2	4.3	98	0.9	0.09	0.7	1.1
1987	2	0.5	0.34	0.1	3.6	87	0.8	0.09	0.6	1.0
1988	2	0.2	0.13	0.0	3.1	73	0.7	0.08	0.6	0.9
1989	1	0.1	0.09	0.0	2.8	69	0.6	0.08	0.5	0.8
1990	4	1.0	0.56	0.2	4.0	69	0.6	0.08	0.5	0.8
1991	1	0.2	0.21	0.0	2.8	70	0.6	0.08	0.5	0.8
1992	3	0.3	0.20	0.0	2.8	68	0.6	0.08	0.5	0.8
1993	3	0.3	0.17	0.0	2.6	67	0.6	0.07	0.5	0.8
1994	4	0.5	0.26	0.1	2.7	63	0.6	0.07	0.4	0.7
1995	1	0.0	0.05	0.0	2.2	62	0.6	0.07	0.4	0.7
1996	2	0.5	0.42	0.0	2.8	58	0.5	0.07	0.4	0.7
1997	2	0.1	0.08	0.0	2.1	53	0.5	0.07	0.4	0.6
1998	5	1.3	0.67	0.3	3.8	53	0.5	0.07	0.4	0.6
1999	5	1.1	0.60	0.3	3.5	52	0.5	0.06	0.4	0.6
2000	4	0.6	0.46	0.1	2.7	56	0.5	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hodgkin's Disease, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,729	3.2	0.06	3.1	3.3	2,298	3.2	0.07	3.1	3.3
1986	157	3.0	0.25	2.5	3.5	135	3.0	0.27	2.5	3.6
1987	166	3.0	0.24	2.6	3.6	147	3.2	0.27	2.7	3.8
1988	158	2.8	0.23	2.4	3.4	135	2.9	0.26	2.4	3.5
1989	166	3.0	0.24	2.6	3.6	148	3.2	0.27	2.7	3.8
1990	193	3.5	0.26	3.0	4.1	164	3.6	0.28	3.0	4.2
1991	179	3.2	0.25	2.8	3.8	154	3.3	0.27	2.8	3.9
1992	172	3.1	0.24	2.6	3.6	154	3.2	0.26	2.7	3.8
1993	182	3.1	0.24	2.7	3.7	151	3.1	0.26	2.6	3.7
1994	187	3.2	0.24	2.8	3.7	152	3.1	0.26	2.6	3.7
1995	190	3.3	0.24	2.8	3.8	158	3.3	0.27	2.8	3.9
1996	212	3.6	0.25	3.1	4.1	169	3.5	0.27	3.0	4.1
1997	186	3.1	0.23	2.7	3.6	146	3.0	0.25	2.5	3.5
1998	184	3.2	0.24	2.7	3.7	155	3.2	0.26	2.7	3.8
1999	184	3.1	0.23	2.7	3.6	149	3.0	0.25	2.6	3.6
2000	213	3.6	0.25	3.1	4.1	181	3.7	0.28	3.2	4.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	342	2.9	0.17	2.6	3.3	47	2.1	0.38	1.4	3.3
1986	17	2.2	0.58	1.2	4.4	5	10.1	6.00	2.0	35.1
1987	15	2.5	0.70	1.3	4.8	0	0.0	-	0.0	19.0
1988	19	2.4	0.58	1.4	4.5	3	3.5	2.04	0.7	21.3
1989	18	2.6	0.71	1.4	4.9	0	0.0	-	0.0	16.6
1990	26	3.5	0.72	2.2	5.8	1	1.2	1.19	0.0	18.0
1991	17	2.3	0.57	1.3	4.3	3	2.0	1.14	0.4	16.8
1992	18	2.8	0.74	1.5	5.1	0	0.0	-	0.0	13.7
1993	28	3.4	0.66	2.2	5.5	3	2.5	1.52	0.4	15.3
1994	25	3.2	0.67	2.0	5.3	5	3.0	1.40	0.9	15.1
1995	28	3.3	0.64	2.2	5.3	3	1.1	0.63	0.2	12.3
1996	30	3.6	0.69	2.4	5.8	6	4.0	1.92	1.1	15.3
1997	36	4.5	0.78	3.1	6.8	2	0.9	0.66	0.1	11.0
1998	22	2.5	0.54	1.5	4.3	3	1.2	0.69	0.2	10.6
1999	19	2.3	0.54	1.3	4.1	9	3.6	1.21	1.6	12.5
2000	24	2.8	0.61	1.8	4.7	4	1.4	0.71	0.4	9.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	147	2.7	0.34	2.1	3.6	2,101	3.4	0.07	3.2	3.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	3.6	1.62	1.1	11.7	156	3.1	0.25	2.6	3.6
1990	10	2.8	0.99	1.2	10.2	183	3.6	0.27	3.1	4.2
1991	9	3.4	1.82	0.8	11.6	170	3.3	0.26	2.9	3.9
1992	9	3.2	1.59	0.9	10.7	163	3.2	0.25	2.7	3.7
1993	11	1.6	0.55	0.7	8.0	171	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	8.9	173	3.3	0.25	2.8	3.8
1995	9	1.3	0.46	0.5	7.1	181	3.5	0.26	3.0	4.0
1996	11	1.7	0.60	0.7	7.3	201	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	7.1	174	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	10.8	166	3.2	0.25	2.7	3.7
1999	20	2.9	0.73	1.6	7.8	164	3.1	0.25	2.7	3.7
2000	14	3.8	1.65	1.3	9.9	199	3.8	0.27	3.3	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hodgkin's Disease, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	580	0.7	0.03	0.7	0.8	488	0.7	0.03	0.7	0.8
1986	47	0.9	0.14	0.6	1.2	43	1.0	0.15	0.7	1.3
1987	56	1.0	0.14	0.8	1.4	45	1.0	0.15	0.7	1.4
1988	40	0.8	0.13	0.6	1.1	35	0.8	0.14	0.6	1.2
1989	40	0.8	0.13	0.6	1.1	35	0.8	0.14	0.6	1.2
1990	46	0.9	0.13	0.6	1.2	38	0.8	0.14	0.6	1.2
1991	40	0.8	0.13	0.5	1.1	33	0.7	0.13	0.5	1.1
1992	36	0.7	0.12	0.5	1.0	29	0.6	0.12	0.4	1.0
1993	25	0.5	0.10	0.3	0.7	19	0.4	0.10	0.2	0.7
1994	37	0.7	0.11	0.5	1.0	31	0.6	0.12	0.4	1.0
1995	35	0.6	0.11	0.4	0.9	30	0.6	0.12	0.4	1.0
1996	35	0.7	0.12	0.5	1.0	31	0.7	0.13	0.5	1.1
1997	30	0.6	0.11	0.4	0.9	24	0.6	0.12	0.4	0.9
1998	43	0.8	0.12	0.6	1.1	33	0.7	0.13	0.5	1.0
1999	36	0.7	0.12	0.5	1.0	33	0.8	0.13	0.5	1.1
2000	34	0.6	0.11	0.4	0.9	29	0.6	0.12	0.4	0.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	83	0.8	0.10	0.6	1.1	9	0.5	0.19	0.2	1.5
1986	4	0.6	0.33	0.2	2.6	0	0.0	~	0.0	20.2
1987	10	1.3	0.44	0.6	3.3	1	1.2	1.23	0.0	20.2
1988	4	0.5	0.25	0.1	2.2	1	0.8	0.82	0.0	18.4
1989	4	0.5	0.24	0.1	2.2	1	1.1	1.13	0.0	17.7
1990	8	1.2	0.44	0.5	3.2	0	0.0	~	0.0	16.8
1991	6	0.9	0.37	0.3	2.7	1	1.1	1.11	0.0	16.2
1992	7	1.0	0.38	0.4	2.7	0	0.0	~	0.0	13.7
1993	6	1.0	0.50	0.3	3.0	0	0.0	~	0.0	12.7
1994	4	0.6	0.32	0.2	2.3	2	1.5	1.11	0.2	13.7
1995	5	0.6	0.27	0.2	2.1	0	0.0	~	0.0	11.4
1996	3	0.4	0.26	0.1	2.0	1	1.6	1.56	0.0	13.0
1997	5	0.7	0.34	0.2	2.4	1	0.6	0.62	0.0	10.8
1998	9	1.5	0.53	0.7	3.4	1	0.5	0.47	0.0	10.0
1999	3	0.4	0.23	0.1	1.8	0	0.0	~	0.0	9.1
2000	5	0.9	0.41	0.3	2.5	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	28	0.8	0.22	0.4	1.5	559	0.8	0.03	0.7	0.8
1986	1	0.5	0.52	0.0	9.2	46	0.9	0.14	0.7	1.3
1987	2	0.9	0.66	0.1	9.1	53	1.0	0.15	0.8	1.4
1988	1	0.2	0.17	0.0	8.0	39	0.8	0.14	0.6	1.2
1989	1	0.2	0.16	0.0	7.6	39	0.8	0.14	0.6	1.2
1990	3	1.6	1.10	0.2	9.5	42	0.8	0.13	0.6	1.2
1991	1	0.4	0.41	0.0	7.5	38	0.8	0.13	0.5	1.1
1992	2	0.5	0.37	0.0	7.1	38	0.8	0.13	0.5	1.1
1993	2	0.4	0.27	0.0	6.9	25	0.5	0.10	0.3	0.8
1994	3	0.8	0.47	0.1	7.0	35	0.7	0.11	0.5	1.0
1995	1	0.1	0.09	0.0	6.1	36	0.7	0.12	0.5	1.0
1996	1	0.1	0.09	0.0	5.9	34	0.8	0.13	0.5	1.1
1997	0	0.0	-	0.0	5.6	29	0.6	0.12	0.4	0.9
1998	4	2.5	1.55	0.4	9.0	41	0.8	0.13	0.6	1.2
1999	3	2.0	1.44	0.2	8.2	33	0.7	0.12	0.5	1.0
2000	3	1.4	1.12	0.1	6.9	31	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Hodgkin's Disease, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,213	2.3	0.05	2.2	2.4	1,911	2.5	0.06	2.4	2.6
1986	165	2.8	0.22	2.3	3.2	150	2.9	0.25	2.5	3.5
1987	120	1.9	0.18	1.6	2.3	105	2.0	0.20	1.7	2.5
1988	129	2.1	0.18	1.7	2.5	110	2.1	0.20	1.7	2.5
1989	156	2.5	0.21	2.2	3.0	140	2.7	0.24	2.3	3.3
1990	145	2.4	0.20	2.0	2.8	126	2.5	0.23	2.1	3.0
1991	150	2.4	0.20	2.1	2.9	133	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6
1994	142	2.2	0.19	1.9	2.6	128	2.5	0.22	2.0	2.9
1995	130	2.1	0.18	1.7	2.5	117	2.3	0.21	1.9	2.8
1996	163	2.6	0.20	2.2	3.0	140	2.7	0.23	2.3	3.2
1997	174	2.7	0.21	2.4	3.2	151	2.9	0.24	2.5	3.5
1998	135	2.1	0.18	1.8	2.5	103	2.0	0.20	1.6	2.4
1999	155	2.4	0.20	2.1	2.8	137	2.7	0.23	2.2	3.2
2000	143	2.2	0.19	1.9	2.6	115	2.2	0.21	1.9	2.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	250	1.8	0.11	1.6	2.0	28	1.0	0.22	0.6	1.7
1986	14	1.8	0.49	1.0	3.2	1	1.2	1.19	0.0	14.7
1987	13	1.3	0.37	0.7	2.5	1	0.6	0.59	0.0	13.1
1988	17	1.9	0.48	1.1	3.2	1	1.0	1.00	0.0	13.0
1989	16	1.8	0.45	1.0	3.0	0	0.0	-	0.0	11.4
1990	19	2.1	0.50	1.3	3.5	0	0.0	-	0.0	11.2
1991	15	1.6	0.42	0.9	2.8	1	0.9	0.87	0.0	10.9
1992	21	2.1	0.47	1.3	3.4	3	1.5	0.86	0.3	10.3
1993	22	2.3	0.51	1.4	3.7	0	0.0	-	0.0	8.0
1994	12	1.3	0.38	0.6	2.4	1	0.3	0.33	0.0	7.6
1995	8	0.8	0.28	0.3	1.7	4	3.5	2.05	0.7	11.7
1996	17	1.8	0.44	1.0	3.0	4	1.6	0.83	0.4	7.5
1997	20	2.1	0.48	1.3	3.4	2	0.5	0.37	0.1	6.0
1998	22	2.2	0.48	1.4	3.5	5	1.8	0.83	0.6	7.0
1999	13	1.4	0.39	0.7	2.5	2	0.8	0.56	0.1	5.5
2000	21	2.2	0.48	1.3	3.4	3	1.1	0.62	0.2	5.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	100	1.9	0.24	1.5	2.5	1,699	2.5	0.06	2.3	2.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	8	2.2	0.91	0.8	6.9	148	2.6	0.22	2.2	3.1
1990	9	2.2	0.78	0.9	6.5	136	2.4	0.21	2.0	2.9
1991	6	2.2	1.06	0.6	7.0	144	2.5	0.21	2.1	3.0
1992	5	0.8	0.38	0.3	4.7	164	2.7	0.22	2.3	3.2
1993	5	1.0	0.48	0.3	4.6	132	2.2	0.20	1.9	2.7
1994	8	1.3	0.52	0.5	4.8	134	2.3	0.20	1.9	2.7
1995	12	1.6	0.47	0.8	4.9	118	2.0	0.19	1.7	2.5
1996	8	2.1	0.92	0.7	5.9	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.51	1.7	8.9	163	2.9	0.23	2.4	3.3
1998	7	1.2	0.50	0.5	4.3	128	2.3	0.20	1.9	2.7
1999	12	2.3	0.76	1.0	5.6	143	2.5	0.21	2.1	3.0
2000	9	1.9	0.88	0.6	5.4	134	2.4	0.21	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Hodgkin's Disease, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	456	0.5	0.02	0.4	0.5	396	0.5	0.02	0.4	0.5
1986	56	0.9	0.12	0.7	1.2	51	1.0	0.14	0.7	1.3
1987	34	0.6	0.10	0.4	0.8	32	0.6	0.12	0.4	0.9
1988	33	0.5	0.09	0.4	0.8	27	0.5	0.10	0.3	0.8
1989	30	0.5	0.09	0.3	0.7	25	0.4	0.09	0.3	0.7
1990	25	0.4	0.08	0.2	0.6	21	0.4	0.08	0.2	0.6
1991	32	0.5	0.09	0.3	0.7	26	0.4	0.09	0.3	0.7
1992	31	0.5	0.09	0.3	0.7	27	0.5	0.10	0.3	0.7
1993	40	0.6	0.10	0.4	0.8	37	0.6	0.11	0.5	0.9
1994	31	0.5	0.09	0.3	0.7	25	0.4	0.09	0.3	0.7
1995	23	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
1996	25	0.4	0.08	0.2	0.6	20	0.4	0.08	0.2	0.6
1997	30	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
1998	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
1999	21	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	58	0.4	0.06	0.3	0.6	2	0.0	0.04	0.0	0.5
1986	5	0.6	0.30	0.2	1.7	0	0.0	~	0.0	13.4
1987	2	0.2	0.17	0.0	1.2	0	0.0	~	0.0	12.6
1988	6	0.7	0.31	0.3	1.8	0	0.0	~	0.0	12.0
1989	5	0.6	0.29	0.2	1.7	0	0.0	~	0.0	11.4
1990	4	0.5	0.26	0.1	1.5	0	0.0	~	0.0	11.2
1991	6	0.6	0.24	0.2	1.5	0	0.0	~	0.0	10.0
1992	4	0.4	0.19	0.1	1.2	0	0.0	~	0.0	9.0
1993	3	0.4	0.20	0.1	1.2	0	0.0	~	0.0	8.0
1994	6	0.6	0.26	0.2	1.5	0	0.0	~	0.0	7.3
1995	5	0.6	0.27	0.2	1.5	0	0.0	~	0.0	6.4
1996	5	0.6	0.27	0.2	1.5	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	1	0.4	0.35	0.0	5.9
1998	2	0.2	0.15	0.0	0.9	0	0.0	~	0.0	5.1
1999	3	0.3	0.19	0.1	1.0	0	0.0	~	0.0	4.7
2000	2	0.2	0.15	0.0	0.9	1	0.3	0.29	0.0	4.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	16	0.3	0.09	0.2	0.6	439	0.5	0.02	0.4	0.5
1986	4	1.3	0.73	0.3	6.8	52	0.9	0.12	0.6	1.2
1987	0	0.0	-	0.0	5.1	34	0.6	0.10	0.4	0.8
1988	1	0.2	0.20	0.0	4.9	34	0.6	0.10	0.4	0.8
1989	0	0.0	-	0.0	4.4	30	0.5	0.09	0.3	0.7
1990	1	0.5	0.52	0.0	4.9	27	0.4	0.08	0.3	0.6
1991	0	0.0	-	0.0	4.2	32	0.5	0.09	0.4	0.7
1992	1	0.2	0.16	0.0	4.0	30	0.5	0.09	0.3	0.7
1993	1	0.2	0.21	0.0	3.9	42	0.7	0.10	0.5	0.9
1994	1	0.2	0.20	0.0	3.7	28	0.5	0.09	0.3	0.7
1995	0	0.0	-	0.0	3.4	26	0.4	0.08	0.3	0.6
1996	1	0.7	0.69	0.0	4.4	24	0.4	0.08	0.2	0.6
1997	2	0.2	0.17	0.0	3.3	24	0.4	0.08	0.2	0.6
1998	1	0.5	0.47	0.0	3.7	12	0.2	0.05	0.1	0.3
1999	2	0.6	0.45	0.1	3.7	19	0.3	0.07	0.2	0.5
2000	1	0.1	0.11	0.0	2.9	25	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	28,730	17.0	0.10	16.8	17.2	25,904	17.7	0.11	17.5	17.9
1986	1,375	13.0	0.36	12.3	13.7	1,256	13.5	0.39	12.8	14.3
1987	1,456	13.6	0.36	12.9	14.4	1,350	14.4	0.40	13.7	15.2
1988	1,561	14.5	0.37	13.8	15.3	1,427	15.2	0.41	14.4	16.0
1989	1,574	14.6	0.37	13.9	15.3	1,433	15.2	0.41	14.4	16.0
1990	1,717	15.8	0.38	15.0	16.5	1,569	16.5	0.42	15.7	17.4
1991	1,725	15.5	0.38	14.8	16.3	1,577	16.3	0.42	15.5	17.2
1992	1,900	17.0	0.39	16.2	17.8	1,753	18.1	0.44	17.2	18.9
1993	1,971	17.4	0.40	16.7	18.2	1,806	18.4	0.44	17.6	19.3
1994	2,078	18.2	0.40	17.4	19.0	1,855	18.8	0.44	17.9	19.7
1995	2,176	18.9	0.41	18.1	19.7	1,940	19.5	0.44	18.6	20.4
1996	2,217	19.1	0.41	18.3	19.9	1,990	19.9	0.45	19.0	20.8
1997	2,154	18.4	0.40	17.6	19.2	1,914	19.0	0.44	18.1	19.9
1998	2,255	19.1	0.40	18.3	19.9	1,971	19.4	0.44	18.6	20.3
1999	2,330	19.5	0.40	18.7	20.3	2,086	20.4	0.45	19.6	21.3
2000	2,241	18.7	0.39	17.9	19.4	1,977	19.3	0.44	18.5	20.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,196	10.8	0.24	10.3	11.3	376	10.9	0.64	9.7	12.3
1986	92	7.9	0.86	6.3	9.8	24	16.9	4.00	10.0	29.0
1987	85	7.1	0.80	5.7	9.0	14	7.1	2.10	3.6	15.7
1988	112	9.0	0.89	7.3	11.0	15	8.9	2.80	4.2	18.4
1989	117	9.3	0.90	7.7	11.3	19	10.8	2.96	5.9	20.4
1990	122	9.7	0.92	8.0	11.8	18	8.0	2.06	4.5	15.9
1991	108	8.4	0.84	6.8	10.3	19	10.1	2.69	5.5	18.6
1992	125	9.7	0.90	8.0	11.7	15	8.8	2.69	4.3	17.0
1993	139	10.1	0.89	8.4	12.0	17	8.3	2.17	4.6	15.2
1994	179	12.7	0.98	10.9	14.8	32	16.0	3.20	10.4	24.6
1995	192	14.0	1.04	12.0	16.2	35	14.3	2.69	9.5	21.6
1996	182	12.5	0.96	10.7	14.5	27	9.9	2.13	6.2	16.0
1997	172	11.6	0.91	9.9	13.6	42	14.5	2.48	10.0	21.1
1998	217	14.5	1.01	12.6	16.7	31	10.1	2.15	6.3	16.0
1999	175	11.6	0.91	9.9	13.6	26	8.2	1.79	5.1	13.3
2000	179	11.7	0.90	10.0	13.7	42	10.7	1.82	7.4	15.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	997	15.5	0.60	14.3	16.7	23,341	17.8	0.12	17.6	18.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	50	10.6	1.83	7.3	15.6	1,524	14.7	0.38	13.9	15.4
1990	57	11.4	1.91	8.0	16.5	1,660	15.9	0.39	15.1	16.6
1991	52	11.0	1.86	7.7	15.9	1,673	15.7	0.39	15.0	16.5
1992	83	17.1	2.28	12.9	22.7	1,817	16.9	0.40	16.2	17.8
1993	78	14.6	2.02	10.9	19.7	1,893	17.5	0.40	16.7	18.3
1994	92	17.3	2.25	13.2	22.7	1,986	18.2	0.41	17.4	19.0
1995	98	20.1	2.48	15.5	26.0	2,078	18.9	0.42	18.1	19.7
1996	91	16.2	2.13	12.3	21.4	2,126	19.2	0.42	18.4	20.0
1997	80	13.0	1.74	9.8	17.4	2,074	18.6	0.41	17.8	19.4
1998	99	17.0	2.01	13.3	21.9	2,156	19.2	0.41	18.4	20.0
1999	121	19.6	2.20	15.6	24.8	2,209	19.5	0.42	18.7	20.4
2000	96	14.2	1.79	10.9	18.5	2,145	18.9	0.41	18.1	19.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,188	8.4	0.07	8.3	8.6	12,979	8.8	0.08	8.6	8.9
1986	735	7.0	0.26	6.4	7.5	680	7.2	0.28	6.7	7.8
1987	746	7.0	0.26	6.6	7.6	682	7.3	0.28	6.7	7.8
1988	820	7.7	0.27	7.2	8.2	755	8.0	0.29	7.4	8.6
1989	867	8.0	0.28	7.5	8.6	800	8.4	0.30	7.8	9.0
1990	864	8.0	0.27	7.5	8.6	792	8.3	0.30	7.7	8.9
1991	930	8.4	0.28	7.9	9.0	859	8.9	0.30	8.3	9.5
1992	965	8.6	0.28	8.1	9.2	889	9.1	0.31	8.5	9.7
1993	976	8.7	0.28	8.1	9.2	889	9.0	0.30	8.4	9.6
1994	1,024	9.0	0.28	8.5	9.6	925	9.3	0.31	8.7	9.9
1995	1,080	9.4	0.29	8.8	10.0	982	9.8	0.31	9.1	10.4
1996	1,058	9.1	0.28	8.6	9.7	958	9.5	0.31	8.9	10.1
1997	1,039	8.9	0.28	8.4	9.4	948	9.3	0.30	8.7	9.9
1998	1,019	8.6	0.27	8.1	9.2	921	8.9	0.29	8.4	9.5
1999	1,061	8.9	0.27	8.4	9.5	975	9.4	0.30	8.8	10.0
2000	1,004	8.4	0.26	7.9	8.9	924	8.9	0.29	8.3	9.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,106	5.8	0.18	5.5	6.2	103	3.7	0.41	3.0	4.7
1986	51	4.7	0.67	3.5	6.3	4	3.0	1.78	0.6	12.0
1987	60	5.2	0.70	4.0	6.9	4	3.4	1.81	0.8	12.0
1988	55	4.5	0.62	3.3	5.9	10	8.3	3.03	3.5	18.4
1989	59	4.7	0.64	3.6	6.2	8	5.1	1.94	2.1	13.1
1990	69	6.0	0.75	4.6	7.7	3	2.2	1.42	0.4	9.7
1991	67	5.3	0.68	4.1	6.9	4	2.9	1.55	0.7	9.8
1992	74	6.0	0.72	4.6	7.6	2	1.7	1.19	0.2	7.8
1993	82	6.4	0.73	5.0	8.0	5	3.7	1.76	1.1	10.2
1994	91	7.0	0.76	5.6	8.8	8	4.8	1.84	1.9	11.1
1995	88	6.8	0.75	5.4	8.5	10	5.5	1.94	2.4	11.6
1996	94	7.1	0.75	5.7	8.8	6	1.9	0.88	0.6	6.2
1997	78	5.7	0.66	4.5	7.2	13	5.2	1.57	2.6	10.3
1998	90	6.7	0.72	5.3	8.3	8	4.4	1.68	1.7	9.6
1999	80	5.8	0.67	4.6	7.3	6	1.6	0.66	0.6	4.9
2000	68	4.8	0.60	3.7	6.2	12	3.5	1.17	1.6	7.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	348	5.6	0.36	4.9	6.3	13401	8.2	0.07	8.1	8.4
1986	13	3.6	1.18	1.7	7.9	732	7.1	0.27	6.6	7.6
1987	19	5.5	1.54	2.9	10.3	729	7.1	0.27	6.6	7.6
1988	9	2.4	0.96	0.9	6.1	806	7.8	0.28	7.2	8.4
1989	19	5.3	1.44	2.9	9.6	827	7.9	0.28	7.4	8.5
1990	19	4.0	1.00	2.3	7.4	826	7.9	0.28	7.4	8.4
1991	16	3.9	1.18	1.9	7.6	867	8.1	0.28	7.6	8.7
1992	23	6.5	1.59	3.8	10.9	893	8.3	0.28	7.7	8.8
1993	18	3.4	0.93	1.9	6.6	908	8.3	0.28	7.8	8.9
1994	27	6.2	1.39	3.8	10.1	963	8.8	0.28	8.2	9.4
1995	33	6.7	1.40	4.2	10.5	976	8.8	0.28	8.2	9.4
1996	27	7.2	1.65	4.3	11.5	973	8.7	0.28	8.2	9.3
1997	25	4.4	1.09	2.6	7.6	969	8.6	0.28	8.1	9.2
1998	27	5.4	1.22	3.3	8.8	943	8.3	0.27	7.8	8.8
1999	33	7.2	1.50	4.6	11.1	1026	9.0	0.28	8.4	9.5
2000	40	8.3	1.56	5.5	12.2	963	8.4	0.27	7.9	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14,874	20.4	0.17	20.1	20.8	13,297	21.1	0.19	20.8	21.5
1986	678	15.0	0.60	13.8	16.2	604	15.3	0.64	14.0	16.6
1987	717	15.8	0.61	14.6	17.0	654	16.4	0.66	15.1	17.8
1988	811	17.6	0.64	16.3	18.9	742	18.4	0.70	17.0	19.8
1989	815	17.6	0.64	16.4	18.9	742	18.3	0.69	17.0	19.7
1990	911	19.3	0.66	18.0	20.7	823	20.1	0.72	18.7	21.5
1991	886	18.4	0.64	17.2	19.7	808	19.3	0.70	17.9	20.7
1992	998	21.1	0.69	19.7	22.5	907	22.0	0.75	20.6	23.6
1993	1,022	20.9	0.67	19.6	22.3	931	22.0	0.74	20.6	23.5
1994	1,041	21.2	0.68	19.9	22.6	924	21.9	0.74	20.5	23.4
1995	1,128	22.6	0.69	21.3	24.1	1,004	23.3	0.75	21.9	24.9
1996	1,151	22.8	0.68	21.5	24.2	1,012	23.3	0.74	21.9	24.9
1997	1,117	22.1	0.67	20.8	23.5	990	22.8	0.74	21.4	24.3
1998	1,195	23.4	0.69	22.1	24.8	1,040	23.8	0.75	22.3	25.3
1999	1,238	24.1	0.70	22.7	25.5	1,097	24.9	0.76	23.4	26.4
2000	1,166	22.4	0.67	21.1	23.8	1,019	23.0	0.73	21.6	24.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,243	13.9	0.42	13.1	14.8	203	13.5	1.15	11.3	16.1
1986	58	11.1	1.56	8.2	15.0	14	21.9	7.42	9.8	48.2
1987	51	10.2	1.51	7.5	14.0	8	9.5	3.98	3.4	29.9
1988	58	10.6	1.49	7.9	14.4	7	8.6	3.63	3.0	27.5
1989	59	10.7	1.51	8.0	14.5	10	17.2	6.50	6.9	39.8
1990	70	13.1	1.70	10.0	17.3	14	14.7	4.45	7.3	33.6
1991	57	9.8	1.41	7.2	13.3	8	12.3	5.43	4.1	32.2
1992	76	13.6	1.68	10.5	17.7	10	13.6	4.93	5.7	31.3
1993	79	12.5	1.54	9.7	16.3	10	11.6	4.02	5.1	27.1
1994	96	14.6	1.56	11.7	18.4	14	15.8	5.13	7.4	32.9
1995	109	18.7	1.95	15.1	23.2	13	13.9	4.71	6.2	29.7
1996	115	18.2	1.84	14.8	22.5	17	12.6	3.70	6.5	26.1
1997	93	13.8	1.50	11.0	17.4	26	19.5	4.40	11.9	33.6
1998	122	18.7	1.76	15.4	22.7	18	12.4	3.73	6.2	25.2
1999	100	15.5	1.68	12.3	19.4	14	10.3	3.38	4.8	22.2
2000	100	14.7	1.54	11.9	18.3	20	11.5	3.18	6.1	22.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	634	19.4	1.03	17.4	21.6	12,034	21.5	0.20	21.1	21.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	27	11.8	3.07	6.6	22.0	788	17.8	0.65	16.5	19.1
1990	37	12.9	2.72	8.1	22.3	874	19.5	0.68	18.2	20.9
1991	41	15.3	3.12	9.8	25.2	845	18.4	0.65	17.2	19.8
1992	53	22.3	4.02	15.2	33.5	945	21.0	0.70	19.6	22.4
1993	53	16.6	2.93	11.4	25.7	969	20.9	0.69	19.6	22.3
1994	60	22.0	4.02	14.9	33.1	981	21.1	0.69	19.8	22.5
1995	58	21.8	3.96	14.8	32.6	1,070	22.7	0.71	21.4	24.2
1996	59	20.0	3.66	13.5	30.1	1,092	23.0	0.70	21.6	24.4
1997	52	18.9	3.51	12.7	28.5	1,065	22.3	0.69	21.0	23.8
1998	60	24.7	4.10	17.4	35.3	1,135	23.6	0.71	22.2	25.0
1999	74	24.4	3.77	17.5	34.2	1,164	24.1	0.71	22.7	25.6
2000	60	17.1	2.87	11.9	25.0	1,106	22.7	0.69	21.4	24.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,382	10.7	0.13	10.4	11.0	6,680	11.1	0.14	10.8	11.4
1986	375	8.5	0.46	7.6	9.5	339	8.7	0.49	7.8	9.7
1987	375	8.5	0.46	7.7	9.5	335	8.7	0.49	7.7	9.7
1988	417	9.6	0.49	8.7	10.6	382	10.0	0.53	9.0	11.2
1989	448	10.0	0.49	9.0	11.0	407	10.3	0.53	9.3	11.4
1990	481	10.9	0.52	9.9	12.0	443	11.4	0.56	10.3	12.6
1991	480	10.5	0.50	9.6	11.5	439	11.0	0.54	10.0	12.1
1992	514	11.3	0.52	10.3	12.3	466	11.7	0.56	10.6	12.8
1993	488	10.6	0.49	9.6	11.6	442	11.0	0.54	9.9	12.1
1994	534	11.6	0.51	10.6	12.6	477	11.9	0.56	10.8	13.0
1995	550	11.7	0.51	10.7	12.8	499	12.2	0.56	11.1	13.4
1996	546	11.4	0.50	10.5	12.5	484	11.6	0.54	10.6	12.7
1997	530	10.9	0.48	10.0	11.9	472	11.2	0.52	10.2	12.3
1998	541	11.4	0.50	10.4	12.4	486	11.8	0.54	10.7	12.9
1999	567	11.7	0.50	10.8	12.7	518	12.3	0.55	11.3	13.4
2000	536	10.9	0.48	10.0	11.8	491	11.5	0.52	10.5	12.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	636	7.8	0.33	7.2	8.5	66	5.4	0.77	4.0	7.3
1986	33	7.0	1.25	4.8	10.4	3	6.3	4.25	0.9	28.8
1987	38	7.8	1.36	5.4	11.4	2	2.5	1.75	0.3	21.4
1988	30	5.5	1.04	3.6	8.4	5	9.5	4.77	2.6	30.3
1989	36	6.6	1.17	4.5	9.7	5	8.7	4.21	2.5	27.8
1990	36	7.5	1.37	5.0	11.0	2	2.4	1.69	0.3	19.2
1991	38	6.9	1.22	4.7	10.1	3	5.7	3.60	1.0	23.0
1992	48	9.3	1.47	6.6	13.0	0	0.0	~	0.0	13.7
1993	43	7.6	1.22	5.4	10.7	3	4.7	3.09	0.7	19.4
1994	52	9.1	1.35	6.7	12.5	5	5.5	2.80	1.4	19.1
1995	47	8.4	1.32	6.0	11.7	4	5.7	3.10	1.3	19.2
1996	59	11.4	1.62	8.4	15.3	3	1.6	0.96	0.3	12.4
1997	46	7.5	1.16	5.4	10.5	12	10.8	3.51	5.1	23.6
1998	49	8.4	1.28	6.1	11.6	6	7.7	3.59	2.4	20.7
1999	45	7.8	1.24	5.6	10.9	4	2.1	1.10	0.6	11.2
2000	36	5.9	1.07	4.0	8.7	9	7.0	2.89	2.5	17.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	209	6.9	0.62	5.7	8.3	6812	10.4	0.13	10.1	10.6
1986	8	4.6	2.05	1.5	14.3	367	8.6	0.47	7.8	9.6
1987	13	8.2	3.12	3.3	19.2	361	8.5	0.47	7.6	9.5
1988	5	3.0	1.64	0.7	11.6	402	9.7	0.50	8.7	10.7
1989	11	8.2	3.24	3.2	19.0	418	9.7	0.49	8.8	10.8
1990	13	5.7	1.86	2.6	14.1	449	10.7	0.52	9.7	11.8
1991	8	3.5	1.73	1.0	11.6	433	10.0	0.50	9.0	11.0
1992	15	8.5	2.64	4.2	17.5	458	10.6	0.51	9.6	11.7
1993	14	5.7	1.96	2.5	13.5	433	9.9	0.49	8.9	10.9
1994	18	8.7	2.53	4.5	17.2	497	11.3	0.52	10.3	12.4
1995	19	8.0	2.66	3.7	16.7	478	10.7	0.50	9.8	11.8
1996	14	7.1	2.44	3.2	15.2	482	10.6	0.49	9.7	11.6
1997	16	6.1	2.00	2.9	13.3	487	10.6	0.49	9.7	11.6
1998	16	7.6	2.46	3.6	15.4	484	10.7	0.49	9.7	11.7
1999	13	4.6	1.68	1.9	10.9	554	12.0	0.52	11.0	13.0
2000	26	11.1	2.82	6.3	19.2	509	10.9	0.49	9.9	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,856	14.3	0.12	14.1	14.5	12,607	15.0	0.14	14.7	15.3
1986	697	11.4	0.44	10.5	12.3	652	12.1	0.49	11.2	13.1
1987	739	12.0	0.45	11.1	12.9	696	12.8	0.50	11.9	13.9
1988	750	12.2	0.45	11.3	13.1	685	12.7	0.50	11.8	13.7
1989	759	12.3	0.45	11.5	13.3	691	12.8	0.50	11.9	13.9
1990	806	12.9	0.46	12.0	13.9	746	13.7	0.51	12.7	14.7
1991	839	13.2	0.46	12.4	14.2	769	13.9	0.51	12.9	15.0
1992	902	14.0	0.47	13.1	15.0	846	15.2	0.53	14.2	16.3
1993	949	14.6	0.48	13.7	15.6	875	15.5	0.53	14.5	16.6
1994	1,037	15.9	0.50	14.9	16.9	931	16.4	0.55	15.3	17.5
1995	1,048	15.8	0.49	14.8	16.8	936	16.2	0.54	15.2	17.3
1996	1,066	16.0	0.49	15.0	17.0	978	17.0	0.55	16.0	18.1
1997	1,037	15.5	0.48	14.5	16.4	924	16.0	0.53	15.0	17.1
1998	1,060	15.8	0.49	14.8	16.8	931	16.2	0.54	15.1	17.2
1999	1,092	16.1	0.49	15.2	17.1	989	17.1	0.55	16.0	18.2
2000	1,075	15.9	0.49	14.9	16.9	958	16.7	0.55	15.6	17.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	953	8.4	0.28	7.9	9.0	173	9.0	0.75	7.6	10.7
1986	34	5.3	0.94	3.7	7.6	10	13.0	4.42	5.9	29.6
1987	34	4.9	0.87	3.4	7.1	6	5.1	2.14	1.8	18.1
1988	54	7.7	1.09	5.7	10.2	8	8.9	3.96	2.9	24.1
1989	58	8.3	1.11	6.2	10.8	9	6.6	2.23	2.9	18.4
1990	52	7.4	1.04	5.5	9.8	4	2.7	1.39	0.7	14.0
1991	51	7.2	1.03	5.3	9.6	11	9.1	2.80	4.4	20.5
1992	49	6.8	0.98	5.0	9.0	5	5.2	2.92	1.1	16.7
1993	60	8.1	1.06	6.1	10.5	7	5.9	2.38	2.2	15.5
1994	83	10.8	1.20	8.6	13.5	18	16.2	4.17	9.1	28.3
1995	83	10.6	1.19	8.5	13.3	22	15.2	3.43	9.3	25.3
1996	67	8.2	1.02	6.3	10.5	10	7.6	2.53	3.5	15.9
1997	79	9.6	1.10	7.6	12.1	16	10.4	2.83	5.6	19.0
1998	95	11.2	1.16	9.0	13.8	13	8.2	2.56	3.9	16.0
1999	75	8.9	1.04	7.0	11.2	12	6.9	2.10	3.4	13.6
2000	79	9.2	1.05	7.3	11.5	22	10.2	2.32	6.2	16.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	363	12.0	0.71	10.6	13.5	11,307	15.0	0.14	14.7	15.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	23	10.0	2.34	5.9	16.9	736	12.3	0.46	11.4	13.3
1990	20	9.5	2.50	5.3	16.7	786	13.0	0.47	12.1	14.0
1991	11	6.5	2.11	3.0	13.0	828	13.5	0.48	12.6	14.5
1992	30	12.4	2.62	7.8	19.6	872	14.0	0.48	13.1	15.0
1993	25	11.8	2.64	7.3	18.9	924	14.8	0.49	13.8	15.8
1994	32	13.2	2.66	8.5	20.2	1,005	15.9	0.51	15.0	17.0
1995	40	18.2	3.21	12.5	26.2	1,008	15.8	0.50	14.8	16.8
1996	32	12.8	2.55	8.3	19.4	1,034	16.1	0.51	15.2	17.2
1997	28	8.4	1.75	5.4	13.5	1,009	15.7	0.50	14.7	16.7
1998	39	11.5	1.97	8.0	16.9	1,021	15.9	0.50	14.9	16.9
1999	47	15.6	2.62	10.9	22.2	1,045	16.1	0.50	15.1	17.1
2000	36	11.5	2.25	7.5	17.3	1,039	16.2	0.51	15.2	17.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Non-Hodgkin's Lymphomas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,806	6.8	0.08	6.6	6.9	6,299	7.1	0.09	6.9	7.3
1986	360	5.7	0.31	5.1	6.4	341	6.1	0.34	5.5	6.8
1987	371	5.9	0.31	5.3	6.5	347	6.2	0.34	5.5	6.9
1988	403	6.4	0.32	5.7	7.0	373	6.6	0.35	6.0	7.4
1989	419	6.6	0.33	6.0	7.3	393	7.0	0.36	6.3	7.7
1990	383	5.9	0.30	5.3	6.5	349	6.0	0.33	5.4	6.7
1991	450	6.8	0.33	6.2	7.5	420	7.2	0.35	6.5	7.9
1992	451	6.8	0.32	6.2	7.4	423	7.2	0.36	6.5	8.0
1993	488	7.2	0.33	6.6	7.9	447	7.5	0.36	6.8	8.2
1994	490	7.3	0.33	6.7	8.0	448	7.6	0.37	6.9	8.4
1995	530	7.7	0.34	7.1	8.4	483	8.0	0.37	7.3	8.8
1996	512	7.4	0.33	6.8	8.1	474	7.8	0.37	7.2	8.6
1997	509	7.3	0.33	6.7	8.0	476	7.8	0.36	7.1	8.6
1998	478	6.8	0.31	6.2	7.4	435	7.1	0.34	6.4	7.8
1999	494	6.9	0.31	6.3	7.6	457	7.3	0.35	6.7	8.1
2000	468	6.6	0.31	6.0	7.2	433	7.0	0.34	6.4	7.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	470	4.4	0.20	4.0	4.8	37	2.5	0.45	1.7	3.6
1986	18	2.9	0.69	1.7	4.7	1	0.7	0.68	0.0	14.0
1987	22	3.4	0.74	2.1	5.3	2	3.9	2.79	0.5	18.2
1988	25	3.6	0.74	2.3	5.5	5	7.5	3.90	1.9	22.7
1989	23	3.3	0.71	2.1	5.1	3	2.8	1.62	0.6	14.4
1990	33	4.9	0.87	3.4	7.0	1	2.1	2.12	0.0	14.6
1991	29	4.1	0.78	2.7	6.0	1	0.9	0.87	0.0	10.9
1992	26	3.7	0.74	2.4	5.5	2	2.8	2.01	0.3	13.0
1993	39	5.3	0.87	3.8	7.4	2	2.9	2.08	0.4	12.5
1994	39	5.4	0.88	3.8	7.5	3	4.1	2.39	0.8	13.5
1995	41	5.6	0.88	4.0	7.6	6	5.3	2.43	1.7	14.0
1996	35	4.4	0.76	3.1	6.2	3	2.0	1.28	0.3	8.5
1997	32	4.2	0.75	2.8	6.0	1	1.0	0.98	0.0	7.0
1998	41	5.3	0.84	3.8	7.2	2	2.1	1.56	0.2	8.6
1999	35	4.4	0.75	3.1	6.2	2	1.1	0.76	0.1	6.0
2000	32	4.0	0.71	2.7	5.7	3	1.2	0.75	0.2	5.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	139	4.5	0.42	3.7	5.4	6589	6.7	0.08	6.6	6.9
1986	5	2.8	1.39	0.8	9.1	365	5.9	0.31	5.3	6.6
1987	6	3.4	1.51	1.2	9.6	368	6.0	0.32	5.4	6.7
1988	4	1.9	1.15	0.4	7.4	404	6.5	0.33	5.9	7.2
1989	8	3.7	1.33	1.6	9.0	409	6.6	0.33	6.0	7.3
1990	6	2.6	1.06	0.9	7.4	377	5.9	0.31	5.3	6.5
1991	8	4.0	1.60	1.5	9.6	434	6.8	0.33	6.2	7.5
1992	8	4.4	1.81	1.6	10.3	435	6.7	0.33	6.1	7.4
1993	4	1.6	0.81	0.4	5.7	475	7.2	0.33	6.6	7.9
1994	9	4.1	1.54	1.7	9.2	466	7.2	0.33	6.5	7.8
1995	14	5.9	1.70	3.1	11.1	498	7.5	0.34	6.8	8.2
1996	13	6.9	2.15	3.4	13.0	491	7.4	0.34	6.7	8.1
1997	9	3.0	1.17	1.2	7.2	482	7.1	0.33	6.5	7.8
1998	11	4.0	1.28	1.9	8.2	459	6.8	0.32	6.2	7.4
1999	20	9.0	2.24	5.1	15.0	472	6.8	0.32	6.2	7.5
2000	14	5.9	1.73	3.0	10.8	454	6.6	0.31	6.0	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Multiple Myeloma

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,809	5.2	0.06	5.1	5.3	6,771	4.6	0.06	4.5	4.7
1986	430	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	467	4.4	0.20	4.0	4.8	363	3.8	0.20	3.5	4.3
1988	464	4.3	0.20	3.9	4.8	375	4.0	0.21	3.6	4.4
1989	501	4.7	0.21	4.3	5.1	407	4.3	0.22	3.9	4.7
1990	506	4.6	0.21	4.2	5.0	387	4.0	0.20	3.6	4.4
1991	544	5.0	0.22	4.6	5.4	442	4.6	0.22	4.2	5.0
1992	527	4.7	0.21	4.3	5.2	419	4.3	0.21	3.9	4.7
1993	611	5.4	0.22	5.0	5.9	469	4.7	0.22	4.3	5.2
1994	699	6.1	0.23	5.7	6.6	528	5.3	0.23	4.8	5.7
1995	698	6.1	0.23	5.6	6.5	528	5.2	0.23	4.8	5.7
1996	630	5.5	0.22	5.0	5.9	486	4.8	0.22	4.4	5.3
1997	677	5.8	0.22	5.4	6.3	512	5.1	0.22	4.6	5.5
1998	708	6.0	0.23	5.6	6.5	528	5.2	0.23	4.8	5.6
1999	669	5.6	0.22	5.2	6.1	494	4.8	0.22	4.4	5.2
2000	678	5.7	0.22	5.3	6.1	494	4.8	0.22	4.4	5.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,872	10.4	0.25	9.9	10.9	115	3.6	0.36	2.9	4.5
1986	84	8.1	0.92	6.4	10.2	4	2.5	1.29	0.6	10.8
1987	101	9.1	0.93	7.3	11.1	3	2.3	1.42	0.4	10.5
1988	79	7.1	0.82	5.6	8.9	8	5.4	2.05	2.1	13.8
1989	86	8.0	0.89	6.3	10.0	6	4.3	1.95	1.4	12.4
1990	115	10.3	0.99	8.5	12.5	1	1.0	0.99	0.0	8.1
1991	92	8.1	0.86	6.5	10.0	3	2.4	1.71	0.3	9.8
1992	102	8.3	0.84	6.7	10.1	3	1.3	0.79	0.2	6.9
1993	131	11.3	1.01	9.4	13.5	10	4.0	1.31	1.8	9.6
1994	162	13.4	1.08	11.4	15.7	6	2.6	1.16	0.8	7.8
1995	152	12.4	1.03	10.5	14.7	15	6.6	1.78	3.5	12.3
1996	138	10.7	0.94	9.0	12.8	6	2.6	1.09	0.9	7.1
1997	149	11.7	0.98	9.9	13.8	13	4.5	1.34	2.3	9.2
1998	167	12.8	1.01	10.9	15.0	9	3.1	1.15	1.3	7.3
1999	159	11.5	0.93	9.8	13.5	6	2.2	0.95	0.7	6.0
2000	155	11.1	0.91	9.4	13.0	22	6.8	1.56	4.1	11.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	276	5.8	0.40	5.1	6.7	7,172	5.4	0.06	5.3	5.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	11	3.6	1.20	1.6	7.5	490	4.7	0.21	4.3	5.1
1990	19	6.1	1.54	3.4	10.5	487	4.6	0.21	4.2	5.0
1991	16	4.5	1.30	2.3	8.5	528	5.0	0.22	4.6	5.4
1992	20	6.1	1.52	3.4	10.4	507	4.7	0.21	4.3	5.1
1993	21	5.0	1.25	2.9	8.7	590	5.4	0.22	5.0	5.8
1994	16	4.4	1.20	2.4	8.0	683	6.2	0.24	5.7	6.7
1995	27	8.1	1.71	5.1	12.6	671	6.0	0.23	5.6	6.5
1996	27	6.8	1.50	4.2	10.8	603	5.4	0.22	5.0	5.9
1997	22	4.7	1.11	2.8	7.9	655	5.9	0.23	5.4	6.3
1998	31	6.0	1.20	3.8	9.3	677	6.0	0.23	5.6	6.5
1999	25	4.9	1.11	3.0	8.0	644	5.7	0.22	5.2	6.1
2000	41	8.3	1.47	5.7	12.1	637	5.6	0.22	5.2	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,588	3.9	0.05	3.8	4.0	5,154	3.5	0.05	3.4	3.6
1986	407	3.9	0.20	3.5	4.3	324	3.5	0.20	3.1	3.9
1987	385	3.6	0.19	3.3	4.0	298	3.1	0.18	2.8	3.5
1988	381	3.6	0.18	3.2	3.9	316	3.3	0.19	3.0	3.7
1989	422	3.9	0.19	3.5	4.3	329	3.4	0.19	3.0	3.8
1990	384	3.6	0.18	3.2	4.0	309	3.2	0.19	2.9	3.6
1991	415	3.8	0.19	3.5	4.2	332	3.4	0.19	3.1	3.8
1992	447	4.0	0.19	3.6	4.4	355	3.6	0.19	3.2	4.0
1993	457	4.0	0.19	3.7	4.4	347	3.5	0.19	3.1	3.9
1994	439	3.8	0.18	3.5	4.2	353	3.5	0.19	3.2	3.9
1995	492	4.3	0.19	3.9	4.7	378	3.7	0.19	3.4	4.1
1996	442	3.8	0.18	3.5	4.2	341	3.4	0.18	3.0	3.7
1997	448	3.8	0.18	3.5	4.2	352	3.4	0.18	3.1	3.8
1998	485	4.1	0.19	3.8	4.5	359	3.5	0.18	3.1	3.9
1999	483	4.1	0.18	3.7	4.4	379	3.6	0.19	3.3	4.0
2000	501	4.2	0.19	3.8	4.6	382	3.7	0.19	3.3	4.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,388	8.0	0.22	7.6	8.4	46	1.6	0.24	1.1	2.2
1986	82	7.5	0.86	6.0	9.5	1	0.7	0.67	0.0	8.8
1987	87	8.4	0.94	6.7	10.5	0	0.0	~	0.0	7.6
1988	64	5.9	0.76	4.5	7.7	1	0.6	0.57	0.0	7.8
1989	90	8.3	0.91	6.6	10.4	3	1.7	1.00	0.3	8.6
1990	75	7.1	0.84	5.5	9.0	0	0.0	~	0.0	6.7
1991	82	7.7	0.88	6.1	9.7	1	0.4	0.45	0.0	6.4
1992	90	7.9	0.85	6.3	9.8	2	1.5	1.14	0.1	7.6
1993	103	8.8	0.89	7.2	10.8	7	3.8	1.56	1.4	9.9
1994	82	6.9	0.78	5.4	8.6	4	1.6	0.84	0.4	6.5
1995	113	9.4	0.91	7.8	11.4	1	0.4	0.40	0.0	4.6
1996	98	8.1	0.84	6.5	9.9	3	1.0	0.60	0.2	5.0
1997	85	6.7	0.74	5.3	8.3	11	4.5	1.45	2.1	9.4
1998	123	9.9	0.91	8.2	11.8	3	1.3	0.81	0.2	5.2
1999	99	7.8	0.79	6.3	9.5	5	1.4	0.66	0.4	4.8
2000	115	8.8	0.84	7.3	10.7	4	1.9	0.96	0.5	5.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	154	3.2	0.28	2.6	3.8	6386	3.9	0.05	3.8	4.0
1986	8	2.8	1.06	1.1	6.9	411	4.0	0.20	3.6	4.5
1987	8	3.2	1.27	1.2	7.5	384	3.7	0.19	3.3	4.1
1988	12	4.6	1.39	2.3	9.0	375	3.6	0.19	3.2	4.0
1989	7	2.2	0.90	0.8	5.6	416	4.0	0.20	3.6	4.4
1990	5	2.3	1.16	0.6	6.3	376	3.6	0.19	3.2	4.0
1991	4	1.7	0.95	0.4	5.2	406	3.8	0.19	3.5	4.2
1992	19	6.8	1.70	3.9	11.4	425	3.9	0.19	3.6	4.3
1993	7	1.8	0.76	0.6	4.8	441	4.0	0.19	3.7	4.4
1994	12	3.4	1.08	1.6	6.8	421	3.8	0.19	3.4	4.2
1995	5	1.1	0.52	0.4	3.5	478	4.3	0.20	3.9	4.7
1996	12	3.9	1.23	1.8	7.4	418	3.7	0.18	3.4	4.1
1997	22	4.9	1.15	2.9	8.2	418	3.7	0.18	3.4	4.1
1998	7	2.9	1.11	1.2	6.2	460	4.0	0.19	3.7	4.4
1999	13	2.7	0.87	1.2	5.4	469	4.1	0.19	3.7	4.5
2000	13	3.1	0.96	1.5	6.0	488	4.2	0.19	3.9	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,420	6.4	0.10	6.2	6.6	3,438	5.7	0.10	5.5	5.9
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	228	5.3	0.36	4.6	6.1	175	4.6	0.36	3.9	5.4
1988	228	5.2	0.36	4.6	6.0	185	4.8	0.37	4.1	5.6
1989	237	5.5	0.37	4.8	6.3	191	5.1	0.38	4.4	5.9
1990	241	5.3	0.35	4.6	6.0	193	4.8	0.35	4.1	5.5
1991	277	6.1	0.38	5.4	6.9	224	5.6	0.39	4.9	6.5
1992	272	5.9	0.37	5.2	6.7	214	5.4	0.38	4.6	6.2
1993	298	6.3	0.38	5.6	7.1	234	5.6	0.38	4.9	6.4
1994	359	7.7	0.42	6.9	8.6	271	6.7	0.41	5.9	7.5
1995	363	7.7	0.41	6.9	8.6	269	6.5	0.40	5.8	7.4
1996	319	6.7	0.38	6.0	7.5	244	5.9	0.38	5.2	6.7
1997	344	7.1	0.39	6.4	7.9	267	6.4	0.40	5.6	7.2
1998	360	7.4	0.40	6.7	8.3	276	6.5	0.40	5.8	7.4
1999	331	6.6	0.37	5.9	7.4	261	6.1	0.38	5.3	6.9
2000	353	7.0	0.38	6.3	7.8	267	6.2	0.38	5.5	7.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	883	12.1	0.43	11.2	13.0	74	5.0	0.64	3.8	6.6
1986	39	9.8	1.67	6.8	13.9	4	5.4	2.83	1.4	25.9
1987	53	11.7	1.72	8.6	15.9	0	0.0	-	0.0	19.0
1988	38	8.3	1.45	5.7	12.0	4	7.3	4.04	1.6	27.2
1989	40	8.9	1.51	6.2	12.7	5	7.1	3.50	2.0	25.1
1990	45	9.7	1.52	7.0	13.5	1	2.5	2.46	0.1	20.2
1991	47	10.1	1.56	7.3	14.0	1	0.6	0.60	0.0	15.6
1992	55	10.8	1.54	8.0	14.6	2	1.6	1.21	0.2	15.3
1993	56	12.6	1.82	9.3	16.9	7	5.8	2.35	2.2	19.0
1994	83	17.0	1.97	13.3	21.5	3	3.8	2.48	0.6	17.3
1995	81	16.7	1.98	13.1	21.3	12	11.8	3.65	5.8	25.7
1996	71	13.5	1.71	10.4	17.6	4	3.9	1.98	1.1	15.4
1997	65	12.3	1.61	9.3	16.1	9	6.3	2.29	2.6	17.4
1998	75	15.3	1.88	11.8	19.6	6	5.7	2.68	1.8	17.1
1999	64	11.1	1.47	8.4	14.6	3	1.9	1.15	0.3	11.1
2000	71	11.9	1.46	9.2	15.4	13	7.7	2.31	3.9	17.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	137	5.8	0.59	4.7	7.2	3,617	6.7	0.11	6.4	6.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	2.7	1.57	0.5	10.9	233	5.6	0.38	4.9	6.4
1990	10	6.0	2.13	2.6	14.9	231	5.2	0.35	4.5	6.0
1991	11	5.1	1.95	2.1	13.4	266	6.1	0.39	5.4	6.9
1992	11	6.3	2.22	2.8	14.6	261	5.9	0.38	5.2	6.7
1993	12	6.6	2.29	2.9	15.0	286	6.3	0.38	5.6	7.1
1994	8	5.0	2.08	1.8	12.9	351	7.8	0.43	7.0	8.7
1995	12	6.8	2.16	3.2	14.5	351	7.7	0.42	6.9	8.6
1996	9	5.0	2.12	1.8	12.7	310	6.8	0.39	6.0	7.6
1997	10	3.4	1.11	1.6	9.2	334	7.2	0.40	6.5	8.1
1998	13	5.6	1.81	2.6	12.2	347	7.5	0.41	6.7	8.3
1999	11	4.8	1.80	2.0	11.3	320	6.7	0.38	6.0	7.5
2000	26	10.4	2.37	6.3	17.5	327	6.8	0.38	6.1	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Males

	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	3,217	4.8	0.09	4.6	4.9	2,538	4.3	0.09	4.1	4.5
1986	208	4.8	0.35	4.2	5.6	164	4.3	0.35	3.7	5.1
1987	198	4.7	0.35	4.0	5.5	156	4.2	0.35	3.5	4.9
1988	192	4.6	0.34	3.9	5.3	164	4.4	0.36	3.7	5.2
1989	199	4.6	0.34	4.0	5.4	164	4.4	0.35	3.7	5.1
1990	182	4.2	0.32	3.6	4.9	150	3.9	0.33	3.3	4.7
1991	205	4.9	0.35	4.2	5.6	164	4.4	0.35	3.7	5.2
1992	209	4.6	0.33	4.0	5.3	164	4.2	0.33	3.5	4.9
1993	205	4.3	0.31	3.7	5.0	149	3.6	0.30	3.0	4.2
1994	217	4.8	0.33	4.2	5.5	172	4.3	0.34	3.7	5.0
1995	250	5.4	0.35	4.8	6.2	194	4.8	0.36	4.2	5.6
1996	225	4.9	0.33	4.2	5.6	172	4.3	0.33	3.6	5.0
1997	217	4.5	0.31	3.9	5.1	171	4.1	0.32	3.5	4.8
1998	230	4.9	0.33	4.3	5.6	167	4.1	0.32	3.5	4.8
1999	222	4.6	0.32	4.0	5.3	180	4.3	0.33	3.7	5.0
2000	258	5.4	0.34	4.7	6.1	207	5.0	0.35	4.3	5.7
	Blacks					Asian/Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	649	9.3	0.39	8.5	10.1	30	2.2	0.45	1.5	3.6
1986	43	9.8	1.61	7.0	13.9	1	1.6	1.58	0.0	21.8
1987	42	10.3	1.72	7.2	14.6	0	0.0	~	0.0	19.0
1988	28	6.9	1.38	4.4	10.5	0	0.0	~	0.0	17.8
1989	34	7.2	1.30	4.9	10.6	1	1.2	1.25	0.0	17.9
1990	32	7.2	1.36	4.7	10.7	0	0.0	~	0.0	16.8
1991	40	9.8	1.67	6.8	14.0	1	1.0	1.00	0.0	16.0
1992	44	9.1	1.44	6.5	12.7	1	2.6	2.59	0.1	17.8
1993	51	10.2	1.50	7.5	13.9	5	5.7	2.70	1.7	19.5
1994	42	9.2	1.54	6.4	13.0	3	2.9	1.75	0.5	15.5
1995	55	11.4	1.64	8.4	15.3	1	0.9	0.93	0.0	12.4
1996	50	10.6	1.61	7.7	14.5	3	2.2	1.37	0.4	13.2
1997	40	6.9	1.13	4.9	9.9	6	6.0	2.69	1.9	17.8
1998	61	13.0	1.79	9.8	17.2	2	1.5	1.11	0.2	11.2
1999	38	7.4	1.26	5.2	10.6	4	2.4	1.27	0.6	11.6
2000	49	9.5	1.44	6.9	13.0	2	2.3	1.65	0.3	11.4
	Hispanics#					Non-Hispanics#				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	81	3.5	0.46	2.7	4.6	3113	4.8	0.09	4.6	4.9
1986	5	3.6	1.95	0.9	13.3	210	5.0	0.36	4.3	5.8
1987	6	5.8	2.89	1.6	16.6	194	4.8	0.36	4.1	5.5
1988	3	3.2	1.91	0.6	12.2	194	4.8	0.36	4.1	5.6
1989	6	3.6	1.71	1.1	11.9	193	4.6	0.35	4.0	5.4
1990	4	3.8	2.36	0.7	13.4	175	4.1	0.32	3.5	4.8
1991	2	0.8	0.57	0.1	7.9	201	4.8	0.36	4.2	5.6
1992	12	8.9	2.99	4.0	18.6	197	4.5	0.33	3.9	5.2
1993	4	1.9	1.00	0.5	8.7	197	4.3	0.31	3.7	5.0
1994	7	5.9	2.44	2.1	14.5	205	4.7	0.34	4.0	5.4
1995	3	1.4	0.81	0.2	7.5	241	5.4	0.36	4.7	6.2
1996	4	1.7	0.88	0.4	7.6	218	4.9	0.34	4.2	5.6
1997	12	5.0	1.61	2.4	11.5	200	4.3	0.31	3.7	5.0
1998	4	4.2	2.16	1.1	11.8	218	4.8	0.33	4.2	5.5
1999	2	0.5	0.35	0.1	5.5	219	4.8	0.33	4.1	5.4
2000	7	3.6	1.63	1.1	9.7	251	5.4	0.35	4.8	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,389	4.5	0.07	4.3	4.6	3,333	3.9	0.07	3.7	4.0
1986	220	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	239	3.8	0.25	3.4	4.4	188	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.3	190	3.4	0.25	2.9	4.0
1989	264	4.2	0.26	3.7	4.7	216	3.9	0.27	3.4	4.5
1990	265	4.2	0.26	3.7	4.7	194	3.4	0.25	3.0	4.0
1991	267	4.1	0.26	3.6	4.6	218	3.8	0.26	3.3	4.3
1992	255	4.0	0.25	3.5	4.5	205	3.6	0.25	3.1	4.1
1993	313	4.7	0.27	4.2	5.3	235	4.0	0.27	3.5	4.6
1994	340	5.1	0.28	4.6	5.7	257	4.4	0.28	3.9	5.0
1995	335	5.0	0.27	4.4	5.5	259	4.4	0.28	3.9	5.0
1996	311	4.6	0.27	4.1	5.2	242	4.1	0.27	3.6	4.7
1997	333	4.9	0.27	4.4	5.5	245	4.1	0.27	3.6	4.7
1998	348	5.2	0.28	4.6	5.7	252	4.3	0.28	3.8	4.9
1999	338	4.9	0.27	4.4	5.5	233	3.9	0.26	3.4	4.4
2000	325	4.7	0.26	4.2	5.3	227	3.8	0.26	3.3	4.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	989	9.2	0.30	8.7	9.9	41	2.5	0.41	1.7	3.5
1986	45	7.2	1.10	5.3	9.8	0	0.0	-	0.0	13.4
1987	48	7.3	1.07	5.3	9.8	3	4.1	2.46	0.7	17.7
1988	41	6.2	0.99	4.4	8.6	4	4.0	1.99	1.1	16.4
1989	46	7.2	1.09	5.3	9.8	1	2.2	2.20	0.1	14.9
1990	70	10.6	1.28	8.2	13.4	0	0.0	-	0.0	11.2
1991	45	6.7	1.01	4.8	9.0	2	3.6	2.84	0.3	16.0
1992	47	6.5	0.96	4.8	8.8	1	1.0	1.02	0.0	10.2
1993	75	10.6	1.24	8.3	13.4	3	2.4	1.40	0.5	10.9
1994	79	11.0	1.25	8.7	13.8	3	1.8	1.05	0.4	9.3
1995	71	9.7	1.17	7.6	12.3	3	2.6	1.52	0.5	9.9
1996	67	8.9	1.10	6.8	11.3	2	1.6	1.19	0.2	8.1
1997	84	11.1	1.22	8.9	13.8	4	2.9	1.52	0.7	9.5
1998	92	11.6	1.22	9.3	14.3	3	1.3	0.76	0.3	6.6
1999	95	11.7	1.21	9.5	14.4	3	2.3	1.36	0.5	8.1
2000	84	10.2	1.12	8.1	12.7	9	5.8	2.02	2.6	12.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	139	5.7	0.53	4.8	6.9	3,555	4.6	0.08	4.5	4.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	7	4.3	1.73	1.6	10.3	257	4.2	0.26	3.7	4.7
1990	9	5.8	2.06	2.5	12.2	256	4.1	0.26	3.6	4.7
1991	5	3.4	1.62	1.0	9.2	262	4.1	0.26	3.7	4.7
1992	9	5.6	2.00	2.4	11.7	246	3.9	0.25	3.4	4.5
1993	9	3.8	1.42	1.6	8.7	304	4.7	0.27	4.2	5.3
1994	8	4.1	1.50	1.7	9.0	332	5.2	0.29	4.6	5.8
1995	15	8.7	2.39	4.7	15.3	320	4.9	0.28	4.4	5.5
1996	18	8.4	2.14	4.7	14.3	293	4.5	0.27	4.0	5.1
1997	12	5.5	1.70	2.7	10.6	321	4.9	0.28	4.4	5.5
1998	18	6.4	1.64	3.6	11.2	330	5.1	0.28	4.5	5.7
1999	14	5.1	1.47	2.6	9.6	324	4.9	0.28	4.4	5.5
2000	15	6.3	1.80	3.3	11.3	310	4.7	0.27	4.2	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Multiple Myeloma, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,371	3.4	0.06	3.2	3.5	2,616	2.9	0.06	2.8	3.1
1986	199	3.2	0.23	2.8	3.7	160	2.9	0.23	2.5	3.4
1987	187	2.9	0.22	2.5	3.4	142	2.5	0.21	2.1	2.9
1988	189	3.0	0.22	2.6	3.5	152	2.7	0.22	2.3	3.2
1989	223	3.4	0.23	3.0	3.9	165	2.8	0.22	2.4	3.3
1990	202	3.1	0.22	2.7	3.6	159	2.7	0.22	2.3	3.2
1991	210	3.2	0.22	2.8	3.7	168	2.9	0.23	2.4	3.4
1992	238	3.5	0.23	3.1	4.0	191	3.2	0.23	2.7	3.7
1993	252	3.7	0.24	3.3	4.2	198	3.3	0.24	2.8	3.8
1994	222	3.3	0.22	2.9	3.8	181	3.0	0.22	2.6	3.5
1995	242	3.5	0.23	3.1	4.0	184	3.1	0.23	2.6	3.6
1996	217	3.1	0.21	2.7	3.6	169	2.8	0.21	2.4	3.2
1997	231	3.3	0.22	2.9	3.8	181	2.9	0.22	2.5	3.4
1998	255	3.6	0.23	3.2	4.1	192	3.2	0.23	2.7	3.6
1999	261	3.7	0.23	3.2	4.2	199	3.2	0.23	2.8	3.7
2000	243	3.4	0.22	3.0	3.9	175	2.8	0.22	2.4	3.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	739	7.1	0.27	6.6	7.7	16	1.0	0.27	0.6	1.8
1986	39	6.1	0.99	4.3	8.5	0	0.0	~	0.0	13.4
1987	45	7.2	1.10	5.2	9.8	0	0.0	~	0.0	12.6
1988	36	5.5	0.93	3.8	7.7	1	1.0	1.00	0.0	13.0
1989	56	8.8	1.20	6.6	11.6	2	2.1	1.53	0.2	13.8
1990	43	7.0	1.07	5.0	9.4	0	0.0	~	0.0	11.2
1991	42	6.5	1.01	4.7	8.8	0	0.0	~	0.0	10.0
1992	46	6.9	1.03	5.0	9.2	1	0.8	0.80	0.0	9.8
1993	52	7.6	1.07	5.7	10.0	2	2.4	1.76	0.2	11.5
1994	40	5.6	0.90	4.0	7.8	1	0.7	0.68	0.0	8.1
1995	58	8.1	1.07	6.1	10.5	0	0.0	~	0.0	6.4
1996	48	6.5	0.95	4.8	8.7	0	0.0	~	0.0	5.8
1997	45	6.2	0.92	4.5	8.3	5	3.4	1.63	1.0	10.2
1998	62	8.1	1.04	6.2	10.4	1	1.1	1.06	0.0	6.8
1999	61	7.9	1.01	6.0	10.1	1	0.6	0.61	0.0	5.5
2000	66	8.4	1.04	6.5	10.7	2	1.6	1.13	0.2	6.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	73	2.8	0.36	2.2	3.7	3273	3.4	0.06	3.2	3.5
1986	3	2.0	1.19	0.4	8.1	201	3.4	0.24	2.9	3.9
1987	2	1.2	0.92	0.1	6.8	190	3.0	0.22	2.6	3.5
1988	9	5.9	2.03	2.6	12.6	181	2.9	0.22	2.5	3.4
1989	1	0.9	0.86	0.0	5.8	223	3.6	0.24	3.1	4.1
1990	1	1.2	1.15	0.0	6.4	201	3.2	0.23	2.8	3.7
1991	2	2.0	1.43	0.2	7.6	205	3.2	0.23	2.8	3.7
1992	7	5.1	2.00	1.9	11.3	228	3.5	0.23	3.1	4.0
1993	3	1.6	1.01	0.3	6.0	244	3.7	0.24	3.2	4.2
1994	5	1.9	0.88	0.6	5.9	216	3.3	0.22	2.8	3.7
1995	2	0.9	0.65	0.1	4.6	237	3.6	0.23	3.1	4.1
1996	8	5.1	1.88	2.1	10.6	200	3.0	0.21	2.6	3.4
1997	10	4.6	1.56	2.1	9.4	218	3.2	0.22	2.8	3.7
1998	3	2.0	1.19	0.4	6.3	242	3.6	0.23	3.2	4.1
1999	11	4.4	1.47	2.0	8.9	250	3.6	0.23	3.2	4.1
2000	6	2.8	1.21	1.0	6.8	237	3.5	0.23	3.0	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Leukemias

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19,255	11.3	0.08	11.1	11.5	17,039	11.6	0.09	11.4	11.8
1986	986	9.3	0.30	8.7	9.9	881	9.5	0.32	8.9	10.1
1987	1,082	10.0	0.31	9.4	10.6	983	10.4	0.34	9.8	11.1
1988	1,060	9.8	0.31	9.3	10.5	927	9.9	0.33	9.2	10.5
1989	1,070	9.9	0.31	9.3	10.5	951	10.1	0.33	9.5	10.8
1990	1,157	10.5	0.31	9.9	11.1	1,039	10.8	0.34	10.2	11.5
1991	1,135	10.2	0.30	9.6	10.8	1,007	10.4	0.33	9.8	11.1
1992	1,207	10.7	0.31	10.1	11.3	1,066	10.9	0.34	10.3	11.6
1993	1,273	11.2	0.32	10.6	11.8	1,138	11.6	0.34	10.9	12.3
1994	1,528	13.3	0.34	12.6	14.0	1,364	13.8	0.37	13.0	14.5
1995	1,505	13.0	0.34	12.3	13.6	1,327	13.3	0.37	12.6	14.1
1996	1,437	12.3	0.33	11.7	13.0	1,268	12.7	0.36	12.0	13.4
1997	1,439	12.2	0.32	11.6	12.9	1,264	12.5	0.35	11.9	13.3
1998	1,426	12.0	0.32	11.4	12.6	1,243	12.2	0.35	11.5	12.9
1999	1,492	12.4	0.32	11.8	13.1	1,316	12.9	0.36	12.2	13.6
2000	1,458	12.1	0.32	11.5	12.7	1,265	12.4	0.35	11.7	13.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,764	8.9	0.22	8.5	9.3	292	7.6	0.53	6.6	8.8
1986	90	7.8	0.87	6.2	9.8	10	4.5	1.70	1.8	13.1
1987	79	6.7	0.81	5.2	8.6	14	9.8	3.28	4.5	20.6
1988	109	9.4	0.96	7.6	11.6	16	7.4	2.09	3.9	15.7
1989	103	8.4	0.87	6.8	10.4	12	6.4	2.40	2.6	15.1
1990	98	7.6	0.82	6.1	9.5	9	6.5	2.64	2.4	15.7
1991	100	7.8	0.82	6.2	9.6	17	6.7	2.11	3.2	14.3
1992	111	8.7	0.86	7.1	10.6	20	8.9	2.42	4.8	16.6
1993	108	8.0	0.81	6.5	9.8	21	8.1	2.19	4.3	15.1
1994	135	10.1	0.91	8.4	12.1	20	6.1	1.57	3.4	11.7
1995	142	10.5	0.91	8.7	12.4	28	9.3	2.03	5.7	15.4
1996	125	9.1	0.85	7.5	11.0	32	10.4	2.22	6.5	16.7
1997	144	10.1	0.87	8.4	12.0	20	6.0	1.63	3.3	11.2
1998	139	9.7	0.85	8.1	11.6	30	10.8	2.24	6.9	16.9
1999	135	8.9	0.79	7.4	10.6	21	6.1	1.48	3.6	10.7
2000	146	10.0	0.85	8.4	11.9	22	5.8	1.42	3.3	10.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	799	8.8	0.42	8.0	9.7	15,328	11.7	0.10	11.5	11.9
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	39	7.8	1.71	4.8	12.6	1,031	10.0	0.31	9.3	10.6
1990	44	7.1	1.50	4.5	11.5	1,113	10.5	0.32	9.9	11.1
1991	48	7.9	1.47	5.2	12.1	1,087	10.2	0.31	9.6	10.9
1992	56	9.5	1.65	6.5	13.9	1,151	10.7	0.32	10.1	11.4
1993	53	8.3	1.48	5.6	12.3	1,220	11.2	0.32	10.6	11.9
1994	73	9.2	1.52	6.5	13.3	1,455	13.3	0.35	12.6	14.0
1995	76	9.8	1.52	7.0	13.8	1,429	13.0	0.34	12.3	13.7
1996	70	8.9	1.47	6.3	12.8	1,367	12.3	0.34	11.7	13.0
1997	80	9.3	1.40	6.8	13.0	1,359	12.2	0.33	11.6	12.9
1998	81	9.0	1.36	6.5	12.5	1,345	12.0	0.33	11.3	12.6
1999	91	10.3	1.47	7.7	14.1	1,401	12.4	0.33	11.8	13.1
2000	88	7.6	1.15	5.5	10.7	1,370	12.1	0.33	11.5	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,928	8.2	0.07	8.1	8.4	12,430	8.4	0.08	8.3	8.6
1986	872	8.3	0.29	7.8	8.9	777	8.4	0.30	7.8	9.0
1987	810	7.7	0.27	7.2	8.2	731	7.8	0.29	7.3	8.4
1988	849	8.0	0.28	7.5	8.6	750	8.0	0.30	7.4	8.6
1989	911	8.5	0.28	8.0	9.1	825	8.8	0.31	8.2	9.4
1990	929	8.6	0.28	8.0	9.1	830	8.7	0.30	8.1	9.3
1991	948	8.6	0.28	8.1	9.2	854	8.8	0.30	8.2	9.5
1992	945	8.5	0.28	8.0	9.1	849	8.7	0.30	8.1	9.3
1993	970	8.6	0.28	8.0	9.1	872	8.8	0.30	8.2	9.4
1994	940	8.2	0.27	7.7	8.8	836	8.4	0.29	7.8	9.0
1995	967	8.4	0.27	7.9	9.0	862	8.6	0.29	8.0	9.2
1996	933	8.0	0.26	7.5	8.6	828	8.2	0.28	7.6	8.8
1997	956	8.2	0.26	7.6	8.7	846	8.3	0.29	7.7	8.9
1998	930	7.8	0.26	7.3	8.4	802	7.8	0.28	7.3	8.4
1999	979	8.2	0.26	7.7	8.7	879	8.5	0.29	7.9	9.0
2000	989	8.2	0.26	7.7	8.8	889	8.5	0.29	8.0	9.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,381	7.4	0.21	7.0	7.8	117	3.3	0.36	2.7	4.2
1986	90	8.4	0.94	6.7	10.6	5	3.6	1.72	1.1	12.4
1987	78	7.2	0.85	5.6	9.1	1	0.3	0.29	0.0	7.8
1988	94	8.6	0.93	6.9	10.7	5	3.2	1.47	1.0	10.9
1989	76	6.2	0.74	4.8	7.9	10	4.0	1.35	1.8	11.0
1990	93	7.8	0.85	6.2	9.7	6	2.4	1.17	0.7	9.4
1991	85	7.2	0.82	5.7	9.0	9	5.0	2.12	1.8	12.8
1992	86	7.0	0.79	5.6	8.8	10	6.3	2.26	2.7	13.9
1993	93	7.3	0.78	5.8	9.0	5	1.8	0.95	0.5	7.1
1994	95	7.6	0.81	6.1	9.4	9	3.1	1.19	1.2	8.3
1995	95	7.4	0.79	6.0	9.2	10	3.6	1.32	1.5	8.6
1996	94	7.5	0.80	6.0	9.3	11	4.0	1.46	1.7	9.1
1997	105	8.0	0.81	6.5	9.8	5	1.4	0.73	0.4	5.3
1998	115	8.4	0.81	6.9	10.2	13	4.9	1.50	2.4	9.7
1999	93	6.6	0.71	5.3	8.2	7	2.7	1.19	0.9	6.9
2000	89	6.1	0.66	4.9	7.6	11	3.1	1.01	1.5	6.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	436	5.6	0.35	5.0	6.4	13454	8.3	0.07	8.1	8.4
1986	18	5.8	1.88	2.7	11.3	864	8.5	0.29	7.9	9.1
1987	21	3.9	1.01	2.2	7.7	799	7.8	0.28	7.3	8.4
1988	20	5.7	1.58	3.0	10.4	831	8.1	0.28	7.5	8.7
1989	26	6.6	1.56	3.9	11.1	872	8.4	0.29	7.9	9.0
1990	24	6.5	1.68	3.6	11.2	910	8.7	0.29	8.1	9.3
1991	30	7.0	1.65	4.1	11.6	915	8.6	0.29	8.1	9.2
1992	22	3.6	1.01	1.9	7.0	911	8.5	0.28	7.9	9.0
1993	27	4.7	1.12	2.7	8.1	941	8.6	0.28	8.1	9.2
1994	33	5.4	1.26	3.3	9.1	890	8.1	0.27	7.6	8.6
1995	30	5.6	1.26	3.4	9.2	926	8.4	0.28	7.8	8.9
1996	29	4.6	1.05	2.8	7.7	908	8.1	0.27	7.6	8.7
1997	34	5.4	1.22	3.3	8.8	917	8.2	0.27	7.6	8.7
1998	32	4.6	1.05	2.8	7.7	899	7.9	0.26	7.4	8.5
1999	39	6.8	1.38	4.4	10.5	935	8.2	0.27	7.7	8.7
2000	51	7.4	1.34	5.0	10.9	936	8.2	0.27	7.6	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	10,625	14.8	0.15	14.5	15.1	9,427	15.2	0.16	14.9	15.5
1986	533	12.1	0.55	11.0	13.2	478	12.3	0.59	11.2	13.6
1987	588	12.8	0.56	11.8	14.0	542	13.6	0.61	12.4	14.8
1988	577	12.9	0.56	11.8	14.1	502	12.8	0.59	11.7	14.1
1989	585	12.6	0.54	11.6	13.7	524	12.9	0.58	11.8	14.1
1990	617	13.3	0.56	12.2	14.4	554	13.6	0.60	12.4	14.8
1991	639	13.3	0.54	12.3	14.4	570	13.7	0.59	12.6	14.9
1992	712	14.9	0.57	13.8	16.1	631	15.2	0.62	14.0	16.5
1993	702	14.6	0.57	13.5	15.7	620	14.9	0.62	13.8	16.2
1994	844	17.9	0.64	16.6	19.2	748	18.3	0.69	17.0	19.7
1995	821	16.9	0.60	15.7	18.1	732	17.5	0.66	16.2	18.8
1996	807	16.7	0.60	15.5	17.9	706	16.9	0.65	15.7	18.3
1997	798	16.1	0.58	15.0	17.3	708	16.7	0.64	15.5	18.0
1998	788	15.5	0.56	14.5	16.7	692	15.9	0.61	14.7	17.2
1999	826	16.2	0.57	15.1	17.4	737	16.9	0.63	15.7	18.2
2000	788	15.2	0.55	14.2	16.4	683	15.5	0.60	14.3	16.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	939	11.4	0.41	10.6	12.3	160	9.9	1.01	8.0	12.2
1986	47	10.3	1.72	7.2	14.6	5	3.8	1.93	1.0	23.6
1987	35	6.7	1.24	4.5	10.0	8	17.4	7.57	5.9	43.7
1988	63	12.9	1.83	9.5	17.3	7	7.1	2.88	2.6	25.2
1989	49	9.7	1.51	7.0	13.5	9	10.9	5.12	3.3	31.4
1990	52	10.3	1.64	7.4	14.4	7	12.9	6.14	3.8	35.4
1991	52	9.4	1.41	6.8	13.0	10	10.1	4.68	3.1	28.7
1992	65	12.2	1.67	9.2	16.3	10	9.3	4.22	3.0	26.1
1993	65	10.9	1.49	8.2	14.6	11	9.4	3.99	3.3	25.0
1994	79	14.7	1.86	11.3	19.1	10	6.2	2.56	2.2	19.3
1995	71	12.2	1.58	9.3	16.0	15	11.2	3.43	5.5	24.7
1996	77	14.2	1.77	11.0	18.4	15	10.8	3.70	4.8	24.4
1997	75	12.4	1.57	9.6	16.2	7	3.6	1.42	1.4	13.8
1998	72	12.1	1.52	9.3	15.7	18	17.5	4.87	9.3	32.2
1999	60	9.3	1.30	6.9	12.5	14	9.7	3.01	4.8	21.0
2000	77	13.0	1.58	10.1	16.7	14	7.9	2.44	3.9	17.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	444	9.9	0.70	8.5	11.5	8,483	15.4	0.17	15.1	15.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	23	9.9	3.11	4.8	20.3	562	12.7	0.55	11.6	13.8
1990	16	4.5	1.82	1.7	12.9	601	13.5	0.57	12.4	14.7
1991	24	8.2	2.25	4.4	16.8	615	13.5	0.56	12.4	14.7
1992	34	12.4	2.88	7.4	21.6	678	14.9	0.59	13.8	16.1
1993	29	9.6	2.65	5.1	18.5	673	14.7	0.58	13.6	15.9
1994	43	9.1	1.95	5.7	16.5	801	17.9	0.65	16.7	19.3
1995	42	12.5	3.08	7.2	21.8	779	17.0	0.62	15.8	18.3
1996	40	9.1	2.50	4.9	17.2	767	16.8	0.62	15.6	18.1
1997	43	10.2	2.22	6.3	17.5	755	16.3	0.60	15.1	17.5
1998	52	12.0	2.46	7.7	19.6	736	15.5	0.58	14.4	16.7
1999	51	11.5	2.39	7.3	18.8	775	16.3	0.59	15.1	17.5
2000	47	8.5	2.01	5.0	14.9	741	15.4	0.57	14.3	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7,457	11.0	0.13	10.8	11.3	6,677	11.3	0.14	11.0	11.6
1986	475	11.3	0.55	10.3	12.5	425	11.5	0.58	10.3	12.7
1987	416	9.8	0.50	8.8	10.9	377	10.1	0.54	9.1	11.2
1988	444	10.5	0.52	9.5	11.6	388	10.4	0.55	9.4	11.6
1989	504	11.4	0.53	10.4	12.5	454	11.8	0.57	10.7	13.0
1990	486	11.1	0.53	10.1	12.2	439	11.4	0.57	10.3	12.6
1991	472	10.5	0.51	9.6	11.6	430	10.9	0.54	9.8	12.0
1992	528	11.9	0.54	10.9	13.0	482	12.4	0.58	11.3	13.6
1993	543	12.1	0.54	11.1	13.2	480	12.3	0.58	11.2	13.5
1994	524	11.4	0.51	10.4	12.5	466	11.6	0.55	10.5	12.7
1995	527	11.6	0.52	10.6	12.7	468	11.8	0.56	10.7	13.0
1996	500	11.0	0.51	10.1	12.1	446	11.3	0.55	10.2	12.4
1997	524	11.2	0.50	10.2	12.2	466	11.4	0.54	10.4	12.6
1998	478	10.0	0.46	9.1	10.9	424	10.2	0.50	9.2	11.2
1999	513	10.8	0.49	9.9	11.8	461	11.2	0.53	10.1	12.2
2000	523	10.7	0.47	9.8	11.7	471	11.2	0.52	10.2	12.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	714	9.4	0.39	8.7	10.2	66	4.1	0.64	3.0	5.8
1986	49	11.7	1.87	8.3	16.3	1	1.3	1.30	0.0	21.4
1987	39	8.3	1.44	5.8	12.0	0	0.0	~	0.0	19.0
1988	53	11.5	1.74	8.4	15.8	3	4.2	2.50	0.8	22.3
1989	42	8.1	1.34	5.7	11.6	8	7.5	2.90	3.0	24.6
1990	44	8.7	1.47	6.0	12.4	3	3.5	2.56	0.4	21.1
1991	38	8.3	1.53	5.6	12.1	4	7.3	4.72	1.2	26.5
1992	40	8.0	1.40	5.5	11.6	6	8.6	4.36	2.3	25.9
1993	60	12.1	1.68	9.0	16.1	3	1.4	0.79	0.3	13.8
1994	53	10.8	1.63	7.8	14.7	5	4.0	2.38	0.8	17.3
1995	53	10.6	1.56	7.8	14.4	6	4.4	2.16	1.2	16.5
1996	49	9.8	1.55	7.0	13.6	5	2.6	1.16	0.8	13.3
1997	56	11.0	1.58	8.1	14.8	2	0.8	0.60	0.1	10.9
1998	47	7.9	1.23	5.7	11.0	7	7.0	2.98	2.4	18.7
1999	47	8.6	1.35	6.1	11.9	5	4.2	2.63	0.7	15.4
2000	44	7.1	1.12	5.0	9.9	8	4.2	1.56	1.7	12.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	234	6.3	0.59	5.2	7.7	7215	11.1	0.13	10.9	11.4
1986	14	9.3	3.88	3.3	22.1	475	11.7	0.57	10.6	12.9
1987	11	3.6	1.18	1.7	11.8	408	10.0	0.52	9.0	11.0
1988	10	6.4	2.66	2.2	16.4	437	10.7	0.53	9.6	11.8
1989	18	11.8	3.48	6.0	22.8	478	11.2	0.53	10.2	12.3
1990	12	5.4	2.23	2.0	14.5	477	11.3	0.54	10.3	12.4
1991	15	7.3	2.89	2.8	17.2	450	10.5	0.51	9.5	11.6
1992	11	4.7	2.13	1.5	13.0	513	12.0	0.55	11.0	13.2
1993	15	4.8	1.70	2.1	12.3	523	12.0	0.54	11.0	13.2
1994	18	5.8	1.98	2.6	13.5	502	11.4	0.52	10.4	12.5
1995	16	7.0	2.34	3.2	15.1	510	11.7	0.53	10.7	12.8
1996	13	4.3	1.74	1.6	11.2	491	11.3	0.52	10.3	12.3
1997	19	4.7	1.78	1.9	11.6	505	11.3	0.51	10.3	12.3
1998	15	4.6	1.46	2.2	10.7	461	10.1	0.48	9.2	11.1
1999	17	4.9	1.40	2.5	10.6	493	10.9	0.50	10.0	12.0
2000	30	10.5	2.64	6.0	18.2	492	10.6	0.48	9.7	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,630	8.9	0.10	8.7	9.1	7,612	9.1	0.11	8.9	9.3
1986	453	7.5	0.36	6.8	8.2	403	7.6	0.39	6.9	8.4
1987	494	8.1	0.37	7.4	8.8	441	8.3	0.40	7.5	9.1
1988	483	7.8	0.36	7.1	8.6	425	7.9	0.39	7.2	8.7
1989	485	7.9	0.36	7.2	8.7	427	8.0	0.40	7.3	8.8
1990	540	8.5	0.37	7.8	9.3	485	8.9	0.41	8.1	9.7
1991	496	7.9	0.36	7.2	8.6	437	8.0	0.39	7.3	8.8
1992	495	7.8	0.35	7.1	8.5	435	7.9	0.39	7.2	8.7
1993	571	8.7	0.37	8.0	9.5	518	9.2	0.41	8.4	10.0
1994	684	10.4	0.40	9.7	11.3	616	10.9	0.45	10.0	11.8
1995	684	10.3	0.40	9.5	11.1	595	10.5	0.44	9.7	11.4
1996	630	9.4	0.38	8.7	10.2	562	9.8	0.42	9.0	10.7
1997	641	9.5	0.38	8.8	10.3	556	9.6	0.42	8.8	10.5
1998	638	9.3	0.37	8.6	10.1	551	9.4	0.41	8.6	10.2
1999	666	9.8	0.38	9.0	10.6	579	10.0	0.42	9.2	10.9
2000	670	9.7	0.38	9.0	10.5	582	10.0	0.42	9.2	10.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	825	7.2	0.26	6.7	7.7	132	6.0	0.59	4.9	7.4
1986	43	6.4	1.00	4.6	8.7	5	5.0	2.60	1.3	19.3
1987	44	6.6	1.05	4.7	9.1	6	4.8	1.99	1.7	17.6
1988	46	7.1	1.07	5.1	9.6	9	7.5	2.86	3.0	20.8
1989	54	7.6	1.06	5.7	10.1	3	2.8	1.89	0.4	14.8
1990	46	6.1	0.93	4.4	8.3	2	1.8	1.38	0.2	13.3
1991	48	6.4	0.96	4.7	8.7	7	4.2	1.64	1.6	14.3
1992	46	6.2	0.94	4.5	8.4	10	8.7	2.96	3.9	19.8
1993	43	5.8	0.90	4.1	7.9	10	7.2	2.58	3.1	17.1
1994	56	7.4	1.00	5.5	9.7	10	6.1	2.07	2.8	14.6
1995	71	9.1	1.11	7.1	11.6	13	7.7	2.45	3.7	16.2
1996	48	5.9	0.87	4.3	7.9	17	10.1	2.83	5.4	18.8
1997	69	8.5	1.04	6.6	10.8	13	7.6	2.48	3.6	15.7
1998	67	7.9	0.98	6.1	10.1	12	6.6	2.05	3.2	13.5
1999	75	8.6	1.01	6.7	10.9	7	3.5	1.40	1.3	9.1
2000	69	8.0	0.98	6.2	10.2	8	3.9	1.57	1.5	9.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	355	7.9	0.53	6.9	9.1	6,845	9.1	0.11	8.9	9.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	16	6.1	1.96	2.8	12.4	469	8.0	0.37	7.2	8.7
1990	28	9.4	2.24	5.5	16.0	512	8.4	0.38	7.7	9.2
1991	24	7.4	1.90	4.2	13.4	472	7.8	0.36	7.1	8.5
1992	22	7.0	1.89	3.8	12.8	473	7.7	0.36	7.0	8.5
1993	24	7.4	1.82	4.2	12.9	547	8.7	0.38	8.0	9.5
1994	30	8.6	2.09	5.0	14.6	654	10.4	0.41	9.6	11.2
1995	34	8.3	1.68	5.3	13.3	650	10.3	0.41	9.5	11.1
1996	30	9.0	1.96	5.6	14.5	600	9.4	0.39	8.6	10.2
1997	37	8.6	1.80	5.5	13.7	604	9.4	0.39	8.7	10.2
1998	29	6.3	1.52	3.7	10.9	609	9.3	0.38	8.6	10.1
1999	40	9.4	1.89	6.0	14.5	626	9.8	0.40	9.0	10.6
2000	41	7.1	1.44	4.5	11.3	629	9.7	0.39	9.0	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Leukemias, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6,471	6.5	0.08	6.3	6.6	5,753	6.6	0.09	6.4	6.8
1986	397	6.4	0.33	5.8	7.1	352	6.4	0.35	5.7	7.1
1987	394	6.4	0.33	5.8	7.1	354	6.5	0.35	5.8	7.2
1988	405	6.5	0.33	5.8	7.2	362	6.6	0.35	5.9	7.3
1989	407	6.4	0.32	5.8	7.1	371	6.6	0.35	6.0	7.4
1990	443	7.0	0.33	6.3	7.6	391	6.9	0.36	6.2	7.7
1991	476	7.3	0.34	6.6	8.0	424	7.4	0.37	6.7	8.2
1992	417	6.4	0.32	5.8	7.0	367	6.4	0.34	5.7	7.1
1993	427	6.4	0.31	5.8	7.0	392	6.7	0.34	6.0	7.4
1994	416	6.2	0.31	5.6	6.8	370	6.3	0.33	5.6	7.0
1995	440	6.4	0.31	5.8	7.1	394	6.6	0.34	6.0	7.3
1996	433	6.3	0.30	5.7	6.9	382	6.4	0.33	5.8	7.1
1997	432	6.2	0.30	5.6	6.8	380	6.3	0.33	5.6	7.0
1998	452	6.4	0.31	5.9	7.1	378	6.2	0.32	5.6	6.9
1999	466	6.6	0.31	6.0	7.2	418	6.8	0.34	6.2	7.5
2000	466	6.5	0.31	5.9	7.2	418	6.8	0.34	6.1	7.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	667	6.0	0.24	5.6	6.5	51	2.7	0.42	2.0	3.8
1986	41	6.4	1.04	4.6	8.9	4	5.4	2.85	1.3	20.1
1987	39	6.3	1.03	4.4	8.7	1	0.6	0.59	0.0	13.1
1988	41	6.5	1.05	4.6	9.0	2	2.4	1.71	0.3	14.8
1989	34	4.9	0.86	3.4	7.0	2	1.1	0.76	0.1	12.3
1990	49	7.2	1.06	5.3	9.6	3	1.7	0.99	0.4	12.8
1991	47	6.6	0.99	4.8	8.8	5	3.6	1.70	1.1	14.0
1992	46	6.4	0.97	4.7	8.7	4	4.6	2.40	1.2	15.1
1993	33	4.2	0.75	2.9	6.0	2	2.0	1.51	0.2	10.8
1994	42	5.7	0.90	4.1	7.8	4	2.3	1.21	0.6	9.9
1995	42	5.5	0.86	3.9	7.5	4	3.0	1.64	0.7	10.4
1996	45	6.0	0.91	4.4	8.1	6	4.7	2.18	1.4	12.6
1997	49	6.2	0.90	4.6	8.3	3	1.9	1.17	0.3	8.0
1998	68	8.5	1.04	6.6	10.8	6	3.5	1.56	1.2	9.8
1999	46	5.5	0.82	4.0	7.4	2	1.7	1.22	0.2	7.3
2000	45	5.2	0.79	3.8	7.1	3	2.0	1.22	0.4	7.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	202	5.1	0.43	4.3	6.1	6239	6.5	0.08	6.3	6.6
1986	4	3.0	1.78	0.6	10.0	389	6.5	0.33	5.8	7.2
1987	10	3.9	1.47	1.6	9.9	391	6.5	0.33	5.9	7.2
1988	10	5.4	2.00	2.3	12.1	394	6.5	0.33	5.8	7.1
1989	8	2.8	1.20	1.0	8.0	394	6.4	0.33	5.8	7.1
1990	12	6.9	2.32	3.1	13.9	433	7.0	0.34	6.4	7.7
1991	15	7.0	2.06	3.6	13.4	465	7.3	0.34	6.7	8.0
1992	11	3.1	1.09	1.4	7.7	398	6.3	0.32	5.7	7.0
1993	12	4.6	1.50	2.1	9.6	418	6.5	0.32	5.9	7.1
1994	15	5.1	1.62	2.4	10.2	388	6.0	0.31	5.4	6.6
1995	14	4.6	1.44	2.2	9.3	416	6.3	0.31	5.7	6.9
1996	16	5.2	1.42	2.7	9.7	417	6.3	0.31	5.7	6.9
1997	15	5.9	1.74	3.0	11.0	412	6.2	0.31	5.6	6.8
1998	17	4.6	1.41	2.3	9.0	438	6.5	0.31	5.9	7.2
1999	22	8.0	2.06	4.5	13.6	442	6.5	0.31	5.9	7.1
2000	21	5.0	1.34	2.7	9.1	444	6.5	0.31	5.9	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,146	4.8	0.05	4.7	4.9	7,203	4.9	0.06	4.8	5.0
1986	415	3.9	0.19	3.5	4.3	373	4.0	0.21	3.6	4.4
1987	484	4.4	0.20	4.0	4.9	434	4.6	0.22	4.2	5.1
1988	489	4.5	0.21	4.1	4.9	427	4.5	0.22	4.1	5.0
1989	516	4.7	0.21	4.3	5.1	462	4.9	0.23	4.4	5.4
1990	502	4.5	0.20	4.1	4.9	448	4.7	0.22	4.2	5.1
1991	523	4.7	0.21	4.3	5.1	454	4.7	0.22	4.3	5.2
1992	575	5.1	0.21	4.7	5.5	500	5.1	0.23	4.7	5.6
1993	563	4.9	0.21	4.5	5.3	504	5.1	0.23	4.7	5.6
1994	661	5.8	0.22	5.3	6.2	588	5.9	0.25	5.5	6.4
1995	636	5.5	0.22	5.0	5.9	562	5.7	0.24	5.2	6.2
1996	590	5.0	0.21	4.6	5.5	527	5.3	0.23	4.8	5.7
1997	564	4.8	0.20	4.4	5.2	505	5.0	0.22	4.6	5.5
1998	549	4.6	0.20	4.2	5.0	481	4.7	0.22	4.3	5.2
1999	560	4.6	0.20	4.3	5.1	504	5.0	0.22	4.5	5.4
2000	519	4.3	0.19	3.9	4.7	434	4.3	0.20	3.9	4.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	743	3.7	0.14	3.4	4.0	103	2.3	0.27	1.8	3.0
1986	35	3.1	0.56	2.1	4.5	6	2.7	1.39	0.7	11.1
1987	38	3.2	0.56	2.2	4.5	8	4.2	1.81	1.4	12.6
1988	53	4.6	0.67	3.4	6.2	5	2.7	1.43	0.7	10.4
1989	47	3.7	0.57	2.7	5.1	6	4.4	2.24	1.1	13.0
1990	44	3.8	0.59	2.7	5.2	2	1.0	0.77	0.1	7.8
1991	54	4.2	0.60	3.1	5.6	9	2.7	0.92	1.2	8.7
1992	62	4.8	0.64	3.7	6.3	6	2.7	1.32	0.8	8.9
1993	50	3.7	0.55	2.7	5.0	4	0.9	0.45	0.2	5.7
1994	57	4.2	0.58	3.1	5.6	10	2.8	1.09	1.1	7.9
1995	54	3.9	0.56	2.9	5.2	13	3.8	1.27	1.8	8.8
1996	49	3.5	0.52	2.5	4.7	4	1.0	0.51	0.2	4.8
1997	48	3.2	0.48	2.3	4.3	6	1.1	0.45	0.4	4.6
1998	49	3.4	0.50	2.5	4.5	12	3.0	0.94	1.5	6.9
1999	40	2.4	0.40	1.7	3.4	6	2.0	0.91	0.6	5.7
2000	63	4.4	0.57	3.4	5.7	6	1.6	0.74	0.5	4.8
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	364	3.3	0.24	2.8	3.8	6,394	4.9	0.06	4.8	5.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	21	3.5	1.15	1.6	7.4	495	4.7	0.22	4.3	5.2
1990	23	1.9	0.44	1.1	4.6	479	4.5	0.21	4.1	4.9
1991	26	3.7	0.97	2.1	7.1	497	4.7	0.21	4.2	5.1
1992	27	5.1	1.36	2.7	9.1	548	5.1	0.22	4.7	5.6
1993	27	4.0	1.02	2.2	7.3	536	4.9	0.21	4.5	5.4
1994	27	1.7	0.33	1.1	3.8	634	5.8	0.23	5.4	6.3
1995	39	3.8	0.84	2.4	6.7	597	5.4	0.22	5.0	5.9
1996	42	4.8	1.08	2.9	8.0	548	5.0	0.21	4.5	5.4
1997	37	3.1	0.71	1.8	5.5	527	4.7	0.21	4.3	5.2
1998	25	2.2	0.58	1.2	4.5	524	4.7	0.20	4.3	5.1
1999	34	3.6	0.85	2.2	6.3	526	4.7	0.20	4.3	5.1
2000	36	2.3	0.45	1.5	4.2	483	4.3	0.20	3.9	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,130	2.5	0.04	2.4	2.5	3,672	2.5	0.04	2.4	2.6
1986	269	2.6	0.16	2.3	2.9	236	2.5	0.17	2.2	2.9
1987	200	1.9	0.14	1.6	2.2	182	2.0	0.15	1.7	2.3
1988	240	2.3	0.15	2.0	2.6	210	2.3	0.16	2.0	2.6
1989	279	2.6	0.16	2.3	2.9	253	2.7	0.17	2.4	3.0
1990	297	2.8	0.16	2.5	3.1	252	2.6	0.17	2.3	3.0
1991	303	2.8	0.16	2.5	3.1	269	2.8	0.17	2.5	3.2
1992	308	2.8	0.16	2.5	3.1	278	2.8	0.17	2.5	3.2
1993	291	2.6	0.15	2.3	2.9	260	2.6	0.16	2.3	3.0
1994	255	2.2	0.14	2.0	2.5	229	2.3	0.15	2.0	2.6
1995	293	2.6	0.15	2.3	2.9	260	2.6	0.16	2.3	2.9
1996	289	2.5	0.15	2.2	2.8	257	2.5	0.16	2.2	2.9
1997	298	2.5	0.15	2.3	2.8	260	2.5	0.16	2.2	2.9
1998	262	2.2	0.14	2.0	2.5	231	2.2	0.15	2.0	2.5
1999	264	2.2	0.14	2.0	2.5	236	2.3	0.15	2.0	2.6
2000	282	2.3	0.14	2.1	2.6	259	2.5	0.15	2.2	2.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	438	2.4	0.12	2.2	2.6	20	0.6	0.14	0.3	1.0
1986	33	3.2	0.59	2.1	4.6	0	0.0	~	0.0	8.1
1987	18	1.6	0.40	1.0	2.7	0	0.0	~	0.0	7.6
1988	30	2.8	0.53	1.8	4.1	0	0.0	~	0.0	7.2
1989	24	2.0	0.43	1.3	3.1	2	0.8	0.58	0.1	7.5
1990	42	3.7	0.60	2.6	5.1	3	0.9	0.50	0.2	7.5
1991	33	3.1	0.56	2.1	4.4	1	0.3	0.33	0.0	6.3
1992	28	2.3	0.45	1.5	3.4	2	1.6	1.20	0.2	7.8
1993	30	2.3	0.44	1.5	3.4	1	0.3	0.28	0.0	5.2
1994	24	2.0	0.42	1.3	3.1	2	1.3	0.96	0.1	6.4
1995	29	2.3	0.45	1.5	3.4	4	1.2	0.75	0.2	5.6
1996	31	2.6	0.49	1.7	3.7	1	0.2	0.24	0.0	4.0
1997	38	3.1	0.52	2.2	4.4	0	0.0	~	0.0	3.6
1998	28	2.1	0.41	1.4	3.1	3	1.0	0.61	0.2	4.5
1999	28	1.9	0.37	1.2	2.8	0	0.0	~	0.0	3.1
2000	22	1.5	0.33	0.9	2.4	1	0.5	0.48	0.0	3.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	128	1.4	0.17	1.1	1.8	3999	2.5	0.04	2.4	2.5
1986	4	0.5	0.30	0.1	3.8	261	2.6	0.16	2.2	2.9
1987	7	0.9	0.40	0.3	4.0	186	1.8	0.14	1.6	2.1
1988	4	0.6	0.34	0.1	3.5	233	2.3	0.15	2.0	2.6
1989	5	1.9	1.00	0.5	5.6	262	2.5	0.16	2.2	2.8
1990	8	1.8	0.93	0.5	5.4	290	2.8	0.16	2.5	3.1
1991	15	3.3	1.13	1.5	7.0	285	2.7	0.16	2.4	3.0
1992	8	1.3	0.61	0.4	4.1	316	3.0	0.17	2.6	3.3
1993	7	0.9	0.37	0.3	3.3	281	2.6	0.15	2.3	2.9
1994	7	1.1	0.58	0.3	3.7	245	2.2	0.14	2.0	2.5
1995	7	0.6	0.23	0.2	2.7	284	2.6	0.15	2.3	2.9
1996	9	1.2	0.48	0.4	3.4	283	2.5	0.15	2.2	2.9
1997	12	2.4	0.95	0.9	5.5	306	2.7	0.16	2.4	3.1
1998	10	0.8	0.28	0.3	2.7	262	2.3	0.14	2.0	2.6
1999	8	0.9	0.35	0.4	2.8	248	2.2	0.14	1.9	2.5
2000	17	2.2	0.70	1.0	4.6	257	2.2	0.14	2.0	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,588	6.3	0.10	6.1	6.5	4,052	6.5	0.10	6.3	6.7
1986	215	4.8	0.35	4.2	5.6	194	5.0	0.38	4.3	5.8
1987	259	5.5	0.36	4.8	6.3	236	5.8	0.39	5.1	6.7
1988	261	5.7	0.37	5.0	6.5	228	5.7	0.40	5.0	6.6
1989	268	5.6	0.36	5.0	6.4	245	5.9	0.39	5.2	6.8
1990	281	6.0	0.37	5.3	6.8	254	6.2	0.40	5.4	7.0
1991	315	6.5	0.37	5.7	7.2	269	6.4	0.40	5.6	7.3
1992	336	7.0	0.39	6.3	7.8	291	7.0	0.42	6.2	7.9
1993	306	6.2	0.37	5.5	7.0	270	6.4	0.40	5.6	7.2
1994	387	8.2	0.43	7.4	9.1	342	8.4	0.47	7.5	9.4
1995	356	7.2	0.40	6.5	8.1	311	7.4	0.43	6.6	8.3
1996	342	7.0	0.39	6.2	7.8	302	7.2	0.42	6.4	8.0
1997	337	6.7	0.37	5.9	7.4	301	7.0	0.41	6.2	7.9
1998	313	6.1	0.35	5.4	6.9	274	6.3	0.38	5.5	7.1
1999	320	6.2	0.36	5.5	7.0	291	6.6	0.39	5.9	7.5
2000	292	5.6	0.33	4.9	6.3	244	5.5	0.35	4.8	6.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	424	5.0	0.27	4.5	5.6	55	2.8	0.50	1.9	4.2
1986	18	3.9	1.06	2.1	6.9	3	1.7	0.96	0.3	21.4
1987	18	3.3	0.89	1.8	6.0	3	4.7	3.61	0.4	25.5
1988	31	6.2	1.25	4.0	9.6	0	0.0	-	0.0	17.8
1989	18	3.5	0.94	1.9	6.3	4	7.2	4.80	1.0	27.7
1990	24	5.5	1.26	3.3	8.9	1	0.5	0.53	0.0	17.2
1991	35	6.0	1.10	4.1	9.0	6	3.6	1.53	1.2	18.3
1992	38	6.8	1.21	4.6	10.0	3	1.6	0.92	0.3	15.0
1993	29	4.9	0.97	3.2	7.6	2	0.9	0.61	0.1	13.4
1994	34	6.3	1.25	4.1	9.5	7	4.7	2.41	1.2	17.9
1995	35	5.8	1.10	3.9	8.7	8	6.3	2.83	2.0	19.2
1996	30	5.3	1.08	3.4	8.2	3	1.6	1.01	0.2	12.4
1997	31	4.6	0.90	3.0	7.1	1	0.3	0.31	0.0	10.5
1998	30	4.9	0.94	3.2	7.4	6	3.6	1.56	1.2	13.4
1999	18	2.5	0.67	1.4	4.6	3	2.3	1.62	0.3	12.0
2000	35	5.8	1.03	4.0	8.5	5	3.2	1.70	0.8	12.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	203	3.8	0.43	3.0	4.8	3,650	6.6	0.11	6.4	6.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	13	5.2	2.52	1.5	14.8	255	5.6	0.36	4.9	6.4
1990	9	1.6	0.68	0.6	9.0	272	6.1	0.38	5.4	6.9
1991	10	2.8	1.15	1.0	10.0	305	6.6	0.38	5.9	7.4
1992	12	6.0	2.42	2.2	14.7	324	7.1	0.40	6.3	8.0
1993	15	4.6	1.61	2.0	12.0	291	6.2	0.38	5.5	7.0
1994	17	2.1	0.52	1.2	8.1	370	8.3	0.44	7.5	9.3
1995	24	4.8	1.62	2.1	11.7	332	7.2	0.41	6.5	8.1
1996	28	4.9	1.71	2.1	11.8	314	6.8	0.39	6.1	7.7
1997	20	3.9	1.50	1.5	10.3	317	6.7	0.38	6.0	7.5
1998	16	2.9	1.04	1.2	8.4	297	6.2	0.36	5.5	7.0
1999	22	5.0	1.69	2.3	11.3	298	6.2	0.37	5.5	7.0
2000	17	1.9	0.53	1.0	6.4	275	5.7	0.34	5.0	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,291	3.5	0.08	3.3	3.6	2,040	3.5	0.08	3.4	3.7
1986	143	3.4	0.30	2.8	4.0	125	3.3	0.31	2.7	4.0
1987	112	2.7	0.27	2.2	3.3	102	2.8	0.29	2.3	3.5
1988	121	2.9	0.27	2.4	3.5	105	2.8	0.29	2.3	3.5
1989	159	3.6	0.30	3.0	4.2	147	3.8	0.32	3.2	4.5
1990	170	4.1	0.33	3.5	4.8	147	4.0	0.35	3.4	4.8
1991	159	3.6	0.30	3.0	4.2	145	3.7	0.32	3.1	4.4
1992	169	4.0	0.33	3.4	4.8	151	4.1	0.35	3.5	4.9
1993	170	3.8	0.30	3.2	4.4	147	3.8	0.32	3.2	4.5
1994	151	3.4	0.29	2.9	4.0	136	3.5	0.31	2.9	4.2
1995	175	3.9	0.31	3.3	4.6	151	3.9	0.32	3.2	4.6
1996	155	3.6	0.29	3.0	4.2	140	3.6	0.32	3.1	4.3
1997	167	3.6	0.29	3.1	4.3	148	3.7	0.31	3.1	4.4
1998	136	3.0	0.26	2.5	3.6	123	3.1	0.28	2.6	3.7
1999	149	3.2	0.27	2.7	3.8	131	3.2	0.29	2.7	3.9
2000	155	3.2	0.26	2.7	3.7	142	3.4	0.29	2.8	4.0
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	243	3.3	0.23	2.9	3.8	8	0.5	0.21	0.2	1.4
1986	18	3.9	1.06	2.1	7.0	0	0.0	~	0.0	20.2
1987	10	2.3	0.77	1.0	4.8	0	0.0	~	0.0	19.0
1988	16	3.4	0.94	1.8	6.2	0	0.0	~	0.0	17.8
1989	11	2.2	0.71	1.0	4.6	1	1.1	1.13	0.0	17.7
1990	23	5.0	1.20	3.0	8.3	0	0.0	~	0.0	16.8
1991	14	3.4	1.02	1.7	6.4	0	0.0	~	0.0	15.1
1992	18	4.0	1.02	2.2	6.8	0	0.0	~	0.0	13.7
1993	22	4.0	0.90	2.4	6.6	1	0.6	0.55	0.0	13.2
1994	14	2.8	0.82	1.5	5.3	1	2.2	2.18	0.1	15.6
1995	21	4.5	1.06	2.7	7.4	3	2.4	1.74	0.2	14.3
1996	14	3.1	0.92	1.5	5.7	1	0.5	0.47	0.0	11.3
1997	19	4.2	1.05	2.4	7.0	0	0.0	~	0.0	10.2
1998	12	2.2	0.71	1.1	4.4	1	0.5	0.46	0.0	10.0
1999	18	2.9	0.73	1.7	5.1	0	0.0	~	0.0	9.1
2000	13	2.0	0.58	1.0	3.9	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	73	1.8	0.32	1.2	2.6	2202	3.5	0.08	3.3	3.6
1986	4	0.9	0.57	0.2	9.4	145	3.5	0.31	3.0	4.2
1987	4	1.0	0.57	0.2	9.1	100	2.5	0.27	2.0	3.1
1988	2	0.3	0.23	0.0	8.1	118	2.9	0.28	2.4	3.5
1989	4	4.7	2.60	1.1	14.6	146	3.4	0.29	2.9	4.0
1990	4	2.0	1.39	0.2	10.2	162	4.0	0.33	3.4	4.8
1991	9	3.3	1.64	0.9	11.2	146	3.5	0.30	2.9	4.1
1992	3	1.5	1.28	0.1	8.8	176	4.3	0.34	3.7	5.1
1993	4	1.0	0.60	0.2	7.6	163	3.7	0.30	3.2	4.4
1994	5	2.1	1.46	0.3	9.3	142	3.3	0.28	2.8	3.9
1995	4	0.7	0.38	0.2	6.6	164	3.8	0.31	3.2	4.5
1996	5	1.5	0.87	0.3	7.5	150	3.6	0.30	3.0	4.2
1997	6	2.3	1.56	0.3	9.1	171	3.9	0.30	3.3	4.5
1998	3	0.3	0.16	0.1	5.5	141	3.2	0.28	2.7	3.8
1999	5	1.0	0.52	0.2	6.0	139	3.1	0.27	2.6	3.7
2000	11	3.7	1.60	1.3	9.7	139	3.0	0.26	2.5	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,558	3.6	0.06	3.5	3.8	3,151	3.8	0.07	3.6	3.9
1986	200	3.3	0.23	2.8	3.8	179	3.3	0.25	2.9	3.9
1987	225	3.7	0.25	3.2	4.2	198	3.8	0.27	3.3	4.4
1988	228	3.6	0.24	3.2	4.2	199	3.7	0.26	3.2	4.2
1989	248	4.0	0.26	3.5	4.6	217	4.1	0.28	3.5	4.7
1990	221	3.5	0.24	3.1	4.0	194	3.6	0.26	3.1	4.2
1991	208	3.2	0.23	2.8	3.7	185	3.3	0.25	2.9	3.9
1992	239	3.7	0.24	3.2	4.2	209	3.8	0.26	3.3	4.3
1993	257	3.9	0.24	3.4	4.4	234	4.1	0.27	3.6	4.7
1994	274	4.1	0.25	3.7	4.7	246	4.3	0.28	3.8	4.9
1995	280	4.2	0.26	3.8	4.8	251	4.5	0.29	3.9	5.1
1996	248	3.7	0.24	3.3	4.2	225	4.0	0.27	3.5	4.6
1997	227	3.3	0.22	2.9	3.8	204	3.5	0.25	3.0	4.0
1998	236	3.4	0.22	3.0	3.9	207	3.5	0.24	3.0	4.0
1999	240	3.6	0.23	3.1	4.1	213	3.8	0.26	3.3	4.3
2000	227	3.3	0.22	2.9	3.8	190	3.3	0.25	2.9	3.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	319	2.8	0.16	2.5	3.1	48	2.0	0.32	1.4	2.8
1986	17	2.7	0.67	1.5	4.5	3	3.4	2.30	0.5	17.6
1987	20	3.0	0.70	1.8	4.8	5	4.0	1.85	1.2	16.8
1988	22	3.4	0.75	2.1	5.3	5	4.9	2.50	1.3	17.9
1989	29	3.9	0.75	2.6	5.8	2	2.3	1.82	0.2	14.3
1990	20	2.8	0.63	1.7	4.4	1	1.3	1.26	0.0	12.7
1991	19	2.6	0.63	1.6	4.3	3	1.9	1.09	0.4	11.8
1992	24	3.4	0.70	2.1	5.1	3	3.4	2.11	0.6	13.6
1993	21	2.7	0.61	1.6	4.2	2	1.0	0.70	0.1	9.0
1994	23	3.0	0.64	1.9	4.6	3	1.3	0.78	0.3	8.6
1995	19	2.5	0.58	1.5	3.9	5	2.0	0.93	0.6	8.5
1996	19	2.3	0.54	1.4	3.7	1	0.5	0.46	0.0	6.3
1997	17	2.0	0.51	1.2	3.4	5	1.8	0.83	0.6	7.5
1998	19	2.2	0.52	1.3	3.6	6	2.7	1.15	0.9	8.3
1999	22	2.4	0.52	1.5	3.7	3	1.8	1.11	0.3	7.2
2000	28	3.4	0.65	2.2	5.0	1	0.4	0.44	0.0	4.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	161	2.9	0.30	2.4	3.6	2,744	3.6	0.07	3.5	3.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	8	2.4	1.09	0.8	7.4	240	4.1	0.27	3.6	4.6
1990	14	2.2	0.58	1.2	6.3	207	3.4	0.24	3.0	3.9
1991	16	4.5	1.42	2.1	9.7	192	3.1	0.22	2.7	3.6
1992	15	4.6	1.60	2.0	10.0	224	3.6	0.24	3.1	4.1
1993	12	3.3	1.26	1.3	7.9	245	3.9	0.25	3.4	4.4
1994	10	1.2	0.39	0.6	4.6	264	4.2	0.26	3.7	4.7
1995	15	3.2	1.00	1.5	7.1	265	4.2	0.26	3.7	4.8
1996	14	4.6	1.50	2.2	9.4	234	3.7	0.24	3.2	4.2
1997	17	2.6	0.72	1.4	5.9	210	3.2	0.23	2.8	3.7
1998	9	1.6	0.66	0.6	4.9	227	3.4	0.23	3.0	3.9
1999	12	2.6	0.93	1.1	6.2	228	3.6	0.24	3.2	4.2
2000	19	2.7	0.70	1.5	5.7	208	3.3	0.23	2.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Lymphocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,839	1.8	0.04	1.7	1.9	1,632	1.8	0.05	1.7	1.9
1986	126	2.0	0.18	1.7	2.4	111	2.0	0.19	1.6	2.4
1987	88	1.4	0.15	1.1	1.8	80	1.5	0.17	1.2	1.8
1988	119	1.9	0.17	1.6	2.3	105	1.9	0.19	1.5	2.3
1989	120	1.8	0.17	1.5	2.2	106	1.8	0.18	1.5	2.2
1990	127	2.0	0.18	1.6	2.4	105	1.8	0.18	1.5	2.2
1991	144	2.2	0.18	1.8	2.6	124	2.1	0.20	1.8	2.6
1992	139	2.0	0.17	1.7	2.4	127	2.1	0.19	1.7	2.5
1993	121	1.8	0.16	1.5	2.1	113	1.9	0.18	1.6	2.3
1994	104	1.5	0.15	1.2	1.8	93	1.5	0.16	1.2	1.9
1995	118	1.7	0.16	1.4	2.0	109	1.8	0.17	1.4	2.2
1996	134	1.9	0.17	1.6	2.3	117	1.9	0.18	1.6	2.3
1997	131	1.8	0.16	1.6	2.2	112	1.8	0.17	1.5	2.2
1998	126	1.8	0.16	1.5	2.1	108	1.7	0.17	1.4	2.1
1999	115	1.6	0.15	1.3	2.0	105	1.7	0.17	1.4	2.1
2000	127	1.7	0.15	1.4	2.0	117	1.8	0.17	1.5	2.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	195	1.8	0.13	1.6	2.1	12	0.6	0.20	0.3	1.3
1986	15	2.6	0.70	1.4	4.5	0	0.0	~	0.0	13.4
1987	8	1.2	0.45	0.5	2.6	0	0.0	~	0.0	12.6
1988	14	2.3	0.62	1.2	3.9	0	0.0	~	0.0	12.0
1989	13	1.9	0.54	1.0	3.4	1	0.6	0.60	0.0	11.9
1990	19	2.8	0.67	1.7	4.6	3	1.7	0.99	0.4	12.8
1991	19	2.9	0.68	1.7	4.6	1	0.6	0.65	0.0	10.6
1992	10	1.3	0.43	0.6	2.5	2	2.8	2.03	0.3	13.0
1993	8	1.1	0.40	0.5	2.3	0	0.0	~	0.0	8.0
1994	10	1.5	0.47	0.7	2.8	1	0.7	0.73	0.0	8.2
1995	8	1.0	0.37	0.4	2.1	1	0.4	0.45	0.0	6.9
1996	17	2.3	0.57	1.3	3.7	0	0.0	~	0.0	5.8
1997	19	2.6	0.60	1.5	4.1	0	0.0	~	0.0	5.6
1998	16	2.0	0.50	1.1	3.3	2	1.3	0.99	0.1	6.9
1999	10	1.2	0.38	0.6	2.2	0	0.0	~	0.0	4.7
2000	9	1.1	0.37	0.5	2.1	1	0.8	0.81	0.0	5.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	55	1.1	0.19	0.8	1.6	1797	1.8	0.04	1.7	1.9
1986	0	0.0	-	0.0	5.4	116	1.9	0.18	1.6	2.3
1987	3	0.9	0.56	0.1	6.0	86	1.4	0.15	1.1	1.8
1988	2	0.8	0.61	0.0	5.6	115	1.9	0.18	1.6	2.3
1989	1	0.2	0.15	0.0	4.5	116	1.8	0.17	1.5	2.2
1990	4	1.7	1.20	0.2	6.9	128	2.0	0.18	1.7	2.4
1991	6	3.2	1.49	0.9	8.6	139	2.2	0.18	1.8	2.6
1992	5	1.4	0.68	0.4	5.4	140	2.2	0.18	1.8	2.6
1993	3	0.7	0.45	0.1	4.4	118	1.8	0.17	1.5	2.2
1994	2	0.4	0.34	0.0	3.9	103	1.6	0.15	1.3	1.9
1995	3	0.4	0.23	0.1	3.7	120	1.8	0.16	1.5	2.1
1996	4	0.9	0.52	0.2	4.2	133	2.0	0.17	1.6	2.3
1997	6	2.6	1.27	0.7	7.0	135	2.0	0.17	1.7	2.4
1998	7	1.3	0.53	0.4	4.4	121	1.7	0.16	1.4	2.1
1999	3	0.8	0.47	0.2	3.8	109	1.6	0.16	1.3	2.0
2000	6	1.1	0.49	0.4	4.0	118	1.6	0.15	1.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Myelocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8,301	4.9	0.05	4.8	5.0	7,326	5.0	0.06	4.9	5.1
1986	419	4.0	0.20	3.6	4.4	370	4.0	0.21	3.6	4.5
1987	415	3.8	0.19	3.5	4.2	380	4.0	0.21	3.6	4.4
1988	405	3.8	0.19	3.4	4.2	358	3.8	0.21	3.4	4.3
1989	403	3.8	0.19	3.4	4.1	352	3.7	0.20	3.4	4.2
1990	504	4.6	0.21	4.2	5.0	453	4.7	0.22	4.3	5.2
1991	474	4.3	0.20	3.9	4.7	426	4.4	0.22	4.0	4.9
1992	505	4.5	0.20	4.1	4.9	451	4.6	0.22	4.2	5.1
1993	536	4.7	0.20	4.3	5.1	478	4.9	0.22	4.4	5.3
1994	639	5.6	0.22	5.1	6.0	570	5.7	0.24	5.3	6.2
1995	648	5.6	0.22	5.2	6.0	563	5.6	0.24	5.2	6.1
1996	641	5.5	0.22	5.1	6.0	561	5.6	0.24	5.1	6.1
1997	666	5.7	0.22	5.2	6.1	581	5.8	0.24	5.3	6.2
1998	656	5.5	0.22	5.1	6.0	567	5.6	0.23	5.1	6.1
1999	680	5.7	0.22	5.3	6.1	592	5.8	0.24	5.3	6.3
2000	710	5.9	0.22	5.5	6.3	624	6.1	0.24	5.6	6.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	782	3.9	0.14	3.6	4.2	148	4.3	0.42	3.5	5.3
1986	45	3.8	0.60	2.7	5.2	3	1.6	0.94	0.3	9.6
1987	30	2.7	0.52	1.8	4.0	4	2.9	1.69	0.6	11.4
1988	40	3.5	0.59	2.5	4.9	5	2.3	1.04	0.7	9.5
1989	46	3.9	0.60	2.8	5.4	4	1.5	0.76	0.4	8.2
1990	45	3.2	0.52	2.3	4.5	4	4.5	2.45	1.0	13.5
1991	36	2.7	0.48	1.9	3.9	8	4.0	1.90	1.2	11.5
1992	38	3.0	0.50	2.1	4.2	13	5.9	2.00	2.6	13.0
1993	46	3.3	0.51	2.4	4.5	11	5.0	1.89	2.0	11.6
1994	57	4.2	0.58	3.1	5.5	9	3.0	1.09	1.2	8.0
1995	72	5.4	0.65	4.1	6.8	12	4.0	1.29	1.9	9.0
1996	56	4.1	0.56	3.0	5.4	23	7.9	2.01	4.4	13.8
1997	69	4.8	0.60	3.7	6.2	12	4.4	1.52	2.0	9.5
1998	70	4.8	0.59	3.7	6.2	15	6.7	1.92	3.5	12.3
1999	65	4.3	0.55	3.3	5.6	14	4.0	1.16	2.1	8.0
2000	67	4.4	0.55	3.4	5.7	11	3.2	1.13	1.4	7.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	324	4.0	0.29	3.5	4.6	6,738	5.1	0.06	5.0	5.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	9	1.7	0.70	0.6	4.8	394	3.8	0.20	3.4	4.2
1990	13	3.2	1.11	1.4	6.9	491	4.6	0.21	4.2	5.1
1991	15	2.7	0.89	1.2	6.0	459	4.3	0.20	3.9	4.8
1992	26	4.1	0.91	2.5	7.2	479	4.4	0.20	4.0	4.9
1993	22	3.6	1.00	1.9	6.9	514	4.7	0.21	4.3	5.2
1994	36	5.7	1.27	3.5	9.4	603	5.5	0.22	5.1	6.0
1995	30	3.7	0.83	2.2	6.4	618	5.6	0.23	5.2	6.1
1996	24	3.7	0.98	2.1	6.8	617	5.6	0.22	5.1	6.0
1997	32	4.6	0.98	2.9	7.6	634	5.7	0.23	5.2	6.1
1998	37	3.9	0.83	2.4	6.5	619	5.5	0.22	5.1	6.0
1999	40	5.1	1.09	3.2	8.2	640	5.7	0.22	5.2	6.1
2000	40	4.6	1.03	2.8	7.5	670	5.9	0.23	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Myelocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,177	3.0	0.04	3.0	3.1	4,617	3.1	0.05	3.0	3.2
1986	293	2.8	0.17	2.5	3.2	264	2.9	0.18	2.5	3.2
1987	343	3.3	0.18	2.9	3.6	305	3.3	0.19	2.9	3.7
1988	288	2.7	0.16	2.4	3.0	257	2.7	0.17	2.4	3.1
1989	312	2.9	0.17	2.6	3.2	279	3.0	0.18	2.6	3.3
1990	328	3.0	0.17	2.7	3.4	296	3.1	0.18	2.8	3.5
1991	334	3.0	0.17	2.7	3.4	306	3.2	0.18	2.8	3.6
1992	330	3.0	0.16	2.6	3.3	294	3.0	0.18	2.7	3.4
1993	351	3.1	0.17	2.8	3.4	315	3.2	0.18	2.8	3.6
1994	382	3.3	0.17	3.0	3.7	340	3.4	0.19	3.1	3.8
1995	341	3.0	0.16	2.6	3.3	302	3.0	0.17	2.7	3.4
1996	364	3.1	0.16	2.8	3.5	320	3.2	0.18	2.8	3.5
1997	360	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
1998	372	3.1	0.16	2.8	3.5	322	3.2	0.18	2.8	3.5
1999	388	3.2	0.16	2.9	3.6	350	3.4	0.18	3.0	3.8
2000	391	3.3	0.16	2.9	3.6	343	3.3	0.18	3.0	3.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	506	2.6	0.12	2.4	2.8	54	1.5	0.24	1.0	2.1
1986	26	2.4	0.51	1.5	3.7	3	1.9	1.11	0.4	10.1
1987	37	3.3	0.56	2.3	4.7	1	0.3	0.29	0.0	7.8
1988	30	2.7	0.52	1.8	4.0	1	0.8	0.79	0.0	8.1
1989	29	2.3	0.43	1.5	3.4	4	1.2	0.58	0.3	7.8
1990	30	2.2	0.41	1.4	3.2	2	0.5	0.37	0.1	7.2
1991	23	1.7	0.38	1.1	2.7	5	2.8	1.75	0.5	10.2
1992	32	2.6	0.49	1.8	3.8	4	2.8	1.67	0.5	9.6
1993	35	2.6	0.46	1.8	3.8	1	0.4	0.37	0.0	5.3
1994	37	2.8	0.47	1.9	3.9	5	1.3	0.60	0.4	5.9
1995	36	2.7	0.46	1.8	3.8	3	1.4	0.91	0.2	6.0
1996	38	3.0	0.50	2.0	4.1	6	1.6	0.71	0.6	5.6
1997	34	2.4	0.43	1.6	3.5	2	0.7	0.60	0.0	4.6
1998	43	3.0	0.47	2.1	4.1	7	2.7	1.12	1.0	6.9
1999	33	2.3	0.40	1.5	3.2	5	1.6	0.81	0.5	5.2
2000	43	2.8	0.44	2.0	3.9	5	1.3	0.62	0.4	4.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	178	2.3	0.22	1.9	2.8	5127	3.2	0.04	3.1	3.2
1986	8	3.3	1.51	1.1	8.3	305	3.0	0.17	2.7	3.4
1987	12	2.6	0.89	1.2	6.3	342	3.4	0.18	3.0	3.8
1988	10	3.7	1.35	1.5	8.0	287	2.8	0.17	2.5	3.1
1989	10	2.4	0.90	1.0	5.8	304	2.9	0.17	2.6	3.3
1990	4	0.9	0.57	0.2	3.9	333	3.2	0.18	2.8	3.5
1991	10	2.5	1.00	0.9	6.0	317	3.0	0.17	2.6	3.3
1992	6	1.1	0.61	0.2	3.9	317	2.9	0.17	2.6	3.3
1993	10	1.5	0.57	0.6	4.1	345	3.2	0.17	2.8	3.5
1994	14	2.0	0.75	0.8	4.9	366	3.3	0.18	3.0	3.7
1995	15	2.8	0.85	1.3	5.6	338	3.1	0.17	2.7	3.4
1996	14	2.3	0.71	1.1	4.9	355	3.2	0.17	2.9	3.5
1997	17	2.2	0.62	1.1	4.5	349	3.1	0.17	2.8	3.4
1998	12	1.4	0.46	0.6	3.5	373	3.3	0.17	3.0	3.7
1999	16	3.2	1.02	1.5	6.2	400	3.5	0.18	3.2	3.9
2000	20	2.7	0.88	1.3	5.4	396	3.5	0.17	3.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Myelocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,471	6.3	0.10	6.1	6.4	3,976	6.4	0.10	6.2	6.6
1986	237	5.4	0.37	4.7	6.2	210	5.5	0.39	4.7	6.3
1987	230	5.2	0.36	4.5	6.0	215	5.5	0.39	4.8	6.4
1988	217	5.0	0.35	4.3	5.8	191	5.0	0.37	4.3	5.8
1989	236	5.2	0.35	4.5	5.9	207	5.2	0.37	4.5	6.0
1990	252	5.4	0.36	4.8	6.2	223	5.5	0.38	4.8	6.3
1991	248	5.3	0.35	4.6	6.0	232	5.6	0.38	4.9	6.5
1992	294	6.1	0.37	5.4	6.9	264	6.3	0.40	5.5	7.1
1993	306	6.4	0.38	5.7	7.3	272	6.6	0.42	5.8	7.5
1994	327	6.8	0.39	6.1	7.6	288	6.9	0.42	6.1	7.8
1995	354	7.2	0.39	6.5	8.1	317	7.5	0.43	6.7	8.4
1996	338	7.0	0.39	6.2	7.8	295	7.0	0.42	6.2	7.9
1997	344	6.9	0.38	6.2	7.7	305	7.1	0.41	6.3	8.0
1998	349	6.8	0.37	6.1	7.6	303	6.9	0.40	6.1	7.7
1999	365	7.2	0.38	6.4	7.9	325	7.4	0.42	6.6	8.3
2000	374	7.3	0.38	6.5	8.1	329	7.5	0.42	6.7	8.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	383	4.7	0.26	4.2	5.2	83	5.8	0.81	4.3	7.8
1986	24	5.1	1.22	3.0	8.5	2	2.1	1.68	0.2	22.2
1987	12	2.4	0.74	1.2	4.9	3	6.0	3.95	0.9	27.0
1988	22	4.7	1.13	2.8	7.8	3	2.8	1.62	0.6	20.3
1989	25	5.1	1.08	3.2	8.1	4	3.2	1.69	0.8	19.6
1990	23	3.9	0.96	2.2	6.7	4	10.7	5.99	2.4	33.2
1991	11	1.9	0.60	0.9	4.0	4	6.5	4.42	0.9	25.3
1992	21	4.2	0.98	2.5	6.9	7	7.7	4.12	1.9	24.6
1993	27	4.2	0.91	2.6	6.8	6	6.7	3.77	1.4	22.3
1994	33	5.9	1.12	3.9	8.9	3	1.5	0.85	0.3	13.5
1995	30	5.3	1.04	3.5	8.1	6	4.1	1.79	1.4	15.8
1996	32	5.9	1.12	3.9	8.8	10	8.0	3.46	2.7	21.5
1997	31	5.3	1.04	3.5	8.1	5	2.7	1.28	0.8	12.9
1998	35	6.1	1.11	4.1	8.9	10	12.2	4.40	5.2	26.4
1999	23	3.5	0.74	2.2	5.6	10	7.2	2.52	3.1	17.7
2000	34	5.8	1.07	3.9	8.6	6	3.4	1.58	1.1	12.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	175	4.4	0.48	3.5	5.6	3,612	6.5	0.11	6.3	6.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	3.0	1.59	0.7	11.2	230	5.3	0.36	4.6	6.0
1990	4	2.0	1.58	0.2	10.5	248	5.6	0.37	4.9	6.4
1991	9	3.6	1.60	1.2	11.4	239	5.3	0.36	4.6	6.1
1992	19	5.9	1.52	3.3	13.0	275	6.0	0.38	5.3	6.8
1993	11	3.6	1.92	0.9	11.7	295	6.5	0.39	5.8	7.4
1994	18	5.1	1.67	2.4	12.3	309	6.8	0.40	6.1	7.7
1995	13	3.7	1.55	1.3	10.5	341	7.4	0.41	6.6	8.2
1996	10	3.8	1.78	1.1	10.9	328	7.1	0.40	6.4	8.0
1997	17	5.2	1.56	2.6	11.6	327	6.9	0.39	6.2	7.8
1998	22	4.6	1.24	2.5	10.3	327	6.8	0.38	6.1	7.7
1999	21	5.3	1.62	2.6	11.4	344	7.2	0.39	6.4	8.0
2000	25	5.8	1.89	2.7	12.2	349	7.3	0.39	6.5	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Myelocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,769	4.0	0.08	3.8	4.1	2,482	4.1	0.08	3.9	4.3
1986	165	3.9	0.32	3.3	4.6	147	3.9	0.34	3.3	4.6
1987	166	3.9	0.31	3.3	4.6	144	3.8	0.33	3.2	4.6
1988	149	3.5	0.30	3.0	4.2	133	3.6	0.32	3.0	4.3
1989	175	4.0	0.31	3.4	4.7	156	4.1	0.34	3.5	4.8
1990	175	3.9	0.30	3.3	4.5	159	4.0	0.33	3.4	4.8
1991	165	3.6	0.29	3.0	4.2	153	3.8	0.32	3.2	4.5
1992	189	4.1	0.31	3.5	4.8	173	4.3	0.33	3.7	5.0
1993	199	4.4	0.32	3.8	5.1	181	4.6	0.35	3.9	5.3
1994	214	4.5	0.32	3.9	5.2	189	4.6	0.34	3.9	5.3
1995	180	3.9	0.30	3.3	4.5	161	4.0	0.32	3.4	4.7
1996	191	4.0	0.30	3.5	4.7	167	4.0	0.32	3.4	4.7
1997	201	4.0	0.29	3.5	4.6	183	4.2	0.32	3.6	4.9
1998	194	3.8	0.28	3.3	4.4	169	3.8	0.30	3.3	4.5
1999	197	4.0	0.29	3.5	4.7	180	4.3	0.32	3.6	4.9
2000	209	4.2	0.29	3.6	4.8	187	4.4	0.32	3.8	5.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	253	3.2	0.21	2.8	3.6	34	1.9	0.44	1.1	3.2
1986	17	4.4	1.20	2.4	7.7	1	1.3	1.30	0.0	21.4
1987	22	4.5	1.01	2.8	7.4	0	0.0	~	0.0	19.0
1988	15	3.1	0.88	1.6	5.8	1	1.9	1.86	0.0	19.9
1989	15	2.6	0.70	1.4	4.9	4	2.4	1.19	0.6	18.6
1990	14	2.2	0.61	1.2	4.4	2	1.0	0.72	0.1	17.6
1991	9	1.4	0.48	0.6	3.3	3	5.1	4.15	0.4	23.6
1992	13	2.4	0.72	1.2	4.7	3	5.4	3.91	0.6	22.3
1993	18	3.6	0.88	2.1	6.1	0	0.0	~	0.0	12.7
1994	22	4.2	0.99	2.5	7.0	3	1.5	0.87	0.3	13.5
1995	18	3.4	0.87	1.9	5.9	1	0.4	0.36	0.0	11.7
1996	20	4.1	1.01	2.4	6.9	4	2.1	1.07	0.6	12.8
1997	17	3.0	0.77	1.7	5.3	1	0.3	0.31	0.0	10.5
1998	21	3.3	0.73	2.0	5.4	4	3.8	2.22	0.8	14.7
1999	14	2.5	0.73	1.3	4.7	3	1.3	0.77	0.3	10.3
2000	18	2.8	0.70	1.6	4.9	4	1.6	0.82	0.4	9.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	92	2.5	0.37	1.9	3.5	2758	4.2	0.08	4.0	4.3
1986	5	5.0	2.97	1.0	16.5	169	4.1	0.33	3.5	4.8
1987	6	2.4	0.99	0.8	10.5	170	4.1	0.33	3.5	4.8
1988	5	3.8	2.06	0.9	13.0	149	3.7	0.31	3.1	4.4
1989	5	2.5	1.50	0.5	10.7	167	4.0	0.32	3.4	4.6
1990	2	0.6	0.48	0.1	8.2	180	4.2	0.32	3.5	4.8
1991	5	3.9	2.37	0.7	13.1	154	3.4	0.29	2.9	4.1
1992	3	2.0	1.57	0.2	9.8	182	4.1	0.31	3.5	4.8
1993	4	0.6	0.34	0.2	7.1	196	4.5	0.33	3.9	5.2
1994	8	2.4	1.10	0.8	9.0	213	4.7	0.33	4.1	5.4
1995	8	3.3	1.46	1.1	10.1	182	4.1	0.31	3.5	4.8
1996	5	1.2	0.70	0.3	7.0	192	4.2	0.31	3.6	4.9
1997	11	2.2	0.83	0.8	7.7	192	4.1	0.30	3.5	4.7
1998	7	1.9	0.85	0.6	7.3	190	4.0	0.29	3.4	4.6
1999	7	2.2	1.01	0.6	7.6	208	4.5	0.32	3.9	5.2
2000	11	4.1	1.73	1.4	10.3	214	4.6	0.31	4.0	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Myelocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,830	4.0	0.06	3.8	4.1	3,350	4.0	0.07	3.9	4.2
1986	182	3.0	0.23	2.6	3.5	160	3.1	0.25	2.6	3.6
1987	185	3.0	0.23	2.6	3.5	165	3.1	0.25	2.6	3.6
1988	188	3.1	0.23	2.7	3.6	167	3.2	0.25	2.7	3.7
1989	167	2.7	0.22	2.3	3.2	145	2.7	0.23	2.3	3.2
1990	252	4.0	0.26	3.5	4.5	230	4.2	0.28	3.6	4.8
1991	226	3.6	0.25	3.2	4.2	194	3.6	0.26	3.1	4.2
1992	211	3.3	0.23	2.9	3.8	187	3.4	0.26	3.0	4.0
1993	230	3.6	0.24	3.1	4.1	206	3.7	0.26	3.2	4.3
1994	312	4.9	0.28	4.3	5.4	282	5.1	0.31	4.5	5.8
1995	294	4.5	0.26	4.0	5.0	246	4.4	0.28	3.8	5.0
1996	303	4.6	0.26	4.1	5.1	266	4.7	0.29	4.1	5.3
1997	322	4.8	0.27	4.3	5.4	276	4.8	0.30	4.3	5.5
1998	307	4.5	0.26	4.0	5.1	264	4.6	0.28	4.0	5.2
1999	315	4.7	0.26	4.2	5.2	267	4.7	0.29	4.1	5.3
2000	336	4.9	0.27	4.4	5.5	295	5.1	0.30	4.5	5.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	399	3.4	0.18	3.1	3.8	65	3.2	0.46	2.4	4.4
1986	21	3.0	0.68	1.8	4.8	1	1.1	1.10	0.0	14.5
1987	18	2.8	0.69	1.6	4.6	1	0.8	0.75	0.0	13.3
1988	18	2.7	0.66	1.6	4.5	2	1.6	1.14	0.2	13.5
1989	21	3.1	0.69	1.9	4.8	0	0.0	-	0.0	11.4
1990	22	2.9	0.64	1.8	4.5	0	0.0	-	0.0	11.2
1991	25	3.2	0.67	2.1	4.9	4	2.4	1.22	0.6	12.3
1992	17	2.2	0.55	1.3	3.7	6	4.8	2.00	1.7	14.6
1993	19	2.6	0.61	1.5	4.1	5	3.9	1.97	1.0	13.0
1994	24	3.1	0.64	2.0	4.7	6	4.2	1.82	1.4	12.4
1995	42	5.4	0.84	3.8	7.3	6	3.8	1.75	1.2	11.3
1996	24	2.9	0.62	1.9	4.5	13	7.9	2.53	3.7	16.1
1997	38	4.5	0.74	3.2	6.3	7	5.3	2.29	1.8	13.2
1998	35	4.1	0.70	2.8	5.7	5	3.3	1.58	0.9	9.6
1999	42	4.8	0.76	3.5	6.6	4	1.7	0.85	0.4	6.6
2000	33	3.6	0.63	2.5	5.1	5	2.9	1.45	0.8	8.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	149	3.7	0.36	3.0	4.5	3,126	4.2	0.08	4.0	4.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	0.7	0.44	0.1	5.1	164	2.8	0.22	2.4	3.3
1990	9	4.3	1.62	1.8	10.0	243	4.0	0.26	3.5	4.6
1991	6	1.8	0.97	0.5	6.5	220	3.7	0.26	3.2	4.3
1992	7	2.3	0.99	0.8	6.8	204	3.4	0.24	2.9	3.9
1993	11	4.0	1.30	1.8	8.6	219	3.5	0.24	3.1	4.1
1994	18	6.0	1.77	3.1	11.4	294	4.8	0.28	4.2	5.4
1995	17	4.0	1.07	2.2	8.0	277	4.4	0.27	3.9	5.0
1996	14	4.1	1.25	2.0	8.3	289	4.6	0.27	4.0	5.1
1997	15	4.1	1.24	2.0	8.3	307	4.8	0.28	4.3	5.4
1998	15	3.2	1.04	1.5	7.0	292	4.5	0.27	4.0	5.1
1999	19	4.9	1.44	2.5	9.4	296	4.6	0.27	4.1	5.2
2000	15	3.6	1.22	1.7	7.6	321	5.0	0.28	4.4	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Myelocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,408	2.5	0.05	2.4	2.6	2,135	2.5	0.06	2.4	2.6
1986	128	2.1	0.19	1.7	2.5	117	2.2	0.20	1.8	2.6
1987	177	2.9	0.22	2.5	3.4	161	3.0	0.24	2.5	3.5
1988	139	2.2	0.19	1.9	2.6	124	2.3	0.21	1.9	2.8
1989	137	2.2	0.19	1.8	2.6	123	2.2	0.20	1.8	2.7
1990	153	2.5	0.20	2.1	2.9	137	2.5	0.22	2.1	3.0
1991	169	2.6	0.21	2.2	3.1	153	2.7	0.23	2.3	3.2
1992	141	2.2	0.19	1.9	2.6	121	2.2	0.21	1.8	2.7
1993	152	2.4	0.19	2.0	2.8	134	2.4	0.21	2.0	2.8
1994	168	2.6	0.20	2.2	3.0	151	2.7	0.22	2.2	3.1
1995	161	2.4	0.19	2.1	2.8	141	2.5	0.21	2.1	2.9
1996	173	2.6	0.20	2.2	3.0	153	2.6	0.21	2.2	3.1
1997	159	2.3	0.19	2.0	2.7	141	2.4	0.21	2.0	2.9
1998	178	2.6	0.20	2.2	3.0	153	2.6	0.21	2.2	3.1
1999	191	2.7	0.20	2.4	3.2	170	2.8	0.22	2.4	3.3
2000	182	2.6	0.20	2.3	3.1	156	2.6	0.21	2.2	3.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	253	2.2	0.14	1.9	2.5	20	1.1	0.27	0.7	1.9
1986	9	1.3	0.45	0.6	2.7	2	2.3	1.63	0.3	15.9
1987	15	2.4	0.64	1.4	4.2	1	0.6	0.59	0.0	13.1
1988	15	2.4	0.63	1.3	4.0	0	0.0	~	0.0	12.0
1989	14	2.0	0.55	1.1	3.5	0	0.0	~	0.0	11.4
1990	16	2.1	0.54	1.2	3.6	0	0.0	~	0.0	11.2
1991	14	1.9	0.52	1.0	3.3	2	1.4	0.98	0.2	11.3
1992	19	2.7	0.64	1.6	4.4	1	1.0	1.02	0.0	10.2
1993	17	2.0	0.50	1.2	3.4	1	0.7	0.72	0.0	8.8
1994	15	1.9	0.50	1.0	3.2	2	1.0	0.75	0.1	8.4
1995	18	2.3	0.54	1.3	3.6	2	2.0	1.50	0.2	9.4
1996	18	2.3	0.56	1.4	3.8	2	1.1	0.86	0.1	7.2
1997	17	2.0	0.50	1.2	3.3	1	1.0	0.98	0.0	7.0
1998	22	2.6	0.57	1.6	4.1	3	2.0	1.19	0.4	7.8
1999	19	2.2	0.50	1.3	3.5	2	1.7	1.22	0.2	7.3
2000	25	2.8	0.56	1.8	4.2	1	0.8	0.81	0.0	5.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	86	2.1	0.28	1.6	2.8	2369	2.5	0.05	2.4	2.6
1986	3	2.1	1.56	0.2	8.9	136	2.3	0.20	1.9	2.7
1987	6	2.6	1.28	0.7	8.4	172	2.9	0.22	2.5	3.4
1988	5	3.6	1.77	1.0	10.0	138	2.3	0.20	1.9	2.7
1989	5	2.3	1.16	0.6	7.4	137	2.3	0.20	1.9	2.7
1990	2	1.0	0.85	0.1	5.7	153	2.6	0.21	2.2	3.0
1991	5	1.9	0.89	0.6	6.4	163	2.6	0.21	2.2	3.1
1992	3	0.6	0.37	0.1	4.5	135	2.2	0.19	1.8	2.6
1993	6	2.2	1.02	0.7	6.5	149	2.4	0.20	2.0	2.8
1994	6	1.6	0.91	0.4	5.7	153	2.4	0.20	2.1	2.9
1995	7	2.3	1.01	0.8	6.4	156	2.4	0.20	2.1	2.9
1996	9	3.2	1.15	1.3	7.3	163	2.5	0.20	2.1	3.0
1997	6	2.1	0.91	0.7	5.8	157	2.4	0.19	2.0	2.8
1998	5	0.8	0.45	0.2	3.9	183	2.8	0.21	2.4	3.3
1999	9	3.7	1.49	1.4	8.4	192	2.9	0.21	2.5	3.3
2000	9	1.7	0.83	0.5	5.1	182	2.8	0.21	2.4	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Monocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	308	0.2	0.01	0.2	0.2	277	0.2	0.01	0.2	0.2
1986	22	0.2	0.04	0.1	0.3	21	0.2	0.05	0.1	0.3
1987	22	0.2	0.04	0.1	0.3	20	0.2	0.05	0.1	0.3
1988	25	0.2	0.05	0.1	0.3	22	0.2	0.05	0.1	0.4
1989	13	0.1	0.03	0.1	0.2	12	0.1	0.04	0.1	0.2
1990	20	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
1991	26	0.2	0.05	0.2	0.4	26	0.3	0.06	0.2	0.4
1992	17	0.1	0.04	0.1	0.2	15	0.1	0.04	0.1	0.2
1993	18	0.2	0.04	0.1	0.2	16	0.2	0.04	0.1	0.3
1994	24	0.2	0.04	0.1	0.3	22	0.2	0.05	0.1	0.3
1995	21	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
1996	19	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
1997	22	0.2	0.04	0.1	0.3	19	0.2	0.04	0.1	0.3
1998	15	0.1	0.03	0.1	0.2	14	0.1	0.04	0.1	0.2
1999	22	0.2	0.04	0.1	0.3	17	0.2	0.04	0.1	0.3
2000	22	0.2	0.04	0.1	0.3	21	0.2	0.04	0.1	0.3
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	22	0.1	0.02	0.1	0.2	9	0.2	0.05	0.1	0.5
1986	1	0.0	0.05	0.0	0.6	0	0.0	-	0.0	8.1
1987	2	0.2	0.16	0.0	0.9	0	0.0	-	0.0	7.6
1988	2	0.1	0.10	0.0	0.7	1	0.3	0.32	0.0	7.4
1989	0	0.0	-	0.0	0.5	1	0.2	0.24	0.0	6.9
1990	1	0.1	0.09	0.0	0.6	1	0.3	0.27	0.0	7.0
1991	0	0.0	-	0.0	0.5	0	0.0	-	0.0	6.0
1992	2	0.2	0.12	0.0	0.7	0	0.0	-	0.0	5.4
1993	0	0.0	-	0.0	0.4	2	0.5	0.37	0.1	5.4
1994	1	0.1	0.07	0.0	0.5	1	0.3	0.30	0.0	4.9
1995	3	0.2	0.10	0.0	0.7	1	0.3	0.28	0.0	4.4
1996	2	0.2	0.12	0.0	0.7	0	0.0	-	0.0	3.8
1997	3	0.2	0.13	0.0	0.7	0	0.0	-	0.0	3.6
1998	1	0.1	0.05	0.0	0.5	0	0.0	-	0.0	3.3
1999	4	0.3	0.13	0.1	0.8	1	0.2	0.16	0.0	3.2
2000	0	0.0	-	0.0	0.4	1	0.2	0.15	0.0	2.9
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	13	0.1	0.03	0.0	0.3	226	0.2	0.01	0.2	0.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	0.4	0.24	0.1	3.1	10	0.1	0.03	0.0	0.2
1990	0	0.0	-	0.0	2.7	20	0.2	0.04	0.1	0.3
1991	0	0.0	-	0.0	2.6	26	0.2	0.05	0.2	0.4
1992	1	0.1	0.06	0.0	2.5	16	0.1	0.04	0.1	0.2
1993	1	0.1	0.07	0.0	2.4	17	0.2	0.04	0.1	0.2
1994	1	0.1	0.06	0.0	2.3	23	0.2	0.04	0.1	0.3
1995	0	0.0	-	0.0	2.2	21	0.2	0.04	0.1	0.3
1996	0	0.0	-	0.0	2.1	19	0.2	0.04	0.1	0.3
1997	2	0.2	0.15	0.0	2.2	20	0.2	0.04	0.1	0.3
1998	1	0.2	0.15	0.0	2.1	14	0.1	0.03	0.1	0.2
1999	3	0.2	0.11	0.0	2.0	19	0.2	0.04	0.1	0.3
2000	1	0.0	0.04	0.0	1.8	21	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Monocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	116	0.1	0.01	0.1	0.1	107	0.1	0.01	0.1	0.1
1986	13	0.1	0.04	0.1	0.2	13	0.2	0.04	0.1	0.3
1987	12	0.1	0.03	0.1	0.2	11	0.1	0.04	0.1	0.2
1988	14	0.1	0.04	0.1	0.2	12	0.1	0.04	0.1	0.2
1989	13	0.1	0.04	0.1	0.2	13	0.2	0.04	0.1	0.3
1990	10	0.1	0.03	0.0	0.2	10	0.1	0.03	0.0	0.2
1991	8	0.1	0.03	0.0	0.2	7	0.1	0.03	0.0	0.2
1992	4	0.0	0.02	0.0	0.1	3	0.0	0.02	0.0	0.1
1993	4	0.0	0.02	0.0	0.1	4	0.0	0.02	0.0	0.1
1994	4	0.0	0.02	0.0	0.1	4	0.0	0.02	0.0	0.1
1995	7	0.1	0.02	0.0	0.1	6	0.1	0.02	0.0	0.1
1996	6	0.0	0.02	0.0	0.1	6	0.1	0.02	0.0	0.1
1997	8	0.1	0.02	0.0	0.1	7	0.1	0.03	0.0	0.1
1998	6	0.0	0.02	0.0	0.1	6	0.1	0.02	0.0	0.1
1999	3	0.0	0.01	0.0	0.1	2	0.0	0.01	0.0	0.1
2000	4	0.0	0.02	0.0	0.1	3	0.0	0.02	0.0	0.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	7	0.0	0.02	0.0	0.1	2	0.1	0.05	0.0	0.4
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	1	0.1	0.13	0.0	0.8	0	0.0	~	0.0	7.6
1988	1	0.1	0.09	0.0	0.7	1	0.8	0.79	0.0	8.1
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	1	0.1	0.11	0.0	0.7	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	1	0.4	0.45	0.0	5.9
1993	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	1	0.1	0.10	0.0	0.6	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	1	0.1	0.08	0.0	0.5	0	0.0	~	0.0	3.6
1998	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.3
1999	1	0.1	0.10	0.0	0.6	0	0.0	~	0.0	3.1
2000	1	0.0	0.04	0.0	0.4	0	0.0	~	0.0	2.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	6	0.1	0.05	0.0	0.3	119	0.1	0.01	0.1	0.1
1986	2	1.4	1.04	0.2	5.7	12	0.1	0.04	0.1	0.2
1987	0	0.0	-	0.0	3.2	16	0.2	0.04	0.1	0.3
1988	0	0.0	-	0.0	3.0	15	0.1	0.04	0.1	0.2
1989	2	0.3	0.23	0.0	3.1	10	0.1	0.03	0.0	0.2
1990	0	0.0	-	0.0	2.7	18	0.2	0.04	0.1	0.3
1991	0	0.0	-	0.0	2.6	12	0.1	0.03	0.1	0.2
1992	0	0.0	-	0.0	2.5	6	0.1	0.02	0.0	0.1
1993	0	0.0	-	0.0	2.4	4	0.0	0.02	0.0	0.1
1994	0	0.0	-	0.0	2.2	4	0.0	0.02	0.0	0.1
1995	0	0.0	-	0.0	2.2	5	0.0	0.02	0.0	0.1
1996	0	0.0	-	0.0	2.0	4	0.0	0.02	0.0	0.1
1997	0	0.0	-	0.0	2.0	3	0.0	0.02	0.0	0.1
1998	1	0.2	0.15	0.0	2.1	1	0.0	0.01	0.0	0.0
1999	0	0.0	-	0.0	1.8	4	0.0	0.02	0.0	0.1
2000	1	0.2	0.23	0.0	2.0	5	0.0	0.02	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Monocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	150	0.2	0.02	0.2	0.2	134	0.2	0.02	0.2	0.3
1986	12	0.3	0.09	0.1	0.5	12	0.3	0.10	0.2	0.6
1987	7	0.1	0.05	0.1	0.3	6	0.1	0.06	0.0	0.3
1988	14	0.3	0.08	0.2	0.6	12	0.3	0.09	0.2	0.6
1989	5	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1990	8	0.2	0.07	0.1	0.4	6	0.2	0.07	0.1	0.4
1991	12	0.3	0.07	0.1	0.5	12	0.3	0.08	0.1	0.5
1992	12	0.2	0.07	0.1	0.4	11	0.2	0.07	0.1	0.5
1993	6	0.1	0.05	0.0	0.3	6	0.1	0.05	0.0	0.3
1994	12	0.3	0.08	0.1	0.5	11	0.3	0.08	0.1	0.5
1995	7	0.2	0.06	0.1	0.4	7	0.2	0.07	0.1	0.4
1996	8	0.2	0.06	0.1	0.4	7	0.2	0.07	0.1	0.4
1997	11	0.2	0.07	0.1	0.4	8	0.2	0.07	0.1	0.4
1998	8	0.2	0.06	0.1	0.3	8	0.2	0.06	0.1	0.4
1999	13	0.2	0.07	0.1	0.4	10	0.2	0.07	0.1	0.4
2000	15	0.3	0.08	0.2	0.5	14	0.3	0.09	0.2	0.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11	0.1	0.05	0.1	0.3	5	0.1	0.07	0.0	1.0
1986	0	0.0	-	0.0	1.8	0	0.0	-	0.0	20.2
1987	1	0.2	0.15	0.0	1.9	0	0.0	-	0.0	19.0
1988	1	0.1	0.09	0.0	1.8	1	0.6	0.63	0.0	18.2
1989	0	0.0	-	0.0	1.7	1	0.5	0.48	0.0	17.0
1990	1	0.2	0.20	0.0	2.0	1	0.6	0.57	0.0	17.2
1991	0	0.0	-	0.0	1.7	0	0.0	-	0.0	15.1
1992	1	0.3	0.29	0.0	2.1	0	0.0	-	0.0	13.7
1993	0	0.0	-	0.0	1.6	0	0.0	-	0.0	12.7
1994	1	0.1	0.15	0.0	1.7	0	0.0	-	0.0	12.3
1995	0	0.0	-	0.0	1.5	0	0.0	-	0.0	11.4
1996	1	0.3	0.33	0.0	2.1	0	0.0	-	0.0	10.9
1997	3	0.6	0.41	0.1	2.4	0	0.0	-	0.0	10.2
1998	0	0.0	-	0.0	1.4	0	0.0	-	0.0	9.6
1999	2	0.2	0.17	0.0	1.6	1	0.3	0.31	0.0	9.4
2000	0	0.0	-	0.0	1.3	1	0.3	0.30	0.0	8.5
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	6	0.1	0.04	0.0	0.6	111	0.2	0.02	0.2	0.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	1	0.4	0.41	0.0	7.9	4	0.1	0.04	0.0	0.3
1990	0	0.0	-	0.0	7.6	8	0.2	0.07	0.1	0.4
1991	0	0.0	-	0.0	7.1	12	0.3	0.08	0.1	0.5
1992	1	0.1	0.10	0.0	6.7	11	0.2	0.07	0.1	0.4
1993	0	0.0	-	0.0	6.7	6	0.1	0.05	0.0	0.3
1994	1	0.1	0.10	0.0	6.4	11	0.2	0.08	0.1	0.5
1995	0	0.0	-	0.0	6.0	7	0.2	0.07	0.1	0.4
1996	0	0.0	-	0.0	5.8	8	0.2	0.07	0.1	0.4
1997	0	0.0	-	0.0	5.6	11	0.2	0.08	0.1	0.5
1998	1	0.3	0.30	0.0	5.6	7	0.1	0.06	0.1	0.3
1999	1	0.1	0.10	0.0	5.1	12	0.2	0.07	0.1	0.5
2000	1	0.1	0.07	0.0	4.8	14	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Monocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	64	0.1	0.01	0.1	0.1	59	0.1	0.01	0.1	0.1
1986	7	0.2	0.08	0.1	0.5	7	0.2	0.09	0.1	0.5
1987	6	0.2	0.07	0.0	0.4	6	0.2	0.08	0.1	0.4
1988	8	0.2	0.07	0.1	0.4	7	0.2	0.07	0.1	0.4
1989	5	0.1	0.05	0.0	0.3	5	0.1	0.06	0.0	0.3
1990	5	0.1	0.05	0.0	0.3	5	0.1	0.06	0.0	0.3
1991	5	0.1	0.05	0.0	0.3	4	0.1	0.05	0.0	0.3
1992	3	0.1	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
1993	3	0.1	0.04	0.0	0.2	3	0.1	0.04	0.0	0.2
1994	3	0.1	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1995	5	0.1	0.05	0.0	0.3	5	0.1	0.05	0.0	0.3
1996	2	0.0	0.03	0.0	0.2	2	0.0	0.04	0.0	0.2
1997	3	0.1	0.04	0.0	0.2	2	0.1	0.04	0.0	0.2
1998	4	0.1	0.04	0.0	0.2	4	0.1	0.05	0.0	0.3
1999	2	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
2000	3	0.0	0.03	0.0	0.2	2	0.0	0.03	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.0	0.03	0.0	0.2	1	0.1	0.07	0.0	0.9
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	1	0.2	0.20	0.0	2.0	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	1	0.3	0.30	0.0	2.1	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	1	1.0	1.05	0.0	14.8
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	1	0.2	0.19	0.0	1.7	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	1	0.1	0.08	0.0	1.4	0	0.0	~	0.0	8.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2	0.1	0.12	0.0	0.7	64	0.1	0.01	0.1	0.1
1986	1	2.4	2.36	0.1	13.1	6	0.2	0.07	0.1	0.4
1987	0	0.0	-	0.0	8.3	7	0.2	0.07	0.1	0.4
1988	0	0.0	-	0.0	7.9	9	0.2	0.07	0.1	0.4
1989	1	0.4	0.41	0.0	7.9	4	0.1	0.05	0.0	0.3
1990	0	0.0	-	0.0	7.6	9	0.2	0.06	0.1	0.4
1991	0	0.0	-	0.0	7.1	7	0.2	0.07	0.1	0.4
1992	0	0.0	-	0.0	6.7	5	0.1	0.06	0.0	0.3
1993	0	0.0	-	0.0	6.6	3	0.1	0.04	0.0	0.2
1994	0	0.0	-	0.0	6.4	2	0.0	0.03	0.0	0.2
1995	0	0.0	-	0.0	6.0	3	0.1	0.04	0.0	0.2
1996	0	0.0	-	0.0	5.8	1	0.0	0.02	0.0	0.2
1997	0	0.0	-	0.0	5.6	1	0.0	0.02	0.0	0.2
1998	0	0.0	-	0.0	5.3	1	0.0	0.02	0.0	0.2
1999	0	0.0	-	0.0	5.0	2	0.0	0.03	0.0	0.2
2000	0	0.0	-	0.0	4.7	4	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Monocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	158	0.2	0.01	0.1	0.2	143	0.2	0.02	0.1	0.2
1986	10	0.2	0.05	0.1	0.3	9	0.2	0.06	0.1	0.3
1987	15	0.2	0.06	0.1	0.4	14	0.2	0.06	0.1	0.4
1988	11	0.2	0.06	0.1	0.3	10	0.2	0.07	0.1	0.4
1989	8	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1990	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
1991	14	0.2	0.06	0.1	0.4	14	0.3	0.08	0.1	0.5
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.04	0.0	0.2
1993	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	12	0.2	0.06	0.1	0.3	11	0.2	0.06	0.1	0.4
1995	14	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1996	11	0.2	0.05	0.1	0.3	10	0.2	0.05	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
1998	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1999	9	0.1	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3
2000	7	0.1	0.04	0.0	0.2	7	0.1	0.04	0.0	0.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11	0.1	0.03	0.0	0.2	4	0.2	0.08	0.0	0.7
1986	1	0.1	0.10	0.0	1.0	0	0.0	-	0.0	13.4
1987	1	0.2	0.22	0.0	1.2	0	0.0	-	0.0	12.6
1988	1	0.2	0.16	0.0	1.0	0	0.0	-	0.0	12.0
1989	0	0.0	-	0.0	0.8	0	0.0	-	0.0	11.4
1990	0	0.0	-	0.0	0.7	0	0.0	-	0.0	11.2
1991	0	0.0	-	0.0	0.7	0	0.0	-	0.0	10.0
1992	1	0.1	0.10	0.0	0.8	0	0.0	-	0.0	9.0
1993	0	0.0	-	0.0	0.6	2	1.0	0.72	0.1	9.0
1994	0	0.0	-	0.0	0.6	1	0.6	0.60	0.0	7.9
1995	3	0.3	0.18	0.1	1.1	1	0.6	0.56	0.0	7.0
1996	1	0.1	0.09	0.0	0.7	0	0.0	-	0.0	5.8
1997	0	0.0	-	0.0	0.6	0	0.0	-	0.0	5.6
1998	1	0.1	0.10	0.0	0.7	0	0.0	-	0.0	5.1
1999	2	0.2	0.18	0.0	1.0	0	0.0	-	0.0	4.7
2000	0	0.0	-	0.0	0.5	0	0.0	-	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	7	0.1	0.04	0.0	0.4	115	0.2	0.02	0.1	0.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	0.4	0.27	0.0	4.7	6	0.1	0.04	0.0	0.2
1990	0	0.0	-	0.0	4.2	12	0.2	0.05	0.1	0.3
1991	0	0.0	-	0.0	4.2	14	0.2	0.07	0.1	0.4
1992	0	0.0	-	0.0	3.9	5	0.1	0.04	0.0	0.2
1993	1	0.2	0.15	0.0	3.8	11	0.2	0.06	0.1	0.3
1994	0	0.0	-	0.0	3.5	12	0.2	0.06	0.1	0.4
1995	0	0.0	-	0.0	3.4	14	0.2	0.06	0.1	0.4
1996	0	0.0	-	0.0	3.2	11	0.2	0.05	0.1	0.3
1997	2	0.4	0.31	0.0	3.5	9	0.1	0.05	0.1	0.3
1998	0	0.0	-	0.0	3.0	7	0.1	0.04	0.0	0.2
1999	2	0.3	0.22	0.0	3.2	7	0.1	0.04	0.0	0.2
2000	0	0.0	-	0.0	2.8	7	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Monocytic Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	52	0.0	0.01	0.0	0.1	48	0.1	0.01	0.0	0.1
1986	6	0.1	0.05	0.0	0.3	6	0.1	0.06	0.0	0.3
1987	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1988	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1989	8	0.1	0.05	0.1	0.3	8	0.2	0.06	0.1	0.3
1990	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1991	3	0.0	0.03	0.0	0.2	3	0.1	0.04	0.0	0.2
1992	1	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
1993	1	0.0	0.01	0.0	0.1	1	0.0	0.02	0.0	0.1
1994	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1
1995	2	0.0	0.02	0.0	0.1	1	0.0	0.02	0.0	0.1
1996	4	0.0	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
1997	5	0.1	0.03	0.0	0.2	5	0.1	0.04	0.0	0.2
1998	2	0.0	0.02	0.0	0.1	2	0.0	0.03	0.0	0.1
1999	1	0.0	0.01	0.0	0.1	0	0.0	~	0.0	0.1
2000	1	0.0	0.01	0.0	0.1	1	0.0	0.02	0.0	0.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3	0.0	0.02	0.0	0.1	1	0.1	0.06	0.0	0.6
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	1	0.2	0.20	0.0	1.2	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	1	1.4	1.38	0.0	13.7
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	1	0.2	0.16	0.0	0.9	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	1	0.2	0.15	0.0	0.8	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.1	0.06	0.0	0.4	55	0.1	0.01	0.0	0.1
1986	1	0.9	0.86	0.0	6.7	6	0.1	0.05	0.0	0.3
1987	0	0.0	-	0.0	5.1	9	0.2	0.05	0.1	0.3
1988	0	0.0	-	0.0	4.7	6	0.1	0.04	0.0	0.2
1989	1	0.2	0.19	0.0	4.6	6	0.1	0.05	0.0	0.2
1990	0	0.0	-	0.0	4.2	9	0.1	0.04	0.1	0.3
1991	0	0.0	-	0.0	4.2	5	0.1	0.04	0.0	0.2
1992	0	0.0	-	0.0	3.9	1	0.0	0.02	0.0	0.1
1993	0	0.0	-	0.0	3.7	1	0.0	0.01	0.0	0.1
1994	0	0.0	-	0.0	3.5	2	0.0	0.02	0.0	0.1
1995	0	0.0	-	0.0	3.4	2	0.0	0.02	0.0	0.1
1996	0	0.0	-	0.0	3.2	3	0.0	0.02	0.0	0.1
1997	0	0.0	-	0.0	3.1	2	0.0	0.03	0.0	0.1
1998	1	0.3	0.31	0.0	3.4	0	0.0	-	0.0	0.1
1999	0	0.0	-	0.0	2.9	2	0.0	0.02	0.0	0.1
2000	1	0.4	0.43	0.0	3.4	1	0.0	0.01	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Other Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,500	1.5	0.03	1.4	1.5	2,233	1.5	0.03	1.5	1.6
1986	130	1.2	0.11	1.0	1.5	117	1.3	0.12	1.0	1.5
1987	161	1.5	0.12	1.3	1.8	149	1.6	0.13	1.3	1.9
1988	141	1.3	0.11	1.1	1.6	120	1.3	0.12	1.1	1.5
1989	138	1.3	0.11	1.1	1.6	125	1.4	0.12	1.1	1.6
1990	131	1.2	0.10	1.0	1.4	120	1.3	0.12	1.0	1.5
1991	112	1.0	0.10	0.8	1.2	101	1.1	0.11	0.9	1.3
1992	110	1.0	0.10	0.8	1.2	100	1.1	0.11	0.9	1.3
1993	156	1.4	0.11	1.2	1.6	140	1.4	0.12	1.2	1.7
1994	204	1.8	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	200	1.8	0.12	1.5	2.0	185	1.9	0.14	1.6	2.1
1996	187	1.6	0.12	1.4	1.9	163	1.6	0.13	1.4	1.9
1997	187	1.6	0.12	1.4	1.8	159	1.6	0.12	1.3	1.8
1998	206	1.7	0.12	1.5	2.0	181	1.8	0.13	1.5	2.0
1999	230	1.9	0.13	1.7	2.2	203	2.0	0.14	1.7	2.3
2000	207	1.7	0.12	1.5	2.0	186	1.8	0.13	1.6	2.1
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	217	1.2	0.08	1.0	1.4	32	0.8	0.17	0.5	1.3
1986	9	0.8	0.28	0.4	1.7	1	0.3	0.25	0.0	8.2
1987	9	0.7	0.23	0.3	1.5	2	2.7	2.15	0.2	12.1
1988	14	1.2	0.34	0.6	2.2	5	2.2	1.07	0.6	9.5
1989	10	0.8	0.26	0.4	1.6	1	0.3	0.28	0.0	7.0
1990	8	0.6	0.21	0.2	1.3	2	0.8	0.55	0.1	7.4
1991	10	0.9	0.29	0.4	1.7	0	0.0	-	0.0	6.0
1992	9	0.7	0.25	0.3	1.4	1	0.3	0.30	0.0	5.7
1993	12	1.1	0.31	0.5	1.9	4	1.6	0.94	0.3	6.9
1994	20	1.7	0.39	1.0	2.7	0	0.0	-	0.0	4.6
1995	13	1.1	0.30	0.6	1.9	2	1.1	0.87	0.1	5.8
1996	18	1.4	0.34	0.8	2.3	5	1.6	0.80	0.4	5.7
1997	24	1.9	0.40	1.2	2.9	2	0.5	0.36	0.1	4.1
1998	19	1.5	0.35	0.9	2.4	3	1.1	0.66	0.2	4.7
1999	26	1.9	0.38	1.2	2.8	0	0.0	-	0.0	3.1
2000	16	1.2	0.31	0.7	2.0	4	0.8	0.40	0.2	3.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	98	1.4	0.19	1.1	1.9	1,970	1.5	0.03	1.4	1.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	2.2	1.03	0.7	5.9	132	1.3	0.12	1.1	1.6
1990	8	2.1	0.90	0.7	5.5	123	1.2	0.10	1.0	1.4
1991	7	1.5	0.66	0.5	4.4	105	1.0	0.10	0.8	1.2
1992	2	0.2	0.19	0.0	2.7	108	1.0	0.10	0.8	1.2
1993	3	0.6	0.40	0.1	3.1	153	1.4	0.12	1.2	1.7
1994	9	1.7	0.77	0.6	4.6	195	1.8	0.13	1.5	2.1
1995	7	2.3	0.96	0.8	5.4	193	1.8	0.13	1.5	2.0
1996	4	0.4	0.21	0.1	2.4	183	1.6	0.12	1.4	1.9
1997	9	1.5	0.68	0.4	4.0	178	1.6	0.12	1.4	1.8
1998	18	2.7	0.90	1.2	5.5	188	1.7	0.12	1.4	1.9
1999	14	1.4	0.48	0.6	3.4	216	1.9	0.13	1.7	2.2
2000	11	0.7	0.24	0.3	2.4	196	1.7	0.12	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Other Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4,214	2.5	0.04	2.4	2.6	3,767	2.6	0.04	2.5	2.6
1986	273	2.6	0.16	2.3	2.9	241	2.6	0.17	2.3	2.9
1987	240	2.2	0.15	2.0	2.5	220	2.3	0.16	2.0	2.7
1988	287	2.7	0.16	2.4	3.0	255	2.7	0.17	2.4	3.1
1989	286	2.7	0.16	2.4	3.0	263	2.8	0.18	2.5	3.2
1990	275	2.5	0.15	2.2	2.8	253	2.6	0.17	2.3	3.0
1991	288	2.6	0.16	2.3	2.9	258	2.7	0.17	2.3	3.0
1992	281	2.5	0.15	2.2	2.8	252	2.6	0.16	2.3	2.9
1993	310	2.8	0.16	2.5	3.1	280	2.8	0.17	2.5	3.2
1994	285	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.8
1995	305	2.7	0.15	2.4	3.0	274	2.7	0.17	2.4	3.1
1996	260	2.2	0.14	2.0	2.5	232	2.3	0.15	2.0	2.6
1997	272	2.3	0.14	2.1	2.6	239	2.3	0.15	2.0	2.6
1998	275	2.3	0.14	2.0	2.6	230	2.2	0.15	1.9	2.5
1999	293	2.4	0.14	2.2	2.7	262	2.5	0.16	2.2	2.8
2000	284	2.4	0.14	2.1	2.6	259	2.5	0.15	2.2	2.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	407	2.2	0.12	2.0	2.5	40	1.2	0.22	0.8	1.8
1986	30	2.7	0.53	1.8	4.0	2	1.7	1.32	0.2	10.2
1987	20	1.9	0.45	1.1	3.0	0	0.0	~	0.0	7.6
1988	30	2.8	0.54	1.8	4.1	2	1.1	0.76	0.1	8.3
1989	19	1.6	0.38	0.9	2.6	4	2.0	1.07	0.5	9.0
1990	21	2.0	0.46	1.2	3.2	1	1.0	0.99	0.0	8.1
1991	27	2.2	0.45	1.4	3.3	3	1.8	1.15	0.3	8.3
1992	26	2.1	0.43	1.4	3.2	3	1.4	0.82	0.3	7.0
1993	27	2.3	0.46	1.5	3.4	3	1.2	0.83	0.1	6.4
1994	34	2.8	0.50	1.9	4.0	2	0.5	0.36	0.1	5.0
1995	28	2.3	0.44	1.5	3.3	3	1.0	0.59	0.2	5.2
1996	24	1.9	0.39	1.2	2.8	4	2.1	1.25	0.4	7.0
1997	30	2.2	0.42	1.5	3.3	3	0.7	0.42	0.2	4.3
1998	42	3.2	0.51	2.3	4.4	3	1.2	0.78	0.2	5.0
1999	29	2.2	0.43	1.5	3.3	2	1.1	0.87	0.1	4.9
2000	20	1.5	0.34	0.9	2.4	5	1.4	0.63	0.4	4.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	124	1.8	0.20	1.5	2.3	4209	2.6	0.04	2.5	2.7
1986	4	0.5	0.31	0.1	3.8	286	2.8	0.17	2.5	3.2
1987	2	0.4	0.27	0.0	3.5	255	2.5	0.16	2.2	2.8
1988	6	1.5	0.75	0.4	4.9	296	2.9	0.17	2.6	3.2
1989	9	2.0	0.77	0.8	5.2	296	2.9	0.17	2.6	3.2
1990	12	3.7	1.27	1.6	7.8	269	2.6	0.16	2.2	2.9
1991	5	1.2	0.66	0.3	4.2	301	2.8	0.16	2.5	3.2
1992	8	1.3	0.53	0.4	3.9	272	2.5	0.15	2.2	2.8
1993	10	2.3	0.89	0.9	5.5	311	2.9	0.16	2.6	3.2
1994	12	2.3	0.83	1.0	5.3	275	2.5	0.15	2.2	2.8
1995	8	2.2	0.90	0.8	5.3	299	2.7	0.16	2.4	3.0
1996	6	1.1	0.61	0.3	3.7	266	2.4	0.15	2.1	2.7
1997	5	0.8	0.44	0.2	3.0	259	2.3	0.14	2.0	2.6
1998	9	2.4	0.89	1.0	5.2	263	2.3	0.14	2.0	2.6
1999	15	2.7	0.86	1.3	5.5	283	2.5	0.15	2.2	2.8
2000	13	2.2	0.69	1.1	4.6	278	2.4	0.14	2.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Other Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,416	2.0	0.06	1.9	2.2	1,265	2.1	0.06	2.0	2.2
1986	69	1.6	0.20	1.2	2.0	62	1.6	0.21	1.2	2.1
1987	92	2.0	0.22	1.6	2.5	85	2.1	0.23	1.7	2.6
1988	85	1.9	0.21	1.5	2.4	71	1.8	0.22	1.4	2.3
1989	76	1.7	0.20	1.3	2.1	68	1.7	0.22	1.3	2.2
1990	76	1.6	0.19	1.3	2.1	71	1.8	0.22	1.4	2.3
1991	64	1.3	0.17	1.0	1.8	57	1.4	0.19	1.0	1.8
1992	70	1.5	0.19	1.2	1.9	65	1.6	0.20	1.2	2.1
1993	84	1.8	0.20	1.4	2.3	72	1.8	0.22	1.4	2.3
1994	118	2.6	0.24	2.1	3.1	107	2.7	0.26	2.2	3.3
1995	104	2.2	0.23	1.8	2.8	97	2.4	0.25	1.9	3.0
1996	119	2.6	0.24	2.2	3.1	102	2.6	0.26	2.1	3.2
1997	106	2.3	0.24	1.9	2.9	94	2.4	0.25	1.9	3.0
1998	118	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1999	128	2.6	0.23	2.1	3.1	111	2.6	0.25	2.1	3.2
2000	107	2.1	0.21	1.7	2.6	96	2.2	0.23	1.8	2.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	121	1.6	0.16	1.3	1.9	17	1.1	0.33	0.5	2.2
1986	5	1.3	0.61	0.4	3.6	0	0.0	-	0.0	20.2
1987	4	0.8	0.43	0.2	2.8	2	6.6	5.36	0.5	30.2
1988	9	1.8	0.71	0.7	4.3	3	3.7	2.29	0.6	21.7
1989	6	1.1	0.46	0.4	3.1	0	0.0	-	0.0	16.6
1990	4	0.7	0.37	0.2	2.6	1	1.1	1.08	0.0	17.8
1991	6	1.4	0.64	0.5	3.7	0	0.0	-	0.0	15.1
1992	5	1.0	0.52	0.2	3.1	0	0.0	-	0.0	13.7
1993	9	1.8	0.66	0.8	4.1	3	1.8	1.17	0.3	14.4
1994	11	2.4	0.81	1.1	4.8	0	0.0	-	0.0	12.3
1995	6	1.1	0.44	0.4	2.8	1	0.7	0.74	0.0	12.1
1996	14	2.7	0.79	1.4	5.1	2	1.2	0.85	0.1	12.0
1997	10	1.9	0.64	0.8	4.0	1	0.5	0.53	0.0	10.7
1998	7	1.1	0.43	0.4	2.8	2	1.6	1.36	0.1	11.7
1999	17	3.1	0.82	1.7	5.4	0	0.0	-	0.0	9.1
2000	8	1.4	0.51	0.6	3.2	2	1.0	0.70	0.1	9.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	60	1.6	0.30	1.1	2.4	1,110	2.1	0.06	2.0	2.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	1.3	0.80	0.3	8.8	73	1.7	0.20	1.3	2.2
1990	3	0.8	0.60	0.1	8.4	73	1.6	0.20	1.3	2.1
1991	5	1.8	1.08	0.4	9.2	59	1.3	0.18	1.0	1.7
1992	2	0.5	0.36	0.0	7.0	68	1.5	0.19	1.2	2.0
1993	3	1.3	0.87	0.2	8.1	81	1.8	0.21	1.4	2.3
1994	7	1.8	0.86	0.5	8.2	111	2.6	0.25	2.1	3.1
1995	5	4.1	2.11	1.1	12.0	99	2.2	0.23	1.8	2.7
1996	2	0.4	0.36	0.0	6.2	117	2.7	0.25	2.2	3.2
1997	6	1.0	0.50	0.3	6.5	100	2.3	0.24	1.9	2.9
1998	13	4.2	1.82	1.4	11.0	105	2.3	0.23	1.9	2.8
1999	7	1.1	0.48	0.4	6.0	121	2.6	0.24	2.2	3.1
2000	4	0.7	0.41	0.1	5.3	103	2.2	0.22	1.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Other Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,171	3.2	0.07	3.1	3.4	1,944	3.3	0.08	3.2	3.5
1986	146	3.5	0.31	3.0	4.2	132	3.6	0.33	3.0	4.3
1987	125	2.9	0.28	2.4	3.5	119	3.1	0.30	2.6	3.8
1988	154	3.6	0.30	3.0	4.2	133	3.5	0.32	2.9	4.2
1989	155	3.5	0.29	3.0	4.1	139	3.6	0.31	3.0	4.3
1990	126	2.8	0.26	2.3	3.4	118	3.0	0.28	2.4	3.6
1991	138	3.1	0.28	2.6	3.8	123	3.2	0.29	2.6	3.8
1992	154	3.4	0.28	2.8	4.0	143	3.6	0.31	3.0	4.3
1993	165	3.8	0.30	3.2	4.4	144	3.7	0.32	3.1	4.4
1994	148	3.3	0.28	2.7	3.9	130	3.3	0.29	2.7	3.9
1995	157	3.5	0.29	3.0	4.1	141	3.6	0.31	3.0	4.3
1996	144	3.2	0.28	2.7	3.8	129	3.3	0.30	2.8	4.0
1997	142	3.2	0.28	2.7	3.8	122	3.2	0.29	2.6	3.8
1998	135	2.9	0.25	2.4	3.4	120	2.9	0.27	2.4	3.5
1999	144	3.0	0.26	2.6	3.6	128	3.1	0.28	2.6	3.7
2000	138	2.9	0.25	2.4	3.4	123	3.0	0.27	2.4	3.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	204	2.8	0.22	2.4	3.3	23	1.7	0.41	1.0	2.9
1986	14	3.4	0.98	1.8	6.3	0	0.0	~	0.0	20.2
1987	6	1.3	0.66	0.4	3.7	0	0.0	~	0.0	19.0
1988	19	4.4	1.12	2.5	7.5	2	2.3	1.67	0.3	20.0
1989	13	2.8	0.84	1.4	5.4	3	4.0	2.39	0.8	21.1
1990	7	1.4	0.59	0.5	3.6	1	2.5	2.46	0.1	20.2
1991	14	3.2	0.98	1.6	6.1	1	2.2	2.24	0.1	18.2
1992	9	1.7	0.62	0.7	3.9	2	2.2	1.62	0.2	16.1
1993	19	4.4	1.12	2.5	7.5	2	0.8	0.56	0.1	13.3
1994	17	3.7	1.00	2.0	6.5	1	0.4	0.39	0.0	12.6
1995	14	2.7	0.75	1.4	5.0	2	1.6	1.23	0.2	13.1
1996	15	2.7	0.73	1.4	4.9	0	0.0	~	0.0	10.9
1997	19	3.6	0.87	2.1	6.1	1	0.5	0.51	0.0	10.7
1998	13	2.2	0.65	1.2	4.3	2	2.7	1.94	0.3	13.3
1999	14	2.9	0.83	1.5	5.3	2	2.9	2.51	0.2	14.2
2000	11	2.0	0.62	0.9	3.9	4	2.6	1.33	0.6	11.1
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	67	1.9	0.31	1.3	2.7	2191	3.4	0.07	3.3	3.6
1986	4	1.0	0.60	0.2	9.5	155	3.9	0.33	3.3	4.6
1987	1	0.3	0.27	0.0	8.5	131	3.2	0.29	2.6	3.8
1988	3	2.2	1.67	0.2	11.1	161	3.9	0.32	3.3	4.6
1989	8	4.1	1.71	1.5	12.3	161	3.8	0.31	3.2	4.5
1990	6	2.8	1.67	0.5	11.3	126	2.9	0.27	2.4	3.5
1991	1	0.2	0.16	0.0	7.2	143	3.4	0.29	2.8	4.0
1992	5	1.2	0.62	0.3	7.8	150	3.4	0.29	2.9	4.1
1993	7	3.2	1.56	0.9	10.6	161	3.8	0.30	3.2	4.4
1994	5	1.3	0.76	0.3	7.7	145	3.4	0.29	2.8	4.0
1995	4	3.0	1.79	0.6	10.4	161	3.7	0.30	3.2	4.4
1996	3	1.5	1.34	0.1	8.2	148	3.4	0.29	2.9	4.1
1997	2	0.3	0.23	0.0	5.8	141	3.3	0.28	2.8	3.9
1998	5	2.4	1.18	0.7	8.2	129	2.9	0.26	2.4	3.4
1999	5	1.7	0.82	0.5	6.9	144	3.2	0.27	2.7	3.8
2000	8	2.7	1.18	0.9	8.1	135	3.0	0.26	2.5	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Other Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,084	1.1	0.03	1.0	1.2	968	1.1	0.04	1.0	1.2
1986	61	1.0	0.13	0.8	1.3	55	1.1	0.14	0.8	1.4
1987	69	1.1	0.14	0.9	1.4	64	1.2	0.15	0.9	1.5
1988	56	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
1989	62	1.0	0.13	0.8	1.3	57	1.1	0.15	0.8	1.4
1990	55	0.9	0.12	0.6	1.1	49	0.9	0.13	0.7	1.2
1991	48	0.7	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1
1992	40	0.6	0.10	0.5	0.9	35	0.7	0.11	0.4	0.9
1993	72	1.1	0.13	0.8	1.4	68	1.1	0.14	0.9	1.5
1994	86	1.2	0.14	1.0	1.5	77	1.3	0.14	1.0	1.6
1995	96	1.4	0.14	1.1	1.7	88	1.4	0.16	1.2	1.8
1996	68	0.9	0.12	0.7	1.2	61	1.0	0.13	0.7	1.3
1997	81	1.2	0.13	0.9	1.5	65	1.1	0.14	0.8	1.4
1998	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
1999	102	1.4	0.14	1.1	1.7	92	1.5	0.16	1.2	1.8
2000	100	1.4	0.14	1.1	1.7	90	1.5	0.16	1.2	1.8
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	96	0.9	0.09	0.7	1.1	15	0.7	0.19	0.3	1.3
1986	4	0.5	0.28	0.1	1.6	1	0.5	0.50	0.0	13.8
1987	5	0.6	0.29	0.2	1.7	0	0.0	-	0.0	12.6
1988	5	0.8	0.36	0.3	2.0	2	1.1	0.80	0.1	12.9
1989	4	0.6	0.31	0.2	1.7	1	0.5	0.54	0.0	11.8
1990	4	0.5	0.25	0.1	1.4	1	0.6	0.56	0.0	11.7
1991	4	0.6	0.29	0.1	1.6	0	0.0	-	0.0	10.0
1992	4	0.5	0.27	0.1	1.5	1	0.6	0.59	0.0	9.5
1993	3	0.5	0.28	0.1	1.4	1	1.3	1.34	0.0	10.0
1994	9	1.3	0.43	0.6	2.5	0	0.0	-	0.0	7.3
1995	7	1.0	0.38	0.4	2.1	1	1.3	1.32	0.0	8.6
1996	4	0.5	0.28	0.1	1.5	3	1.8	1.17	0.3	8.2
1997	14	1.9	0.52	1.0	3.3	1	0.5	0.48	0.0	6.1
1998	12	1.5	0.45	0.8	2.7	1	0.6	0.63	0.0	5.9
1999	9	1.1	0.37	0.5	2.2	0	0.0	-	0.0	4.7
2000	8	1.0	0.37	0.4	2.1	2	0.6	0.41	0.1	4.7
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	38	1.2	0.24	0.8	1.8	860	1.1	0.04	1.0	1.2
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	3	2.5	1.55	0.5	8.4	59	1.0	0.13	0.8	1.3
1990	5	2.9	1.43	0.8	8.3	50	0.8	0.12	0.6	1.1
1991	2	1.1	0.81	0.1	5.7	46	0.7	0.11	0.5	1.0
1992	0	0.0	-	0.0	3.9	40	0.7	0.11	0.5	0.9
1993	0	0.0	-	0.0	3.7	72	1.1	0.13	0.9	1.4
1994	2	1.4	1.03	0.1	5.8	84	1.2	0.14	1.0	1.6
1995	2	1.1	0.82	0.1	5.0	94	1.4	0.15	1.1	1.7
1996	2	0.3	0.22	0.0	3.4	66	1.0	0.12	0.7	1.2
1997	3	1.6	1.05	0.2	5.7	78	1.2	0.14	0.9	1.5
1998	5	1.5	0.88	0.3	5.2	83	1.3	0.14	1.0	1.6
1999	7	1.6	0.76	0.4	4.9	95	1.4	0.14	1.1	1.7
2000	7	0.8	0.29	0.3	3.5	93	1.4	0.14	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Other Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,043	2.0	0.05	2.0	2.1	1,823	2.1	0.05	2.0	2.2
1986	127	2.0	0.18	1.7	2.4	109	2.0	0.19	1.6	2.4
1987	115	1.9	0.18	1.5	2.3	101	1.9	0.19	1.5	2.3
1988	133	2.1	0.19	1.8	2.5	122	2.2	0.21	1.8	2.7
1989	131	2.1	0.18	1.7	2.5	124	2.2	0.21	1.9	2.7
1990	149	2.3	0.19	1.9	2.7	135	2.4	0.21	2.0	2.8
1991	150	2.3	0.19	1.9	2.7	135	2.3	0.20	1.9	2.7
1992	127	2.0	0.18	1.6	2.3	109	1.9	0.18	1.6	2.3
1993	145	2.1	0.18	1.8	2.5	136	2.3	0.20	1.9	2.7
1994	137	2.0	0.17	1.7	2.4	119	2.0	0.18	1.6	2.4
1995	148	2.1	0.18	1.8	2.5	133	2.2	0.19	1.8	2.6
1996	116	1.7	0.16	1.4	2.0	103	1.7	0.17	1.4	2.1
1997	130	1.9	0.16	1.6	2.2	117	1.9	0.18	1.6	2.3
1998	140	2.0	0.17	1.6	2.3	110	1.8	0.17	1.4	2.1
1999	149	2.1	0.17	1.7	2.4	134	2.1	0.19	1.8	2.5
2000	146	2.0	0.17	1.7	2.4	136	2.2	0.19	1.8	2.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	203	1.9	0.13	1.6	2.2	17	0.9	0.24	0.5	1.6
1986	16	2.4	0.61	1.3	4.0	2	3.1	2.34	0.3	17.5
1987	14	2.2	0.62	1.2	3.9	0	0.0	~	0.0	12.6
1988	11	1.8	0.54	0.9	3.3	0	0.0	~	0.0	12.0
1989	6	0.8	0.35	0.3	2.0	1	0.5	0.47	0.0	11.7
1990	14	2.2	0.61	1.2	3.9	0	0.0	~	0.0	11.2
1991	13	1.7	0.49	0.9	3.0	2	1.6	1.24	0.2	11.8
1992	17	2.4	0.59	1.4	3.9	1	0.8	0.79	0.0	9.8
1993	8	1.1	0.39	0.5	2.2	1	1.3	1.33	0.0	10.0
1994	17	2.4	0.58	1.4	3.8	1	0.6	0.60	0.0	7.9
1995	14	1.9	0.52	1.0	3.3	1	0.5	0.47	0.0	6.9
1996	9	1.2	0.42	0.6	2.4	4	3.6	2.01	0.8	11.2
1997	11	1.4	0.42	0.7	2.5	2	0.9	0.65	0.1	6.6
1998	29	3.7	0.70	2.5	5.4	1	0.2	0.25	0.0	5.3
1999	15	1.8	0.48	1.0	3.1	0	0.0	~	0.0	4.7
2000	9	1.2	0.39	0.5	2.2	1	0.4	0.43	0.0	4.6
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	57	1.8	0.27	1.3	2.4	2018	2.1	0.05	2.0	2.2
1986	0	0.0	-	0.0	5.4	131	2.2	0.19	1.8	2.6
1987	1	0.5	0.46	0.0	5.6	124	2.1	0.19	1.7	2.5
1988	3	1.1	0.70	0.2	6.0	135	2.2	0.19	1.8	2.6
1989	1	0.2	0.18	0.0	4.6	135	2.2	0.19	1.8	2.6
1990	6	4.2	1.80	1.4	10.2	143	2.3	0.19	1.9	2.7
1991	4	2.0	1.11	0.4	6.9	158	2.5	0.20	2.1	2.9
1992	3	1.2	0.77	0.2	5.5	122	1.9	0.18	1.6	2.3
1993	3	1.6	1.01	0.3	6.0	150	2.3	0.19	1.9	2.7
1994	7	3.1	1.30	1.0	7.7	130	2.0	0.17	1.6	2.4
1995	4	1.9	1.00	0.5	6.0	138	2.0	0.17	1.7	2.4
1996	3	1.0	0.65	0.2	4.5	118	1.8	0.16	1.5	2.1
1997	3	1.2	0.76	0.2	4.8	118	1.7	0.16	1.4	2.1
1998	4	2.2	1.18	0.5	6.4	134	2.0	0.17	1.6	2.3
1999	10	3.5	1.34	1.4	7.8	139	2.0	0.17	1.7	2.4
2000	5	1.8	0.83	0.6	5.2	143	2.0	0.17	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Ill-defined Sites

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	23,560	14.0	0.09	13.8	14.2	19,792	13.4	0.10	13.2	13.6
1986	1,402	13.4	0.36	12.7	14.1	1,171	12.6	0.37	11.9	13.3
1987	1,394	13.2	0.36	12.5	13.9	1,181	12.6	0.37	11.9	13.4
1988	1,484	13.9	0.36	13.2	14.6	1,251	13.2	0.38	12.5	14.0
1989	1,485	13.9	0.36	13.2	14.6	1,227	13.0	0.37	12.2	13.7
1990	1,425	13.2	0.35	12.5	13.9	1,191	12.5	0.36	11.8	13.2
1991	1,414	12.9	0.35	12.3	13.6	1,207	12.5	0.36	11.8	13.2
1992	1,425	12.8	0.34	12.2	13.5	1,225	12.5	0.36	11.8	13.3
1993	1,881	16.7	0.39	16.0	17.5	1,612	16.3	0.41	15.5	17.1
1994	1,918	16.9	0.39	16.2	17.7	1,650	16.6	0.41	15.8	17.4
1995	1,780	15.5	0.37	14.8	16.3	1,482	14.7	0.38	14.0	15.5
1996	1,680	14.6	0.36	13.9	15.3	1,380	13.7	0.37	13.0	14.4
1997	1,559	13.4	0.34	12.7	14.1	1,310	12.9	0.36	12.2	13.6
1998	1,533	13.0	0.33	12.4	13.7	1,288	12.5	0.35	11.8	13.2
1999	1,567	13.2	0.33	12.5	13.8	1,278	12.3	0.34	11.7	13.0
2000	1,613	13.4	0.34	12.8	14.1	1,339	12.9	0.35	12.2	13.6
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,412	18.9	0.33	18.2	19.6	266	9.8	0.68	8.5	11.3
1986	213	20.3	1.46	17.6	23.4	15	13.1	3.80	6.7	25.0
1987	205	19.0	1.37	16.4	21.9	6	5.7	2.67	1.7	15.6
1988	216	19.3	1.36	16.7	22.2	12	10.0	3.28	4.6	20.5
1989	239	21.5	1.44	18.8	24.6	15	12.1	3.50	6.3	22.7
1990	219	18.7	1.31	16.2	21.5	9	4.6	1.72	1.9	12.2
1991	175	15.2	1.18	13.0	17.8	17	8.4	2.17	4.7	16.0
1992	184	15.7	1.19	13.5	18.3	14	9.1	2.72	4.6	17.5
1993	244	20.6	1.36	18.1	23.5	22	11.4	2.63	6.9	19.2
1994	255	20.4	1.32	17.9	23.2	7	3.3	1.51	1.0	9.1
1995	268	21.7	1.36	19.1	24.5	25	14.0	3.21	8.4	22.4
1996	277	22.0	1.36	19.4	24.8	14	6.1	1.80	3.1	11.7
1997	220	17.1	1.18	14.9	19.6	27	11.7	2.51	7.3	18.5
1998	209	16.2	1.14	14.0	18.6	30	14.2	2.81	9.2	21.4
1999	254	19.2	1.23	16.8	21.8	26	11.0	2.44	6.8	17.4
2000	234	17.1	1.14	15.0	19.6	27	9.1	1.94	5.7	14.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	526	11.3	0.58	10.2	12.5	18,754	14.3	0.10	14.1	14.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	33	11.6	2.30	7.6	17.6	1,452	14.0	0.37	13.3	14.8
1990	29	9.8	2.11	6.1	15.3	1,396	13.3	0.36	12.6	14.0
1991	44	12.8	2.24	8.8	18.5	1,370	12.9	0.35	12.3	13.7
1992	29	7.5	1.63	4.6	11.9	1,396	13.0	0.35	12.3	13.7
1993	35	10.2	1.98	6.7	15.3	1,846	17.0	0.40	16.2	17.8
1994	38	10.0	1.90	6.6	14.8	1,880	17.2	0.40	16.4	18.0
1995	49	13.4	2.25	9.3	18.9	1,731	15.6	0.38	14.9	16.4
1996	55	13.7	2.13	9.8	18.9	1,625	14.6	0.36	13.9	15.4
1997	41	9.2	1.68	6.2	13.5	1,518	13.6	0.35	12.9	14.3
1998	60	12.5	1.95	9.0	17.3	1,473	13.0	0.34	12.3	13.7
1999	58	13.2	2.02	9.5	18.0	1,509	13.2	0.34	12.5	13.9
2000	55	11.1	1.78	7.9	15.4	1,558	13.6	0.34	12.9	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	26,828	16.0	0.10	15.8	16.2	22,690	15.3	0.10	15.1	15.5
1986	1,625	15.6	0.39	14.8	16.4	1,363	14.6	0.40	13.9	15.4
1987	1,577	14.9	0.38	14.2	15.7	1,335	14.2	0.39	13.4	15.0
1988	1,800	17.0	0.40	16.2	17.8	1,523	16.2	0.42	15.4	17.0
1989	1,827	17.2	0.41	16.4	18.0	1,534	16.3	0.42	15.5	17.1
1990	1,729	16.0	0.39	15.2	16.7	1,466	15.3	0.40	14.5	16.1
1991	1,641	15.0	0.37	14.3	15.8	1,415	14.6	0.39	13.9	15.4
1992	1,844	16.6	0.39	15.8	17.4	1,568	16.0	0.41	15.2	16.8
1993	1,879	16.7	0.39	16.0	17.5	1,594	16.1	0.40	15.3	16.9
1994	1,758	15.5	0.37	14.8	16.3	1,500	15.1	0.39	14.3	15.8
1995	1,781	15.5	0.37	14.8	16.2	1,506	15.0	0.39	14.2	15.7
1996	1,789	15.5	0.37	14.8	16.2	1,507	14.9	0.38	14.2	15.7
1997	1,717	14.7	0.36	14.0	15.4	1,459	14.3	0.38	13.6	15.1
1998	1,668	14.2	0.35	13.5	14.8	1,401	13.6	0.36	12.9	14.4
1999	2,117	17.8	0.39	17.0	18.5	1,761	17.0	0.40	16.2	17.8
2000	2,076	17.3	0.38	16.6	18.1	1,758	16.9	0.40	16.1	17.7
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	3,981	22.1	0.36	21.4	22.8	157	5.7	0.51	4.7	6.8
1986	258	24.3	1.58	21.3	27.6	4	4.9	2.72	1.1	15.4
1987	234	22.0	1.49	19.2	25.2	8	6.2	2.57	2.3	15.9
1988	269	23.8	1.50	21.0	27.0	8	4.7	1.81	1.8	12.7
1989	284	25.3	1.55	22.3	28.6	9	7.8	2.93	3.2	17.5
1990	254	22.3	1.44	19.6	25.4	9	6.2	2.19	2.7	14.5
1991	216	18.5	1.30	16.1	21.3	10	5.1	1.68	2.4	12.0
1992	266	22.6	1.43	19.9	25.7	10	7.6	2.62	3.3	15.8
1993	279	23.4	1.44	20.7	26.4	6	2.5	1.03	0.9	7.8
1994	251	20.8	1.35	18.2	23.6	7	4.3	1.84	1.5	10.7
1995	261	21.0	1.33	18.5	23.8	14	7.2	2.21	3.5	13.8
1996	275	21.5	1.33	19.0	24.3	7	2.6	1.04	1.0	7.0
1997	244	19.2	1.26	16.8	21.9	14	5.5	1.62	2.8	10.7
1998	253	19.2	1.23	16.8	21.8	14	6.0	1.74	3.0	11.2
1999	339	26.0	1.44	23.3	29.0	17	6.0	1.62	3.3	10.9
2000	298	22.0	1.30	19.6	24.8	20	8.0	1.96	4.7	13.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	484	9.3	0.49	8.4	10.4	25020	15.4	0.10	15.2	15.6
1986	25	10.0	2.27	6.1	16.2	1391	13.7	0.37	13.0	14.4
1987	20	8.8	2.29	5.0	15.0	1441	14.0	0.37	13.3	14.8
1988	27	8.8	1.96	5.4	14.2	1744	16.9	0.41	16.1	17.8
1989	24	8.4	1.93	5.0	13.6	1742	16.8	0.41	16.0	17.6
1990	28	11.4	2.45	7.2	17.7	1689	16.0	0.39	15.3	16.8
1991	30	9.5	1.98	6.0	14.7	1552	14.6	0.37	13.9	15.4
1992	25	8.0	1.79	4.9	12.8	1654	15.4	0.38	14.6	16.1
1993	31	8.4	1.71	5.4	12.9	1685	15.5	0.38	14.8	16.2
1994	32	9.8	1.97	6.3	14.8	1645	15.0	0.37	14.3	15.8
1995	44	11.8	2.06	8.1	16.9	1676	15.1	0.37	14.4	15.8
1996	34	9.0	1.72	6.0	13.5	1627	14.6	0.36	13.9	15.4
1997	33	6.9	1.40	4.5	10.7	1562	13.9	0.35	13.2	14.6
1998	31	6.8	1.36	4.4	10.4	1527	13.5	0.35	12.8	14.2
1999	47	10.7	1.80	7.5	15.2	2068	18.0	0.40	17.3	18.8
2000	53	11.2	1.83	7.9	15.7	2017	17.5	0.39	16.8	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	11,242	16.4	0.16	16.1	16.7	9,331	15.6	0.17	15.3	15.9
1986	699	16.2	0.64	15.0	17.5	577	15.1	0.66	13.8	16.4
1987	656	15.4	0.63	14.2	16.7	553	14.6	0.65	13.3	15.9
1988	749	17.2	0.66	15.9	18.5	619	16.2	0.68	14.9	17.6
1989	721	16.4	0.64	15.2	17.7	584	15.1	0.65	13.9	16.5
1990	693	15.5	0.61	14.3	16.7	570	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.6	17.0	595	15.1	0.64	13.9	16.4
1992	689	15.2	0.60	14.1	16.5	585	14.7	0.62	13.5	16.0
1993	843	18.6	0.66	17.4	20.0	708	17.9	0.69	16.5	19.3
1994	871	19.1	0.67	17.8	20.5	747	18.8	0.71	17.5	20.3
1995	845	18.1	0.64	16.8	19.4	689	17.0	0.66	15.7	18.3
1996	813	17.4	0.63	16.2	18.7	666	16.5	0.65	15.2	17.8
1997	750	15.7	0.59	14.6	16.9	621	15.0	0.61	13.8	16.3
1998	724	15.1	0.57	14.0	16.2	614	14.8	0.60	13.6	16.0
1999	717	14.7	0.56	13.6	15.9	570	13.5	0.57	12.4	14.7
2000	767	15.7	0.58	14.6	16.9	633	15.0	0.60	13.8	16.2
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,727	23.2	0.60	22.0	24.4	132	11.1	1.14	9.0	13.7
1986	111	25.3	2.62	20.4	31.2	10	16.7	5.82	7.4	40.4
1987	99	23.5	2.56	18.8	29.4	4	9.8	5.83	1.9	33.6
1988	119	24.8	2.42	20.3	30.3	8	17.9	7.33	6.6	42.9
1989	130	28.0	2.62	23.1	33.9	5	6.7	3.57	1.6	24.9
1990	115	23.3	2.31	19.0	28.6	4	3.4	1.71	0.9	19.9
1991	93	20.4	2.24	16.2	25.5	8	10.5	4.06	4.1	27.9
1992	97	21.6	2.37	17.2	27.0	5	6.7	3.27	1.9	22.1
1993	121	25.1	2.46	20.5	30.6	12	11.9	3.58	5.9	26.5
1994	116	22.0	2.19	17.9	27.0	4	2.5	1.28	0.6	14.6
1995	142	27.3	2.44	22.8	32.8	11	13.9	4.94	5.9	30.2
1996	131	25.2	2.37	20.8	30.6	9	10.2	4.07	3.8	24.7
1997	116	21.7	2.13	17.7	26.5	12	11.3	3.56	5.4	24.2
1998	93	16.6	1.79	13.3	20.8	13	13.3	4.29	6.3	27.2
1999	127	24.0	2.27	19.7	29.1	15	16.2	4.94	8.0	30.9
2000	117	20.9	2.05	17.1	25.6	12	12.2	4.15	5.5	25.0
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	269	13.5	1.02	11.6	15.7	8,869	16.6	0.18	16.3	17.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	13	13.1	4.18	6.2	25.5	708	16.6	0.65	15.4	18.0
1990	17	11.6	3.44	5.9	22.6	676	15.6	0.62	14.4	16.9
1991	19	16.0	4.44	8.6	28.6	686	15.8	0.62	14.6	17.1
1992	13	5.8	2.01	2.6	13.8	676	15.5	0.62	14.4	16.8
1993	19	14.4	3.96	7.7	25.8	824	18.9	0.68	17.6	20.3
1994	22	11.6	3.26	6.1	21.5	849	19.4	0.68	18.1	20.8
1995	22	12.8	3.55	6.8	23.1	823	18.3	0.65	17.1	19.7
1996	27	15.4	3.66	9.1	25.6	786	17.6	0.64	16.4	18.9
1997	20	10.5	3.06	5.4	19.6	730	16.0	0.60	14.8	17.2
1998	31	11.6	2.47	7.2	19.2	693	15.1	0.58	14.0	16.3
1999	33	17.0	3.60	10.7	26.7	684	14.7	0.57	13.6	15.9
2000	33	18.7	3.95	11.8	28.9	734	15.8	0.59	14.6	17.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,583	20.0	0.18	19.6	20.3	11,345	19.1	0.18	18.7	19.4
1986	838	19.6	0.71	18.2	21.0	696	18.3	0.72	16.9	19.8
1987	802	18.7	0.69	17.4	20.1	668	17.6	0.71	16.2	19.0
1988	942	22.1	0.75	20.7	23.7	778	20.8	0.78	19.4	22.5
1989	979	22.6	0.75	21.2	24.2	804	21.1	0.77	19.6	22.7
1990	869	19.7	0.70	18.4	21.2	711	18.4	0.72	17.0	19.9
1991	850	19.3	0.69	18.0	20.7	717	18.5	0.72	17.2	20.0
1992	935	21.1	0.71	19.7	22.5	786	20.2	0.74	18.8	21.7
1993	943	21.1	0.71	19.7	22.5	797	20.4	0.74	18.9	21.9
1994	846	18.3	0.64	17.0	19.6	717	17.7	0.68	16.4	19.1
1995	904	19.4	0.66	18.1	20.7	759	18.7	0.69	17.3	20.1
1996	920	19.6	0.66	18.3	20.9	767	18.7	0.69	17.4	20.1
1997	828	17.5	0.62	16.3	18.8	704	17.1	0.65	15.8	18.4
1998	829	17.2	0.61	16.0	18.4	688	16.5	0.64	15.2	17.8
1999	1,036	21.6	0.68	20.3	23.0	863	20.7	0.72	19.4	22.2
2000	1,062	21.8	0.68	20.5	23.2	890	21.1	0.71	19.7	22.5
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,158	29.2	0.67	28.0	30.6	80	6.6	0.83	5.1	8.6
1986	139	31.4	2.87	26.0	37.8	3	9.7	6.34	1.5	35.4
1987	130	30.5	2.90	25.0	37.0	4	5.8	3.79	0.9	26.6
1988	159	33.4	2.81	28.2	39.7	5	7.9	3.89	2.2	27.4
1989	170	36.7	3.01	31.0	43.4	5	9.9	4.86	2.8	30.0
1990	154	33.2	2.87	27.8	39.6	4	6.2	3.34	1.5	24.4
1991	128	27.4	2.58	22.6	33.2	5	6.7	3.21	2.0	23.2
1992	145	29.8	2.64	24.9	35.7	4	6.6	3.59	1.6	22.6
1993	143	29.4	2.64	24.5	35.3	3	2.6	1.53	0.5	15.4
1994	127	24.9	2.35	20.5	30.2	2	3.2	2.38	0.3	16.6
1995	136	26.5	2.43	22.0	32.0	9	7.8	2.85	3.3	20.6
1996	148	28.7	2.52	24.0	34.3	5	3.5	1.62	1.1	14.6
1997	119	23.3	2.27	19.0	28.4	5	6.5	3.10	1.9	19.0
1998	134	23.8	2.14	19.8	28.6	7	6.6	2.63	2.5	17.7
1999	166	32.0	2.65	27.0	37.8	7	5.4	2.24	2.0	15.6
2000	160	29.9	2.50	25.2	35.4	12	11.3	3.69	5.3	23.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	263	11.3	0.85	9.7	13.2	12729	19.4	0.18	19.0	19.7
1986	15	13.2	3.99	6.5	25.8	720	17.3	0.68	16.0	18.7
1987	12	13.3	4.68	5.8	27.2	720	17.2	0.67	15.9	18.6
1988	14	10.4	3.26	5.0	21.2	926	22.4	0.77	20.9	24.0
1989	11	8.9	3.23	3.7	19.6	942	22.5	0.76	21.0	24.1
1990	15	13.7	4.32	6.6	26.5	850	19.9	0.71	18.5	21.4
1991	13	7.9	2.57	3.6	17.0	808	18.9	0.69	17.5	20.3
1992	13	9.2	2.94	4.4	18.7	828	19.2	0.69	17.9	20.7
1993	16	11.0	3.36	5.4	21.3	857	19.7	0.69	18.4	21.1
1994	16	11.0	3.40	5.4	21.2	792	17.6	0.64	16.4	19.0
1995	25	14.7	3.60	8.5	24.9	876	19.6	0.68	18.3	21.0
1996	21	11.4	2.85	6.5	20.0	842	18.6	0.66	17.4	20.0
1997	18	6.8	1.98	3.5	13.9	764	16.8	0.62	15.6	18.1
1998	17	7.6	2.05	4.1	14.5	768	16.6	0.61	15.4	17.8
1999	23	11.6	2.94	6.6	20.1	1012	22.1	0.70	20.7	23.5
2000	34	17.5	3.69	11.0	27.2	1024	22.0	0.70	20.7	23.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	12,318	12.4	0.11	12.1	12.6	10,461	11.9	0.12	11.7	12.2
1986	703	11.5	0.44	10.7	12.4	594	10.9	0.46	10.0	11.9
1987	738	12.0	0.45	11.1	12.9	628	11.5	0.47	10.6	12.5
1988	735	11.6	0.44	10.8	12.5	632	11.3	0.46	10.4	12.2
1989	764	12.2	0.45	11.3	13.1	643	11.6	0.46	10.7	12.5
1990	732	11.5	0.43	10.7	12.4	621	11.0	0.45	10.2	11.9
1991	709	11.0	0.42	10.2	11.8	612	10.7	0.44	9.8	11.6
1992	736	11.2	0.42	10.4	12.1	640	11.1	0.44	10.2	12.0
1993	1,038	15.5	0.49	14.6	16.5	904	15.3	0.52	14.3	16.3
1994	1,047	15.4	0.48	14.5	16.4	903	15.2	0.51	14.2	16.2
1995	935	13.6	0.45	12.7	14.5	793	13.1	0.47	12.2	14.0
1996	867	12.7	0.43	11.8	13.5	714	11.9	0.45	11.0	12.8
1997	809	11.7	0.41	10.9	12.5	689	11.4	0.44	10.5	12.3
1998	809	11.4	0.40	10.6	12.2	674	10.8	0.42	10.0	11.7
1999	850	11.9	0.41	11.1	12.8	708	11.4	0.44	10.6	12.3
2000	846	12.0	0.42	11.2	12.8	706	11.5	0.44	10.7	12.4
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,685	15.9	0.39	15.1	16.6	134	8.8	0.83	7.3	10.7
1986	102	16.8	1.71	13.6	20.6	5	10.0	4.88	2.8	27.9
1987	106	16.4	1.62	13.4	19.9	2	2.9	2.17	0.3	16.4
1988	97	15.1	1.57	12.2	18.6	4	4.4	2.22	1.2	17.1
1989	109	16.8	1.64	13.8	20.4	10	15.9	5.40	7.2	33.0
1990	104	15.4	1.53	12.5	18.7	5	5.4	2.69	1.5	18.1
1991	82	12.0	1.34	9.5	14.9	9	6.9	2.38	3.1	17.9
1992	87	12.2	1.33	9.8	15.2	9	10.8	3.99	4.4	23.8
1993	123	17.5	1.60	14.5	21.0	10	10.8	3.62	4.9	22.5
1994	139	18.9	1.63	15.9	22.4	3	3.4	2.24	0.5	12.7
1995	126	17.4	1.56	14.4	20.8	14	13.9	4.16	7.0	25.6
1996	146	19.5	1.63	16.5	23.0	5	3.5	1.57	1.1	10.3
1997	104	13.8	1.36	11.2	16.8	15	11.8	3.35	6.2	21.4
1998	116	15.1	1.42	12.4	18.2	17	14.6	3.70	8.2	24.6
1999	127	16.1	1.44	13.4	19.2	11	7.7	2.55	3.6	15.4
2000	117	14.6	1.36	12.0	17.5	15	7.9	2.12	4.3	14.2
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	257	9.9	0.69	8.6	11.4	9,885	12.6	0.13	12.3	12.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	20	11.6	2.83	6.8	19.5	744	12.2	0.45	11.3	13.1
1990	12	8.2	2.59	3.9	15.6	720	11.7	0.44	10.8	12.6
1991	25	11.6	2.53	7.2	18.7	684	10.9	0.42	10.1	11.8
1992	16	8.5	2.34	4.5	15.2	720	11.3	0.43	10.5	12.2
1993	16	7.7	2.13	4.1	13.8	1,022	15.7	0.50	14.8	16.7
1994	16	8.7	2.35	4.7	15.2	1,031	15.7	0.50	14.7	16.7
1995	27	13.7	2.96	8.5	21.3	908	13.6	0.46	12.7	14.5
1996	28	12.8	2.64	8.1	19.6	839	12.6	0.44	11.8	13.5
1997	21	8.8	2.06	5.2	14.4	788	11.8	0.42	10.9	12.6
1998	29	12.5	2.68	7.8	19.3	780	11.3	0.41	10.6	12.2
1999	25	10.2	2.34	6.1	16.3	825	12.0	0.42	11.2	12.9
2000	22	5.9	1.44	3.4	10.2	824	12.1	0.43	11.3	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2000

Ill-defined Sites, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13,245	13.2	0.12	13.0	13.4	11,345	12.8	0.12	12.6	13.1
1986	787	12.7	0.46	11.9	13.7	667	12.1	0.48	11.2	13.1
1987	775	12.4	0.45	11.6	13.4	667	12.0	0.47	11.1	13.0
1988	858	13.7	0.47	12.8	14.6	745	13.3	0.50	12.4	14.4
1989	848	13.4	0.47	12.5	14.4	730	13.1	0.49	12.1	14.1
1990	860	13.4	0.46	12.6	14.4	755	13.2	0.49	12.3	14.2
1991	791	12.0	0.43	11.2	12.9	698	11.9	0.46	11.0	12.9
1992	909	13.7	0.46	12.8	14.7	782	13.4	0.49	12.5	14.4
1993	936	13.9	0.46	13.0	14.8	797	13.3	0.48	12.4	14.3
1994	912	13.4	0.45	12.6	14.3	783	13.0	0.47	12.1	14.0
1995	877	12.8	0.43	11.9	13.6	747	12.3	0.46	11.5	13.3
1996	869	12.6	0.43	11.7	13.4	740	12.1	0.45	11.2	13.0
1997	889	12.9	0.44	12.0	13.8	755	12.5	0.46	11.6	13.4
1998	839	11.9	0.41	11.1	12.7	713	11.5	0.44	10.7	12.4
1999	1,081	15.1	0.46	14.2	16.0	898	14.4	0.49	13.4	15.3
2000	1,014	14.2	0.45	13.3	15.1	868	13.9	0.48	13.0	14.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,823	17.2	0.41	16.4	18.0	77	5.0	0.63	3.8	6.5
1986	119	19.2	1.81	15.8	23.2	1	1.5	1.54	0.0	15.3
1987	104	16.6	1.67	13.5	20.3	4	6.5	3.48	1.6	21.5
1988	110	16.9	1.65	13.9	20.6	3	2.3	1.38	0.5	14.3
1989	114	17.4	1.67	14.3	21.1	4	6.3	3.62	1.3	20.7
1990	100	15.1	1.53	12.2	18.5	5	6.1	2.88	1.8	19.0
1991	88	12.6	1.37	10.1	15.7	5	4.0	1.81	1.3	14.4
1992	121	17.6	1.62	14.6	21.1	6	8.2	3.65	2.7	20.8
1993	136	19.3	1.67	16.1	22.9	3	2.4	1.37	0.5	10.8
1994	124	17.5	1.59	14.5	20.9	5	5.2	2.61	1.4	14.9
1995	125	17.2	1.55	14.3	20.6	5	6.1	2.94	1.8	15.8
1996	127	16.8	1.50	14.0	20.0	2	1.7	1.25	0.2	8.3
1997	125	16.4	1.48	13.6	19.6	9	5.3	1.87	2.3	12.2
1998	119	15.4	1.43	12.8	18.5	7	5.3	2.20	1.9	12.7
1999	173	22.0	1.69	18.9	25.6	10	6.4	2.19	2.9	13.4
2000	138	17.0	1.46	14.2	20.1	8	5.7	2.15	2.3	12.3
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	221	7.9	0.58	6.8	9.1	12291	12.6	0.11	12.4	12.9
1986	10	7.6	2.64	3.3	15.9	671	11.1	0.44	10.3	12.0
1987	8	6.0	2.30	2.4	13.5	721	11.9	0.45	11.0	12.8
1988	13	7.7	2.43	3.7	15.1	818	13.3	0.47	12.4	14.3
1989	13	8.2	2.47	4.1	15.5	800	13.0	0.47	12.1	14.0
1990	13	9.7	2.92	4.9	17.8	839	13.5	0.47	12.6	14.4
1991	17	10.5	2.81	5.7	18.3	744	11.6	0.43	10.8	12.5
1992	12	7.0	2.24	3.4	13.6	826	12.8	0.45	11.9	13.7
1993	15	7.0	1.93	3.8	12.8	828	12.6	0.44	11.7	13.5
1994	16	8.9	2.42	4.8	15.6	853	12.9	0.45	12.0	13.8
1995	19	9.6	2.43	5.5	16.2	800	12.0	0.43	11.1	12.8
1996	13	7.0	2.06	3.5	12.8	785	11.7	0.42	10.9	12.6
1997	15	6.7	1.89	3.6	12.1	798	11.9	0.43	11.1	12.8
1998	14	5.9	1.72	3.0	10.9	759	11.1	0.41	10.3	12.0
1999	24	10.1	2.28	6.1	16.1	1056	15.3	0.48	14.4	16.2
2000	19	6.6	1.78	3.6	11.6	993	14.4	0.46	13.5	15.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. #Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Race-All COD, Public-Use with State, Total U.S. (1969-2000), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2003. Underlying Mortality data provided by NCHS <www.cdc.gov/nchs>.

Hispanics - Illinois Department of Public Health, Death Master File, 1986 - 2000.

Female Breast Cancer
in situ

Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2000										
Female Breast Cancer *in situ*										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	16,746	18.9	0.15	18.6	19.1	14,593	19.5	0.16	19.1	19.8
1986	541	10.0	0.44	9.1	10.9	495	10.6	0.50	9.7	11.7
1987	583	10.8	0.46	9.9	11.7	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	627	13.2	0.54	12.2	14.3
1989	690	12.4	0.48	11.5	13.4	632	13.4	0.55	12.3	14.5
1990	785	13.9	0.50	12.9	14.9	718	15.0	0.57	13.9	16.2
1991	918	16.0	0.54	15.0	17.1	817	16.8	0.60	15.6	18.0
1992	1,008	17.3	0.55	16.3	18.5	903	18.3	0.62	17.1	19.6
1993	988	16.8	0.54	15.8	17.9	872	17.7	0.61	16.5	18.9
1994	1,068	17.7	0.55	16.6	18.8	937	18.3	0.61	17.2	19.6
1995	1,223	20.1	0.58	19.0	21.3	1,065	20.8	0.65	19.6	22.1
1996	1,357	22.2	0.61	21.0	23.4	1,142	22.3	0.67	21.0	23.6
1997	1,482	23.9	0.62	22.7	25.2	1,252	24.0	0.69	22.7	25.4
1998	1,726	27.5	0.66	26.2	28.9	1,467	28.0	0.74	26.6	29.5
1999	1,733	27.2	0.66	25.9	28.5	1,466	27.6	0.72	26.2	29.0
2000	1,945	30.4	0.69	29.0	31.7	1,664	31.3	0.77	29.8	32.9
	Blacks					**Asian/Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,479	13.1	0.34	12.4	13.8	312	13.7	0.80	12.2	15.5
1986	36	5.6	0.95	3.9	7.9	3	3.4	1.97	0.7	17.1
1987	37	5.8	0.96	4.0	8.0	3	2.8	1.63	0.6	15.6
1988	53	8.0	1.11	5.9	10.6	14	13.0	3.54	7.1	27.0
1989	40	6.0	0.97	4.3	8.3	8	6.4	2.32	2.7	18.4
1990	54	7.6	1.05	5.7	10.0	7	5.2	2.00	2.1	16.8
1991	72	10.6	1.26	8.3	13.4	12	8.2	2.49	4.0	19.2
1992	85	11.4	1.25	9.1	14.2	13	9.6	2.74	5.0	20.2
1993	96	12.4	1.28	10.0	15.2	14	9.3	2.64	4.9	19.1
1994	100	12.7	1.29	10.3	15.6	17	10.8	2.80	6.0	20.3
1995	111	14.0	1.34	11.5	17.0	21	13.0	2.97	7.9	22.2
1996	145	18.4	1.54	15.5	21.7	29	16.3	3.11	10.8	25.3
1997	153	18.6	1.51	15.8	21.9	31	15.4	2.82	10.4	23.8
1998	164	19.7	1.54	16.7	23.0	34	17.0	3.03	11.6	25.5
1999	165	19.5	1.53	16.7	22.8	42	20.6	3.30	14.6	29.3
2000	168	19.6	1.52	16.7	22.8	64	29.1	3.77	22.2	38.4
	Hispanics#					**Non-Hispanics#**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	404	11.9	0.63	10.7	13.3	14,519	21.1	0.18	20.7	21.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	10	4.5	1.50	2.0	10.0	680	12.8	0.50	11.8	13.8
1990	18	7.7	1.85	4.5	13.6	767	14.1	0.52	13.1	15.2
1991	11	4.1	1.38	1.8	9.2	907	16.5	0.56	15.5	17.7
1992	15	6.2	1.80	3.2	11.9	993	17.9	0.58	16.7	19.0
1993	33	12.2	2.20	8.3	18.4	955	17.0	0.56	15.9	18.1
1994	22	9.1	2.11	5.5	15.1	1,046	18.1	0.57	17.0	19.3
1995	41	16.8	2.80	11.8	23.9	1,182	20.4	0.60	19.3	21.6
1996	41	12.1	2.00	8.5	17.5	1,316	22.6	0.63	21.4	23.9
1997	40	12.8	2.14	8.9	18.5	1,442	24.5	0.65	23.2	25.8
1998	50	15.3	2.31	11.1	21.2	1,676	28.2	0.69	26.9	29.6
1999	52	15.3	2.28	11.1	21.1	1,681	27.9	0.68	26.5	29.2
2000	71	18.4	2.26	14.3	24.1	1,874	31.0	0.72	29.7	32.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

All Diagnostic Groups

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	5,400	137.4	1.87	133.7	141.1	7,778	149.8	1.70	146.5	153.2
1986	333	130.9	7.19	117.2	145.8	491	142.4	6.44	130.1	155.7
1987	368	145.8	7.61	131.3	161.6	542	158.8	6.83	145.7	172.8
1988	353	140.2	7.48	125.9	155.7	516	152.4	6.72	139.5	166.2
1989	339	134.1	7.30	120.2	149.2	491	145.9	6.59	133.3	159.5
1990	299	118.8	6.89	105.7	133.1	449	135.2	6.39	123.0	148.3
1991	347	134.2	7.22	120.4	149.2	484	143.9	6.56	131.3	157.3
1992	333	128.4	7.05	114.9	143.0	468	139.1	6.44	126.7	152.3
1993	335	125.8	6.89	112.6	140.0	489	142.8	6.48	130.4	156.1
1994	374	140.7	7.29	126.8	155.8	517	149.7	6.60	137.0	163.2
1995	417	155.4	7.62	140.9	171.2	564	160.7	6.78	147.7	174.6
1996	372	138.0	7.17	124.4	152.8	527	148.8	6.49	136.4	162.1
1997	406	150.2	7.46	136.0	165.6	577	161.7	6.74	148.7	175.4
1998	382	141.5	7.24	127.7	156.5	551	153.8	6.55	141.2	167.2
1999	401	148.2	7.40	134.0	163.5	586	163.0	6.73	150.1	176.8
2000	341	125.8	6.81	112.8	139.9	526	146.2	6.38	134.0	159.2
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	2,594	195.1	3.83	187.7	202.8	1,351	104.2	2.83	98.7	109.9
1986	166	192.3	14.93	164.1	223.9	84	100.0	10.91	79.8	123.8
1987	180	210.3	15.68	180.7	243.4	93	109.8	11.39	88.6	134.5
1988	179	209.7	15.67	180.1	242.7	83	98.1	10.77	78.2	121.7
1989	158	183.4	14.60	155.9	214.4	100	118.6	11.86	96.5	144.3
1990	151	175.3	14.28	148.5	205.7	65	78.8	9.77	60.8	100.4
1991	182	205.7	15.26	176.9	237.9	86	103.6	11.17	82.9	128.0
1992	150	166.8	13.62	141.2	195.8	99	119.4	12.00	97.0	145.3
1993	190	208.7	15.14	180.1	240.6	65	78.2	9.70	60.4	99.7
1994	174	189.4	14.36	162.3	219.7	94	111.4	11.49	90.0	136.3
1995	196	212.9	15.20	184.1	244.9	115	133.4	12.44	110.1	160.1
1996	175	192.0	14.51	164.6	222.7	89	100.5	10.66	80.7	123.7
1997	192	212.7	15.36	183.7	245.1	93	102.4	10.62	82.7	125.5
1998	178	199.8	14.98	171.5	231.5	93	101.2	10.49	81.7	123.9
1999	177	200.8	15.09	172.3	232.6	99	106.5	10.70	86.5	129.6
2000	146	166.6	13.79	140.7	196.0	93	100.0	10.37	80.7	122.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	1,455	115.6	3.03	109.8	121.7	2,378	186.9	3.83	179.4	194.5
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	81	102.8	11.42	81.6	127.7	152	181.0	14.68	153.4	212.2
1990	83	105.1	11.53	83.7	130.2	150	183.9	15.02	155.7	215.8
1991	79	96.9	10.90	76.7	120.7	137	172.7	14.75	145.0	204.1
1992	84	100.9	11.00	80.4	124.9	135	170.9	14.71	143.3	202.2
1993	80	94.4	10.56	74.9	117.5	154	193.5	15.60	164.2	226.6
1994	106	123.9	12.03	101.4	149.8	143	176.2	14.74	148.5	207.6
1995	106	123.0	11.95	100.7	148.8	147	176.3	14.54	149.0	207.3
1996	108	124.2	11.96	101.9	150.0	155	180.8	14.53	153.5	211.7
1997	121	138.5	12.59	114.9	165.5	171	195.8	14.97	167.5	227.4
1998	111	126.4	12.00	104.0	152.2	169	190.3	14.64	162.7	221.2
1999	125	139.9	12.51	116.5	166.7	185	207.0	15.22	178.2	239.1
2000	102	112.7	11.16	91.9	136.8	185	206.9	15.21	178.2	239.0

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Leukemia

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	1,643	41.5	1.02	39.5	43.6	1,979	37.7	0.85	36.1	39.4
1986	85	33.1	3.60	26.4	41.0	108	31.2	3.01	25.6	37.8
1987	126	49.7	4.43	41.4	59.2	150	44.1	3.60	37.3	51.7
1988	97	38.2	3.89	31.0	46.7	114	33.6	3.15	27.7	40.4
1989	98	38.3	3.88	31.1	46.8	112	32.9	3.11	27.1	39.6
1990	88	34.6	3.69	27.7	42.6	113	33.6	3.16	27.7	40.4
1991	110	42.7	4.08	35.1	51.5	135	39.9	3.44	33.4	47.2
1992	106	40.9	3.98	33.5	49.5	121	35.4	3.22	29.3	42.3
1993	99	36.9	3.72	30.0	45.0	131	37.8	3.31	31.6	44.9
1994	118	44.4	4.10	36.8	53.3	133	37.9	3.30	31.7	45.0
1995	143	52.5	4.40	44.2	61.9	164	45.6	3.57	38.9	53.2
1996	100	36.7	3.68	29.9	44.7	117	32.5	3.01	26.9	39.0
1997	118	43.4	3.99	35.9	52.0	147	40.8	3.37	34.5	48.0
1998	108	39.6	3.81	32.5	47.8	123	33.9	3.06	28.2	40.4
1999	133	49.0	4.25	41.0	58.0	164	45.4	3.54	38.7	52.9
2000	114	41.9	3.92	34.6	50.3	147	40.6	3.35	34.3	47.8
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	884	66.6	2.24	62.3	71.2	452	34.8	1.64	31.7	38.2
1986	50	58.1	8.22	43.1	76.6	21	25.0	5.46	15.5	38.2
1987	65	76.4	9.48	59.0	97.4	37	43.7	7.18	30.8	60.2
1988	55	64.8	8.74	48.8	84.3	25	29.6	5.91	19.1	43.6
1989	55	64.5	8.70	48.6	84.0	32	38.0	6.71	26.0	53.6
1990	55	64.6	8.71	48.6	84.0	21	25.4	5.55	15.8	38.9
1991	59	67.4	8.78	51.3	87.0	31	37.4	6.71	25.4	53.0
1992	49	54.8	7.82	40.5	72.4	36	43.4	7.24	30.4	60.1
1993	62	68.2	8.67	52.3	87.5	20	24.1	5.38	14.7	37.2
1994	54	58.7	7.99	44.1	76.6	35	41.5	7.01	28.9	57.7
1995	83	89.9	9.86	71.6	111.4	34	39.4	6.76	27.3	55.1
1996	51	55.5	7.77	41.3	73.0	31	35.0	6.29	23.8	49.7
1997	57	62.8	8.32	47.5	81.4	35	38.5	6.52	26.8	53.6
1998	62	69.3	8.80	53.1	88.9	27	29.4	5.65	19.4	42.7
1999	68	77.0	9.33	59.8	97.6	33	35.5	6.18	24.4	49.8
2000	59	67.2	8.75	51.2	86.7	34	36.6	6.27	25.3	51.1
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	307	24.4	1.39	21.7	27.3	336	26.4	1.44	23.7	29.4
1986	14	17.5	4.67	9.6	29.3	23	25.7	5.36	16.3	38.6
1987	24	30.5	6.22	19.5	45.3	24	27.2	5.55	17.4	40.5
1988	17	21.7	5.27	12.7	34.8	17	19.7	4.77	11.5	31.5
1989	11	14.0	4.21	7.0	25.0	14	16.7	4.46	9.1	28.0
1990	12	15.2	4.38	7.8	26.5	25	30.7	6.13	19.8	45.2
1991	20	24.5	5.48	15.0	37.9	25	31.5	6.30	20.4	46.5
1992	21	25.2	5.50	15.6	38.5	15	19.0	4.90	10.6	31.3
1993	17	20.1	4.87	11.7	32.1	32	40.2	7.11	27.5	56.8
1994	29	33.9	6.29	22.7	48.7	15	18.5	4.77	10.3	30.5
1995	26	30.2	5.92	19.7	44.2	21	25.2	5.50	15.6	38.5
1996	18	20.7	4.88	12.3	32.7	17	19.8	4.81	11.6	31.8
1997	26	29.8	5.84	19.4	43.6	29	33.2	6.16	22.2	47.7
1998	19	21.6	4.96	13.0	33.8	15	16.9	4.36	9.5	27.9
1999	32	35.8	6.33	24.5	50.6	31	34.7	6.23	23.6	49.2
2000	21	23.2	5.06	14.4	35.5	33	36.9	6.43	25.4	51.8

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Lymphoma

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	595	15.6	0.64	14.3	16.9	1,220	24.0	0.69	22.7	25.4
1986	45	18.4	2.74	13.4	24.6	84	24.7	2.70	19.7	30.6
1987	43	17.4	2.66	12.6	23.5	89	26.1	2.78	21.0	32.2
1988	44	18.2	2.74	13.2	24.4	94	28.2	2.91	22.7	34.5
1989	33	13.7	2.39	9.4	19.3	73	22.3	2.61	17.4	28.0
1990	32	13.2	2.33	9.0	18.6	73	22.5	2.64	17.6	28.3
1991	33	13.3	2.32	9.2	18.7	65	20.1	2.50	15.5	25.7
1992	39	15.4	2.47	11.0	21.1	71	21.7	2.58	17.0	27.4
1993	40	15.4	2.44	11.0	21.1	78	23.6	2.67	18.6	29.4
1994	39	15.2	2.43	10.8	20.7	74	22.2	2.58	17.4	27.9
1995	30	11.7	2.13	7.9	16.7	69	20.5	2.47	16.0	26.0
1996	48	18.2	2.63	13.4	24.2	94	27.1	2.80	21.9	33.2
1997	47	17.7	2.59	13.0	23.6	102	29.1	2.88	23.7	35.3
1998	49	18.5	2.64	13.7	24.5	94	26.6	2.74	21.5	32.6
1999	47	17.5	2.56	12.9	23.3	86	24.1	2.60	19.3	29.8
2000	26	9.7	1.89	6.3	14.2	74	20.7	2.41	16.3	26.0
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	132	9.9	0.86	8.3	11.8	167	12.9	1.00	11.0	15.0
1986	9	10.5	3.50	4.8	19.9	14	16.7	4.45	9.1	28.0
1987	11	12.8	3.86	6.4	22.9	16	18.9	4.72	10.8	30.7
1988	11	13.0	3.93	6.5	23.3	11	13.0	3.92	6.5	23.3
1989	4	4.7	2.36	1.3	12.1	10	11.9	3.75	5.7	21.8
1990	9	10.5	3.51	4.8	20.0	6	7.3	2.97	2.7	15.8
1991	6	6.7	2.72	2.4	14.6	9	10.8	3.62	5.0	20.6
1992	10	11.1	3.52	5.3	20.5	12	14.5	4.18	7.5	25.3
1993	14	15.4	4.12	8.4	25.9	6	7.2	2.95	2.7	15.7
1994	8	8.7	3.08	3.8	17.2	11	13.0	3.93	6.5	23.3
1995	3	3.2	1.87	0.7	9.5	12	13.9	4.02	7.2	24.3
1996	10	10.9	3.45	5.2	20.1	16	18.1	4.52	10.3	29.4
1997	11	12.2	3.68	6.1	21.9	13	14.3	3.97	7.6	24.5
1998	8	9.0	3.18	3.9	17.8	14	15.2	4.07	8.3	25.6
1999	12	13.7	3.95	7.1	23.9	12	12.9	3.72	6.7	22.5
2000	6	6.8	2.79	2.5	14.9	5	5.4	2.40	1.7	12.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	296	23.5	1.37	20.9	26.4	625	49.1	1.96	45.3	53.1
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	19	24.1	5.53	14.5	37.6	40	47.6	7.53	34.0	64.9
1990	17	21.5	5.22	12.5	34.5	41	50.3	7.85	36.1	68.2
1991	18	22.1	5.20	13.1	34.9	32	40.3	7.13	27.6	56.9
1992	17	20.4	4.95	11.9	32.7	32	40.5	7.16	27.7	57.2
1993	20	23.6	5.28	14.4	36.5	38	47.8	7.75	33.8	65.6
1994	20	23.4	5.23	14.3	36.1	35	43.1	7.29	30.0	60.0
1995	15	17.4	4.50	9.7	28.7	39	46.8	7.49	33.3	64.0
1996	22	25.3	5.40	15.9	38.3	46	53.7	7.91	39.3	71.6
1997	23	26.3	5.49	16.7	39.5	55	63.0	8.49	47.4	82.0
1998	27	30.7	5.92	20.3	44.7	45	50.7	7.55	37.0	67.8
1999	23	25.7	5.37	16.3	38.6	39	43.6	6.99	31.0	59.7
2000	15	16.6	4.28	9.3	27.3	48	53.7	7.75	39.6	71.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Central Nervous System &Miscellaneous Intracranial & Intraspinal Neoplasms										
	Ages 0-14					Ages 0-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	1,131	29.0	0.86	27.3	30.8	1,381	26.7	0.72	25.3	28.1
1986	69	27.5	3.31	21.4	34.8	88	25.9	2.76	20.8	31.9
1987	63	25.2	3.18	19.3	32.3	78	23.1	2.62	18.3	28.9
1988	82	32.6	3.60	25.9	40.5	97	28.7	2.92	23.3	35.1
1989	79	31.6	3.57	25.0	39.5	93	27.9	2.90	22.5	34.2
1990	71	28.5	3.40	22.3	36.1	83	25.1	2.76	20.0	31.1
1991	74	28.9	3.36	22.7	36.3	86	25.4	2.75	20.3	31.4
1992	69	27.2	3.28	21.2	34.5	82	24.5	2.71	19.5	30.5
1993	62	23.5	2.99	18.0	30.2	79	23.0	2.59	18.2	28.7
1994	82	30.9	3.42	24.6	38.4	99	28.4	2.86	23.1	34.6
1995	88	33.4	3.56	26.8	41.1	107	30.7	2.97	25.2	37.1
1996	87	32.4	3.48	25.9	40.0	105	29.5	2.89	24.2	35.8
1997	81	30.1	3.35	23.9	37.5	96	26.9	2.74	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	114	31.8	2.98	26.2	38.2
1999	72	26.5	3.13	20.8	33.4	91	25.2	2.64	20.3	31.0
2000	66	24.3	2.99	18.8	30.9	83	23.0	2.52	18.3	28.5
	Ages 0-4					Ages 5-9				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	424	31.9	1.55	28.9	35.1	383	29.5	1.51	26.6	32.6
1986	25	29.0	5.79	18.7	42.8	24	28.6	5.83	18.3	42.5
1987	26	30.4	5.97	19.9	44.6	18	21.3	5.01	12.6	33.6
1988	35	41.0	6.92	28.5	57.0	30	35.5	6.48	23.9	50.6
1989	27	31.1	6.00	20.5	45.3	27	32.0	6.16	21.1	46.6
1990	28	32.5	6.14	21.6	47.0	20	24.2	5.42	14.8	37.4
1991	33	37.3	6.49	25.7	52.4	24	28.9	5.90	18.5	43.0
1992	19	21.3	4.88	12.8	33.2	29	35.0	6.49	23.4	50.2
1993	31	34.1	6.12	23.2	48.4	16	19.3	4.82	11.0	31.3
1994	37	40.2	6.62	28.3	55.5	24	28.4	5.80	18.2	42.3
1995	28	30.4	5.75	20.2	44.0	37	42.9	7.05	30.2	59.1
1996	37	40.4	6.65	28.5	55.8	19	21.5	4.92	12.9	33.5
1997	29	32.1	5.96	21.5	46.2	26	28.6	5.62	18.7	42.0
1998	32	35.9	6.35	24.6	50.8	30	32.6	5.96	22.0	46.6
1999	24	27.2	5.55	17.4	40.5	28	30.1	5.69	20.0	43.5
2000	13	14.8	4.12	7.9	25.4	31	33.3	5.99	22.7	47.3
	Ages 10-14					Ages 15-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	324	25.8	1.43	23.0	28.7	250	19.6	1.24	17.3	22.2
1986	20	25.0	5.58	15.2	38.6	19	21.2	4.87	12.8	33.2
1987	19	24.1	5.53	14.5	37.6	15	17.0	4.39	9.5	28.0
1988	17	21.7	5.27	12.7	34.8	15	17.4	4.49	9.7	28.6
1989	25	31.7	6.34	20.5	46.8	14	16.7	4.46	9.1	28.0
1990	23	29.1	6.07	18.5	43.7	12	14.7	4.25	7.6	25.7
1991	17	20.8	5.06	12.1	33.4	12	15.1	4.37	7.8	26.4
1992	21	25.2	5.50	15.6	38.5	13	16.5	4.56	8.8	28.1
1993	15	17.7	4.57	9.9	29.2	17	21.4	5.18	12.4	34.2
1994	21	24.5	5.36	15.2	37.5	17	21.0	5.08	12.2	33.5
1995	23	26.7	5.57	16.9	40.1	19	22.8	5.23	13.7	35.6
1996	31	35.7	6.40	24.2	50.6	18	21.0	4.95	12.4	33.2
1997	26	29.8	5.84	19.4	43.6	15	17.2	4.43	9.6	28.3
1998	24	27.3	5.58	17.5	40.7	28	31.5	5.96	20.9	45.6
1999	20	22.4	5.00	13.7	34.6	19	21.3	4.88	12.8	33.2
2000	22	24.3	5.18	15.2	36.8	17	19.0	4.61	11.1	30.4

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Sympathetic Nervous System

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	408	10.0	0.49	9.0	11.0	422	7.7	0.38	7.0	8.5
1986	25	9.5	1.89	6.1	14.0	26	7.4	1.44	4.8	10.8
1987	31	11.6	2.09	7.9	16.6	33	9.3	1.61	6.4	13.1
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.41	4.5	10.4
1989	26	9.8	1.92	6.4	14.4	29	8.2	1.53	5.5	11.9
1990	19	7.1	1.63	4.3	11.2	19	5.3	1.22	3.2	8.4
1991	38	13.8	2.25	9.8	19.1	38	10.4	1.68	7.3	14.3
1992	24	8.7	1.77	5.6	13.0	25	6.8	1.36	4.4	10.1
1993	28	10.0	1.89	6.6	14.5	28	7.5	1.41	5.0	10.9
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.8
1996	19	6.9	1.58	4.2	10.8	19	5.2	1.18	3.1	8.1
1997	33	11.9	2.08	8.2	16.8	35	9.5	1.61	6.6	13.3
1998	24	8.8	1.79	5.6	13.1	25	6.8	1.37	4.4	10.1
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.77	5.4	12.7	23	6.3	1.32	4.0	9.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	355	26.6	1.41	23.9	29.5	40	3.1	0.49	2.2	4.2
1986	21	24.3	5.30	15.0	37.1	3	3.6	2.06	0.7	10.4
1987	28	32.4	6.12	21.5	46.8	3	3.5	2.04	0.7	10.4
1988	22	25.3	5.40	15.9	38.4	2	2.4	1.67	0.3	8.5
1989	21	24.0	5.24	14.8	36.7	3	3.6	2.06	0.7	10.4
1990	16	18.2	4.55	10.4	29.6	2	2.4	1.71	0.3	8.8
1991	33	36.6	6.38	25.2	51.5	4	4.8	2.41	1.3	12.3
1992	21	23.1	5.05	14.3	35.4	3	3.6	2.09	0.7	10.6
1993	26	28.4	5.58	18.6	41.7	2	2.4	1.70	0.3	8.7
1994	28	30.5	5.77	20.3	44.1	2	2.4	1.68	0.3	8.6
1995	29	31.7	5.88	21.2	45.5	5	5.8	2.59	1.9	13.5
1996	16	17.8	4.46	10.2	29.0	2	2.3	1.60	0.3	8.2
1997	30	33.5	6.12	22.6	47.9	1	1.1	1.10	0.0	6.1
1998	21	23.8	5.19	14.7	36.4	3	3.3	1.88	0.7	9.5
1999	24	27.3	5.58	17.5	40.7	3	3.2	1.86	0.7	9.4
2000	19	21.7	4.99	13.1	34.0	2	2.2	1.52	0.3	7.8
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	13	1.0	0.29	0.6	1.8	14	1.1	0.29	0.6	1.8
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	2	2.5	1.79	0.3	9.2	3	3.6	2.06	0.7	10.4
1990	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.5
1991	1	1.2	1.23	0.0	6.8	0	0.0	-	0.0	4.6
1992	0	0.0	-	0.0	4.4	1	1.3	1.27	0.0	7.1
1993	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.6
1994	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.5
1995	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1996	1	1.2	1.15	0.0	6.4	0	0.0	-	0.0	4.3
1997	2	2.3	1.62	0.3	8.3	2	2.3	1.62	0.3	8.3
1998	0	0.0	-	0.0	4.2	1	1.1	1.13	0.0	6.3
1999	2	2.2	1.58	0.3	8.1	4	4.5	2.24	1.2	11.5
2000	2	2.2	1.56	0.3	8.0	0	0.0	-	0.0	4.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Neuroblastoma & Ganglioneuroblastoma										
	Ages 0-14					Ages 0-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	396	9.7	0.48	8.7	10.7	403	7.4	0.37	6.7	8.1
1986	25	9.5	1.89	6.1	14.0	26	7.4	1.44	4.8	10.8
1987	31	11.6	2.09	7.9	16.6	32	9.0	1.59	6.1	12.7
1988	24	9.0	1.84	5.8	13.5	24	6.7	1.38	4.3	10.1
1989	23	8.5	1.78	5.4	12.9	24	6.7	1.36	4.3	10.0
1990	18	6.7	1.58	4.0	10.7	18	5.0	1.18	3.0	8.0
1991	36	13.0	2.17	9.1	18.1	36	9.7	1.63	6.8	13.6
1992	23	8.3	1.73	5.2	12.5	24	6.5	1.33	4.2	9.8
1993	27	9.6	1.84	6.3	14.0	27	7.2	1.38	4.7	10.5
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.8
1996	19	6.9	1.58	4.2	10.8	19	5.2	1.18	3.1	8.1
1997	32	11.6	2.04	7.9	16.3	33	8.9	1.56	6.1	12.6
1998	23	8.4	1.75	5.3	12.6	24	6.6	1.34	4.2	9.8
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	22	8.1	1.73	5.1	12.3	22	6.1	1.29	3.8	9.2
	Ages 0-4					Ages 5-9				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	352	26.4	1.41	23.7	29.3	34	2.6	0.45	1.8	3.7
1986	21	24.3	5.30	15.0	37.1	3	3.6	2.06	0.7	10.4
1987	28	32.4	6.12	21.5	46.8	3	3.5	2.04	0.7	10.4
1988	21	24.1	5.27	14.9	36.9	2	2.4	1.67	0.3	8.5
1989	21	24.0	5.24	14.8	36.7	2	2.4	1.68	0.3	8.6
1990	16	18.2	4.55	10.4	29.6	1	1.2	1.21	0.0	6.8
1991	33	36.6	6.38	25.2	51.5	2	2.4	1.70	0.3	8.7
1992	21	23.1	5.05	14.3	35.4	2	2.4	1.70	0.3	8.7
1993	26	28.4	5.58	18.6	41.7	1	1.2	1.20	0.0	6.7
1994	28	30.5	5.77	20.3	44.1	2	2.4	1.68	0.3	8.6
1995	29	31.7	5.88	21.2	45.5	5	5.8	2.59	1.9	13.5
1996	16	17.8	4.46	10.2	29.0	2	2.3	1.60	0.3	8.2
1997	30	33.5	6.12	22.6	47.9	1	1.1	1.10	0.0	6.1
1998	20	22.7	5.07	13.9	35.1	3	3.3	1.88	0.7	9.5
1999	24	27.3	5.58	17.5	40.7	3	3.2	1.86	0.7	9.4
2000	18	20.6	4.86	12.2	32.6	2	2.2	1.52	0.3	7.8
	Ages 10-14					Ages 15-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	10	0.8	0.25	0.4	1.5	7	0.6	0.21	0.2	1.1
1986	1	1.2	1.25	0.0	7.0	1	1.1	1.12	0.0	6.2
1987	0	0.0	-	0.0	4.7	1	1.1	1.13	0.0	6.3
1988	1	1.3	1.28	0.0	7.1	0	0.0	-	0.0	4.3
1989	0	0.0	-	0.0	4.7	1	1.2	1.19	0.0	6.6
1990	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.5
1991	1	1.2	1.23	0.0	6.8	0	0.0	-	0.0	4.6
1992	0	0.0	-	0.0	4.4	1	1.3	1.27	0.0	7.1
1993	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.6
1994	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.5
1995	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1996	1	1.2	1.15	0.0	6.4	0	0.0	-	0.0	4.3
1997	1	1.1	1.14	0.0	6.4	1	1.1	1.14	0.0	6.4
1998	0	0.0	-	0.0	4.2	1	1.1	1.13	0.0	6.3
1999	2	2.2	1.58	0.3	8.1	1	1.1	1.12	0.0	6.2
2000	2	2.2	1.56	0.3	8.0	0	0.0	-	0.0	4.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Retinoblastoma

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	152	3.7	0.30	3.1	4.3	152	2.8	0.22	2.3	3.2
1986	11	4.2	1.26	2.1	7.5	11	3.1	0.94	1.6	5.6
1987	9	3.4	1.15	1.6	6.6	9	2.6	0.86	1.2	5.0
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.4
1989	8	2.9	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	9	3.3	1.10	1.5	6.4	9	2.5	0.82	1.1	4.8
1991	7	2.5	0.95	1.0	5.3	7	1.9	0.71	0.8	4.0
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	12	4.2	1.22	2.2	7.5	12	3.2	0.91	1.6	5.6
1994	11	3.9	1.18	2.0	7.1	11	2.9	0.88	1.5	5.3
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	9	3.2	1.08	1.5	6.2	9	2.4	0.81	1.1	4.6
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	4.0
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	145	10.9	0.90	9.2	12.8	5	0.4	0.17	0.1	0.9
1986	9	10.4	3.46	4.8	19.8	1	1.2	1.19	0.0	6.6
1987	8	9.4	3.31	4.0	18.5	0	0.0	-	0.0	4.4
1988	16	18.6	4.66	10.6	30.3	0	0.0	-	0.0	4.4
1989	8	9.2	3.24	4.0	18.1	0	0.0	-	0.0	4.4
1990	9	10.2	3.41	4.7	19.5	0	0.0	-	0.0	4.5
1991	7	7.8	2.96	3.1	16.2	0	0.0	-	0.0	4.4
1992	13	14.2	3.94	7.6	24.4	0	0.0	-	0.0	4.4
1993	12	13.1	3.79	6.8	23.0	0	0.0	-	0.0	4.4
1994	10	10.9	3.46	5.2	20.1	1	1.2	1.18	0.0	6.6
1995	14	15.2	4.07	8.3	25.6	1	1.2	1.16	0.0	6.5
1996	10	11.2	3.55	5.4	20.7	1	1.1	1.13	0.0	6.3
1997	9	10.1	3.36	4.6	19.2	0	0.0	-	0.0	4.1
1998	7	7.9	2.98	3.2	16.3	0	0.0	-	0.0	4.0
1999	8	9.1	3.21	3.9	17.9	0	0.0	-	0.0	4.0
2000	5	5.7	2.56	1.9	13.4	1	1.1	1.08	0.0	6.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	2	0.2	0.11	0.0	0.6	0	0.0	-	0.0	0.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.7	0	0.0	-	0.0	4.4
1990	0	0.0	-	0.0	4.7	0	0.0	-	0.0	4.5
1991	0	0.0	-	0.0	4.5	0	0.0	-	0.0	4.6
1992	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.7
1993	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.6
1994	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.5
1995	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1996	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.3
1997	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.2
1998	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.2
1999	0	0.0	-	0.0	4.1	0	0.0	-	0.0	4.1
2000	0	0.0	-	0.0	4.1	0	0.0	-	0.0	4.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Renal Tumors										
	Ages 0-14					**Ages 0-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	358	8.8	0.47	7.9	9.8	370	6.9	0.36	6.2	7.6
1986	26	9.9	1.94	6.5	14.6	26	7.4	1.45	4.8	10.9
1987	29	11.0	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.8	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.7
1990	20	7.7	1.73	4.7	12.0	20	5.8	1.29	3.5	9.0
1991	20	7.6	1.70	4.6	11.8	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.6
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.36	4.4	10.1
1994	17	6.1	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	21	7.5	1.64	4.6	11.5	21	5.6	1.23	3.5	8.7
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.2	2.00	7.6	15.9	33	8.9	1.56	6.1	12.6
1998	23	8.4	1.75	5.3	12.6	25	6.8	1.37	4.4	10.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	29	10.6	1.98	7.1	15.3	31	8.5	1.53	5.8	12.1
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	275	20.7	1.25	18.3	23.3	69	5.3	0.64	4.1	6.7
1986	19	22.0	5.05	13.2	34.4	7	8.3	3.15	3.4	17.2
1987	23	26.8	5.58	17.0	40.2	5	5.9	2.64	1.9	13.8
1988	19	22.3	5.11	13.4	34.8	4	4.7	2.37	1.3	12.1
1989	20	23.4	5.23	14.3	36.1	6	7.1	2.91	2.6	15.5
1990	16	18.8	4.70	10.7	30.5	3	3.6	2.10	0.8	10.6
1991	14	16.0	4.27	8.7	26.8	5	6.0	2.69	2.0	14.1
1992	12	13.4	3.86	6.9	23.4	8	9.6	3.41	4.2	19.0
1993	20	22.0	4.91	13.4	33.9	4	4.8	2.41	1.3	12.3
1994	13	14.1	3.92	7.5	24.2	3	3.6	2.05	0.7	10.4
1995	17	18.5	4.48	10.8	29.6	3	3.5	2.01	0.7	10.2
1996	20	21.8	4.87	13.3	33.7	4	4.5	2.26	1.2	11.6
1997	26	28.8	5.64	18.8	42.2	3	3.3	1.91	0.7	9.7
1998	18	20.2	4.77	12.0	32.0	3	3.3	1.88	0.7	9.5
1999	15	17.0	4.38	9.5	28.0	6	6.5	2.63	2.4	14.0
2000	23	26.2	5.47	16.6	39.4	5	5.4	2.40	1.7	12.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	14	1.1	0.30	0.6	1.9	12	0.9	0.27	0.5	1.6
1986	0	0.0	-	0.0	4.6	0	0.0	-	0.0	4.1
1987	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.2
1988	1	1.3	1.28	0.0	7.1	0	0.0	-	0.0	4.3
1989	0	0.0	-	0.0	4.7	2	2.4	1.68	0.3	8.6
1990	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.5
1991	1	1.2	1.23	0.0	6.8	0	0.0	-	0.0	4.6
1992	1	1.2	1.20	0.0	6.7	1	1.3	1.27	0.0	7.1
1993	1	1.2	1.18	0.0	6.6	0	0.0	-	0.0	4.6
1994	1	1.2	1.17	0.0	6.5	1	1.2	1.23	0.0	6.9
1995	1	1.2	1.16	0.0	6.5	0	0.0	-	0.0	4.4
1996	1	1.2	1.15	0.0	6.4	1	1.2	1.17	0.0	6.5
1997	2	2.3	1.62	0.3	8.3	2	2.3	1.62	0.3	8.3
1998	2	2.3	1.61	0.3	8.2	2	2.3	1.59	0.3	8.1
1999	0	0.0	-	0.0	4.1	1	1.1	1.12	0.0	6.2
2000	1	1.1	1.10	0.0	6.2	2	2.2	1.58	0.3	8.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Wilms' Tumor

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	345	8.5	0.46	7.6	9.5	351	6.5	0.35	5.8	7.2
1986	26	9.9	1.94	6.5	14.6	26	7.4	1.45	4.8	10.9
1987	26	9.8	1.93	6.4	14.5	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.8	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	12.0	20	5.8	1.29	3.5	9.0
1991	20	7.6	1.70	4.6	11.8	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.6
1993	24	8.7	1.79	5.6	13.1	24	6.5	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.03	2.2	6.7
1995	19	6.7	1.54	4.0	10.6	19	5.0	1.16	3.0	7.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	30	10.8	1.97	7.3	15.4	31	8.3	1.50	5.7	11.9
1998	22	8.0	1.71	5.0	12.2	23	6.3	1.31	4.0	9.5
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.5	1.87	6.2	14.0	26	7.1	1.40	4.7	10.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	271	20.4	1.24	18.0	23.0	65	5.0	0.62	3.9	6.4
1986	19	22.0	5.05	13.2	34.4	7	8.3	3.15	3.4	17.2
1987	22	25.6	5.46	16.0	38.8	4	4.7	2.36	1.3	12.1
1988	19	22.3	5.11	13.4	34.8	4	4.7	2.37	1.3	12.1
1989	20	23.4	5.23	14.3	36.1	6	7.1	2.91	2.6	15.5
1990	16	18.8	4.70	10.7	30.5	3	3.6	2.10	0.8	10.6
1991	14	16.0	4.27	8.7	26.8	5	6.0	2.69	2.0	14.1
1992	12	13.4	3.86	6.9	23.4	8	9.6	3.41	4.2	19.0
1993	19	20.9	4.79	12.6	32.6	4	4.8	2.41	1.3	12.3
1994	13	14.1	3.92	7.5	24.2	2	2.4	1.68	0.3	8.6
1995	17	18.5	4.48	10.8	29.6	2	2.3	1.64	0.3	8.4
1996	20	21.8	4.87	13.3	33.7	4	4.5	2.26	1.2	11.6
1997	26	28.8	5.64	18.8	42.2	3	3.3	1.91	0.7	9.7
1998	18	20.2	4.77	12.0	32.0	2	2.2	1.54	0.3	7.9
1999	15	17.0	4.38	9.5	28.0	6	6.5	2.63	2.4	14.0
2000	21	23.9	5.22	14.8	36.6	5	5.4	2.40	1.7	12.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	9	0.7	0.24	0.3	1.4	6	0.5	0.19	0.2	1.0
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	0	0.0	-	0.0	4.7	1	1.2	1.19	0.0	6.6
1990	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.5
1991	1	1.2	1.23	0.0	6.8	0	0.0	-	0.0	4.6
1992	1	1.2	1.20	0.0	6.7	1	1.3	1.27	0.0	7.1
1993	1	1.2	1.18	0.0	6.6	0	0.0	-	0.0	4.6
1994	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.5
1995	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1996	1	1.2	1.15	0.0	6.4	1	1.2	1.17	0.0	6.5
1997	1	1.1	1.14	0.0	6.4	1	1.1	1.14	0.0	6.4
1998	2	2.3	1.61	0.3	8.2	1	1.1	1.13	0.0	6.3
1999	0	0.0	-	0.0	4.1	1	1.1	1.12	0.0	6.2
2000	0	0.0	-	0.0	4.1	0	0.0	-	0.0	4.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Hepatic Tumors										
	Ages 0-14					**Ages 0-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	72	1.8	0.21	1.4	2.2	83	1.6	0.17	1.2	1.9
1986	8	3.0	1.07	1.3	6.0	9	2.5	0.85	1.2	4.9
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0	0.0	-	0.0	1.6	0	0.0	-	0.0	1.2
1989	6	2.3	0.94	0.8	5.1	6	1.7	0.70	0.6	3.8
1990	4	1.5	0.74	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	5.0	7	2.0	0.75	0.8	4.2
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.52	0.2	2.7
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.3	5	1.3	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.3	7	2.0	0.74	0.8	4.1
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.9	8	2.2	0.79	1.0	4.4
2000	6	2.2	0.91	0.8	4.8	6	1.7	0.68	0.6	3.6
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	56	4.2	0.56	3.2	5.5	8	0.6	0.22	0.3	1.2
1986	6	6.9	2.81	2.5	15.0	2	2.4	1.68	0.3	8.6
1987	4	4.7	2.35	1.3	12.1	0	0.0	-	0.0	4.4
1988	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.4
1989	5	5.8	2.58	1.9	13.5	0	0.0	-	0.0	4.4
1990	4	4.6	2.31	1.3	11.9	0	0.0	-	0.0	4.5
1991	5	5.7	2.54	1.8	13.3	1	1.2	1.20	0.0	6.7
1992	1	1.1	1.12	0.0	6.3	0	0.0	-	0.0	4.4
1993	3	3.3	1.90	0.7	9.6	0	0.0	-	0.0	4.4
1994	4	4.4	2.18	1.2	11.2	0	0.0	-	0.0	4.4
1995	4	4.4	2.19	1.2	11.3	1	1.2	1.16	0.0	6.5
1996	3	3.3	1.88	0.7	9.6	2	2.3	1.60	0.3	8.2
1997	4	4.4	2.19	1.2	11.3	1	1.1	1.10	0.0	6.1
1998	4	4.5	2.23	1.2	11.5	1	1.1	1.09	0.0	6.1
1999	5	5.7	2.56	1.9	13.4	0	0.0	-	0.0	4.0
2000	4	4.6	2.28	1.2	11.7	0	0.0	-	0.0	4.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.6	0.22	0.3	1.3	11	0.9	0.26	0.4	1.5
1986	0	0.0	-	0.0	4.6	1	1.1	1.12	0.0	6.2
1987	2	2.5	1.80	0.3	9.2	0	0.0	-	0.0	4.2
1988	0	0.0	-	0.0	4.7	0	0.0	-	0.0	4.3
1989	1	1.3	1.27	0.0	7.1	0	0.0	-	0.0	4.4
1990	0	0.0	-	0.0	4.7	1	1.2	1.23	0.0	6.8
1991	0	0.0	-	0.0	4.5	1	1.3	1.26	0.0	7.0
1992	0	0.0	-	0.0	4.4	2	2.5	1.79	0.3	9.1
1993	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.6
1994	1	1.2	1.17	0.0	6.5	0	0.0	-	0.0	4.5
1995	0	0.0	-	0.0	4.3	2	2.4	1.70	0.3	8.7
1996	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.3
1997	0	0.0	-	0.0	4.2	1	1.1	1.14	0.0	6.4
1998	1	1.1	1.14	0.0	6.3	1	1.1	1.13	0.0	6.3
1999	1	1.1	1.12	0.0	6.2	2	2.2	1.58	0.3	8.1
2000	2	2.2	1.56	0.3	8.0	0	0.0	-	0.0	4.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Malignant Bone Tumors

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	223	5.9	0.40	5.2	6.8	402	8.0	0.40	7.2	8.8
1986	8	3.4	1.19	1.5	6.7	19	5.6	1.29	3.4	8.8
1987	8	3.4	1.20	1.5	6.7	24	7.1	1.45	4.5	10.6
1988	8	3.4	1.20	1.5	6.7	23	6.9	1.44	4.4	10.4
1989	12	5.1	1.46	2.6	8.9	22	6.8	1.45	4.2	10.3
1990	14	5.9	1.58	3.2	9.9	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.5	22	6.8	1.46	4.3	10.4
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	18	7.2	1.70	4.3	11.4	28	8.6	1.62	5.7	12.4
1994	15	6.0	1.54	3.3	9.9	24	7.3	1.48	4.7	10.8
1995	23	9.0	1.88	5.7	13.5	40	11.9	1.88	8.5	16.2
1996	12	4.6	1.33	2.4	8.0	26	7.6	1.48	4.9	11.1
1997	19	7.3	1.69	4.4	11.5	29	8.4	1.56	5.6	12.0
1998	23	8.7	1.81	5.5	13.1	34	9.6	1.65	6.7	13.5
1999	18	6.8	1.60	4.0	10.7	30	8.5	1.54	5.7	12.1
2000	23	8.6	1.79	5.4	12.9	39	10.9	1.75	7.8	14.9
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	13	1.0	0.27	0.5	1.7	61	4.7	0.60	3.6	6.0
1986	0	0.0	-	0.0	4.3	1	1.2	1.19	0.0	6.6
1987	0	0.0	-	0.0	4.3	2	2.4	1.67	0.3	8.5
1988	0	0.0	-	0.0	4.4	2	2.4	1.67	0.3	8.5
1989	0	0.0	-	0.0	4.4	4	4.7	2.37	1.3	12.2
1990	0	0.0	-	0.0	4.4	5	6.1	2.71	2.0	14.1
1991	2	2.2	1.57	0.3	8.1	1	1.2	1.20	0.0	6.7
1992	2	2.2	1.59	0.3	8.1	4	4.8	2.41	1.3	12.4
1993	1	1.1	1.10	0.0	6.1	9	10.8	3.61	5.0	20.6
1994	0	0.0	-	0.0	4.0	4	4.7	2.37	1.3	12.1
1995	1	1.1	1.08	0.0	6.1	7	8.1	3.07	3.3	16.7
1996	2	2.2	1.57	0.3	8.1	3	3.4	1.96	0.7	9.9
1997	0	0.0	-	0.0	4.2	3	3.3	1.91	0.7	9.7
1998	2	2.2	1.58	0.3	8.2	8	8.7	3.08	3.8	17.1
1999	1	1.1	1.13	0.0	6.4	3	3.2	1.86	0.7	9.4
2000	2	2.3	1.61	0.3	8.3	5	5.4	2.40	1.7	12.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	149	11.8	0.97	10.0	13.9	179	14.1	1.05	12.1	16.3
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	8	10.2	3.59	4.4	20.0	10	11.9	3.77	5.7	21.9
1990	9	11.4	3.80	5.2	21.6	10	12.3	3.88	5.9	22.5
1991	7	8.6	3.24	3.5	17.7	12	15.1	4.37	7.8	26.4
1992	6	7.2	2.94	2.6	15.7	6	7.6	3.10	2.8	16.5
1993	8	9.4	3.34	4.1	18.6	10	12.6	3.97	6.0	23.1
1994	11	12.9	3.88	6.4	23.0	9	11.1	3.70	5.1	21.1
1995	15	17.4	4.50	9.7	28.7	17	20.4	4.95	11.9	32.6
1996	7	8.1	3.04	3.2	16.6	14	16.3	4.37	8.9	27.4
1997	16	18.3	4.58	10.5	29.7	10	11.4	3.62	5.5	21.1
1998	13	14.8	4.11	7.9	25.3	11	12.4	3.73	6.2	22.2
1999	14	15.7	4.19	8.6	26.3	12	13.4	3.88	6.9	23.5
2000	16	17.7	4.42	10.1	28.7	16	17.9	4.47	10.2	29.1

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Ewing's Sarcoma										
	Ages 0-14					**Ages 0-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	79	2.1	0.24	1.7	2.6	118	2.3	0.22	1.9	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.7
1987	4	1.7	0.83	0.5	4.3	6	1.8	0.74	0.7	4.0
1988	1	0.4	0.44	0.0	2.4	4	1.2	0.60	0.3	3.1
1989	5	2.1	0.92	0.7	4.9	9	2.7	0.92	1.3	5.2
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.4	7	2.2	0.82	0.9	4.5
1992	5	2.0	0.89	0.6	4.7	5	1.5	0.67	0.5	3.5
1993	7	2.8	1.05	1.1	5.7	8	2.4	0.85	1.0	4.8
1994	8	3.2	1.13	1.4	6.3	11	3.3	1.00	1.7	5.9
1995	5	2.0	0.88	0.6	4.6	10	3.0	0.94	1.4	5.5
1996	3	1.1	0.64	0.2	3.3	7	2.0	0.76	0.8	4.1
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	5.0
1998	7	2.6	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	8	0.6	0.21	0.3	1.2	19	1.5	0.34	0.9	2.3
1986	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1987	0	0.0	-	0.0	4.3	2	2.4	1.67	0.3	8.5
1988	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.4
1989	0	0.0	-	0.0	4.4	3	3.6	2.06	0.7	10.4
1990	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.5
1991	1	1.2	1.15	0.0	6.4	0	0.0	-	0.0	4.4
1992	1	1.1	1.12	0.0	6.3	1	1.2	1.21	0.0	6.7
1993	1	1.1	1.10	0.0	6.1	3	3.6	2.08	0.7	10.6
1994	0	0.0	-	0.0	4.0	2	2.4	1.68	0.3	8.6
1995	0	0.0	-	0.0	4.1	3	3.5	2.01	0.7	10.2
1996	2	2.2	1.57	0.3	8.1	0	0.0	-	0.0	4.2
1997	0	0.0	-	0.0	4.2	1	1.1	1.10	0.0	6.1
1998	1	1.1	1.11	0.0	6.3	2	2.2	1.54	0.3	7.9
1999	1	1.1	1.13	0.0	6.4	0	0.0	-	0.0	4.0
2000	1	1.1	1.14	0.0	6.4	2	2.2	1.52	0.3	7.8
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	52	4.1	0.57	3.1	5.4	39	3.1	0.49	2.2	4.2
1986	3	3.7	2.16	0.8	10.9	5	5.6	2.50	1.8	13.0
1987	2	2.5	1.80	0.3	9.2	2	2.3	1.60	0.3	8.2
1988	1	1.3	1.28	0.0	7.1	3	3.5	2.01	0.7	10.2
1989	2	2.5	1.79	0.3	9.2	4	4.8	2.38	1.3	12.2
1990	5	6.3	2.83	2.1	14.8	2	2.5	1.73	0.3	8.9
1991	5	6.1	2.74	2.0	14.3	1	1.3	1.26	0.0	7.0
1992	3	3.6	2.08	0.7	10.5	0	0.0	-	0.0	4.7
1993	3	3.5	2.04	0.7	10.3	1	1.3	1.26	0.0	7.0
1994	6	7.0	2.86	2.6	15.3	3	3.7	2.13	0.8	10.8
1995	2	2.3	1.64	0.3	8.4	5	6.0	2.68	1.9	14.0
1996	1	1.2	1.15	0.0	6.4	4	4.7	2.33	1.3	12.0
1997	7	8.0	3.03	3.2	16.5	1	1.1	1.14	0.0	6.4
1998	4	4.6	2.28	1.2	11.7	1	1.1	1.13	0.0	6.3
1999	4	4.5	2.24	1.2	11.5	1	1.1	1.12	0.0	6.2
2000	4	4.4	2.21	1.2	11.3	6	6.7	2.74	2.5	14.6

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Soft Tissue Sarcomas

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	390	10.0	0.51	9.0	11.0	570	11.0	0.46	10.2	12.0
1986	27	10.4	2.01	6.9	15.3	48	13.7	1.98	10.1	18.2
1987	27	10.9	2.09	7.1	15.8	44	13.0	1.96	9.4	17.5
1988	27	11.0	2.13	7.3	16.1	41	12.3	1.93	8.9	16.8
1989	21	8.4	1.84	5.2	12.9	33	9.9	1.73	6.8	13.9
1990	20	8.0	1.80	4.9	12.4	31	9.4	1.69	6.4	13.4
1991	24	9.1	1.86	5.8	13.6	32	9.4	1.66	6.4	13.3
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5
1993	20	7.8	1.74	4.7	12.0	29	8.7	1.61	5.8	12.5
1994	26	10.1	1.98	6.6	14.8	36	10.6	1.78	7.4	14.8
1995	25	9.5	1.90	6.1	14.0	37	10.7	1.76	7.5	14.8
1996	37	13.9	2.29	9.8	19.2	50	14.2	2.01	10.5	18.8
1997	31	11.4	2.05	7.7	16.2	37	10.3	1.69	7.2	14.2
1998	30	11.2	2.05	7.6	16.1	41	11.5	1.80	8.3	15.6
1999	27	10.0	1.93	6.6	14.6	37	10.3	1.70	7.3	14.2
2000	22	8.2	1.74	5.1	12.4	33	9.2	1.60	6.3	12.9
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	159	12.0	0.95	10.2	14.0	99	7.6	0.77	6.2	9.3
1986	18	20.8	4.91	12.4	33.0	4	4.8	2.38	1.3	12.2
1987	9	10.4	3.47	4.8	19.8	8	9.4	3.34	4.1	18.6
1988	8	9.4	3.33	4.1	18.6	7	8.3	3.13	3.3	17.1
1989	7	8.2	3.09	3.3	16.9	8	9.5	3.36	4.1	18.7
1990	8	9.2	3.27	4.0	18.3	6	7.3	2.97	2.7	15.8
1991	17	19.3	4.69	11.3	31.0	3	3.6	2.09	0.7	10.6
1992	15	16.7	4.31	9.3	27.5	5	6.0	2.70	2.0	14.1
1993	6	6.6	2.69	2.4	14.4	6	7.2	2.95	2.7	15.7
1994	6	6.5	2.66	2.4	14.2	10	11.8	3.75	5.7	21.8
1995	8	8.7	3.08	3.8	17.2	9	10.4	3.48	4.8	19.8
1996	15	16.6	4.30	9.3	27.5	8	9.0	3.20	3.9	17.8
1997	15	16.6	4.29	9.3	27.4	10	11.0	3.48	5.3	20.3
1998	13	14.6	4.06	7.8	25.1	3	3.3	1.88	0.7	9.5
1999	9	10.2	3.40	4.7	19.4	7	7.5	2.84	3.0	15.5
2000	5	5.7	2.56	1.9	13.4	5	5.4	2.40	1.7	12.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	132	10.5	0.91	8.8	12.4	180	14.1	1.05	12.2	16.4
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	6	7.6	3.11	2.8	16.6	12	14.3	4.13	7.4	25.0
1990	6	7.6	3.10	2.8	16.5	11	13.5	4.07	6.7	24.1
1991	4	4.9	2.45	1.3	12.6	8	10.1	3.56	4.4	19.9
1992	6	7.2	2.94	2.6	15.7	15	19.0	4.90	10.6	31.3
1993	8	9.4	3.34	4.1	18.6	9	11.3	3.77	5.2	21.5
1994	10	11.7	3.70	5.6	21.5	10	12.3	3.90	5.9	22.7
1995	8	9.3	3.28	4.0	18.3	12	14.4	4.16	7.4	25.1
1996	14	16.1	4.30	8.8	27.0	13	15.2	4.21	8.1	25.9
1997	6	6.9	2.80	2.5	15.0	6	6.9	2.80	2.5	15.0
1998	14	15.9	4.26	8.7	26.7	11	12.4	3.73	6.2	22.2
1999	11	12.3	3.71	6.1	22.0	10	11.2	3.54	5.4	20.6
2000	12	13.3	3.83	6.9	23.2	11	12.3	3.71	6.1	22.0

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Germ Cell, Trophoblastic & Other Gonadal Tumors										
	Ages 0-14					Ages 0-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	198	5.1	0.36	4.4	5.9	519	10.2	0.45	9.3	11.1
1986	12	4.9	1.43	2.5	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.2	33	9.7	1.69	6.7	13.6
1988	16	6.4	1.59	3.6	10.4	41	12.0	1.88	8.6	16.4
1989	15	6.0	1.54	3.3	9.9	34	10.2	1.74	7.0	14.2
1990	8	3.2	1.14	1.4	6.4	28	8.6	1.62	5.7	12.4
1991	10	4.0	1.27	1.9	7.4	26	8.1	1.58	5.3	11.8
1992	14	5.4	1.46	3.0	9.2	42	13.0	2.01	9.4	17.6
1993	12	4.5	1.30	2.3	7.9	33	10.0	1.74	6.9	14.1
1994	17	6.4	1.55	3.7	10.3	47	14.1	2.06	10.3	18.7
1995	14	5.4	1.44	2.9	9.0	27	7.9	1.53	5.2	11.6
1996	14	5.2	1.40	2.9	8.8	33	9.5	1.65	6.5	13.3
1997	12	4.6	1.32	2.4	8.0	29	8.3	1.55	5.6	12.0
1998	12	4.5	1.29	2.3	7.8	39	11.0	1.76	7.8	15.0
1999	19	7.0	1.61	4.2	11.0	48	13.4	1.94	9.9	17.8
2000	12	4.4	1.28	2.3	7.8	34	9.5	1.63	6.6	13.3
	Ages 0-4					Ages 5-9				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	79	5.9	0.67	4.7	7.4	30	2.3	0.42	1.6	3.3
1986	2	2.3	1.61	0.3	8.3	2	2.4	1.68	0.3	8.6
1987	3	3.5	2.04	0.7	10.3	1	1.2	1.18	0.0	6.6
1988	10	11.7	3.71	5.6	21.6	1	1.2	1.18	0.0	6.6
1989	6	6.9	2.83	2.5	15.1	5	5.9	2.65	1.9	13.8
1990	3	3.3	1.93	0.7	9.9	1	1.2	1.21	0.0	6.8
1991	2	2.2	1.57	0.3	8.1	4	4.8	2.41	1.3	12.3
1992	5	5.5	2.46	1.8	12.9	2	2.4	1.70	0.3	8.7
1993	7	7.7	2.91	3.1	15.9	0	0.0	-	0.0	4.4
1994	8	8.7	3.08	3.8	17.2	1	1.2	1.18	0.0	6.6
1995	3	3.2	1.87	0.7	9.5	3	3.5	2.01	0.7	10.2
1996	7	7.8	2.93	3.1	16.0	1	1.1	1.13	0.0	6.3
1997	4	4.5	2.27	1.2	11.6	0	0.0	-	0.0	4.1
1998	6	6.8	2.78	2.5	14.9	2	2.2	1.54	0.3	7.9
1999	8	9.1	3.22	3.9	18.0	5	5.4	2.40	1.7	12.5
2000	5	5.7	2.56	1.9	13.4	2	2.2	1.52	0.3	7.8
	Ages 10-14					Ages 15-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2000	89	7.1	0.75	5.7	8.7	321	25.2	1.41	22.5	28.1
1986	8	10.0	3.53	4.3	19.7	13	14.5	4.03	7.7	24.8
1987	7	8.9	3.36	3.6	18.3	22	24.9	5.32	15.6	37.8
1988	5	6.4	2.86	2.1	14.9	25	28.9	5.79	18.7	42.7
1989	4	5.1	2.54	1.4	13.0	19	22.6	5.19	13.6	35.3
1990	4	5.1	2.53	1.4	13.0	20	24.5	5.48	15.0	37.9
1991	4	4.9	2.45	1.3	12.6	16	20.2	5.04	11.5	32.7
1992	7	8.4	3.18	3.4	17.3	28	35.4	6.70	23.6	51.2
1993	5	5.9	2.64	1.9	13.8	21	26.4	5.76	16.3	40.3
1994	8	9.4	3.31	4.0	18.4	30	37.0	6.75	24.9	52.8
1995	8	9.3	3.28	4.0	18.3	13	15.6	4.32	8.3	26.7
1996	6	6.9	2.82	2.5	15.0	19	22.2	5.09	13.3	34.6
1997	8	9.2	3.24	4.0	18.0	17	19.5	4.72	11.3	31.2
1998	4	4.6	2.28	1.2	11.7	27	30.4	5.85	20.0	44.2
1999	6	6.7	2.74	2.5	14.6	29	32.4	6.03	21.7	46.6
2000	5	5.5	2.47	1.8	12.9	22	24.6	5.25	15.4	37.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000

Carcinomas & Other Malignant Epithelial Neoplasms

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	153	4.1	0.33	3.4	4.8	589	11.7	0.48	10.7	12.6
1986	11	4.5	1.35	2.2	8.0	40	11.5	1.82	8.2	15.7
1987	11	4.6	1.39	2.3	8.3	41	12.0	1.88	8.6	16.3
1988	10	4.3	1.37	2.1	8.0	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	6.0	42	12.6	1.95	9.1	17.1
1990	8	3.4	1.22	1.5	6.8	37	11.5	1.90	8.1	15.9
1991	9	3.7	1.23	1.7	7.0	40	12.6	1.99	9.0	17.2
1992	5	2.0	0.91	0.7	4.8	26	8.2	1.61	5.4	12.0
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.8	15.5
1994	8	3.1	1.09	1.3	6.1	32	9.8	1.73	6.7	13.8
1995	12	4.7	1.35	2.4	8.2	36	10.7	1.79	7.5	14.9
1996	10	3.9	1.23	1.9	7.2	37	10.8	1.78	7.6	14.9
1997	13	5.0	1.39	2.7	8.6	46	13.3	1.96	9.7	17.7
1998	11	4.2	1.25	2.1	7.5	39	11.0	1.77	7.8	15.1
1999	17	6.4	1.56	3.7	10.3	54	15.2	2.07	11.4	19.9
2000	12	4.5	1.29	2.3	7.8	47	13.2	1.92	9.7	17.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	19	1.4	0.33	0.9	2.2	21	1.6	0.35	1.0	2.5
1986	2	2.3	1.61	0.3	8.3	4	4.8	2.38	1.3	12.2
1987	2	2.4	1.66	0.3	8.5	1	1.2	1.18	0.0	6.6
1988	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.4
1989	1	1.1	1.11	0.0	6.4	2	2.4	1.68	0.3	8.6
1990	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.5
1991	1	1.2	1.15	0.0	6.4	1	1.2	1.20	0.0	6.7
1992	0	0.0	-	0.0	4.1	0	0.0	-	0.0	4.4
1993	1	1.1	1.08	0.0	6.1	2	2.4	1.70	0.3	8.7
1994	2	2.2	1.54	0.3	7.9	2	2.4	1.68	0.3	8.6
1995	1	1.1	1.08	0.0	6.1	2	2.3	1.64	0.3	8.4
1996	0	0.0	-	0.0	4.2	2	2.3	1.60	0.3	8.2
1997	1	1.1	1.10	0.0	6.3	0	0.0	-	0.0	4.1
1998	3	3.3	1.93	0.7	9.9	1	1.1	1.09	0.0	6.1
1999	1	1.2	1.15	0.0	6.4	2	2.2	1.52	0.3	7.8
2000	4	4.6	2.30	1.3	11.8	2	2.2	1.52	0.3	7.8
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1989-2000	113	9.0	0.84	7.4	10.8	436	34.3	1.64	31.1	37.6
1986	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-
1989	4	5.1	2.54	1.4	13.0	35	41.7	7.05	29.0	58.0
1990	8	10.1	3.58	4.4	20.0	29	35.6	6.60	23.8	51.1
1991	7	8.6	3.24	3.5	17.7	31	39.1	7.02	26.5	55.5
1992	5	6.0	2.68	1.9	14.0	21	26.6	5.80	16.5	40.6
1993	6	7.1	2.89	2.6	15.4	27	33.9	6.53	22.4	49.4
1994	4	4.7	2.34	1.3	12.0	24	29.6	6.04	19.0	44.0
1995	9	10.4	3.48	4.8	19.8	24	28.8	5.88	18.4	42.8
1996	8	9.2	3.25	4.0	18.1	27	31.5	6.06	20.8	45.8
1997	12	13.7	3.97	7.1	24.0	33	37.8	6.58	26.0	53.1
1998	7	8.0	3.01	3.2	16.4	28	31.5	5.96	20.9	45.6
1999	14	15.7	4.19	8.6	26.3	37	41.4	6.81	29.1	57.1
2000	6	6.6	2.71	2.4	14.4	35	39.2	6.62	27.3	54.4

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2000										
Other & Unspecified Malignant Neoplasms										
	Ages 0-14					**Ages 0-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	26	0.6	0.13	0.4	1.0	39	0.7	0.12	0.5	1.0
1986	1	0.4	0.38	0.0	2.2	2	0.6	0.40	0.1	2.1
1987	2	0.8	0.59	0.1	3.0	4	1.2	0.60	0.3	3.1
1988	1	0.4	0.40	0.0	2.3	2	0.6	0.42	0.1	2.2
1989	2	0.7	0.50	0.1	2.8	4	1.1	0.57	0.3	3.0
1990	4	1.6	0.79	0.4	4.1	5	1.5	0.66	0.5	3.5
1991	2	0.8	0.58	0.1	3.0	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.6
1993	5	1.7	0.78	0.6	4.2	5	1.3	0.58	0.4	3.2
1994	0	0.0	-	0.0	1.5	2	0.6	0.44	0.1	2.2
1995	1	0.3	0.35	0.0	2.1	1	0.3	0.26	0.0	1.6
1996	1	0.4	0.37	0.0	2.1	1	0.3	0.27	0.0	1.6
1997	3	1.1	0.63	0.2	3.3	4	1.1	0.55	0.3	2.9
1998	0	0.0	-	0.0	1.4	0	0.0	-	0.0	1.1
1999	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2000	0	0.0	-	0.0	1.4	1	0.3	0.28	0.0	1.6
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	16	1.2	0.30	0.7	1.9	6	0.5	0.19	0.2	1.0
1986	1	1.2	1.17	0.0	6.5	0	0.0	-	0.0	4.4
1987	0	0.0	-	0.0	4.3	1	1.2	1.18	0.0	6.6
1988	0	0.0	-	0.0	4.4	1	1.2	1.18	0.0	6.6
1989	2	2.2	1.57	0.3	8.2	0	0.0	-	0.0	4.4
1990	2	2.3	1.60	0.3	8.3	1	1.2	1.21	0.0	6.8
1991	0	0.0	-	0.0	4.3	2	2.4	1.70	0.3	8.7
1992	2	2.2	1.59	0.3	8.1	0	0.0	-	0.0	4.4
1993	5	5.4	2.43	1.8	12.7	0	0.0	-	0.0	4.4
1994	0	0.0	-	0.0	4.0	0	0.0	-	0.0	4.4
1995	1	1.1	1.08	0.0	6.1	0	0.0	-	0.0	4.3
1996	1	1.1	1.14	0.0	6.3	0	0.0	-	0.0	4.2
1997	2	2.2	1.59	0.3	8.2	1	1.1	1.10	0.0	6.1
1998	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.0
1999	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.0
2000	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2000	4	0.3	0.16	0.1	0.8	13	1.0	0.28	0.5	1.7
1986	0	0.0	-	0.0	4.6	1	1.1	1.12	0.0	6.2
1987	1	1.3	1.27	0.0	7.1	2	2.3	1.60	0.3	8.2
1988	0	0.0	-	0.0	4.7	1	1.2	1.16	0.0	6.5
1989	0	0.0	-	0.0	4.7	2	2.4	1.68	0.3	8.6
1990	1	1.3	1.27	0.0	7.1	1	1.2	1.23	0.0	6.8
1991	0	0.0	-	0.0	4.5	0	0.0	-	0.0	4.6
1992	0	0.0	-	0.0	4.4	1	1.3	1.27	0.0	7.1
1993	0	0.0	-	0.0	4.4	0	0.0	-	0.0	4.6
1994	0	0.0	-	0.0	4.3	2	2.5	1.74	0.3	8.9
1995	0	0.0	-	0.0	4.3	0	0.0	-	0.0	4.4
1996	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.3
1997	0	0.0	-	0.0	4.2	1	1.1	1.14	0.0	6.4
1998	0	0.0	-	0.0	4.2	0	0.0	-	0.0	4.2
1999	2	2.2	1.58	0.3	8.1	1	1.1	1.12	0.0	6.2
2000	0	0.0	-	0.0	4.1	1	1.1	1.12	0.0	6.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error

Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Cancer Incidence and Death Projections for Illinois

Years 2001-2004

Projected Invasive Cancer Incidence for All Sites Combined and Selected Sites
All Races by Sex, Illinois, 2001-2004

Figures estimate invasive cancer and bladder cancer *in situ* and are rounded to the nearest 10 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

Males	Year				Females	Year			
Site	**2001**	**2002**	**2003**	**2004**	**Site**	**2001**	**2002**	**2003**	**2004**
All Sites	28,720	29,110	29,520	29,950	All Sites	28,710	29,040	29,400	29,790
Oral Cavity and Pharynx	870	880	900	910	Oral Cavity and Pharynx	400	410	410	420
Esophagus	530	540	550	560	Esophagus	170	170	180	180
Stomach	540	550	560	570	Stomach	350	360	360	370
Colon and Rectum	3,610	3,670	3,720	3,780	Colon and Rectum	3,620	3,660	3,700	3,750
Liver	350	350	360	370	Liver	180	180	180	180
Pancreas	720	730	740	750	Pancreas	720	730	730	740
Lung and Bronchus	4,770	4,830	4,900	4,970	Lung and Bronchus	3,650	3,680	3,720	3,750
Bones and Joints	60	60	60	60	Bones and Joints	50	50	50	50
Melanoma of the Skin	800	820	830	840	Melanoma of the Skin	660	660	670	680
Breast	80	80	80	80	Breast	8,730	8,840	8,970	9,100
Cervix	-	-	-	-	Cervix	720	730	740	750
Corpus and Uterus, NOS	-	-	-	-	Corpus and Uterus, NOS	1,620	1,630	1,650	1,680
Ovary	-	-	-	-	Ovary	1,030	1,040	1,060	1,070
Prostate	7,840	7,930	8,020	8,120	Prostate	-	-	-	-
Testis	290	300	300	300	Testis	-	-	-	-
Urinary Bladder	1,940	1,970	2,000	2,030	Urinary Bladder	750	760	770	780
Kidney and Renal Pelvis	940	950	970	990	Kidney and Renal Pelvis	640	650	660	660
Brain and Other Nervous System	400	400	410	410	Brain and Other Nervous System	350	360	360	370
Hodgkin's Disease	220	220	220	220	Hodgkin's Disease	140	150	150	150
Non-Hodgkin's Lymphomas	1,180	1,200	1,220	1,240	Non-Hodgkin's Lymphomas	1,090	1,100	1,110	1,130
Multiple Myeloma	360	360	370	380	Multiple Myeloma	330	330	340	340
Leukemias	800	810	820	830	Leukemias	680	680	690	700
All Other Sites	2,420	2,460	2,500	2,540	All Other Sites	2,840	2,880	2,910	2,950

Source: Expected new case projections were derived from cancer incidence data from the
Illinois Department of Public Health, Illinois State Cancer Registry, January 2003

Projected Cancer Deaths for All Sites Combined and Selected Sites
All Races by Sex, Illinois, 2001-2004

Figures are rounded to the nearest ten deaths.
These Projections are offered as a rough guide and should not be regarded as definitive.

Males	Year				Females	Year			
Site	**2001**	**2002**	**2003**	**2004**	**Site**	**2001**	**2002**	**2003**	**2004**
All Sites	12,980	13,180	13,390	13,610	All Sites	12,660	12,810	12,970	13,130
Oral Cavity and Pharynx	210	220	220	220	Oral Cavity and Pharynx	120	120	120	120
Esophagus	450	450	460	470	Esophagus	150	150	160	160
Stomach	340	340	350	350	Stomach	230	230	230	240
Colon and Rectum	1,370	1,390	1,410	1,440	Colon and Rectum	1,470	1,490	1,510	1,530
Liver	290	290	290	300	Liver	170	170	180	180
Pancreas	650	660	670	690	Pancreas	710	720	730	740
Lung and Bronchus	4,010	4,070	4,120	4,190	Lung and Bronchus	2,880	2,900	2,930	2,960
Bones and Joints	30	30	30	30	Bones and Joints	20	20	20	20
Melanoma of the Skin	170	170	170	180	Melanoma of the Skin	120	120	120	120
Breast	20	20	20	20	Breast	2,070	2,100	2,130	2,160
Cervix	-	-	-	-	Cervix	220	220	220	230
Corpus and Uterus, NOS	-	-	-	-	Corpus and Uterus, NOS	330	340	340	340
Ovary	-	-	-	-	Ovary	640	650	650	660
Prostate	1,430	1,460	1,490	1,530	Prostate	-	-	-	-
Testis	20	20	20	20	Testis	-	-	-	-
Urinary Bladder	360	370	370	380	Urinary Bladder	190	190	190	200
Kidney and Renal Pelvis	350	350	360	360	Kidney and Renal Pelvis	230	240	240	240
Brain and Other Nervous System	270	270	280	280	Brain and Other Nervous System	240	240	240	250
Hodgkin's Disease	30	40	40	40	Hodgkin's Disease	30	30	30	30
Non-Hodgkin's Lymphomas	540	550	560	570	Non-Hodgkin's Lymphomas	470	480	480	490
Multiple Myeloma	260	270	270	270	Multiple Myeloma	250	250	250	250
Leukemias	530	540	550	550	Leukemias	470	480	480	490
All Other Sites	1,650	1,670	1,700	1,730	All Other Sites	1,660	1,680	1,700	1,720

Source: Expected new deaths were derived from the cancer mortality data of the
Illinois Department of Public Health, Death Master File, 2000

APPENDIX A

Population Denominators Used for Illinois Rate Calculations

1986-2000

1986 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	442,332	349,048	81,217	12,067	45,927	396,418
5-9	430,022	336,492	82,234	11,296	45,904	384,141
10-14	409,806	321,055	77,696	11,055	38,551	371,274
15-19	460,191	366,032	83,033	11,126	42,775	417,398
20-24	488,879	401,885	74,977	12,017	54,905	433,921
25-29	514,242	430,908	70,890	12,444	50,248	463,974
30-34	478,642	402,311	62,635	13,696	38,452	440,189
35-39	421,737	358,559	51,342	11,836	27,997	393,728
40-44	327,713	279,665	38,471	9,577	20,070	307,645
45-49	274,431	232,401	34,403	7,627	15,673	258,761
50-54	246,234	211,007	30,024	5,203	12,122	234,108
55-59	255,211	222,740	28,764	3,707	10,812	244,402
60-64	239,267	211,702	24,582	2,983	7,444	231,827
65-69	197,789	176,318	19,304	2,167	4,451	193,343
70-74	147,709	132,678	13,468	1,563	2,660	145,059
75-79	99,020	89,518	8,571	931	1,764	97,269
80-84	55,243	50,177	4,603	463	1,056	54,187
85+	36,582	33,140	3,159	283	658	35,935
Total	5,525,050	4,605,636	789,373	130,041	421,469	5,103,579
1986 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	423,085	331,971	79,528	11,586	44,234	378,870
5-9	409,993	318,300	80,994	10,699	43,543	366,455
10-14	391,300	304,832	75,935	10,533	37,165	354,154
15-19	434,382	342,496	81,787	10,099	36,677	397,694
20-24	481,578	387,414	83,106	11,058	42,185	439,359
25-29	514,877	418,236	82,941	13,700	39,831	475,031
30-34	487,190	395,709	77,203	14,278	32,844	454,348
35-39	435,938	358,443	64,252	13,243	25,106	410,834
40-44	341,978	283,371	48,729	9,878	18,477	323,494
45-49	288,692	238,444	42,975	7,273	14,383	274,302
50-54	261,940	219,301	37,355	5,284	11,285	250,647
55-59	278,800	238,769	35,631	4,400	10,324	268,479
60-64	275,176	240,314	31,271	3,591	7,262	267,923
65-69	249,770	220,752	26,043	2,975	5,125	244,656
70-74	210,974	188,621	20,286	2,067	3,689	207,300
75-79	165,975	150,661	14,040	1,274	2,623	163,358
80-84	112,451	103,195	8,577	679	1,591	110,865
85+	98,098	90,897	6,774	427	1,049	97,055
Total	5,862,197	4,831,726	897,427	133,044	377,393	5,484,824
1987 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	438,159	345,437	80,444	12,278	47,091	391,080
5-9	433,565	339,705	81,985	11,875	46,788	386,790
10-14	403,272	315,405	76,586	11,281	39,556	363,728
15-19	454,524	359,535	82,965	12,024	44,681	409,825
20-24	471,993	386,535	72,903	12,555	55,149	416,805
25-29	509,933	426,355	70,546	13,032	51,915	458,001
30-34	487,774	409,199	64,461	14,114	40,717	447,058
35-39	420,791	355,565	52,882	12,344	29,698	391,095
40-44	350,430	300,167	39,955	10,308	21,425	329,014
45-49	282,372	238,968	35,181	8,223	16,265	266,106
50-54	246,196	210,323	30,137	5,736	12,509	233,681
55-59	248,354	216,029	28,392	3,933	11,019	237,340
60-64	236,162	208,147	24,872	3,143	7,819	228,347
65-69	199,842	177,866	19,632	2,344	4,871	194,992
70-74	149,274	134,050	13,583	1,641	2,755	146,532
75-79	101,272	91,584	8,713	975	1,826	99,453
80-84	56,807	51,583	4,715	509	1,095	55,720
85+	37,404	33,862	3,241	301	691	36,712
Total	5,528,124	4,600,315	791,193	136,616	435,870	5,092,279

1987 Females						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	419,042	328,481	78,786	11,775	45,345	373,699
5-9	413,413	321,442	80,716	11,255	44,358	369,067
10-14	384,801	299,367	74,653	10,781	38,163	346,647
15-19	427,610	335,276	81,352	10,982	37,738	389,855
20-24	464,019	372,131	80,388	11,500	42,338	421,635
25-29	510,566	414,602	81,975	13,989	41,087	469,459
30-34	495,853	402,248	78,995	14,610	34,548	461,314
35-39	433,790	354,005	65,993	13,792	26,483	407,311
40-44	365,350	303,863	50,638	10,849	19,664	345,682
45-49	296,973	245,044	43,939	7,990	14,992	281,977
50-54	261,633	218,343	37,613	5,677	11,781	249,844
55-59	270,812	230,729	35,492	4,591	10,571	260,246
60-64	271,434	235,805	31,803	3,826	7,715	263,724
65-69	250,426	220,799	26,443	3,184	5,462	244,967
70-74	212,933	190,265	20,476	2,192	3,850	209,091
75-79	168,306	152,586	14,351	1,369	2,781	165,536
80-84	115,361	105,704	8,933	724	1,699	113,666
85+	100,729	93,207	7,069	453	1,120	99,619
Total	5,863,051	4,823,897	899,615	139,539	389,695	5,473,339
1988 Males						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	435,674	342,908	80,250	12,516	48,756	386,912
5-9	433,108	339,894	80,816	12,398	47,289	385,833
10-14	400,627	313,342	75,700	11,585	40,678	359,947
15-19	445,886	350,543	82,470	12,873	46,643	399,233
20-24	456,704	372,708	70,842	13,154	55,842	400,847
25-29	504,868	420,899	70,293	13,676	53,201	451,656
30-34	495,061	414,825	65,770	14,466	43,011	452,036
35-39	427,865	360,420	54,542	12,903	31,565	396,285
40-44	359,675	307,035	41,557	11,083	22,906	336,768
45-49	295,278	250,662	35,769	8,847	16,902	278,375
50-54	250,273	213,335	30,600	6,338	13,067	237,212
55-59	240,191	208,007	28,009	4,175	11,095	229,091
60-64	234,936	206,600	25,053	3,283	8,233	226,713
65-69	199,788	177,233	20,006	2,549	5,276	194,527
70-74	150,827	135,482	13,638	1,707	2,887	147,946
75-79	103,515	93,697	8,799	1,019	1,899	101,622
80-84	57,836	52,508	4,779	549	1,118	56,720
85+	37,616	34,009	3,285	322	725	36,892
Total	5,529,728	4,594,107	792,178	143,443	451,093	5,078,615
1988 Females						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	416,760	326,129	78,653	11,978	46,982	369,769
5-9	412,664	321,491	79,434	11,739	44,784	367,890
10-14	382,187	297,424	73,635	11,128	39,297	342,899
15-19	417,744	325,590	80,384	11,770	38,798	378,946
20-24	446,562	357,042	77,569	11,951	42,346	404,188
25-29	505,286	409,860	81,126	14,300	42,282	462,989
30-34	502,676	407,494	80,271	14,911	36,287	466,389
35-39	440,131	357,966	67,780	14,385	27,931	412,193
40-44	374,584	310,207	52,497	11,880	20,901	353,681
45-49	310,567	257,057	44,748	8,762	15,691	294,873
50-54	265,911	221,341	38,448	6,122	12,356	253,554
55-59	261,815	221,774	35,239	4,802	10,798	251,015
60-64	269,033	232,791	32,192	4,050	8,196	260,845
65-69	249,913	219,457	27,025	3,431	5,812	244,105
70-74	213,564	190,794	20,473	2,297	4,020	209,552
75-79	170,836	154,746	14,630	1,460	2,964	167,879
80-84	117,675	107,653	9,255	767	1,791	115,889
85+	102,586	94,785	7,324	477	1,207	101,392
Total	5,860,494	4,813,601	900,683	146,210	402,443	5,458,048

1989 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	438,852	344,117	81,768	12,967	51,496	387,345
5-9	431,777	339,567	79,356	12,854	48,059	383,722
10-14	403,223	314,771	76,346	12,106	42,050	361,166
15-19	434,398	339,305	81,420	13,673	48,341	386,049
20-24	444,620	361,576	69,143	13,901	56,195	388,418
25-29	498,982	414,831	69,757	14,394	53,479	445,487
30-34	498,549	417,096	66,619	14,834	44,950	453,601
35-39	437,441	367,709	56,271	13,461	33,612	403,828
40-44	374,767	318,822	43,933	12,012	24,521	350,243
45-49	302,649	257,037	36,157	9,455	17,501	285,150
50-54	254,523	216,500	31,095	6,928	13,591	240,929
55-59	233,815	201,656	27,701	4,458	11,197	222,615
60-64	231,948	203,311	25,206	3,431	8,607	223,337
65-69	200,950	177,763	20,444	2,743	5,753	195,208
70-74	151,629	136,123	13,722	1,784	3,027	148,612
75-79	105,911	95,964	8,874	1,073	1,979	103,936
80-84	59,308	53,838	4,877	593	1,146	58,177
85+	38,197	34,536	3,317	344	761	37,448
Total	5,541,539	4,594,522	796,006	151,011	466,265	5,075,271
1989 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	419,884	327,264	80,201	12,419	49,640	370,234
5-9	411,139	321,096	77,866	12,177	45,513	365,625
10-14	384,869	299,012	74,205	11,652	40,571	344,295
15-19	405,154	313,675	78,939	12,540	39,651	365,496
20-24	432,762	345,055	75,104	12,603	42,166	390,591
25-29	498,978	404,398	79,938	14,642	42,956	456,019
30-34	505,984	409,671	81,082	15,231	37,746	468,235
35-39	448,648	364,077	69,595	14,976	29,476	419,172
40-44	389,535	321,121	55,370	13,044	22,182	367,342
45-49	318,598	263,764	45,295	9,539	16,324	302,280
50-54	270,598	224,612	39,372	6,614	12,925	257,667
55-59	254,648	214,617	35,047	4,984	10,974	243,673
60-64	264,296	227,494	32,529	4,273	8,636	255,655
65-69	250,984	219,671	27,627	3,686	6,214	244,778
70-74	213,537	190,603	20,535	2,399	4,194	209,348
75-79	173,872	157,389	14,918	1,565	3,152	170,721
80-84	119,838	109,465	9,564	809	1,882	117,960
85+	104,938	96,868	7,567	503	1,295	103,651
Total	5,868,262	4,809,852	904,754	153,656	415,497	5,452,742
1990 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	440,767	344,460	83,045	13,262	53,662	387,105
5-9	422,865	333,034	76,987	12,844	47,295	375,570
10-14	404,043	314,423	77,106	12,514	42,556	361,487
15-19	422,426	327,555	80,739	14,132	49,699	372,727
20-24	440,742	357,813	68,026	14,903	58,452	382,290
25-29	492,990	408,710	69,266	15,014	54,661	438,329
30-34	504,019	421,281	67,386	15,352	47,520	456,499
35-39	450,185	377,737	58,308	14,140	36,185	414,000
40-44	394,313	334,102	47,090	13,121	26,699	367,614
45-49	309,805	263,102	36,562	10,141	18,284	291,521
50-54	257,853	218,652	31,680	7,521	14,126	243,727
55-59	231,602	199,162	27,650	4,790	11,517	220,085
60-64	230,057	201,067	25,383	3,607	9,018	221,039
65-69	201,641	177,975	20,793	2,873	6,058	195,583
70-74	152,849	137,185	13,800	1,864	3,200	149,649
75-79	108,375	98,334	8,944	1,097	2,017	106,358
80-84	60,751	55,203	4,931	617	1,147	59,604
85+	38,716	35,069	3,307	340	751	37,965
Total	5,563,999	4,604,864	801,003	158,132	482,847	5,081,152

1990 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	421,550	327,471	81,449	12,630	51,706	369,844
5-9	402,433	314,794	75,467	12,172	44,721	357,712
10-14	385,933	298,904	74,903	12,126	41,154	344,779
15-19	393,161	301,985	78,146	13,030	40,497	352,664
20-24	426,455	339,798	73,230	13,427	43,210	383,245
25-29	492,955	398,806	79,070	15,079	44,125	448,830
30-34	511,270	413,689	81,908	15,673	39,677	471,593
35-39	460,719	373,195	71,867	15,657	31,395	429,324
40-44	409,340	335,765	59,182	14,393	24,034	385,306
45-49	326,236	269,898	45,915	10,423	17,059	309,177
50-54	274,345	226,956	40,227	7,162	13,476	260,869
55-59	252,353	211,887	35,254	5,212	11,317	241,036
60-64	260,442	223,057	32,870	4,515	9,028	251,414
65-69	251,571	219,638	28,031	3,902	6,538	245,033
70-74	214,070	190,850	20,692	2,528	4,401	209,669
75-79	176,725	159,979	15,120	1,626	3,243	173,482
80-84	122,139	111,434	9,863	842	1,926	120,213
85+	107,620	99,310	7,801	509	1,350	106,270
Total	5,889,317	4,817,416	910,995	160,906	428,857	5,460,460
1991 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	450,410	349,367	87,411	13,632	56,629	393,781
5-9	425,253	334,795	77,502	12,956	48,633	376,620
10-14	417,158	324,390	79,466	13,302	45,209	371,949
15-19	411,022	318,743	78,157	14,122	48,812	362,210
20-24	439,626	355,001	68,571	16,054	61,828	377,798
25-29	484,664	400,952	67,925	15,787	57,950	426,714
30-34	513,901	429,304	68,489	16,108	50,939	462,962
35-39	461,673	386,813	59,949	14,911	39,096	422,577
40-44	415,201	351,141	50,490	13,570	28,920	386,281
45-49	313,330	265,839	36,756	10,735	19,453	293,877
50-54	263,173	222,886	32,126	8,161	14,766	248,407
55-59	229,814	196,816	27,744	5,254	11,936	217,878
60-64	228,523	199,018	25,623	3,882	9,479	219,044
65-69	200,631	176,321	21,225	3,085	6,385	194,246
70-74	156,129	139,577	14,493	2,059	3,494	152,635
75-79	111,728	101,417	9,104	1,207	2,072	109,656
80-84	62,381	56,708	5,016	657	1,158	61,223
85+	39,716	35,919	3,418	379	804	38,912
Total	5,624,333	4,645,007	813,465	165,861	507,563	5,116,770
1991 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	430,944	332,401	85,528	13,015	54,492	376,452
5-9	404,718	316,547	75,861	12,310	46,318	358,400
10-14	398,367	307,923	77,542	12,902	43,330	355,037
15-19	382,421	293,925	75,486	13,010	41,317	341,104
20-24	425,992	336,150	74,332	15,510	45,266	380,726
25-29	483,594	389,716	77,870	16,008	45,340	438,254
30-34	518,914	420,334	82,476	16,104	42,158	476,756
35-39	471,440	381,228	73,991	16,221	33,332	438,108
40-44	430,260	351,710	63,414	15,136	25,912	404,348
45-49	329,535	271,886	46,482	11,167	18,286	311,249
50-54	279,535	230,736	40,829	7,970	14,015	265,520
55-59	249,827	208,701	35,551	5,575	11,659	238,168
60-64	257,691	219,863	33,053	4,775	9,457	248,234
65-69	249,174	216,526	28,549	4,099	6,856	242,318
70-74	216,089	191,936	21,354	2,799	4,675	211,414
75-79	179,718	162,553	15,415	1,750	3,268	176,450
80-84	124,952	113,890	10,111	951	2,032	122,920
85+	111,460	102,657	8,229	574	1,371	110,089
Total	5,944,631	4,848,682	926,073	169,876	449,084	5,495,547

1992 Males						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	459,558	353,638	91,419	14,501	60,848	398,710
5-9	424,876	333,895	77,873	13,108	50,367	374,509
10-14	426,078	331,338	80,852	13,888	47,689	378,389
15-19	409,299	317,944	77,036	14,319	49,958	359,341
20-24	438,548	350,937	70,351	17,260	64,001	374,547
25-29	475,131	392,493	66,640	15,998	61,333	413,798
30-34	519,971	433,535	69,562	16,874	53,718	466,253
35-39	474,815	396,638	62,222	15,955	42,162	432,653
40-44	415,791	349,847	52,193	13,751	30,468	385,323
45-49	339,159	289,056	38,509	11,594	21,359	317,800
50-54	272,261	229,875	33,450	8,936	15,405	256,856
55-59	231,472	197,598	28,086	5,788	12,373	219,099
60-64	224,388	194,634	25,552	4,202	9,843	214,545
65-69	199,285	174,438	21,595	3,252	6,579	192,706
70-74	160,488	142,998	15,196	2,294	3,853	156,635
75-79	113,489	102,900	9,269	1,320	2,117	111,372
80-84	64,359	58,599	5,072	688	1,176	63,183
85+	41,114	37,171	3,526	417	858	40,256
Total	5,690,082	4,687,534	828,403	174,145	534,107	5,155,975
1992 Females						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	439,926	336,422	89,773	13,731	58,248	381,678
5-9	404,423	315,938	76,060	12,425	48,497	355,926
10-14	406,832	314,401	78,911	13,520	45,365	361,467
15-19	380,768	293,231	74,304	13,233	43,402	337,366
20-24	423,805	331,367	75,645	16,793	47,361	376,444
25-29	472,857	379,206	76,403	17,248	47,595	425,262
30-34	523,160	423,421	83,079	16,660	44,633	478,527
35-39	483,605	390,090	76,787	16,728	35,418	448,187
40-44	430,734	349,453	65,693	15,588	27,150	403,584
45-49	355,196	294,589	48,355	12,252	20,072	335,124
50-54	288,822	237,706	42,385	8,731	14,734	274,088
55-59	251,124	208,665	36,297	6,162	11,962	239,162
60-64	252,307	214,356	32,946	5,005	9,690	242,617
65-69	246,776	213,507	28,969	4,300	7,276	239,500
70-74	219,566	194,299	22,157	3,110	4,932	214,634
75-79	182,104	164,300	15,907	1,897	3,300	178,804
80-84	126,740	115,591	10,130	1,019	2,078	124,662
85+	115,357	106,015	8,705	637	1,461	113,896
Total	6,004,102	4,882,557	942,506	179,039	473,174	5,530,928
1993 Males						
Age	All Races	Whites	Blacks	Others	Hispanics	Non-Hispanics
0-4	465,163	354,816	95,244	15,103	64,575	400,588
5-9	425,550	333,090	79,206	13,254	52,457	373,093
10-14	433,379	336,871	81,926	14,582	50,377	383,002
15-19	412,149	321,025	76,444	14,680	51,884	360,265
20-24	434,868	345,289	71,163	18,416	66,181	368,687
25-29	464,764	382,598	65,899	16,267	64,573	400,191
30-34	522,707	434,868	70,173	17,666	56,823	465,884
35-39	487,940	406,543	64,804	16,593	45,203	442,737
40-44	424,140	356,064	53,532	14,544	32,678	391,462
45-49	349,707	297,109	40,205	12,393	23,099	326,608
50-54	287,156	243,137	34,421	9,598	16,664	270,492
55-59	236,524	201,140	28,916	6,468	12,709	223,815
60-64	219,187	189,155	25,552	4,480	10,221	208,966
65-69	199,303	174,064	21,879	3,360	6,880	192,423
70-74	162,355	144,164	15,651	2,540	4,196	158,159
75-79	115,405	104,500	9,481	1,424	2,205	113,200
80-84	66,105	60,230	5,135	740	1,244	64,861
85+	42,368	38,307	3,611	450	860	41,508
Total	5,748,770	4,722,970	843,242	182,558	562,829	5,185,941

1993 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	444,993	337,540	93,382	14,071	61,402	383,591
5-9	405,161	315,304	77,145	12,712	50,617	354,544
10-14	413,766	319,580	80,035	14,151	47,543	366,223
15-19	383,548	296,136	73,724	13,688	45,857	337,691
20-24	421,453	327,016	76,669	17,768	50,172	371,281
25-29	462,263	368,746	74,999	18,518	49,887	412,376
30-34	524,715	423,579	83,386	17,750	47,044	477,671
35-39	496,136	399,488	79,444	17,204	38,000	458,136
40-44	439,182	355,579	67,338	16,265	29,013	410,169
45-49	365,868	301,571	50,911	13,386	21,443	344,425
50-54	303,987	251,233	43,249	9,505	16,011	287,976
55-59	256,192	212,259	37,170	6,763	12,544	243,648
60-64	246,076	207,627	33,057	5,392	9,998	236,078
65-69	245,134	211,288	29,355	4,491	7,667	237,467
70-74	220,559	194,440	22,683	3,436	5,195	215,364
75-79	182,980	164,810	16,147	2,023	3,443	179,537
80-84	129,830	118,346	10,362	1,122	2,113	127,717
85+	118,966	109,086	9,169	711	1,558	117,408
Total	6,060,809	4,913,628	958,225	188,956	499,507	5,561,302
1994 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	469,677	356,449	97,635	15,593	68,764	400,913
5-9	432,387	336,881	81,779	13,727	55,389	376,998
10-14	437,683	340,796	81,794	15,093	52,978	384,705
15-19	420,411	327,618	77,538	15,255	55,028	365,383
20-24	429,286	338,556	71,668	19,062	67,771	361,515
25-29	455,390	374,269	64,271	16,850	68,716	386,674
30-34	522,495	434,309	70,071	18,115	60,193	462,302
35-39	497,285	413,566	66,556	17,163	48,060	449,225
40-44	433,997	363,195	55,530	15,272	34,864	399,133
45-49	364,678	309,279	42,150	13,249	24,910	339,768
50-54	295,391	249,953	35,270	10,168	17,500	277,891
55-59	241,297	204,854	29,300	7,143	13,325	227,972
60-64	214,328	183,931	25,523	4,874	10,434	203,894
65-69	197,716	172,101	22,088	3,527	7,263	190,453
70-74	163,877	145,377	15,801	2,699	4,679	159,198
75-79	116,678	105,296	9,828	1,554	2,293	114,385
80-84	68,348	62,271	5,257	820	1,275	67,073
85+	43,486	39,314	3,706	466	900	42,586
Total	5,804,410	4,758,015	855,765	190,630	594,342	5,210,068
1994 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	449,281	339,146	95,353	14,782	65,550	383,731
5-9	411,650	319,104	79,562	12,984	53,387	358,263
10-14	417,911	323,030	80,318	14,563	49,705	368,206
15-19	391,020	302,006	74,673	14,341	48,687	342,333
20-24	415,348	319,945	76,901	18,502	52,299	363,049
25-29	451,468	358,699	73,391	19,378	52,551	398,917
30-34	522,886	421,696	82,423	18,767	49,578	473,308
35-39	504,410	405,519	81,243	17,648	40,372	464,038
40-44	448,541	362,668	69,008	16,865	31,073	417,468
45-49	380,940	312,650	53,805	14,485	23,009	357,931
50-54	312,462	257,902	44,135	10,425	16,869	295,593
55-59	261,220	215,909	37,964	7,347	13,122	248,098
60-64	240,177	201,440	33,004	5,733	10,342	229,835
65-69	241,737	207,347	29,712	4,678	8,125	233,612
70-74	221,604	194,805	23,118	3,681	5,498	216,106
75-79	183,283	164,700	16,388	2,195	3,575	179,708
80-84	132,728	121,002	10,492	1,234	2,161	130,567
85+	121,509	111,198	9,529	782	1,642	119,867
Total	6,108,175	4,938,766	971,019	198,390	527,545	5,580,630

1995 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	470,242	355,441	98,721	16,080	72,777	397,465
5-9	441,805	343,053	84,383	14,369	59,239	382,566
10-14	440,701	343,913	81,485	15,303	54,867	385,834
15-19	431,984	335,897	80,119	15,968	58,922	373,062
20-24	422,464	332,265	70,694	19,505	69,596	352,868
25-29	451,944	369,718	64,379	17,847	72,650	379,294
30-34	515,917	428,322	69,305	18,290	62,878	453,039
35-39	504,458	418,906	67,626	17,926	51,024	453,434
40-44	443,902	370,886	57,306	15,710	37,583	406,319
45-49	381,771	323,032	44,780	13,959	26,807	354,964
50-54	302,519	255,972	35,778	10,769	18,939	283,580
55-59	242,908	205,019	29,953	7,936	13,690	229,218
60-64	211,527	180,685	25,608	5,234	10,693	200,834
65-69	196,191	170,256	22,239	3,696	7,575	188,616
70-74	165,635	146,871	15,924	2,840	5,032	160,603
75-79	117,697	105,695	10,384	1,618	2,453	115,244
80-84	70,896	64,727	5,279	890	1,320	69,576
85+	44,772	40,441	3,830	501	949	43,823
Total	5,857,333	4,791,099	867,793	198,441	626,994	5,230,339
1995 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	449,868	338,461	96,199	15,208	69,518	380,350
5-9	420,546	325,000	81,959	13,587	56,650	363,896
10-14	420,812	326,034	79,997	14,781	51,840	368,972
15-19	401,661	309,510	77,176	14,975	51,775	349,886
20-24	407,121	313,018	75,559	18,544	54,592	352,529
25-29	446,319	352,182	73,192	20,945	55,106	391,213
30-34	514,957	414,645	80,885	19,427	51,633	463,324
35-39	510,402	410,118	82,045	18,239	42,553	467,849
40-44	457,759	369,747	70,564	17,448	33,253	424,506
45-49	397,876	325,577	56,966	15,333	24,614	373,262
50-54	319,584	263,266	45,072	11,246	17,956	301,628
55-59	262,800	216,229	38,513	8,058	13,552	249,248
60-64	236,999	197,704	33,163	6,132	10,743	226,256
65-69	238,105	203,238	30,031	4,836	8,420	229,685
70-74	222,843	195,584	23,354	3,905	5,866	216,977
75-79	183,279	164,024	16,886	2,369	3,665	179,614
80-84	135,637	123,593	10,696	1,348	2,230	133,407
85+	124,536	113,771	9,877	888	1,696	122,840
Total	6,151,104	4,961,701	982,134	207,269	555,662	5,595,442
1996 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	466,920	353,652	96,262	17,006	77,032	389,888
5-9	453,418	349,834	88,752	14,832	63,216	390,202
10-14	444,661	346,830	82,178	15,653	56,750	387,911
15-19	444,118	345,563	81,659	16,896	63,752	380,366
20-24	413,506	325,247	68,335	19,924	71,562	341,944
25-29	454,893	370,425	65,229	19,239	77,023	377,870
30-34	504,894	417,909	68,373	18,612	65,930	438,964
35-39	509,617	422,581	68,457	18,579	53,870	455,747
40-44	453,870	378,954	58,522	16,394	40,435	413,435
45-49	402,598	339,925	47,973	14,700	28,973	373,625
50-54	306,016	258,546	36,022	11,448	20,213	285,803
55-59	246,865	208,089	30,204	8,572	14,397	232,468
60-64	209,449	178,091	25,679	5,679	11,092	198,357
65-69	194,189	168,112	22,238	3,839	7,880	186,309
70-74	164,178	145,047	16,176	2,955	5,261	158,917
75-79	120,101	107,531	10,844	1,726	2,614	117,487
80-84	73,127	66,805	5,367	955	1,343	71,784
85+	45,938	41,566	3,847	525	987	44,951
Total	5,908,358	4,824,707	876,117	207,534	662,330	5,246,028

1996 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	446,597	336,585	93,895	16,117	73,411	373,186
5-9	431,747	331,589	85,990	14,168	60,386	371,361
10-14	424,572	328,904	80,616	15,052	54,032	370,540
15-19	412,949	317,725	79,379	15,845	54,962	357,987
20-24	397,296	305,520	73,042	18,734	57,599	339,697
25-29	448,439	351,056	74,372	23,011	58,849	389,590
30-34	502,657	403,152	79,596	19,909	53,559	449,098
35-39	514,653	413,663	82,299	18,691	45,105	469,548
40-44	467,168	376,714	72,398	18,056	35,523	431,645
45-49	418,517	341,288	60,954	16,275	26,524	391,993
50-54	322,997	265,545	45,547	11,905	19,227	303,770
55-59	266,834	219,192	38,867	8,775	14,047	252,787
60-64	234,192	194,378	33,397	6,417	11,094	223,098
65-69	235,160	199,950	30,188	5,022	8,816	226,344
70-74	220,110	192,263	23,812	4,035	6,102	214,008
75-79	184,705	164,713	17,420	2,572	3,895	180,810
80-84	137,586	125,287	10,850	1,449	2,238	135,348
85+	127,460	116,403	10,074	983	1,797	125,663
Total	6,193,639	4,983,927	992,696	217,016	587,166	5,606,473
1997 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	462,020	351,251	93,459	17,310	80,877	381,143
5-9	465,065	356,586	92,613	15,866	68,654	396,411
10-14	446,792	347,645	83,076	16,071	58,969	387,823
15-19	452,411	352,133	82,591	17,687	67,656	384,755
20-24	412,553	325,510	67,083	19,960	75,745	336,808
25-29	454,846	367,748	66,422	20,676	80,639	374,207
30-34	490,423	405,082	66,687	18,654	68,770	421,653
35-39	509,366	420,721	69,252	19,393	55,953	453,413
40-44	464,192	386,469	60,528	17,195	43,037	421,155
45-49	402,690	338,475	49,376	14,839	30,625	372,065
50-54	329,884	279,747	37,778	12,359	21,944	307,940
55-59	253,747	213,412	31,158	9,177	14,972	238,775
60-64	210,129	178,041	25,868	6,220	11,549	198,580
65-69	189,892	163,885	21,868	4,139	8,194	181,698
70-74	162,973	143,506	16,400	3,067	5,450	157,523
75-79	123,607	110,427	11,307	1,873	2,862	120,745
80-84	74,307	67,878	5,418	1,011	1,374	72,933
85+	47,569	43,093	3,917	559	1,027	46,542
Total	5,952,466	4,851,609	884,801	216,056	698,297	5,254,169
1997 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**ispanics**	**Non-Hispanics**
0-4	441,747	334,218	90,985	16,544	76,759	364,988
5-9	443,042	337,734	90,142	15,166	65,409	377,633
10-14	426,724	330,025	81,356	15,343	56,777	369,947
15-19	421,096	323,881	80,657	16,558	57,535	363,561
20-24	396,278	305,433	71,968	18,877	61,592	334,686
25-29	448,147	348,083	75,654	24,410	62,461	385,686
30-34	488,141	389,502	77,763	20,876	55,685	432,456
35-39	514,197	412,794	82,132	19,271	47,301	466,896
40-44	476,701	383,452	74,675	18,574	37,365	439,336
45-49	418,345	338,955	62,667	16,723	27,951	390,394
50-54	347,017	286,690	47,303	13,024	20,954	326,063
55-59	274,052	224,793	39,940	9,319	14,731	259,321
60-64	234,493	193,622	33,866	7,005	11,563	222,930
65-69	229,589	194,486	29,927	5,176	9,135	220,454
70-74	217,586	189,099	24,298	4,189	6,427	211,159
75-79	187,028	166,253	18,007	2,768	4,069	182,959
80-84	139,245	126,491	11,157	1,597	2,211	137,034
85+	129,821	118,594	10,199	1,028	1,847	127,974
Total	6,233,249	5,004,105	1,002,696	226,448	619,772	5,613,477

1998 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	455,189	347,802	89,558	17,829	84,248	370,941
5-9	470,953	358,510	95,930	16,513	73,385	397,568
10-14	449,162	347,974	84,771	16,417	61,632	387,530
15-19	459,980	357,864	83,534	18,582	71,425	388,555
20-24	417,756	331,004	66,417	20,335	80,918	336,838
25-29	455,476	366,636	66,809	22,031	85,154	370,322
30-34	477,665	392,969	65,530	19,166	71,524	406,141
35-39	507,279	417,929	69,410	19,940	58,643	448,636
40-44	475,396	394,896	62,859	17,641	45,785	429,611
45-49	410,991	344,858	50,507	15,626	32,756	378,235
50-54	339,450	286,537	39,683	13,230	23,616	315,834
55-59	266,163	224,514	31,867	9,782	16,016	250,147
60-64	214,191	180,913	26,438	6,840	11,851	202,340
65-69	185,260	159,097	21,819	4,344	8,460	176,800
70-74	163,817	143,901	16,733	3,183	5,727	158,090
75-79	125,223	111,511	11,670	2,042	3,146	122,077
80-84	75,955	69,286	5,594	1,075	1,411	74,544
85+	49,585	44,903	4,087	595	1,081	48,504
Total	5,999,491	4,881,104	893,216	225,171	736,778	5,262,713
1998 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	435,497	330,577	87,389	17,531	80,105	355,392
5-9	448,352	339,685	93,070	15,597	69,791	378,561
10-14	429,048	330,627	82,671	15,750	59,646	369,402
15-19	428,307	329,427	81,601	17,279	60,412	367,895
20-24	400,359	309,962	70,862	19,535	66,053	334,306
25-29	448,026	345,957	76,144	25,925	66,865	381,161
30-34	474,428	376,555	75,948	21,925	58,394	416,034
35-39	511,550	409,482	81,997	20,071	49,361	462,189
40-44	486,856	391,150	76,783	18,923	39,882	446,974
45-49	426,052	344,617	63,984	17,451	29,786	396,266
50-54	356,994	292,930	49,856	14,208	22,511	334,483
55-59	286,832	236,280	40,555	9,997	15,795	271,037
60-64	238,720	196,721	34,577	7,422	12,310	226,410
65-69	224,489	188,891	30,168	5,430	9,538	214,951
70-74	216,379	187,220	24,819	4,340	6,764	209,615
75-79	187,298	165,948	18,358	2,992	4,234	183,064
80-84	139,848	126,754	11,407	1,687	2,289	137,559
85+	133,321	121,625	10,574	1,122	1,899	131,422
Total	6,272,356	5,024,408	1,010,763	237,185	655,635	5,616,721
1999 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	450,679	345,319	87,123	18,237	87,936	362,743
5-9	476,378	361,466	97,991	16,921	78,715	397,663
10-14	456,954	352,152	87,847	16,955	64,937	392,017
15-19	462,476	360,107	83,178	19,191	74,702	387,774
20-24	425,667	337,145	67,256	21,266	86,583	339,084
25-29	452,885	360,468	66,712	25,705	88,188	364,697
30-34	466,410	381,527	64,237	20,646	74,664	391,746
35-39	502,699	413,380	69,063	20,256	61,427	441,272
40-44	483,354	400,703	64,671	17,980	48,364	434,990
45-49	421,594	352,729	52,663	16,202	34,969	386,625
50-54	354,365	298,604	41,651	14,110	25,649	328,716
55-59	273,277	230,392	32,611	10,274	16,667	256,610
60-64	218,350	184,171	26,857	7,322	12,392	205,958
65-69	181,963	155,500	21,797	4,666	8,735	173,228
70-74	163,272	143,034	16,948	3,290	6,089	157,183
75-79	126,587	112,697	11,741	2,149	3,527	123,060
80-84	77,148	70,104	5,880	1,164	1,464	75,684
85+	51,612	46,783	4,203	626	1,134	50,478
Total	6,045,670	4,906,281	902,429	236,960	776,142	5,269,528

1999 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	431,287	328,312	84,745	18,230	83,526	347,761
5-9	453,584	342,488	94,651	16,445	75,171	378,413
10-14	436,499	334,822	85,632	16,045	62,822	373,677
15-19	431,253	331,598	81,946	17,709	62,682	368,571
20-24	408,098	315,530	71,984	20,584	69,995	338,103
25-29	444,400	341,258	76,404	26,738	70,932	373,468
30-34	462,016	364,557	74,329	23,130	61,110	400,906
35-39	507,081	405,445	80,909	20,727	51,861	455,220
40-44	494,067	396,457	78,377	19,233	42,151	451,916
45-49	435,962	351,974	65,988	18,000	31,821	404,141
50-54	372,180	304,199	52,679	15,302	24,294	347,886
55-59	294,263	242,195	41,254	10,814	16,797	277,466
60-64	243,398	200,200	35,359	7,839	12,906	230,492
65-69	218,646	183,110	29,944	5,592	9,983	208,663
70-74	214,195	184,499	25,256	4,440	7,150	207,045
75-79	188,910	166,922	18,812	3,176	4,441	184,469
80-84	140,723	127,256	11,655	1,812	2,324	138,399
85+	136,788	124,662	10,907	1,219	1,954	134,834
Total	6,313,350	5,045,484	1,020,831	247,035	691,920	5,621,430
2000 Males						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	447,922	343,448	85,837	18,637	90,484	357,438
5-9	476,180	360,661	98,106	17,413	82,463	393,717
10-14	462,915	355,826	89,740	17,349	68,218	394,697
15-19	462,538	360,604	82,329	19,605	76,923	385,615
20-24	434,984	343,931	68,689	22,364	91,848	343,136
25-29	451,178	358,833	65,743	26,602	91,826	359,352
30-34	463,257	374,995	64,002	24,260	77,382	385,875
35-39	496,442	407,792	67,888	20,762	63,377	433,065
40-44	488,627	404,335	65,716	18,576	50,431	438,196
45-49	430,143	359,189	54,323	16,631	37,050	393,093
50-54	367,435	308,910	43,754	14,771	27,115	340,320
55-59	278,223	234,601	32,916	10,706	17,628	260,595
60-64	218,881	183,722	27,302	7,857	12,699	206,182
65-69	180,927	154,266	21,727	4,934	9,058	171,869
70-74	162,794	142,207	17,154	3,433	6,396	156,398
75-79	127,172	113,126	11,736	2,310	3,747	123,425
80-84	77,733	70,325	6,148	1,260	1,617	76,116
85+	52,985	48,000	4,291	694	1,213	51,772
Total	6,080,336	4,924,771	907,401	248,164	809,475	5,270,861
2000 Females						
Age	**All Races**	**Whites**	**Blacks**	**Others**	**Hispanics**	**Non-Hispanics**
0-4	428,627	326,417	83,236	18,974	86,067	342,560
5-9	453,678	341,993	94,766	16,919	78,982	374,696
10-14	442,182	338,249	87,425	16,508	65,725	376,457
15-19	431,464	332,197	81,284	17,983	64,567	366,897
20-24	415,859	320,607	73,783	21,469	72,906	342,953
25-29	440,581	337,958	75,467	27,156	74,034	366,547
30-34	456,658	358,482	73,929	24,247	63,566	393,092
35-39	500,444	399,549	79,744	21,151	53,767	446,677
40-44	498,357	399,726	78,915	19,716	43,927	454,430
45-49	443,669	357,732	67,346	18,591	33,699	409,970
50-54	385,495	314,175	55,226	16,094	25,617	359,878
55-59	299,524	246,218	41,850	11,456	17,673	281,851
60-64	244,005	200,001	35,744	8,260	13,315	230,690
65-69	216,516	180,656	29,935	5,925	10,410	206,106
70-74	212,010	181,819	25,546	4,645	7,420	204,590
75-79	189,776	167,455	18,971	3,350	4,654	185,122
80-84	141,066	127,033	12,062	1,971	2,396	138,670
85+	139,046	126,482	11,172	1,392	2,062	136,984
Total	6,338,957	5,056,749	1,026,401	255,807	720,787	5,618,170

SOURCE: United States Bureau of the Census and <http://seer.cancer.gov/USPops.>

Appendix B

Formulas for Rates

Algorithms for Rates

Crude Rate

A crude rate is the number of cases per 100,000 in a given population.

$$crude rate = \frac{count}{population} \times 100{,}000$$

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, and 1990), an estimate of the U.S. 2000 population, 1991 Canadian population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^{y} \left[\left(\frac{count_i}{pop_i} \right) \times 100{,}000 \times \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right) \right]$$

where counti is the number of cases for the ith age group, popi is the relevant population for the same age group, and stdmili is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100{,}000$$

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{Admte} = \left[\sum_{i=x}^{y} \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100{,}000$$

Crude Rate Confidence Intervals

The endpoints of a p ? 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv\left(\frac{p}{2}, 2 \times count \right) \right) \right)}{population} \times 100{,}000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv\left(1 - \frac{p}{2}, 2 \times (count + 1) \right) \right) \right)}{population} \times 100{,}000$$

where Chi Inv(p,r) is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define Chi Inv (p,0) = 0.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts (see Johnson and Kotz, 1969, or Fay and Feuer, 1997). When the count is large the 2 methods produce similar results.

Age-Adjusted Rate Confidence Intervals

Suppose that the age adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdpil_i}{\left(pop_i \times \sum_{j=x}^{y} stdpil_j \right)}$$

$$w_m = \max\left(w_i\right)$$

$$v = \sum_{i=x}^{y} \left(w_i^2 \times count_i \right)$$

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv\left(\frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v} \right) \right) \times 100{,}000$$

$$CI_{high} = \left(\frac{v + w_m^2}{2\left(rate + w_m\right)} \right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{2\left(rate + w_m\right)^2}{\left(v + w_m^2\right)} \right) \right) \times 100{,}000$$

This method for calculating the confidence interval was developed in Fay and Feuer (1997). The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note

The rate used in the above formulas is not per 100,000 population.

For additional copies or more information, please contact

Illinois Department of Public Health
Division of Epidemiologic Studies
605 W. Jefferson St.
Springfield, IL 62761
217-785-1873
TTY (hearing impaired use only) 800-547-0466

Printed by Authority of the State of Illinois

P.O. #544285 900 11/03