Week 47: November 21 – November 27, 2010

ILLINOIS DEPARTMENT OF PUBLIC HEALTH



Illinois Influenza Surveillance Report

Week 47: Week Ending Saturday, November 27, 2010

Division of Infectious Diseases Immunizations Section 12/3/2010

Week 47: November 21 – November 27, 2010

Contents


Summary3
CDC Flu View4
ILI Intensity5
ILI Net Provider Surveillance6
ILI Visits by Age Group7
Great Lakes Naval Recruit Influenza Surveillance8
Influenza Intensive Care Unit Admissions and Deaths8
Laboratory Surveillance8
Viral Resistance8
Weekly Viral Subtype9
Resources

Summary

- During CDC Week 47, the proportion of outpatient visits for influenza-like illness (ILI)¹ was 2.0%.
- The risk of illness due to influenza viruses is low. Numerous respiratory viruses can cause ILI, and these viruses are now more prevalent than influenza viruses. i
- Based on CDC criteria; influenza activity is classified as Sporadic (see CDC FLU View Section).
- Febrile Respiratory Illness at Great Lake Naval Academy was at or below expected level.
- During week 47, one (10%) of the specimens tested by Illinois Department of Public Health laboratory tested positive for influenza. The isolate was influenza A human (H3) subtype.
- No influenza-associated pediatric deaths were reported.
- No Influenza related ICU admissions and deaths were reported.

¹ ILI "Influenza like Illness" is defined as fever ≥ 100°F and cough and/or sore throat.

CDC Flu View



No activity: No laboratory confirmed cases of influenza and no reported increase in cases of influenza like illness (ILI).

Sporadic: Small numbers of laboratory confirmed influenza cases or a single laboratory confirmed influenza in a single region of the state.


Local: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in a single region of the state.

Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least two but less than half the regions of the state.

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory confirmed influenza in at least half the regions in the state.

ILI Intensity

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILInet 2010-11 Influenza Season Week 47 ending Nov 27, 2010



*This map uses the proportion of outpatient visits to health care providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.


Data collected in ILINet may disproportionately represent certain populations within a state, and therefore, may not accurately depict the full picture of influenza activity for the whole state.

Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.

Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.


ILI Net Provider Surveillance

Influenza Like Illness Outpatient Surveillance 2009-2011



ILI Visits by Age Group

2010 -11 INFLUENZA SEASON PROPORTION OF ILI OFFICE VISITS
BY AGE GROUP



Great Lakes Naval Recruit Influenza Surveillance

FRI surveillance² at Naval Recruit Training Command, Great Lakes for this week is **at or below expected level.** For more information visit

http://www.med.navy.mil/sites/nhrc/geis/Pages/default.aspx

Influenza Intensive Care Unit Admissions and Deaths

There were no Influenza related ICU admissions and no deaths week ending November 27, 2010.

Laboratory Surveillance

During week 47, one of the specimens tested by Illinois WHO/NREVSS³ collaborating laboratories in Illinois tested positive for influenza. The specimen was influenza A human H3 subtype.

Week	No of Labs Reporting	A (H1)	2009(A)H1N1	A (H3)	A(Unable to subtype)	A(Sub typing not performed)	В	Total # Tested	% Positive
	Reporting	(111)		(113)	Subtype	performedy		resteu	1 OSICIVE
44	1	0	0	0	0	0	0	14	0
45	1	0	0	1	0	0	0	36	2.8
46	1	0	0	1	0	0	0	28	3.6
47	1	0	0	1	0	0	0	10	10

Viral Resistance

No data

² FRI surveillance is ongoing at 8 U.S. military basic training centers, representing all service branches. FRI Rate Status is classified into one of 3 categories:


^{1.} At or below expected value (expected value shown as dashed line)

Moderately elevated

Substantially elevated

³ WHO/NREVSS Collaborating Laboratories WHO/NREVSS Collaborating Laboratories: For viral surveillance - About 80 U.S. World Health Organization (WHO) Collaborating Laboratories and 70 National Respiratory and Enteric Virus Surveillance System (NREVSS), located throughout the United States report daily or weekly the results of their testing.

Weekly Viral Subtype



Resources

- Centers for Disease Control and Prevention Influenza Website: http://www.cdc.gov/flu/weekly/fluactivity.htm
- Immunization Action Coalition Website: http://immunize.org/
- IDPH Website http://www.idph.state.il.us/flu/surveillance.htm
- ACL Clinical Laboratory Respiratory Panel http://www.acllaboratories.com/
- St Louis Children's Hospital Clinical Laboratory Respiratory Panel http://www.stlouischildrens.org/content/ClinicalLaboratories.htm

ⁱ For more information regarding circulating respiratory viruses, see

a. http://www.cdc.gov/surveillance/nrevss/rsv/state.html

b. http://www.acllaboratories.com/

 $c.\ \underline{www.stlouischildrens.org/content/ClinicalLaboratories.htm}\\$