ILLINOIS DEPARTMENT OF PUBLIC HEALTH



Illinois Influenza Surveillance Report

Week 50: Week Ending Saturday, December 18, 2010

Division of Infectious Diseases Immunizations Section

12/23/2010

Week 50: December 12 – December 18, 2010

Contents


Summary	.3
CDC Flu View	.4
LI Intensity	.5
LI Net Provider Surveillance	.6
LI Visits by Age Group	.7
Great Lakes Naval Recruit Influenza Surveillance	.8
nfluenza Intensive Care Unit Admissions and Deaths	.8
aboratory Surveillance	.8
/iral Resistance	.8
Veekly Viral Subtype	.9
Resources1	L O

<u>Summary</u>

- During CDC Week 50, the proportion of outpatient visits for influenza-like illness (ILI)¹ was 2.1%.
- The risk of illness due to influenza viruses is low. Numerous respiratory viruses can cause ILI, and these viruses are now more prevalent than influenza viruses.ⁱ
- Based on CDC criteria; influenza activity is classified as Local (see CDC FLU View Section).
- Febrile Respiratory Illness at Great Lake Naval Academy was at or below expected level.
- During week 50, five (50%) of the specimens tested by Illinois Department of Public Health laboratory tested positive for influenza. All of the isolates were influenza A human (H3) subtype.
- No influenza-associated pediatric deaths were reported during week 50.
- Two Influenza related ICU admissions and no deaths were reported during week 50.

 $^{^1}$ ILI "Influenza like Illness" is defined as fever \geq 100°F and cough and/or sore throat.

CDC Flu View



No activity: No laboratory confirmed cases of influenza and no reported increase in cases of influenza like illness (ILI).


Sporadic: Small numbers of laboratory confirmed influenza cases or a single laboratory confirmed influenza in a single region of the state.

Local: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in a single region of the state.

Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least two but less than half the regions of the state.

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory confirmed influenza in at least half the regions in the state.

ILI Intensity



Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILInet 2010-11 Influenza Season Week 50 ending Dec 18, 2010


*This map uses the proportion of outpatient visits to health care providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.

Data collected in ILINet may disproportionately represent certain populations within a state, and therefore, may not accurately depict the full picture of influenza activity for the whole state.

Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.

Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete .

ILI Net Provider Surveillance




Influenza Like Illness Outpatient Surveillance 2009-2011

Week 50: December 12 – December 18, 2010

ILI Visits by Age Group

NUMBER OF VISITS



2010 -11 INFLUENZA SEASON PROPORTION OF ILI OFFICE VISITS BY AGE GROUP

WEEK ENDING

7

Great Lakes Naval Recruit Influenza Surveillance

FRI surveillance² at Naval Recruit Training Command, Great Lakes for this week is **at or below expected level.** For more information visit <u>http://www.med.navy.mil/sites/nhrc/geis/Pages/default.aspx</u>

Influenza Intensive Care Unit Admissions and Deaths

There were two Influenza related ICU admissions and no deaths week ending December 18, 2010.

Laboratory Surveillance

During week 50, 5(50%) of the specimens tested by Illinois WHO/NREVSS³ collaborating laboratories in Illinois tested positive for influenza. All of the specimens were influenza A human H3 subtype.

Week	No of Labs Reporting	A (H1)	2009(A)H1N1	A (H3)	A(Unable to subtype)	A(Sub typing not performed)	В	Total # Tested	% Positive
47	1	0	0	1	0	0	0	10	10
48	1	0	0	6	0	0	0	24	25
49	1	0	1	6	0	0	0	20	35
50	1	0	0	5	0	0	0	10	50

Viral Resistance

No data

² FRI surveillance is ongoing at 8 U.S. military basic training centers, representing all service branches. FRI Rate Status is classified into one of 3 categories:


^{1.} At or below expected value (expected value shown as dashed line)

^{2.} Moderately elevated

^{3.} Substantially elevated

³ WHO/NREVSS Collaborating Laboratories WHO/NREVSS Collaborating Laboratories: For viral surveillance - About 80 U.S. World Health Organization (WHO) Collaborating Laboratories and 70 National Respiratory and Enteric Virus Surveillance System (NREVSS), located throughout the United States report daily or weekly the results of their testing.

Weekly Viral Subtype



Week Ending

Resources

- Centers for Disease Control and Prevention Influenza Website: <u>http://www.cdc.gov/flu/weekly/fluactivity.htm</u>
- Immunization Action Coalition Website: <u>http://immunize.org/</u>
- IDPH Website <u>http://www.idph.state.il.us/flu/surveillance.htm</u>
- ACL Clinical Laboratory Respiratory Panel
 http://www.acllaboratories.com/
- St Louis Children's Hospital Clinical Laboratory Respiratory Panel <u>http://www.stlouischildrens.org/content/ClinicalLaboratories.htm</u>

ⁱ For more information regarding circulating respiratory viruses, see

a. http://www.cdc.gov/surveillance/nrevss/rsv/state.html

b. http://www.acllaboratories.com/

 $c.\ \underline{www.stlouischildrens.org/content/ClinicalLaboratories.htm}$