Week 50: December 8 – December 14, 2013

ILLINOIS DEPARTMENT OF PUBLIC HEALTH



# Illinois Influenza Surveillance Report

Week 50: Week Ending Saturday, December 14, 2013

Division of Infectious Diseases Communicable Disease Section 12/20/2013

# Week 50: December 8 – December 14, 2013

# **Contents**

Summary	3
CDC FluView	4
ILINet Provider Surveillance	5
ILI Visits by Age Group	6
Influenza Intensive Care Unit (ICU) Admissions and Deaths	7
Influenza Related ICU Admissions by Age Group, 2012-2014	8
Laboratory Surveillance	9
Influenza Outbreaks Reported in Long-Term Facilities (LTC) and Nursing Homes (NH)	10
Viral Resistance	10
Weekly Viral Subtype	11
IDPH Infectious Diseases Regional Map/Provider Map	12
Resources	13

#### **Summary**

- For this reporting week, the proportion of outpatient visits for influenza-like illness (ILI)<sup>1</sup> was **2.18%**, which is **above** the regional baseline of **1.60%**.
- Based on CDC criteria, Illinois influenza activity is classified as Regional (see CDC FluView Section) for this reporting week.
- For this reporting week there were 208 influenza specimens tested by WHO/NREVSS collaborating Illinois laboratories (which includes all Illinois Department of Public Health Laboratories). Twentynine specimens tested positive for Influenza.
- **Fifteen** influenza-associated Intensive Care Unit (ICU) admissions³ were reported for this reporting week.
- **No** influenza-associated pediatric deaths were reported for this reporting week.
- For this reporting week, **no** influenza outbreaks were reported in a long-term care facility.

#### **Novel Influenza A**

#### H10N8

- China has reported its first human case of H10N8 avian flu in a 73-year-old woman from the Jiangxi province.
- The woman was admitted to the hospital on November 30<sup>th</sup> and expired on December 6<sup>th</sup>.
- The woman was reported as being immunocompromised with underlying illnesses and visited a live-poultry market prior to illness.
- For additional information on these cases, visit the Center for Infectious Disease Research and Policy:
  - o <a href="http://www.cidrap.umn.edu/news-perspective/2013/12/china-reports-first-human-case-html">http://www.cidrap.umn.edu/news-perspective/2013/12/china-reports-first-human-case-html</a>
  - o <a href="http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-19-2013">http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-19-2013</a>

#### H7N9

- There have been three new cases reported in the Guangdong province in China during week 51.
- There has been confirmed contact with poultry in two of the three cases.
- The three new cases bring the unofficial global number of H7N9 cases to 146, including 45 deaths.
- For additional information on these cases, visit the World Health Organization, Global Alert & Response Update and the Center for Infectious Disease Research and Policy:
  - o <a href="http://www.who.int/csr/don/2013\_12\_17influenza/en/index.html">http://www.who.int/csr/don/2013\_12\_17influenza/en/index.html</a>
  - o http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-18-2013

<sup>&</sup>lt;sup>1</sup> ILI "Influenza like Illness" is defined as fever ≥ 100°F and cough and/or sore throat.


<sup>&</sup>lt;sup>2</sup> FRI surveillance is ongoing at 8 U.S. military basic training centers, representing all service branches. FRI Rate Status is classified into one of 3 categories:

At or below expected value

Moderately elevated
Substantially elevated

<sup>&</sup>lt;sup>3</sup> For the purpose of diagnosis, influenza can be diagnosed by using the following test: reverse transcription polymerase chain reaction RT-PCR], viral culture, Immunofluorescence [Direct Fluorescent Antibody (DFA) or Indirect Fluorescent Antibody (IFA) Staining], Enzyme Immuno Assay (EIA) or any rapid diagnostic test. Sensitivities of rapid diagnostic tests are approximately 50-70% when compared with viral culture or reverse transcription polymerase chain reaction (RT-PCR), and specificities of rapid diagnostic tests for influenza are approximately 90-95%. False-positive (and true-negative) results are more likely to occur when disease prevalence in the community is low, which is generally at the beginning and end of the influenza seasons. False-negative (and true-positive) results are more likely to occur when disease prevalence is high in the community, which is typically at the height of the influenza season.

#### **CDC FluView**



This map indicates geographic spread & does not measure the severity of influenza activity

**No activity:** No laboratory confirmed cases of influenza and no reported increase in cases of influenza like illness (ILI).

**Sporadic:** Small numbers of laboratory confirmed influenza cases or a single laboratory confirmed influenza in a single region of the state.


**Local:** Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in a single region of the state.

**Regional:** Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least two but less than half the regions of the state.

**Widespread:** Outbreaks of influenza or increases in ILI cases and recent laboratory confirmed influenza in at least half the regions in the state.


## **ILINet Provider Surveillance**

# Influenza Like Illness Outpatient Surveillance 2012-2014



## **ILI Visits by Age Group**






# **Influenza Intensive Care Unit (ICU) Admissions and Deaths**

There were 15 influenza related ICU admissions and 0 deaths for this reporting week.

Year	Week No	Admissions	Deaths <sup>4</sup>
2013	40	2	0
2013	41	1	0
2013	42	1	0
2013	43	3	0
2013	44	1	0
2013	45	5	1
2013	46	2	0
2013	47	2	1
2013	48	6	1
2013	49	4	0
2013	50	15	0
Total (Provisional) for 2013-14 Season		42	3

## Influenza Related ICU Admissions by Age Group, 2012-2014



#### **Laboratory Surveillance**

 For this reporting week there were 208 influenza specimens tested by WHO/NREVSS collaborating Illinois laboratories (which includes all Illinois Department of Public Health Laboratories). Twentynine specimens tested positive for Influenza.

For more information about circulating viruses visit:

St Louis Children's Hospital Weekly Virus/Microbiology Update:
http://slchlabtestquide.bjc.org/Default.aspx?url=63e0653d-fe31-466f-9228-d4de90fa7424

Year	Week	A (H1)	2009(A) H1N1	A (H3)	A (Unable to subtype)	A (Sub typing not performed)	В	Total # Tested	Total # Positive	% Positive
2013	43	0	0	0	0	0	0	78	0	0%
2013	44	0	0	0	0	0	0	98	0	0%
2013	45	0	1	0	0	2	0	173	3	2.0%
2013	46	0	2	0	0	0	1	185	3	2.0%
2013	47	0	2	0	0	1	0	132	3	2.0%
2013	48	0	2	0	0	5	1	162	8	5.0%
2013	49	0	7	1	0	4	0	194	12	6.0%
То	tals	0	34	2	0	17	7	1,442	60	4.16%

## Influenza Outbreaks Reported in Long-Term Facilities (LTC) and Nursing Homes (NH)

There were **no** outbreaks reported in long-term care facilities for this reporting week.

Region	2013-2014 Influenza Season -Number of outbreaks (%)
Rockford (1)	0(0)
Peoria (2),	0(0)
Edwardsville (4),	0(0)
Marion (5),	0(0)
Champaign (6),	0(0)
West Chicago (7)	0(0)
Chicago/Cook (8)	0(0)
Total	0(0)

#### **Viral Resistance:**

Antiviral Resistance: Testing of 2009 H1N1, influenza A (H3N2), and influenza B virus isolates for resistance to neuraminidase inhibitors (oseltamivir and zanamivir) is performed at CDC using a functional assay. Additional 2009 H1N1 and influenza A (H3N2) clinical samples are tested for mutations of the virus known to confer oseltamivir resistance. The data summarized below combine the results of both testing methods. These samples are routinely obtained for surveillance purposes rather than for diagnostic testing of patients suspected to be infected with antiviral-resistant virus.

High levels of resistance to the adamantanes (amantadine and rimantadine) persist among 2009 influenza A (H1N1) and A (H3N2) viruses (the adamantanes are not effective against influenza B viruses). As a result, data from adamantine resistance testing are not presented below.

#### Neuraminidase Inhibitor Resistance Testing Results on Samples Collected Since October 1, 2013


on campies concered cines coreser 1, 2010						
	Ose	Itamivir	Zanamivir			
	Virus Samples tested (n)	Resistant Viruses, Number (%)	Virus Samples tested (n)	Resistant Viruses, Number (%)		
Influenza A (H3N2)	54	0 (0.0)	54	0 (0.0)		
Influenza B	9	0 (0.0)	9	0 (0.0)		
2009 H1N1	526*	7 (1.3)	323	0 (0.0)		

<sup>\*</sup>Includes specimens tested in national surveillance and additional specimens tested at public health laboratories in nine states (AZ, FL, HI, MD, MI, NY, TX, WA, and WI) who share testing results with CDC.


The majority of currently circulating influenza viruses are susceptible to the neuraminidase inhibitor antiviral medications oseltamivir and zanamivir; however, rare sporadic cases of oseltamivir-resistant 2009 H1N1 and A (H3N2) viruses have been detected worldwide. Antiviral treatment with oseltamivir or zanamivir is recommended as early as possible for patients with confirmed or suspected influenza who have severe, complicated, or progressive illness; who require hospitalization; or who are at greater risk for serious influenza-related complications. Additional information on recommendations for treatment and chemoprophylaxis of influenza virus infection with antiviral agents is available at <a href="http://www.cdc.gov/flu/antivirals/index.htm">http://www.cdc.gov/flu/antivirals/index.htm</a>.

# **Weekly Viral Subtype**

Influenza Isolates from Illinois Reported by WHO/NREVSS Collaborating Laboratories, 2013-2014 Influenza Season



# **IDPH Infectious Diseases Regional Map**



#### Resources

- Centers for Disease Control and Prevention Influenza Website: <a href="http://www.cdc.gov/flu/">http://www.cdc.gov/flu/</a>
- Immunization Action Coalition Website: http://immunize.org/
- IDPH Seasonal Influenza Website: http://www.idph.state.il.us/flu/surveillance.htm
- St Louis Children's Hospital Weekly Virus/Microbiology Update: http://slchlabtestguide.bjc.org/Default.aspx?url=63e0653d-fe31-466f-9228-d4de90fa7424
- CDC Avian Influenza A (H7N9): <a href="http://www.cdc.gov/flu/avianflu/h7n9-virus.htm">http://www.cdc.gov/flu/avianflu/h7n9-virus.htm</a>.
- World Health Organization, Global Alert & Response Update :
  - o http://www.who.int/csr/don/2013\_12\_17influenza/en/index.html
- Center for Infectious Disease Research and Policy:
  - o <a href="http://www.cidrap.umn.edu/news-perspective/2013/12/china-reports-first-human-case-html">http://www.cidrap.umn.edu/news-perspective/2013/12/china-reports-first-human-case-html</a>
  - o <a href="http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-18-2013">http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-18-2013</a>
  - o http://www.cidrap.umn.edu/news-perspective/2013/12/flu-scan-dec-19-2013