ILLINOIS DEPARTMENT OF PUBLIC HEALTH



Illinois Influenza Surveillance Report

Week 07: Week Ending Saturday, February 15, 2014

Division of Infectious Diseases Communicable Disease Section 2/21/2014

Contents

Summary	3
CDC FluView	4
ILINet Provider Surveillance	5
ILI Visits by Age Group	6
Influenza Intensive Care Unit (ICU) Admissions and Deaths	7
Influenza Related ICU Admissions by Age Group, 2012-2014	8
Laboratory Surveillance	9
Influenza Outbreaks Reported in Long-Term Facilities (LTC) and Nursing Homes (NH)	10
Viral Resistance	10
Weekly Viral Subtype	11
IDPH Infectious Diseases Regional Map	12
Resources	13

Summary

- For this reporting week, the proportion of outpatient visits for influenza-like illness (ILI)¹ was **1.71%**, which is **above** the regional baseline of **1.60%**.
- Based on CDC criteria, Illinois influenza activity is classified as Regional (see CDC FluView Section) for this reporting week.
- For this reporting week there were 298 influenza specimens tested by WHO/NREVSS collaborating Illinois laboratories (which includes all Illinois Department of Public Health Laboratories). 42 specimens tested positive for Influenza.
- Eleven influenza-associated Intensive Care Unit (ICU) admissions³ were reported for this reporting week.
- No influenza-associated pediatric deaths were reported for this reporting week.
- For this reporting week, **no** influenza outbreaks were reported.

Novel Influenza A

H7N9

- China has reported the first detection of H7N9 in a wild bird (tree sparrow), a report has been
 published in an online edition of *Emerging Infectious Diseases:* http://wwwnc.cdc.gov/eid/article/20/5/13-1707_article.htm
- There are multiple cases of H7N9 being reported daily.
- For up-to-date information, please visit the WHO Global Alert and Response Page and the Center for Infectious Disease Research and Policy:
 - o http://www.who.int/csr/don/en/
 - <u>http://www.cidrap.umn.edu/news-perspective/2014/02/china-notes-h7n9-case-first-detection-wild-bird</u>
 - <u>http://www.cidrap.umn.edu/news-perspective/2014/02/china-reports-one-h7n9-case-fao-says-human-illnesses-arent-threat-poultry</u>

¹ ILI "Influenza like Illness" is defined as fever $\ge 100^{\circ}$ F and cough and/or sore throat.


² FRI surveillance is ongoing at 8 U.S. military basic training centers, representing all service branches. FRI Rate Status is classified into one of 3 categories:

^{1.} At or below expected value

Moderately elevated
 Substantially elevated

³ For the purpose of diagnosis, influenza can be diagnosed by using the following test: reverse transcription polymerase chain reaction RT-PCR], viral culture, Immunofluorescence [Direct Fluorescent Antibody (DFA) or Indirect Fluorescent Antibody (IFA) Staining], Enzyme Immuno Assay (EIA) or any rapid diagnostic test. Sensitivities of rapid diagnostic tests are approximately 50-70% when compared with viral culture or reverse transcription polymerase chain reaction (RT-PCR), and specificities of rapid diagnostic tests for influenza are approximately 90-95%. False-positive (and true-negative) results are more likely to occur when disease prevalence in the community is low, which is generally at the beginning and end of the influenza seasons. False-negative (and true-positive) results are more likely to occur when disease prevalence is high in the community, which is typically at the height of the influenza season.

CDC FluView



* This map indicates geographic spread & does not measure the severity of influenza activity

No activity: No laboratory confirmed cases of influenza and no reported increase in cases of influenza like illness (ILI).


Sporadic: Small numbers of laboratory confirmed influenza cases or a single laboratory confirmed influenza in a single region of the state.

Local: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in a single region of the state.

Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least two but less than half the regions of the state.

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory confirmed influenza in at least half the regions in the state.


ILINet Provider Surveillance



Influenza Like Illness Outpatient Surveillance 2012-2014

WEEK ENDING

ILI Visits by Age Group



NUMBER OF VISITS


Influenza Intensive Care Unit (ICU) Admissions and Deaths

There were **11** influenza related ICU admissions and **1** death for this reporting week.

Year	Week No	Admissions	Deaths ⁴
2013	40-43	8	0
2013	44	1	0
2013	45	5	1
2013	46	2	0
2013	47	3	1
2013	48	7	1
2013	49	4	0
2013	50	26	1
2013	51	33	0
2013	52	76	3
2013/2014	01	133	6
2014	02	128	17
2014	03	56	10
2014	04	57	8
2014	05	43	13
2014	06	25	4
2017	07	11	1
-	isional) for Season	618	66

⁴ Deaths are reported for a) adults admitted to an intensive care unit who have a positive test for influenza and b) hospitalized and non-hospitalized children (less than 18 years of age) with a positive influenza test. The degree to which influenza infection is an immediate or underlying cause of death is not ascertained. CDC Influenza-Associated Pediatric Mortality data: <u>http://gis.cdc.gov/GRASP/Fluview/PedFluDeath.html</u>





Laboratory Surveillance

• For this reporting week there were **298** influenza specimens tested by WHO/NREVSS collaborating Illinois laboratories (which includes all Illinois Department of Public Health Laboratories). **42** specimens tested positive for Influenza.

For more information about circulating viruses visit:

 St Louis Children's Hospital Weekly Virus/Microbiology Update: <u>http://slchlabtestguide.bjc.org/Default.aspx?url=63e0653d-fe31-466f-9228-d4de90fa7424</u>

Year	Week	A (H1)	2009(A) H1N1	A (H3)	A (Unable to subtype)	A (Sub typing not performed)	В	Total # Tested	Total # Positive	% Positive
2013	01	0	16	1	0	176	9	692	202	29.0%
2014	02	0	83	3	0	84	4	601	174	29.0%
2014	03	0	76	2	0	61	4	589	143	24.0%
2014	04	0	33	1	0	43	2	427	79	19.0%
2014	05	0	24	0	0	25	2	328	51	16.0%
2014	06	0	21	0	0	28	5	356	54	15.0%
2014	07	0	16	0	0	25	1	298	42	14.0%
Seasor	n Totals	0	361	10	0	598	37	5,506	1006	18.3%

Influenza Outbreaks Reported in Long-Term Facilities (LTC) and Correctional Facilities

There were no outbreaks reported for this reporting week.

Region	2013-2014 Influenza Season - Number of outbreaks (%)
Rockford (1)	3 (11%)
Peoria (2),	7 (25%)
Edwardsville (4),	5 (18%)
Marion (5),	3 (11%)
Champaign (6),	0 (0)
West Chicago (7)	7 (25%)
Chicago/Cook (8)	3 (11%)
Total	28

Viral Resistance:

Antiviral Resistance: Testing of 2009 H1N1, influenza A (H3N2), and influenza B virus isolates for resistance to neuraminidase inhibitors (oseltamivir and zanamivir) is performed at CDC using a functional assay. Additional 2009 H1N1 and influenza A (H3N2) clinical samples are tested for mutations of the virus known to confer oseltamivir resistance. The data summarized below combine the results of both testing methods. These samples are routinely obtained for surveillance purposes rather than for diagnostic testing of patients suspected to be infected with antiviral-resistant virus.

High levels of resistance to the adamantanes (amantadine and rimantadine) persist among 2009 influenza A (H1N1) and A (H3N2) viruses (the adamantanes are not effective against influenza B viruses). As a result, data from adamantine resistance testing are not presented below.

	Ose	Itamivir	Zanamivir		
	Virus Samples tested (n)	Resistant Viruses, Number (%)	Virus Samples tested (n)	Resistant Viruses, Number (%)	
Influenza A (H3N2)	186	186 0 (0.0)		0 (0.0)	
Influenza B	73	0 (0.0)	73	0 (0.0)	
2009 H1N1	3,471*	26 (0.7)	1,259	0 (0.0)	


Neuraminidase Inhibitor Resistance Testing Results on Samples Collected Since October 1, 2013

*Includes specimens tested in national surveillance and additional specimens tested at public health laboratories in 18 states (AZ, CA, CO, DE, FL, GA, HI, ID, MA, ME, MD, MI, NY, PA, TX, UT, WA, and WI) who share testing results with CDC.

The majority of currently circulating influenza viruses are susceptible to the neuraminidase inhibitor antiviral medications oseltamivir and zanamivir; however, rare sporadic cases of oseltamivir-resistant 2009 H1N1 and A (H3N2) viruses have been detected worldwide. Antiviral treatment with oseltamivir or zanamivir is recommended as early as possible for patients with confirmed or suspected influenza who have severe, complicated, or progressive illness; who require hospitalization; or who are at greater risk for serious influenza-related complications. Additional information on recommendations for treatment and chemoprophylaxis of influenza virus infection with antiviral agents is available at http://www.cdc.gov/flu/antivirals/index.htm.

Weekly Viral Subtype

Influenza Isolates from Illinois Reported by WHO/NREVSS Collaborating Laboratories, 2013-2014 Influenza Season





IDPH Infectious Diseases Regional Map

* The numbers in red that are located on this map indicate the number of participating Sentinel Sites per county.

Resources

- Centers for Disease Control and Prevention Influenza Website:
 - o <u>http://www.cdc.gov/flu/</u>
 - o http://wwwnc.cdc.gov/eid/article/20/5/13-1707_article.htm
- Immunization Action Coalition Website: <u>http://immunize.org/</u>
- IDPH Seasonal Influenza Website: http://www.idph.state.il.us/flu/surveillance.htm
- National Respiratory and Enteric Virus Surveillance System (NREVSS), CDC website: <u>https://wwwn.cdc.gov/nrevss/account/export.aspx</u>
- St Louis Children's Hospital Weekly Virus/Microbiology Update: <u>http://slchlabtestguide.bjc.org/Default.aspx?url=63e0653d-fe31-466f-9228-d4de90fa7424</u>
- WHO Global Alert and Response H7N9: <u>http://www.who.int/csr/don/en/</u>
- Center for Infectious Disease Research and Policy:
 - <u>http://www.cidrap.umn.edu/news-perspective/2014/02/china-notes-h7n9-case-first-detection-wild-bird</u>
 - <u>http://www.cidrap.umn.edu/news-perspective/2014/02/china-reports-one-h7n9-case-fao-says-human-illnesses-arent-threat-poultry</u>