



Sexually Transmitted Diseases in Illinois

2002 Epidemiologic Summary and
Yearly Trends for 1992-2002

March 2004




Rod R. Blagojevich
Governor

Eric E. Whitaker, M.D., M.P.H.
Director

Sexually Transmitted Diseases **in Illinois**

2002 Epidemiologic Summary
and Yearly Trends Tables for 1992 - 2002



Illinois Department of Public Health
STD Program
217-782-2747

TTY (hearing impaired use only) **800-547-0466**

2002 Sexually Transmitted Diseases In Illinois

Introduction

The Illinois Department of Public Health (IDPH) STD Program is pleased to present the *2002 Illinois Sexually Transmitted Diseases Summary*. This summary provides statistics and trends of reported sexually transmitted diseases (STDs) in Illinois for 1992-2002 and consists of five sections: Illinois 2002 epidemiologic summary; Illinois statewide statistics tables; and chlamydia, gonorrhea and syphilis cases, rates and county statistics tables. Data from IDPH laboratories on viral STDs (herpes and hepatitis C) from testing performed at STD clinics and selected outreach sites also are presented in this summary.

The Illinois Control of Sexually Transmitted Diseases Code [77 Illinois Administrative Code 693] requires physicians, laboratories and blood banks to report within seven days to the local health authority (i.e., county/city health department or IDPH for jurisdictions where there is no health department) all diagnosed cases and positive laboratory findings of reportable STDs (syphilis, gonorrhea, chlamydia and chancroid). Reports of diagnosed cases of reportable STDs are submitted by health care providers on morbidity reporting forms, "Confidential Morbidity Report of Sexually Transmitted Diseases," furnished by IDPH. These morbidity reports are submitted to the local health authority and then forwarded to IDPH. Morbidity data are tabulated by program staff from these reports.

STD case rates for 1992-1999 were calculated using population figures from 1990 U.S. census data, and 2000-2002 case rates were calculated using population data from the 2000 U.S. census. Rates reflect the number of cases per 100,000 population. Congenital syphilis rates represent the number of infants with congenital syphilis per 100,000 births in each of the respective years. The source for all charts and tables included in this summary is the IDPH STD Program. Selected tables are also available by Internet via the IDPH home page at <www.idph.state.il.us>.

This report was prepared by IDPH STD Program staff.

Charlie Rabins, M.P.H., *Chief, STD Program*

Alice Studzinski, *Surveillance and Evaluation Coordinator, STD Program*

Mark S. Dworkin, M.D., M.P.H.T.M., *State Epidemiologist*

The STD Section acknowledges and appreciates the efforts of local health departments, hospitals, physicians and laboratories to report STDs and of IDPH support staff for processing and tabulating the reports.

Questions concerning STD reporting requirements in Illinois or data contained in this document should be directed to your local health department or to the IDPH STD Section at 217-782-2747, TTY (for hearing impaired use only) 800-547-0466.

Sexually Transmitted Diseases in Illinois 2002 Epidemiologic Summary and Yearly Trends Tables for 1992 - 2002

Table of Contents

Reference Maps (pgs. iv. - v.)

Section 1. Illinois Epidemiologic Summary, 2002 **Page Number**

2002 Chlamydia Summary.....	1.3
2002 Gonorrhea Summary	1.7
2002 Syphilis Summary	1.11
2002 Genital Herpes Summary.....	1.16
2002 Hepatitis Summary.....	1.17
STD Clinic Behavioral Data Collection	1.18

Section 2. Illinois Statewide Statistical Tables **Page Number**

Illinois Reported STD Cases and Rates by County, 2002	2.2
Illinois Reported STDs: State of Illinois, Illinois Excluding Chicago, and Chicago; Total Cases and Percentage Change, 2002 and 2001	2.4
Illinois Reported Sexually Transmitted Disease Cases and Rates by HIV Prevention Regional Implementation Group, 2002.....	2.4
Illinois HIV Prevention Regional Implementation Groups (map)	2.5
Illinois Reportable Sexually Transmitted Diseases by Health Jurisdiction; Number of Cases and Percentage Change, 2002 vs. 2001	2.6
Illinois Reported Sexually Transmitted Diseases Cases and Rates, 1992 - 2002	2.8
Illinois Reported Sexually Transmitted Diseases Case Rates by Race and Ethnicity, 1992 - 2002	2.8

Section 3.

Chlamydia Cases and Rates 1992-2002 and 2002 County Statistical Tables Page Number

Reported Chlamydia Cases and Percentages by Race, Ethnicity, Age Group and Gender Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002.....	3.2
Illinois Reported Chlamydia Cases by Race, Ethnicity, Age Group and Gender, 1992 - 2002	3.3
Illinois Reported Chlamydia Cases by County, 1992 - 2002	3.4
Illinois Chlamydia Case Rates per 100,000 Population by County, 1992 - 2002.....	3.6
Illinois Chlamydia Cases and Percentages by County and Age Group, 2002.....	3.8
Illinois Chlamydia Cases and Percentages by County and Gender, 2002.....	3.10
Illinois Chlamydia Cases and Percentages by County and Race, 2002	3.12
Illinois Chlamydia Cases and Percentages by County and Ethnicity, 2002.....	3.14

Section 4.

Gonorrhea Cases and Rates 1992-2002 and 2002 County Statistical Tables Page Number

Reported Gonorrhea Cases and Percentages by Race, Ethnicity, Age Group and Gender Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002.....	4.2
Illinois Reported Gonorrhea Cases by Race, Ethnicity, Age Group and Gender, 1992 - 2002 ..	4.3
Illinois Reported Gonorrhea Cases by County, 1992 - 2002.....	4.4
Illinois Gonorrhea Case Rates per 100,000 Population by County, 1992 - 2002	4.6
Illinois Gonorrhea Cases and Percentages by County and Age Group, 2002	4.8
Illinois Gonorrhea Cases and Percentages by County and Gender, 2002	4.10
Illinois Gonorrhea Cases and Percentages by County and Race, 2002.....	4.12
Illinois Gonorrhea Cases and Percentages by County and Ethnicity, 2002	4.14

Section 5.

Early Syphilis, Primary and Secondary Syphilis, and Congenital Syphilis Cases and Rates 1992-2002 and 2002 County Statistical Tables	Page Number
--	-------------


Reported Early Syphilis (<1 Year) Cases and Percentages by Race, Ethnicity, Age Group and Gender: Chicago, Illinois Excluding Chicago, and Illinois Totals, 20025.2

Reported Primary and Secondary Syphilis Cases and Percentages by Race, Ethnicity, Age Group and Gender: Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002.....	5.3
Illinois Reported Early Syphilis (<1 Year) Cases by Race, Ethnicity, Age Group and Gender, 1992 - 2002	5.4
Illinois Reported Primary and Secondary Syphilis Cases by Race, Ethnicity, Age Group and Gender, 1992 - 2002.....	5.5
Illinois Reported Early Syphilis Cases by County, 1992 - 2002	5.6
Illinois Reported Primary and Secondary Syphilis Cases by County, 1992 - 2002.....	5.8
Illinois Early Syphilis Case Rates per 100,000 Population by County, 1992 - 2002.....	5.10
Illinois Primary and Secondary Syphilis Case Rates per 100,000 Population by County, 1992 - 2002.....	5.12
Illinois Early Syphilis Cases and Percentages by County and Age Group, 2002	5.14
Illinois Early Syphilis Cases and Percentages by County and Gender, 2002	5.14
Illinois Early Syphilis Cases and Percentages by County and Race, 2002	5.15
Illinois Early Syphilis Cases and Percentages by County and Ethnicity, 2002.....	5.15
Illinois Primary and Secondary Syphilis Cases and Percentages by County and Age Group, 2002	5.16
Illinois Primary and Secondary Syphilis Cases and Percentages by County and Gender, 2002	5.16
Illinois Primary and Secondary Syphilis Cases and Percentages by County and Race, 2002..	5.17
Illinois Primary and Secondary Syphilis Cases and Percentages by County and Ethnicity, 2002	5.17
2002 Reported Congenital Syphilis Cases by Race, Ethnicity and Gender Chicago, Illinois Excluding Chicago, and Illinois Totals.....	5.18
Illinois Reported Congenital Syphilis Cases by Race, Ethnicity and Gender, 1992 - 2002	5.19
Illinois Reported Congenital Syphilis Cases by County, 1992 - 2002	5.20
Illinois Congenital Syphilis Case Rates per 100,000 Population by County, 1992 - 2002.....	5.21

Illinois Counties




Illinois STD Clinic Sites by City



Section 1.

Sexually *T*ransmitted *D*iseases Illinois Epidemiologic Summary, 2002


**Chlamydia, Gonorrhea, Syphilis,
Herpes and Hepatitis**



The following section presents an epidemiologic summary and demographic profile of reported sexually transmitted diseases in Illinois during 2002 and the results of herpes testing and hepatitis immunization programs at Illinois STD clinics.

**2002**

Illinois Reported Chlamydia Case Distribution by County, 2002



2002


2002 Chlamydia Summary

Chlamydia trachomatis infection is a significant cause of genitourinary complications, especially in women. Early symptoms are often mild, and asymptomatic infection is common in both men and women. Untreated chlamydia in women may lead to pelvic inflammatory disease (PID) with severe fallopian tube inflammation and damage. Chlamydia is a major cause of long-term sequelae such as tubal infertility and ectopic pregnancy and can cause premature rupture of membranes in pregnant women. Newborns exposed during birth may develop ophthalmia or pneumonia.

In Illinois, a case of chlamydia infection is defined as the isolation of *C. trachomatis* by culture, or demonstration of *C. trachomatis* in a clinical specimen by detection of antigen or nucleic acid.

Chlamydia first became reportable in Illinois in July 1987. From 1992 through 2002, the number of reported cases increased 90 percent, from 25,253 to 48,101. Reasons for the increase include improved surveillance procedures, increased testing and the use of more sensitive diagnostic tests. Adolescents ages 15-19 years accounted for 33 percent (15,898) of chlamydia cases reported in Illinois during 2002 and had an incidence rate of 1,778.3 compared to 387.3 for the total Illinois population. The average age, where age was known, of reported chlamydia cases during 2002 was 23 years: 25 years for males and 22 years for females.

Chlamydia screening programs target women because they are frequently asymptomatic and the complications of untreated infection are severe. Because screening programs test clients regardless of symptoms, they help to establish the prevalence of infection in population groups. During recent years, as testing has become more widely available and affordable, screening programs have been expanded in STD clinics, school-based health centers and women's health programs such as family planning clinics, prenatal clinics, and adult and juvenile correctional centers. Illinois chlamydia screening sites conducted more than 200,000 chlamydia tests during 2002 (46,920 in men and 159,546 in women); the positivity rate was 7.3 percent: 6.3 percent for females and 10.5 percent for males. Adolescents, especially adolescent females, are at particular risk for chlamydia infection. The positivity rate in 2002 for chlamydia screening site specimens from females ages 15-24 was 15.3 percent from STD clinics, 12.4 percent from school-based health clinics and 19.5 percent from adult and juvenile correctional centers. Positivity rates for chlamydia screening site specimens during the second half of 2002 increased because of the implementation in June 2002 of a nucleic acid amplified test (NAAT) at IDPH laboratories (Figure 1a).



2002

2002 Chlamydia Epidemiologic Profile

Trends

Reported cases of chlamydia increased 10 percent (43,716 to 48,101) in Illinois during 2002 compared to 2001. There was a 10 percent (21,296 to 23,428) increase in Illinois excluding Chicago and a 10 percent (22,420 to 24,673) increase in Chicago (Figure 1).

Where

During 2002, of the 48,101 cases of chlamydia reported in Illinois, 24,673 (51%) were reported from Chicago and 23,428 (49%) from Illinois excluding Chicago. The case rate per 100,000 population was 387.3 for Illinois, 852.0 for Chicago, and 246.0 for Illinois excluding Chicago.

Cases were reported from all of the 102 counties in Illinois. The greatest number of cases was reported from Cook County, 30,822 (64%). The highest incidence rates per 100,000 population were reported from the following five counties: Alexander, 667.4 (64 cases); St. Clair, 595.9 (1,526 cases); Cook, 573.2 (30,822 cases); Peoria, 568.6 (1,043 cases); and Macon, 527.4 (605 cases) (Figure 2).

Who

The racial distribution of cases during 2002 was 49 percent African American (23,754), 22 percent white (10,676), less than 1 percent Asian/Pacific Islander and Native American (246), and 28 percent other or unknown race (13,425) (Figure 3). Eight percent (3,917) of cases were Hispanic. The highest case rate was among African Americans, 1,265.6.


Adolescents and young adults ages 15-24 years accounted for 71 percent (33,872) of reported cases where age was known during 2002 (Figure 4).

The ratio of identified and reported female cases to males during 2002 was 2.45:1.00. This ratio likely overestimates the true ratio because of screening programs that target females. During recent years, testing in males has increased. Cases among males increased 32 percent (10,588 to 13,942) during 2002 compared to 2001 (Figure 5).

Hospitals and private physician offices reported the greatest percentage of chlamydia cases during 2002, 54 percent (26,005). Other providers included STD clinics, 15 percent (7,159); correctional facilities, 11 percent (5,290); and family planning clinics, 10 percent (5,007).

Figure 1.

Illinois Reported Chlamydia Cases by Year, 1992-2002



2002

Figure 2.
Illinois Chlamydia Case Rates
By County, 2002




Figure 3.

Illinois Reported Chlamydia by Race, 2002




Figure 4.

Illinois Reported Chlamydia by Age Group,* 2002






Figure 5.

Illinois Chlamydia Cases By Gender, 1992-2002



2002

Illinois Reported Gonorrhea Case Distribution by County, 2002



2002

2002 Gonorrhea Summary


Gonorrhea is a bacterial infection caused by *Neisseria gonorrhoeae*. Uncomplicated urogenital infection may progress, without treatment, to complications such as pelvic inflammatory disease (PID), infertility and disseminated infection. Resultant scarring of fallopian tubes can cause ectopic pregnancy. Women are more likely than men to suffer complications from gonorrhea infection because early symptoms are often not present or so mild as to not be recognized by the female. Infants born to infected mothers may develop gonococcal ophthalmia, which is potentially blinding, or sepsis, arthritis or meningitis.

In Illinois, a case of gonorrhea is defined as isolation of typical gram-negative, oxidase positive diplococci (presumptive *N. gonorrhoeae*) from a clinical specimen; demonstration of *N. gonorrhoeae* in a clinical specimen by detection of antigen or nucleic acid; or observation of Gram-negative intracellular diplococci in a male urethral or female endocervical smear.

From 1992 through 2002, reported cases of gonorrhea decreased by 18 percent, from 29,275 to 24,026. Reported cases increased by only one case (24,025 to 24,026) during 2002 compared to 2001. Despite the negligible statewide increase, there were several local outbreaks. Eleven local health departments that reported at least 10 cases during 2002 in their jurisdictions recorded increases of more than 50 percent compared to 2001.

Many currently available lab tests have the capability to identify chlamydia and gonorrhea from the same specimen, thus eliminating the need for collecting two specimens. Implementation and expansion of chlamydia screening programs therefore has resulted in the additional benefit of increased testing for gonorrhea. The positivity rate decreased between 1998 and 2002 because of more screening and a general decline in gonorrhea incidence (Figure 2a). Illinois gonorrhea testing and screening sites processed more than 206,000 gonorrhea tests during 2002 (47,082 from males and 159,586 from females). The positivity rate in 2002 was 4.2 percent: 2.4 percent for females and 10.4 percent for males. The highest positivity rates were reported from STD clinics (10.2%), hospitals (8.0%), correctional facilities (5.3%) and school based clinics (4.5%).

Teens and young adults are disproportionately affected by gonorrhea in Illinois. Infected persons ages 15-24 years accounted for 61 percent (14,667 of 24,026) of reported cases during 2002. The case rate for adolescents ages 15-19 years was 731.8 compared to 193.5 for the total Illinois population. The average age of reported gonorrhea cases during 2002, where age was known, was 25 years: 27 years for males and 23 years for females.


2002

2002 Gonorrhea Epidemiologic Profile

Trends

Reported cases of gonorrhea increased by one case (24,025 to 24,026) in Illinois during 2002 compared to 2001. There was a 5 percent (9,699 to 10,212) increase in Illinois excluding Chicago and a 4 percent (14,326 to 13,814) decrease in Chicago (Figure 6).

Where

The total number of gonorrhea cases reported during 2002 in Illinois was 24,026: 13,814 (57%) in Chicago and 10,212 (43%) in Illinois excluding Chicago. The case rate per 100,000 population was 193.5 for Illinois, 477.0 for Chicago and 107.2 for Illinois excluding Chicago.

Cases were reported from 91 of the 102 counties in Illinois. The greatest number of cases was reported from Cook County, 16,632 (69%). The highest incidence rates per 100,000 population were reported from the following five counties: Pulaski, 394.7 (29 cases); Macon, 352.2 (404 cases); Sangamon, 343.5 (649 cases); Peoria, 342.4 (628 cases); and St. Clair, 327.6 (839 cases) (Figure 7).

Who

The racial distribution of reported cases during 2002 was 66 percent African American (15,753), 11 percent white (2,710), 0 percent Asian/Pacific Islander (31), 0 percent Native American (17), and 23 percent other or unknown race (5,515) (Figure 8). Three percent (704) of cases were among Hispanics. African Americans had the highest case rate among racial groups during 2002, but the case rate decreased 40 percent between 1992 and 2002, from 1,396.9 to 839.3.


Adolescents and young adults ages 15-24 years accounted for 60 percent (14,667) of reported gonorrhea cases where age was known during 2002 (Figure 9).

Reported cases increased 1 percent (12,178 to 12,273) among females and decreased 1 percent (11,845 to 11,750) among males during 2002 compared to 2001. Females accounted for 51 percent of cases during 2002 (Figure 10).

Hospitals and private physician offices reported 56 percent (13,179) of gonorrhea cases during 2001. Other reporting facilities included STD clinics, 28 percent (6,815); correctional facilities, 6 percent (1,369); and family planning clinics, 5 percent (1,288).

Figure 6.

Illinois Reported Gonorrhea Cases by Year, 1992–2002



2002

Figure 7.
Illinois Gonorrhea Case Rates
by County, 2002




Figure 8.
Illinois Reported Gonorrhea by Race, 2002




Figure 9.
Illinois Reported Gonorrhea by Age Group,* 2002






Figure 10.
Illinois Reported Gonorrhea Cases By Gender, 1992-2002



2002



Illinois Reported Primary and Secondary Syphilis Case Distribution by County, 2002

Illinois Reported Congenital Syphilis Case Distribution by County, 2002



2002

2002 Syphilis Summary

Syphilis is a systemic disease caused by the spirochete *Treponema pallidum*. The infection is diagnosed through microscopic examination of lesion exudates and through serologic testing. *Early syphilis* refers to syphilis of less than one year duration. Untreated, it progresses through three stages: *primary* and *secondary*, which are characterized by infectious lesions, rashes and other systemic manifestations, and *early latent*, with no signs or symptoms present at the time of diagnosis. Public health disease intervention efforts emphasize control of early syphilis because persons with early syphilis are most likely to have been infectious within the past year.

The number of early syphilis cases in Illinois is small in comparison to gonorrhea and chlamydia. However, significant public health resources must be devoted to control of syphilis for several reasons. Untreated syphilis can result in complications that include neurological or cardiovascular damage. Syphilis also can be transmitted to a fetus from an infected woman during pregnancy. This condition, called *congenital syphilis*, can cause stillbirth and severe illness or death to the infected newborn. The open lesions and resultant enhanced immune response during primary and secondary syphilis can increase the risk of HIV transmission and acquisition for infected persons by three- to five-fold.

Primary and Secondary Syphilis

Reported primary and secondary syphilis cases in Illinois decreased 80 percent between 1992, when 2,380 cases were reported, and 2002 when there were only 479 reported cases. However, the number and distribution of reported cases increased in 2002 compared to 2001. During this latter time period, there was a 17 percent increase (409 to 479) in reported cases and the number of counties reporting cases increased from 16 to 25. Six counties reported local outbreaks of syphilis during 2002: Champaign, Cook, Kane, Lake, Vermilion and Winnebago.

During 2002, reported primary and secondary syphilis cases increased 53 percent (137 to 209) among whites. Cases increased 49 percent (134 to 200) among white males and 200 percent (3 to 9) among white females. White males accounted for 42 percent of all reported cases in 2002 and 50 percent of male cases. The highest primary and secondary syphilis case rate (10.7) was reported among African Americans. However, there was a 5 percent (211 to 201) decrease in reported cases among African Americans in 2002 compared to 2001. African Americans accounted for 80 percent of the 81 female cases in 2002 compared to 42 percent of the 398 male cases.

Syphilis is identified more frequently among older age groups than gonorrhea and chlamydia. The average age, where age was known, of reported primary and secondary syphilis cases increased from 34 years in 2001 to 36 years in 2002. During 2002, the average age was 36 years for males and 33 years for females.

An outbreak of syphilis among men who have sex with men (MSM) resulted in a 25 percent increase in reported primary and secondary syphilis among men during 2002 compared to 2001. In 2002, of the 398 males reported with primary and secondary syphilis, 251 (63 percent) were MSM. Eighty percent of MSM were white and 49 percent were co-infected with HIV. (Only three females were co-infected with HIV.) HIV co-infection can lead to rapid disease progression into neurologic manifestations of syphilis. During 2002, there was a 74 percent increase (23 to 40) in reported neurosyphilis compared to 2001; 31 (78 percent) of the 2002 cases were among men.


2002

2002 Primary and Secondary Syphilis Epidemiologic Profile

Trends

Reported primary and secondary syphilis increased 17 percent (409 to 479) in Illinois during 2002 compared to 2001. There was a 37 percent (92 to 126) increase in Illinois excluding Chicago and an 11 percent (317 to 353) increase in Chicago (Figure 11).

Where

The total number of primary and secondary syphilis cases reported during 2002 in Illinois was 479: 353 (74%) in Chicago and 126 (26%) in Illinois excluding Chicago. The case rate per 100,000 population was 3.9 for Illinois, 12.2 for Chicago, and 1.3 for Illinois excluding Chicago.

Cases were reported from 23 of the 102 counties in Illinois, an increase from the 16 counties with reported cases in 2001. Most cases were reported from Cook County, 408 (85%). The highest incidence rates per 100,000 population were reported from the following five counties that reported at least three cases in 2002: Cook, 7.6; Vermilion, 7.1; Winnebago, 5.7; Champaign, 3.9; and Madison, 2.3 (Figure 12).

Who


The racial distribution of cases during 2002 was 44 percent white (209), 42 percent African American (201), 0 percent Asian/Pacific Islander and Native American (0) and 14 percent other or unknown race (69) (Figure 13). Twelve percent (56) of cases were Hispanic. The case rate increased among whites by 53 percent (1.5 to 2.3) during 2002 compared to 2001. African Americans had the highest case rate among racial groups during 2002, but the rate decreased 46 percent from 1999 (19.7) to 2002 (10.7).

Adults ages 30-44 years accounted for 57 percent (274) of primary and secondary syphilis cases reported in Illinois during 2002 (Figure 14).

The number of reported cases decreased 11 percent (91 to 81) among females and increased 25 percent (318 to 398) among males during 2002 compared to 2001. The ratio of reported male cases to females during 2002 was 4.9:1.0 (Figure 15).

STD clinics reported 55 percent (265) of primary and secondary syphilis cases during 2002. Other reporting facilities included private physicians, 28 percent (132); hospitals, 8 percent (39); correctional facilities, 5 percent (25); and other facilities, 4 percent (18).

Figure 11. Illinois Reported Primary and Secondary Syphilis Cases by Year, 1992 - 2002



2002

Figure 12.
Illinois Primary and Secondary
Syphilis Case Rates
by County, 2002




Figure 13.

Illinois Reported Primary and Secondary Syphilis by Race,
2002




Figure 14.

Illinois Reported Primary and Secondary Syphilis by Age Group,
2002





Figure 15.

Illinois Reported Primary and Secondary Syphilis Cases by Gender, 1992-2002



2002

Congenital Syphilis

Congenital syphilis is a condition caused by infection *in utero* with *Treponema pallidum*. A wide spectrum of clinical signs exist and not all cases are clinically apparent at birth. The surveillance case definition is outlined in the MMWR edition May 02, 1997 / 46(RR10); 1-55. This is not a clinical definition but a sensitive (nonspecific) surveillance definition. As a result, the reported cases likely overestimate the actual number of cases but such a surveillance system helps to ensure that infants with congenital syphilis will not be missed by the public health system.

Reported congenital syphilis cases in Illinois decreased 90 percent (396 to 41) between 1992 and 2002. The 2002 rate was 22.2 cases per 100,000 live births (2001 live birth statistics), the lowest in more than 10 years. African Americans were disproportionately represented among reported congenital syphilis cases, accounting for 83 percent (34) of cases.

In 2002, 68 percent of mothers of congenital syphilis cases received prenatal care. Treatment of an infected woman during early pregnancy can prevent infection of the fetus or cure an already infected fetus to prevent further complications. Illinois law (410 ILCS 320/1) requires screening for syphilis at the first prenatal visit and again during the third trimester.

2002 Congenital Syphilis Epidemiologic Profile

Trends

Reported congenital syphilis decreased 9 percent (45 to 41) in Illinois during 2002 compared to 2001. There was a 22 percent (9 to 11) increase in Illinois excluding Chicago and a 17 percent (36 to 30) decrease in Chicago (Figure 16).

Where

The total number of congenital syphilis cases reported during 2002 in Illinois was 41: 30 (73%) in Chicago and 11 (27%) in Illinois excluding Chicago. The case rate per 100,000 live births was 22.3 for Illinois, 60.5 for Chicago and 8.2 for Illinois excluding Chicago.

Cases were reported from eight of the 102 counties in Illinois, compared to five counties with reported cases in 2001. The number of reported cases and case rates, respectively, for these counties were as follows: Cook, 32 (38.0); St. Clair, 2 (54.0); McHenry, 2 (48.5); Winnebago, 1 (25.4); McLean, 1 (49.0); Will, 1 (11.5); Lake, 1 (9.3); and DuPage, 1 (7.5) (Figure 17).

Who

The racial distribution of cases during 2002 was 83 percent African American (34), 15 percent white (6) and 2 percent other or unknown race (1) (Figure 18). Ten percent (4) of cases were among Hispanics.

The ages of women who delivered an infant with congenital syphilis during 2002 ranged from 20 to 40 years, with the 20-24 year age group accounting for the largest percentage of cases. The average age of the mothers was 29 years (Figure 19).

**2002**

Figure 16.




Figure 17.
Illinois Congenital Syphilis Case Rates,
2002




Figure 18.

Illinois Reported Congenital Syphilis by Race/Ethnicity, 2002





Figure 19.

Illinois Congenital Syphilis by Mother's Age Group,* 2002



2002

2002 Genital Herpes Summary

Genital herpes is a contagious viral infection that affects an estimated 45 million Americans (more than one in five). The infection is caused by the herpes simplex virus (HSV). It is usually acquired through sexual contact with someone infected with genital herpes. There are two types of HSV: HSV-1 and HSV-2. HSV-1 usually causes sores on the lips known as fever blisters or cold sores, but it also can cause genital symptoms. HSV-2 most often causes painful genital lesions, but also can affect the mouth. HSV, like other genital ulcer diseases, increases the risk of acquiring or transmitting HIV by providing a point of entry for the virus. Pregnant women who develop a primary episode of genital herpes can pass the virus to their fetus, which may cause spontaneous abortion, premature delivery or potentially fatal neonatal infection. HSV remains in certain nerve cells throughout a person's life, causing periodic symptoms and/or viral shedding. Many persons infected with HSV never notice symptoms, but can still transmit the virus to others because of this intermittent viral shedding. This life-long ability to unknowingly transmit the virus is one of the reasons that HSV is so prevalent among sexually active adults.

The IDPH Division of Laboratories began performing herpes viral tissue culture testing on specimens submitted by Illinois STD clinics in December 1999. Between 2000 and 2002, the number of specimens submitted annually for herpes testing increased 70 percent (435 to 772) (Figure 20). Of the 361 specimens (47%) that were positive in 2002, 76 (21%) were identified as HSV-1 and 285 (79%) were identified as HSV-2 (Figure 21).

Figure 20.

Herpes Testing at IDPH Laboratories, 2000-2002





Figure 21.

Herpes Positivity Rates at IDPH Laboratories, 2000-2002



2002 Hepatitis Summary

Hepatitis is a viral infection that causes inflammation of the liver. There are several types of the virus, including hepatitis A, B, and C. Some hepatitis viruses (B and C) can spread by sexual contact and injection drug use. Hepatitis A (HAV) is typically spread by the fecal-oral route. Infection with the hepatitis B virus (HBV) can be mild or severe, or may cause no symptoms. HBV is spread by direct contact with blood or body fluids of infected people, most commonly by sharing drug needles, through sexual contact or from an infected mother to her infant during childbirth. Among adults, 90 percent to 94 percent of persons infected with HBV recover completely and have no long-term effects. However, 6 percent to 10 percent become chronic carriers of the virus and are at risk of developing cirrhosis or liver cancer. In Illinois, there were 185 reported cases of HBV and 262 HAV in 2002. HCV was made reportable in July 2002 and 13 acute cases were reported that year.

Beginning in 2001, Illinois STD clinics (excluding those in Chicago) began offering HBV vaccinations to eligible clients (at least 18 years old and never vaccinated for HBV). Of the 19,187 eligible clients in 2002 at 29 STD clinics, 29.0 percent (5,559) received the first dose of the three-dose hepatitis B vaccine series; 45.9 percent of those clients beginning the series returned for the second dose and 22.2 percent returned for the third dose (Figure 22).

In 2002, using grant funds from the U.S. Centers for Disease Control and Prevention (CDC), hepatitis A and B vaccination and hepatitis C testing programs were integrated into six pilot sites. These sites were existing programs serving clients considered to be at increased risk of hepatitis infection, such as men who have sex with men (MSM) and injection drug users (IDU). The vaccine acceptance rate was higher for these clients than for clients offered the vaccine at STD clinics. IDUs are offered hepatitis C testing. Of those tested in 2002, the positivity rate was 30.4 percent (Figure

Figure 22. **Hepatitis B Vaccination Services at 29 STD Clinics, 2002**

Hepatitis B				
# Eligible	# Vaccinated	% Vaccinated	Of those beginning the series	
			% Dose 2	% Dose 3
19,187	5,559	29.0	45.9	22.2

Figure 23. **Hepatitis Vaccination and Testing Services at Six Pilot Sites, 2002**

Hepatitis A			
Risk	# Eligible	# Vaccinated	% Vaccinated
MSM	312	138	44.2
IDU	651	276	42.3
Hepatitis B			
Risk	# Eligible	# Vaccinated	% Vaccinated
MSM	260	155	59.6
IDU	511	243	47.6
Hepatitis C			
Risk	# Tested	# Positive	% Positive
IDU	381	116	30.4



2002


STD Clinic Behavioral Data Collection

In 2002, the IDPH STD Section collected behavioral data from 39 STD clinics in Illinois excluding Chicago and the hepatitis vaccination/testing pilot sites. Staff at these clinics submit to IDPH a scannable behavioral risk assessment survey (RAS) for each client clinic visit. The forms are scanned into a database by IDPH. IDPH is then able to tabulate both statewide and individual clinic data, including the number of STD clinic visits by month, age, race, gender and clinical impression/diagnosis (Figure 24) as well as behavioral risk information. Data for non-reportable STDs such as human papilloma virus (HPV or genital warts) and herpes are included (Figure 25).

Behavioral risk information on the RAS can be linked to the IDPH laboratory STD test result by the laboratory specimen bar code. The table on the following page provides summary disease-specific information collected in 2002 (Figure 26).

The data collection system is based on visits and not individual clients; therefore, clients may be counted more than once per year. In 2002, risk assessment data were collected for 32,605 client visits.

Figure 24.



Key

NGU - nongonococcal urethritis
Trich. - trichomoniasis
HPV - human papilloma virus
BV - bacterial vaginosis



2002

Figure 25.




Figure 26.

Illinois STD Clinic Client Risk Assessment Survey Data, 2002

Risk	All Visits	+ Gonorrhea Tests	+ Chlamydia Tests
	n=32,605	n=1,897	n=2,865
Hx of hepatitis	3.4%	3.3%	2.0%
Tested for HIV	55.7%	62.0%	49.6%
Injected drugs	3.6%	1.2%	1.1%
Snorted drugs	16.7%	8.4%	11.7%
Had sex or shared needle w/HIV infected partner	1.0%	0.6%	0.6%
Money or drugs for sex	5.1%	4.0%	2.3%
>=6 sex partners in past year	8.6%	14.2%	11.2%
Never use condoms	15.3%	7.4%	10.2%




2002

Section 2.

Illinois Statewide Statistical Tables

Sexually Transmitted Diseases **Cases and Rates** **Yearly Trends, 1992 - 2002**



Sexually transmitted disease cases and rates for Illinois, reported during 1992 - 2002, are detailed in the following section. Data are summarized by gender, race, ethnicity and age group as well as by region and county.



Illinois Reported Sexually Transmitted Disease Cases and Rates By County, 2002

Statewide Statistical Tables

COUNTY	2000 County Population	Early Syphilis		P and S* Syphilis		Gonorrhea		Chlamydia	
		Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
ADAMS	68,277	1	1.5	0	0.0	46	67.4	86	126.0
ALEXANDER	9,590	0	0.0	0	0.0	29	302.4	64	667.4
BOND	17,633	0	0.0	0	0.0	5	28.4	23	130.4
BOONE	41,786	0	0.0	0	0.0	9	21.5	66	157.9
BROWN	6,950	1	14.4	0	0.0	4	57.6	10	143.9
BUREAU	35,503	0	0.0	0	0.0	12	33.8	38	107.0
CALHOUN	5,084	0	0.0	0	0.0	1	19.7	3	59.0
CARROLL	16,674	0	0.0	0	0.0	3	18.0	13	78.0
CASS	13,695	0	0.0	0	0.0	1	7.3	26	189.9
CHAMPAIGN	179,669	10	5.6	7	3.9	407	226.5	935	520.4
CHRISTIAN	35,372	2	5.7	1	2.8	5	14.1	26	73.5
CLARK	17,008	0	0.0	0	0.0	0	0.0	6	35.3
CLAY	14,560	0	0.0	0	0.0	2	13.7	10	68.7
CLINTON	35,535	1	2.8	1	2.8	6	16.9	27	76.0
COLES	53,196	2	3.8	0	0.0	16	30.1	118	221.8
COOK	5,376,741	882	16.4	408	7.6	16,632	309.3	30,822	573.2
Chicago	2,896,016	792	27.3	353	12.2	13,814	477.0	24,673	852.0
Suburban Cook	2,480,725	90	3.6	55	2.2	2,818	113.6	6,149	247.9
CRAWFORD	20,452	1	4.9	0	0.0	4	19.6	15	73.3
CUMBERLAND	11,253	0	0.0	0	0.0	1	8.9	6	53.3
DEKALB	88,969	0	0.0	0	0.0	61	68.6	297	333.8
DE WITT	16,798	0	0.0	0	0.0	7	41.7	24	142.9
DOUGLAS	19,922	1	5.0	1	5.0	4	20.1	18	90.4
DU PAGE	904,161	10	1.1	7	0.8	234	25.9	904	100.0
EDGAR	19,704	0	0.0	0	0.0	1	5.1	15	76.1
EDWARDS	6,971	0	0.0	0	0.0	0	0.0	3	43.0
EFFINGHAM	34,264	0	0.0	0	0.0	2	5.8	32	93.4
FAYETTE	21,802	0	0.0	0	0.0	13	59.6	27	123.8
FORD	14,241	1	7.0	1	7.0	4	28.1	9	63.2
FRANKLIN	39,018	0	0.0	0	0.0	8	20.5	38	97.4
FULTON	38,250	0	0.0	0	0.0	3	7.8	51	133.3
GALLATIN	6,445	0	0.0	0	0.0	0	0.0	2	31.0
GREENE	14,761	0	0.0	0	0.0	6	40.6	13	88.1
GRUNDY	37,535	0	0.0	0	0.0	10	26.6	28	74.6
HAMILTON	8,621	0	0.0	0	0.0	1	11.6	2	23.2
HANCOCK	20,121	1	5.0	1	5.0	1	5.0	19	94.4
HARDIN	4,800	0	0.0	0	0.0	1	20.8	2	41.7
HENDERSON	8,213	0	0.0	0	0.0	0	0.0	11	133.9
HENRY	51,020	0	0.0	0	0.0	15	29.4	83	162.7
IROQUOIS	31,334	0	0.0	0	0.0	10	31.9	33	105.3
JACKSON	59,612	0	0.0	0	0.0	132	221.4	255	427.8
JASPER	10,117	0	0.0	0	0.0	0	0.0	9	89.0
JEFFERSON	40,045	1	2.5	1	2.5	50	124.9	49	122.4
JERSEY	21,668	0	0.0	0	0.0	5	23.1	17	78.5
JO DAVIESS	22,289	0	0.0	0	0.0	3	13.5	18	80.8
JOHNSON	12,878	1	7.8	1	7.8	5	38.8	14	108.7
KANE	404,119	7	1.7	4	1.0	304	75.2	850	210.3
KANKAKEE	103,833	0	0.0	0	0.0	272	262.0	464	446.9
KENDALL	54,544	0	0.0	0	0.0	10	18.3	38	69.7
KNOX	55,836	0	0.0	0	0.0	56	100.3	127	227.5
LAKE	644,356	8	1.2	1	0.2	439	68.1	2,002	310.7
LA SALLE	111,509	0	0.0	0	0.0	36	32.3	153	137.2
LAWRENCE	15,452	0	0.0	0	0.0	0	0.0	16	103.5
LEE	36,062	1	2.8	1	2.8	17	47.1	52	144.2



2002

Illinois Reported Sexually Transmitted Disease Cases and Rates by County, 2002 (Cont'd.)

COUNTY	2000 County Population	Early Syphilis		P and S* Syphilis		Gonorrhea		Chlamydia	
		Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
LIVINGSTON	39,678	5	12.6	2	5.0	53	133.6	111	279.8
LOGAN	31,183	1	3.2	0	0.0	10	32.1	35	112.2
MC DONOUGH	32,913	2	6.1	2	6.1	5	15.2	80	243.1
MC HENRY	260,077	2	0.8	0	0.0	28	10.8	178	68.4
MC LEAN	150,433	3	2.0	2	1.3	181	120.3	434	288.5
MACON	114,706	1	0.9	0	0.0	404	352.2	605	527.4
MACOUPIN	49,019	0	0.0	0	0.0	5	10.2	37	75.5
MADISON	258,941	7	2.7	6	2.3	214	82.6	534	206.2
MARION	41,691	0	0.0	0	0.0	43	103.1	83	199.1
MARSHALL	13,180	0	0.0	0	0.0	2	15.2	16	121.4
MASON	16,038	0	0.0	0	0.0	2	12.5	16	99.8
MASSAC	15,161	0	0.0	0	0.0	3	19.8	18	118.7
MENARD	12,486	0	0.0	0	0.0	5	40.0	10	80.1
MERCER	16,957	0	0.0	0	0.0	7	41.3	21	123.8
MONROE	27,619	0	0.0	0	0.0	3	10.9	13	47.1
MONTGOMERY	30,652	2	6.5	0	0.0	10	32.6	41	133.8
MORGAN	36,616	1	2.7	0	0.0	44	120.2	98	267.6
MOULTRIE	14,287	0	0.0	0	0.0	3	21.0	13	91.0
OGLE	51,032	0	0.0	0	0.0	23	45.1	72	141.1
PEORIA	183,433	1	0.5	0	0.0	628	342.4	1043	568.6
PERRY	23,094	0	0.0	0	0.0	11	47.6	39	168.9
PIATT	16,365	0	0.0	0	0.0	4	24.4	15	91.7
PIKE	17,384	0	0.0	0	0.0	1	5.8	15	86.3
POPE	4,413	0	0.0	0	0.0	4	90.6	21	475.9
PULASKI	7,348	0	0.0	0	0.0	29	394.7	29	394.7
PUTNAM	6,086	0	0.0	0	0.0	0	0.0	1	16.4
RANDOLPH	33,893	1	3.0	0	0.0	9	26.6	47	138.7
RICHLAND	16,149	0	0.0	0	0.0	1	6.2	9	55.7
ROCK ISLAND	149,374	0	0.0	0	0.0	217	145.3	561	375.6
ST. CLAIR	256,082	8	3.1	5	2.0	839	327.6	1,526	595.9
SALINE	26,733	0	0.0	0	0.0	4	15.0	25	93.5
SANGAMON	188,951	1	0.5	1	0.5	649	343.5	874	462.6
SCHUYLER	7,189	0	0.0	0	0.0	0	0.0	5	69.6
SCOTT	5,537	0	0.0	0	0.0	0	0.0	7	126.4
SHELBY	22,893	0	0.0	0	0.0	4	17.5	11	48.0
STARK	6,332	0	0.0	0	0.0	2	31.6	5	79.0
STEPHENSON	48,979	0	0.0	0	0.0	90	183.8	166	338.9
TAZEWELL	128,485	0	0.0	0	0.0	26	20.2	147	114.4
UNION	18,293	1	5.5	1	5.5	3	16.4	24	131.2
VERMILION	83,919	10	11.9	6	7.1	132	157.3	322	383.7
WABASH	12,937	0	0.0	0	0.0	0	0.0	10	77.3
WARREN	18,735	0	0.0	0	0.0	8	42.7	36	192.2
WASHINGTON	15,148	0	0.0	0	0.0	4	26.4	11	72.6
WAYNE	17,151	0	0.0	0	0.0	3	17.5	10	58.3
WHITE	15,371	0	0.0	0	0.0	0	0.0	7	45.5
WHITESIDE	60,653	0	0.0	0	0.0	26	42.9	167	275.3
WILL	502,266	9	1.8	3	0.6	648	129.0	1067	212.4
WILLIAMSON	61,296	0	0.0	0	0.0	41	66.9	76	124.0
WINNEBAGO	278,418	21	7.5	16	5.7	701	251.8	1,410	506.4
WOODFORD	35,469	0	0.0	0	0.0	4	11.3	31	87.4
TOTAL ILLINOIS	12,419,293	1,007	8.1	479	3.9	24,026	193.5	48,101	387.3
Total Ill. excluding Chicago	9,523,277	215	2.3	126	1.3	10,212	107.2	23,428	246.0

*primary and secondary



**Illinois Reported Sexually Transmitted Diseases
State of Illinois, Illinois Excluding Chicago, and Chicago
Total Cases and Percentage Change, 2002 and 2001**

	State of Illinois			Illinois (exc. Chicago)			City of Chicago		
	Year Total			Year Total			Year Total		
	2002	2001	Change	2002	2001	Change	2002	2001	Change
Chlamydia	48,101	43,716	10%	23,428	21,296	10%	24,673	22,420	10%
Gonorrhea	24,026	24,025	0%	10,212	9,699	5%	13,814	14,326	-4%
Primary Syphilis	141	84	68%	51	31	65%	90	53	70%
Secondary Syphilis	338	325	4%	75	61	23%	263	264	0%
Total P and S* Syphilis	479	409	17%	126	92	37%	353	317	11%
Early Latent Syphilis	528	386	37%	89	88	1%	439	298	47%
Total Early Syphilis	1,007	795	27%	215	180	19%	792	615	29%
Congenital Syphilis	41	45	-9%	11	9	22%	30	36	-17%

*primary and secondary

.....


**Illinois Reported Sexually Transmitted Disease Cases and Rates
By HIV Prevention Regional Implementation Group, 2002**

Region	2000	Early Syphilis		P and S* Syphilis		Gonorrhea		Chlamydia	
	Population	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Region 1	644,862	22	3.4	17	2.6	933	144.7	2,261	350.6
Region 2	891,295	3	0.3	2	0.2	1,021	114.6	2,404	269.7
Region 3	580,983	10	1.7	3	0.5	795	136.8	1,338	230.3
Region 4	748,389	18	2.4	13	1.7	1,186	158.5	2,340	312.7
Region 5	329,824	2	0.6	2	0.6	274	83.1	626	189.8
Region 6	936,308	34	3.6	19	2.0	1,240	132.4	2,779	296.8
Region 7	2,910,891	36	1.2	15	0.5	1,945	66.8	5,531	190.0
Region 8	2,480,725	90	3.6	55	2.2	2,818	113.6	6,149	247.9
Region 9	2,896,016	792	27.3	353	12.2	13,814	477.0	24,673	852.0
Total All Regions	12,419,293	1,007	8.1	479	3.9	24,026	193.5	48,101	387.3

*primary and secondary



Illinois HIV Prevention Regional Implementation Groups



Illinois Reported Sexually Transmitted Diseases by Health Jurisdiction **Number of Cases and Percentage Change, 2002 vs. 2001**



2002

Morbidity Responsibility Area	Chlamydia			Gonorrhea			Early Syphilis		
	2001	2002	Change	2001	2002	Change	2001	2002	Change
ADAMS	70	86	23%	54	46	-15%	0	1	NA
ALEXANDER	81	64	-21%	66	29	-56%	0	0	NA
BOND	27	23	-15%	5	5	0%	0	0	NA
BOONE	61	66	8%	9	9	0%	0	0	NA
BROWN	4	10	150%	0	4	NA	0	1	NA
BUREAU	31	38	23%	0	12	NA	0	0	NA
CALHOUN	0	3	NA	0	1	NA	0	0	NA
CARROLL	10	13	30%	2	3	50%	0	0	NA
CASS	23	26	13%	5	1	-80%	0	0	NA
CHAMPAIGN	877	935	7%	409	407	0%	2	10	400%
CHRISTIAN	21	26	24%	4	5	25%	0	2	NA
CLARK	11	6	-45%	4	0	-100%	0	0	NA
CLAY	8	10	25%	1	2	100%	0	0	NA
CLINTON	22	27	23%	5	6	20%	0	1	NA
COLES	164	118	-28%	16	16	0%	0	2	NA
COOK CHICAGO HD	22,420	24,673	10%	14,326	13,814	-4%	615	792	29%
COOK COUNTY HD	4,975	5,714	15%	2,389	2,626	10%	43	84	95%
COOK EVANSTON HD	198	247	25%	106	93	-12%	4	3	-25%
COOK OAK PARK HD	104	103	-1%	64	66	3%	3	3	0%
COOK SKOKIE HD	35	52	49%	9	24	167%	0	0	NA
COOK STICKNEY HD	20	33	65%	5	9	80%	0	0	NA
CRAWFORD	13	15	15%	3	4	33%	0	1	NA
CUMBERLAND	7	6	-14%	0	1	NA	0	0	NA
DE KALB	280	297	6%	60	61	2%	3	0	-100%
DE WITT	15	24	60%	3	7	133%	0	0	NA
DOUGLAS	24	18	-25%	1	4	300%	0	1	NA
DUPAGE	837	904	8%	230	234	2%	10	10	0%
EDGAR	11	15	36%	2	1	-50%	0	0	NA
EDWARDS	6	3	-50%	0	0	NA	0	0	NA
EFFINGHAM	28	32	14%	2	2	0%	0	0	NA
FAYETTE	20	27	35%	2	13	550%	1	0	-100%
FORD	17	9	-47%	3	4	33%	0	1	NA
FRANKLIN	37	38	3%	4	8	100%	0	0	NA
FULTON	52	51	-2%	3	3	0%	0	0	NA
GALLATIN	3	2	-33%	0	0	NA	0	0	NA
GREENE	9	13	44%	0	6	NA	0	0	NA
GRUNDY	18	28	56%	7	10	43%	0	0	NA
HAMILTON	4	2	-50%	1	1	0%	0	0	NA
HANCOCK	16	19	19%	0	1	NA	0	1	NA
HARDIN	3	2	-33%	1	1	0%	0	0	NA
HENDERSON	7	11	57%	2	0	-100%	0	0	NA
HENRY	62	83	34%	19	15	-21%	0	0	NA
IROUOIS	25	33	32%	2	10	400%	0	0	NA
JACKSON	263	255	-3%	97	132	36%	0	0	NA
JASPER	0	9	NA	1	0	-100%	0	0	NA
JEFFERSON	49	49	0%	51	50	-2%	0	1	NA
JERSEY	21	17	-19%	3	5	67%	0	0	NA
JO DAVIESS	23	18	-22%	2	3	50%	0	0	NA
JOHNSON	12	14	17%	2	5	150%	0	1	NA
KANE	795	850	7%	261	304	16%	7	7	0%
KANKAKEE	447	464	4%	345	272	-21%	0	0	NA
KENDALL	31	38	23%	5	10	100%	0	0	NA
KNOX	137	127	-7%	47	56	19%	0	0	NA
LA SALLE	147	153	4%	35	36	3%	0	0	NA
LAKE	1078	1101	2%	332	368	11%	6	6	0%
LAKE GREAT LAKES NTC	1183	901	-24%	112	71	-37%	4	2	-50%
LAWRENCE	6	16	167%	3	0	-100%	0	0	NA
LEE	37	52	41%	12	17	42%	0	1	NA
LIVINGSTON	88	111	26%	40	53	33%	3	5	67%
LOGAN	38	35	-8%	9	10	11%	2	1	-50%
MACON	593	605	2%	500	404	-19%	0	1	NA
MACOUPIN	41	37	-10%	7	5	-29%	0	0	NA

**Illinois Reported Sexually Transmitted Diseases by Health Jurisdiction
Number of Cases and Percentage Change, 2002 vs. 2001 (Cont'd)**

Morbidity Responsibility Area	Chlamydia			Gonorrhea			Early Syphilis		
	2001	2002	Change	2001	2002	Change	2001	2002	Change
MADISON	534	534	0%	257	214	-17%	5	7	40%
MARION	80	83	4%	72	43	-40%	0	0	NA
MARSHALL	10	16	60%	1	2	100%	0	0	NA
MASON	12	16	33%	0	2	NA	0	0	NA
MASSAC	34	18	-47%	13	3	-77%	0	0	NA
MCDONOUGH	76	80	5%	7	5	-29%	0	2	NA
MCHENRY	148	178	20%	24	28	17%	2	2	0%
MCLEAN	340	434	28%	157	181	15%	2	3	50%
MENARD	10	10	0%	2	5	150%	0	0	NA
MERCER	11	21	91%	2	7	250%	0	0	NA
MONROE	9	13	44%	1	3	200%	0	0	NA
MONTGOMERY	42	41	-2%	17	10	-41%	2	2	0%
MORGAN	72	98	36%	16	44	175%	1	1	0%
MOULTRIE	13	13	0%	3	3	0%	0	0	NA
OGLE	71	72	1%	11	23	109%	0	0	NA
PEORIA	809	1043	29%	579	628	8%	0	1	NA
PERRY	29	39	34%	10	11	10%	1	0	-100%
PIATT	19	15	-21%	2	4	100%	0	0	NA
PIKE	7	15	114%	0	1	NA	0	0	NA
POPE	15	21	40%	10	4	-60%	2	0	-100%
PULASKI	38	29	-24%	22	29	32%	0	0	NA
PUTNAM	4	1	-75%	0	0	NA	0	0	NA
RANDOLPH	39	47	21%	14	9	-36%	0	1	NA
RICHLAND	8	9	13%	1	1	0%	0	0	NA
ROCK ISLAND	583	561	-4%	239	217	-9%	6	0	-100%
SALINE	40	25	-38%	4	4	0%	0	0	NA
SANGAMON CO HD	45	87	93%	15	27	80%	2	0	-100%
SANGAMON SPFLD HD	510	787	54%	501	622	24%	3	1	-67%
SCHUYLER	1	5	400%	0	0	NA	0	0	NA
SCOTT	1	7	600%	0	0	NA	0	0	NA
SHELBY	17	11	-35%	2	4	100%	0	0	NA
ST CLAIR COUNTY HD	499	511	2%	204	179	-12%	3	3	0%
ST CLAIR EASTSIDE HD	1038	971	-6%	693	655	-5%	31	5	-84%
ST CLAIR SCOTT AFB	45	44	-2%	2	5	150%	0	0	NA
STARK	6	5	-17%	2	2	0%	0	0	NA
STEPHENSON	149	166	11%	65	90	38%	0	0	NA
TAZEWELL	108	147	36%	10	26	160%	0	0	NA
UNION	28	24	-14%	4	3	-25%	0	1	NA
VERMILION	303	322	6%	207	132	-36%	10	10	0%
WABASH	7	10	43%	0	0	NA	0	0	NA
WARREN	36	36	0%	2	8	300%	0	0	NA
WASHINGTON	12	11	-8%	5	4	-20%	0	0	NA
WAYNE	8	10	25%	2	3	50%	0	0	NA
WHITE	5	7	40%	2	0	-100%	0	0	NA
WHITESIDE	115	167	45%	23	26	13%	0	0	NA
WILL	787	1067	36%	377	648	72%	16	9	-44%
WILLIAMSON	89	76	-15%	20	41	105%	0	0	NA
WINNEBAGO	1176	1410	20%	729	701	-4%	6	21	250%
WOODFORD	33	31	-6%	8	4	-50%	0	0	NA
Total Illinois	43,716	48,101	10%	24,025	24,026	0%	795	1,007	27%
Ill. excluding Chicago	21,296	23,428	10%	9,699	10,212	5%	180	215	19%



Illinois Reported Sexually Transmitted Diseases Cases and Rates, 1992 - 2002

Gonorrhea	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Cases	29,275	26,593	24,511	20,515	19,324	19,524	22,499	24,136	24,812	24,025	24,026
Rates	256.1	232.6	214.4	179.5	169.1	170.8	196.8	211.2	199.8	193.4	193.5
Chlamydia	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Cases	25,253	24,603	23,325	24,729	26,380	29,184	32,861	36,409	40,350	43,716	48,101
Rates	220.9	215.2	204.1	216.3	230.8	255.3	287.5	318.5	324.9	352.0	387.3
Early Syphilis	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Cases	5,381	3,805	2,782	2,857	1,887	1,467	992	1,061	794	795	1,007
Rates	47.1	33.3	24.3	25.0	16.5	12.8	9.3	9.3	6.4	6.4	8.1
Primary/Secondary Syphilis	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Cases	2,380	1,489	1,099	1,057	518	435	396	422	412	409	479
Rates	20.8	13.0	9.6	9.2	4.5	3.8	3.5	3.7	3.3	3.3	3.9
Congenital Syphilis	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Cases	396	368	258	197	106	75	64	60	54	45	41
Rates	207.4	193.0	136.4	106.0	57.9	41.5	41.0	33.0	29.7	24.3	22.2

Illinois Reported Sexually Transmitted Diseases Case Rates by Race and Ethnicity, 1992 - 2002

Gonorrhea	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	20.5	19.9	21.5	21.9	21.6	21.9	24.3	23.7	26.0	26.0	29.7
African American	1,396.9	1,286.0	1,158.6	948.2	918.9	894.7	1,005.8	1,033.8	944.8	874.5	839.3
Hispanic	36.0	33.6	83.7	60.8	58.4	50.3	65.9	60.1	30.2	34.3	46.0
Asian/Pacific	10.5	28.4	13.0	22.1	15.8	12.6	13.0	13.0	7.7	34.6	7.2
Native American	22.9	36.6	91.6	137.4	82.4	100.8	155.7	123.6	61.3	51.6	54.8
Chlamydia	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	73.0	68.4	61.3	62.0	75.3	83.6	87.1	98.4	108.9	109.1	117.0
African American	630.1	594.8	670.2	797.2	895.2	998.4	1,150.4	1,227.1	1,180.4	1,219.0	1,265.6
Hispanic	138.4	122.3	251.6	233.4	248.9	265.7	289.5	343.9	234.6	255.5	256.0
Asian/Pacific	38.2	61.7	48.0	61.0	63.8	71.5	66.9	60.3	57.7	49.3	46.7
Native American	45.8	36.6	132.8	174.0	219.8	201.5	238.1	224.4	170.9	164.5	148.4
Early Syphilis	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	2.5	2.2	1.5	1.7	n/a	1.1	0.7	1.3	1.3	2.3	3.9
African American	290.6	203.4	149.0	150.3	n/a	72.7	45.3	47.2	32.0	24.1	25.9
Hispanic	21.7	17.0	11.6	11.2	n/a	7.2	5.0	7.3	3.3	4.6	7.1
Asian/Pacific	5.6	3.9	1.8	3.2	n/a	1.1	2.8	0.7	0.7	0.7	0.2
Native American	4.6	0.0	9.2	9.2	n/a	0.0	13.7	4.6	6.5	0.0	0.0
Primary/Secondary Syphilis	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	1.0	0.9	0.6	0.7	0.4	0.3	0.4	0.7	0.8	1.5	2.3
African American	132.2	81.0	60.0	57.2	27.7	22.5	18.9	19.7	16.6	11.2	10.7
Hispanic	5.3	3.8	2.1	1.0	0.7	1.7	1.0	2.5	1.0	2.0	3.7
Asian/Pacific	1.8	0.7	0.7	1.1	0.0	0.0	0.7	0.0	0.5	0.7	0.0
Native American	0.0	0.0	4.6	4.6	4.6	0.0	4.6	4.6	6.5	0.0	0.0



2002

Section 3.

Chlamydia

Cases and Rates, 1992 - 2002
and 2002 County Statistical Tables



Reported chlamydia cases and rates for Illinois during 1992 - 2002 are detailed in the following tables. Data for 2002 are summarized by county, gender, race, ethnicity and age group.

Chlamydia



2002



Reported Chlamydia Cases and Percentages by Race, Ethnicity, Age Group and Gender Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002

Race	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Asian/Pacific Islander	3	0	197	1	200	0
African American	14,079	57	9,675	41	23,754	49
Native American	26	0	20	0	46	0
White	2,005	8	8,671	37	10,676	22
Other/Unknown	8,560	35	4,865	21	13,425	28
Total	24,673	100	23,428	100	48,101	100
Ethnicity	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Hispanic	1,730	7	2,187	9	3,917	8
Non-Hispanic	14,983	61	14,023	60	29,006	60
Unknown	7,960	32	7,218	31	15,178	32
Total	24,673	100	23,428	100	48,101	100
Age Group	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
0 - 4	56	0	27	0	83	0
5 - 9	5	0	3	0	8	0
10 - 14	203	1	338	1	541	1
15 - 19	7,155	29	8,743	37	15,898	33
20 - 24	9,037	37	8,937	38	17,974	37
25 - 29	4,207	17	3,016	13	7,223	15
30 - 34	1,994	8	1,224	5	3,218	7
35 - 39	973	4	578	2	1,551	3
40 - 44	574	2	291	1	865	2
45 - 49	260	1	126	1	386	1
50 - 54	113	0	30	0	143	0
55 - 59	39	0	14	0	53	0
60 - 64	22	0	6	0	28	0
65+	25	0	5	0	30	0
Unknown	10	0	90	0	100	0
Total	24,673	100	23,428	100	48,101	100
Gender	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Male	8,084	33	5,858	25	13,942	29
Female	16,589	67	17,565	75	34,154	71
Unknown	0	0	5	0	5	0
Total	24,673	100	23,428	100	48,101	100

Illinois Reported Chlamydia Cases by Race, Ethnicity, Age Group, and Gender 1992 - 2002

Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	6,535	6,127	5,486	5,555	6,739	7,486	7,801	8,807	9,936	9,953	10,676
African American	10,675	10,077	11,355	13,507	15,167	16,915	19,491	20,791	22,154	22,880	23,754
Hispanic	1,252	1,106	2,276	2,111							
Asian/Pacific	109	176	137	174	182	204	191	172	247	211	200
Native American	10	8	29	38	48	44	52	49	53	51	46
Other/Unknown	6,672	7,109	4,042	3,344	4,244	4,535	5,326	6,590	7,960	10,621	13,425
Total	25,253	24,603	23,325	24,729	26,380	29,184	32,861	36,409	40,350	43,716	48,101
Ethnicity*	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Hispanic					2,251	2,403	2,618	3,110	3,590	3,910	3,917
NonHispanic					20,306	21,015	24,364	25,690	27,867	28,451	29,006
Unknown					3,823	5,766	5,879	7,609	8,893	11,355	15,178
Total					26,380	29,184	32,861	36,409	40,350	43,716	48,101
Age Group	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	64	95	223	202	192	168	112	97	94	94	83
5-9	23	41	22	18	19	8	4	11	15	5	8
10-14	783	660	714	637	507	520	565	567	441	564	541
15-19	9,378	9,813	9,913	10,747	11,014	11,577	13,309	14,305	13,391	15,124	15,898
20-24	8,682	8,640	7,272	8,073	8,681	10,038	11,126	12,582	15,313	16,411	17,974
25-29	3,020	2,837	2,492	2,712	3,410	3,943	4,429	5,023	6,217	6,266	7,223
30-34	1,439	1,253	1,171	1,150	1,273	1,579	1,764	1,997	2,524	2,660	3,218
35-39	708	538	532	496	621	736	837	923	1,206	1,336	1,551
40-44	337	233	262	226	273	330	362	448	554	615	865
45-54	248	144	155	128	162	189	213	232	354	403	529
55-64	65	36	29	38	34	50	42	55	63	70	81
65+	19	25	10	23	28	29	41	42	40	40	30
Age Unknown	487	288	530	279	166	17	57	127	138	128	100
Total	25,253	24,603	23,325	24,729	26,380	29,184	32,861	36,409	40,350	43,716	48,101
Gender	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Female	22,462	21,531	20,523	21,540	21,987	23,474	26,112	28,758	31,771	33,124	34,154
Male	2,791	3,072	2,802	3,189	4,392	5,698	6,749	7,642	8,578	10,588	13,942
Unknown	0	0	0	0	1	12	0	9	1	4	5
Total	25,253	24,603	23,325	24,729	26,380	29,184	32,861	36,409	40,350	43,716	48,101

Age data not available prior to 1992 for Chicago

*Ethnicity reported separately from race beginning 1996

Chlamydia



2002

Illinois Reported Chlamydia Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	107	84	77	70	110	91	88	63	74	70	86
ALEXANDER	38	50	28	54	56	46	60	70	70	81	64
BOND	6	4	3	13	18	12	16	13	16	27	23
BOONE	32	22	29	26	33	39	54	37	52	61	66
BROWN	1	3	0	2	6	4	4	10	10	4	10
BUREAU	12	21	16	25	23	28	35	37	31	31	38
CALHOUN	3	0	1	0	1	0	1	3	6	0	3
CARROLL	12	26	10	11	12	13	18	16	11	10	13
CASS	14	11	4	10	17	22	19	24	18	23	26
CHAMPAIGN	766	624	607	539	416	619	729	770	900	877	935
CHRISTIAN	10	16	9	5	10	10	23	26	19	21	26
CLARK	6	4	5	5	9	10	11	24	15	11	6
CLAY	5	2	1	8	8	16	19	15	3	8	10
CLINTON	7	6	7	16	7	21	11	21	18	22	27
COLES	214	277	133	83	141	78	192	142	188	164	118
COOK	13,475	12,915	13,154	14,177	16,356	18,154	20,344	22,092	24,655	27,752	30,822
CHICAGO	12,043	11,171	10,701	11,773	13,893	15,168	17,023	18,125	19,792	22,420	24,673
SUBURBAN COOK	1,432	1,744	2,453	2,404	2,463	2,986	3,321	3,967	4,863	5,332	6,149
CRAWFORD	5	2	2	4	8	7	2	14	15	13	15
CUMBERLAND	3	3	7	8	5	8	8	5	10	7	6
DEKALB	197	190	169	203	174	228	275	220	242	280	297
DE WITT	28	14	9	13	25	22	7	15	22	15	24
DOUGLAS	17	21	12	9	10	11	9	17	33	24	18
DU PAGE	627	580	464	442	564	597	522	656	731	837	904
EDGAR	6	15	4	12	14	16	22	19	13	11	15
EDWARDS	0	4	4	1	2	0	1	2	5	6	3
EFFINGHAM	9	26	16	18	9	12	22	30	26	28	32
FAYETTE	8	10	10	6	14	11	12	20	14	20	27
FORD	12	7	10	12	12	7	16	22	8	17	9
FRANKLIN	17	37	35	35	28	31	38	23	38	37	38
FULTON	100	57	57	34	36	31	23	62	63	52	51
GALLATIN	4	2	2	4	2	3	1	4	4	3	2
GREENE	15	4	12	9	9	2	9	8	11	9	13
GRUNDY	6	6	6	16	15	10	14	9	15	18	28
HAMILTON	1	0	1	3	3	3	2	3	5	4	2
HANCOCK	28	31	25	28	20	14	23	21	27	16	19
HARDIN	7	9	9	1	5	4	2	0	2	3	2
HENDERSON	13	11	8	2	4	5	4	9	9	7	11
HENRY	55	46	41	52	43	50	51	76	71	62	83
IROQUOIS	24	20	23	22	25	22	26	33	29	25	33
JACKSON	328	284	270	203	185	209	256	238	242	263	255
JASPER	0	0	0	0	1	3	3	3	5	0	9
JEFFERSON	16	20	25	52	39	38	41	59	50	49	49
JERSEY	28	14	6	4	5	7	11	14	24	21	17
JO DAVIESS	11	15	7	12	6	2	16	20	21	23	18
JOHNSON	8	10	1	10	5	8	4	13	12	12	14
KANE	367	331	343	419	368	396	458	662	731	795	850
KANKAKEE	423	447	340	338	279	336	429	388	454	447	464
KENDALL	22	5	10	20	11	13	19	20	27	31	38
KNOX	97	67	85	98	100	114	124	113	170	137	127
LAKE	752	899	749	1,196	1,331	1,334	1,380	1,672	2,021	2,261	2,002
LA SALLE	156	86	80	95	103	103	121	138	146	147	153
LAWRENCE	15	8	9	2	3	7	4	8	12	6	16
LEE	26	26	10	50	23	45	50	45	35	37	52
LIVINGSTON	34	23	19	46	30	42	66	102	110	88	111

Chlamydia



2002

Illinois Reported Chlamydia Cases by County, 1992 - 2002 (Cont'd)

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	57	44	33	35	20	21	38	45	61	38	35
MC DONOUGH	201	119	69	68	67	72	65	60	64	76	80
MC HENRY	51	62	55	41	52	79	92	119	156	148	178
MC LEAN	409	372	331	414	309	358	314	483	398	340	434
MACON	479	541	446	552	513	446	555	525	573	593	605
MACOUPIN	25	23	25	34	21	20	19	36	41	41	37
MADISON	438	443	375	336	316	457	489	509	545	534	534
MARION	24	35	62	57	54	94	75	70	90	80	83
MARSHALL	9	7	2	6	6	9	9	8	9	10	16
MASON	34	21	16	15	7	11	16	15	8	12	16
MASSAC	16	18	28	18	10	10	13	30	28	34	18
MENARD	13	12	5	10	5	3	8	9	4	10	10
MERCER	15	6	12	11	11	13	6	20	13	11	21
MONROE	6	2	4	4	8	8	9	13	9	9	13
MONTGOMERY	31	22	13	19	8	14	14	29	36	42	41
MORGAN	77	64	51	58	49	57	41	71	70	72	98
MOULTRIE	10	16	9	15	8	17	9	12	17	13	13
OGLE	57	51	43	34	43	42	38	52	64	71	72
PEORIA	958	996	995	798	619	823	890	781	902	809	1,043
PERRY	11	14	7	13	18	16	24	25	20	29	39
PIATT	13	24	10	4	6	15	16	18	19	19	15
PIKE	4	9	5	4	15	17	11	9	14	7	15
POPE	1	17	5	9	8	5	23	23	15	15	21
PULASKI	9	14	13	16	26	34	29	51	45	38	29
PUTNAM	4	2	2	5	0	4	5	4	8	4	1
RANDOLPH	15	19	30	29	28	31	20	16	32	39	47
RICHLAND	14	3	6	6	11	5	23	13	10	8	9
ROCK ISLAND	625	525	507	476	481	519	504	598	631	583	561
ST. CLAIR	887	1114	686	740	731	618	1133	1563	1355	1582	1,526
SALINE	14	13	14	7	20	13	20	44	34	40	25
SANGAMON	522	519	512	361	349	397	423	539	582	555	874
SCHUYLER	5	2	1	3	3	9	1	3	5	1	5
SCOTT	7	2	4	5	1	5	4	6	8	1	7
SHELBY	12	13	16	13	7	22	11	12	20	17	11
STARK	3	2	3	5	5	4	2	8	5	6	5
STEPHENSON	123	126	78	97	88	102	126	133	125	149	166
TAZEWELL	192	170	135	110	98	129	115	118	127	108	147
UNION	11	8	2	18	24	13	13	24	24	28	24
VERMILION	248	209	154	301	228	278	285	330	321	303	322
WABASH	4	10	7	0	9	7	6	7	10	7	10
WARREN	27	14	16	24	30	24	32	24	29	36	36
WASHINGTON	4	6	5	9	9	14	8	4	8	12	11
WAYNE	2	4	2	0	13	11	15	7	8	8	10
WHITE	13	3	8	3	8	9	3	17	10	5	7
WHITESIDE	140	122	91	94	54	83	109	113	130	115	167
WILL	208	265	334	325	356	356	504	593	858	787	1,067
WILLIAMSON	68	90	57	64	52	51	42	58	64	89	76
WINNEBAGO	964	1008	1047	913	823	906	952	1019	1179	1176	1,410
WOODFORD	20	27	21	27	14	19	7	17	27	33	31
TOTAL ILLINOIS	25,253	24,603	23,325	24,729	26,380	29,184	32,861	36,409	40,350	43,716	48,101
Total Ill. excluding Chicago	13,210	13,432	12,624	12,956	12,487	14,016	15,838	18,284	20,558	21,296	23,428

Chlamydia



2002

Illinois Chlamydia Case Rates per 100,000 Population by County, 1992 - 2002

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	68,277	161.9	127.1	116.5	105.9	166.4	137.7	133.2	95.3	108.4	102.5	126.0
ALEXANDER	9,590	357.6	470.5	263.5	508.2	527.0	432.9	564.7	658.8	729.9	844.6	667.4
BOND	17,633	40.0	26.7	20.0	86.7	120.1	80.0	106.7	86.7	90.7	153.1	130.4
BOONE	41,786	103.9	71.4	94.1	84.4	107.1	126.6	175.3	120.1	124.4	146.0	157.9
BROWN	6,950	17.1	51.4	0.0	34.3	102.8	68.5	68.5	171.4	143.9	57.6	143.9
BUREAU	35,503	33.6	58.8	44.8	70.1	64.4	78.5	98.1	103.7	87.3	87.3	107.0
CALHOUN	5,084	56.4	0.0	18.8	0.0	18.8	0.0	18.8	56.4	118.0	0.0	59.0
CARROLL	16,674	71.4	154.7	59.5	65.5	71.4	77.4	107.1	95.2	66.0	60.0	78.0
CASS	13,695	104.2	81.9	29.8	74.4	126.5	163.7	141.4	178.6	131.4	167.9	189.9
CHAMPAIGN	179,669	442.7	360.6	350.8	311.5	240.4	357.8	421.3	445.0	500.9	488.1	520.4
CHRISTIAN	35,372	29.1	46.5	26.1	14.5	29.1	29.1	66.8	75.5	53.7	59.4	73.5
CLARK	17,008	37.7	25.1	31.4	31.4	56.5	62.8	69.1	150.7	88.2	64.7	35.3
CLAY	14,560	34.6	13.8	6.9	55.3	55.3	110.7	131.4	103.7	20.6	54.9	68.7
CLINTON	35,535	20.6	17.7	20.6	47.1	20.6	61.9	32.4	61.9	50.7	61.9	76.0
COLES	53,196	414.4	536.4	257.5	160.7	273.0	151.0	371.8	275.0	353.4	308.3	221.8
COOK	5,376,741	264.0	253.0	257.7	277.7	320.4	237.1	398.5	432.7	458.5	516.1	573.2
CHICAGO	2,896,016	432.6	401.3	384.4	422.9	499.1	544.9	611.5	651.1	683.4	774.2	852.0
SUBURBAN COOK	2,480,725	61.7	75.1	105.7	103.6	106.1	128.6	143.1	170.9	196.0	214.9	247.9
CRAWFORD	20,452	25.7	10.3	10.3	20.6	41.1	36.0	10.3	71.9	73.3	63.6	73.3
CUMBERLAND	11,253	28.1	28.1	65.6	75.0	46.9	75.0	75.0	46.9	88.9	62.2	53.3
DEKALB	88,969	252.8	243.8	216.9	260.5	223.3	292.6	352.9	282.3	272.0	314.7	333.8
DE WITT	16,798	169.5	84.8	54.5	78.7	151.4	133.2	42.4	90.8	131.0	89.3	142.9
DOUGLAS	19,922	87.3	107.9	61.7	46.2	51.4	56.5	46.2	87.3	165.6	120.5	90.4
DU PAGE	904,161	80.2	74.2	59.4	56.5	72.2	76.4	66.8	83.9	80.8	92.6	100.0
EDGAR	19,704	30.6	76.6	20.4	61.2	71.4	81.7	112.3	97.0	66.0	55.8	76.1
EDWARDS	6,971	0.0	53.8	53.8	13.4	26.9	0.0	13.4	26.9	71.7	86.1	43.0
EFFINGHAM	34,264	28.4	82.0	50.5	56.8	28.4	37.9	69.4	94.6	75.9	81.7	93.4
FAYETTE	21,802	38.3	47.9	47.9	28.7	67.0	52.6	57.4	95.7	64.2	91.7	123.8
FORD	14,241	84.1	49.0	70.1	84.1	84.1	49.0	112.1	154.1	56.2	119.4	63.2
FRANKLIN	39,018	42.2	91.8	86.8	86.8	69.4	76.9	94.2	57.0	97.4	94.8	97.4
FULTON	38,250	262.6	149.7	149.7	89.3	94.5	81.4	60.4	162.8	164.7	135.9	133.3
GALLATIN	6,445	57.9	28.9	28.9	57.9	28.9	43.4	14.5	57.9	62.1	46.5	31.0
GREENE	14,761	97.9	26.1	78.3	58.8	58.8	13.1	58.8	52.2	74.5	61.0	88.1
GRUNDY	37,535	18.6	18.6	18.6	49.5	46.4	30.9	43.3	27.8	40.0	48.0	74.6
HAMILTON	8,621	11.8	0.0	11.8	35.3	35.3	35.3	23.5	35.3	58.0	46.4	23.2
HANCOCK	20,121	131.0	145.0	117.0	131.0	93.6	65.5	107.6	98.3	134.2	79.5	94.4
HARDIN	4,800	134.9	173.4	173.4	19.3	96.4	77.1	38.5	0.0	41.7	62.5	41.7
HENDERSON	8,213	160.6	135.9	98.8	24.7	49.4	61.8	49.4	111.2	109.6	85.2	133.9
HENRY	51,020	107.5	89.9	80.1	101.6	84.1	97.7	99.7	148.6	139.2	121.5	162.7
IROQUOIS	31,334	78.0	65.0	74.7	71.5	81.2	71.5	84.5	107.2	92.6	79.8	105.3
JACKSON	59,612	537.1	465.1	442.1	332.4	302.9	342.2	419.2	389.7	406.0	441.2	427.8
JASPER	10,117	0.0	0.0	0.0	0.0	9.4	28.3	28.3	28.3	49.4	0.0	89.0
JEFFERSON	40,045	43.2	54.0	67.5	140.5	105.3	102.6	110.8	159.4	124.9	122.4	122.4
JERSEY	21,668	136.3	68.2	29.2	19.5	24.3	34.1	53.6	68.2	110.8	96.9	78.5
JO DAVIESS	22,289	50.4	68.7	32.1	55.0	27.5	9.2	73.3	91.7	94.2	103.2	80.8
JOHNSON	12,878	70.5	88.1	8.8	88.1	44.1	70.5	35.3	114.6	93.2	93.2	108.7
KANE	404,119	115.6	104.3	108.0	132.0	115.9	124.7	144.3	208.5	180.9	196.7	210.3
KANKAKEE	103,833	439.5	464.4	353.2	351.2	289.9	349.1	445.7	403.1	437.2	430.5	446.9
KENDALL	54,544	55.8	12.7	25.4	50.7	27.9	33.0	48.2	50.7	49.5	56.8	69.7
KNOX	55,836	172.0	118.8	150.7	173.8	177.3	202.2	219.9	200.4	304.5	245.4	227.5
LAKE	644,356	145.6	174.1	145.0	231.6	257.7	258.3	267.2	323.8	313.6	350.9	310.7
LA SALLE	111,509	145.9	80.4	74.8	88.9	96.3	96.3	113.2	129.1	130.9	131.8	137.2
LAWRENCE	15,452	93.9	50.1	56.3	12.5	18.8	43.8	25.0	50.1	77.7	38.8	103.5
LEE	36,062	75.6	75.6	29.1	145.4	66.9	130.8	145.4	130.8	97.1	102.6	144.2
LIVINGSTON	39,678	86.5	58.5	48.3	117.0	76.3	106.9	167.9	259.5	277.2	221.8	279.8

Chlamydia



2002

Illinois Chlamydia Case Rates per 100,000 Population by County, 1992 - 2002 (Cont'd)

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	31,183	185.1	142.9	107.1	113.6	64.9	68.2	123.4	146.1	195.6	121.9	112.2
MC DONOUGH	32,913	570.3	337.6	195.8	192.9	190.1	204.3	184.4	170.2	194.5	230.9	243.1
MC HENRY	260,077	27.8	33.8	30.0	22.4	28.4	43.1	50.2	64.9	60.0	56.9	68.4
MC LEAN	150,433	316.6	288.0	256.2	320.5	239.2	277.1	243.1	373.9	264.6	226.0	288.5
MACON	114,706	408.7	461.6	380.5	471.0	437.7	380.5	473.5	447.9	499.5	517.0	527.4
MACOUPIN	49,019	52.4	48.2	52.4	71.3	44.0	41.9	39.8	75.5	83.6	83.6	75.5
MADISON	258,941	175.7	177.7	150.5	134.8	126.8	183.4	196.2	204.2	210.5	206.2	206.2
MARION	41,691	57.7	84.2	149.2	137.1	129.9	226.2	180.5	168.4	215.9	191.9	199.1
MARSHALL	13,180	70.1	54.5	15.6	46.7	46.7	70.1	70.1	62.3	68.3	75.9	121.4
MASON	16,038	209.0	129.1	98.3	92.2	43.0	67.6	98.3	92.2	49.9	74.8	99.8
MASSAC	15,161	108.5	122.0	189.8	122.0	67.8	67.8	88.1	203.4	184.7	224.3	118.7
MENARD	12,486	116.4	107.5	44.8	89.6	44.8	26.9	71.7	80.6	32.0	80.1	80.1
MERCER	16,957	86.8	34.7	69.4	63.6	63.6	75.2	34.7	115.7	76.7	64.9	123.8
MONROE	27,619	26.8	8.9	17.8	17.8	35.7	35.7	40.1	58.0	32.6	32.6	47.1
MONTGOMERY	30,652	100.9	71.6	42.3	61.8	26.0	45.6	45.6	94.4	117.4	137.0	133.8
MORGAN	36,616	211.6	175.8	140.1	159.4	134.6	156.6	112.6	195.1	191.2	196.6	267.6
MOULTRIE	14,287	71.8	114.9	64.6	107.7	57.4	122.0	64.6	86.1	119.0	91.0	91.0
OGLE	51,032	124.0	111.0	93.6	74.0	93.6	91.4	82.7	113.1	125.4	139.1	141.1
PEORIA	183,433	524.0	544.8	544.2	436.5	338.6	450.2	486.8	427.2	491.7	441.0	568.6
PERRY	23,094	51.4	65.4	32.7	60.7	84.1	74.7	112.1	116.8	86.6	125.6	168.9
PIATT	16,365	83.6	154.4	64.3	25.7	38.6	96.5	102.9	115.8	116.1	116.1	91.7
PIKE	17,384	22.8	51.2	28.4	22.8	85.3	96.7	62.6	51.2	80.5	40.3	86.3
POPE	4,413	22.9	388.7	114.3	205.8	182.9	114.3	526.0	526.0	339.9	339.9	475.9
PULASKI	7,348	119.6	186.1	172.8	212.7	345.6	451.9	385.5	677.9	612.4	517.1	394.7
PUTNAM	6,086	69.8	34.9	34.9	87.3	0.0	69.8	87.3	69.8	131.4	65.7	16.4
RANDOLPH	33,893	43.4	54.9	86.7	83.9	81.0	89.6	57.8	46.3	94.4	115.1	138.7
RICHLAND	16,149	84.6	18.1	36.3	36.3	66.5	30.2	139.0	78.6	61.9	49.5	55.7
ROCK ISLAND	149,374	420.2	353.0	340.9	320.1	323.4	349.0	338.9	402.1	422.4	390.3	375.6
ST. CLAIR	256,082	337.5	423.8	261.0	281.5	278.1	235.1	431.0	594.6	529.1	617.8	595.9
SALINE	26,733	52.7	49.0	52.7	26.4	75.3	49.0	75.3	165.7	127.2	149.6	93.5
SANGAMON	188,951	292.6	290.9	287.0	202.4	195.6	222.6	237.1	302.2	308.0	293.7	462.6
SCHUYLER	7,189	66.7	26.7	13.3	40.0	40.0	120.0	13.3	40.0	69.6	13.9	69.6
SCOTT	5,537	124.0	35.4	70.9	88.6	17.7	88.6	70.9	106.3	144.5	18.1	126.4
SHELBY	22,893	53.9	58.4	71.9	58.4	31.4	98.8	49.4	53.9	87.4	74.3	48.0
STARK	6,332	45.9	30.6	45.9	76.5	76.5	61.2	30.6	122.4	79.0	94.8	79.0
STEPHENSON	48,979	256.0	262.2	162.3	201.9	183.1	212.3	262.2	276.8	255.2	304.2	338.9
TAZEWELL	128,485	155.2	137.4	109.1	88.9	79.2	104.3	93.0	95.4	98.8	84.1	114.4
UNION	18,293	62.4	45.4	11.4	102.2	136.2	73.8	73.8	136.2	131.2	153.1	131.2
VERMILION	83,919	281.0	236.8	174.5	341.0	258.3	315.0	322.9	373.9	382.5	361.1	383.7
WABASH	12,937	30.5	76.3	53.4	0.0	68.6	53.4	45.8	53.4	77.3	54.1	77.3
WARREN	18,735	140.8	73.0	83.4	125.1	156.4	125.1	166.8	125.1	154.8	192.2	192.2
WASHINGTON	15,148	26.7	40.1	33.4	60.1	60.1	93.6	53.5	26.7	52.8	79.2	72.6
WAYNE	17,151	11.6	23.2	11.6	0.0	75.4	63.8	87.0	40.6	46.6	46.6	58.3
WHITE	15,371	78.7	18.2	48.4	18.2	48.4	54.5	18.2	102.9	65.1	32.5	45.5
WHITESIDE	60,653	232.6	202.7	151.2	156.2	89.7	137.9	181.1	187.8	214.3	189.6	275.3
WILL	502,266	58.2	74.2	93.5	91.0	99.6	99.6	141.1	166.0	170.8	156.7	212.4
WILLIAMSON	61,296	117.8	155.9	98.7	110.9	90.1	88.3	72.7	100.5	104.4	145.2	124.0
WINNEBAGO	278,418	381.2	398.6	414.0	361.0	325.4	358.2	376.4	402.9	423.5	422.4	506.4
WOODFORD	35,469	61.3	82.7	64.3	82.7	42.9	58.2	21.4	52.1	76.1	93.0	87.4
ILLINOIS TOTAL	12,419,293	220.9	215.2	204.1	216.3	230.8	255.3	287.5	318.5	324.9	352.0	387.3
Total Ill. excluding Chicago	9,523,277	152.8	155.3	146.0	149.8	144.4	162.1	183.2	211.5	215.9	223.6	246.0

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Age Group, 2002

COUNTY	0-9		10-19		20-29		30-39		40-49		50+		Unknown		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	36	42	45	52	4	5	1	1	0	0	0	0	86	100
ALEXANDER	0	0	32	50	28	44	2	3	2	3	0	0	0	0	64	100
BOND	0	0	14	61	8	35	1	4	0	0	0	0	0	0	23	100
BOONE	0	0	38	58	22	33	5	8	0	0	1	2	0	0	66	100
BROWN	0	0	2	20	6	60	2	20	0	0	0	0	0	0	10	100
BUREAU	0	0	15	39	22	58	1	3	0	0	0	0	0	0	38	100
CALHOUN	0	0	2	67	0	0	0	0	1	33	0	0	0	0	3	100
CARROLL	0	0	5	38	5	38	3	23	0	0	0	0	0	0	13	100
CASS	0	0	10	38	11	42	4	15	1	4	0	0	0	0	26	100
CHAMPAIGN	1	0	343	37	528	56	50	5	10	1	2	0	1	0	935	100
CHRISTIAN	0	0	10	38	14	54	1	4	0	0	0	0	1	4	26	100
CLARK	0	0	4	67	2	33	0	0	0	0	0	0	0	0	6	100
CLAY	0	0	6	60	3	30	1	10	0	0	0	0	0	0	10	100
CLINTON	0	0	11	41	15	56	1	4	0	0	0	0	0	0	27	100
COLES	0	0	44	37	67	57	4	3	2	2	0	0	1	1	118	100
COOK	69	0	9,480	31	16,395	53	3,590	12	1,008	3	225	1	55	0	30,822	100
CRAWFORD	0	0	8	53	6	40	0	0	1	7	0	0	0	0	15	100
CUMBERLAND	0	0	3	50	3	50	0	0	0	0	0	0	0	0	6	100
DE WITT	0	0	9	38	14	58	1	4	0	0	0	0	0	0	24	100
DEKALB	0	0	118	40	162	55	14	5	3	1	0	0	0	0	297	100
DOUGLAS	0	0	7	39	9	50	2	11	0	0	0	0	0	0	18	100
DUPAGE	0	0	282	31	504	56	91	10	21	2	4	0	2	0	904	100
EDGAR	0	0	5	33	7	47	3	20	0	0	0	0	0	0	15	100
EDWARDS	0	0	2	67	1	33	0	0	0	0	0	0	0	0	3	100
EFFINGHAM	0	0	7	22	24	75	1	3	0	0	0	0	0	0	32	100
FAYETTE	0	0	19	70	7	26	0	0	0	0	0	0	1	4	27	100
FORD	0	0	5	56	3	33	1	11	0	0	0	0	0	0	9	100
FRANKLIN	0	0	26	68	10	26	2	5	0	0	0	0	0	0	38	100
FULTON	0	0	26	51	25	49	0	0	0	0	0	0	0	0	51	100
GALLATIN	0	0	2	100	0	0	0	0	0	0	0	0	0	0	2	100
GREENE	0	0	6	46	6	46	1	8	0	0	0	0	0	0	13	100
GRUNDY	0	0	7	25	13	46	8	29	0	0	0	0	0	0	28	100
HAMILTON	0	0	2	100	0	0	0	0	0	0	0	0	0	0	2	100
HANCOCK	0	0	8	42	9	47	2	11	0	0	0	0	0	0	19	100
HARDIN	0	0	1	50	1	50	0	0	0	0	0	0	0	0	2	100
HENDERSON	0	0	6	55	3	27	1	9	0	0	0	0	1	9	11	100
HENRY	0	0	24	29	50	60	5	6	4	5	0	0	0	0	83	100
IROQUOIS	0	0	17	52	13	39	3	9	0	0	0	0	0	0	33	100
JACKSON	0	0	93	36	149	58	10	4	2	1	1	0	0	0	255	100
JASPER	0	0	5	56	2	22	2	22	0	0	0	0	0	0	9	100
JEFFERSON	0	0	26	53	19	39	3	6	1	2	0	0	0	0	49	100
JERSEY	0	0	7	41	8	47	2	12	0	0	0	0	0	0	17	100
JO DAVIESS	0	0	8	44	8	44	2	11	0	0	0	0	0	0	18	100
JOHNSON	0	0	4	29	9	64	1	7	0	0	0	0	0	0	14	100
KANE	2	0	290	34	460	54	77	9	18	2	2	0	1	0	850	100
KANKAKEE	0	0	168	36	246	53	41	9	7	2	1	0	1	0	464	100
KENDALL	0	0	9	24	23	61	4	11	1	3	0	0	1	3	38	100
KNOX	0	0	47	37	71	56	7	6	1	1	0	0	1	1	127	100
LA SALLE	0	0	66	43	81	53	6	4	0	0	0	0	0	0	153	100
LAKE	0	0	906	45	936	47	125	6	28	1	1	0	6	0	2,002	100
LAWRENCE	0	0	7	44	8	50	1	6	0	0	0	0	0	0	16	100
LEE	0	0	26	50	25	48	1	2	0	0	0	0	0	0	52	100

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Age Group, 2002 (Cont'd)

COUNTY	0-9		10-19		20-29		30-39		40-49		50+		Unknown		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
LIVINGSTON	1	1	22	20	60	54	23	21	5	5	0	0	0	0	111	100
LOGAN	0	0	20	57	13	37	1	3	0	0	1	3	0	0	35	100
MACON	1	0	248	41	301	50	47	8	7	1	0	0	1	0	605	100
MACOUPIN	0	0	20	54	15	41	1	3	1	3	0	0	0	0	37	100
MADISON	1	0	255	48	242	45	24	4	8	1	0	0	4	1	534	100
MARION	0	0	43	52	36	43	4	5	0	0	0	0	0	0	83	100
MARSHALL	0	0	7	44	8	50	0	0	1	6	0	0	0	0	16	100
MASON	0	0	10	63	5	31	1	6	0	0	0	0	0	0	16	100
MASSAC	0	0	10	56	8	44	0	0	0	0	0	0	0	0	18	100
MCDONOUGH	0	0	30	38	44	55	5	6	1	1	0	0	0	0	80	100
MCHENRY	0	0	74	42	87	49	14	8	3	2	0	0	0	0	178	100
MCLEAN	1	0	138	32	262	60	22	5	6	1	2	0	3	1	434	100
MENARD	0	0	7	70	3	30	0	0	0	0	0	0	0	0	10	100
MERCER	0	0	7	33	14	67	0	0	0	0	0	0	0	0	21	100
MONROE	0	0	7	54	6	46	0	0	0	0	0	0	0	0	13	100
MONTGOMERY	0	0	12	29	27	66	1	2	1	2	0	0	0	0	41	100
MORGAN	0	0	32	33	54	55	10	10	2	2	0	0	0	0	98	100
MOULTRIE	0	0	5	38	7	54	1	8	0	0	0	0	0	0	13	100
OGLE	0	0	26	36	39	54	6	8	1	1	0	0	0	0	72	100
PEORIA	1	0	426	41	528	51	69	7	14	1	1	0	4	0	1,043	100
PERRY	0	0	12	31	19	49	7	18	1	3	0	0	0	0	39	100
PIATT	0	0	3	20	12	80	0	0	0	0	0	0	0	0	15	100
PIKE	0	0	6	40	7	47	2	13	0	0	0	0	0	0	15	100
POPE	0	0	12	57	8	38	0	0	0	0	0	0	1	5	21	100
PULASKI	0	0	17	59	11	38	0	0	1	3	0	0	0	0	29	100
PUTNAM	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
RANDOLPH	0	0	20	43	24	51	3	6	0	0	0	0	0	0	47	100
RICHLAND	0	0	2	22	7	78	0	0	0	0	0	0	0	0	9	100
ROCK ISLAND	0	0	227	40	285	51	40	7	6	1	2	0	1	0	561	100
SALINE	0	0	14	56	11	44	0	0	0	0	0	0	0	0	25	100
SANGAMON	0	0	368	42	425	49	61	7	16	2	0	0	4	0	874	100
SCHUYLER	0	0	2	40	3	60	0	0	0	0	0	0	0	0	5	100
SCOTT	0	0	5	71	1	14	1	14	0	0	0	0	0	0	7	100
SHELBY	0	0	4	36	7	64	0	0	0	0	0	0	0	0	11	100
ST. CLAIR	9	1	644	42	753	49	101	7	16	1	1	0	2	0	1,526	100
STARK	0	0	2	40	3	60	0	0	0	0	0	0	0	0	5	100
STEPHENSON	2	1	66	40	82	49	12	7	4	2	0	0	0	0	166	100
TAZEWELL	0	0	53	36	82	56	7	5	4	3	0	0	1	1	147	100
UNION	0	0	7	29	16	67	1	4	0	0	0	0	0	0	24	100
VERMILION	0	0	153	48	151	47	11	3	6	2	1	0	0	0	322	100
WABASH	0	0	5	50	4	40	1	10	0	0	0	0	0	0	10	100
WARREN	0	0	11	31	25	69	0	0	0	0	0	0	0	0	36	100
WASHINGTON	0	0	7	64	3	27	0	0	0	0	0	0	1	9	11	100
WAYNE	0	0	4	40	5	50	1	10	0	0	0	0	0	0	10	100
WHITE	0	0	2	29	5	71	0	0	0	0	0	0	0	0	7	100
WHITESIDE	0	0	68	41	82	49	14	8	2	1	1	1	0	0	167	100
WILL	3	0	388	36	555	52	91	9	19	2	6	1	5	0	1,067	100
WILLIAMSON	0	0	22	29	52	68	2	3	0	0	0	0	0	0	76	100
WINNEBAGO	0	0	596	42	700	50	98	7	14	1	2	0	0	0	1,410	100
WOODFORD	0	0	15	48	14	45	1	3	0	0	0	0	1	3	31	100
TOTAL	91	0	16,439	34	25,197	52	4,769	10	1,251	3	254	1	100	0	48,101	100

Chlamydia



2002



Illinois Chlamydia Cases and Percentages by County and Gender, 2002

COUNTY	Female		Male		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	78	91	8	9	0	0	86	100
ALEXANDER	58	91	6	9	0	0	64	100
BOND	21	91	2	9	0	0	23	100
BOONE	53	80	13	20	0	0	66	100
BROWN	4	40	6	60	0	0	10	100
BUREAU	30	79	8	21	0	0	38	100
CALHOUN	3	100	0	0	0	0	3	100
CARROLL	8	62	5	38	0	0	13	100
CASS	18	69	8	31	0	0	26	100
CHAMPAIGN	718	77	217	23	0	0	935	100
CHRISTIAN	20	77	6	23	0	0	26	100
CLARK	6	100	0	0	0	0	6	100
CLAY	9	90	1	10	0	0	10	100
CLINTON	24	89	3	11	0	0	27	100
COLES	108	92	10	8	0	0	118	100
COOK	20,838	68	9,979	32	5	0	30,822	100
CRAWFORD	10	67	5	33	0	0	15	100
CUMBERLAND	5	83	1	17	0	0	6	100
DE WITT	17	71	7	29	0	0	24	100
DEKALB	241	81	56	19	0	0	297	100
DOUGLAS	15	83	3	17	0	0	18	100
DUPAGE	618	68	286	32	0	0	904	100
EDGAR	13	87	2	13	0	0	15	100
EDWARDS	2	67	1	33	0	0	3	100
EFFINGHAM	24	75	8	25	0	0	32	100
FAYETTE	24	89	3	11	0	0	27	100
FORD	7	78	2	22	0	0	9	100
FRANKLIN	32	84	6	16	0	0	38	100
FULTON	38	75	13	25	0	0	51	100
GALLATIN	2	100	0	0	0	0	2	100
GREENE	12	92	1	8	0	0	13	100
GRUNDY	18	64	10	36	0	0	28	100
HAMILTON	2	100	0	0	0	0	2	100
HANCOCK	18	95	1	5	0	0	19	100
HARDIN	2	100	0	0	0	0	2	100
HENDERSON	10	91	1	9	0	0	11	100
HENRY	60	72	23	28	0	0	83	100
IROQUOIS	26	79	7	21	0	0	33	100
JACKSON	185	73	70	27	0	0	255	100
JASPER	8	89	1	11	0	0	9	100
JEFFERSON	39	80	10	20	0	0	49	100
JERSEY	12	71	5	29	0	0	17	100
JO DAVIESS	15	83	3	17	0	0	18	100
JOHNSON	6	43	8	57	0	0	14	100
KANE	690	81	160	19	0	0	850	100
KANKAKEE	352	76	112	24	0	0	464	100
KENDALL	30	79	8	21	0	0	38	100
KNOX	109	86	18	14	0	0	127	100
LA SALLE	121	79	32	21	0	0	153	100
LAKE	1,295	65	707	35	0	0	2,002	100
LAWRENCE	14	88	2	13	0	0	16	100
LEE	42	81	10	19	0	0	52	100

Illinois Chlamydia Cases and Percentages by County and Gender, 2002 (Cont'd)

COUNTY	Female		Male		Unknown		Total	
	#	%	#	%	#	%	#	%
LIVINGSTON	100	90	11	10	0	0	111	100
LOGAN	33	94	2	6	0	0	35	100
MACON	472	78	133	22	0	0	605	100
MACOUPIN	34	92	3	8	0	0	37	100
MADISON	443	83	91	17	0	0	534	100
MARION	73	88	10	12	0	0	83	100
MARSHALL	12	75	4	25	0	0	16	100
MASON	13	81	3	19	0	0	16	100
MASSAC	17	94	1	6	0	0	18	100
MCDONOUGH	67	84	13	16	0	0	80	100
MCHENRY	150	84	28	16	0	0	178	100
MCLEAN	340	78	94	22	0	0	434	100
MENARD	8	80	2	20	0	0	10	100
MERCER	16	76	5	24	0	0	21	100
MONROE	12	92	1	8	0	0	13	100
MONTGOMERY	21	51	20	49	0	0	41	100
MORGAN	66	67	32	33	0	0	98	100
MOULTRIE	11	85	2	15	0	0	13	100
OGLE	56	78	16	22	0	0	72	100
PEORIA	797	76	246	24	0	0	1,043	100
PERRY	33	85	6	15	0	0	39	100
PIATT	13	87	2	13	0	0	15	100
PIKE	15	100	0	0	0	0	15	100
POPE	17	81	4	19	0	0	21	100
PULASKI	25	86	4	14	0	0	29	100
PUTNAM	1	100	0	0	0	0	1	100
RANDOLPH	38	81	9	19	0	0	47	100
RICHLAND	6	67	3	33	0	0	9	100
ROCK ISLAND	427	76	134	24	0	0	561	100
SALINE	23	92	2	8	0	0	25	100
SANGAMON	695	80	179	20	0	0	874	100
SCHUYLER	4	80	1	20	0	0	5	100
SCOTT	6	86	1	14	0	0	7	100
SHELBY	9	82	2	18	0	0	11	100
ST. CLAIR	1,213	79	313	21	0	0	1,526	100
STARK	4	80	1	20	0	0	5	100
STEPHENSON	138	83	28	17	0	0	166	100
TAZEWELL	128	87	19	13	0	0	147	100
UNION	24	100	0	0	0	0	24	100
VERMILION	262	81	60	19	0	0	322	100
WABASH	9	90	1	10	0	0	10	100
WARREN	28	78	8	22	0	0	36	100
WASHINGTON	11	100	0	0	0	0	11	100
WAYNE	7	70	3	30	0	0	10	100
WHITE	7	100	0	0	0	0	7	100
WHITESIDE	134	80	33	20	0	0	167	100
WILL	824	77	243	23	0	0	1,067	100
WILLIAMSON	69	91	7	9	0	0	76	100
WINNEBAGO	1,108	79	302	21	0	0	1,410	100
WOODFORD	25	81	6	19	0	0	31	100
TOTAL	34,154	71	13,942	29	5	0	48,101	100

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Race, 2002

COUNTY	Native American		Asian/Pacific Islander		African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	0	0	11	13	0	0	21	24	54	63	86	100
ALEXANDER	0	0	0	0	51	80	0	0	3	5	10	16	64	100
BOND	0	0	0	0	1	4	0	0	2	9	20	87	23	100
BOONE	0	0	0	0	3	5	6	9	19	29	38	58	66	100
BROWN	0	0	0	0	2	20	0	0	1	10	7	70	10	100
BUREAU	0	0	0	0	1	3	0	0	9	24	28	74	38	100
CALHOUN	0	0	0	0	0	0	0	0	1	33	2	67	3	100
CARROLL	0	0	0	0	0	0	0	0	2	15	11	85	13	100
CASS	0	0	0	0	0	0	1	4	2	8	23	88	26	100
CHAMPAIGN	0	0	30	3	421	45	12	1	163	17	309	33	935	100
CHRISTIAN	0	0	0	0	1	4	0	0	2	8	23	88	26	100
CLARK	0	0	0	0	0	0	0	0	1	17	5	83	6	100
CLAY	0	0	0	0	0	0	0	0	2	20	8	80	10	100
CLINTON	0	0	0	0	4	15	0	0	4	15	19	70	27	100
COLES	0	0	0	0	28	24	3	3	3	3	84	71	118	100
COOK	29	0	57	0	17,062	55	602	2	9,799	32	3,273	11	30,822	100
CRAWFORD	0	0	0	0	2	13	2	13	5	33	6	40	15	100
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	6	100	6	100
DE WITT	0	0	0	0	1	4	0	0	3	13	20	83	24	100
DEKALB	0	0	3	1	114	38	3	1	23	8	154	52	297	100
DOUGLAS	0	0	0	0	0	0	0	0	2	11	16	89	18	100
DUPAGE	0	0	23	3	172	19	27	3	198	22	484	54	904	100
EDGAR	0	0	0	0	0	0	0	0	0	0	15	100	15	100
EDWARDS	0	0	0	0	0	0	0	0	0	0	3	100	3	100
EFFINGHAM	0	0	0	0	0	0	1	3	11	34	20	63	32	100
FAYETTE	0	0	0	0	2	7	0	0	0	0	25	93	27	100
FORD	0	0	0	0	0	0	0	0	1	11	8	89	9	100
FRANKLIN	0	0	0	0	0	0	0	0	4	11	34	89	38	100
FULTON	0	0	0	0	6	12	0	0	8	16	37	73	51	100
GALLATIN	0	0	0	0	0	0	0	0	1	50	1	50	2	100
GREENE	0	0	0	0	1	8	0	0	0	0	12	92	13	100
GRUNDY	0	0	0	0	1	4	1	4	5	18	21	75	28	100
HAMILTON	0	0	0	0	0	0	0	0	0	0	2	100	2	100
HANCOCK	0	0	0	0	0	0	0	0	1	5	18	95	19	100
HARDIN	0	0	0	0	0	0	0	0	1	50	1	50	2	100
HENDERSON	0	0	0	0	0	0	0	0	3	27	8	73	11	100
HENRY	0	0	0	0	11	13	0	0	2	2	70	84	83	100
IROQUOIS	0	0	0	0	4	12	0	0	4	12	25	76	33	100
JACKSON	0	0	3	1	121	47	5	2	29	11	97	38	255	100
JASPER	0	0	0	0	0	0	0	0	2	22	7	78	9	100
JEFFERSON	0	0	0	0	19	39	0	0	2	4	28	57	49	100
JERSEY	0	0	0	0	0	0	0	0	2	12	15	88	17	100
JO DAVIESS	0	0	1	6	0	0	0	0	1	6	16	89	18	100
JOHNSON	0	0	0	0	6	43	0	0	1	7	7	50	14	100
KANE	0	0	5	1	246	29	26	3	224	26	349	41	850	100
KANKAKEE	0	0	0	0	260	56	6	1	24	5	174	38	464	100
KENDALL	0	0	0	0	7	18	0	0	17	45	14	37	38	100
KNOX	0	0	1	1	29	23	1	1	19	15	77	61	127	100
LA SALLE	0	0	0	0	6	4	2	1	10	7	135	88	153	100
LAKE	10	0	35	2	787	39	194	10	203	10	773	39	2,002	100
LAWRENCE	0	0	0	0	0	0	0	0	2	13	14	88	16	100
LEE	0	0	0	0	1	2	1	2	6	12	44	85	52	100

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Race, 2002 (Cont'd)

COUNTY	Native American		Asian/Pacific Islander		African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%
LIVINGSTON	0	0	1	1	26	23	3	3	13	12	68	61	111	100
LOGAN	0	0	0	0	2	6	1	3	1	3	31	89	35	100
MACON	0	0	0	0	344	57	9	1	12	2	240	40	605	100
MACOUPIN	0	0	0	0	4	11	0	0	7	19	26	70	37	100
MADISON	1	0	3	1	224	42	7	1	56	10	243	46	534	100
MARION	0	0	0	0	17	20	0	0	10	12	56	67	83	100
MARSHALL	0	0	0	0	0	0	1	6	3	19	12	75	16	100
MASON	0	0	0	0	0	0	0	0	2	13	14	88	16	100
MASSAC	0	0	0	0	1	6	0	0	0	0	17	94	18	100
MCDONOUGH	0	0	0	0	17	21	0	0	8	10	55	69	80	100
MCHEERY	0	0	0	0	3	2	3	2	23	13	149	84	178	100
MCLEAN	3	1	2	0	136	31	8	2	46	11	239	55	434	100
MENARD	0	0	0	0	0	0	0	0	1	10	9	90	10	100
MERCER	0	0	0	0	1	5	0	0	2	10	18	86	21	100
MONROE	0	0	0	0	0	0	0	0	2	15	11	85	13	100
MONTGOMERY	0	0	1	2	6	15	0	0	8	20	26	63	41	100
MORGAN	0	0	0	0	21	21	1	1	4	4	72	73	98	100
MOULTRIE	0	0	0	0	0	0	0	0	1	8	12	92	13	100
OGLE	0	0	0	0	9	13	0	0	16	22	47	65	72	100
PEORIA	0	0	4	0	537	51	11	1	228	22	263	25	1,043	100
PERRY	1	3	0	0	5	13	1	3	2	5	30	77	39	100
PIATT	0	0	0	0	1	7	0	0	1	7	13	87	15	100
PIKE	0	0	0	0	0	0	0	0	0	0	15	100	15	100
POPE	0	0	0	0	10	48	0	0	3	14	8	38	21	100
PULASKI	0	0	0	0	22	76	0	0	2	7	5	17	29	100
PUTNAM	0	0	0	0	0	0	0	0	1	100	0	0	1	100
RANDOLPH	0	0	0	0	9	19	0	0	4	9	34	72	47	100
RICHLAND	0	0	0	0	0	0	0	0	1	11	8	89	9	100
ROCK ISLAND	0	0	8	1	173	31	4	1	65	12	311	55	561	100
SALINE	0	0	0	0	3	12	0	0	11	44	11	44	25	100
SANGAMON	0	0	1	0	410	47	11	1	69	8	383	44	874	100
SCHUYLER	0	0	0	0	0	0	0	0	1	20	4	80	5	100
SCOTT	0	0	0	0	0	0	0	0	0	0	7	100	7	100
SHELBY	0	0	0	0	0	0	0	0	1	9	10	91	11	100
ST. CLAIR	1	0	2	0	1,081	71	36	2	158	10	248	16	1,526	100
STARK	0	0	0	0	0	0	0	0	0	0	5	100	5	100
STEPHENSON	0	0	0	0	61	37	0	0	12	7	93	56	166	100
TAZEWELL	0	0	0	0	1	1	1	1	14	10	131	89	147	100
UNION	0	0	0	0	6	25	1	4	1	4	16	67	24	100
VERMILION	0	0	1	0	138	43	1	0	9	3	173	54	322	100
WABASH	0	0	0	0	0	0	0	0	2	20	8	80	10	100
WARREN	0	0	0	0	2	6	2	6	9	25	23	64	36	100
WASHINGTON	0	0	0	0	0	0	0	0	1	9	10	91	11	100
WAYNE	0	0	0	0	0	0	0	0	1	10	9	90	10	100
WHITE	0	0	0	0	0	0	0	0	0	0	7	100	7	100
WHITESIDE	0	0	0	0	8	5	3	2	43	26	113	68	167	100
WILL	0	0	3	0	501	47	19	2	188	18	356	33	1,067	100
WILLIAMSON	0	0	0	0	9	12	2	3	12	16	53	70	76	100
WINNEBAGO	1	0	16	1	584	41	85	6	418	30	306	22	1,410	100
WOODFORD	0	0	0	0	1	3	0	0	2	6	28	90	31	100
TOTAL	46	0	200	0	23,754	49	1,103	2	12,322	26	10,676	22	48,101	100

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Ethnicity, 2002

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	2	2	47	55	37	43	86	100
ALEXANDER	0	0	48	75	16	25	64	100
BOND	0	0	20	87	3	13	23	100
BOONE	11	17	37	56	18	27	66	100
BROWN	0	0	9	90	1	10	10	100
BUREAU	1	3	18	47	19	50	38	100
CALHOUN	0	0	2	67	1	33	3	100
CARROLL	0	0	10	77	3	23	13	100
CASS	5	19	18	69	3	12	26	100
CHAMPAIGN	34	4	771	82	130	14	935	100
CHRISTIAN	1	4	10	38	15	58	26	100
CLARK	0	0	5	83	1	17	6	100
CLAY	0	0	7	70	3	30	10	100
CLINTON	0	0	21	78	6	22	27	100
COLES	1	1	94	80	23	19	118	100
COOK	2,387	8	18,398	60	10,037	33	30,822	100
CRAWFORD	2	13	4	27	9	60	15	100
CUMBERLAND	0	0	3	50	3	50	6	100
DE WITT	0	0	19	79	5	21	24	100
DEKALB	31	10	133	45	133	45	297	100
DOUGLAS	1	6	15	83	2	11	18	100
DUPAGE	210	23	446	49	248	27	904	100
EDGAR	0	0	10	67	5	33	15	100
EDWARDS	0	0	3	100	0	0	3	100
EFFINGHAM	0	0	16	50	16	50	32	100
FAYETTE	0	0	9	33	18	67	27	100
FORD	0	0	8	89	1	11	9	100
FRANKLIN	0	0	18	47	20	53	38	100
FULTON	1	2	31	61	19	37	51	100
GALLATIN	0	0	1	50	1	50	2	100
GREENE	0	0	8	62	5	38	13	100
GRUNDY	2	7	17	61	9	32	28	100
HAMILTON	0	0	0	0	2	100	2	100
HANCOCK	0	0	18	95	1	5	19	100
HARDIN	0	0	1	50	1	50	2	100
HENDERSON	0	0	8	73	3	27	11	100
HENRY	6	7	72	87	5	6	83	100
IROQUOIS	0	0	27	82	6	18	33	100
JACKSON	7	3	80	31	168	66	255	100
JASPER	0	0	3	33	6	67	9	100
JEFFERSON	0	0	42	86	7	14	49	100
JERSEY	0	0	7	41	10	59	17	100
JO DAVIESS	4	22	9	50	5	28	18	100
JOHNSON	1	7	9	64	4	29	14	100
KANE	287	34	278	33	285	34	850	100
KANKAKEE	43	9	295	64	126	27	464	100
KENDALL	5	13	7	18	26	68	38	100
KNOX	5	4	97	76	25	20	127	100
LA SALLE	9	6	110	72	34	22	153	100
LAKE	421	21	1,313	66	268	13	2,002	100
LAWRENCE	0	0	9	56	7	44	16	100
LEE	0	0	46	88	6	12	52	100

Chlamydia



2002

Illinois Chlamydia Cases and Percentages by County and Ethnicity, 2002 (Cont'd)

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
LIVINGSTON	8	7	79	71	24	22	111	100
LOGAN	0	0	31	89	4	11	35	100
MACON	3	0	421	70	181	30	605	100
MACOUPIN	0	0	25	68	12	32	37	100
MADISON	6	1	411	77	117	22	534	100
MARION	0	0	33	40	50	60	83	100
MARSHALL	1	6	11	69	4	25	16	100
MASON	0	0	11	69	5	31	16	100
MASSAC	0	0	18	100	0	0	18	100
MCDONOUGH	0	0	70	88	10	13	80	100
MCHENRY	52	29	92	52	34	19	178	100
MCLEAN	11	3	231	53	192	44	434	100
MENARD	0	0	4	40	6	60	10	100
MERCER	0	0	14	67	7	33	21	100
MONROE	0	0	7	54	6	46	13	100
MONTGOMERY	0	0	21	51	20	49	41	100
MORGAN	1	1	87	89	10	10	98	100
MOULTRIE	0	0	10	77	3	23	13	100
OGLE	2	3	49	68	21	29	72	100
PEORIA	15	1	787	75	241	23	1,043	100
PERRY	0	0	25	64	14	36	39	100
PIATT	0	0	10	67	5	33	15	100
PIKE	0	0	11	73	4	27	15	100
POPE	1	5	8	38	12	57	21	100
PULASKI	1	3	18	62	10	34	29	100
PUTNAM	0	0	0	0	1	100	1	100
RANDOLPH	0	0	19	40	28	60	47	100
RICHLAND	0	0	5	56	4	44	9	100
ROCK ISLAND	77	14	379	68	105	19	561	100
SALINE	0	0	2	8	23	92	25	100
SANGAMON	5	1	405	46	464	53	874	100
SCHUYLER	0	0	3	60	2	40	5	100
SCOTT	0	0	7	100	0	0	7	100
SHELBY	0	0	6	55	5	45	11	100
ST. CLAIR	14	1	807	53	705	46	1,526	100
STARK	0	0	5	100	0	0	5	100
STEPHENSON	3	2	80	48	83	50	166	100
TAZEWELL	3	2	125	85	19	13	147	100
UNION	1	4	15	63	8	33	24	100
VERMILION	26	8	274	85	22	7	322	100
WABASH	1	10	8	80	1	10	10	100
WARREN	3	8	23	64	10	28	36	100
WASHINGTON	0	0	6	55	5	45	11	100
WAYNE	0	0	8	80	2	20	10	100
WHITE	0	0	6	86	1	14	7	100
WHITESIDE	16	10	85	51	66	40	167	100
WILL	111	10	604	57	352	33	1,067	100
WILLIAMSON	2	3	26	34	48	63	76	100
WINNEBAGO	76	5	911	65	423	30	1,410	100
WOODFORD	1	3	26	84	4	13	31	100
TOTAL	3,917	8	29,006	60	15,178	32	48,101	100

Chlamydia



2002

Section 4.

Gonorrhea

Cases and Rates, 1992 - 2002
and 2002 County Statistical Tables



Reported gonorrhea cases and rates for Illinois during 1992 - 2002 are detailed in the following tables. Data for 2002 are summarized by county, gender, race, ethnicity and age group.

Gonorrhea



2002



**Reported Gonorrhea Cases and Percentages by Race, Ethnicity, Age Group and Gender
Chicago, Illinois Excluding Chicago, and Illinois Totals**

Race	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Asian/Pacific Islander	0	0	31	0	31	0
African American	9,481	69	6,272	61	15,753	66
Native American	15	0	2	0	17	0
White	625	5	2,085	20	2,710	11
Other/Unknown	3,693	27	1,822	18	5,515	23
Total	13,814	100	10,212	100	24,026	100
Ethnicity	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Hispanic	373	3	331	3	704	3
Non-Hispanic	9,963	72	6,599	65	16,562	69
Unknown	3,478	25	3,282	32	6,760	28
Total	13,814	100	10,212	100	24,026	100
Age Group	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
0 - 4	20	0	12	0	32	0%
5 - 9	8	0	4	0	12	0%
10 - 14	109	1	146	1	255	1%
15 - 19	3,400	25	3,142	31	6,542	27%
20 - 24	4,618	33	3,507	34	8,125	34%
25 - 29	2,253	16	1,515	15	3,768	16%
30 - 34	1,357	10	801	8	2,158	9%
35 - 39	817	6	474	5	1,291	5%
40 - 44	622	5	307	3	929	4%
45 - 49	318	2	150	1	468	2%
50 - 54	162	1	62	1	224	1%
55 - 59	62	0	22	0	84	0%
60 - 64	32	0	10	0	42	0%
65+	35	0	13	0	48	0%
Unknown	1	0	47	0	48	0%
Total	13,814	100	10,212	100	24,026	100%
Gender	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Male	7,208	52	4,542	44	11,750	49
Female	6,604	48	5,669	56	12,273	51
Unknown	2	0	1	0	3	0
Total	13,814	100	10,212	100	24,026	100

Illinois Reported Gonorrhea Cases by Race, Ethnicity, Age Group and Gender 1992 - 2002

Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	1,837	1,782	1,929	1,962	1,935	1,957	2,174	2,124	2,371	2,369	2,710
African American	23,668	21,789	19,629	16,065	15,569	15,158	17,041	17,515	17,733	16,413	15,753
Hispanic	326	304	757	550							
Asian/Pacific	30	81	37	63	45	36	37	37	33	148	31
Native American	5	8	20	30	18	22	34	27	19	16	17
Other/Unknown	3,409	2,629	2,139	1,845	1,757	2,351	3,213	4,433	4,656	5,079	5,515
Total	29,275	26,593	24,511	20,515	19,324	19,524	22,499	24,136	24,812	24,025	24,026
Ethnicity*	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Hispanic					528	455	596	544	462	525	704
NonHispanic					17,096	16,145	18,295	18,467	18,888	17,581	16,562
Unknown					1,700	2,924	3,608	5,125	5,462	5,919	6,760
Total					19,324	19,524	22,499	24,136	24,812	24,025	24,026
Age Group	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	29	34	93	86	68	59	32	37	46	32	32
5-9	25	21	16	14	19	19	17	15	20	16	12
10-14	565	546	589	443	301	298	297	321	207	331	255
15-19	8,540	8,274	7,922	6,754	6,050	5,987	6,937	6,901	5,963	6,387	6,542
20-24	8,924	7,779	7,152	5,693	5,529	5,971	6,832	7,385	8,492	8,262	8,125
25-29	4,488	3,723	3,359	2,882	2,864	2,999	3,466	3,730	4,092	3,799	3,768
30-34	3,095	2,460	2,254	1,935	1,799	1,685	1,893	2,101	2,277	2,028	2,158
35-39	1,739	1,467	1,417	1,240	1,282	1,190	1,396	1,568	1,556	1,387	1,291
40-44	815	681	761	619	658	690	817	1,036	1,089	876	929
45-54	537	532	529	424	442	454	567	754	777	657	692
55-64	171	176	143	125	128	114	153	160	181	131	126
65+	64	77	54	56	75	48	60	59	57	54	48
Age Unknown	283	823	222	244	109	10	32	69	55	65	48
Total	29,275	26,593	24,511	20,515	19,324	19,524	22,499	24,136	24,812	24,025	24,026
Gender	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Female	13,017	11,851	12,146	10,945	9,219	9,551	10,737	11,563	11,829	12,178	12,273
Male	16,258	14,742	12,365	9,570	10,105	9,944	11,761	12,559	12,981	11,845	11,750
Unknown	0	0	0	0	0	29	1	14	2	2	3
Total	29,275	26,593	24,511	20,515	19,324	19,524	22,499	24,136	24,812	24,025	24,026

*Ethnicity reported separately from race beginning 1996

Gonorrhea



2002

Illinois Reported Gonorrhea Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	27	30	45	24	39	26	41	17	31	54	46
ALEXANDER	72	77	29	25	36	22	33	41	38	66	29
BOND	2	2	1	6	1	4	7	3	2	5	5
BOONE	14	6	12	12	5	4	16	5	15	9	9
BROWN	1	0	0	1	0	0	1	0	0	0	4
BUREAU	3	5	1	4	5	6	5	6	3	0	12
CALHOUN	0	0	0	0	0	1	0	0	0	0	1
CARROLL	3	1	0	0	3	1	0	1	2	2	3
CASS	8	8	1	0	1	0	2	2	1	5	1
CHAMPAIGN	552	418	445	426	229	333	332	297	518	409	407
CHRISTIAN	5	0	4	1	2	2	3	2	4	4	5
CLARK	2	0	0	0	1	3	5	7	2	3	0
CLAY	1	0	0	2	0	0	0	0	1	1	2
CLINTON	2	1	4	6	7	5	1	12	5	5	6
COLES	30	24	19	19	6	16	35	39	35	16	16
COOK	20,778	19,267	16,894	12,937	13,783	13,973	16,342	17,790	17,605	16,899	16,632
CHICAGO	18,454	17,301	14,806	11,356	12,314	12,316	14,143	15,169	14,872	14,326	13,814
SUBURBAN COOK	2,324	1,966	2,088	1,581	1,469	1,657	2,199	2,621	2,733	2,573	2,818
CRAWFORD	1	1	1	2	2	0	1	1	3	3	4
CUMBERLAND	0	0	0	2	1	2	0	1	2	0	1
DEKALB	21	45	53	66	35	23	50	55	54	60	61
DE WITT	6	3	1	5	5	3	1	2	3	3	7
DOUGLAS	2	2	1	0	2	1	1	2	4	1	4
DU PAGE	178	130	171	122	140	159	138	208	204	230	234
EDGAR	2	2	0	0	2	1	0	1	6	2	1
EDWARDS	0	0	1	1	0	0	0	0	1	0	0
EFFINGHAM	2	4	2	3	2	1	5	2	3	2	2
FAYETTE	1	0	0	1	2	1	1	3	3	2	13
FORD	4	0	0	6	1	2	1	1	7	3	4
FRANKLIN	9	7	4	3	8	7	4	6	8	4	8
FULTON	5	5	3	6	6	3	7	7	14	3	3
GALLATIN	0	0	0	0	0	1	0	1	0	0	0
GREENE	0	0	1	2	4	3	0	1	2	0	6
GRUNDY	7	3	2	4	6	3	10	2	1	7	10
HAMILTON	0	0	0	0	1	0	2	1	2	1	1
HANCOCK	4	3	3	3	4	2	2	0	0	0	1
HARDIN	3	0	3	1	0	0	2	0	0	1	1
HENDERSON	0	0	0	0	0	0	0	3	5	2	0
HENRY	10	8	13	6	3	18	7	8	17	19	15
IROQUOIS	5	2	5	6	2	4	10	6	4	2	10
JACKSON	98	130	102	128	85	90	118	122	90	97	132
JASPER	0	0	0	0	0	0	0	0	0	1	0
JEFFERSON	17	23	36	49	22	32	35	56	40	51	50
JERSEY	6	2	0	1	2	2	5	2	3	3	5
JO DAVIESS	0	3	3	1	2	1	2	0	5	2	3
JOHNSON	2	1	1	2	1	1	1	2	2	2	5
KANE	307	216	278	372	248	186	257	301	235	261	304
KANKAKEE	379	279	307	273	162	173	310	229	339	345	272
KENDALL	7	2	2	16	5	2	3	7	3	5	10
KNOX	57	41	26	49	38	15	39	25	48	47	56
LAKE	467	583	552	562	484	407	356	380	550	444	439
LA SALLE	54	22	12	39	49	24	35	22	9	35	36
LAWRENCE	3	2	1	0	1	2	0	1	1	3	0
LEE	6	14	6	9	8	13	6	5	6	12	17
LIVINGSTON	11	12	17	17	9	13	27	28	47	40	53

Gonorrhea



2002

Illinois Reported Gonorrhea Cases by County, 1992 - 2002 (Cont'd)

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	11	9	6	10	5	6	8	13	13	9	10
MC DONOUGH	29	18	16	23	6	8	5	9	11	7	5
MC HENRY	9	15	13	14	7	9	25	16	19	24	28
MC LEAN	83	111	151	189	97	121	140	181	128	157	181
MACON	385	408	435	466	315	351	401	331	451	500	404
MACOUPIN	4	7	3	7	4	7	3	8	3	7	5
MADISON	455	365	267	238	275	285	224	212	259	258	214
MARION	8	11	40	58	27	47	31	38	71	72	43
MARSHALL	3	1	1	0	3	1	1	1	0	1	2
MASON	13	3	3	1	3	1	2	2	2	0	2
MASSAC	20	14	5	2	1	2	6	5	4	13	3
MENARD	1	0	1	4	4	4	2	2	0	2	5
MERCER	3	2	3	2	3	0	1	2	3	2	7
MONROE	1	0	1	2	1	2	1	3	1	1	3
MONTGOMERY	9	3	5	3	4	2	6	5	12	17	10
MORGAN	24	19	16	8	24	19	10	28	28	16	44
MOULTRIE	2	4	5	6	0	0	1	4	4	3	3
OGLE	10	6	11	11	10	4	10	12	5	11	23
PEORIA	982	858	1,109	1054	659	692	642	625	636	579	628
PERRY	1	4	2	12	9	3	8	2	4	10	11
PIATT	2	3	1	3	1	2	3	1	4	2	4
PIKE	1	3	0	1	2	0	0	6	0	0	1
POPE	1	4	1	2	0	2	8	4	11	10	4
PULASKI	22	20	9	9	18	12	14	20	28	22	29
PUTNAM	0	0	1	0	0	1	0	0	0	0	0
RANDOLPH	18	24	10	15	13	7	7	10	7	14	9
RICHLAND	1	4	1	0	2	0	1	3	0	1	1
ROCK ISLAND	366	228	253	257	172	188	201	149	170	239	217
ST. CLAIR	1,458	1,103	740	763	640	522	716	844	861	899	839
SALINE	4	0	11	7	5	2	3	12	20	4	4
SANGAMON	710	551	644	408	419	338	294	466	593	516	649
SCHUYLER	0	1	0	0	0	0	0	0	0	0	0
SCOTT	0	0	1	1	0	0	1	0	2	0	0
SHELBY	2	1	3	0	3	2	2	1	4	2	4
STARK	1	1	0	4	0	2	0	1	0	2	2
STEPHENSON	67	128	98	75	79	93	67	68	56	65	90
TAZEWELL	35	59	45	32	44	30	44	39	29	10	26
UNION	5	1	1	2	2	7	2	3	4	4	3
VERMILION	149	146	127	263	93	172	195	110	171	207	132
WABASH	0	3	2	0	1	3	1	1	0	0	0
WARREN	7	3	4	9	10	3	6	6	8	2	8
WASHINGTON	1	5	3	0	3	3	2	2	2	5	4
WAYNE	1	0	1	0	4	2	0	1	0	2	3
WHITE	0	0	0	1	3	1	0	2	2	2	0
WHITESIDE	22	29	30	18	9	15	14	18	36	23	26
WILL	368	384	468	409	249	269	451	483	383	377	648
WILLIAMSON	21	25	6	17	24	26	17	15	14	20	41
WINNEBAGO	783	618	887	883	605	664	660	651	765	729	701
WOODFORD	3	7	6	6	6	3	4	8	5	8	4
TOTAL ILLINOIS	29,275	26,593	24,511	20,515	19,324	19,524	22,499	24,136	24,812	24,025	24,026
Total Ill. excluding Chicago	10,821	9,292	9,705	9,159	7,010	7,208	8,356	8,967	9,940	9,699	10,212

Gonorrhea



2002

Illinois Gonorrhea Case Rates per 100,000 Population by County, 1992 - 2002

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	68,277	40.9	45.4	68.1	36.3	59.0	39.3	62.0	25.7	45.4	79.1	67.4
ALEXANDER	9,590	677.6	724.6	272.9	235.3	338.8	207.0	310.6	385.8	396.2	688.2	302.4
BOND	17,633	13.3	13.3	6.7	40.0	6.7	26.7	46.7	20.0	11.3	28.4	28.4
BOONE	41,786	45.4	19.5	39.0	39.0	16.2	13.0	51.9	16.2	35.9	21.5	21.5
BROWN	6,950	17.1	0.0	0.0	17.1	0.0	0.0	17.1	0.0	0.0	0.0	57.6
BUREAU	35,503	8.4	14.0	2.8	11.2	14.0	16.8	14.0	16.8	8.4	0.0	33.8
CALHOUN	5,084	0.0	0.0	0.0	0.0	0.0	18.8	0.0	0.0	0.0	0.0	19.7
CARROLL	16,674	17.9	6.0	0.0	0.0	17.9	6.0	0.0	6.0	12.0	12.0	18.0
CASS	13,695	59.5	59.5	7.4	0.0	7.4	0.0	14.9	14.9	7.3	36.5	7.3
CHAMPAIGN	179,669	319.0	241.6	257.2	246.2	132.4	192.5	191.9	171.7	288.3	227.6	226.5
CHRISTIAN	35,372	14.5	0.0	11.6	2.9	5.8	5.8	8.7	5.8	11.3	11.3	14.1
CLARK	17,008	12.6	0.0	0.0	0.0	6.3	18.8	31.4	44.0	11.8	17.6	0.0
CLAY	14,560	6.9	0.0	0.0	13.8	0.0	0.0	0.0	0.0	6.9	6.9	13.7
CLINTON	35,535	5.9	2.9	11.8	17.7	20.6	14.7	2.9	35.4	14.1	14.1	16.9
COLES	53,196	58.1	46.5	36.8	36.8	11.6	31.0	67.8	75.5	65.8	30.1	30.1
COOK	5,376,741	407.0	377.4	330.9	253.4	270.0	253.6	320.1	348.5	327.4	314.3	56.3
CHICAGO	2,896,016	662.9	621.5	531.9	407.9	442.4	442.4	508.1	544.9	513.5	494.7	477.0
SUBURBAN COOK	2,480,725	100.1	84.7	89.9	68.1	63.3	71.4	94.7	112.9	110.2	103.7	113.6
CRAWFORD	20,452	5.1	5.1	5.1	10.3	10.3	0.0	5.1	5.1	14.7	14.7	19.6
CUMBERLAND	11,253	0.0	0.0	0.0	18.7	9.4	18.7	0.0	9.4	17.8	0.0	8.9
DEKALB	88,969	26.9	57.7	68.0	84.7	44.9	29.5	64.2	70.6	60.7	67.4	68.6
DE WITT	16,798	36.3	18.2	6.1	30.3	30.3	18.2	6.1	12.1	17.9	17.9	41.7
DOUGLAS	19,922	10.3	10.3	5.1	0.0	10.3	5.1	5.1	10.3	20.1	5.0	20.1
DU PAGE	904,161	22.8	16.6	21.9	15.6	17.9	20.3	17.7	26.6	22.6	25.4	25.9
EDGAR	19,704	10.2	10.2	0.0	0.0	10.2	5.1	0.0	5.1	30.5	10.2	5.1
EDWARDS	6,971	0.0	0.0	13.4	13.4	0.0	0.0	0.0	0.0	14.3	0.0	0.0
EFFINGHAM	34,264	6.3	12.6	6.3	9.5	6.3	3.2	15.8	6.3	8.8	5.8	5.8
FAYETTE	21,802	4.8	0.0	0.0	4.8	9.6	4.8	4.8	14.4	13.8	9.2	59.6
FORD	14,241	28.0	0.0	0.0	42.0	7.0	14.0	7.0	7.0	49.2	21.1	28.1
FRANKLIN	39,018	22.3	17.4	9.9	7.4	19.8	17.4	9.9	14.9	20.5	10.3	20.5
FULTON	38,250	13.1	13.1	7.9	15.8	15.8	7.9	18.4	18.4	36.6	7.8	7.8
GALLATIN	6,445	0.0	0.0	0.0	0.0	0.0	14.5	0.0	14.5	0.0	0.0	0.0
GREENE	14,761	0.0	0.0	6.5	13.1	26.1	19.6	0.0	6.5	13.5	0.0	40.6
GRUNDY	37,535	21.6	9.3	6.2	12.4	18.6	9.3	30.9	6.2	2.7	18.6	26.6
HAMILTON	8,621	0.0	0.0	0.0	0.0	11.8	0.0	23.5	11.8	23.2	11.6	11.6
HANCOCK	20,121	18.7	14.0	14.0	14.0	18.7	9.4	9.4	0.0	0.0	0.0	5.0
HARDIN	4,800	57.8	0.0	57.8	19.3	0.0	0.0	38.5	0.0	0.0	20.8	20.8
HENDERSON	8,213	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.1	60.9	24.4	0.0
HENRY	51,020	19.5	15.6	25.4	11.7	5.9	35.2	13.7	15.6	33.3	37.2	29.4
IROQUOIS	31,334	16.2	6.5	16.2	19.5	6.5	13.0	32.5	19.5	12.8	6.4	31.9
JACKSON	59,612	160.5	212.9	167.0	209.6	139.2	147.4	193.2	199.8	151.0	162.7	221.4
JASPER	10,117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	0.0
JEFFERSON	40,045	45.9	62.1	97.2	132.4	59.4	86.4	94.5	151.3	99.9	127.4	124.9
JERSEY	21,668	29.2	9.7	0.0	4.9	9.7	9.7	24.3	9.7	13.8	13.8	23.1
JO DAVIESS	22,289	0.0	13.7	13.7	4.6	9.2	4.6	9.2	0.0	22.4	9.0	13.5
JOHNSON	12,878	17.6	8.8	8.8	17.6	8.8	8.8	8.8	17.6	15.5	15.5	38.8
KANE	404,119	96.7	68.0	87.6	117.2	78.1	58.6	81.0	94.8	58.2	64.6	75.2
KANKAKEE	103,833	393.7	289.9	318.9	283.6	168.3	179.7	322.1	237.9	326.5	332.3	262.0
KENDALL	54,544	17.8	5.1	5.1	40.6	12.7	5.1	7.6	17.8	5.5	9.2	18.3
KNOX	55,836	101.1	72.7	46.1	86.9	67.4	26.6	69.2	44.3	86.0	84.2	100.3
LAKE	644,356	90.4	112.9	106.9	108.8	93.7	78.8	68.9	73.6	85.4	68.9	68.1
LA SALLE	111,509	50.5	20.6	11.2	36.5	45.8	22.4	32.7	20.6	8.1	31.4	32.3
LAWRENCE	15,452	18.8	12.5	6.3	0.0	6.3	12.5	0.0	6.3	6.5	19.4	0.0
LEE	36,062	17.4	40.7	17.4	26.2	23.3	37.8	17.4	14.5	16.6	33.3	47.1
LIVINGSTON	39,678	28.0	30.5	43.3	43.3	22.9	33.1	68.7	71.2	118.5	100.8	133.6



Illinois Gonorrhea Case Rates per 100,000 Population by County, 1992 - 2002 (Cont'd)

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	31,183	35.7	29.2	19.5	32.5	16.2	19.5	26.0	42.2	41.7	28.9	32.1
MC DONOUGH	32,913	82.3	51.1	45.4	65.3	17.0	22.7	14.2	25.5	33.4	21.3	15.2
MC HENRY	260,077	4.9	8.2	7.1	7.6	3.8	4.9	13.6	8.7	7.3	9.2	10.8
MC LEAN	150,433	64.3	85.9	116.9	146.3	75.1	93.7	108.4	140.1	85.1	104.4	120.3
MACON	114,706	328.5	348.1	371.1	397.6	268.8	299.5	342.1	282.4	393.2	435.9	352.2
MACOUPIN	49,019	8.4	14.7	6.3	14.7	8.4	14.7	6.3	16.8	6.1	14.3	10.2
MADISON	258,941	182.6	146.4	107.1	95.5	110.3	114.3	89.9	85.1	100.0	99.6	82.6
MARION	41,691	19.2	26.5	96.2	139.6	65.0	113.1	74.6	91.4	170.3	172.7	103.1
MARSHALL	13,180	23.4	7.8	7.8	0.0	23.4	7.8	7.8	7.8	0.0	7.6	15.2
MASON	16,038	79.9	18.4	18.4	6.1	18.4	6.1	12.3	12.3	12.5	0.0	12.5
MASSAC	15,161	135.6	94.9	33.9	13.6	6.8	13.6	40.7	33.9	26.4	85.7	19.8
MENARD	12,486	9.0	0.0	9.0	35.8	35.8	35.8	17.9	17.9	0.0	16.0	40.0
MERCER	16,957	17.4	11.6	17.4	11.6	17.4	0.0	5.8	11.6	17.7	11.8	41.3
MONROE	27,619	4.5	0.0	4.5	8.9	4.5	8.9	4.5	13.4	3.6	3.6	10.9
MONTGOMERY	30,652	29.3	9.8	16.3	9.8	13.0	6.5	19.5	16.3	39.1	55.5	32.6
MORGAN	36,616	65.9	52.2	44.0	22.0	65.9	52.2	27.5	76.9	76.5	43.7	120.2
MOULTRIE	14,287	14.4	28.7	35.9	43.1	0.0	0.0	7.2	28.7	28.0	21.0	21.0
OGLE	51,032	21.8	13.1	23.9	23.9	21.8	8.7	21.8	26.1	9.8	21.6	45.1
PEORIA	183,433	537.1	469.3	606.6	576.5	360.5	378.5	351.2	341.9	346.7	315.6	342.4
PERRY	23,094	4.7	18.7	9.3	56.0	42.0	14.0	37.4	9.3	17.3	43.3	47.6
PIATT	16,365	12.9	19.3	6.4	19.3	6.4	12.9	19.3	6.4	24.4	12.2	24.4
PIKE	17,384	5.7	17.1	0.0	5.7	11.4	0.0	0.0	34.1	0.0	0.0	5.8
POPE	4,413	22.9	91.5	22.9	45.7	0.0	45.7	182.9	91.5	249.3	226.6	90.6
PULASKI	7,348	292.4	265.9	119.6	119.6	239.3	159.5	186.1	265.9	381.1	299.4	394.7
PUTNAM	6,086	0.0	0.0	17.5	0.0	0.0	17.5	0.0	0.0	0.0	0.0	0.0
RANDOLPH	33,893	52.0	69.4	28.9	43.4	37.6	20.2	20.2	28.9	20.7	41.3	26.6
RICHLAND	16,149	6.0	24.2	6.0	0.0	12.1	0.0	6.0	18.1	0.0	6.2	6.2
ROCK ISLAND	149,374	246.1	153.3	170.1	172.8	115.7	126.4	135.2	100.2	113.8	160.0	145.3
ST. CLAIR	256,082	554.7	419.6	281.5	290.3	243.5	198.6	272.4	321.1	336.2	351.1	327.6
SALINE	26,733	15.1	0.0	41.4	26.4	18.8	7.5	11.3	45.2	74.8	15.0	15.0
SANGAMON	188,951	398.0	308.9	361.0	228.7	234.9	189.5	164.8	261.2	313.8	273.1	343.5
SCHUYLER	7,189	0.0	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SCOTT	5,537	0.0	0.0	17.7	17.7	0.0	0.0	17.7	0.0	36.1	0.0	0.0
SHELBY	22,893	9.0	4.5	13.5	0.0	13.5	9.0	9.0	4.5	17.5	8.7	17.5
STARK	6,332	15.3	15.3	0.0	61.2	0.0	30.6	0.0	15.3	0.0	31.6	31.6
STEPHENSON	48,979	139.4	266.4	203.9	156.1	164.4	193.5	139.4	141.5	114.3	132.7	183.8
TAZEWELL	128,485	28.3	47.7	36.4	25.9	35.6	24.3	35.6	31.5	22.6	7.8	20.2
UNION	18,293	28.4	5.7	5.7	11.4	11.4	39.7	11.4	17.0	21.9	21.9	16.4
VERMILION	83,919	168.8	165.4	143.9	298.0	105.4	194.9	220.9	124.6	203.8	246.7	157.3
WABASH	12,937	0.0	22.9	15.3	0.0	7.6	22.9	7.6	7.6	0.0	0.0	0.0
WARREN	18,735	36.5	15.6	20.9	46.9	52.1	15.6	31.3	31.3	42.7	10.7	42.7
WASHINGTON	15,148	6.7	33.4	20.0	0.0	20.0	20.0	13.4	13.4	13.2	33.0	26.4
WAYNE	17,151	5.8	0.0	5.8	0.0	23.2	11.6	0.0	5.8	0.0	11.7	17.5
WHITE	15,371	0.0	0.0	0.0	6.1	18.2	6.1	0.0	12.1	13.0	13.0	0.0
WHITESIDE	60,653	36.6	48.2	49.8	29.9	15.0	24.9	23.3	29.9	59.4	37.9	42.9
WILL	502,266	103.0	107.5	131.0	114.5	69.7	75.3	126.2	135.2	76.3	75.1	129.0
WILLIAMSON	61,296	36.4	43.3	10.4	29.4	41.6	45.0	29.4	26.0	22.8	32.6	66.9
WINNEBAGO	278,418	309.6	244.4	350.7	349.1	239.2	262.5	261.0	257.4	274.8	261.8	251.8
WOODFORD	35,469	9.2	21.4	18.4	18.4	18.4	9.2	12.3	24.5	14.1	22.6	11.3
ILLINOIS TOTAL	12,419,293	256.1	232.6	214.4	179.5	169.1	170.8	196.8	211.2	199.8	193.4	193.5
Total Ill. excluding Chicago	9,523,277	125.1	107.5	112.2	105.9	81.1	83.4	96.6	103.7	104.4	101.8	107.2

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Age Group, 2002

COUNTY	0-9		10-19		20-29		30-39		40-49		50+		Unknown		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	19	41	23	50	3	7	1	2	0	0	0	0	46	100
ALEXANDER	0	0	7	24	18	62	1	3	3	10	0	0	0	0	29	100
BOND	0	0	1	20	1	20	2	40	1	20	0	0	0	0	5	100
BOONE	0	0	5	56	3	33	1	11	0	0	0	0	0	0	9	100
BROWN	0	0	0	0	3	75	1	25	0	0	0	0	0	0	4	100
BUREAU	0	0	1	8	10	83	0	0	1	8	0	0	0	0	12	100
CALHOUN	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
CARROLL	0	0	0	0	3	100	0	0	0	0	0	0	0	0	3	100
CASS	0	0	0	0	1	100	0	0	0	0	0	0	0	0	1	100
CHAMPAIGN	0	0	134	33	208	51	45	11	15	4	5	1	0	0	407	100
CHRISTIAN	0	0	2	40	2	40	1	20	0	0	0	0	0	0	5	100
CLAY	0	0	0	0	2	100	0	0	0	0	0	0	0	0	2	100
CLINTON	0	0	0	0	4	67	2	33	0	0	0	0	0	0	6	100
COLES	0	0	8	50	6	38	1	6	1	6	0	0	0	0	16	100
COOK	31	0	4,347	26	8,250	50	2,571	15	1,083	7	325	2	25	0	16,632	100
CRAWFORD	0	0	2	50	1	25	0	0	0	0	0	0	1	25	4	100
CUMBERLAND	0	0	0	0	1	100	0	0	0	0	0	0	0	0	1	100
DE WITT	0	0	2	29	4	57	0	0	1	14	0	0	0	0	7	100
DEKALB	0	0	27	44	30	49	4	7	0	0	0	0	0	0	61	100
DOUGLAS	0	0	3	75	1	25	0	0	0	0	0	0	0	0	4	100
DUPAGE	0	0	69	29	109	47	40	17	8	3	5	2	3	1	234	100
EDGAR	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
EFFINGHAM	0	0	0	0	2	100	0	0	0	0	0	0	0	0	2	100
FAYETTE	0	0	5	38	5	38	1	8	1	8	0	0	1	8	13	100
FORD	0	0	3	75	1	25	0	0	0	0	0	0	0	0	4	100
FRANKLIN	0	0	4	50	4	50	0	0	0	0	0	0	0	0	8	100
FULTON	0	0	0	0	3	100	0	0	0	0	0	0	0	0	3	100
GREENE	0	0	2	33	1	17	3	50	0	0	0	0	0	0	6	100
GRUNDY	0	0	2	20	2	20	4	40	2	20	0	0	0	0	10	100
HAMILTON	0	0	0	0	0	0	0	0	1	100	0	0	0	0	1	100
HANCOCK	0	0	0	0	1	100	0	0	0	0	0	0	0	0	1	100
HARDIN	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
HENRY	0	0	5	33	8	53	1	7	1	7	0	0	0	0	15	100
IROQUOIS	0	0	2	20	7	70	1	10	0	0	0	0	0	0	10	100
JACKSON	0	0	42	32	70	53	14	11	6	5	0	0	0	0	132	100
JEFFERSON	1	2	29	58	15	30	5	10	0	0	0	0	0	0	50	100
JERSEY	0	0	2	40	3	60	0	0	0	0	0	0	0	0	5	100
JO DAVIESS	0	0	1	33	1	33	1	33	0	0	0	0	0	0	3	100
JOHNSON	0	0	2	40	3	60	0	0	0	0	0	0	0	0	5	100
KANE	0	0	86	28	167	55	36	12	13	4	1	0	1	0	304	100
KANKAKEE	0	0	92	34	134	49	35	13	10	4	1	0	0	0	272	100
KENDALL	0	0	1	10	5	50	4	40	0	0	0	0	0	0	10	100
KNOX	0	0	22	39	28	50	2	4	4	7	0	0	0	0	56	100
LA SALLE	0	0	6	17	19	53	9	25	1	3	1	3	0	0	36	100
LAKE	1	0	152	35	196	45	50	11	32	7	7	2	1	0	439	100
LEE	0	0	10	59	6	35	1	6	0	0	0	0	0	0	17	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Age Group, 2002 (Cont'd)

COUNTY	0-9		10-19		20-29		30-39		40-49		50+		Unknown		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
LIVINGSTON	0	0	8	15	32	60	12	23	1	2	0	0	0	0	53	100
LOGAN	0	0	3	30	4	40	2	20	1	10	0	0	0	0	10	100
MACON	1	0	143	35	199	49	50	12	9	2	2	0	0	0	404	100
MACOUPIN	0	0	1	20	4	80	0	0	0	0	0	0	0	0	5	100
MADISON	0	0	64	30	91	43	36	17	17	8	4	2	2	1	214	100
MARION	0	0	19	44	19	44	3	7	2	5	0	0	0	0	43	100
MARSHALL	0	0	0	0	2	100	0	0	0	0	0	0	0	0	2	100
MASON	0	0	1	50	0	0	0	0	1	50	0	0	0	0	2	100
MASSAC	0	0	1	33	1	33	1	33	0	0	0	0	0	0	3	100
MCDONOUGH	0	0	1	20	3	60	1	20	0	0	0	0	0	0	5	100
MCHENRY	0	0	6	21	12	43	7	25	3	11	0	0	0	0	28	100
MCLEAN	0	0	74	41	84	46	15	8	6	3	2	1	0	0	181	100
MENARD	0	0	2	40	1	20	2	40	0	0	0	0	0	0	5	100
MERCER	0	0	4	57	3	43	0	0	0	0	0	0	0	0	7	100
MONROE	0	0	2	67	0	0	0	0	0	0	1	33	0	0	3	100
MONTGOMERY	0	0	1	10	7	70	2	20	0	0	0	0	0	0	10	100
MORGAN	0	0	13	30	27	61	3	7	1	2	0	0	0	0	44	100
MOULTRIE	0	0	2	67	1	33	0	0	0	0	0	0	0	0	3	100
OGLE	0	0	6	26	13	57	3	13	1	4	0	0	0	0	23	100
PEORIA	1	0	188	30	318	51	82	13	22	4	11	2	6	1	628	100
PERRY	0	0	3	27	8	73	0	0	0	0	0	0	0	0	11	100
PIATT	0	0	1	25	2	50	1	25	0	0	0	0	0	0	4	100
PIKE	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
POPE	0	0	1	25	3	75	0	0	0	0	0	0	0	0	4	100
PULASKI	0	0	16	55	10	34	2	7	1	3	0	0	0	0	29	100
RANDOLPH	0	0	3	33	5	56	1	11	0	0	0	0	0	0	9	100
RICHLAND	0	0	1	100	0	0	0	0	0	0	0	0	0	0	1	100
ROCK ISLAND	2	1	68	31	112	52	26	12	8	4	1	0	0	0	217	100
SALINE	0	0	2	50	2	50	0	0	0	0	0	0	0	0	4	100
SANGAMON	0	0	229	35	305	47	71	11	35	5	7	1	2	0	649	100
SHELBY	0	0	1	25	2	50	1	25	0	0	0	0	0	0	4	100
ST. CLAIR	3	0	294	35	411	49	88	10	36	4	6	1	1	0	839	100
STARK	0	0	0	0	1	50	1	50	0	0	0	0	0	0	2	100
STEPHENSON	0	0	39	43	36	40	8	9	4	4	3	3	0	0	90	100
TAZEWELL	0	0	9	35	11	42	4	15	1	4	0	0	1	4	26	100
UNION	0	0	0	0	3	100	0	0	0	0	0	0	0	0	3	100
VERMILION	0	0	50	38	56	42	10	8	12	9	3	2	1	1	132	100
WARREN	0	0	4	50	4	50	0	0	0	0	0	0	0	0	8	100
WASHINGTON	0	0	1	25	2	50	0	0	0	0	0	0	1	25	4	100
WAYNE	0	0	0	0	3	100	0	0	0	0	0	0	0	0	3	100
WHITESIDE	1	4	13	50	9	35	2	8	1	4	0	0	0	0	26	100
WILL	1	0	174	27	356	55	85	13	26	4	4	1	2	0	648	100
WILLIAMSON	0	0	13	32	24	59	4	10	0	0	0	0	0	0	41	100
WINNEBAGO	2	0	235	34	344	49	87	12	24	3	9	1	0	0	701	100
WOODFORD	0	0	2	50	2	50	0	0	0	0	0	0	0	0	4	100
TOTAL	44	0	6,797	28	11,893	50	3,449	14	1,397	6	398	2	48	0	24,026	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Gender, 2002

COUNTY	Female		Male		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	32	70	14	30	0	0	46	100
ALEXANDER	22	76	7	24	0	0	29	100
BOND	1	20	4	80	0	0	5	100
BOONE	8	89	1	11	0	0	9	100
BROWN	0	0	4	100	0	0	4	100
BUREAU	9	75	3	25	0	0	12	100
CALHOUN	1	100	0	0	0	0	1	100
CARROLL	1	33	2	67	0	0	3	100
CASS	1	100	0	0	0	0	1	100
CHAMPAIGN	236	58	171	42	0	0	407	100
CHRISTIAN	4	80	1	20	0	0	5	100
CLAY	2	100	0	0	0	0	2	100
CLINTON	2	33	4	67	0	0	6	100
COLES	11	69	5	31	0	0	16	100
COOK	8,021	48	8,608	52	3	0	16,632	100
CRAWFORD	1	25	3	75	0	0	4	100
CUMBERLAND	1	100	0	0	0	0	1	100
DE WITT	4	57	3	43	0	0	7	100
DEKALB	38	62	23	38	0	0	61	100
DOUGLAS	4	100	0	0	0	0	4	100
DUPAGE	117	50	117	50	0	0	234	100
EDGAR	1	100	0	0	0	0	1	100
EFFINGHAM	2	100	0	0	0	0	2	100
FAYETTE	8	62	5	38	0	0	13	100
FORD	3	75	1	25	0	0	4	100
FRANKLIN	2	25	6	75	0	0	8	100
FULTON	0	0	3	100	0	0	3	100
GREENE	5	83	1	17	0	0	6	100
GRUNDY	7	70	3	30	0	0	10	100
HAMILTON	0	0	1	100	0	0	1	100
HANCOCK	1	100	0	0	0	0	1	100
HARDIN	1	100	0	0	0	0	1	100
HENRY	9	60	6	40	0	0	15	100
IROQUOIS	7	70	3	30	0	0	10	100
JACKSON	70	53	62	47	0	0	132	100
JEFFERSON	30	60	20	40	0	0	50	100
JERSEY	5	100	0	0	0	0	5	100
JO DAVIESS	2	67	1	33	0	0	3	100
JOHNSON	2	40	3	60	0	0	5	100
KANE	180	59	124	41	0	0	304	100
KANKAKEE	156	57	116	43	0	0	272	100
KENDALL	5	50	5	50	0	0	10	100
KNOX	41	73	15	27	0	0	56	100
LA SALLE	19	53	17	47	0	0	36	100
LAKE	241	55	198	45	0	0	439	100
LEE	10	59	7	41	0	0	17	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Gender, 2002 (Cont'd)

COUNTY	Female		Male		Unknown		Total	
	#	%	#	%	#	%	#	%
LIVINGSTON	43	81	10	19	0	0	53	100
LOGAN	6	60	4	40	0	0	10	100
MACON	241	60	163	40	0	0	404	100
MACOUPIN	4	80	1	20	0	0	5	100
MADISON	126	59	88	41	0	0	214	100
MARION	32	74	11	26	0	0	43	100
MARSHALL	1	50	1	50	0	0	2	100
MASON	1	50	1	50	0	0	2	100
MASSAC	2	67	1	33	0	0	3	100
MCDONOUGH	3	60	2	40	0	0	5	100
MCHENRY	20	71	8	29	0	0	28	100
MCLEAN	104	57	77	43	0	0	181	100
MENARD	3	60	2	40	0	0	5	100
MERCER	5	71	2	29	0	0	7	100
MONROE	2	67	1	33	0	0	3	100
MONTGOMERY	1	10	9	90	0	0	10	100
MORGAN	24	55	20	45	0	0	44	100
MOULTRIE	3	100	0	0	0	0	3	100
OGLE	10	43	13	57	0	0	23	100
PEORIA	348	55	280	45	0	0	628	100
PERRY	8	73	3	27	0	0	11	100
PIATT	4	100	0	0	0	0	4	100
PIKE	1	100	0	0	0	0	1	100
POPE	3	75	1	25	0	0	4	100
PULASKI	18	62	11	38	0	0	29	100
RANDOLPH	3	33	6	67	0	0	9	100
RICHLAND	0	0	1	100	0	0	1	100
ROCK ISLAND	125	58	92	42	0	0	217	100
SALINE	2	50	2	50	0	0	4	100
SANGAMON	364	56	285	44	0	0	649	100
SHELBY	2	50	2	50	0	0	4	100
ST. CLAIR	489	58	350	42	0	0	839	100
STARK	2	100	0	0	0	0	2	100
STEPHENSON	50	56	40	44	0	0	90	100
TAZEWELL	17	65	9	35	0	0	26	100
UNION	3	100	0	0	0	0	3	100
VERMILION	92	70	40	30	0	0	132	100
WARREN	4	50	4	50	0	0	8	100
WASHINGTON	4	100	0	0	0	0	4	100
WAYNE	2	67	1	33	0	0	3	100
WHITESIDE	18	69	8	31	0	0	26	100
WILL	341	53	307	47	0	0	648	100
WILLIAMSON	21	51	20	49	0	0	41	100
WINNEBAGO	395	56	306	44	0	0	701	100
WOODFORD	3	75	1	25	0	0	4	100
TOTAL	12,273	51	11,750	49	3	0	24,026	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Race, 2002

COUNTY	Native American		Asian/Pacific Islander		African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	0	0	15	33	0	0	12	26	19	41	46	100
ALEXANDER	0	0	0	0	22	76	0	0	2	7	5	17	29	100
BOND	0	0	0	0	2	40	0	0	0	0	3	60	5	100
BOONE	0	0	0	0	2	22	0	0	2	22	5	56	9	100
BROWN	0	0	0	0	3	75	0	0	0	0	1	25	4	100
BUREAU	0	0	0	0	2	17	0	0	5	42	5	42	12	100
CALHOUN	0	0	0	0	0	0	0	0	1	100	0	0	1	100
CARROLL	0	0	0	0	2	67	0	0	0	0	1	33	3	100
CASS	0	0	0	0	0	0	0	0	0	0	1	100	1	100
CHAMPAIGN	0	0	2	0	257	63	2	0	55	14	91	22	407	100
CHRISTIAN	0	0	0	0	1	20	0	0	1	20	3	60	5	100
CLAY	0	0	0	0	0	0	0	0	0	0	2	100	2	100
CLINTON	0	0	0	0	5	83	0	0	1	17	0	0	6	100
COLES	0	0	0	0	9	56	0	0	0	0	7	44	16	100
COOK	15	0	5	0	11,226	67	177	1	4,278	26	931	6	16,632	100
CRAWFORD	0	0	0	0	2	50	0	0	2	50	0	0	4	100
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	1	100	1	100
DE WITT	0	0	1	14	2	29	0	0	0	0	4	57	7	100
DEKALB	0	0	0	0	34	56	0	0	3	5	24	39	61	100
DOUGLAS	0	0	0	0	0	0	0	0	0	0	4	100	4	100
DUPAGE	0	0	5	2	89	38	4	2	53	23	83	35	234	100
EDGAR	0	0	0	0	0	0	0	0	0	0	1	100	1	100
EFFINGHAM	0	0	0	0	0	0	0	0	0	0	2	100	2	100
FAYETTE	0	0	0	0	1	8	0	0	1	8	11	85	13	100
FORD	0	0	0	0	1	25	0	0	0	0	3	75	4	100
FRANKLIN	0	0	0	0	0	0	0	0	1	13	7	88	8	100
FULTON	0	0	0	0	2	67	0	0	0	0	1	33	3	100
GREENE	0	0	0	0	0	0	0	0	0	0	6	100	6	100
GRUNDY	0	0	0	0	2	20	0	0	2	20	6	60	10	100
HAMILTON	0	0	0	0	1	100	0	0	0	0	0	0	1	100
HANCOCK	0	0	0	0	0	0	0	0	0	0	1	100	1	100
HARDIN	0	0	0	0	0	0	0	0	0	0	1	100	1	100
HENRY	0	0	0	0	2	13	0	0	2	13	11	73	15	100
IROQUOIS	0	0	0	0	2	20	0	0	1	10	7	70	10	100
JACKSON	0	0	0	0	90	68	1	1	17	13	24	18	132	100
JEFFERSON	0	0	0	0	29	58	0	0	1	2	20	40	50	100
JERSEY	0	0	0	0	0	0	0	0	0	0	5	100	5	100
JO DAVIESS	0	0	0	0	1	33	0	0	1	33	1	33	3	100
JOHNSON	0	0	0	0	3	60	0	0	0	0	2	40	5	100
KANE	0	0	2	1	160	53	6	2	55	18	81	27	304	100
KANKAKEE	0	0	0	0	208	76	1	0	9	3	54	20	272	100
KENDALL	0	0	0	0	1	10	0	0	6	60	3	30	10	100
KNOX	0	0	0	0	23	41	0	0	9	16	24	43	56	100
LA SALLE	0	0	0	0	5	14	0	0	5	14	26	72	36	100
LAKE	1	0	5	1	266	61	17	4	69	16	81	18	439	100
LEE	0	0	0	0	2	12	0	0	2	12	13	76	17	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Race, 2002 (Cont'd)

COUNTY	Native American		Asian/Pacific Islander		African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%
LIVINGSTON	0	0	0	0	22	42	2	4	2	4	27	51	53	100
LOGAN	0	0	0	0	0	0	0	0	0	0	10	100	10	100
MACON	0	0	0	0	300	74	4	1	6	1	94	23	404	100
MACOUPIN	0	0	0	0	0	0	0	0	2	40	3	60	5	100
MADISON	1	0	1	0	119	56	2	1	21	10	70	33	214	100
MARION	0	0	0	0	21	49	0	0	3	7	19	44	43	100
MARSHALL	0	0	0	0	0	0	0	0	0	0	2	100	2	100
MASON	0	0	0	0	0	0	0	0	1	50	1	50	2	100
MASSAC	0	0	0	0	2	67	0	0	1	33	0	0	3	100
MCDONOUGH	0	0	0	0	2	40	0	0	1	20	2	40	5	100
MCHENRY	0	0	0	0	2	7	0	0	6	21	20	71	28	100
MCLEAN	0	0	1	1	113	62	0	0	22	12	45	25	181	100
MENARD	0	0	0	0	0	0	0	0	0	0	5	100	5	100
MERCER	0	0	0	0	1	14	0	0	0	0	6	86	7	100
MONROE	0	0	0	0	0	0	0	0	1	33	2	67	3	100
MONTGOMERY	0	0	0	0	7	70	0	0	0	0	3	30	10	100
MORGAN	0	0	0	0	22	50	1	2	0	0	21	48	44	100
MOULTRIE	0	0	0	0	0	0	0	0	0	0	3	100	3	100
OGLE	0	0	0	0	14	61	0	0	3	13	6	26	23	100
PEORIA	0	0	1	0	426	68	5	1	106	17	90	14	628	100
PERRY	0	0	0	0	4	36	0	0	2	18	5	45	11	100
PIATT	0	0	0	0	0	0	0	0	1	25	3	75	4	100
PIKE	0	0	0	0	0	0	0	0	0	0	1	100	1	100
POPE	0	0	0	0	3	75	0	0	1	25	0	0	4	100
PULASKI	0	0	0	0	21	72	0	0	1	3	7	24	29	100
RANDOLPH	0	0	0	0	4	44	0	0	2	22	3	33	9	100
RICHLAND	0	0	0	0	0	0	0	0	0	0	1	100	1	100
ROCK ISLAND	0	0	0	0	115	53	3	1	28	13	71	33	217	100
SALINE	0	0	0	0	1	25	0	0	1	25	2	50	4	100
SANGAMON	0	0	0	0	420	65	11	2	57	9	161	25	649	100
SHELBY	0	0	0	0	1	25	0	0	0	0	3	75	4	100
ST. CLAIR	0	0	0	0	698	83	8	1	69	8	64	8	839	100
STARK	0	0	0	0	0	0	0	0	1	50	1	50	2	100
STEPHENSON	0	0	0	0	47	52	4	4	8	9	31	34	90	100
TAZEWELL	0	0	0	0	3	12	1	4	3	12	19	73	26	100
UNION	0	0	0	0	0	0	0	0	0	0	3	100	3	100
VERMILION	0	0	0	0	85	64	1	1	2	2	44	33	132	100
WARREN	0	0	0	0	2	25	0	0	0	0	6	75	8	100
WASHINGTON	0	0	0	0	1	25	0	0	1	25	2	50	4	100
WAYNE	0	0	0	0	0	0	0	0	2	67	1	33	3	100
WHITESIDE	0	0	0	0	4	15	1	4	5	19	16	62	26	100
WILL	0	0	3	0	423	65	6	1	101	16	115	18	648	100
WILLIAMSON	0	0	0	0	16	39	0	0	9	22	16	39	41	100
WINNEBAGO	0	0	5	1	382	54	19	3	174	25	121	17	701	100
WOODFORD	0	0	0	0	0	0	0	0	0	0	4	100	4	100
TOTAL	17	0	31	0	15,753	66	276	1	5,239	22	2,710	11	24,026	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Ethnicity, 2002

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	1	2	22	48	23	50	46	100
ALEXANDER	0	0	21	72	8	28	29	100
BOND	0	0	5	100	0	0	5	100
BOONE	0	0	7	78	2	22	9	100
BROWN	0	0	4	100	0	0	4	100
BUREAU	0	0	3	25	9	75	12	100
CALHOUN	0	0	0	0	1	100	1	100
CARROLL	0	0	3	100	0	0	3	100
CASS	0	0	1	100	0	0	1	100
CHAMPAIGN	5	1	372	91	30	7	407	100
CHRISTIAN	0	0	3	60	2	40	5	100
CLAY	0	0	0	0	2	100	2	100
CLINTON	0	0	2	33	4	67	6	100
COLES	0	0	11	69	5	31	16	100
COOK	466	3	11,738	71	4,428	27	16,632	100
CRAWFORD	0	0	2	50	2	50	4	100
CUMBERLAND	0	0	1	100	0	0	1	100
DE WITT	0	0	4	57	3	43	7	100
DEKALB	2	3	36	59	23	38	61	100
DOUGLAS	0	0	4	100	0	0	4	100
DUPAGE	26	11	124	53	84	36	234	100
EDGAR	0	0	1	100	0	0	1	100
EFFINGHAM	0	0	2	100	0	0	2	100
FAYETTE	0	0	4	31	9	69	13	100
FORD	0	0	4	100	0	0	4	100
FRANKLIN	0	0	3	38	5	63	8	100
FULTON	0	0	1	33	2	67	3	100
GREENE	0	0	6	100	0	0	6	100
GRUNDY	1	10	3	30	6	60	10	100
HAMILTON	0	0	0	0	1	100	1	100
HANCOCK	0	0	1	100	0	0	1	100
HARDIN	0	0	1	100	0	0	1	100
HENRY	2	13	11	73	2	13	15	100
IROQUOIS	0	0	6	60	4	40	10	100
JACKSON	1	1	38	29	93	70	132	100
JEFFERSON	1	2	44	88	5	10	50	100
JERSEY	0	0	1	20	4	80	5	100
JO DAVIESS	0	0	2	67	1	33	3	100
JOHNSON	0	0	4	80	1	20	5	100
KANE	38	13	144	47	122	40	304	100
KANKAKEE	14	5	198	73	60	22	272	100
KENDALL	2	20	1	10	7	70	10	100
KNOX	1	2	43	77	12	21	56	100
LA SALLE	1	3	17	47	18	50	36	100
LAKE	38	9	315	72	86	20	439	100
LEE	0	0	15	88	2	12	17	100

Gonorrhea



2002

Illinois Gonorrhea Cases and Percentages by County and Ethnicity, 2002 Cont'd)

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
LIVINGSTON	3	6	42	79	8	15	53	100
LOGAN	0	0	9	90	1	10	10	100
MACON	4	1	271	67	129	32	404	100
MACOUPIN	0	0	3	60	2	40	5	100
MADISON	2	1	174	81	38	18	214	100
MARION	1	2	15	35	27	63	43	100
MARSHALL	0	0	2	100	0	0	2	100
MASON	0	0	1	50	1	50	2	100
MASSAC	0	0	2	67	1	33	3	100
MCDONOUGH	0	0	5	100	0	0	5	100
MCHENRY	3	11	16	57	9	32	28	100
MCLEAN	3	2	101	56	77	43	181	100
MENARD	0	0	1	20	4	80	5	100
MERCER	0	0	5	71	2	29	7	100
MONROE	0	0	0	0	3	100	3	100
MONTGOMERY	0	0	8	80	2	20	10	100
MORGAN	0	0	44	100	0	0	44	100
MOULTRIE	0	0	1	33	2	67	3	100
OGLE	3	13	16	70	4	17	23	100
PEORIA	5	1	501	80	122	19	628	100
PERRY	0	0	8	73	3	27	11	100
PIATT	0	0	1	25	3	75	4	100
PIKE	0	0	0	0	1	100	1	100
POPE	0	0	2	50	2	50	4	100
PULASKI	0	0	19	66	10	34	29	100
RANDOLPH	0	0	4	44	5	56	9	100
RICHLAND	0	0	0	0	1	100	1	100
ROCK ISLAND	5	2	171	79	41	19	217	100
SALINE	0	0	1	25	3	75	4	100
SANGAMON	9	1	278	43	362	56	649	100
SHELBY	0	0	1	25	3	75	4	100
ST. CLAIR	2	0	512	61	325	39	839	100
STARK	0	0	1	50	1	50	2	100
STEPHENSON	2	2	35	39	53	59	90	100
TAZEWELL	0	0	22	85	4	15	26	100
UNION	0	0	3	100	0	0	3	100
VERMILION	5	4	118	89	9	7	132	100
WARREN	0	0	6	75	2	25	8	100
WASHINGTON	0	0	3	75	1	25	4	100
WAYNE	0	0	1	33	2	67	3	100
WHITESIDE	4	15	12	46	10	38	26	100
WILL	34	5	402	62	212	33	648	100
WILLIAMSON	2	5	10	24	29	71	41	100
WINNEBAGO	18	3	503	72	180	26	701	100
WOODFORD	0	0	4	100	0	0	4	100
TOTAL	704	3	16,562	69	6,760	28	24,026	100

Gonorrhea



2002

Section 5.

Total Early Syphilis Primary and Secondary Syphilis Congenital Syphilis

Cases and Rates, 1992 - 2002
and 2002 County Statistical Tables



Reported total early, primary/secondary and congenital syphilis cases and rates for Illinois during 1992 - 2002 are detailed in the following tables. Data for 2002 are summarized by county, gender, race, ethnicity and age group.

Syphilis



2002

**Reported Early Syphilis (< 1 Year) Cases and Percentages
by Race, Ethnicity, Age Group and Gender
Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002**

Race	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Asian/Pacific Islander	0	0	1	0	1	0
African American	370	47	117	54	487	48
Native American	0	0	0	0	0	0
White	266	34	88	41	354	35
Other/Unknown	156	20	9	4	165	16
Total	792	100	215	100	1,007	100
Ethnicity	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Hispanic	86	11	22	10	108	11
Non-Hispanic	599	76	191	89	790	78
Unknown	107	14	2	1	109	11
Total	792	100	215	100	1,007	100
Age Group	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
0 - 4	2	0	0	0	2	0
5 - 9	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0
15 - 19	21	3	7	3	28	3
20 - 24	78	10	31	14	109	11
25 - 29	113	14	30	14	143	14
30 - 34	152	19	43	20	195	19
35 - 39	177	22	44	20	221	22
40 - 44	121	15	25	12	146	14
45 - 49	66	8	20	9	86	9
50 - 54	28	4	11	5	39	4
55 - 59	16	2	1	0	17	2
60 - 64	9	1	0	0	9	1
65+	9	1	3	1	12	1
Unknown	0	0	0	0	0	0
Total	792	100	215	100	1,007	100
Gender	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Male	634	80	145	67	779	77
Female	157	20	70	33	227	23
Unknown	1	0	0	0	1	0
Total	792	100	215	100	1,007	100

Syphilis



2002

**Reported Primary and Secondary Syphilis Cases and Percentages
by Race, Ethnicity, Age Group and Gender
Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002**

Race	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Asian/Pacific Islander	0	0	0	0	0	0
African American	143	41	58	46	201	42
Native American	0	0	0	0	0	0
White	149	42	60	48	209	44
Other/Unknown	61	17	8	6	69	14
Total	353	100	126	100	479	100
Ethnicity	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Hispanic	43	12	13	10	56	12
Non-Hispanic	267	76	111	88	378	79
Unknown	43	12	2	2	45	9
Total	353	100	126	100	479	100
Age Group	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
0 - 4	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0
15 - 19	8	2	3	2	11	2
20 - 24	31	9	16	13	47	10
25 - 29	51	14	17	13	68	14
30 - 34	75	21	24	19	99	21
35 - 39	81	23	26	21	107	22
40 - 44	48	14	20	16	68	14
45 - 49	37	10	12	10	49	10
50 - 54	11	3	7	6	18	4
55 - 59	3	1	0	0	3	1
60 - 64	4	1	0	0	4	1
65+	4	1	1	1	5	1
Unknown	0	0	0	0	0	0
Total	353	100	126	100	479	100
Gender	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Male	310	88	88	70	398	83
Female	43	12	38	30	81	17
Total	353	100	126	100	479	100

Syphilis



2002



Illinois Reported Early Syphilis (< 1 Year) Cases by Race, Ethnicity, Age Group and Gender 1992 - 2002

Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	223	193	133	156	n/a	97	67	119	119	209	354
African American	4,923	3,446	2,524	2,546	n/a	1,232	768	799	600	452	487
Hispanic	196	154	105	101							
Asian/Pacific	16	11	5	9	n/a	3	8	2	3	3	1
Native American	1	0	2	2	n/a	0	3	1	2	0	0
Other/Unknown	22	1	13	43	n/a	135	146	140	70	131	165
Total	5,381	3,805	2,782	2,857	1,887	1,467	992	1,061	794	795	1,007
Ethnicity*	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Hispanic					n/a	65	45	66	51	71	108
NonHispanic					n/a	1,302	829	864	694	635	790
Unknown					n/a	100	118	131	49	89	109
Total					1,887	1,467	992	1,061	794	795	1,007
Age Group	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	3	0	0	3	n/a	1	0	0	0	0	2
5-9	0	2	0	0	n/a	1	0	0	0	0	0
10-14	20	11	17	17	n/a	1	2	0	2	2	0
15-19	618	450	305	354	n/a	105	90	95	58	43	28
20-24	1,184	856	597	574	n/a	226	159	150	125	95	109
25-29	1,157	798	523	514	n/a	275	162	160	113	137	143
30-34	999	705	547	541	n/a	258	176	183	144	140	195
35-39	632	439	393	379	n/a	267	168	189	132	157	221
40-44	334	258	196	216	n/a	156	121	132	91	103	146
45-54	296	202	152	177	n/a	120	82	115	96	95	125
55-64	97	56	38	52	n/a	36	21	29	21	16	26
65+	41	25	14	25	n/a	20	9	8	12	7	12
Age Unknown	0	3	0	5	n/a	1	2	0	0	0	0
Total	5,381	3,805	2,782	2,857	1,887	1,467	992	1,061	794	795	1,007
Gender	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Female	2,741	1,941	1,452	1,501	n/a	672	433	508	375	252	227
Male	2,640	1,864	1,330	1,356	n/a	795	559	553	419	543	779
Total	5,381	3,805	2,782	2,857	1,887	1,467	992	1,061	794	795	1,006

*Ethnicity reported separately from race beginning 1996

Illinois Reported Primary and Secondary Syphilis Cases by Race, Ethnicity, Age Group and Gender 1992 - 2002

Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	87	80	56	62	36	25	32	60	70	137	209
African American	2,239	1,372	1,016	969	470	382	320	334	311	211	201
Hispanic	48	34	19	9							
Asian/Pacific	5	2	2	3	0	0	2	0	2	3	0
Native American	0	0	1	1	1	0	1	1	2	0	0
Other/Unknown	1	1	5	13	11	28	41	27	27	58	69
Total	2,380	1,489	1,099	1,057	518	435	396	422	412	409	479
Ethnicity*	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Hispanic					6	15	9	23	16	31	56
NonHispanic					504	400	352	369	375	335	378
Unknown					8	20	35	30	21	43	45
Total					518	435	396	422	412	409	479
Age Group	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	3	0	0	1	0	1	0	0	0	0	0
5-9	0	0	0	0	1	0	0	0	0	0	0
10-14	4	5	8	7	2	1	1	0	1	1	0
15-19	257	165	119	150	38	30	33	42	35	16	11
20-24	492	305	234	212	84	65	49	59	68	41	47
25-29	492	298	194	176	100	91	67	59	53	80	68
30-34	478	291	220	196	91	76	71	73	80	77	99
35-39	299	194	161	142	96	76	75	64	67	84	107
40-44	150	96	73	77	52	42	52	53	43	54	68
45-54	141	95	62	59	43	34	32	53	52	48	67
55-64	48	30	20	25	8	13	9	16	9	4	7
65+	16	9	8	9	3	5	5	3	4	4	5
Age Unknown	0	1	0	3	0	1	2	0	0	0	0
Total	2,380	1,489	1,099	1,057	518	435	396	422	412	409	479
Gender	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Female	1,085	702	537	521	253	194	158	180	181	91	81
Male	1,295	787	562	536	265	241	238	242	231	318	398
Total	2,380	1,489	1,099	1,057	518	435	396	422	412	409	479

*Ethnicity reported separately from race beginning 1996

Syphilis



2002

Illinois Reported Early Syphilis (<1 Year) Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	1	1	1	3	0	0	0	1	2	0	1
ALEXANDER	9	12	27	6	2	0	1	0	0	0	0
BOND	0	0	0	1	0	1	1	0	0	0	0
BOONE	0	0	0	0	0	0	0	0	1	0	0
BROWN	0	0	0	1	0	0	0	0	0	0	1
BUREAU	1	0	0	1	0	0	0	0	0	0	0
CALHOUN	0	0	0	0	0	0	0	0	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0	0	0
CASS	0	0	0	0	0	0	0	0	0	0	0
CHAMPAIGN	19	22	4	5	4	7	1	1	3	2	10
CHRISTIAN	0	1	1	6	3	2	0	0	1	0	2
CLARK	0	0	0	0	0	0	0	0	0	0	0
CLAY	0	0	0	0	0	0	0	0	0	0	0
CLINTON	0	0	1	1	0	0	0	0	0	0	1
COLES	0	0	4	0	0	1	0	0	0	0	2
COOK	4,916	3,201	2,192	2,204	1,646	1,335	879	892	649	665	882
CHICAGO	4,371	2,904	1,954	2,039	1,557	1,264	828	803	584	615	792
SUBURBAN COOK	545	297	238	165	89	71	51	89	65	50	90
CRAWFORD	0	0	3	0	0	0	0	0	0	0	1
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0
DEKALB	3	0	1	0	1	0	1	0	3	3	0
DE WITT	0	0	0	0	0	0	0	1	2	0	0
DOUGLAS	0	0	0	0	0	0	0	0	0	0	1
DU PAGE	16	13	21	7	12	6	11	8	8	10	10
EDGAR	0	0	0	0	0	0	0	0	0	0	0
EDWARDS	0	0	0	0	0	0	0	0	0	0	0
EFFINGHAM	0	0	0	0	0	0	0	0	0	0	0
FAYETTE	0	0	1	1	0	0	0	0	1	1	0
FORD	0	0	0	0	0	0	0	0	0	0	1
FRANKLIN	0	0	0	0	0	0	0	0	0	0	0
FULTON	0	0	0	0	1	0	0	0	0	0	0
GALLATIN	0	0	0	0	0	0	0	0	0	0	0
GREENE	0	0	0	1	0	0	0	0	0	0	0
GRUNDY	0	0	0	0	0	0	0	0	0	0	0
HAMILTON	0	0	0	0	0	0	0	0	0	0	0
HANCOCK	1	0	0	0	0	0	0	0	0	0	1
HARDIN	0	0	0	0	0	0	0	0	0	0	0
HENDERSON	0	0	0	0	0	0	0	0	0	0	0
HENRY	0	0	0	0	0	0	0	0	0	0	0
IROQUOIS	0	1	0	0	0	0	0	0	0	0	0
JACKSON	10	1	4	7	1	3	0	0	0	0	0
JASPER	0	0	0	2	0	0	0	0	0	0	0
JEFFERSON	2	2	1	0	1	0	0	0	0	0	1
JERSEY	0	0	0	0	0	0	0	0	0	0	0
JO DAVIESS	0	0	0	0	0	0	0	0	0	0	0
JOHNSON	0	1	2	1	0	2	0	0	0	0	1
KANE	26	12	6	7	6	2	6	11	3	7	7
KANKAKEE	15	11	5	5	2	0	0	2	0	0	0
KENDALL	0	1	0	0	0	0	0	0	0	0	0
KNOX	1	2	0	0	1	0	0	0	2	0	0
LAKE	29	54	35	26	17	7	9	2	5	10	8
LA SALLE	0	0	0	3	2	0	0	1	0	0	0
LAWRENCE	0	1	0	2	0	0	0	0	0	0	0
LEE	0	3	0	0	1	2	0	0	0	0	1
LIVINGSTON	0	2	1	10	1	7	5	1	4	3	5

Syphilis



2002

Illinois Reported Early Syphilis (<1 Year) Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	0	1	5	5	2	1	3	0	1	2	1
MC DONOUGH	1	1	0	0	0	0	0	0	0	0	2
MC HENRY	0	1	0	1	2	0	0	2	0	2	2
MC LEAN	5	5	1	6	0	0	0	2	4	2	3
MACON	13	60	55	28	15	7	1	15	5	0	1
MACOUPIN	0	0	0	3	1	1	0	0	0	0	0
MADISON	29	35	25	47	20	12	3	4	2	5	7
MARION	1	2	4	4	1	0	0	0	0	0	0
MARSHALL	0	0	0	0	0	0	0	0	0	0	0
MASON	0	0	0	0	0	0	0	0	0	0	0
MASSAC	1	5	0	0	5	0	1	0	0	0	0
MENARD	0	0	0	0	0	0	0	0	0	0	0
MERCER	0	0	0	0	0	0	0	0	0	0	0
MONROE	0	0	0	0	0	0	0	0	0	0	0
MONTGOMERY	1	0	5	6	1	0	0	0	1	2	2
MORGAN	1	2	1	1	0	0	0	2	1	1	1
MOULTRIE	0	0	0	0	0	0	0	0	0	0	0
OGLE	0	4	0	0	0	0	0	0	0	0	0
PEORIA	8	6	23	97	32	3	3	2	2	0	1
PERRY	1	0	0	0	0	1	0	0	0	1	0
PIATT	0	0	0	0	0	0	0	0	0	0	0
PIKE	0	0	0	0	0	0	0	0	0	0	0
POPE	0	0	0	2	0	0	0	0	1	2	0
PULASKI	7	1	7	2	2	0	1	0	0	0	0
PUTNAM	0	0	0	0	0	0	0	0	0	0	0
RANDOLPH	1	1	2	2	3	4	2	0	3	0	1
RICHLAND	0	0	2	0	0	0	0	0	0	0	0
ROCK ISLAND	9	9	15	3	0	0	0	0	2	6	0
ST. CLAIR	163	241	206	217	58	33	31	40	34	34	8
SALINE	1	0	0	1	0	0	0	0	0	0	0
SANGAMON	44	41	33	11	7	2	4	6	1	5	1
SCHUYLER	0	0	0	0	0	0	0	0	0	0	0
SCOTT	0	0	0	0	0	0	0	0	0	0	0
SHELBY	0	1	0	0	0	0	0	0	0	0	0
STARK	0	0	0	0	0	0	0	0	0	0	0
STEPHENSON	2	0	1	0	0	1	0	2	1	0	0
TAZEWELL	0	0	0	1	0	1	0	0	0	0	0
UNION	0	2	1	0	0	0	0	0	0	0	1
VERMILION	1	1	4	3	1	0	0	1	13	10	10
WABASH	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0
WASHINGTON	0	0	0	0	0	0	0	0	0	0	0
WAYNE	0	0	0	2	0	0	0	0	0	0	0
WHITE	0	0	0	0	0	0	0	0	0	0	0
WHITESIDE	0	1	0	0	0	0	0	0	0	0	0
WILL	21	22	14	33	13	20	18	36	18	16	9
WILLIAMSON	2	2	0	1	2	1	0	0	0	0	0
WINNEBAGO	20	20	68	80	21	5	11	29	21	6	21
WOODFORD	0	0	0	1	0	0	0	0	0	0	0
TOTAL ILLINOIS	5,381	3,805	2,782	2,857	1,887	1,467	992	1,061	794	795	1,007
Total Ill. excluding Chicago	1,010	901	828	818	330	203	164	258	210	180	215

Syphilis



2002



Illinois Reported Primary and Secondary Syphilis Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	0	1	1	2	0	0	0	1	1	0	0
ALEXANDER	7	7	21	4	1	0	1	0	0	0	0
BOND	0	0	0	1	0	0	1	0	0	0	0
BOONE	0	0	0	0	0	0	0	0	1	0	0
BROWN	0	0	0	0	0	0	0	0	0	0	0
BUREAU	1	0	0	1	0	0	0	0	0	0	0
CALHOUN	0	0	0	0	0	0	0	0	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0	0	0
CASS	0	0	0	0	0	0	0	0	0	0	0
CHAMPAIGN	8	12	2	4	1	2	1	1	2	1	7
CHRISTIAN	0	1	1	2	0	1	0	0	1	0	1
CLARK	0	0	0	0	0	0	0	0	0	0	0
CLAY	0	0	0	0	0	0	0	0	0	0	0
CLINTON	0	0	1	0	0	0	0	0	0	0	1
COLES	0	0	0	0	0	1	0	0	0	0	0
COOK	2,131	1,129	732	674	395	381	336	324	326	339	408
CHICAGO	1,879	1,016	648	613	360	346	310	282	292	317	353
SUBURBAN COOK	252	113	84	61	35	35	26	42	34	22	55
CRAWFORD	0	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0
DEKALB	0	0	0	0	0	0	1	0	1	2	0
DE WITT	0	0	0	0	0	0	0	0	2	0	0
DOUGLAS	0	0	0	0	0	0	0	0	0	0	1
DU PAGE	6	9	10	6	6	3	7	6	5	9	7
EDGAR	0	0	0	0	0	0	0	0	0	0	0
EDWARDS	0	0	0	0	0	0	0	0	0	0	0
EFFINGHAM	0	0	0	0	0	0	0	0	0	0	0
FAYETTE	0	0	0	0	0	0	0	0	1	0	0
FORD	0	0	0	0	0	0	0	0	0	0	1
FRANKLIN	0	0	0	0	0	0	0	0	0	0	0
FULTON	0	0	0	0	0	0	0	0	0	0	0
GALLATIN	0	0	0	0	0	0	0	0	0	0	0
GREENE	0	0	0	0	0	0	0	0	0	0	0
GRUNDY	0	0	0	0	0	0	0	0	0	0	0
HAMILTON	0	0	0	0	0	0	0	0	0	0	0
HANCOCK	0	0	0	0	0	0	0	0	0	0	1
HARDIN	0	0	0	0	0	0	0	0	0	0	0
HENDERSON	0	0	0	0	0	0	0	0	0	0	0
HENRY	0	0	0	0	0	0	0	0	0	0	0
IROQUOIS	0	0	0	0	0	0	0	0	0	0	0
JACKSON	6	0	2	3	1	1	0	0	0	0	0
JASPER	0	0	0	1	0	0	0	0	0	0	0
JEFFERSON	0	1	0	0	0	0	0	0	0	0	1
JERSEY	0	0	0	0	0	0	0	0	0	0	0
JO DAVIESS	0	0	0	0	0	0	0	0	0	0	0
JOHNSON	0	0	1	0	0	1	0	0	0	0	1
KANE	14	6	3	4	3	1	4	3	2	6	4
KANKAKEE	4	2	3	4	1	0	0	2	0	0	0
KENDALL	0	0	0	0	0	0	0	0	0	0	0
KNOX	1	2	0	0	0	0	0	0	0	0	0
LAKE	17	25	14	14	4	0	3	0	1	2	1
LA SALLE	0	0	0	1	1	0	0	1	0	0	0
LAWRENCE	0	1	0	1	0	0	0	0	0	0	0
LEE	0	0	0	0	0	1	0	0	0	0	1
LIVINGSTON	0	0	1	3	0	7	4	1	3	0	2

Illinois Reported Primary and Secondary Syphilis Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	0	0	3	0	0	1	1	0	0	0	0
MC DONOUGH	0	1	0	0	0	0	0	0	0	0	2
MC HENRY	0	0	0	1	1	0	0	1	0	0	0
MC LEAN	3	1	0	3	0	0	0	0	3	2	2
MACON	8	30	41	14	9	4	0	9	3	0	0
MACOUPIN	0	0	0	2	1	1	0	0	0	0	0
MADISON	14	18	14	19	10	2	0	3	2	3	6
MARION	1	0	2	2	0	0	0	0	0	0	0
MARSHALL	0	0	0	0	0	0	0	0	0	0	0
MASON	0	0	0	0	0	0	0	0	0	0	0
MASSAC	1	2	0	0	4	0	0	0	0	0	0
MENARD	0	0	0	0	0	0	0	0	0	0	0
MERCER	0	0	0	0	0	0	0	0	0	0	0
MONROE	0	0	0	0	0	0	0	0	0	0	0
MONTGOMERY	0	0	2	3	0	0	0	0	0	0	0
MORGAN	0	2	0	0	0	0	0	0	1	0	0
MOULTRIE	0	0	0	0	0	0	0	0	0	0	0
OGLE	0	4	0	0	0	0	0	0	0	0	0
PEORIA	5	4	15	74	22	2	2	2	0	0	0
PERRY	1	0	0	0	0	0	0	0	0	1	0
PIATT	0	0	0	0	0	0	0	0	0	0	0
PIKE	0	0	0	0	0	0	0	0	0	0	0
POPE	0	0	0	1	0	0	0	0	0	1	0
PULASKI	2	0	7	1	2	0	1	0	0	0	0
PUTNAM	0	0	0	0	0	0	0	0	0	0	0
RANDOLPH	1	1	0	1	1	1	1	0	2	0	0
RICHLAND	0	0	2	0	0	0	0	0	0	0	0
ROCK ISLAND	4	6	9	2	0	0	0	0	1	2	0
ST. CLAIR	101	176	139	133	27	9	19	27	26	22	5
SALINE	0	0	0	1	0	0	0	0	0	0	0
SANGAMON	19	25	10	6	4	2	1	6	0	3	1
SCHUYLER	0	0	0	0	0	0	0	0	0	0	0
SCOTT	0	0	0	0	0	0	0	0	0	0	0
SHELBY	0	0	0	0	0	0	0	0	0	0	0
STARK	0	0	0	0	0	0	0	0	0	0	0
STEPHENSON	2	0	0	0	0	1	0	1	0	0	0
TAZEWELL	0	0	0	1	0	0	0	0	0	0	0
UNION	0	0	0	0	0	0	0	0	0	0	1
VERMILION	1	0	4	2	1	0	0	0	7	6	6
WABASH	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0
WASHINGTON	0	0	0	0	0	0	0	0	0	0	0
WAYNE	0	0	0	0	0	0	0	0	0	0	0
WHITE	0	0	0	0	0	0	0	0	0	0	0
WHITESIDE	0	1	0	0	0	0	0	0	0	0	0
WILL	10	10	6	10	9	9	6	18	9	7	3
WILLIAMSON	1	1	0	0	1	1	0	0	0	0	0
WINNEBAGO	11	11	52	56	13	3	7	16	12	3	16
WOODFORD	0	0	0	0	0	0	0	0	0	0	0
TOTAL ILLINOIS	2,380	1,489	1,099	1,057	518	435	396	422	412	409	479
Total Ill. excluding Chicago	501	473	451	444	158	89	86	140	120	92	126

Syphilis



2002



Illinois Early Syphilis (< 1 Year) Case Rates per 100,000 Population by County, 1992 - 2002

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	68,277	1.5	1.5	1.5	4.5	0.0	0.0	0.0	1.5	2.9	0.0	1.5
ALEXANDER	9,590	84.7	112.9	254.1	56.5	18.8	0.0	9.4	0.0	0.0	0.0	0.0
BOND	17,633	0.0	0.0	0.0	6.7	0.0	6.7	6.7	0.0	0.0	0.0	0.0
BOONE	41,786	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0
BROWN	6,950	0.0	0.0	0.0	17.1	0.0	0.0	0.0	0.0	0.0	0.0	14.4
BUREAU	35,503	2.8	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CALHOUN	5,084	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CARROLL	16,674	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CASS	13,695	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHAMPAIGN	179,669	11.0	12.7	2.3	2.9	2.3	4.0	0.6	0.6	1.7	1.1	5.6
CHRISTIAN	35,372	0.0	2.9	2.9	17.4	8.7	5.8	0.0	0.0	2.8	0.0	5.7
CLARK	17,008	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLAY	14,560	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLINTON	35,535	0.0	0.0	2.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.8
COLES	53,196	0.0	0.0	7.7	0.0	0.0	1.9	0.0	0.0	0.0	0.0	3.8
COOK	5,376,741	96.3	62.7	42.9	43.2	32.2	26.2	17.2	17.5	12.1	12.4	16.4
CHICAGO	2,896,016	157.0	104.3	70.2	73.2	55.9	45.4	29.7	28.8	20.2	21.2	27.3
SUBURBAN COOK	2,480,725	23.5	12.8	10.3	7.1	3.8	3.1	2.2	3.8	2.6	2.0	3.6
CRAWFORD	20,452	0.0	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9
CUMBERLAND	11,253	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEKALB	88,969	3.8	0.0	1.3	0.0	1.3	0.0	1.3	0.0	3.4	3.4	0.0
DE WITT	16,798	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	11.9	0.0	0.0
DOUGLAS	19,922	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
DU PAGE	904,161	2.0	1.7	2.7	0.9	1.5	0.8	1.4	1.0	0.9	1.1	1.1
EDGAR	19,704	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EDWARDS	6,971	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EFFINGHAM	34,264	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FAYETTE	21,802	0.0	0.0	4.8	4.8	0.0	0.0	0.0	0.0	4.6	4.6	0.0
FORD	14,241	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0
FRANKLIN	39,018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FULTON	38,250	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0
GALLATIN	6,445	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GREENE	14,761	0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GRUNDY	37,535	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAMILTON	8,621	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HANCOCK	20,121	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
HARDIN	4,800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HENDERSON	8,213	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HENRY	51,020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IROQUOIS	31,334	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JACKSON	59,612	16.4	1.6	6.6	11.5	1.6	4.9	0.0	0.0	0.0	0.0	0.0
JASPER	10,117	0.0	0.0	0.0	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JEFFERSON	40,045	5.4	5.4	2.7	0.0	2.7	0.0	0.0	0.0	0.0	0.0	2.5
JERSEY	21,668	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JO DAVIESS	22,289	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JOHNSON	12,878	0.0	8.8	17.6	8.8	0.0	17.6	0.0	0.0	0.0	0.0	7.8
KANE	404,119	8.2	3.8	1.9	2.2	1.9	0.6	1.9	3.5	0.7	1.7	1.7
KANKAKEE	103,833	15.6	11.4	5.2	5.2	2.1	0.0	0.0	2.1	0.0	0.0	0.0
KENDALL	54,544	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KNOX	55,836	1.8	3.5	0.0	0.0	1.8	0.0	0.0	0.0	3.6	0.0	0.0
LAKE	644,356	5.6	10.5	6.8	5.0	3.3	1.4	1.7	0.4	0.8	1.6	1.2
LA SALLE	111,509	0.0	0.0	0.0	2.8	1.9	0.0	0.0	0.9	0.0	0.0	0.0
LAWRENCE	15,452	0.0	6.3	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEE	36,062	0.0	8.7	0.0	0.0	2.9	5.8	0.0	0.0	0.0	0.0	2.8
LIVINGSTON	39,678	0.0	5.1	2.5	25.4	2.5	17.8	12.7	2.5	10.1	7.6	12.6

Illinois Early Syphilis (< 1 Year) Case Rates per 100,000 Population by County, 1992 - 2002 (Cont'd)

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	31,183	0.0	3.2	16.2	16.2	6.5	3.2	9.7	0.0	3.2	6.4	3.2
MC DONOUGH	32,913	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1
MC HENRY	260,077	0.0	0.5	0.0	0.5	1.1	0.0	0.0	1.1	0.0	0.8	0.8
MC LEAN	150,433	3.9	3.9	0.8	4.6	0.0	0.0	0.0	1.5	2.7	1.3	2.0
MACON	114,706	11.1	51.2	46.9	23.9	12.8	6.0	0.9	12.8	4.4	0.0	0.9
MACOUPIN	49,019	0.0	0.0	0.0	6.3	2.1	2.1	0.0	0.0	0.0	0.0	0.0
MADISON	258,941	11.6	14.0	10.0	18.9	8.0	4.8	1.2	1.6	0.8	1.9	2.7
MARION	41,691	2.4	4.8	9.6	9.6	2.4	0.0	0.0	0.0	0.0	0.0	0.0
MARSHALL	13,180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MASON	16,038	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MASSAC	15,161	6.8	33.9	0.0	0.0	33.9	0.0	6.8	0.0	0.0	0.0	0.0
MENARD	12,486	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCER	16,957	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONROE	27,619	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONTGOMERY	30,652	3.3	0.0	16.3	19.5	3.3	0.0	0.0	0.0	3.3	6.5	6.5
MORGAN	36,616	2.7	5.5	2.7	2.7	0.0	0.0	0.0	5.5	2.7	2.7	2.7
MOULTRIE	14,287	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OGLE	51,032	0.0	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PEORIA	183,433	4.4	3.3	12.6	53.1	17.5	1.6	1.6	1.1	1.1	0.0	0.5
PERRY	23,094	4.7	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	4.3	0.0
PIATT	16,365	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PIKE	17,384	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POPE	4,413	0.0	0.0	0.0	45.7	0.0	0.0	0.0	0.0	22.7	45.3	0.0
PULASKI	7,348	93.0	13.3	93.0	26.6	26.6	0.0	13.3	0.0	0.0	0.0	0.0
PUTNAM	6,086	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RANDOLPH	33,893	2.9	2.9	5.8	5.8	8.7	11.6	5.8	0.0	8.9	0.0	3.0
RICHLAND	16,149	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ROCK ISLAND	149,374	6.1	6.1	10.1	2.0	0.0	0.0	0.0	0.0	1.3	4.0	0.0
ST. CLAIR	256,082	62.0	91.7	78.4	82.6	22.1	12.6	11.8	15.2	13.3	13.3	3.1
SALINE	26,733	3.8	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SANGAMON	188,951	24.7	23.0	18.5	6.2	3.9	1.1	2.2	3.4	0.5	2.6	0.5
SCHUYLER	7,189	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SCOTT	5,537	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHELBY	22,893	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STARK	6,332	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STEPHENSON	48,979	4.2	0.0	2.1	0.0	0.0	2.1	0.0	4.2	2.0	0.0	0.0
TAZEWELL	128,485	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.0
UNION	18,293	0.0	11.4	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5
VERMILION	83,919	1.1	1.1	4.5	3.4	1.1	0.0	0.0	1.1	15.5	11.9	11.9
WABASH	12,937	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WARREN	18,735	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WASHINGTON	15,148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WAYNE	17,151	0.0	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITE	15,371	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITESIDE	60,653	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WILL	502,266	5.9	6.2	3.9	9.2	3.6	5.6	5.0	10.1	3.6	3.2	1.8
WILLIAMSON	61,296	3.5	3.5	0.0	1.7	3.5	1.7	0.0	0.0	0.0	0.0	0.0
WINNEBAGO	278,418	7.9	7.9	26.9	31.6	8.3	2.0	4.3	11.5	7.5	2.2	7.5
WOODFORD	35,469	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ILLINOIS TOTAL	12,419,293	47.1	33.3	24.3	25.0	16.5	12.8	8.7	9.3	6.4	6.4	8.1
Total Ill. excluding Chicago	9,523,277	11.7	10.4	9.6	9.5	3.8	2.3	1.9	3.0	2.2	1.9	2.3

Syphilis



2002



Illinois Primary and Secondary Syphilis Case Rates per 100,000 Population by County, 1992 - 2002

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
ADAMS	68,277	0.0	1.5	1.5	3.0	0.0	0.0	0.0	1.5	1.5	0.0	0.0
ALEXANDER	9,590	65.9	65.9	197.6	37.6	9.4	0.0	9.4	0.0	0.0	0.0	0.0
BOND	17,633	0.0	0.0	0.0	6.7	0.0	0.0	6.7	0.0	0.0	0.0	0.0
BOONE	41,786	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0
BROWN	6,950	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BUREAU	35,503	2.8	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CALHOUN	5,084	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CARROLL	16,674	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CASS	13,695	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHAMPAIGN	179,669	4.6	6.9	1.2	2.3	0.6	1.2	0.6	0.6	1.1	0.6	3.9
CHRISTIAN	35,372	0.0	2.9	2.9	5.8	0.0	2.9	0.0	0.0	2.8	0.0	2.8
CLARK	17,008	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLAY	14,560	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CLINTON	35,535	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
COLES	53,196	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0
COOK	5,376,741	41.7	22.1	14.3	13.2	7.7	7.5	6.6	6.3	6.1	6.3	7.6
CHICAGO	2,896,016	67.5	36.5	23.3	22.0	12.9	12.4	11.1	10.1	10.1	10.9	12.2
SUBURBAN COOK	2,480,725	10.9	4.9	3.6	2.6	1.5	1.5	1.1	1.8	1.4	0.9	2.2
CRAWFORD	20,452	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CUMBERLAND	11,253	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEKALB	88,969	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.1	2.2	0.0
DE WITT	16,798	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	0.0	0.0
DOUGLAS	19,922	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
DU PAGE	904,161	0.8	1.2	1.3	0.8	0.8	0.4	0.9	0.8	0.6	1.0	0.8
EDGAR	19,704	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EDWARDS	6,971	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EFFINGHAM	34,264	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FAYETTE	21,802	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0
FORD	14,241	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0
FRANKLIN	39,018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FULTON	38,250	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GALLATIN	6,445	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GREENE	14,761	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GRUNDY	37,535	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAMILTON	8,621	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HANCOCK	20,121	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
HARDIN	4,800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HENDERSON	8,213	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HENRY	51,020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IROQUOIS	31,334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JACKSON	59,612	9.8	0.0	3.3	4.9	1.6	1.6	0.0	0.0	0.0	0.0	0.0
JASPER	10,117	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JEFFERSON	40,045	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
JERSEY	21,668	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JO DAVIESS	22,289	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JOHNSON	12,878	0.0	0.0	8.8	0.0	0.0	8.8	0.0	0.0	0.0	0.0	7.8
KANE	404,119	4.4	1.9	0.9	1.3	0.9	0.3	1.3	0.9	0.5	1.5	1.0
KANKAKEE	103,833	4.2	2.1	3.1	4.2	1.0	0.0	0.0	2.1	0.0	0.0	0.0
KENDALL	54,544	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KNOX	55,836	1.8	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAKE	644,356	3.3	4.8	2.7	2.7	0.8	0.0	0.6	0.0	0.2	0.3	0.2
LA SALLE	111,509	0.0	0.0	0.0	0.9	0.9	0.0	0.0	0.9	0.0	0.0	0.0
LAWRENCE	15,452	0.0	6.3	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEE	36,062	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	2.8
LIVINGSTON	39,678	0.0	0.0	2.5	7.6	0.0	17.8	10.2	2.5	7.6	0.0	5.0

Illinois Primary and Secondary Syphilis Case Rates per 100,000 Population by County, 1992 - 2002 (Cont'd)

COUNTY	2000 Population	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
LOGAN	31,183	0.0	0.0	9.7	0.0	0.0	3.2	3.2	0.0	0.0	0.0	0.0
MC DONOUGH	32,913	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1
MC HENRY	260,077	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.0
MC LEAN	150,433	2.3	0.8	0.0	2.3	0.0	0.0	0.0	0.0	2.0	1.3	1.3
MACON	114,706	6.8	25.6	35.0	11.9	7.7	3.4	0.0	7.7	2.6	0.0	0.0
MACOUPIN	49,019	0.0	0.0	0.0	4.2	2.1	2.1	0.0	0.0	0.0	0.0	0.0
MADISON	258,941	5.6	7.2	5.6	7.6	4.0	0.8	0.0	1.2	0.8	1.2	2.3
MARION	41,691	2.4	0.0	4.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MARSHALL	13,180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MASON	16,038	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MASSAC	15,161	6.8	13.6	0.0	0.0	27.1	0.0	0.0	0.0	0.0	0.0	0.0
MENARD	12,486	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCER	16,957	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONROE	27,619	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONTGOMERY	30,652	0.0	0.0	6.5	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MORGAN	36,616	0.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0
MOULTRIE	14,287	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OGLE	51,032	0.0	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PEORIA	183,433	2.7	2.2	8.2	40.5	12.0	1.1	1.1	1.1	0.0	0.0	0.0
PERRY	23,094	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0
PIATT	16,365	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PIKE	17,384	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POPE	4,413	0.0	0.0	0.0	22.9	0.0	0.0	0.0	0.0	0.0	22.7	0.0
PULASKI	7,348	26.6	0.0	93.0	13.3	26.6	0.0	13.3	0.0	0.0	0.0	0.0
PUTNAM	6,086	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RANDOLPH	33,893	2.9	2.9	0.0	2.9	2.9	2.9	2.9	0.0	5.9	0.0	0.0
RICHLAND	16,149	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ROCK ISLAND	149,374	2.7	4.0	6.1	1.3	0.0	0.0	0.0	0.0	0.7	1.3	0.0
ST. CLAIR	256,082	38.4	67.0	52.9	50.6	10.3	3.4	7.2	10.3	10.2	8.6	2.0
SALINE	26,733	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SANGAMON	188,951	10.7	14.0	5.6	3.4	2.2	1.1	0.6	3.4	0.0	1.6	0.5
SCHUYLER	7,189	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SCOTT	5,537	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHELBY	22,893	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STARK	6,332	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STEPHENSON	48,979	4.2	0.0	0.0	0.0	0.0	2.1	0.0	2.1	0.0	0.0	0.0
TAZEWELL	128,485	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNION	18,293	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5
VERMILION	83,919	1.1	0.0	4.5	2.3	1.1	0.0	0.0	0.0	8.3	7.1	7.1
WABASH	12,937	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WARREN	18,735	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WASHINGTON	15,148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WAYNE	17,151	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITE	15,371	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITESIDE	60,653	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WILL	502,266	2.8	2.8	1.7	2.8	2.5	2.5	1.7	5.0	1.8	1.4	0.6
WILLIAMSON	61,296	1.7	1.7	0.0	0.0	1.7	1.7	0.0	0.0	0.0	0.0	0.0
WINNEBAGO	278,418	4.3	4.3	20.6	22.1	5.1	1.2	2.8	6.3	4.3	1.1	5.7
WOODFORD	35,469	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ILLINOIS TOTAL	12,419,293	20.8	13.0	9.6	9.2	4.5	3.8	3.5	3.7	3.3	3.3	3.9
Total Ill. excluding Chicago	9,523,277	5.8	5.5	5.2	5.1	1.8	1.0	1.0	1.6	1.3	1.0	1.3

Syphilis



2002

Illinois Early Syphilis (<1 Year) Cases and Percentages by County and Age Group, 2002

COUNTY	0-9		10-19		20-29		30-39		40-49		50+		Total	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	0	0	0	0	1	100	0	0	0	0	1	100
BROWN	0	0	0	0	0	0	1	100	0	0	0	0	1	100
CHAMPAIGN	0	0	0	0	3	30	3	30	3	30	1	10	10	100
CHRISTIAN	0	0	0	0	0	0	0	0	1	50	1	50	2	100
CLINTON	0	0	0	0	0	0	1	100	0	0	0	0	1	100
COLES	0	0	1	50	1	50	0	0	0	0	0	0	2	100
COOK	2	0	23	3	218	25	364	41	206	23	69	8	882	100
CRAWFORD	0	0	0	0	0	0	1	100	0	0	0	0	1	100
DOUGLAS	0	0	0	0	0	0	0	0	1	100	0	0	1	100
DUPAGE	0	0	0	0	3	30	5	50	1	10	1	10	10	100
FORD	0	0	0	0	0	0	0	0	1	100	0	0	1	100
HANCOCK	0	0	0	0	0	0	0	0	1	100	0	0	1	100
JEFFERSON	0	0	0	0	0	0	1	100	0	0	0	0	1	100
JOHNSON	0	0	0	0	0	0	0	0	0	0	1	100	1	100
KANE	0	0	1	14	2	29	3	43	1	14	0	0	7	100
LAKE	0	0	1	13	1	13	3	38	2	25	1	13	8	100
LEE	0	0	0	0	0	0	1	100	0	0	0	0	1	100
LIVINGSTON	0	0	0	0	0	0	3	60	2	40	0	0	5	100
LOGAN	0	0	0	0	0	0	0	0	1	100	0	0	1	100
MACON	0	0	0	0	0	0	0	0	0	0	1	100	1	100
MADISON	0	0	0	0	2	29	0	0	4	57	1	14	7	100
MCDONOUGH	0	0	0	0	2	100	0	0	0	0	0	0	2	100
MCHENRY	0	0	0	0	0	0	2	100	0	0	0	0	2	100
MCLEAN	0	0	0	0	0	0	2	67	1	33	0	0	3	100
MONTGOMERY	0	0	0	0	0	0	2	100	0	0	0	0	2	100
MORGAN	0	0	0	0	0	0	0	0	1	100	0	0	1	100
PEORIA	0	0	0	0	0	0	0	0	1	100	0	0	1	100
RANDOLPH	0	0	0	0	0	0	1	100	0	0	0	0	1	100
SANGAMON	0	0	0	0	0	0	1	100	0	0	0	0	1	100
ST. CLAIR	0	0	1	13	4	50	2	25	1	13	0	0	8	100
UNION	0	0	0	0	0	0	1	100	0	0	0	0	1	100
VERMILION	0	0	0	0	5	50	4	40	1	10	0	0	10	100
WILL	0	0	0	0	3	33	5	56	0	0	1	11	9	100
WINNEBAGO	0	0	1	5	8	38	9	43	3	14	0	0	21	100
TOTAL	2	0	28	3	252	25	416	41	232	23	77	8	1,007	100

Illinois Early Syphilis (<1 Year) Cases and Percentages by County and Gender, 2002

COUNTY	Female		Male		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	1	100	0	0	0	0	1	100
BROWN	0	0	1	100	0	0	1	100
CHAMPAIGN	2	20	8	80	0	0	10	100
CHRISTIAN	0	0	2	100	0	0	2	100
CLINTON	0	0	1	100	0	0	1	100
COLES	1	50	1	50	0	0	2	100
COOK	188	21	693	79	1	0	882	100
CRAWFORD	0	0	1	100	0	0	1	100
DOUGLAS	0	0	1	100	0	0	1	100
DUPAGE	2	20	8	80	0	0	10	100
FORD	0	0	1	100	0	0	1	100
HANCOCK	0	0	1	100	0	0	1	100
JEFFERSON	0	0	1	100	0	0	1	100
JOHNSON	0	0	1	100	0	0	1	100
KANE	2	29	5	71	0	0	7	100
LAKE	2	25	6	75	0	0	8	100
LEE	0	0	1	100	0	0	1	100
LIVINGSTON	4	80	1	20	0	0	5	100
LOGAN	0	0	1	100	0	0	1	100
MACON	0	0	1	100	0	0	1	100
MADISON	2	29	5	71	0	0	7	100
MCDONOUGH	0	0	2	100	0	0	2	100
MCHENRY	1	50	1	50	0	0	2	100
MCLEAN	1	33	2	67	0	0	3	100
MONTGOMERY	0	0	2	100	0	0	2	100
MORGAN	0	0	1	100	0	0	1	100
PEORIA	0	0	1	100	0	0	1	100
RANDOLPH	0	0	1	100	0	0	1	100
SANGAMON	0	0	1	100	0	0	1	100
ST. CLAIR	4	50	4	50	0	0	8	100
UNION	0	0	1	100	0	0	1	100
VERMILION	4	40	6	60	0	0	10	100
WILL	1	11	8	89	0	0	9	100
WINNEBAGO	12	57	9	43	0	0	21	100
TOTAL	227	23	779	77	1	0	1,007	100

Syphilis



2002

Illinois Early Syphilis (<1 Year) Cases and Percentages by County and Race, 2002

COUNTY	Asian/Pacific Islander		African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%	#	%
ADAMS	0	0	0	0	0	0	0	0	1	100	1	100
BROWN	0	0	0	0	0	0	0	0	1	100	1	100
CHAMPAIGN	0	0	6	60	0	0	0	0	4	40	10	100
CHRISTIAN	0	0	1	50	0	0	0	0	1	50	2	100
CLINTON	0	0	0	0	0	0	0	0	1	100	1	100
COLES	0	0	2	100	0	0	0	0	0	0	2	100
COOK	0	0	427	48	42	5	118	13	295	33	882	100
CRAWFORD	0	0	1	100	0	0	0	0	0	0	1	100
DOUGLAS	0	0	0	0	0	0	0	0	1	100	1	100
DUPAGE	0	0	3	30	1	10	0	0	6	60	10	100
FORD	0	0	0	0	0	0	0	0	1	100	1	100
HANCOCK	0	0	0	0	0	0	0	0	1	100	1	100
JEFFERSON	0	0	0	0	0	0	0	0	1	100	1	100
JOHNSON	0	0	1	100	0	0	0	0	0	0	1	100
KANE	0	0	3	43	0	0	0	0	4	57	7	100
LAKE	1	13	2	25	0	0	0	0	5	63	8	100
LEE	0	0	1	100	0	0	0	0	0	0	1	100
LIVINGSTON	0	0	4	80	0	0	0	0	1	20	5	100
LOGAN	0	0	1	100	0	0	0	0	0	0	1	100
MACON	0	0	0	0	0	0	0	0	1	100	1	100
MADISON	0	0	5	71	0	0	0	0	2	29	7	100
MCDONOUGH	0	0	0	0	0	0	0	0	2	100	2	100
MCHENRY	0	0	0	0	0	0	0	0	2	100	2	100
MCLEAN	0	0	2	67	0	0	0	0	1	33	3	100
MONTGOMERY	0	0	2	100	0	0	0	0	0	0	2	100
MORGAN	0	0	1	100	0	0	0	0	0	0	1	100
PEORIA	0	0	0	0	0	0	0	0	1	100	1	100
RANDOLPH	0	0	1	100	0	0	0	0	0	0	1	100
SANGAMON	0	0	0	0	0	0	0	0	1	100	1	100
ST. CLAIR	0	0	8	100	0	0	0	0	0	0	8	100
UNION	0	0	0	0	0	0	0	0	1	100	1	100
VERMILION	0	0	6	60	0	0	0	0	4	40	10	100
WILL	0	0	4	44	0	0	0	0	5	56	9	100
WINNEBAGO	0	0	6	29	4	19	0	0	11	52	21	100
TOTAL	1	0	487	48	47	5	118	12	354	35	1,007	100

Illinois Early Syphilis (<1 Year) Cases and Percentages by County and Ethnicity, 2002

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
ADAMS	0	0	1	100	0	0	1	100
BROWN	0	0	1	100	0	0	1	100
CHAMPAIGN	0	0	10	100	0	0	10	100
CHRISTIAN	1	50	1	50	0	0	2	100
CLINTON	0	0	1	100	0	0	1	100
COLES	0	0	2	100	0	0	2	100
COOK	95	11	678	77	109	12	882	100
CRAWFORD	0	0	1	100	0	0	1	100
DOUGLAS	0	0	1	100	0	0	1	100
DUPAGE	1	10	9	90	0	0	10	100
FORD	0	0	1	100	0	0	1	100
HANCOCK	0	0	1	100	0	0	1	100
JEFFERSON	0	0	1	100	0	0	1	100
JOHNSON	0	0	1	100	0	0	1	100
KANE	2	29	5	71	0	0	7	100
LAKE	0	0	8	100	0	0	8	100
LEE	0	0	1	100	0	0	1	100
LIVINGSTON	0	0	5	100	0	0	5	100
LOGAN	0	0	1	100	0	0	1	100
MACON	0	0	1	100	0	0	1	100
MADISON	0	0	7	100	0	0	7	100
MCDONOUGH	0	0	2	100	0	0	2	100
MCHENRY	2	100	0	0	0	0	2	100
MCLEAN	0	0	3	100	0	0	3	100
MONTGOMERY	0	0	2	100	0	0	2	100
MORGAN	0	0	1	100	0	0	1	100
PEORIA	0	0	1	100	0	0	1	100
RANDOLPH	0	0	1	100	0	0	1	100
SANGAMON	0	0	1	100	0	0	1	100
ST. CLAIR	0	0	8	100	0	0	8	100
UNION	0	0	1	100	0	0	1	100
VERMILION	0	0	10	100	0	0	10	100
WILL	1	11	8	89	0	0	9	100
WINNEBAGO	6	29	15	71	0	0	21	100
TOTAL	108	11	790	78	109	11	1,007	100

Syphilis



2002



Illinois Primary and Secondary Syphilis Cases and Percentages by County and Age Group, 2002

COUNTY	10-19		20-29		30-39		40-49		50+		Total	
	#	%	#	%	#	%	#	%	#	%	#	%
CHAMPAIGN	0	0	2	29	3	43	2	29	0	0	7	100
CHRISTIAN	0	0	0	0	0	0	1	100	0	0	1	100
CLINTON	0	0	0	0	1	100	0	0	0	0	1	100
COOK	9	2	96	24	176	43	101	25	26	6	408	100
DOUGLAS	0	0	0	0	0	0	1	100	0	0	1	100
DUPAGE	0	0	2	29	3	43	1	14	1	14	7	100
FORD	0	0	0	0	0	0	1	100	0	0	1	100
HANCOCK	0	0	0	0	0	0	1	100	0	0	1	100
JEFFERSON	0	0	0	0	1	100	0	0	0	0	1	100
JOHNSON	0	0	0	0	0	0	0	0	1	100	1	100
KANE	0	0	0	0	3	75	1	25	0	0	4	100
LAKE	0	0	0	0	0	0	1	100	0	0	1	100
LEE	0	0	0	0	1	100	0	0	0	0	1	100
LIVINGSTON	0	0	0	0	2	100	0	0	0	0	2	100
MADISON	0	0	1	17	0	0	4	67	1	17	6	100
MCDONOUGH	0	0	2	100	0	0	0	0	0	0	2	100
MCLEAN	0	0	0	0	2	100	0	0	0	0	2	100
SANGAMON	0	0	0	0	1	100	0	0	0	0	1	100
ST. CLAIR	1	20	1	20	2	40	1	20	0	0	5	100
UNION	0	0	0	0	1	100	0	0	0	0	1	100
VERMILION	0	0	3	50	2	33	1	17	0	0	6	100
WILL	0	0	0	0	2	67	0	0	1	33	3	100
WINNEBAGO	1	6	8	50	6	38	1	6	0	0	16	100
TOTAL	11	2	115	24	206	43	117	24	30	6	479	100

Illinois Primary and Secondary Syphilis Cases and Percentages by County and Gender, 2002

COUNTY	Female		Male		Total	
	#	%	#	%	#	%
CHAMPAIGN	2	29	5	71	7	100
CHRISTIAN	0	0	1	71	1	100
CLINTON	0	0	1	100	1	100
COOK	58	14	350	86	408	100
DOUGLAS	0	0	1	100	1	100
DUPAGE	1	14	6	86	7	100
FORD	0	0	1	100	1	100
HANCOCK	0	0	1	100	1	100
JEFFERSON	0	0	1	100	1	100
JOHNSON	0	0	1	100	1	100
KANE	0	0	4	100	4	100
LAKE	0	0	1	100	1	100
LEE	0	0	1	100	1	100
LIVINGSTON	2	100	0	0	2	100
MADISON	2	33	4	67	6	100
MCDONOUGH	0	0	2	100	2	100
MCLEAN	1	50	1	50	2	100
SANGAMON	0	0	1	100	1	100
ST. CLAIR	3	60	2	40	5	100
UNION	0	0	1	100	1	100
VERMILION	2	33	4	67	6	100
WILL	0	0	3	100	3	100
WINNEBAGO	10	63	6	38	16	100
TOTAL	81	17	398	83	479	100

Illinois Primary and Secondary Syphilis Cases and Percentages by County and Race, 2002

COUNTY	African American		Other		Unknown		White		Total	
	#	%	#	%	#	%	#	%	#	%
CHAMPAIGN	4	57	0	0	0	0	3	43	7	100
CHRISTIAN	0	0	0	0	0	0	1	100	1	100
CLINTON	0	0	0	0	0	0	1	100	1	100
COOK	173	42	16	4	48	12	171	42	408	100
DOUGLAS	0	0	0	0	0	0	1	100	1	100
DUPAGE	1	14	1	14	0	0	5	71	7	100
FORD	0	0	0	0	0	0	1	100	1	100
HANCOCK	0	0	0	0	0	0	1	100	1	100
JEFFERSON	0	0	0	0	0	0	1	100	1	100
JOHNSON	1	100	0	0	0	0	0	0	1	100
KANE	2	50	0	0	0	0	2	50	4	100
LAKE	0	0	0	0	0	0	1	100	1	100
LEE	1	100	0	0	0	0	0	0	1	100
LIVINGSTON	2	100	0	0	0	0	0	0	2	100
MADISON	4	67	0	0	0	0	2	33	6	100
MCDONOUGH	0	0	0	0	0	0	2	100	2	100
MCLEAN	1	50	0	0	0	0	1	50	2	100
SANGAMON	0	0	0	0	0	0	1	100	1	100
ST. CLAIR	5	100	0	0	0	0	0	0	5	100
UNION	0	0	0	0	0	0	1	100	1	100
VERMILION	3	50	0	0	0	0	3	50	6	100
WILL	0	0	0	0	0	0	3	100	3	100
WINNEBAGO	4	25	4	25	0	0	8	50	16	100
TOTAL	201	42	21	4	48	10	209	44	479	100

Illinois Primary and Secondary Syphilis Cases and Percentages by County and Ethnicity, 2002

COUNTY	Hispanic		Non-Hispanic		Unknown		Total	
	#	%	#	%	#	%	#	%
CHAMPAIGN	0	0	7	100	0	0	7	100
CHRISTIAN	1	100	0	0	0	0	1	100
CLINTON	0	0	1	100	0	0	1	100
COOK	48	12	315	77	45	11	408	100
DOUGLAS	0	0	1	100	0	0	1	100
DUPAGE	1	14	6	86	0	0	7	100
FORD	0	0	1	100	0	0	1	100
HANCOCK	0	0	1	100	0	0	1	100
JEFFERSON	0	0	1	100	0	0	1	100
JOHNSON	0	0	1	100	0	0	1	100
KANE	0	0	4	100	0	0	4	100
LAKE	0	0	1	100	0	0	1	100
LEE	0	0	1	100	0	0	1	100
LIVINGSTON	0	0	2	100	0	0	2	100
MADISON	0	0	6	100	0	0	6	100
MCDONOUGH	0	0	2	100	0	0	2	100
MCLEAN	0	0	2	100	0	0	2	100
SANGAMON	0	0	1	100	0	0	1	100
ST. CLAIR	0	0	5	100	0	0	5	100
UNION	0	0	1	100	0	0	1	100
VERMILION	0	0	6	100	0	0	6	100
WILL	0	0	3	100	0	0	3	100
WINNEBAGO	6	38	10	63	0	0	16	100
TOTAL	56	12	378	79	45	9	479	100

Syphilis



2002



**Reported Congenital Syphilis Cases and Percentages by Race, Ethnicity and Gender
Chicago, Illinois Excluding Chicago, and Illinois Totals, 2002**

Race	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Asian/Pacific Islander	0	0	0	0	0	0
African American	29	97	5	45	34	83
Native American	0	0	0	0	0	0
White	0	0	6	55	6	15
Other/Unknown	1	3	0	0	1	2
Total	30	100	11	1	41	100
Ethnicity	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Hispanic	0	0	4	36	4	10
Non-Hispanic	29	97	6	55	35	85
Unknown	1	3	1	9	2	5
Total	30	100	11	100	41	100
Gender	Chicago		Illinois excl. Chicago		Illinois Total	
	Cases	%	Cases	%	Cases	%
Male	10	33	5	45	15	37
Female	20	67	6	55	26	63
Unknown	0	0	0	0	0	0
Total	30	100	11	100	41	100

Illinois Reported Congenital Syphilis Cases by Race, Ethnicity and Gender 1992 - 2002

Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
White	11	15	13	12	7	7	7	2	2	4	6
African American	360	334	234	171	94	66	52	55	46	38	34
Hispanic	23	19	8	10							
Asian/Pacific	1	0	1	0	0	0	0	1	2	0	0
Native American	1	0	0	0	0	0	0	0	0	0	0
Other/Unk	0	0	2	4	5	2	5	2	4	3	1
Total	396	368	258	197	106	75	64	60	54	45	41
Ethnicity*	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Hispanic					5	2	6	55	2	4	4
NonHispanic					101	69	54	4	51	41	35
Unknown					0	4	4	1	1	0	2
Total					106	75	64	60	54	45	41
Gender	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Female	196	178	132	89	40	32	24	30	28	22	26
Male	200	190	124	107	57	43	33	28	24	23	15
Unknown			2	1	9	0	7	2	2	0	0
Total	396	368	258	197	106	75	64	60	54	45	41

*Ethnicity reported separately from race beginning 1996

Syphilis



2002

Illinois Reported Congenital Syphilis Cases by County, 1992 - 2002

COUNTY	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Adams	0	0	0	0	0	0	0	0	0	0	0
Alexander	0	0	1	0	0	0	0	0	0	0	0
Cook	364	317	216	160	81	65	51	55	46	39	32
Chicago	322	275	177	121	67	49	43	48	41	36	30
Suburban Cook	42	42	39	39	14	16	8	7	5	3	2
DeKalb	0	1	0	1	0	0	0	0	0	0	0
DeWitt	0	0	0	0	2	0	0	0	0	0	0
DuPage	2	3	1	0	1	1	2	0	1	1	1
Jackson	0	0	0	0	1	0	0	0	0	0	0
Jefferson	1	1	0	0	0	0	1	0	0	0	0
Johnson	0	0	0	0	1	0	0	0	0	0	0
Kane	3	2	6	3	3	1	3	0	0	0	0
Kankakee	0	0	0	1	1	0	0	0	0	0	0
Lake	1	3	1	2	3	0	0	0	0	0	1
LaSalle	0	0	0	0	0	1	0	0	0	0	0
Lee	0	1	0	0	0	1	0	0	0	0	0
McHenry	0	1	0	0	0	0	0	0	0	0	2
McLean	0	1	0	1	0	0	0	0	0	0	1
Macon	0	4	3	0	1	0	0	0	0	0	0
Madison	2	4	4	5	0	0	0	0	0	0	0
Marion	0	0	1	1	0	0	0	0	0	0	0
Massac	0	0	0	0	0	0	1	0	0	0	0
Montgomery	0	0	0	1	0	0	0	0	0	0	0
Peoria	1	0	0	0	0	0	0	0	0	0	0
Pulaski	0	1	0	0	0	0	0	0	0	0	0
Randolph	0	0	0	0	0	0	0	0	0	0	0
Rock Island	1	1	1	0	0	0	0	0	1	1	0
Saline	0	1	0	0	0	0	0	0	0	0	0
St. Clair	16	21	16	19	10	6	4	2	4	3	2
Sangamon	2	3	3	0	0	0	1	0	0	0	0
Stephenson	0	0	0	0	0	0	0	0	0	0	0
Tazewell	0	0	0	0	0	0	0	0	0	0	0
Vermilion	0	0	0	0	1	0	0	0	0	0	0
Will	3	2	0	1	1	0	1	2	1	0	1
Winnebago	0	1	5	2	0	0	0	1	1	1	1
TOTAL ILLINOIS	396	368	258	197	106	75	64	60	54	45	41
Total Ill. excluding Chicago	74	93	81	76	39	26	21	12	13	9	11

Syphilis



2002

Illinois Congenital Syphilis Case Rates per 100,000 Live Births by County, 1992 - 2002

COUNTY	2001 Live Births	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Adams	866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alexander	138	0.0	0.0	657.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cook	84,269	381.5	333.2	228.3	172.3	92.3	75.9	71.3	64.0	54.4	46.3	38.0
Chicago	49,596	541.6	462.6	299.9	211.1	126.8	95.9	103.7	93.2	81.1	72.6	60.5
Suburban Cook	34,673	117.7	117.7	109.5	109.7	40.1	46.4	23.2	20.3	14.7	8.7	5.8
DeKalb	1,211	0.0	107.5	0.0	104.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DeWitt	227	0.0	0.0	0.0	0.0	1,030.9	0.0	0.0	0.0	0.0	0.0	0.0
DuPage	13,393	14.4	21.6	7.1	0.0	7.3	7.4	14.9	0.0	7.4	7.5	7.5
Jackson	676	0.0	0.0	0.0	0.0	143.7	0.0	0.0	0.0	0.0	0.0	0.0
Jefferson	489	185.5	185.5	0.0	0.0	0.0	0.0	222.2	0.0	0.0	0.0	0.0
Johnson	107	0.0	0.0	0.0	0.0	970.9	0.0	0.0	0.0	0.0	0.0	0.0
Kane	8,054	47.7	31.8	93.7	45.8	44.1	14.3	43.0	0.0	0.0	0.0	0.0
Kankakee	1,554	0.0	0.0	0.0	64.0	64.3	0.0	0.0	0.0	0.0	0.0	0.0
Lake	10,703	10.3	30.8	10.1	20.1	33.9	0.0	0.0	0.0	0.0	0.0	9.3
LaSalle	1,434	0.0	0.0	0.0	0.0	0.0	73.4	0.0	0.0	0.0	0.0	0.0
Lee	347	0.0	229.4	0.0	0.0	0.0	235.8	0.0	0.0	0.0	0.0	0.0
McHenry	4,125	0.0	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.5
McLean	2,041	0.0	55.5	0.0	52.7	0.0	0.0	0.0	0.0	0.0	0.0	49.0
Macon	1,447	0.0	232.2	175.7	0.0	62.8	0.0	0.0	0.0	0.0	0.0	0.0
Madison	3,258	58.9	117.8	113.4	146.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Marion	535	0.0	0.0	168.6	177.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Massac	180	0.0	0.0	0.0	0.0	0.0	0.0	606.1	0.0	0.0	0.0	0.0
Montgomery	331	0.0	0.0	0.0	290.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Peoria	2,584	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulaski	104	0.0	877.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Randolph	366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rock Island	1,961	49.7	49.7	47.0	0.0	0.0	0.0	0.0	0.0	50.0	51.0	0.0
St. Clair	3,704	364.3	478.1	369.9	447.2	257.3	163.1	108.8	53.3	108.7	81.0	54.0
Saline	296	0.0	294.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sangamon	2,555	74.2	111.4	113.9	0.0	0.0	0.0	40.2	0.0	0.0	0.0	0.0
Stephenson	576	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tazewell	1,573	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vermilion	1,119	0.0	0.0	0.0	0.0	87.9	0.0	0.0	0.0	0.0	0.0	0.0
Will	8,681	51.4	34.3	0.0	16.5	14.8	0.0	14.4	27.1	12.8	0.0	11.5
Winnebago	3,938	0.0	25.1	125.5	51.3	0.0	0.0	0.0	25.2	25.3	25.4	25.4
ILLINOIS TOTAL	184,022	207.4	193.0	136.4	106.0	57.9	41.5	41.0	32.9	29.7	24.5	22.3
Total Ill. excluding Chicago	134,426	56.3	70.7	61.4	57.9	29.9	20.1	16.2	9.2	9.9	6.7	8.2

Syphilis



2002

